



Engineering & Construction ENGINEERING

CODICE - CODE

D.73.ZA.W.74565.14.007.00

PAGINA - PAGE

1 di/of 9

TITOLO - TITLE

LINGUE DISPONIBILI - AVAILABLE LANGUAGE: IT

SPECIFICA TECHNICA

132kV Foundation Layouts

D.73.ZA.W.74564.14.007.00

- 1. AUR-OHL-CIV-MP-007 Rev 2 Monopole Foundation 1250kNm Moment (Type 2)
- 2. AUR-OHL-CIV-MP-009 Rev 3 Monopole Foundation 1500kNm Moment (Type 2)
- 3. AUR-OHL-CIV-MP-013 Rev 2 Monopole Foundation 2000kNm Moment (Type 2)
- 4. D-DT-7850 Set 5 Sheet 1_2 Intermediate Monopole Foundation Rock
 5. D-DT-7850 Set 5 Sheet 2_2 Intermediate Monopole Foundation 300kPA
- 6. D-DT-7850 Set 5 Sheet 3_2 Intermediate Monopole Foundation 150kPA
- 7. D-DT-7850 Set 5 Sheet 4_2 Intermediate Monopole Foundation 100kPA
- 8. D-DT-7850 Set 5 Sheet 5_2 Intermediate Monopole Foundation 50kPA


ISSUED FOR


C W Hoffman


														_	
	40/44/0040	Issue for Co) - 132k	V OHL			Aurecon	S Pal	iso	С Н	offman	_	
00	18/11/2019	Foundation	Layo	uts										_	
0A	17/09/2019	Issue for Va Layouts	sue for Validation - 132kV OHL Foundation ayouts							Aurecon J Kriel			C Hoffman		
REV. REV.	DATA DATE		DESCRIZIONE DESCRIPTION							CONTROLLATO CHECKED		APPROVATO APPROVED			
Scopo di utilizzo / Utilization Scope															
Eskom Se	Ifbuild Works							S Mehlomakulu		S Mehlomakulu		Shahil Juggernat		h	
							DATA DATE		VERIFICATO VERIFIED	EGP CONTRIBUTI CONTRIBUTED		EGP VALIDATO EGP VALIDATED			
PROGETTO PROJECT/	/ IMPIANTO							CODIC	E – CODE						
/ NOSLOT/	LANI		TIPO TYPE	EMITT. ISSUER	PAESE	TEC.		IMPIAN PLAN		SISTEMA SYSTEM	PROGR PROGR				
Soetwater Wind Farm D 7 3 Z							7 4					7		0	
CLASSIFIC	- 1	UBBLICO K		ENDALE MPANY	RISERV		RISTRE	-	RIF. ARCHIV ARCHIVE ID		0(000000	·		


Questo documento contiene informazioni di proprietà di Enel Green Power s.p.a e deve essere utilizzato esclusivamente dal destinatario in relazione alle finalità per le quali è stato ricevuto. E' vietata qualsiasi forma di riproduzione o di divulgazione senza l'esplicito consenso di Enel Green


This document is property of Enel Green Power s.p.a It is strictly forbidden to reproduce this document, in whole or in part, and to provide to others any related information without the previous written consent by Enel Green Power s.p.a






















PLINTH - PLAN VIEW 1:50


1:75





1:75





BENDING	SCHEDULE
DENDING	COLLEGE

	No.	BARS	П	A.		TOTAL					BENDING	;	
MEMBER	OF	PER MEMB		SH	LENGTH	NUM- BER	MARK	sc	A	В	U	D	E/R
			m	ım	mm				mm	mm	mm	mm	mm
FOOTING	1	38	Υ	25	8050	37.5	AA	55	300	197	7325	197	300
	1	45	Υ	16	5450	45	AB	55	192	193	4834	193	192
	1	25	Υ	16	7650	25	AC	38	192	7334	192		
	1	37	Υ	12	5100	37	AD	38	150	4838	150		
	2	1	Υ	12	7550	2	AS1	38	150	7288	150		
	2	1	Υ	12	5050	2	AS2	38	150	4806	150		
	1	38	Υ	12	1150	38	AX	83	288	185	294	294	
PLINTH	2	9	Υ	32	1700	18	AE	38	384	1113	384		
	2	9	Υ	32	1750	18	AF	38	384	1161	384		
	1	9	Υ	32	2450	9	AG	38	384	1818	384		
	1	9	Υ	32	2450	9	AH	38	384	1818	384		
	2	4	Υ	12	2000	8	AS3	38	150	1774	150		
	2	4	Υ	12	2000	8	AS4	38	150	1774	150		
	4	7	Υ	10	2350	28	AS5	49	800	800	760	570	570
	1	4	Υ	32	3000	4	AJ	20	3000				

		25	Ϊ́Υ	16	7650	25	AC	38	192	7334	192	100	102		CONCRETE VOLUME
	1	37	Υ	12	5100	37	AD	38	150	4838	150				CONCRETE MASS
	2	1	Υ	12	7550	2	AS1	38	150	7288	150				BINDING LAYER VOLUME
	2	1	Υ	12	5050	2	AS2	38	150	4806	150				BINDING LAYER MASS
	1	38	Y	12	1150	38	AX	83	288	185	294	294			SOIL EXCAVATION VOLUM
															SOIL EXCAVATION VOLUM
PLINTH	2	9	Υ	32	1700	18	AE	38	384	1113	384				SOIL BACKFILL VOLUME
	2	9	Υ	32	1750	18	AF	38	384	1161	384				FORMWORK SMOOTH SU
	1	9	Υ	32	2450	9	AG	38	384	1818	384				FORMWORK ROUGH SUR
	1	9	Y	32	2450	9	AH	38	384	1818	384				CONCRETE STRENGTH, Fou
	2	4	Y	12 12	2000	8	AS3	38	150	1774	150 150				CONCRETE WEIGHT DENSI
	2 4	4 7	\ \ \	10	2000 2350	8 28	AS4 AS5	38 49	150 800	1774 800	150 760	570	570		CONCRETE COVER
	1	4	Ϋ́	32	3000	4	AJ	20	3000		700	0/0	0,0		ESKOM SOIL TYPE
															SOIL MAXIMUM BEARING
	•													_	SOIL WEIGHT, DENSITY
MASS (kg)		Y10		12	Y16	Y20	Y25	Y32	Y40	TOTAL					STEEL CAPACITY, Fy
R	0	0		0	0	0	0	0	0	0					STEEL MASS DENSITY
Y/T	0	41		:57	689	0	1163	746	0	2896					
MESH	0	0		0	0	0	0	0	0	0					
TOTAL	0	41	2	:57	689	0	1163	746	0	2896					

FOUNDATION SUMMARY

FOUNDATION SUMMARY											
DESCRIPTION	VALUE	UNITS									
MAXIMUM BENDING MOMENT CAPACITY	2160.0	kNm									
DESIGN TRANSVERSE MOMENT	2000.0	kNm									
DESIGN LONGITUDINAL MOMENT	800.0	kNm									
DESIGN VERTICAL FORCE	118.0	kN									
SITE CLEARANCE	44.3	m^2									
CONCRETE VOLUME	18.2	m^3									
CONCRETE MASS	44.5	ton									
BINDING LAYER VOLUME	2.8	m ³									
BINDING LAYER MASS	6.9	ton									
SOIL EXCAVATION VOLUME (0-2m)	47.8	m^3									
SOIL EXCAVATION VOLUME (2-4m)	0.0	m^3									
SOIL BACKFILL VOLUME	27.6	m ³									
FORMWORK SMOOTH SURFACE AREA	8.0	m ²									
FORMWORK ROUGH SURFACE AREA	10.0	m ²									
CONCRETE STRENGTH, Fcu	0.0	MPa									
CONCRETE WEIGHT DENSITY	24.0	kN/m ³									
CONCRETE COVER	75.0	mm									
ESKOM SOIL TYPE	2										
SOIL MAXIMUM BEARING PRESSURE	150.0	kN/m ²									
SOIL WEIGHT, DENSITY	16.0	kN/m ³									
STEEL CAPACITY, Fy	450.0	MPa									
STEEL MASS DENSITY	7850.0	kg/m³									

FOUNDATION DIMENSIONS

OUIDAIN		
DESCRIPTION	VALUE	UNITS
Α	7.50	m
В	5.00	m
С	0.40	m
D	N/A	m
Е	N/A	m
F	N/A	m
G	2.00	m
Н	2.00	m
J	1.00	m
Х	3.75	m
Т	0.20	m

DEINICODCEMENT CHIMMADY

		KE	:IN	<u> FO</u>	RCEMENT SUMMARY	
LABE	L				DESCRIPTION	
AA		38	Υ	25	- AA - 125 (B1)	
AB		45	Υ	16	- AB - 125 (B2)	
AC		25	Υ	16	- AC - 200 (T1)	
AD		37	Υ	12	- AD - 200 (T2)	
AE		9	Υ	32	- AE -EQ.SP S.F.	
AF		9	Υ	32	- AF -EQ.SP E.F.	
AG		9	Υ	32	- AG - 200 (T1)	
AH		9	Υ	32	- AH - 200 (T2)	
AS1		1	Υ	12	- AS1 - EQ.SP E.F.	
AS2	2	1	Υ	12	- AS2 - EQ.SP S.F.	
AS3	3	4	Υ	12	- AS3 - EQ.SP E.F.	
AS4	ŀ	4	Υ	12	- AS4 - EQ.SP S.F.	
AX		38	Υ	12	- AX - 1000 E.W. FROM B1 TO T	2
AS5	5	7	Υ	10	- AS5 - 200 - LINK	
AJ		4	Υ	32	- AJ -EQ.SP. (B1 & B2)	

NOTES

- 1. REFER ANY DISCREPANCIES TO THE ENGINEER PRIOR TO
- 2. OBTAIN ENGINEERS WRITTEN AUTHORIZATION FOR ALL AMENDMENTS PRIOR TO COMMENCEMENT OF WORK.
- 3. DESIGN FOUNDATION BEARING CAPACITY AS PER ESKOM STANDARD 240-47172620 (TRMSCAAC 5.2)
- 4. ALL CONCRETE WORK IS TO BE FOUNDED ON AN IN-SITU ENGINEERED MATTRESS DESIGNED TO PROVIDE THE REQUIRED BEARING CAPACITY AND STIFFNESS.
- 5. DESIGN ACCORDING TO SANS DESIGN CODES.
- 6. CONCRETE STRENGTH AT 28 DAYS: REINFORCED CONCRETE: 30 Mpa BLINDING CONCRETE: 10 Mpa
- 7. MINIMUM CONCRETE COVER TO REINFORCEMENT: 75mm FOR SIDES, TOP AND BOTTOM.
- 8. 75mm BLINDING TO BE PROVIDED UNDER FOUNDATIONS.
- 9. ALL CONCRETE MUST BE MOIST CURED BY AN APPROVED METHOD FOR 7 DAYS AFTER FINAL SET OF CONCRETE. ENGINEER MAY ADJUST CURING PERIOD DEPENDING ON WEATHER CONDITIONS.
- 10. ALL CIVIL WORKS SHALL COMPLY WITH SANS 1200, ACCURACY
- 11. PROVIDE A 20 x 20mm CHAMFER TO ALL EXPOSED CORNERS.
- 12. SMOOTH OFF-SHUTTER FINISH TO EXPOSED CONCRETE.
- 13. GROUTING: "M-BED STANDARD" (UNO) OR SIMILAR APPROVED.
- 14. ONLY HIGH TENSILE REINFORCEMENT STEEL (Y) USED
- THROUGHOUT FOUNDATION. 15. ENSURE LONG DIRECTION OF FOUNDATION TO BE ORIENTATED
- TOWARDS THE BISECTOR OF THE CONNECTED POWER LINES (EXCLUDING TERMINAL POINTS). 16. EARTH TAIL TO BE CONNECTED TO THE HD BOLTS AND
- REINFORCEMENT STEEL AND BROUGHT OUT OF THE FOUNDATION AS PER THE SPECIFICATIONS.
- 17. UNFACTORED LOADS SHOWN ON THE DRAWINGS. THE FOLLOWING SAFETY FACTORS HAVE BEEN APPLIED: CIVIL = 1.35
- 18. WHERE IT IS NECESSARY FOR BARS TO LAP, MIN LAP LENGTH = 45 x BAR DIAMETER.



www.aurecongroup.com

aurecon

Issued for Construction

Date: 15 Nov 2019

Fayaaz Ali Sattar (Pr Eng 20110103)


CLIENT	REV	DATE	REVISION DETAILS	APPROVED	DRAWN	DESIGNED
					J. BRUSSOW	J. BRUSSOW
					CHEC	KED
					P. VAN DER SPUY	
					APPR	OVED
	2	10/03/17	ISSUED FOR CONSTRUCTION	H. NIEHAUS		
	1	10/02/17	ISSUED FOR CONSTRUCTION	P. VAN DER SPUY	1010011	
	0	09/12/16	ISSUED FOR CONSTRUCTION	P. VAN DER SPUY		
	Α	07/12/16	ISSUED FOR CONSTRUCTION	P. VAN DER SPUY		


AURECON STANDARD DRAWINGS
TITLE
STANDARD MONOPOLE FOUNDATION 2 000 kNm MOMENT (TYPE 2)

PROJECT




AUR-OHL-CIV-MP-013







1:75




PLINTH - PLAN VIEW

1:75







BENDING SCHEDULE

BENDING SCHEDULE													
	No.	BARS	D	A.		TOTAL					BENDING	}	
MEMBER	OF	PER MEMB		SH	LENGTH	NUM- BER	MARK	sc	Α	В	С	D	E/R
			m	ım	mm				mm	mm	mm	mm	mm
FOOTING	1	27	Y	25	7450	27	AA	55	300	197	6725	197	300
	1	51	Y	12	5000	51	AB	55	150	197	4438	197	150
	1	23	Υ	16	7050	23	AC	38	192	6734	192		
	1	34	Υ	12	4700	34	AD	38	150	4438	150		
	2	1	Υ	12	6950	2	AS1	38	150	6688	150		
	2	1	Υ	12	4650	2	AS2	38	150	4414	150		
	1	32	Y	12	1300	32	AX	83	288	185	369	369	
PLINTH	2	7	Υ	32	1750	14	AE	38	384	1117	384		
	2	7	Υ	32	1750	14	AF	38	384	1161	384		
	1	7	Υ	32	2250	7	AG	38	384	1618	384		
	1	7	Υ	32	2250	7	AH	38	384	1618	384		
	2	4	Υ	12	1800	8	AS3	38	150	1574	150		
	2	4	Υ	12	1800	8	AS4	38	150	1574	150		
	4	7	Υ	10	2150	28	AS5	49	800	800	560	570	570
	1	4	Υ	32	2800	4	AJ	20	2800				
		1							1	l		1	

0 775 579 0 2098

MASS (kg) Y8 | Y10 | Y12 | Y16 | Y20 | Y25 | Y32 | Y40 | TOTAL

0 0

TOTAL 0 37 451 256 0 775 579 0 2098

256

0 0 0 0 37 451

DESCRIPTION	VALUE	UNITS
MAXIMUM BENDING MOMENT CAPACITY	1620.0	kNm
DESIGN TRANSVERSE MOMENT	1500.0	kNm
DESIGN LONGITUDINAL MOMENT	600.0	kNm
DESIGN VERTICAL FORCE	107.0	kN
SITE CLEARANCE	37.5	m ²
CONCRETE VOLUME	15.3	m ³
CONCRETE MASS	37.4	ton
BINDING LAYER VOLUME	2.4	m ³
BINDING LAYER MASS	5.8	ton
SOIL EXCAVATION VOLUME (0-2m)	40.5	m ³
SOIL EXCAVATION VOLUME (2-4m)	0.0	m ³
SOIL BACKFILL VOLUME	23.4	m ³
FORMWORK SMOOTH SURFACE AREA	7.2	m ²
FORMWORK ROUGH SURFACE AREA	9.2	m ²
CONCRETE STRENGTH, Fcu	30.0	MPa
CONCRETE WEIGHT DENSITY	24.0	kN/m³
CONCRETE COVER	75.0	mm
ESKOM SOIL TYPE	2	
SOIL MAXIMUM BEARING PRESSURE	150.0	kN/m ²
SOIL WEIGHT, DENSITY	16.0	kN/m ³
STEEL CAPACITY, Fy	450.0	MPa
STEEL MASS DENSITY	7850.0	kg/m ³

FC	DUNDATIC	N DIMI	ENSION	18
	DESCRIPTION	VALUE	UNITS	
	۸	6.90	m	

FC	JUNDATIC	וואווט אי	=NSIOI
	DESCRIPTION	VALUE	UNITS
	Α	6.90	m
	В	4.60	m
	С	0.40	m
	D	N/A	m
	E	N/A	m
	F	N/A	m
	G	1.80	m
	Н	1.80	m
	J	1.00	m
	Х	3.45	m
	Т	0.20	m

REINFORCEMENT SUMMARY

	ΝL	.IIN	ГО	RCEIVIENT SUIVIIVIART
LABEL				DESCRIPTION
AA	27	Υ	25	- AA - 150 (B1)
AB	51	Υ	12	- AB - 125 (B2)
AC	23	Υ	16	- AC - 200 (T1)
AD	34	Υ	12	- AD - 200 (T2)
ΑE	7	Υ	32	- AE -EQ.SP S.F.
AF	7	Υ	32	- AF -EQ.SP E.F.
AG	7	Υ	32	- AG - 240 (T1)
АН	7	Υ	32	- AH - 240 (T2)
AS1	1	Υ	12	- AS1 - EQ.SP E.F.
AS2	1	Υ	12	- AS2 - EQ.SP S.F.
AS3	4	Υ	12	- AS3 - EQ.SP E.F.
AS4	4	Υ	12	- AS4 - EQ.SP S.F.
AX	32	Υ	12	- AX - 1000 E.W. FROM B1 TO T2
AS5	7	Υ	10	- AS5 - 200 - LINK
AJ	4	Υ	32	- AJ -EQ.SP. (B1 & B2)

NOTES

- 1. REFER ANY DISCREPANCIES TO THE ENGINEER PRIOR TO
- 2. OBTAIN ENGINEERS WRITTEN AUTHORIZATION FOR ALL AMENDMENTS PRIOR TO COMMENCEMENT OF WORK.
- 3. DESIGN FOUNDATION BEARING CAPACITY AS PER ESKOM STANDARD 240-47172620 (TRMSCAAC 5.2)
- 4. ALL CONCRETE WORK IS TO BE FOUNDED ON AN IN-SITU ENGINEERED MATTRESS DESIGNED TO PROVIDE THE REQUIRED BEARING CAPACITY AND STIFFNESS.
- 5. DESIGN ACCORDING TO SANS DESIGN CODES.
- 6. CONCRETE STRENGTH AT 28 DAYS: REINFORCED CONCRETE: 30 Mpa BLINDING CONCRETE: 10 Mpa
- 7. MINIMUM CONCRETE COVER TO REINFORCEMENT: 75mm FOR SIDES, TOP AND BOTTOM.
- 8. 75mm BLINDING TO BE PROVIDED UNDER FOUNDATIONS.
- 9. ALL CONCRETE MUST BE MOIST CURED BY AN APPROVED METHOD FOR 7 DAYS AFTER FINAL SET OF CONCRETE. ENGINEER MAY ADJUST CURING PERIOD DEPENDING ON WEATHER CONDITIONS.
- 10. ALL CIVIL WORKS SHALL COMPLY WITH SANS 1200, ACCURACY
- 11. PROVIDE A 20 x 20mm CHAMFER TO ALL EXPOSED CORNERS.
- 12. SMOOTH OFF-SHUTTER FINISH TO EXPOSED CONCRETE.
- 13. GROUTING: "M-BED STANDARD" (UNO) OR SIMILAR APPROVED.
- 14. ONLY HIGH TENSILE REINFORCEMENT STEEL (Y) USED THROUGHOUT FOUNDATION.
- 15. ENSURE LONG DIRECTION OF FOUNDATION TO BE ORIENTATED TOWARDS THE BISECTOR OF THE CONNECTED POWER LINES (EXCLUDING TERMINAL POINTS).
- 16. EARTH TAIL TO BE CONNECTED TO THE HD BOLTS AND REINFORCEMENT STEEL AND BROUGHT OUT OF THE FOUNDATION
- AS PER THE SPECIFICATIONS. 17. UNFACTORED LOADS SHOWN ON THE DRAWINGS. THE FOLLOWING SAFETY FACTORS HAVE BEEN APPLIED: CIVIL = 1.35
- 18. WHERE IT IS NECESSARY FOR BARS TO LAP, MIN LAP LENGTH = 45 x BAR DIAMETER.



www.aurecongroup.com

aurecon

Issued for Construction Fayaaz Ali Sattar (Pr Eng 20110103)

Date: 15 Nov 2019

CLIENT


REV	DATE	REVISION DETAILS	APPROVED	DRAWN	DESIGNED
				J. BRUSSOW	J. BRUSSOW
				CHEC	CKED
				H. NIE	HAUS
3	10/03/17	ISSUED FOR CONSTRUCTION	H. NIEHAUS	APPR	OVED
2	10/02/17	ISSUED FOR CONSTRUCTION	P. VAN DER SPUY		
1	09/12/16	ISSUED FOR CONSTRUCTION	P. VAN DER SPUY		
0	11/10/16	ISSUED FOR CONSTRUCTION	H. NIEHAUS		10/02/17
Α	15/07/16	ISSUED FOR CONSTRUCTION	P. VAN DER SPUY		


PROJECT	
AURECON STANDARD DRAWINGS	
TITLE	
STANDARD MONOPOLE FOUNDATION	


1 500 kNm MOMENT (TYPE 2)

FOR CONSTRUCTION PROJECT No. EP-0040 SCALE SIZE AS SHOWN A1 REV DRAWING No.


AUR-OHL-CIV-MP-009









PLINTH - PLAN VIEW 1:50







REINFORCEMENT DETAILS - PLAN VIEW

1:75

BENDING SCHEDULE

DENDING SCHEDULE														
	No.	BARS	DI	Α.		TOTAL			BENDING					
MEMBER	OF	PER MEMB		SH	LENGTH	NUM- BER	MARK	sc	A	В	С	D	E/R	
			m	m	mm				mm	mm	mm	mm	mm	
FOOTING	1 1 1 2 2	26 51 21 32 1 1 28	Y	25 12 16 12 12 12 12	6950 5000 6550 4350 6450 4300 1300	25.5 51 21 32 2 2 2	A B A C A S 1 A S 2 A X	55 55 38 38 38 38 38	300 150 192 150 150 150 288	197 197 6234 4105 6188 4081 185	6225 4438 192 150 150 150 369	197 197 369	300 150	
PLINTH	2 2 1 1 2 2 4 1	11 10 11 10 4 4 7	Y	25 25 25 25 12 12 10 25	1600 1650 2000 2000 1750 1750 2050 2700	22 20 11 10 8 8 28 4	AE AF AG AS3 AS4 AS5 AJ	38 38 38 38 38 38 49	300 300 300 300 150 150 800 2700	1138 1175 1525 1525 1488 1488 800	300 300 300 300 150 150 460	570	570	

MASS	3 (kg)	Y8	Y10	Y12	Y16	Y20	Y25	Y32	Y40	TOTAL
F	₹	0	0	0	0	0	0	0	0	0
Y/	Т	0	35	426	217	0	1149	0	0	1828
ME	SH	0	0	0	0	0	0	0	0	0
TOT	TAL .	0	35	426	217	0	1149	0	0	1828

FOUNDATION SUMMARY

I OUNDATION OU		
DESCRIPTION	VALUE	UNITS
MAXIMUM BENDING MOMENT CAPACITY	1350.0	kNm
DESIGN TRANSVERSE MOMENT	1250.0	kNm
DESIGN LONGITUDINAL MOMENT	500.0	kNm
DESIGN VERTICAL FORCE	107.0	kN
SITE CLEARANCE	32.2	m ²
CONCRETE VOLUME	13.2	m ³
CONCRETE MASS	32.4	ton
BINDING LAYER VOLUME	2.0	m ³
BINDING LAYER MASS	5.0	ton
SOIL EXCAVATION VOLUME (0-2m)	34.8	m ³
SOIL EXCAVATION VOLUME (2-4m)	0.0	m ³
SOIL BACKFILL VOLUME	20.1	m ³
FORMWORK SMOOTH SURFACE AREA	6.8	m ²
FORMWORK ROUGH SURFACE AREA	8.5	m ²
CONCRETE STRENGTH, Fcu	30.0	MPa
CONCRETE WEIGHT DENSITY	24.0	kN/m ³
CONCRETE COVER	75.0	mm
ESKOM SOIL TYPE	2	
SOIL MAXIMUM BEARING PRESSURE	150.0	kN/m ²
SOIL WEIGHT, DENSITY	16.0	kN/m ³
STEEL CAPACITY, Fy	450.0	MPa
STEEL MASS DENSITY	7850.0	kg/m ³

FOUNDATION DIMENSIONS

		.1101
DESCRIPTION	VALUE	UNI
Α	6.40	r
В	4.27	r
С	0.40	r
D	N/A	r
E	N/A	rr
F	N/A	m
G	1.70	r
Н	1.70	rr
J	1.00	r
Х	3.20	rr
Т	0.20	rr

REINFORCEMENT SLIMMARY

REINFORGEWENT SUWWART									
LABEL				DESCRIPTION					
AA	26	Υ	25	- AA - 150 (B1)					
AB	51	Υ	12	- AB - 125 (B2)					
AC	21	Υ	16	- AC - 200 (T1)					
AD	32	Υ	12	- AD - 200 (T2)					
AE	11	Υ	25	- AE -EQ.SP S.F.					
AF	10	Υ	25	- AF -EQ.SP E.F.					
AG	11	Υ	25	- AG - 150 (T1)					
AH	10	Υ	25	- AH - 150 (T2)					
AS1	1	Υ	12	- AS1 - EQ.SP E.F.					
AS2	1	Υ	12	- AS2 - EQ.SP S.F.					
AS3	4	Υ	12	- AS3 - EQ.SP E.F.					
AS4	4	Υ	12	- AS4 - EQ.SP S.F.					
AX	28	Υ	12	- AX - 1000 E.W. FROM B1 TO T2					
AS5	7	Υ	10	- AS5 - 200 - LINK					
AJ	4	Υ	25	- AJ -EQ.SP. (B1 & B2)					

NOTES

- 1. REFER ANY DISCREPANCIES TO THE ENGINEER PRIOR TO
- 2. OBTAIN ENGINEERS WRITTEN AUTHORIZATION FOR ALL AMENDMENTS PRIOR TO COMMENCEMENT OF WORK.
- 3. DESIGN FOUNDATION BEARING CAPACITY AS PER ESKOM STANDARD 240-47172620 (TRMSCAAC 5.2)
- 4. ALL CONCRETE WORK IS TO BE FOUNDED ON AN IN-SITU ENGINEERED MATTRESS DESIGNED TO PROVIDE THE REQUIRED BEARING CAPACITY AND STIFFNESS.
- 5. DESIGN ACCORDING TO SANS DESIGN CODES.
- 6. CONCRETE STRENGTH AT 28 DAYS: REINFORCED CONCRETE: 30 Mpa BLINDING CONCRETE: 10 Mpa
- 7. MINIMUM CONCRETE COVER TO REINFORCEMENT: 75mm FOR SIDES, TOP AND BOTTOM.
- 8. 75mm BLINDING TO BE PROVIDED UNDER FOUNDATIONS.
- 9. ALL CONCRETE MUST BE MOIST CURED BY AN APPROVED METHOD FOR 7 DAYS AFTER FINAL SET OF CONCRETE. ENGINEER MAY ADJUST CURING PERIOD DEPENDING ON WEATHER CONDITIONS.
- 10. ALL CIVIL WORKS SHALL COMPLY WITH SANS 1200, ACCURACY LEVEL 2.
- 11. PROVIDE A 20 x 20mm CHAMFER TO ALL EXPOSED CORNERS.
- 12. SMOOTH OFF-SHUTTER FINISH TO EXPOSED CONCRETE.
- 13. GROUTING: "M-BED STANDARD" (UNO) OR SIMILAR APPROVED.
- 14. ONLY HIGH TENSILE REINFORCEMENT STEEL (Y) USED
- THROUGHOUT FOUNDATION. 15. ENSURE LONG DIRECTION OF FOUNDATION TO BE ORIENTATED
- (EXCLUDING TERMINAL POINTS). 16. EARTH TAIL TO BE CONNECTED TO THE HD BOLTS AND

TOWARDS THE BISECTOR OF THE CONNECTED POWER LINES

- REINFORCEMENT STEEL AND BROUGHT OUT OF THE FOUNDATION AS PER THE SPECIFICATIONS.
- 17. UNFACTORED LOADS SHOWN ON THE DRAWINGS. THE FOLLOWING 里常 SAFETY FACTORS HAVE BEEN APPLIED: CIVIL = 1.35
- 18. WHERE IT IS NECESSARY FOR BARS TO LAP, MIN LAP LENGTH = 45 x BAR DIAMETER.



aurecon

Issued for Construction

	CLIENT	REV	DATE	REVISION DETAILS	
aurecon					
adi Ecoli					
				ISSUED FOR CONSTRUCTION	Н.
ww.aurecongroup.com				ISSUED FOR CONSTRUCTION	P.
		0	09/12/16	ISSUED FOR CONSTRUCTION	P.

EV	DATE	REVISION DETAILS	APPROVED	DRAWN	DESIGNED
				J. BRUSSOW	J. BRUSSOW
				CHEC	KED
				P. VAN D	ER SPUY
				APPR	OVED
2	10/03/17	ISSUED FOR CONSTRUCTION	H. NIEHAUS		
1	10/02/17	ISSUED FOR CONSTRUCTION	P. VAN DER SPUY		
0	09/12/16	ISSUED FOR CONSTRUCTION	P. VAN DER SPUY		10/02/17
Α	07/12/16	ISSUED FOR CONSTRUCTION	P. VAN DER SPUY		
	2 1 0	2 10/03/17 1 10/02/17 0 09/12/16	1 10/02/17 ISSUED FOR CONSTRUCTION 0 09/12/16 ISSUED FOR CONSTRUCTION	2 10/03/17 ISSUED FOR CONSTRUCTION 1 10/02/17 ISSUED FOR CONSTRUCTION 2 10/03/17 ISSUED FOR CONSTRUCTION 3 10/02/16 ISSUED FOR CONSTRUCTION 4 P. VAN DER SPUY 5 10/03/17 ISSUED FOR CONSTRUCTION 5 P. VAN DER SPUY	J. BRUSSOW CHEC P. VAN DI APPR 2 10/03/17 ISSUED FOR CONSTRUCTION 1 10/02/17 ISSUED FOR CONSTRUCTION 2 0 09/12/16 ISSUED FOR CONSTRUCTION 3 P. VAN DER SPUY 4 P. VAN DER SPUY 5 P. VAN DER SPUY

PROJECT AURECON STANDARD DRAWINGS TITLE STANDARD MONOPOLE FOUNDATION 1 250 kNm MOMENT (TYPE 2)

FOR CONSTRUCTION PROJECT No. EP-0040 SCALE SIZE A1 AS SHOWN

DRAWING No.

AUR-OHL-CIV-MP-007

REV