

7. REFERENCES

- ANDERS, A.S., 1975. Pilchard and anchovy spawning along the Cape east coast. *S. Afr. ship. news fish. ind. rev.* 30 (9): 53-57.
- ANDREWS, W.R.H. & HUTCHINGS, L. 1980. Upwelling in the Southern Benguela Current. *Prog. Oceanog.* 9: 1-81.
- ATKINSON, L.J., 2009. Effects of demersal trawling on marine infaunal, epifaunal and fish assemblages: studies in the southern Benguela and Oslofjord. PhD Thesis. University of Cape Town, pp 141.
- AUGUSTYN C.J., LIPINSKI, M.R. & M.A.C. ROELEVELD, 1995. Distribution and abundance of sepioidea off South Africa. *S. Afr. J. Mar. Sci.* 16: 69-83.
- BAILEY, G.W., BEYERS, C.J. DE B. & S.R. LIPSCHITZ, 1985. Seasonal variation of oxygen deficiency in waters off southern South West Africa in 1975 and 1976 and its relation to catchability and
- BANG, N.D. 1970. Dynamic interpretations of a detailed surface temperature chart of the Agulhas current retroflexion and fragmentation area. *S. Afr. Geogr. J.* 52: 67
- BARENDSE, J., THORNTON, M.T., ELWEN, S.E. & P.B. BEST, 2002. Migrations of humpback whales on the West Coast of South Africa: preliminary results. Paper SC/54/H21 submitted to the Scientific Committee of the International Whaling Commission, Shimonoseki, Japan, April/May 2002.
- BARENDSE, J., BEST, P.B., THOMTON, M., POMILLA, C. CARVALHO, I. & H.C. ROSENBAUM, 2010. Migration redefined ? Seasonality, movements and group composition of humpback whales *Megaptera novaeangliae* off the west coast of South Africa. *Afr. J. mar. Sci.*, 32(1): 1-22.
- BARENDSE, J. and P.B. BEST, 2014. Shore-based observations of seasonality, movements, and group behavior of southern right whales in a nonnursery area on the South African west coast. *Mar Mammal Sci.*, : 1–25.
- BEST, P.B., 1990. Trends in the inshore right whale population off South Africa, 1969-1987. *Marine Mammal Science*, 6: 93-108.
- BEST, P.B. & C. ALLISON, 2010. Catch History, seasonal and temporal trends in the migration of humpback whales along the west coast of southern Africa. IWC sc/62/SH5.
- BEST, P.B., 2001. Distribution and population separation of Bryde's whale *Balaenoptera edeni* off southern Africa. *Mar. Ecol. Prog. Ser.*, 220: 277 – 289.
- BEST, P.B., 2007. Whales and Dolphins of the Southern African Subregion. Cambridge University Press, Cape Town, South Africa.
- BEST, P.B., 2001. Distribution and population separation of Bryde's whale *Balaenoptera edeni* off southern Africa. *Mar. Ecol. Prog. Ser.*, 220: 277 – 289.
- BEST, P.B., BUTTERWORTH, D.S. & L.H. RICKETT, 1984. An assessment cruise for the South African inshore stock of Bryde's whale (*Balaenoptera edeni*). *Report of the International Whaling Commission*, 34: 403-423.
- BEST, P.B., SEKIGUCHI, K. & K.P. FINDLAY, 1995. A suspended migration of humpback whales *Megaptera novaeangliae* on the west coast of South Africa. *Marine Ecology Progress Series*, 118: 1–12.
- BEST P.B., MEYER, M.A. & C. LOCKYER, 2010. Killer whales in South African waters – a review of their biology. *African Journal of Marine Science*. 32: 171–186.
- BIANCHI, G., HAMUKUAYA, H. & O. ALVHEIM, 2001. On the dynamics of demersal fish assemblages off Namibia in the 1990s. *South African Journal of Marine Science* 23: 419-428.

- BIRCH, G.F. 1979a. The nature and origin of mixed apatite/glaucanite pellets from the continental shelf off South Africa. *Mar. Geol.* 29: 313-334.
- BIRCH, G.F. 1979b. Phosphorite pellets and rock from the western continental margin and adjacent coastal terrace of South Africa. *Mar. Geol.* 33: 91-116.
- BIRCH, G.F. and ROGERS, J. 1973. Nature of the seafloor between Lüderitz and Port Elizabeth. *S. Afr. ship. news .fish. ind. rev.*, 39 (7): 56-65.
- BOYD, A.J. & G.P.J. OBERHOLSTER, 1994. Currents off the west and south coasts of South Africa. *S. Afr. Shipping News and Fish. Ind. Rev.*, 49: 26-28.
- BOYD, A.J., TAUNTON-CLARK, J. & OBERHOLSTER, G.P.J. 1992. Spatial features of the near-surface and midwater circulation patterns off western and southern South Africa and their role in the life histories of various commercially fished species. *S. Afr. J. Mar. Sci.*, 12: 189-206
- BRANCH, G.M. & M. BRANCH, 1981. *The Living Shores of Southern Africa*. Struik. Cape Town, South Africa.
- BRANCH, G.M. & C.L. GRIFFITHS, 1988. The Benguela ecosystem part V: the coastal zone. *Oceanogr. Marine Biology: An Annual Review*, 26: 395-486.
- BRANCH, T.A., STAFFORD, K.M., PALACIOS, D.M., ALLISON, C., BANNISTER, J.L., BURTON, C.L.K., CABRERA, E., CARLSON, C.A., GALLETTI VERNAZZANI, B., GILL, P.C., HUCKE-GAETE, R., JENNER, K.C.S., JENNER, M.-N.M., MATSUOKA, K., MIKHALEV, Y.A., MIYASHITA, T., MORRICE, M.G., NISHIWAKI, S., STURROCK, V.J., TORMOSOV, D., ANDERSON, R.C., BAKER, A.N., BEST, P.B., BORSA, P., BROWNELL JR, R.L., CHILDERHOUSE, S., FINDLAY, K.P., GERRODETTE, T., ILANGAKOON, A.D., JOERGENSEN, M., KAHN, B., LJUNGBLAD, D.K., MAUGHAN, B., MCCAULEY, R.D., MCKAY, S., NORRIS, T.F., OMAN WHALE AND DOLPHIN RESEARCH GROUP, RANKIN, S., SAMARAN, F., THIELE, D., VAN WAEREBEEK, K. & R.M. WARNEKE, 2007. Past and present distribution, densities and movements of blue whales in the Southern Hemisphere and northern Indian Ocean. *Mammal Review*, 37 (2): 116-175.
- BRANCH, G.M., GRIFFITHS, C.L., BRANCH, M.L. & L.E. BECKLEY, 2010. *Two Oceans - A guide to the marine life of Southern Africa*, David Philip, Cape Town and Johannesburg. Revised edition
- BREEZE, H., DAVIS, D.S. BUTLER, M. & V. KOSTYLEV, 1997. Distribution and status of deep sea corals off Nova Scotia. Marine Issues Special Committee Special Publication No. 1. Halifax, NS: Ecology Action Centre. 58 pp
- BROWN, P.C. 1992. Spatial and seasonal variation in chlorophyll distribution in the upper 30m of the photic zone in the southern Benguela/Agulhas region. *S. Afr. J. mar. Sci.*, 12: 515-525.
- CHAPMAN, P. & L.V. SHANNON, 1985. The Benguela Ecosystem. Part II. Chemistry and related processes. *Oceanogr. Mar. Biol. Ann. Rev.*, 23: 183-251 (Chenelot *et al.* 2008)
- CHRISTIE, N.D., 1974. Distribution patterns of the benthic fauna along a transect across the continental shelf off Lamberts Bay, South Africa. Ph.D. Thesis, University of Cape Town, 110 pp & Appendices.
- CLARK, M.R., O'SHEA, S., TRACEY, D. and B. GLASBY, 1999. New Zealand region seamounts. Aspects of their biology, ecology and fisheries. Report prepared for the Department of Conservation, Wellington, New Zealand, August 1999. 107 pp.
- COCKCROFT, A.C, SCHOEMAN, D.S., PITCHER, G.C., BAILEY, G.W. & D.L. VAN ZYL, 2000. A mass stranding, or 'walk out' of west coast rock lobster, *Jasus lalandii*, in Elands Bay, South Africa: Causes, results and implications. In: VON VAUPEL KLEIN, J.C. and F.R. SCHRAM (Eds), *The Biodiversity Crisis and Crustacea: Proceedings of the Fourth International Crustacean Congress*, Published by CRC press.

- CRAWFORD R.J.M., RYAN P.G. & A.J. WILLIAMS. 1991. Seabird consumption and production in the Benguela and western Agulhas ecosystems. *S. Afr. J. Mar. Sci.* 11: 357-375.
- CRAWFORD, R.J.M., SHANNON, L.V. & D.E. POLLOCK, 1987. The Benguela ecosystem. 4. The major fish and invertebrate resources. *Oceanogr. Mar. Biol. Ann. Rev.*, 25: 353 - 505.
- CROWTHER CAMPBELL & ASSOCIATES CC and CENTRE FOR MARINE STUDIES (CCA & CMS). 2001. Generic Environmental Management Programme Reports for Oil and Gas Prospecting off the Coast of South Africa. Prepared for Petroleum Agency SA, October 2001.
- CSIR, 1996. Elizabeth Bay monitoring project: 1995 review. *CSIR Report ENV/S-96066*.
- CSIR, 2006. Environmental Management Programme Report for Exploration/Appraisal Drilling in the Kudu Gas Production Licence No 001 on the Continental Shelf of Namibia. Prepared for: Energy Africa Kudu Limited, CSIR Report: CSIR/NRE/ECO/2006/0085/C.
- DINGLE, R.V., 1973. The Geology of the Continental Shelf between Lüderitz (South West Africa) and Cape Town with special reference to Tertiary Strata. *J. Geol. Soc. Lond.*, 129: 337-263.
- DINGLE, R.V., BIRCH, G.F., BREMNER, J.M., DE DECKER, R.H., DU PLESSIS, A., ENGELBRECHT, J.C., FINCHAM, M.J., FITTON, T, FLEMMING, B.W. GENTLE, R.I., GOODLAD, S.W., MARTIN, A.K., MILLS, E.G., MOIR, G.J., PARKER, R.J., ROBSON, S.H., ROGERS, J. SALMON, D.A., SIESSER, W.G., SIMPSON, E.S.W., SUMMERHAYES, C.P., WESTALL, F., WINTER, A. & M.W. WOODBORNE, 1987. Deep-sea sedimentary environments around Southern Africa (South-east Atlantic and South-west Indian Oceans). *Annals of the South African Museum* 98(1).
- DRAKE, D.E., CACCHIONE, D.A. & H.A. KARL, 1985. Bottom currents and sediment transport on San Pedro Shelf, California. *J. Sed. Petr.*, 55: 15-28
- DUNDEE, B.L., 2006. The diet and foraging ecology of chick-rearing gannets on the Namibian islands in relation to environmental features: a study using telemetry. MSc thesis, University of Cape Town, South Africa
- ELWEN, S. and P.B. BEST, 2004. Environmental factors influencing the distribution of southern right whales (*Eubalaena australis*) on the South Coast of South Africa I: Broad scale patterns. *Mar. Mammal Sci.*, **20 (3)**: 567-582.
- ELWEN, S.H. & R.H. LEENEY, 2011. Interactions between leatherback turtles and killer whales in Namibian waters, including predation. *South African Journal of Wildlife Research*, 41(2): 205-209.
- EMANUEL, B.P., BUSTAMANTE, R.H., BRANCH, G.M., EEKHOUT, S. & F.J. ODENDAAL, 1992. A zoogeographic and functional approach to the selection of marine reserves on the west coast of South Africa. *S. Afr. J. Mar. Sci.*, 12: 341-354.
- FINDLAY K.P., BEST P.B., ROSS G.J.B. & V.C. COCKROFT. 1992. The distribution of small odontocete cetaceans off the coasts of South Africa and Namibia. *S. Afr. J. Mar. Sci.* 12: 237-270.
- FINDLAY, K.P., MEYER, M., ELWEN, S.H., KOTZE, D., JOHNSON, R., TRUTER, P., UAMUSSE, C., SITO, S., WILKE, C., KERWATH, S., SWANSSON, S., STAVEREES, L. and J. VAN DER WESTHUIZEN, 2011. Distribution and abundance of humpback whales, *Megaptera novaeangliae*, off the coast of Mozambique. *J Cetacean Resour Manag.*, :163–174.
- HEYDORN, A.E.F. & TINLEY, K.L. 1980. Estuaries of the Cape, Part I. Synopsis of the Cape coast. Natural features, dynamics and utilization. Stellenbosch, *CSIR Research Report 380*, 97 pp.
- HOVLAND, M., MORTENSEN, P.B., BRATTEGARD, T., STRASS, P. & ROKOENGEN, K., 1998. Ahermatypic coral banks off mid-Norway: Evidence for a link with seepage of light hydrocarbons. *Palaios*, 13, 189-200.

- HUTCHINGS L., NELSON G., HORSTMANN D.A. and R. TARR, 1983. Interactions between coastal plankton and sand mussels along the Cape coast, South Africa. *In: Sandy Beaches as Ecosystems*. Mclachlan A and T E Erasmus (eds). Junk, The Hague. pp 481-500.
- INTERNATIONAL WHALING COMMISSION (IWC), 2012. Report of the Scientific Committee. Annex H: Other Southern Hemisphere Whale Stocks Committee 11–23.
- KOSLOW, J.A., 1996. Energetic and life history patterns of deep-sea benthic, benthopelagic and seamount associated fish. *Journal of Fish Biology*, 49A: 54-74.
- LANE, S.B. & R.A. CARTER, 1999. *Generic Environmental Management Programme for Marine Diamond Mining off the West Coast of South Africa*. Marine Diamond Mines Association, Cape Town, South Africa. 6 Volumes.
- LIPINSKI, M.R., 1992. Cephalopods and the Benguela ecosystem: trophic relationships and impacts. *S. Afr. J. Mar. Sci.*, 12 : 791-802.
- LOMBARD, A.T., STRAUSS, T., HARRIS, J., SINK, K., ATTWOOD, C. & L. HUTCHINGS, 2004. *National Spatial Biodiversity Assessment 2004: South African Technical Report Volume 4: Marine Component*.
- LUDYNIA, K., 2007. Identification and characterisation of foraging areas of seabirds in upwelling systems: biological and hydrographic implications for foraging at sea. PhD thesis,
- MACISSAC, K., BOURBONNAIS, C., KENCHINGTON, E.D., GORDON JR. & S. GASS, 2001. Observations on the occurrence and habitat preference of corals in Atlantic Canada. *In: (eds.) J.H.M. WILLISON, J. HALL, S.E. GASS, E.L.R. KENCHINGTON, M. BUTLER & P. DOHERTY. Proceedings of the First International Symposium on Deep-Sea Corals*. Ecology Action Centre and Nova Scotia Museum, Halifax, Nova Scotia.
- MACLEOD, C.D. & A. D'AMICO, 2006. A review of beaked whale behaviour and ecology in relation to assessing and mitigating impacts of anthropogenic noise. *Journal of Cetacean Research and Management* 7(3): 211–221.
- MACPHERSON, E. & A. GORDOA, 1992. Trends in the demersal fish community off Namibia from 1983 to 1990. *South African Journal of Marine Science* 12: 635-649.
- MAJIEDT, P., HOLNESS, S., SINK, K., OOSTHUIZEN, A. & P. CHADWICK, 2013. Systematic Marine Biodiversity Plan for the West Coast of South Africa. South African National Biodiversity Institute, Cape Town. Pp 46
- MATTHEWS, S.G. & G.C. PITCHER, 1996. Worst recorded marine mortality on the South African coast. *In: YASUMOTO, T, OSHIMA, Y. and Y. FUKUYO (Eds), Harmful and Toxic Algal Blooms*. Intergovernmental Oceanographic Commission of UNESCO, pp 89-92
- NELSON G. & L. HUTCHINGS, 1983. The Benguela upwelling area. *Prog. Oceanogr.*, 12: 333-356.
- NEWMAN, G.G. & D.E. POLLOCK, 1971. Biology and migration of rock lobster *Jasus lalandii* and their effect on availability at Elands Bay, South Africa. *Investl. Rep. Div. Sea Fish. S. Afr.*, 94: 1-24.
- OOSTHUIZEN W.H., 1991. General movements of South African (Cape) fur seals *Arctocephalus pusillus pusillus* from analysis of recoveries of tagged animals. *S. Afr. J. Mar. Sci.*, 11: 21-30.
- PETROLEUM AGENCY SA (PASA), 2015. Petroleum Exploration in South Africa: information and opportunities. www.petroleumagency.com
- PAYNE, A.I.L. & R.J.M. CRAWFORD, 1989. *Oceans of Life off Southern Africa*. Vlaeberg, Cape Town, 380 pp.

- PENNEY, A.J., PULFRICH, A., ROGERS, J., STEFFANI, N. and V. MABILLE, 2007. *Project: BEHP/CEA/03/02: Data Gathering and Gap Analysis for Assessment of Cumulative Effects of Marine Diamond Mining Activities on the BCLME Region*. Final Report to the BCLME mining and petroleum activities task group. December 2007. 410pp.
- PILLAR, S.C., 1986. Temporal and spatial variations in copepod and euphausiid biomass off the southern and south-western coasts of South Africa in 1977/78. *S. Afr. J. mar. Sci.*, 4: 219-229.
- PITCHER, G.C. & D. CALDER, 2000. Harmful algal blooms of the southern Benguela Current: a review and appraisal of monitoring from 1989 to 1997. *South African Journal of Marine Science* 22: 255-271.
- PITCHER, G.C., 1998. *Harmful algal blooms of the Benguela Current*. IOC, World Bank and Sea Fisheries Research Institute Publication. 20 pp.
- PULFRICH, A., PENNEY, A.J., BRANDÃO, A., BUTTERWORTH, D.S. & M. NOFFKE, 2006. Marine Dredging Project: FIMS Final Report. Monitoring of Rock Lobster Abundance, Recruitment and Migration on the Southern Namibian Coast. *Prepared for De Beers Marine Namibia, July 2006*. 149pp.
- ROEL, B.A., 1987. Demersal communities off the west coast of South Africa. *South African Journal of Marine Science* 5: 575-584.
- ROGERS, J. & J.M. BREMNER, 1991. The Benguela Ecosystem. Part VII. Marine-geological aspects. *Oceanogr. Mar. Biol. Ann. Rev.*, 29: 1-85.
- ROGERS, J. 1995. A comparative study of manganese nodules off southern Africa. *S. Afr. J. Geol.* 98: 208-216.
- ROGERS, J., 1977. *Sedimentation on the continental margin off the Orange River and the Namib Desert*. Unpubl. Ph.D. Thesis, Geol. Dept., Univ. Cape Town. 212 pp.
- ROGERS, A.D., 1994. The biology of seamounts. *Advances in Marine Biology*, 30: 305–350.
- ROGERS, A.D., 2004. The biology, ecology and vulnerability of seamount communities. IUCN, Gland, Switzerland. Available at: www.iucn.org/themes/marine/pubs/pubs.htm 12 pp.
- ROSE, B. & A. PAYNE, 1991. Occurrence and behavior of the Southern right whale dolphin *Lissodelphis peronii* off Namibia. *Marine Mammal Science* 7: 25-34.
- ROSENBAUM, H.C., POMILLA, C., MENDEZ, M., LESLIE, M.S., BEST, P.B., FINDLAY, K.P., MINTON, G., ERSTS, P.J., COLLINS, T., ENGEL, M.H., BONATTO, S., KOTZE, P.G.H., MEYER, M., BARENDSE, J., THORNTON, M., RAZAFINDRAKOTO, Y., NGOUESSONO, S., VELY, M. & J. KISZKA, 2009. Population structure of humpback whales from their breeding grounds in the South Atlantic and Indian Oceans. *PLoS One*, 4 (10): 1-11.
- ROUX, J-P., BEST, P.B. & P.E. STANDER. 2001. Sightings of southern right whales (*Eubalaena australis*) in Namibian waters, 1971-1999. *J. Cetacean Res. Manage. (Special Issue)*. 2: 181–185.
- SAUER, W.H.H., PENNEY, A.J., ERASMUS, C., MANN, B.Q., BROUWER, S.L., LAMBERTH, S.J. & T.J. STEWART, 1997. An evaluation of attitudes and responses to monitoring and management measures for the South African boat-based linefishery. *S. Afr. J. Mar. Sci.*, 18: 147-164.
- SHANNON, L.V. & M.J. O'TOOLE, 1998. BCLME Thematic Report 2: Integrated overview of the oceanography and environmental variability of the Benguela Current region. Unpublished BCLME Report, 58pp
- SHANNON L.V. & S. PILLAR, 1985. The Benguela Ecosystem III. Plankton. *Oceanography and Marine Biology: An Annual Review*, 24: 65-170.

- SHANNON, L.V. & G. NELSON, 1996. The Benguela: Large scale features and processes and system variability. In: *The South Atlantic: Present and Past Circulation*. WEFER, G., BERGER, W. H., SIEDLER, G. and D. J. WELLS (eds.). Berlin; Springer: 163-210.
- SHANNON, L.V. & J.G. FIELD, 1985. Are fish stocks food-limited in the southern Benguela pelagic ecosystem ? *Mar. Ecol. Prog. Ser.*, 22(1) : 7-19.
- SHAUGHNESSY P.D., 1979. Cape (South African) fur seal. In: *Mammals in the Seas. F.A.O. Fish. Ser.*, 5, 2: 37-40.
- SHILLINGTON, F.A. 1998. The Benguela upwelling system off Southwestern Africa, coastal segment (16,E). In *The Sea*, vol.11. Robinson, A.R. and Brink, K.H. (eds). John Wiley & Sons, Inc.
- SHILLINGTON, F. A., PETERSON, W. T., HUTCHINGS, L., PROBYN, T. A., WALDRON, H. N. & J. J. AGENBAG, 1990. A cool upwelling filament off Namibia, South West Africa: Preliminary measurements of physical and biological properties. *Deep-Sea Res.*, 37 (11A): 1753-1772.
- SINK, K. & T. SAMAAI, 2009. Identifying Offshore Vulnerable Marine Ecosystems in South Africa. Unpublished Report for South African National Biodiversity Institute, 29 pp.
- SINK, K., HOLNESS, S., HARRIS, L., MAJIEDT, P., ATKINSON, L., ROBINSON, T., KIRKMAN, S., HUTCHINGS, L., LESLIE, R., LAMBERTH, S., KERWATH, S., VON DER HEYDEN, S., LOMBARD, A., ATTWOOD, C., BRANCH, G., FAIRWEATHER, T., TALJAARD, S., WEERTS, S., COWLEY, P., AWAD, A., HALPERN, B., GRANTHAM, H. & T. WOLF, 2012. National Biodiversity Assessment 2011: Technical Report. Volume 4: Marine and Coastal Component. South African National Biodiversity Institute, Pretoria.
- SMALE, M.J., ROEL, B.A., BADENHORST, A. & J.G. FIELD, 1993. Analysis of demersal community of fish and cephalopods on the Agulhas Bank, South Africa. *Journal of Fisheries Biology* 43:169-191.
- SMITH, G.G and G.P. MOCKE, 2002. Interaction between breaking/broken waves and infragravity-scale phenomena to control sediment suspension and transport in the surf zone. *Marine Geology*, 187: 320-345.
- SPRFMA, 2007. Information describing seamount habitat relevant to the South Pacific Regional Fisheries Management Organisation.
- STEFFANI, N. & PULFRICH, A. 2004. The potential impacts of marine dredging operations on benthic communities in unconsolidated sediments. Specialist Study 2. Specialist Study for the Environmental Impact Report for the Pre-feasibility Phase of the Marine Dredging Project in Namdeb's Atlantic 1 Mining Licence Area and in the nearshore areas off Chameis. Prepared for PISCES Environmental Services (Pty) Ltd, September 2004.
- VISSER, G.A., 1969. Analysis of Atlantic waters off the coast of southern Africa. *Investigational Report Division of Sea Fisheries, South Africa*, 75: 26 pp.(Walker & Peterson 1991).
- WEIR, C.R., 2011. Distribution and seasonality of cetaceans in tropical waters between Angola and the Gulf of Guinea. *African Journal of Marine Science* 33(1): 1-15.
- WEIR, C.R., COLLINS, T., CARVALHO, I. & H.C. ROSENBAUM, 2010. Killer whales (*Orcinus orca*) in Angolan and Gulf of Guinea waters, tropical West Africa. *Journal of the Marine Biological Association of the U.K.* 90: 1601– 1611.