Excavations at Olieboomspoort Shelter

Our Ref:



an agency of the

T: +27 21 462 4502 | F: +27 21 462 4509 | E: info@sahra.org.za South African Heritage Resources Agency | 111 Harrington Street | Cape Town P.O. Box 4637 | Cape Town | 8001 www.sahra.org.za

Enquiries: Ragna Redelstorff Tel: +27 (0)21 202 8651

Email: rredelstorff@sahra.org.za

CaseID: 12209

Date: Thursday September 27, 2018

Page No: 1

PermitID: 2799

PERMIT: Excavation, Sampling, Dating

In terms of Section 35(4) of the National Heritage Resources Act (Act 25 of 1999)

Permit Holder: Dr Aurore Val

University of the Witwatersrand - Evolutionary Studies Institute

9 Hagen Road 2196 Greenside

Site: Olieboomspoort Shelter (Olieboomspoort Shelter)

For excavation of the Middle Stone Age (MSA) layer at Olieboomspoort Shelter near Waterberg, Limpopo Province

Conditions:

- 1. This permit is issued to Dr Aurore Val (Evolutionary Studies Institute, University of the Witwatersrand).
- 2. If the permit holder is not to be present on the site at all times then SAHRA must be provided with the names and qualifications of the authorised representatives.
- 3. The horizontal extent of the excavation is 10m². Excavation activities will include sieving and spatial recording of all finds. A site map must be created and a total station must be used to record the finds. Samples will be taken for dating analysis (OSL and TL).
- 4. Adequate recording methods as specified in the Regulations and Guidelines pertaining to the National Heritage Resources Act must be employed. Note that the position of all excavations and objects collected must be marked on a plan of the site. Materials must be bagged per quadrant and labelled carefully.
- 5. A standard site record form must be lodged with the Museum of Anthropology and Archaeology, UNISA, Pretoria.
- 6. All material collected and excavated, as well as field notes and records, will be curated by the Museum of Anthropology and Archaeology, UNISA, who will be responsible for the permanent curation and safekeeping of all artefactual material in a condition that allows ongoing research.
- 7. Annual permit reports on the results of the excavations and analyses must be submitted to SAHRA via

Excavations at Olieboomspoort Shelter

Our Ref:



an agency of the Department of Arts and Culture

T: +27 21 462 4502 | F: +27 21 462 4509 | E: info@sahra.org.za South African Heritage Resources Agency | 111 Harrington Street | Cape Town P.O. Box 4637 | Cape Town | 8001 www.sahra.org.za

Enquiries: Ragna Redelstorff Tel: +27 (0)21 202 8651

Email: rredelstorff@sahra.org.za

CaseID: 12209

Date: Thursday September 27, 2018

Page No: 2

PermitID: 2799

email on or before 30 September 2019 and 2020, and a final permit report on or before 30 September 2021. SAHRA reserves the right to withhold further permits if progress is not deemed satisfactory. Permit reports can be made available to researchers on request within three years of the lapsing of this permit.

- 8. Reprints of all published papers or copies of theses and/or reports resulting from this work must be lodged with SAHRA.
- 9. It is the responsibility of the permit holder to obtain permission from the landowner for each visit, and the excavator is responsible for ensuring that he or she has an understanding with the landowner concerning: the number of visitors and workers; conditions for camping on the property; speed limits on access roads; possible prohibitions on off-road driving; size, type and number of vehicles permitted; possible prohibitions on trespassing beyond the site; disturbing fauna, flora or substrate; erection and demolition of structures on the site; appropriate hours of visiting and working on the site; use of firewood, electricity and water; lighting fires and the prevention of uncontrolled fires and any fencing necessary to protect livestock. Conditions of access imposed by the landowner must be observed.
- 10. The permitted excavator shall be responsible for the activities and impacts of all colleagues, students and employees under his or her supervision.
- 11. Excavators must take measures to ensure the safety of any person who may enter the excavation site as part of their excavation team or as their visitor.
- 12. It is the responsibility of the permit holder to protect sites during and after excavation and to ensure that, where appropriate, excavations are filled in or stabilised with adequate materials (e.g. Loffelstein blocks or army bags in geotextile) to the satisfaction of SAHRA and the landowner.
- 13. SAHRA shall not be liable for any losses, damages or injuries to persons or properties as a result of any activities in connection with this permit.
- 14. SAHRA reserves the right to cancel this permit by notice to the permit holder.
- 15. This permit is subject to a general appeal and may be suspended should an appeal against the decisions be received by SAHRA within 14 days from the date of the permit. SAHRA may not be held responsible for any costs or losses incurred in the event of the suspension or retraction of this permit.
- 16. Request to renew permits must be done at least two months prior to the expiry of the existing permit.

Excavations at Olieboomspoort Shelter

Our Ref:



an agency of the Department of Arts and Culture

T: +27 21 462 4502 | F: +27 21 462 4509 | E: info@sahra.org.za South African Heritage Resources Agency | 111 Harrington Street | Cape Town P.O. Box 4637 | Cape Town | 8001 www.sahra.org.za

Date: Thursday September 27, 2018

Page No: 3

Enquiries: Ragna Redelstorff Tel: +27 (0)21 202 8651

Email: rredelstorff@sahra.org.za

CaseID: 12209

PermitID: 2799

This permit is valid from 27/09/2018 to 30/09/2021

Ragna Redelstorff Heritage Officer

South African Heritage Resources Agency

Phillip Hine

Acting Manager: Archaeology, Palaeontology and Meteorites Unit

South African Heritage Resources Agency

Additional Info:

Please note that this permit may be suspended should an appeal against the decisions be received by SAHRA within 14 days from the date of the permit. SAHRA may not be held responsible for any costs or losses incurred in the event of the suspension or retraction of this permit.

ADMIN: Direct URL to case: http://www.sahra.org.za/node/488262