

www.gatesls.co.za • p- p.o. box 550, pnp by the sea, 4053 • t- 082 859 2250

AND

SOLUTIONS



WINDOW TYPE: W01 MAX GLAZED PANEL: 0,4 m² GLAZING SPECIFICATIONS: MIN. 4mm - ANNEALED MONOLITHIC GLASS QUANTITY: 2

WINDOW TYPE: D01 MAX GLAZED PANEL: 1,9 m² **GLAZING SPECIFICATIONS:** MIN. 6mm - TOUGHENED SAFETY GLASS QUANTITY: 1

ALL POWDER-COATED ALUMINIUM DOORS & WINDOWS WITH GLAZING PANELS AS SHOWN, TO COMPLY WITH SANS 1263:1, SANS 0137, SANS 10400 PART N SCHEDULE 1 AND AAAMSA REGULATIONS; WITH MANUFACTURE-NAME PERMANENTLY MARKED ON EACH SHEET AFTER GLAZING. ALL FRAMING TO BE POWDER-COATED IN COLOUR. ALL IRONMONGERY AS PER SPECIALISTS DETAILS. ALL ELEVATIONS ARE AS VIEWED FROM OUTSIDE. ALL STRUCTURAL OPENINGS TO BE MEASURED ON SITE PRIOR TO MANUFACTURE.

DISCREPANCIES TO BE REPORTED TO THE ARCHITECT ALL SHOP DRAWINGS TO BE PROVIDED AND APPROVED BY ARCHITECT PRIOR TO FABRICATION

ALL STRUCTURAL OPENINGS ARE TO BE BE SEALED RIGHT AROUND WITH SONDOR POLYURETHANE FOAM OR EQUAL APPROVED AND SEALED WITH SILICONE TO MATCH FRAME COLOUR UNLESS OTHERWISE SPECIFIED BY ARCHITECT.

proposed - 166 watsonia road - alts & adds