
**SITE SENSITIVITY VERIFICATION REPORT:
THE PROPOSED DEVELOPMENT OF NDAU
SOLAR ENERGY FACILITY 1 & ASSOCIATED
INFRASTRUCTURE, LOCATED WITHIN THE
POLOKWANE LOCAL MUNICIPALITY AND
CAPRICORN DISTRICT MUNICIPALITY IN
THE LIMPOPO PROVINCE**

Report Date: 24 July 2023

Praxos 373 Reference: 220707A

Authority Reference: 14/12/16/3/3/2/2395



PRAXOS

373

DISCLAIMER

This document has been prepared by Praxos 373 (Pty) Ltd (herein after referred to as “Praxos”).

Any advice, opinions, or recommendations within this document should be read and relied upon only in the context of the document as a whole. The advice and opinions in this document are based upon the information made available to Praxos at the date of this document. Following final delivery of this document to the Client, Praxos will have no further obligations or duty to advise the Client on any matters, including development affecting the information or advice provided in this document. The contents of the document do not, in any way, purport to include any manner of legal advice or opinion and is prepared in accordance with the terms and conditions of the contract with the Client.

This document may contain proprietary information and may only be released to third parties with approval of Praxos management. The document is uncontrolled unless otherwise marked; uncontrolled documents are not subject to update notification. Should the Recipient of the document wish to release this document to a Third Party for that party's dependence, Praxos, at its discretion, may agree to such release provided that:

- Praxos’s written agreement is obtained prior to such release, and
- On release,
 - that Third Party does not acquire any rights, contractual or otherwise, whatsoever against Praxos,
 - Praxos accordingly, assume no duties, liabilities or obligations to that Third Party, and
 - Praxos accepts no responsibility for any loss or damage incurred by the Recipient or for any conflict of Praxos’s interests arising out of the Recipient's release of this document to the Third Party.

REVISION HISTORY AND APPROVAL




<u>DATE</u>	<u>REV.</u>	<u>AUTHOR</u>	<u>REVIEWER</u>	<u>APPROVER</u>
2023.07.24	00	Mr. Richard Myburgh 	Mr. Nishkar Maharaj 	Mr. Manie Cilliers 

TABLE OF CONTENTS

1.	INTRODUCTION	5
2.	PROJECT DESCRIPTION	7
3.	PROJECT LOCATION AND SITE DESCRIPTION	8
4.	DESKTOP AND SITE ASSESSMENT	11
4.1	Geotechnical Assessment.....	11
4.2	Geohydrology	11
4.3	Socio-Economic	12
4.4	Defence and Civil Aviation.....	17
4.5	Radio Frequency Interference	17
5.	SITE ASSESSMENT	18
6.	RATIONALE FOR SPECIALIST STUDIES AND FINDINGS.....	39
6.1	Geotechnical Assessment.....	39
6.2	Geohydrological Assessment	39
6.3	Socio-Economic	39
6.4	Defence and Civil Aviation.....	39
6.5	Radio Frequency Interference Assessment.....	39
7.	CONCLUSIONS AND RECOMMENDATIONS	40

LIST OF FIGURES

Figure 1:	Locality Map (Praxos, 2023)	10
Figure 2:	Access to Basic Services (Source: Quantec, 2022)	17

LIST OF TABLES

Table 1:	Summary of Environmental Sensitivities	5
Table 2:	Specialist SSV Reports	6
Table 3:	SG Code and Property Description	9
Table 4:	GPS Co-ordinates for the Corner Points	9
Table 5:	Land Use in Surrounding area	13
Table 6:	Summary of Desktop vs Site Verification Sensitivities	40

ACRONYMS

BESS	Battery Energy Storage System
BGL	Below Ground Level
CBA	Critical Biodiversity Area
CDM	Capricorn District Municipality
CMA	Catchment Management Agency
DFFE	Department of Forestry, Fisheries, and Environment
EA	Environmental Authorisation
EAP	Environmental Assessment Practitioner
EC	Electrical Conductivity
EGI	Electricity Grid Infrastructure
EIR	Environmental Impact Report
ESA	Ecological Support Area
FEPA	Freshwater Ecosystem Priority Area
I&AP	Interested and Affected Parties
IBA	Important Bird Area
LCC	Land Capability Class
LCP	Limpopo Conservation Plan
ℓ/s	litres/ second
LSU	Large Stock Unit
mS/m	millisiemens per meter
NPAES	National Protected Area Expansion Strategy
PAR	Protected Areas Register
PDA	Primary Drainage Area
PLM	Polokwane Local Municipality
PV	Photovoltaic
QDA	Quaternary Drainage Area
QDGC	Quarter Degree Grid Cell
QDS	Quarter Degree Square
RDL	Red Data List
REDZ	Renewable Energy Development Zone
RFI	Radio Frequency Interference
S&EIR	Scoping and Environmental Impact Reporting
SACAA	South African Civil Aviation Authority
SAHRIS	South African Heritage Resources Information System
SANDF	South African National Defence Force
SARAO	South African Radio Astronomy Observatory
SCC	Species of Conservation Concern
SG	Surveyor General
SKA	Square Kilometre Array
SSVR	Site Sensitivity Verification Report
SWSA	Strategic Water Source Area
WAP	Working-Age Population
WMA	Water Management Area

1. INTRODUCTION

Praxos was appointed as an independent Environmental Assessment Practitioner (*EAP*) by ABO Wind on behalf of ABO Ndau Solar Energy Facility 1 (Pty) Ltd to undertake the application process for Environmental Authorisation (*EA*), subject to a Scoping and Environmental Impact Reporting (*S&EIR*) process, for the Proposed Development of the Ndau Solar Photo Voltaic (*PV*) Facility 1. The Proposed Development will be located within the Polokwane Local Municipality (*PLM*) and Capricorn District Municipality (*CDM*), of Limpopo Province, South Africa. (hereafter referred to as the *Proposed Development*).

Using the national web-based screening tool, a Screening Tool Report was generated as part of the EA application process. According to the Screening Tool Report, the following specialist assessments were identified and recommended to be undertaken as part of the environmental process:

Furthermore, the following environmental sensitivities were identified in the Screening Tool Report:

Table 1: Summary of Environmental Sensitivities

Theme	Very High	High	Medium	Low
Agriculture			X	
Animal Species			X	
Aquatic	X			
Archaeological and Cultural Heritage				X
Avian	X			
Civil Aviation			X	
Defence				X
Landscape (Solar)	X			
Palaeontology			X	
Plant Species			X	
Radio Frequency Interference (<i>RFI</i>)			X	
Terrestrial Biodiversity	X			

The DFFE Screening Tool also identified the following Specialist Studies to be undertaken as part of the S&EIR process:

1. Agricultural Impact Assessment
2. Animal Species Assessment
3. Aquatic Biodiversity Impact Assessment
4. Archaeological and Cultural Heritage Impact Assessment
5. Civil Aviation Assessment
6. Defence Assessment
7. Geotechnical Assessment
8. Landscape/ Visual Impact Assessment
9. Palaeontology Impact Assessment
10. Plant Species Assessment
11. RFI Assessment

- 12. Socio-Economic Assessment
- 13. Terrestrial Biodiversity Impact Assessment

In accordance with the Procedures for the Assessment and Minimum Criteria for Reporting on identified Environmental Themes in terms of Sections 24(5)(a) and (h) and 44 of National Environmental Management Act (No. 107 of 1998), this Site Sensitivity Verification Report (SSVR) has been compiled to address the findings of the Screening Tool Report and the rationale behind the identified specialist studies.

This report focuses on the themes for Civil Aviation, Defence, and RFI since SSV reports for the various other themes have already been undertaken by qualified Specialists. It should be noted that Geotechnical, Geohydrological, and Socio-Economic Impacts do not have specific themes within the Department of Forestry, Fisheries and Environment's (DFFE) Screening Tool. As such, desktop assessments were undertaken by qualified Specialists for the Geohydrological conditions and the Socio-Economic environment. In terms of the Geotechnical component, detailed Specialist investigations will be undertaken during the EIR phase however, the baseline environment has been described in **Section** Error! Reference source not found. of this report.

Detailed assessments will be undertaken during the EIR phase which must comply with Appendix 6 of the Environmental Impact Assessment (EIA) Regulations, 2014 (as amended), unless a specific theme protocol has been prescribed. The rationale for undertaking Specialist Studies is detailed in **Chapter** Error! Reference source not found..

Please refer to **Table 2** below for a list of Specialist SSV reports/ desktop investigations already undertaken and its location within the Scoping Report (SR).

Table 2: Specialist SSV Reports

Specialist SSV Reports	DFFE Screening Sensitivity	Site Sensitivity Verification	Specialist Study (Yes/No)
Agricultural Potential	Medium	Medium	Yes , refer to Appendix F1 of the SR
Animal Species Assessment (part of Terrestrial Biodiversity)	Medium	Medium	Yes , refer to Appendix F9 of the SR
Aquatic Biodiversity	Very High	High	Yes , refer to Appendix F2 of the SR
Avifauna	Very High	Medium to Low	Yes , refer to Appendix F3 of the SR
Archaeological and Cultural Heritage	Low	Medium	Yes , refer to Appendix F4 of the SR
Landscape and Visual	Very High	Medium to Low	Yes , refer to Appendix F6 of the SR
Palaeontology Assessment	Medium	Low	Yes , refer to Appendix F7 of the SR
Plant Species Assessment (part of Terrestrial Biodiversity)	Medium	Medium	Yes , refer to Appendix F9 of the SR

Specialist SSV Reports	DFFE Screening Sensitivity	Site Sensitivity Verification	Specialist Study (Yes/No)
Terrestrial Biodiversity	Very High	Medium	Yes, refer to Appendix F9 of the SR

2. PROJECT DESCRIPTION

ABO Ndau Solar Energy Facility 1 (Pty) Ltd proposes the development of Ndau 1, a PV solar energy generation facility, of up to 120 MWac in capacity, and associated infrastructure located on Portion 19 of the Farm Rietvley No. 13, 27 km south-west of Polokwane within the Limpopo Province.

The Project Area falls within the jurisdiction of the PLM, within the Capricorn District. The Proposed Development is located within the International Strategic Transmission Corridor, as stipulated in Government Notice No. 113 of Government Gazette No. 41445 published on 16 February 2018. The Proposed Development is not located within a Renewable Energy Development Zone (*REDZ*) and is not classified as Electricity Grid Infrastructure (*EGI*).

A development area has been identified for the Proposed Development. Within this identified development area, a development footprint has been defined in a manner which has considered the environmental sensitivities present on the affected property and which intentionally remains beyond highly sensitive areas. The affected property has been considered in this S&EIR process (which includes the independent Specialists' assessments undertaken) and assessed in terms of its suitability from an environmental and social perspective.

The Proposed Development is located outside of an urban area with a current zoning that is agricultural in nature. It is envisaged that a change in zoning will be required from agricultural to industrial.

The Proposed Development would comprise the following:

- Solar Field/Solar Arrays of up to approximately 336 000 modules [Note that the mounting structures will be a fixed-tilt PV and either a single-axis tracking PV or double-axis tracking PV. Module types would be either mono-facial or bi-facial and are up to approximately 3.5 metres (m) in height, i.e., new infrastructure to be erected (details to be confirmed during detailed design stage)].
- Internal access roads (noting that existing farm roads would be used as far as possible, and that the maximum road width would be up to approximately 10 m).
- A main access road (noting that existing farm roads would be used as far as possible, and the road width would be up to approximately 10 m, whereas the road length would be up to approximately 2 km).
- Internal electrical reticulation (i.e., low and medium voltage lines) to be placed underground where feasible.
- An on-site substation hub and associated infrastructure (such as substation, transformation infrastructure, collector infrastructure, step-up infrastructure, BESS etc.) including auxiliary buildings (such as operation & maintenance buildings, admin buildings, workshops, gatehouse,

security building, offices, visitor centre, warehouses, etc.) contained within up to approximately a 5 hectares (*ha*) footprint and up to 8 m in height.

- Perimeter fencing of up to 3 m in height.

A temporary laydown area would be established during the construction period but will be within the development footprint i.e., within the fenced area allocated for development. The laydown area would move as required while construction is underway.

One access point to site is proposed. The Proposed Development will be accessed from the north via an existing unnamed road. Existing roads will be utilised as far as reasonably possible and upgraded where necessary. Roads would be up to 10m wide. The detailed design of the proposed access and road upgrade requirements would be as per the recommendations of the Traffic Impact Assessment (*TIA*).

A 500 MW/MWh Battery Energy Storage System (*BESS*) would be developed within the substation compound footprint, if required. With regard to the proposed *BESS*, the technology thereof is dynamic and so the specific type/technology to be developed would be selected based on market demands and technology availability at the time of construction. Therefore, both Lithium-ion and Redox-Flow are to be assessed as technology alternatives, with Lithium-ion being the current preferred technology.

3. PROJECT LOCATION AND SITE DESCRIPTION

The Proposed Development is located on Portion 19 of the Farm Rietvley No. 13 and is known as Ndau 1 site (Project Area). The Project Area is located adjacent to the N1 road and measures approximately 149 ha in extent. Refer to the locality map in **Figure 1** below.

The Project Area is located within the International Strategic Transmission Corridor near the city of Polokwane, Limpopo Province. The nearest residential areas are the suburb of Mayapje in the North, the suburb of Ga-Sebati in the East, the village of Mogoto in the South and Tshamahansi (a large, populated semi-urban rural township) in the West.

The immediate surroundings of the Project Area are sparsely populated and largely undeveloped, vacant land. The Percy Fyfe Nature Reserve is approximately 2 Km North-West of the Project Area, whereas there are a few agricultural farms, a bush lodge and a local restaurant East of the Project Area. The current Project Area and adjacent properties are zoned as “Agricultural”.

The Project Area occurs in Ward 1 of the Polokwane Local Municipality. The property is currently part of a single title deed made out to Marco Trust, with Title Deed number: T117136/2004PTA. Refer to **Table 3** for the property description and Surveyor General (SG) Codes for the Project Area.

The proposed access road would extend across Remaining Extent of Farm Rietvley No. 13.

Table 3: SG Code and Property Description

Property Description	SG Code	Extent (Ha)
Portion 19 of the Farm Rietvley No. 13	TOKS00000000001300019	289.51
Remaining Extent of Farm Rietvley No. 13 (access road only)	TOKS00000000001300000	289.51
Total		579.02

Refer to **Table 4** below for the GPS co-ordinates for the corner points of the Project Area boundary.

Table 4: GPS Co-ordinates for the Corner Points

Corner Points	Latitude	Longitude
Point 1	24° 2'59.54"S	29°12'56.15"E
Point 2	24° 2'39.33"S	29°13'30.07"E
Point 3	24° 3'8.17"S	29°13'54.84"E
Point 4	24° 3'22.14"S	29°13'22.73"E
Point 5	24° 3'21.84"S	29°13'8.29"E
Point 6	24° 3'15.25"S	29°12'50.58"E




Figure 1: Locality Map (Praxos, 2023)

4. DESKTOP AND SITE ASSESSMENT

At a desktop level, the Proposed Development was characterised as follows:

4.1 GEOTECHNICAL ASSESSMENT

a) Topography and Drainage

The Polokwane Municipal area is situated on the 'Pietersburg Plateau' which is bordered in the south by the Strydpoort Mountains, in the west and north by the Waterberg Mountains and in the east by the Great Escarpment^{Error! Bookmark not defined.}. The topography the Project Area is gently undulating with a range in altitude from around 1397 m to 1516 m above mean sea level. It comprises low hills with eroded valleys that form the upper reaches of the Leeuspruit River, a tributary of the Sand River.

In terms of drainage, South Africa is geographically divided up into a number of naturally occurring Primary Drainage Areas (*PDA*s) and Quaternary Drainage Areas (*QDA*s). Areas are classified into Water Management Areas (*WMA*s) and Catchment Management Agencies (*CMA*s). The Project Area is within PDA 'A' and QDAs A61F & A71A. The majority of the Project Area falls within A71A, with a small portion located in A61F on the western side of the Project Area. This section drains towards the west, whereas the area in A71A drains towards the east/ northeast. The Project Area is also located within the Limpopo WMA (1) and CMA (1)^{Error! Bookmark not defined.}. Error! Reference source not found. below reflects the drainage areas in relation to the Project Area.

b) Geology

The surface geology in the immediate vicinity of the Project Area is mainly composed of meta-arenaceous rocks such as quartzite, gneiss, migmatite, and granulite, as well as meta-argillaceous rocks like slate, phyllite, meta-pelite, schist, serpentine, amphibolite, and hornfels. However, as one moves away from the Project Area, intrusive rocks with varying levels of acidity including granitoids can be found.¹

A Geotechnical Impact Assessment will be undertaken as part of the Environmental Impact Reporting (*EIR*) phase.

4.2 GEOHYDROLOGY

The Project Area lies in a Strategic Water Source Area (*SWSA*) for groundwater, specifically the Upper Sand (Polokwane) Aquifer System which covers an area of approximately 96.5 km² in the upper Sand River Catchment. The Hydrogeologist conducted a desktop investigation utilising various sources and in accordance with the South African National Standards (*SANS*) 10299:2003 guideline.

The Project Area is underlain by an intergranular and fractured aquifer system with an approximate yield of 5 litres/ second (*ℓ/s*). This indicates that the aquifer is highly productive even though the region is characterised as semi-arid. Towards the south and west of the Project Area, the aquifers can also be described as intergranular and fractured with borehole yields ranging from 0.5 to 2 *ℓ/s* and 0.1

¹ Luhlaza Advisory and Consulting, Geohydrological Desktop Investigation, 2022

to 0.5 ℓ/s respectively. As such, these aquifers are classified as moderately productive and poorly productive systems. In terms of Electrical Conductivity (*EC*), values range from 70 to 300 millisiemens per meter (*mS/m*) with some areas showing EC values between 0 and 70 mS/m which is indicative of a mixture of moderate to good groundwater quality. The depth to groundwater within the Project Area and surrounds ranges from 10 m to 17 m and 17 m to 25 m below ground level (*bgl*) respectively. The region's groundwater recharge is between 14 and 28 mm/year, suggesting that groundwater resources have a regional recharge rather than local one¹.

The Project Area is located at the local surface water drainage divide of the two quaternary catchments i.e., A71A and A61F. If the local groundwater level follows the local topographical gradient, the Specialist notes that the Project Area is positioned on the groundwater divide. This suggests that any pollution that occurs within the Project Area will pollute downstream water resources, both surface and groundwater¹.

A desktop hydro census was also conducted at a 2 kilometres (*km*) and 5 km radius of the Project Area. The information indicated that there are a number of boreholes within and in the vicinity of the Project Area however detailed information such as groundwater level, use, type and pumping rates were unavailable¹.

The Specialist noted that the Project Area is classified as having a low to moderate sensitivity based on the hydrological aquifer type and drainage patterns. A more detailed assessment of geohydrological conditions including a field hydro census will be undertaken during the EIR phase. Please refer to Error! Reference source not found. above for a Hydrogeological Map.

4.3 SOCIO-ECONOMIC

A Socio-Economic Impact Assessment was undertaken during May 2023. The report relied on both primary and secondary sources of data as part of its assessment.

Primary sources of data included a site visit undertaken on **02 May 2023** to get an understanding of the locational factors of the proposed development; however, none of the local residents were consulted.

Secondary data was sourced from the following databases and documents:

- Previously completed studies.
- Stats SA Census 2011
- StatsSA Labour Force Survey
- Quantec Research database
- Industrial Policy Action Plan (IPAP2), 2018/19-2020/21
- National Environmental Management Act (No. 107 of 1998) (NEMA)
- National Development Plan (NDP) 2011–2030
- New Growth Path Framework (NGPF) 2010
- Provincial:
 - Limpopo Strategic Plan 2020-2025

- Limpopo Development Plan 2015-2019
- Local:
 - Capricorn District Municipality Integrated Development Plan (2022/2027)
 - Polokwane Local Municipality Integrated Development Plan (2021/2026)
 - Polokwane 2030 Development Plan
- Other national, provincial, and local government strategic documents and policies

The proposed site is located within the vicinity of a few scattered residential areas, which are expected to be affected by the development of the solar PV facility. Additionally, there are several businesses established in close proximity to the area, including Ysterberg Lodge, Caltex Fuel Station, Geyser Traction Substation, and various privately owned farms. **Table 5** provides a detailed description of the land uses in the vicinity of the proposed site.

Table 5: Land Use in Surrounding area

Direction	Distance	Land Use
North	0.0km	Vacant Land
	1.07km	Private Property (Small farm)
North-east	0.0km	Vacant Land
	1.25km	Ysterberg Lodge
	2.5km	Caltex Fuel Station
East	0.0 km	Vacant Land
	4.8km	Protea by Marriott Hotel Polokwane Ranch Resort
	5.68	Twin Towers Restaurant
	22.7km	Wildthingz Bush Lodge
South-East	0.0km	Vacant Land
	1.35km	Private Property (Residential)
	1.85km	Private Property (Residential)
South	1.04km	Private Property
South-west	640m	Private Property (Residential)
	1.14km	Private Property (Residential)
	3km	Vacant Land
West	0.0km	Vacant Land
North-west	60m	Geyser Traction Substation
	1.60km	Private Property (Residential)
	2km	Private Property (Residential)

a) Study area's composition and locational factors

The proposed project site is in the Polokwane LM, a Category B municipality in the Limpopo Province. It is one of four LMs together with Blouberg LM, Molemole LM and Lepelle-Nkumpi LM that forms part of the Capricorn DM.

The combination of Polokwane's status as the provincial capital, its diverse economy, and its strategic location makes it a crucial center for commerce, services, and governance. Makgwareng, as the other formal town in the municipality, also contributes to the overall socio-economic development of the region, albeit on a smaller scale.

b) Sense of Place, History, and Cultural Aspects

Polokwane was founded in 1886 by Voortrekkers, a group of Dutch settlers who were fleeing British rule in South Africa. The city was originally named Pietersburg, after Petrus Joubert, a Boer general who fought in the Boer War. In 2002, the city was renamed Polokwane, which means "Place of Safety" in Northern Sotho. Polokwane is a major commercial and industrial centre. The city is home to several factories, including those that produce food, beverages, and clothing. Polokwane is also a major transportation hub, with several roads and railways connecting it to other parts of South Africa. Polokwane is a popular tourist destination.

The city is home to several historical and cultural attractions, including the Polokwane Game Reserve, the Polokwane Museum, and the Peter Mokaba Stadium. Polokwane is also a good base for exploring the surrounding countryside, which is home to several national parks and game reserves. Polokwane is a city with a rich and diverse cultural heritage. The city is home to a number of different ethnic groups, each with its own unique culture and traditions. Polokwane is also home to a number of different festivals throughout the year. These festivals celebrate the city's rich cultural heritage and offer visitors a chance to experience the different cultures that make up the city.

Some of the most popular cultural attractions in Polokwane include:

- Polokwane Art Museum: This museum houses a collection of over 800 artworks by artists from Limpopo Province.
- Polokwane Museum: This museum tells the story of the history of Polokwane and the Limpopo Province.
- Mapungubwe World Heritage Site: This site is home to the ruins of an ancient African kingdom.
- Bakone Malapa Open Air Museum: This museum is a reconstruction of a traditional Sotho village.
- Thathe Vondo Cultural Village: This village is home to the Venda people.

Closer to the proposed develop, there two main tourist destinations in the surrounding area are Percy Fyfe Nature Reserve and H.L Crause Private Nature service. There is also a hotel close to the area which is the Protea by Marriott Hotel.

It is important to evaluate the tourist attractions within proximity to the proposed Ndau Solar Energy Facility 1 to ensure that no notable tourist attractions or wildlife will be impacted by the proposed development. The operations of the proposed facility are not expected to have a significant impact on these establishments, it is important to consider the potential negative impacts that may arise during the construction phase. Careful planning and mitigation measures will be necessary to minimize any adverse effects and ensure the preservation of the surrounding protected areas and the uninterrupted experience for visitors to these tourist accommodations and protected areas.

c) Demographics, Health, and Crime Profiles

In Polokwane LM, males make up a greater proportion (54%) of the population in the LM than females. As of 2021, the population of Polokwane Local Municipality (LM) was estimated to be around 644 489 people, residing in 181 098 households. This population represents approximately 49% of the total population of Capricorn District Municipality and about 11% of the entire population of Limpopo



**SITE SENSITIVITY VERIFICATION REPORT:
ABO NDAU SOLAR PHOTOVOLTAIC FACILITY 1,
POLOKWANE LOCAL MUNICIPALITY LIMPOPO PROVINCE**

province. The average household size in Polokwane LM is approximately 3.8 people per household. While this figure is slightly higher than the district average of 3.7, it is slightly lower than the provincial average of 3.9.

Crime is an important indicator of a community's socioeconomic status. Serious crimes comprise of contact crimes, sexual offences, robberies with aggravating circumstances, crimes involving property, and crimes discovered as a result of police action. The highest crime rate was recorded in 2020. This increase in crime can be attributed to various factors, including the impact of the COVID-19 pandemic and the subsequent lockdown regulations implemented in 2020.

The stringent lockdown measures resulted in job losses and economic hardships for many individuals, which may have contributed to a sense of desperation and an increase in criminal activities as people sought ways to improve their circumstances. However, as the global pandemic restrictions began to ease in 2021, the crime rates showed a decline, potentially indicating the restoration of employment opportunities and improved socio-economic conditions.

Notably, 2022 witnessed the lowest crime rate among the observed years, suggesting positive developments in the economy of Polokwane LM and progress towards sustainable development. This decline in crime rates reflects the potential positive impact of ongoing efforts in enhancing economic opportunities, social welfare, and overall well-being within the municipality.

The introduction of a new development project could potentially contribute to an increase in crime rates in an area. This is because the construction and operation of the new development project often attract a transient population, which can introduce new dynamics and challenges related to crime.

d) Income and Education Levels

According to the 2011 Census data, a significant portion of Polokwane LM's population falls within the category of low to middle income household. The majority of households (19.7%) fall within the income range of R38 201 to R76 400, which translates to approximately R3 183 to R6 367 per month. On the other hand, about 7% of the LM's total households earn above R307 601 annually or approximately R25 633 per month. The prevalence of low to middle income households in the LM suggests that many residents face economic challenges and may experience limited financial resources.

Low average income levels are often related to the difficulty of getting access to adequate education. Education includes various levels, each of which reflects a broad segment of the education "ladder," i.e., the development from elementary learning to more difficult learning experiences. Polokwane LM can be considered a low to middle income area as the highest percentage (19.7%) of individuals earn R19,601 - R38,200. Low average income levels are often related to the difficulty of getting access to adequate education. Education includes various levels, each of which reflects a broad segment of the education "ladder," i.e., the development from elementary learning to more difficult learning experiences.

According to the available data, it is observed that a significant portion of Polokwane LM's adult population has limited formal education. Approximately only 7% of the total adult population has not received any form of formal education, while roughly 18.0% have completed at least matriculation (secondary education). In contrast, less than 10% of the adult population in Polokwane LM's holds higher education degrees, including bachelor's degrees, honours degrees, master's degrees, and doctorate degrees.

The educational landscape in Polokwane LM plays a significant role in shaping the labour market dynamics. The low levels of education among residents tend to be associated with a predominance of low-skilled labour. This correlation between educational attainment and skill level suggests that the general population faces challenges in accessing higher-paying job opportunities.

Furthermore, the observed low educational levels in Polokwane LM can be linked to the higher proportion of residents belonging to lower-income brackets. The limited educational opportunities and qualifications contribute to the prevalence of lower-income households within the municipality. This connection between educational attainment and income further underscores the socioeconomic challenges faced by the general population.

e) Labour Force and Employment Structure

In 2021, the employed population in Polokwane LM constituted approximately 73% of the total employed population in the municipality. The working-age population (WAP) accounted for 73% of Polokwane LM's total population, which corresponds to around 464,022 individuals.

Some 164,921 individuals amongst the economically active population are employed, representing approximately 68% of the total economically active individuals. On the other hand, the total number of unemployed individuals amounts to 79,114, constituting around 32% of the economically active population.

Regarding the formal employment sector, skilled workers make up approximately 33%, while semi-skilled workers account for 43%, and low-skilled workers represent 24% of the total formally employed individuals.

f) Access to Basic Services

Figure 2 provides valuable insights into the access to basic services in Polokwane LM. It reveals that 24% of households within the municipality have piped water within their yards, while approximately 42% have piped water inside their dwellings. For about 24% of households, access to water is facilitated through a community stand, while the remaining households rely on alternative sources such as water tankers, boreholes, rainwater tanks, rivers/streams, and water vendors.

In terms of energy access, an impressive 96% of households in Polokwane LM have access to electricity provided by Eskom. However, a small portion, approximately 4%, still rely on candles for energy, while 4.1% use paraffin, and a minority of households use other sources such as gas. Regarding sanitation, only roughly 45.8% of LMs' households have access to flushing toilets with sewage systems, while the

0.2% have no access to any toilet system. About 41.5% of the LMs’ households have their refuse removed by the community's waste on a weekly basis.

The above subsection suggests that besides the provision of electricity, the LM is likely to be underdeveloped and that the standards of living are fairly low. The proposed Ndau facility is unlikely to improve the LMs’ access to basic services, however, it may indirectly impact the standards of living of the local community.





Water		Energy			
	Inside dwelling	24.1%			
	Inside yard	42.1%			
	Community stand	21.8%			
	Other	1.8%			
Sanitation		Refuse Removal			
Flush toilet	45.8%		Weekly removal by LM	41.5 %	
Other incl. pit toilet, bucket systems etc	54.0%		Other incl. own refuse removal	58.3 %	
No toilet/system	0.2%		No refuse removal	0.2%	

Figure 2: Access to Basic Services (Source: Quantec, 2022)

A full Socio-economic Impact Assessment will be undertaken during the EIR phase.

4.4 DEFENCE AND CIVIL AVIATION

No defence sites or civil aviation domes were recorded within or in close proximity to the Proposed Development. However, the South African Civil Aviation Authority (SACAA) as well as the National Department of Defence / South African National Defence Force (SANDF) will be included as commenting stakeholders in the Interested and Affected Parties (I&AP) Database as part of the public participation process.

It is the EAP’s opinion that this project will not have any significant impact on the civil aviation or national defence infrastructure. Thus, no impact assessment will need to be undertaken.

4.5 RADIO FREQUENCY INTERFERENCE

The EAP has been in communication with the South African Radio Astronomy Observatory (SARAO). In a letter dated **30 August 2022**, SARAO confirmed that they had undertaken a high-level impact



**SITE SENSITIVITY VERIFICATION REPORT:
ABO NDAU SOLAR PHOTOVOLTAIC FACILITY 1,
POLOKWANE LOCAL MUNICIPALITY LIMPOPO PROVINCE**

assessment based on the information provided for the Proposed Development. It was determined that the project represents a low risk of interference to the nearest Square Kilometre Array (SKA) radio telescope with a compliance surplus of 405.08 dBm/Hz. As such, SARA0 do not have any objection to the Proposed Development.

Based on the above communication, it is the EAP's opinion that this project will not have any significant impact on the SKA radio telescope infrastructure. Thus no impact assessment will need to be undertaken.

5. SITE ASSESSMENT

The EAP (Mr. Richard Myburgh) undertook a site visit of the Proposed Development on 02 May 2023. Photographs were captured around the borders and interior of the Proposed Development as illustrated below:

SITE SENSITIVITY VERIFICATION REPORT:
ABO NDAU SOLAR PHOTOVOLTAIC FACILITY 1,
POLOKWANE LOCAL MUNICIPALITY LIMPOPO PROVINCE



Figure 1: Ndau 1 SEF North West Side (Proposed Substation Location) – North View (GPS 24° 2'49.37"S 29°13'11.92"E)



Figure 2: Ndau 1 SEF North West Side (Proposed Substation Location) – North East View (GPS 24° 2'49.37"S 29°13'11.92"E)

SITE SENSITIVITY VERIFICATION REPORT:
ABO NDAU SOLAR PHOTOVOLTAIC FACILITY 1,
POLOKWANE LOCAL MUNICIPALITY LIMPOPO PROVINCE



Figure 3: Ndau 1 SEF North West Side (Proposed Substation Location) – East View (GPS 24° 2'49.37"S 29°13'11.92"E)



Figure 4: Ndau 1 SEF North West Side (Proposed Substation Location) – South East View (GPS 24° 2'49.37"S 29°13'11.92"E)

SITE SENSITIVITY VERIFICATION REPORT:
ABO NDAU SOLAR PHOTOVOLTAIC FACILITY 1,
POLOKWANE LOCAL MUNICIPALITY LIMPOPO PROVINCE



Figure 5: Ndau 1 SEF North West Side (Proposed Substation Location) – South View (GPS 24° 2'49.37"S 29°13'11.92"E) Geyser Substation in background



Figure 6: Ndau 1 SEF North West Side (Proposed Substation Location) – South West View (GPS 24° 2'49.37"S 29°13'11.92"E) Entrance point

SITE SENSITIVITY VERIFICATION REPORT:
ABO NDAU SOLAR PHOTOVOLTAIC FACILITY 1,
POLOKWANE LOCAL MUNICIPALITY LIMPOPO PROVINCE



Figure 7: Ndau 1 SEF North West Side (Proposed Substation Location) – West View (GPS 24° 2'49.37"S 29°13'11.92"E)



Figure 8: Ndau 1 SEF North West Side (Proposed Substation Location) – North West View (GPS 24° 2'49.37"S 29°13'11.92"E)



Figure 9: Ndau 1 SEF North East Side – North View (GPS 24° 2'52.81"S 29°13'41.53"E)



Figure 10: Ndau 1 SEF North East Side – North East View (GPS 24° 2'52.81"S 29°13'41.53"E) Side gate to neighbouring farm

SITE SENSITIVITY VERIFICATION REPORT:
ABO NDAU SOLAR PHOTOVOLTAIC FACILITY 1,
POLOKWANE LOCAL MUNICIPALITY LIMPOPO PROVINCE



Figure 11: Ndau 1 SEF North East Side – East View (GPS 24° 2'52.81"S 29°13'41.53"E)



Figure 12: Ndau 1 SEF North East Side – South East View (GPS 24° 2'52.81"S 29°13'41.53"E)

SITE SENSITIVITY VERIFICATION REPORT:
ABO NDAU SOLAR PHOTOVOLTAIC FACILITY 1,
POLOKWANE LOCAL MUNICIPALITY LIMPOPO PROVINCE



Figure 13: Ndau 1 SEF North East Side – South View (GPS 24° 2'52.81"S 29°13'41.53"E)



Figure 14: Ndau 1 SEF North East Side – South West View (GPS 24° 2'52.81"S 29°13'41.53"E)

SITE SENSITIVITY VERIFICATION REPORT:
ABO NDAU SOLAR PHOTOVOLTAIC FACILITY 1,
POLOKWANE LOCAL MUNICIPALITY LIMPOPO PROVINCE



Figure 15: Ndau 1 SEF North East Side – West View (GPS 24° 2'52.81"S 29°13'41.53"E)



Figure 16: Ndau 1 SEF North East Side – North West View (GPS 24° 2'52.81"S 29°13'41.53"E)

SITE SENSITIVITY VERIFICATION REPORT:
ABO NDAU SOLAR PHOTOVOLTAIC FACILITY 1,
POLOKWANE LOCAL MUNICIPALITY LIMPOPO PROVINCE



Figure 17: Ndau 1 SEF South East Side – North-View (GPS 24° 3'21.63"S 29°13'16.57"E)



Figure 18: Ndau 1 SEF South East Side – North-East View (GPS 24° 3'21.63"S 29°13'16.57"E) Rocky outcrop outside of development footprint

SITE SENSITIVITY VERIFICATION REPORT:
ABO NDAU SOLAR PHOTOVOLTAIC FACILITY 1,
POLOKWANE LOCAL MUNICIPALITY LIMPOPO PROVINCE



Figure 19: Ndau 1 SEF South East Side – East-View (GPS 24° 3'21.63"S 29°13'16.57"E) Rocky outcrop outside of development footprint



Figure 20: Ndau 1 SEF South East Side – South East-View (GPS 24° 3'21.63"S 29°13'16.57"E) Rocky outcrop outside of development footprint

SITE SENSITIVITY VERIFICATION REPORT:
ABO NDAU SOLAR PHOTOVOLTAIC FACILITY 1,
POLOKWANE LOCAL MUNICIPALITY LIMPOPO PROVINCE



Figure 21: Ndau 1 SEF South East Side – South-View (GPS 24° 3'21.63"S 29°13'16.57"E) Rocky outcrop outside of development footprint



Figure 22: Ndau 1 SEF South East Side – South West-View (GPS 24° 3'21.63"S 29°13'16.57"E) Rocky outcrop outside of development footprint

SITE SENSITIVITY VERIFICATION REPORT:
ABO NDAU SOLAR PHOTOVOLTAIC FACILITY 1,
POLOKWANE LOCAL MUNICIPALITY LIMPOPO PROVINCE



Figure 23: Ndau 1 SEF South East Side – West View (GPS 24° 3'21.63"S 29°13'16.57"E) Rocky outcrop outside of development footprint



Figure 24: Ndau 1 SEF South East Side – North West-View (GPS 24° 3'21.63"S 29°13'16.57"E) Rocky outcrop outside of development footprint



Figure 25: Ndau 1 SEF South West Side – North View (GPS 24° 3'20.11"S 29°13'5.64"E) Old farming equipment



Figure 26: Ndau 1 SEF South West Side – North East View (GPS 24° 3'20.11"S 29°13'5.64"E)

SITE SENSITIVITY VERIFICATION REPORT:
ABO NDAU SOLAR PHOTOVOLTAIC FACILITY 1,
POLOKWANE LOCAL MUNICIPALITY LIMPOPO PROVINCE



Figure 27: Ndau 1 SEF South West Side – East View (GPS 24° 3'20.11"S 29°13'5.64"E) Grazing cattle



Figure 28: Ndau 1 SEF South West Side – South East View (GPS 24° 3'20.11"S 29°13'5.64"E) Grazing cattle

SITE SENSITIVITY VERIFICATION REPORT:
ABO NDAU SOLAR PHOTOVOLTAIC FACILITY 1,
POLOKWANE LOCAL MUNICIPALITY LIMPOPO PROVINCE



Figure 29: Ndau 1 SEF South West Side – South View (GPS 24° 3'20.11"S 29°13'5.64"E)



Figure 30: Ndau 1 SEF South West Side – South West View (GPS 24° 3'20.11"S 29°13'5.64"E)

SITE SENSITIVITY VERIFICATION REPORT:
ABO NDAU SOLAR PHOTOVOLTAIC FACILITY 1,
POLOKWANE LOCAL MUNICIPALITY LIMPOPO PROVINCE



Figure 31: Ndau 1 SEF South West Side – West View (GPS 24° 3'20.11"S 29°13'5.64"E)



Figure 32: Ndau 1 SEF South West Side – North West View (GPS 24° 3'20.11"S 29°13'5.64"E)

SITE SENSITIVITY VERIFICATION REPORT:
ABO NDAU SOLAR PHOTOVOLTAIC FACILITY 1,
POLOKWANE LOCAL MUNICIPALITY LIMPOPO PROVINCE



Figure 33: Ndau 1 SEF Central Point – North View (GPS 24° 3'9.02"S 29°13'22.99"E) Gate to secondary cattle encampment



Figure 34: Ndau 1 SEF Central Point – North East View (GPS 24° 3'9.02"S 29°13'22.99"E)

SITE SENSITIVITY VERIFICATION REPORT:
ABO NDAU SOLAR PHOTOVOLTAIC FACILITY 1,
POLOKWANE LOCAL MUNICIPALITY LIMPOPO PROVINCE



Figure 35: Ndau 1 SEF Central Point – East View (GPS 24° 3'9.02"S 29°13'22.99"E)



Figure 36: Ndau 1 SEF Central Point – South East View (GPS 24° 3'9.02"S 29°13'22.99"E)

SITE SENSITIVITY VERIFICATION REPORT:
ABO NDAU SOLAR PHOTOVOLTAIC FACILITY 1,
POLOKWANE LOCAL MUNICIPALITY LIMPOPO PROVINCE



Figure 37: Ndau 1 SEF Central Point – South View (GPS 24° 3'9.02"S 29°13'22.99"E)



Figure 38: Ndau 1 SEF Central Point – South West View (GPS 24° 3'9.02"S 29°13'22.99"E)

SITE SENSITIVITY VERIFICATION REPORT:
ABO NDAU SOLAR PHOTOVOLTAIC FACILITY 1,
POLOKWANE LOCAL MUNICIPALITY LIMPOPO PROVINCE



Figure 39: Ndau 1 SEF Central Point – West View (GPS 24° 3'9.02"S 29°13'22.99"E)



Figure 40: Ndau 1 SEF Central Point – North West View (GPS 24° 3'9.02"S 29°13'22.99"E)

The EAP confirmed that the entire extent of the Proposed Development will be confined to the identified study area, and that no obvious fatal flaws were identified.

6. RATIONALE FOR SPECIALIST STUDIES AND FINDINGS

The national web-based screening tool identified the following specialist studies for inclusion in the S&EIA report:

6.1 GEOTECHNICAL ASSESSMENT

A Geotechnical Assessment will be undertaken as part of the EIR phase.

6.2 GEOHYDROLOGICAL ASSESSMENT

A Geohydrological Impact Assessment will be undertaken as part of the EIR phase.

6.3 SOCIO-ECONOMIC

A Socio-Economic Impact Assessment will be undertaken as part of the EIR phase.

6.4 DEFENCE AND CIVIL AVIATION

No defence sites or civil aviation domes were recorded within or in close proximity to the Proposed Development based on the EAP's site visit and desktop screening. It is the EAP's opinion that this project will not have any significant impact on the civil aviation or national defence infrastructure. In terms of the DFFE Screening Tool, the Civil Aviation and Defence theme for the Proposed Development was of medium and low sensitivity, respectively. However, from the SSV undertaken, it is the EAP's opinion that the Proposed Development will have a low sensitivity rating for both themes. Thus, no impact assessment will need to be undertaken.

However, the South African National Defence Force (SANDF) has been included as a stakeholder on the Interested and Affected Party (I&AP) database and will be afforded the opportunity to provide comments during public participation conducted as part of the S&EIR process

6.5 RADIO FREQUENCY INTERFERENCE ASSESSMENT

An RFI Assessment will not be undertaken during the EIR phase. SARAo have already assessed the site and confirmed that the project represents a low risk of interference to the nearest SKA radio telescope with a compliance surplus of 405.08 dBm/Hz. As such, SARAo do not have any objection to the proposed development.

Based on the above communication, it is the EAP's opinion that this project will not have any significant impact on the SKA radio telescope infrastructure and the medium sensitivity rating assigned

by the DFFE screening tool for the RFI theme is disputed Thus, no impact assessment will need to be undertaken.

SARAO has also been included as a stakeholder on the I&AP database and will be afforded the opportunity to provide comments during public participation conducted as part of the S&EIR process.

7. CONCLUSIONS AND RECOMMENDATIONS

Praxos was appointed as an independent EAP by ABO Wind on behalf of ABO Ndaou Solar Energy Facility 1 (Pty) Ltd to undertake the EA application process, subject to a S&EIR process, for the Proposed Development.

A Screening Tool Report was generated for the Proposed Development. According to the Screening Tool Report, various specialist studies were identified and recommended to be undertaken as part of the environmental process.

The results of the Screening Tool Report and Site Sensitivity Verification undertaken by the EAP are summarised in **Table 6** below.

Table 6: Summary of Desktop vs Site Verification Sensitivities

Theme	Desktop Sensitivity	Site Sensitivity Verification	Specialist Study (Yes/No)
Civil Aviation Theme	Medium	Low	No
Defence Theme	Low	Low	No
RFI Theme	Medium	Low	Confirmation from SARAO

It should be noted that Geotechnical, Geohydrological, and Socio-Economic Impacts do not have specific themes within the DFFE Screening Tool. However, these have been assessed and each will have full impact assessments undertaken during the EIR phase.

In addition to the above and based on their own site verifications completed by specialists, specialist assessments for Agriculture, Aquatic, Avifauna, Archaeological and Cultural Heritage, Ecological, Landscape and Visual will also be undertaken during the EIR phase.