

DRAFT ENVIRONMENTAL IMPACT ASSESSMENT REPORT FOR THE PROPOSED DEVELOPMENT OF THE SOYUZ 1 SOLAR PV PARK NEAR BRITSTOWN, NORTHERN CAPE PROVINCE

terramanzi GROUP (PTY) LTD

people. planet. prosperity.



tel: +27 21 701 5228 fax: +27 86 558 1213

mobile: +27 82 575 3800

email: info@terramanzi.co.za website: www.terramanzi.co.za

CLIENT: SOYUZ 1 SOLAR PV PARK (PTY) LTD CONTACT: MATTEO GIULIO LUIGI BRAMBILLA



postal: postnet suite 211, private bag X26, tokai, 7966

14 August 2023



APPLICABLE LEGISLATION National Environmental Management Act (NEMA) Environmental Impact Assessment (EIA) Regulations (2017) (as amended)	COMPETENT AUTHORITY REFERENCE NUMBER/S Department of Forestry, Fisheries and the Environment (DFFE) REFERENCE NUMBER: 14/12/16/3/3/2/2333
Water Use License Application (WULA) in terms of Section 21 of the National Water Act (NWA) (Act No. 39 of 1998)	A Water Use Licence Application will be submitted to the Department of Water and Sanitation (DWS) for Section 21(c) and (i) water uses.
National Heritage Resource Act (No. 25 of 1999)	A Heritage Impact Assessment will be submitted the South African Heritage Resources Agency (SAHRA).
Report Title	Draft Environmental Impact Assessment Report for public consultation for the proposed development of the Soyuz 1 Solar PV Park and associated infrastructure near Britstown, Northern Cape Province.
Author and Environmental Assessment	Natasha Williams (Terramanzi Group (Pty) Ltd)
Practitioner (EAP)	Kristen Shaw (Terramanzi Group (Pty) Ltd)
Specialist Sub-Consultants	Avifaunal Environmental Impact Assessment – Enviro-Insight cc (C/O Luke Verburgt)
	Terrestrial Biodiversity Impact Assessment - SAS Environmental Group of Companies (Pty) Ltd (C/O Charne Gouws)
	Climate Change Assessment – Airshed Planning Professionals (Pty) Ltd (C/O Hanlie Liebenberg-Enslin)
	Freshwater Ecological Assessment – SAS Environmental Group of Companies (Pty) Ltd (C/O Paul Da Cruz)
	Geotechnical Reconnaissance Study - GEOSS South Africa (Pty) Ltd (C/O Louis Jonk)
	Heritage Impact Assessment – ACO Associates cc (C/O John Gribble)
	Environmental Noise Impact Assessment – dBA Acoustics (C/O Barend van der Merwe)
	Social Impact Assessment - Tony Barbour Environmental Consulting (C/O Tony Barbour)
	Soil, Landuse and Land Capability Impact Assessment - SAS Environmental Group of Companies (Pty) Ltd (C/O Tshiamo Setsipane)
	Town Planning - Warren Petterson Planning (C/O Soné vd Merwe)
	Traffic Assessment - Innovative Transport Solutions (C/O Christoph Krogscheepers)
	Visual Impact Assessment - SAS Environmental Group of Companies (Pty) Ltd (C/O Sanja Erwee)
Client	Soyuz 1 Solar PV Park (Pty) Ltd C/O Matteo Giulio Luigi Brambilla
Report Version	Draft EIA Report for Client Review
Submission Date	14 August 2023



Please use the following as a reference for this Report:

Terramanzi Group Project Number: 221101 - 01

Project Title: Draft Environmental Impact Assessment Report for public consultation for the proposed development of the Soyuz 1 Solar PV Park and associated infrastructure near Britstown, Northern Cape Province.

EXECUTIVE SUMMARY

A) PROJECT OVERVIEW

Red Rocket South Africa (Pty) Ltd intends to develop the **Soyuz Solar Photovoltaic (PV) Cluster 1-6** comprising of six (6) Photovoltaic Solar Energy Parks. It is proposed that this Soyuz Solar PV Cluster be situated approximately 14km South-east of Britstown in the Northern Cape Province (Figure i).



Figure i: Regional Location of the Soyuz Solar PV Cluster 1-6

All 6 Soyuz Solar PV Parks will require Environmental Authorisation. Due to commercial reasons, each of the Soyuz Solar PV Parks application for environmental authorisation are being applied for separately by different applicants but the application processes are being conducted simultaneously.

Soyuz 1 Solar PV Park (Pty) Ltd proposes the development of the Soyuz 1 Solar PV Park and associated infrastructure, near Britstown, Northern Cape Province. The proposed Soyuz 1 Solar PV Park will be located on Portion 3 of Farm 145. The Soyuz 1 Solar PV Park will have a generating capacity of up to 240MW and will include a Battery Energy Storage System (BESS) of up to 1000MWh. An on-site substation with a capacity of 33 – 132 kV, will enable the connection of the Solar PV Park to a 132kV Overhead Powerline (OHPL). (Note: the 132 kV OHPL does not form part of this Environmental Authorisation process). The purpose of the Project is to generate clean electricity from a renewable energy source (i.e., solar radiation) to contribute to the Eskom national energy grid and/or any Private off-takers (where applicable).

For the Soyuz 1 Solar PV Park to become operational, the Applicant is required to obtain Environmental Authorisation in terms of the National Environmental Management Act, Act 107 of



1998 (NEMA)). The Competent Authority for this Environmental Authorisation Application is the National Department of Forestry, Fisheries and the Environment (DFFE).

The Scoping Phase of the Environmental Impact Assessment (DFFE Reference No. 14/12/16/3/3/2/2333) for this process was completed in April and included a Plan of Study for the EIA. The Scoping Report of the EIA process identified the additional detailed information and investigations that needed to be undertaken to accurately assess the current and future impacts of the proposed Soyuz 1 Solar PV Park on the receiving environment. A letter of acceptance of the Scoping Report and the Plan of Study for the EIA was received from DFFE on 12 June 2023.

This EIA report documents the findings of the detailed investigations, assesses the significance of the potential impacts and presents environmental mitigation measures to manage and minimise these potential impacts and constitutes the Environmental Impact Assessment Report (EIAR) to be submitted to DFFE as part of the Environmental Authorisation Process.

B) ENVIRONMENTAL LEGAL OVERVIEW

In terms of the requirements of the National Environmental Management Act (NEMA)(Act 107 of 1998) and its EIA Regulations (2014, as amended) environmental authorisation must be obtained for the construction and operation of the proposed Soyuz 1 Solar PV Park. The application for Environmental Authorisation must follow the Scoping and Environmental Impact Assessment (S&EIA) process. The proposed construction and operation of the Soyuz 1 Solar PV Park triggers the following Listed Activities under the EIA Regulations (2014, as amended) under NEMA (**Table i**) for which Environmental Authorisation is required.

Table i: Listed Activities Triggered in terms of NEMA EIA Regulations

GNR	LISTING ACTIVITY NO	DESCRIPTION	APPLICABILITY TO PROPOSAL
GNR 327 of 2017 Listing Notice 1	11	The development of facilities or infrastructure for the transmission and distribution of electricity - outside urban areas or industrial complexes with a capacity of more than 33 but less than 275 kilovolts;	The proposed development includes transformers, and underground and overhead cabling up to 33kV between project components. This activity is triggered due to the Back-to-Back Substations (Including the facility substation Eskom collector station with feeder bays) with a contracted capacity of up to 132kV based on Eskom requirements.
GNR 327 of 2017 Listing Notice 1	12	The development of— (i) infrastructure or structures with a physical footprint of 100 square metres or more; where such development occurs— (a) within a watercourse; (b) in front of a development setback; or (c) if no development setback exists, within 32 metres of a watercourse, measured	The proposed development will require the establishment of infrastructure within a physical footprint exceeding 100 square metres within a watercourse or within 32 metres of a watercourse identified in the project area.



		from the edge of a watercourse;	
GNR 327 of 2017 Listing Notice 1	14	The development and related operation of facilities and infrastructure, for the storage, or for the storage and handling, of a dangerous good, where such storage occurs in containers with a combined capacity of 80 cubic metres or more but not exceeding 500 cubic metres.	The development of the Solar PV Park will require the construction and operation of facilities and infrastructure for the storage and handling of dangerous goods (combustible and flammable liquids, such as oils, lubricants, solvents) associated with the onsite substation and PV trackers where such storage will occur inside containers with a combined capacity exceeding 80 cubic meters but not exceeding 500 cubic meters.
GNR 327 of 2017 Listing Notice 1	24	The development of a road— (i) with a reserve wider than 13,5 meters, or where no reserve exists where the road is wider than 8 metres;	Sections of the preferred access route from the public road to the proposed Soyuz 1 Solar PV Park development site will require development and it is likely that the road will be wider than 8 metres.
GNR 327 of 2017 Listing Notice 1	28	Residential, mixed, retail, commercial, industrial or institutional developments where such land was used for agriculture, game farming, equestrian purposes or afforestation on or after 01 April 1998 and where such development (ii) will occur outside an urban area, where the total land to be developed is bigger than 1 hectare;	The proposed Soyuz 1 Solar PV Park will occupy a development footprint exceeding 1 ha and occurs outside an urban area and within an area currently zoned for agriculture.
GNR 327 of 2017 Listing Notice 1	56	The widening of a road by more than 6 metre, or the lengthening of a road by more than 1 kilometre- (ii) where no reserve exists, where the existing road is wider than 8 metres.	Sections of the preferred access route from the public road to the proposed Soyuz 1 Solar PV Park development site will require upgrading and it is likely that the upgraded sections road will be wider than 8 metres.
GNR325 of 2017 Listing Notice 2	1	The development of facilities or infrastructure for the generation of electricity from a renewable resource where the electricity output is 20 megawatts or more,	The Applicant has proposed to establish a solar PV Park with a generating capacity of up to 240MW.
GNR325 of 2017 Listing Notice 2	15	The clearance of an area of 20 hectares or more of indigenous vegetation.	The proposed development of the Soyuz 1 Solar PV Park will require more than 20 hectares of indigenous vegetation to be cleared.
GNR 324 of 2017 Listing Notice 3	10	The development and related operation of facilities or infrastructure for the storage, or storage and handling of a dangerous good, where such	The development of the Solar PV Park will require the construction and operation of facilities and infrastructure for the storage and handling of dangerous goods



		storage occurs in containers with a combined capacity of 30 but not exceeding 80 cubic metres.	(combustible and flammable liquids, such as oils, lubricants, solvents) associated with the onsite substation and PV trackers
		g. Northern Cape ii. Areas within a watercourse or wetland; or within 100 metres from the edge of a watercourse or wetland;	
GNR 324 of 2017 Listing Notice 3	18	The widening of a road by more than 4 metres, or the lengthening of a road by more than 1 kilometre. g. Northern Cape (ii) Areas within a watercourse or wetland; or within 100 metres from the edge of a watercourse or wetland; or wetland; or	The proposed construction of the access road across two episodic drainage lines will be required.

C) NEED AND DESIRABILTIY

The requirement for renewable energy projects (solar, wind, hydrological to name a few) across the country has been steadily increasing over the last five to ten years. Renewable energy has been found to be a reliable source of alternative energy supply to the ever under equipped national grid

From a national perspective, there are several needs and desirability factors associated with the proposed development of Soyuz 1 Solar PV Park (and the associated Soyuz Solar PV Cluster):

- **Electricity supply:** The development of Soyuz 1 Solar PV Park can contribute to the electricity supply and help to meet the growing demand for energy. In addition, by diversifying the sources of power in the country, the surety of supply will improve.
- Climate change mitigation: The development of Soyuz 1 Solar PV Park can contribute help to mitigate climate change by reducing the country's reliance on fossil fuels and reducing greenhouse gas emissions.
- Reduced energy losses: The transmission of power from the power stations in Mpumalanga and Gauteng to the Northern Cape results in the high energy losses. By creating a substantial electrical feed from the Soyuz Solar PV Cluster into the grid in the Northern Cape will result in reduced energy losses in transmission.
- **Economic development:** The development of Soyuz 1 Solar PV Park will contribute to economic development by creating jobs and attracting investment.
- Lower costs of alternative energy: An increase in power supply by increasing the number of solar PV facilities, like the proposed Soyuz Solar PV Cluster, will eventually reduce the cost of power generated through solar facilities.



- **Environmental sustainability:** The development of Soyuz 1 Solar PV Park can contribute to environmental sustainability by reducing the negative impacts associated with the extraction and transportation of fossil fuels.
- Renewable energy targets: South Africa has set a target of generating 18 GW of renewable energy by 2030, with solar PV being a major component of this target. The development of the Soyuz 1 Solar PV Park, and the associated Soyuz Solar PV Cluster, can contribute to meeting this national target.

From a regional perspective in the Northern Cape province of South Africa, there are several needs and desirability factors associated with the development of the Soyuz 1 Solar PV Park and the associated Soyuz Solar PV Cluster:

- **Economic development:** The Northern Cape is a region with significant potential for economic development, but it is also one of the poorest provinces in South Africa. The development of the Soyuz 1 Solar PV Park can contribute to economic development by creating jobs and attracting investment. The construction and operation of a solar PV park requires skilled labour, which can create employment opportunities in the local community. In addition, the development of a solar PV park can attract domestic and foreign investment, which can contribute to economic growth.
- **Social development:** The Northern Cape is a region with many rural and remote communities that lack access to electricity. The development of the Soyuz 1 Solar PV Park can provide a reliable source of electricity to these communities, which can support social development and improve living standards.
- Resource availability: The Northern Cape is a region with abundant solar radiation, which makes it an ideal location for the development of the Soyuz 1 Solar PV Park. The high levels of solar radiation in the region can support the generation of large amounts of electricity from solar PV, which can help to meet the energy needs of the region.

The proposed Soyuz 1 Solar PV Park development site is highly desirable due to its unique site-specific benefits. The area offers ample open space that is suitable for solar facility development, along with an amply high solar resource to generate renewable energy.

The proposed development site is located in an area where environmental sensitivities to such a development are low, ensuring that it is a responsible and sustainable project that will have nominal negative impacts on the surrounding environment but significantly contribute to socio-economic development locally and regionally.

The proposed development and operation of the Soyuz 1 Solar PV Park will create employment opportunities for the local community, providing a much-needed boost to the local economy. In addition, the skills development that will be provided to employees and contractors involved in the construction and operation of the facility will have a lasting impact on the community.

The proposed development of the Soyuz 1 Solar PV Park (and the association Soyuz Solar PV Cluster) will generate alternative land use income through the rental for the facility. This will provide the farming enterprises with increased cash flow and rural livelihood and thereby improve the financial sustainability of the landowner and employees and the "run-on" benefits to the local economy.



The environmental impact assessment, inclusive of input from specialists on the local direct impacts and the cumulative impacts has assessed that the potential negative environmental impacts associated with the development of the Soyuz 1 Solar PV Park on the preferred site are low.

D) ENVIRONMENTAL IMPACT STATEMENT

Based on consideration of the information contained in this Draft EIA Report and the impact assessment undertaken with specialist input, the following is relevant:

- The preferred development site is environmentally and socially suitable for the construction and operation of the Soyuz 1 Solar PV Park.
- The proposed construction and operation of the Soyuz 1 Solar PV Park is not expected to have any significant **direct** negative social or environmental impacts on the receiving environment that cannot be avoided or suitably mitigated.
- The proposed construction and operation of the Soyuz 1 Solar PV Park is not expected to have any significant **cumulative** negative social or environmental impacts on the receiving environment that cannot be avoided or suitably mitigated.

The following key negative social and environmental impacts have been identified:

- Loss of terrestrial and aquatic biodiversity due to the potential for the development to encroach physically into these sensitive environments.
- Impact on the mating behaviours (lekking) of a Species of Conservation Concern (Ludwig's Bustard) due the potential location of the solar PV park in areas where these activities could
- Negative social impacts on family life due to the potential ingress of migrant workers.

The following key **positive** social and environmental impacts have been identified:

- Creation of local employment and business opportunities
- Economic and technical support to the local agricultural community
- Positive contribution towards the South African renewable energy goals
- Contribution to reduction of greenhouse gas at a national and global scale
- Improved local and regional energy supply security

E) RECOMMENDATION OF THE EAP

The EAP recommends that the proposed development and operation of the Soyuz 1 Solar PV Park, as per the preferred site layout presented in this EIA and on the preferred development site (Portion 3 of Farm 145) near Britstown in the Northern Cape, should be authorised by the competent authority.

E) PUBLIC PARTICIPATION

Comment is invited from registered interested and affected parties on this final proposal as presented.



This Draft EIA Report will be available for comment for the statutory 30 calendar day commenting period from **Monday**, **14 August 2023** up to and including **Tuesday**, **12 September 2023**. All comments received during the stakeholder engagement will be recorded in a Comments and Responses Report and addressed as part of the environmental authorisation process.

The report is available for download via the following link: https://terramanzi.egnyte.com/fl/lvwDMilNit

Comments must be submitted directly to Terramanzi Group (Pty) Ltd, as follows:

• Electronic mail: comments@terramanzi.co.za; or

Facsimile: 086 558 1213; or

Post: Postnet Suite 211, Private Bag X26, Tokai, Cape Town

• For Attention: Natasha Williams

Terramanzi Project Reference Number: 221101-01

Visit us at <u>www.terramanzi.co.za</u>



TABLE OF CONTENTS

Ε>	(ECU	JTIVE S	UMMARY	iv
DI	EFIN	ITIONS	AND TERMINOLOGY REFERRED TO IN THIS REPORT	1
1	I	NTROE	OUCTION AND BACKGROUND	1
2	C	OVERVI	EW OF THE ENVIRONMENTAL APPLICATION PROCESS	3
	2.1	ОВ	JECTIVES OF THE EIA PROCESS	6
	2.2	СО	NTENT OF THIS EIA REPORT	6
3	F	PROJEC	T TEAM DETAILS	9
	3.1	EN	TITY RESPONSIBLE FOR THE DEVELOPMENT	9
	3.2	EN	VIRONMENTAL ASSESSMENT PRACTITIONER (EAP)	10
4	P	PROJEC	T LOCATION	10
5	A	ALTERN	ATIVES CONSIDERED AND THE PREFERRED ALTERNATIVE	14
	5.1	PR	OCESS FOLLOWED TO REACH THE PREFERRED ALTERNATIVE	15
	5	5.1.1	Activity Alternatives	15
	5	5.1.2	The "Location" Alternative	17
	5	5.1.3	The "Technology" Alternative	17
	5	5.1.4	The "Layout" Alternative	19
	5.2	СО	NCLUDING STATEMENT INDICATING PREFERRED ALTERNATIVE (SITE, LAYOUT, LOCATION) $$	25
6	[DETAIL	S OF THE PROPOSED PREFERRED DEVELOPMENT	25
	6.1	SO	LAR PV AND BESS STORAGE TECHNOLOGY	26
	6.2	СО	-ORDINATES	30
	6.3	SEF	RVICES	31
	6	5.3.1	Roads	31
	6	5.3.2	Water	31
	6	5.3.3	Electricity	32
	6	5.3.4	Sewage	32
	6	5.3.5	Waste	32
	6.4	LIS	TED ACTIVITIES TRIGGERED	32
7	L	EGISLA	ATIVE CONTEXT	36
	7.1	SO	UTH AFRICAN LEGISLATION	37
	7	7.1.1	National Environmental Management Act (Act No. 107 of 1998)	37
	7	7.1.2	National Water Act (Act No. 36 of 1998)	37
	7	7.1.3	National Heritage Act (Act No. 25 of 1999)	38
	7	7.1.4	National Energy Act (Act No 34 of 2008)	39
	7	7.1.5	White Paper on the Energy Policy of the Republic of South Africa	39



	7.1	6	White Paper on Renewable Energy	40
	7.1	7	National Integrated Resource Plan for Electricity (2010-2030)	41
	7.1	8	National Development Plan	42
	7.1	9	The New Growth Path Framework	42
	7.1	.10	National Infrastructure Plan	43
	7.2	PRC	OVINCIAL LEVEL POLICY AND PLANNING	43
	7.2	.1	Northern Cape Province Provincial Growth and Development Strategy	43
	7.2	2	Northern Cape Provincial Spatial Development Framework	44
	7.2	3	Northern Cape Provincial Spatial Development Framework (SDF) 2018	46
	7.2	.4	Northern Cape Climate Change Response Strategy	46
	7.2	5	The Northern Cape Province Green Document	46
	7.3	DIS	TRICT AND LOCAL POLICY AND PLANNING ENVIRONMENT	47
	7.3	3.1	Pixley ka Seme District Municipality Integrated Development Plan (2020)	47
	7.3	3.2	Pixley ka Seme District Municipality Spatial Development Framework (SDF) (2017)	48
	7.3	3.3	Emthanjeni Local Municipality Integrated Development Plan (IDP) (2022)	50
	7.4	KEY	AUTHORITIES FOR THIS ENVIRONMENTAL APPLICATION	52
	7.5	INT	ERNATIONAL CONVENTIONS AND AGREEMENTS	53
	7.6	INT	ERNATIONAL FINANCE CORPORATION PERFORMANCE STANDARDS	54
	7.6	5.1	Equator Principles	56
	7.6	5.2	The World Bank Group Environmental Health and Safety Guidelines	56
8	NE	ED Al	ND DESIRABILITY	56
	8.1	LEG	ISLATIVE FRAMEWORK	57
	8.2	SUS	TAINABLE DEVELOPMENT	57
	8.3	NAT	TIONAL NEED AND DESIRABILITY	58
	8.4	REG	SIONAL NEED AND DESIRABILITY	60
	8.5	LOC	AL AND SITE-SPECIFIC NEED AND DESIRABILITY	60
	8.6	CON	NCLUSION ON NEED AND DESIRABILITY	61
9	EIA	SPEC	CIALIST STUDIES	61
10	A	VIFA	UNAL IMPACT ASSESSMENT	62
	10.1	II	NTRODUCTION	62
	10.2 N		/IETHODOLOGY	63
	10.3	R	EGIONAL CONTEXT	65
	10.	3.1	Regional Habitat Description	67
	10	.3.2	Regional Expected and Observed Avifauna	67
	10.4	S	ITE ENVIRONMENT	68
	10	4.1	Departure from the recommendations of the Birds and Solar Energy guidelines	68
	10.	4.2	Survey Coverage	69



	10.4.3	Local Habitats	70
	10.4.4	Observed Avifauna	71
	10.4.5	Species of Conservation Concern (SOC)	73
	10.4.6	Summary of Soyuz 1 Solar PV Park Avifaunal Environment	75
	10.5	EXISTING IMPACTS	75
	10.6	SITE ECOLOGICAL IMPORTANCE (SEI)	75
	10.7	POTENTIAL AVIFAUNAL IMPACTS	77
	10.8	OPPORTUNITIES AND CONSTRAINTS	78
	10.9	CONCLUSION OF AVIFAUNAL SPECIALIST	78
11	TER	RESTRIAL BIODIVERSITY ASSESSMENT	79
	11.1	ASSESSMENT APPROACH	79
	11.2	DESKTOP ASSESSMENT – CONSERVATION CHARACTERISTICS	79
	11.3	FAUNAL ASSESSMENT	84
	11.3.1	Assessment Approach	84
	11.3.2	Faunal Habitat	85
	11.3.3	Mammal Observations	87
	11.3.4	Herpetofauna (Reptiles and Amphibians) Observations	89
	11.3.5	Invertebrates (Insects and Arachnids) Observations	90
	11.3.6	SENSITIVITY MAPPING	92
	11.3.7	International Finance Corporation (IFC) Performance Standard 6 Habitat Description	96
	11.3.8	POTENTIAL FAUNAL IMPACTS	97
	11.3.9	CONCLUSION OF THE FAUNA SPECIALIST	98
	11.4	FLORA ASSESSMENT	99
	11.4.1	Assessment Approach	99
	11.4.2	Broad-scale Vegetation Characteristics	100
	11.4.3	Ground-truthed Vegetation Characteristics	101
	11.4.4	Plains Habitat Unit	104
	11.4.5	Freshwater Ecosystem Habitat Unit	106
	11.4.6	Alien and Invasive Plant Species (AIP)	109
	11.4.7	Sensitivity	109
	11.4.8	International Finance Corporation (IFC) Performance Standard 6 Habitat Description	115
	11.4.9	POTENTIAL FLORAL IMPACTS	117
	11.4.1	0 Conclusion of the Flora Specialist	118
12	CLIN	AATE CHANGE ASSESSMENT	119
	12.1	OBJECTIVE AND SCOPE OF ASSESSMENT	119
	12.2	STUDY APPROACH AND METHODOLOGY	119
	12.3	PHYSICAL RISK OF CLIMATE CHANGE ON THE REGION	121



1	2.4	CLIMATE HAZARDS AND VULNERABILITIES	. 121
1	.2.5	PROJECT IMPACT: THE PROJECTS CARBON FOOTPRINT	. 123
	12.5.1	Scope 1 GHG Emission Sources	. 123
	12.5.2	Scope 2 GHG Emission Sources	. 123
	12.5.3	Summary of Scope 1 and Scope 2 Emissions Sources	. 123
	12.5.4	The Projects GHG Emissions Impact	. 123
1	.2.6	PROJECT IMPACT: PHYSICAL RISKS OF CLIMATE CHANGE	. 124
1	.2.7	PROJECT ADAPTATION AND MITIGATION MEASURES	. 124
1	.2.8	IMPACT ASSESSMENT: SIGNIFICANCE RATING	. 125
1	.2.9	CONCLUSION AND RECOMMENDATION OF THE CLIMATE SPECIALIST	. 125
13	FRES	HWATER IMPACT ASSESSMENT	. 126
1	.3.1	ASSESSMENT METHODOLOGY	. 126
1	.3.2	DESKTOP ANALYSIS	. 127
1	.3.3	FRESHWATER ECOSYSTEM CHARACTERISATION & DELINEATION	. 130
1	.3.4	FRESHWATER ECOSYSTEM: SITE VERIFICATION	. 131
1	.3.5	APPLICATION OF BUFFER ZONES	. 139
1	.3.6	POTENTIAL FRESHWATER IMPACTS	. 139
1	.3.7	CONCLUSION OF FRESHWATER SPECIALIST	. 141
14	GEO	TECHNICAL RECONNASAINCE ASSESSMENT	. 142
1	4.1	TOPOGRAPHY AND SITE FEATURES	. 142
1	.4.2	GEOLOGY	. 142
1	.4.3	SOIL TYPE DISTRIBUTION	. 144
1	4.4	PEDOCRETE DEVELOPMENT	. 144
1	.4.5	HYDROGEOLOGY	. 145
1	.4.6	SEISMICITY	. 146
1	.4.7	POTENTIAL IMPACTS	. 146
15	HER	TAGE IMPACT ASSESSMENT	. 147
1	5.1	METHODOLOGY	. 147
1	.5.2	RECEIVING ENVIRONMENT	. 147
1	.5.3	PALAEONTOLOGY	. 148
1	.5.4	ARCHAEOLOGY	. 149
1	.5.5	HISTORICAL BUILT ENVIRONMENT	. 151
1	.5.6	GRAVES AND BURIALS	. 152
1	.5.7	CULTURAL LANDSCAPE	. 152
1	.5.8	VISUAL ASSESSMENT	. 153
1	.5.9	POTENTIAL HERITAGE IMPACTS	. 154
	15.9.1	Potential impacts on palaeontology	. 154



	15.9.2	Potential impacts on archaeology	155
	15.9.3	Potential impacts on graves and burials	155
	15.9.4	Potential impacts on the cultural landscape.	155
	15.9.5	Visual Impacts	155
	15.10	FINDINGS AND MITIGATIONS MEASURES	155
	15.11	CONCLUSION OF HERITAGE SPECIALIST	157
16	ENV	IRONMENTAL NOISE IMPACT ASSESSMENT	157
	16.1	OBJECTIVES AND METHODOLOGY	157
	16.2	CURRENT SITE NOISE PROFILE	157
	16.2.1	Current Noise Sources	158
	16.2.2	Current Ambient Noise Levels	158
	16.3	PREDICTED NOISE LEVELS	160
	16.4	NOISE IMPACTS TO SENSITIVE RECEPTORS	161
	16.4.1	Predicted Construction Phase Noise Levels	161
	16.4.2	Predicted Operational Phase Noise Levels	162
	16.4.3	Road Traffic Noise	162
	16.5	POTENTIAL NOISE IMPACTS	163
	16.5.1	Construction phase	163
	16.5.2	Operational phase	163
	16.5.3	Decommissioning phase:	163
	16.6	RECOMMENDATIONS	163
	16.6.1	Acoustic Screening Recommendations:	163
	16.6.2	Noise Monitoring	164
	16.7	CONCLUSION OF THE NOISE SPECIALIST	164
17	SOC	IAL IMPACT ASSESSMENT	165
	17.1	ADMINISTRATIVE CONTEXT	165
	17.1.1	Population	165
	17.1.2	Households and house types	166
	17.1.3	Household income	166
	17.1.4	Employment	167
	17.1.5	Education	167
	17.1.6	Access to Electricity	167
	17.1.7	Access to water	167
	17.1.8	Sanitation	167
	17.1.9	Refuse collection	168
	17.2	HEALTH AND COMMUNITY FACILITIES	168
	17.3	ECONOMIC OVERVIEW	168



	17.3.1		Agriculture	168
	17.3.2		Mining	168
	17.3.3		Tourism	168
	17.3.4		Renewable energy	168
1	7.4	OVE	RVIEW OF THE STUDY AREA	169
1	7.5	PRE	FERRED SITE AND ADJACENT PROPERTIES	170
	17.5.1		Relationship to Receptors	170
1	7.6	ОТН	IER PROPOSED RENEWABLE ENERGY FACILITIES	171
1	7.7	ASS	ESSMENT OF POLICY AND PLANNING FIT	171
1	7.8	РОТ	ENTIAL CONSTRUCTION PHASE IMPACTS	172
	17.8.1		Creation of local employment, training, and business opportunities	172
	17.8.2		Influx of job seekers	174
	17.8.3		Risk to safety, livestock, and farm infrastructure	174
	17.8.4		Increased risk of grass fires	174
	17.8.5	ı	Nuisance impacts associated with construction related activities	174
	17.8.6	i	Impacts associated with loss of farmland	175
1	7.9	РОТ	ENTIAL OPERATIONAL PHASE IMPACTS	175
	17.9.1	•	Improve energy security and support the renewable energy sector	175
	17.9.2		Creation of employment opportunities	176
	17.9.3		Generate income for affected landowner	176
	17.9.4		Benefits associated with the socio-economic development contributions	176
	17.9.5		Visual impact and impact on sense of place	177
	17.9.6	;	Potential impact on property values	178
	17.9.7	1	Potential impact on tourism	178
1	7.10	CON	NCLUSIONS AND RECOMMENDATIONS OF THE SOCIAL SPECIALIST	178
18	SOIL	, LAN	ND USE AND LAND CAPABILITY IMPACT ASSESSMENT	179
1	8.1	ME	THODOLOGY SUMMARY	179
1	8.2	DES	KTOP ASSESSMENT	179
1	8.3	CUR	RENT LAND USE	181
1	8.4	DON	MINANT SOIL FORMS	181
1	8.5	LAN	D CAPABILITY CLASSIFICATION	181
1	8.6	РОТ	ENTIAL SOIL AND LAND CAPABILITY IMPACTS	186
	18.6.1 Capab		Stripping and Removal of Productive Topsoil and Subsequent Loss of Agricultural Land 186	
	18.6.2		Impact: Soil Erosion	187
	18.6.3		Soil Compaction	187
	18.6.4		Soil Contamination	188



	18.7	IMPACT STATEMENT ON ACCESS ROAD	188
	18.8	CONCLUSION OF LAND CAPABILITY SPECIALIST	188
19	TOW	/N PLANNING ASSESSMENT	188
20	TRA	NSPORT IMPACT ASSESSMENT	189
	20.1	TRAFFIC ANALYSIS SCOPE	189
	20.2	EXISTING CONDICTIONS	189
	20.2.1	Existing Cross-sections and Surface Conditions	189
	20.2.2	Existing Traffic Volumes	189
	20.2.3	Existing Access	190
	20.3	TRAFFIC IMPACT ANALYSIS METHODOLOGY	190
	20.4	YEAR 2028 BACKGROUND TRAFFIC CONDITIONS	190
	20.5	CONSTRUCTION PHASE TRAFFIC	191
	20.5.1	Trip Generation	191
	20.5.2	Trip Distribution and Assignment	191
	20.6	OPERATIONAL PHASE	191
	20.7	TRAFFIC IMPACT STATEMENT	192
	20.8	POTENTIAL TRAFFIC IMPACTS	192
	20.9	CONCLUSIONS AND RECOMMENDATIONS OF THE TRAFFIC SPECIALIST	192
21	VISU	AL IMPACT ASSESSMENT	192
	21.1	Scope of VIA	192
	21.2	METHODOLOGY	193
	21.3	DEVELOPMENT CATEGORY AND LEVEL OF IMPACT ASSESSMENT	194
	21.4	RECEIVING ENVIRONMENT	194
	21.5	POTENTIAL VISUAL IMPACTS	199
	21.6	CONCLUSION OF VISUAL SPECIALIST	201
22	PUB	LIC PARTICIPATION PROCESS	201
	22.1	OBJECTIVES OF THE PUBLIC PARTICIPATION PROCESS	202
	22.2	STEPS TAKEN TO NOTIFY POTENTIALLY INTERESTED AND AFFECTED PARTIES	203
	22.3	AUTHORITY CONSULTATION	203
	22.4	PROOF OF NOTIFICATION	204
	22.5	LIST OF REGISTERED INTERESTED AND AFFECTED PARTIES	204
	22.6	SUMMARY OF ISSUES RAISED BY INTERESTED AND AFFECTED PARTIES	204
	22.7	SUMMARY OF APPLICATION AND PUBLIC PARTICIPATION PROCESS	204
23	IMP	ACT ASSESSMENT METHODOLOGY	205
24	РОТ	ENTIAL IMPACTS ASSOCIATED WITH THE ACTIVITY AND PREFERRED FOOTPRINT	208
	24.1	PLANNING AND DESIGN PHASE	209
	24.1.1	Potential Avifaunal Impacts	210



	24.1.2	Potential Faunal Biodiversity Impacts	. 214
	24.1.3	Potential Floral Biodiversity Impacts	. 218
	24.1.4	Soil and Land Capability	. 221
	24.1.5	Potential Freshwater Impacts	. 223
	24.1.6	Potential Noise Impact	. 224
	24.1.7	Potential Visual Impacts	. 225
	24.1.8	Potential Heritage Impacts	. 228
	24.1.9	Potential Water Management Impacts	. 228
24	.2 POT	ENTIAL CONSTRUCTION IMPACTS	. 229
	24.2.1	Potential Avifaunal Impacts	. 229
	24.2.2	Potential Faunal Biodiversity Impacts	. 232
	24.2.3	Potential Floral Biodiversity Impacts	. 237
	24.2.4	Potential Soil and Land Capability Impacts	. 242
	24.2.5	Potential Climate Change Impacts	. 245
	24.2.6	Potential Freshwater Impacts	. 245
	24.2.7	Potential Geotechnical and Soil Impacts	. 249
	24.2.8	Potential Heritage Impacts	. 250
	24.2.9	Potential Noise Impact	. 253
	24.2.10	Potential Social Impacts	. 254
	24.2.11	Potential Traffic Impacts	. 262
	24.2.12	Potential Visual Impacts	. 263
24	.3 POT	ENTIAL OPERATIONS IMPACTS	. 267
	24.3.1	Potential Avifaunal Impacts	. 267
	24.3.2	Potential Faunal Biodiversity Impacts	. 269
	24.3.3	Potential Floral Biodiversity Impacts	. 273
	24.3.4	Potential Soil and Land Capability Impacts	. 277
	24.3.5	Potential Climate Change Impacts	. 279
	24.3.6	Potential Freshwater Impacts	. 280
	24.3.7	Potential Noise Impact	. 282
	24.3.8	Potential Social Impacts	. 283
	24.3.9	Potential Traffic Impact	. 289
	24.3.10	Potential Visual Impacts	. 289
24	.4 DEC	OMISSIONING PHASE IMPACTS	. 291
24	.5 CUN	MULATIVE IMPACTS	. 292
	24.5.1	Geographical Area of Evaluation	. 293
	24.5.2	Temporal Evaluation Boundary	. 293
	24.5.3	Other Renewable Energy Projects	. 293



	24.5.4	Avifauna Specialist	294
	24.5.5	Terrestrial Biodiversity Specialist	295
	24.5.6	Climate Change Specialist	296
	24.5.7	Freshwater Ecological Specialist	296
	24.5.8	Heritage Specialist	297
	24.5.9	Noise Specialist	
	24.5.10	Social Specialist - Cumulative Impact on Sense of Place	
	24.5.11	Social Specialist - Cumulative Impact on Local Services and Accommodation	
	24.5.12	Social Specialist - Cumulative Impact on Local Economy	
	24.5.13	Soil, Land Use & Land Capability Specialist	299
	24.5.14	Traffic Specialist	299
	24.5.15	Visual Specialist	299
25	ENVIRO	NMENTAL IMPACT ASSESSMENT SUMMARY FOR THE PREFERRED ALTERNATIVE	300
	25.1.1	Impacts to be Mitigated During the Planning and Design Phase	301
	25.1.2	Impacts and Mitigation Measures during Construction Phase	306
	25.1.3	Operational Phase Impacts	318
	25.1.4	Decommissioning Phase Impacts	
	25.1.5	No Go Alternative	
20			
26		PTIONS AND LIMITATIONS	
27		NMENTAL IMPACT STATEMENT AND EAP OPINION	
28	OATH O	F EAP UNDERTAKING ASSESSMENT	326
TAE	SLE OF FIGU	JRES	
		nal Location of the Soyuz Solar PV Cluster 1-6	1
Figu	re 2: Positio	onal localities of the Soyuz Solar PV Cluster 1-6	2
Figu	re 3: Overvi	ew of the S&EIA Process	5
Figu	re 4: Regior	nal Locality Map	11
_	_	nal location of the Pixley ka Seme District Municipality	
_		Municipalities within PKSDM	
		tral Map	
		ern Cape Development Solar Corridor	
_		voltaic Power Potential for South Africa (2017)	
		una Sensitivity Map	
_		water Sensitivity Map	
_		age Sensitivity Map	
_		Land Use and Land Capability Sensitivity Map	
_		versity Sensitivity Map	
_		Il Sensitivity Map	
_		olidated Sensitivity Map	
_		rred Conceptual Site Layout Planrred Conceptual Site Layout Plan	
_		ray of mounted PV Panels	
ıgυ	iic 13. All di	ray of mounted EV Fallets	∠/



Figure 20: Bifacial Solar Panels	
Figure 21: Support structure for Tracking PV Panels	
Figure 22: Example of a BESS (Beacon Solar Plant Site, LADWP)	29
Figure 23: PVSEF Conceptual Diagram with the Various Components	30
Figure 24: Access road and internal site roads	
Figure 25: Summary of energy allocations and commitments based on the 2019 IRP	42
Figure 26: Northern Cape Development Corridors-Solar Corridor (yellow)	49
Figure 27: Northern Cape Renewable Energy Hub	
Figure 28: IFC Performance Standards Framework	
Figure 29: Interdependence Model of Sustainability	58
Figure 30:Regional Vegetation Types	
Figure 31: Regional Protected Areas and IBAs	
Figure 32: Regional Major Habitats	
Figure 33:Avifauna survey coverage of the SOYUZ 1 SOLAR PV PARK during the summer survey	
Figure 34: Major habitat types of the Soyuz 1 Solar PV Park	
Figure 35: Site Major Types	
Figure 36: Habitat Delineation and Avifaunal Observations	
Figure 37: Avifauna Site Ecological Importance (SEI) for the proposed Soyuz 1 Solar PV Park	
Figure 38: Avifauna Impacts Descriptions	77
Figure 39: Avifaunal Opportunities and constraints (No-Go areas) map for the proposed the Soyuz 1 So Park	
Figure 40: Habitat units associated with the Soyuz 1 Solar PV Park	
Figure 41: Habitat units associated with the Soyuz 1 Solar PV Park	
Figure 42: Habitat sensitivities associated with the Soyuz 1 Solar PV Park	
Figure 43: Habitat sensitivities associated with the Soyuz 1 Solar PV Park	
Figure 44: Conceptual illustration of the habitat units associated with the Soyuz 1 Solar PV Park and acce	
Figure 45: Conceptual illustration of the habitat units associated with the Soyuz 1 Solar PV Park access ro	
Figure 46: Conceptual illustration of the habitat sensitivities associated with the Soyuz 1 Solar PV Park o	
road	113
Figure 47: Conceptual illustration of the proposed layout as it relates to the habitat sensitivities associat	ed with
the Soyuz 1 access road	
Figure 48: Projected Climate Change (2030 -2050) for the Region	121
Figure 49: Delineated freshwater ecosystems associated with the proposed Soyuz 1 Solar PV Park	
Figure 50: Conceptual presentation of the zones of regulation applicable to the Soyuz 1 Solar PV Park in	ı
relation to the delineated freshwater ecosystems	139
Figure 51: Freshwater Ecosystem Delineation	140
Figure 52: Geological Setting	
Figure 53: Soil Type Distributions across South Africa	144
Figure 54: Distribution of Pedocretes across Southern Africa	
Figure 55: Nominal Peak Ground Acceleration Zones	146
Figure 56: View south across the Soyuz 1 Solar PV Park development site	148
Figure 57: View north across the Soyuz 1 Solar PV Park development site	148
Figure 58: Palaeontological sensitivity of the proposed Soyuz 1 Solar PV Park development site Red	149
Figure 59: Survey tracks overlaid with the Soyuz 1 Solar PV Park development footprint and the farm po	ortion
Figure 60: Cluster of historical archaeological structures and midden next to access road	151
Figure 61: Location of Rietpoort Farmstead	152
Figure 62: Map indicating the location of potential sensitive receptors within 5km of the proposed Soyu	uz 1
Solar PV Park	152



Figure 63: Noise Monitoring points for the study area	158
Figure 64: Noise receptors in the study area	159
Figure 65: Proposed Soyuz 1 Solar PV (pink outline) in relation to historic REF applications within a 3	30 km
radius (red circle)	
Figure 66: Land Capability of the Identified Soil Forms	182
Figure 67: Land potential associated with the study area	183
Figure 68: Map indicating the location of potential sensitive receptors within 5km of the Soyuz 1 Solar	
	197
Figure 69: False colour elevation rendering depicting the topographical character of the Soyuz 1 Sola	
Figure 70: Project Life Cycle	
Figure 71: Cumulative Impact Assessment Geographical Evalution boundary with location of known	
renewable energy projects	_
TABLE OF TABLES	
Table 1: Details of the proposed Soyuz Solar PV Cluster	1
Table 2: Minimum Criteria to be Satisfied by an EIA Report	6
Table 3: Entity Responsible for the Development of the proposed Soyuz 1 Solar PV Park	9
Table 4: Cadastral Land Parcel Details	12
Table 5: Typical Alternatives Assessed in an EIA Process	15
Table 6: Soyuz 1 Solar PV Park Conceptual Design Details	
Table 7: Soyuz 1 Solar PV Park Co-ordinates	
Table 8: International Conventions and Agreements	53
Table 9: Avifauna Impact Assessments Regime 2 Requirements	
Table 10: Regional Area Expected Avifauna SCC Observed	
Table 11: A summary of the available information on lekking behaviour for Ludwig's Bustard (Nama	
Table 12: Observed Avifauna Species	-
Table 13: Observed avifauna species groups during the summer survey of the proposed Soyuz 1-6 S	olar Cluster
	72
Table 14: Observed and expected avifauna species of conservation concern for the proposed Soyuz	1 Solar PV
Park	75
Table 15: Evaluation of Site Ecological Importance (SEI) of avifauna habitats in the project area of in	fluence for
the proposed Soyuz 1 Solar PV Park	76
Table 16: Summary of the conservation characteristics for the Soyuz 1 Solar PV Park (Quarter Degree	Square
(QDS) 3023 DA and 3023DC).	80
Table 17: Field assessment results pertaining to mammal species within the Soyuz 1 Solar PV Park	87
Table 18: Field assessment results pertaining to herpetofauna within the Soyuz 1 Solar PV Park	
Table 19: Field assessment results pertaining to invertebrates within the Soyuz 1 Solar PV Park	
Table 20: A summary of the sensitivity of each habitat unit and the implications for the proposed Sov PV Park.	yuz 1 Solar
Table 21: Habitat Units and Faunal Classes as they relate to the IFC Habitat Categories and con	siderations
Table 22: Field assessment results pertaining to the Plains Habitat Unit within the Soyuz 1 Solar PV Par	
Table 23: Field assessment results pertaining to the Freshwater Ecosystem Habitat Unit within the Soyu	uz 1 Solar
PV Park	
Table 24: Dominant alien floral species identified during the field assessment with their invasive sta	· ·
NEMBA: Alien and Invasive Species Lists, GN R1003 of 2020.	
Table 25: A summary of the sensitivity of each habitat unit and implications for development	
Table 26: Habitat Units and Floral Classes as they relate to the IFC Habitat Categories and consi	
	115



Table 27: Desktop data relating to the characteristics of the freshwater ecosystems associated with Soyu	z 1
Solar PV Park and investigation area [Quarter Degree Square (QDS) 3023DA and 3023DC]	128
Table 28: Levels 3 and 4 Characterisation of the Freshwater Ecosystem	130
Table 29: Summary of the assessment of the first order EDLs located on the western and eastern parts of	the
proposed Soyuz 1 Solar PV Park	132
Table 30: Summary of the assessment of the EDL in the southern part of the Soyuz 1 Solar PV Park	134
Table 31:Summary of the assessment of the EDL proposed to be crossed by the proposed Soyuz 1 Solar P	V Park
	136
Table 32: Geological Formations	143
Table 33: Generalised Soil Profile	145
Table 34: Distances (in m) between the noise receptors and the potential noise sources in meters	159
Table 35: Day and night-time noise levels (L _{Aeq})	160
Table 36: Noise levels of standard construction machinery	160
Table 37: Noise intrusion level criteria	161
Table 38: Noise Intrusion levels during construction phase – Soyuz 1 Solar PV Park	162
Table 39: Calculated noise intrusion level during operational phase – Soyuz 1 Solar PV Park	162
Table 40: Recommended acoustic screening measures	164
Table 41: Desktop based soil background information sourced from various databases	179
Table 42: Land Capability and Potential Classifications	182
Table 43: Summary discussion of the Arable (Class III) land capability class	184
Table 44: Summary discussion of the Grazing (Class VI) land capability class for the Glenrosa soil form	185
Table 45: Activities and Potential Impacts associated with proposed development during different phases	
Table 46: Existing Traffic Conditions	190
Table 47: Summary of the visual assessment of the Soyuz 1 Solar PV Park and surrounds	195
Table 48: Potential activities resulting in negative Visual Impacts	200
Table 49: Definitions of the Impact Assessment Methodology	206
Table 50: Scoring System for Impact Assessment Ratings	207
Table 51: Cumulative impact from renewable energy developments in the region	294

APPENDICES INDEX

APPENDIX A – Site Maps

APPENDIX B – Specialist Reports

APPENDIX C – Public Participation Folder

APPENDIX D – Environmental Management Programme (EMPr)

APPENDIX E – Authorisations & Competent Authority Correspondence:

APPENDIX F – Application and declarations

APPENDIX G - EAP Curriculum Vitae

APPENDIX H – Landowner Consents

APPENDIX I - Definitions, Terminology and Acronyms



DEFINITIONS AND TERMINOLOGY REFERRED TO IN THIS REPORT

PLEASE CONSULT APPENDIX I FOR THE DEFINITIONS, ACRONYMS AND TERMINOLOGY REFERRED
TO IN THIS REPORT

1 INTRODUCTION AND BACKGROUND

Red Rocket South Africa (Pty) Ltd is proposing to develop the **Soyuz Solar Photovoltaic (PV) Cluster 1-6** comprising of six (6) Photovoltaic Solar Energy Parks. It is proposed that this Soyuz Solar PV Cluster be situated approximately 14km South-east of Britstown in the Northern Cape Province (**Figure 1**).



Figure 1: Regional Location of the Soyuz Solar PV Cluster 1-6

The proposed regional positional layout of the Soyuz Solar PV Cluster (Soyuz Solar PV Parks 1-6) is shown in Error! Reference source not found.. All 6 Soyuz Solar PV Parks will require Environmental Authorisation. Due to commercial reasons, each of the Soyuz Solar PV Parks application for environmental authorisation is being applied for separately by different applicants but the application processes are being conducted simultaneously. The Solar PV Park name, the properties on which the preferred sites are located and the associated generating capacities are presented in as follows:

Table 1: Details of the proposed Soyuz Solar PV Cluster

Solar Park Name	Property Description/s of preferred site	Property Size (ha)	Development Footprint (ha)	Generating Capacity (MW)
Soyuz 1 Solar PV	Portion 3 of The Farm 145	736.92	±628	240
Park				
Soyuz 2 Solar PV	2 Solar PV		±552	300
Park	Portion 2 of The Farm 97,	2123.94		
Soyuz 3 Solar PV	Pettspot	2123.34	±519	240
Park				
Soyuz 4 Solar PV	Solar PV Portion 5 of the The Farm		±567	300
Park	127, Twyfelhoek			



Soyuz 5 Solar PV	Portion 1 of the Farm 127,	1086.14	±355	150
Park Twyfelhoek				
Soyuz 6 Solar PV Portion 1 of the Farm 91		1902.03	±493	240
Total for Soyuz So	lar PV Cluster	7972.93	±3114	1470

This Draft Environmental Impact Assessment Report (EIAr) forms part of the environmental authorisation process for the Soyuz 1 Solar PV Park under the applicant name, Soyuz 1 Solar PV Park (Pty) Ltd.



Figure 2: Positional localities of the Soyuz Solar PV Cluster 1-6

Soyuz 1 Solar PV Park (Pty) Ltd proposes the development of the Soyuz 1 Solar PV Park and associated infrastructure, near Britstown, Northern Cape Province. The Project will be located on <u>Portion 3 of Farm 145</u>. The Soyuz 1 Solar PV Park will have a generating capacity of 240MW and will include a Battery Energy Storage System (BESS) of 1000MWh. An on-site substation with a capacity of 33 to 132 kV, will enable the connection of the Solar PV Park to a 132kV Overhead Powerline (OHPL). (**Note:** the 132 kV OHPL does not form part of this Environmental Authorisation process). The purpose of the Soyuz 1 Solar PV Park is to generate green electricity from a renewable energy source (i.e., solar radiation) to contribute to the Eskom national energy grid and/or any Private off-takers (where applicable).

For the Soyuz 1 Solar PV Park to become operational, the Applicant is required to obtain Environmental Authorisation in terms of the National Environmental Management Act, Act 107 of 1998 (NEMA)). Terramanzi Group (Pty) Ltd (hereafter referred to as TMG) has been appointed by the Applicant as the independent Environmental Assessment Practitioner (EAP) to facilitate the Scoping and Environmental Impact Assessment (S&EIA) process to obtain Environmental Authorisation in terms of the NEMA Environmental Impact Assessment (EIA) Regulations, 2014 (as amended).



This Draft Environmental Impact Assessment (EIA) Report forms part of the application for Environmental Authorisation. This Draft EIA Report is distributed as part of the stakeholder engagement to provide Interested and Affected Parties (hereinafter referred to as "I&APs") and commenting authorities to participate in the environmental authorisation process, to share their comments, concerns and suggestions with the Applicant, Professional Team, the EAP and Competent Authority. This consultation process will ensure that any aspects not already raised by the Scoping and EIA process to date, can be recorded and considered. The Competent Authority for this Environmental Authorisation Application is the National Department of Forestry, Fisheries and the Environment (DFFE).

To date, a Scoping Phase Assessment has been undertaken and subjected to public consultation whereafter it was submitted to DFFE, for Decision. The DFFE approved the Scoping Phase of the Project on 12 June 2023 (Appendix E).

2 OVERVIEW OF THE ENVIRONMENTAL APPLICATION PROCESS

The National Environmental Management Act, 107 of 1998 (NEMA) is the key legislation in South Africa governing environmental authorisation. The listed activities in Section 24 of NEMA are associated with the Environmental Impact Assessment (EIA) regulations published in Government Notices R327, R325 and R324 (as amended) in Government Gazette 40772.

An EIA is a systematic process of evaluating the potential environmental effects of a proposed project or development. The purpose of an EIA is to identify, predict, and evaluate the likely environmental impacts of a project, and to propose measures to mitigate or manage those impacts. The main function of an EIA is to inform the decision-making process by clearly presenting pertinent information.

The first step is for the applicant to engage with the relevant authorities, stakeholders and affected communities to determine if an EIA is required and what information is needed to apply. Once the applicant has determined that an EIA is required, they must appoint an EAP to conduct the application procedure for the Environmental Authorisation (EA).

There are two categories of prescribed processes namely the Scoping and Environmental Impact (S&EIA) process and the Basic Assessment (BA) process. The Government Notices in Government Gazette 40772 include the listed activities of the NEMA EIA Regulations that instruct if a BA or S&EIA process is required.

The EAP must complete and submit the application form to the competent authority (CA) indicating that either a BA or a S&EIA process is to be followed. The CA reviews the application and within 10 days of the receiving application the competent authority must acknowledge if the application is permitted and if it is rejected or accepted.

After the acknowledgment that the application is permitted and accepted for a S&EIA process, the scoping report is compiled by the EAP with inputs from specialists and subject matter experts. A draft version of the scoping report is made available to I&APs for review and comment for 30 days as part of the PPP.

A Comments and Responses Report (CRR) is developed as a record of the stakeholder comments and corresponding responses. The scoping report is updated to a final version taking into consideration



the I&APs comments and concerns and submitted to the CA for deliberation. The final scoping report must be submitted to the CA within 44 days following the submission of the application form.

The CA has 43 days after receipt of the final scoping report and supporting documentation to accept or decline the report and the Plan of Study for the EIA. A new application must be submitted if the scoping report is rejected.

The impact assessment phase involves the preparation of an environmental impact report, which assesses the potential impacts of the proposed activity on the environment and identifies mitigation measures to reduce or avoid these impacts. The draft EIA report must be issued for public consultation for no less than 30 days and an Environmental Management Programme (EMPr) must be linked with an EIA report. The CRR will be updated with the impact assessment phase stakeholder comments and responses. The EIA report is revised to include the changes as per the PPP and the final report is submitted together with the EMPr and supporting documentation to the CA for decision. The final report must be issued to the CA within 106 days of the scoping report decision.

The CA must recognise the receipt of the report in less than 10 days and has 107 days to review the documentation and make a decision to approve or reject the application, or approve it subject to certain conditions. This decision is communicated to the applicant and all I&APs.

If the application is approved, the applicant must implement the project according to the conditions set out by the CA. The competent authority will monitor the implementation of the project and its impacts on the environment and may take enforcement action if necessary.

It is important to note that the EIA process in South Africa is designed to be inclusive and participatory and provides opportunities for I&APs to participate and provide input throughout the process. The S&EIA Process for the Soyuz 1 Solar PV Park is presented in **Figure 3**. The phases highlighted in blue illustrate phases completed and underway. The phases highlighted in green are pending.




Figure 3: Overview of the S&EIA Process

2.1 OBJECTIVES OF THE EIA PROCESS

In accordance with the Appendix 3 Regulation 2 of GN No. R. 326 of the NEMA EIA Regulations (2014 as amended) the objective of the environmental impact assessment process is to, through a consultative process-

- a) determine the policy and legislative context within which the activity is located and document how the proposed activity complies with and responds to the policy and legislative context;
- b) describe the need and desirability of the proposed activity, including the need and desirability of the activity in the context of the development footprint on the approved site as contemplated in the accepted scoping report;
- c) identify the location of the development footprint within the approved site as contemplated in the accepted scoping report based on an impact and risk assessment process inclusive of cumulative impacts and a ranking process of all the identified development footprint alternatives focusing on the geographical, physical, biological, social, economic, heritage and cultural aspects of the environment;
- d) determine the-
 - i. nature, significance, consequence, extent, duration and probability of the impacts occurring to inform identified preferred alternatives; and
 - ii. degree to which these impacts-
 - (aa) can be reversed;
 - (bb) may cause irreplaceable loss of resources, and
 - (cc) can be avoided, managed or mitigated;
- e) identify the most ideal location for the activity within the development footprint of the approved site as contemplated in the accepted scoping report based on the lowest level of environmental sensitivity identified during the assessment;
- f) identify, assess, and rank the impacts the activity will impose on the development footprint on the approved site as contemplated in the accepted scoping report through the life of the activity;
- g) identify suitable measures to avoid, manage or mitigate identified impacts; and
- h) identify residual risks that need to be managed and monitored.

2.2 CONTENT OF THIS EIA REPORT

This Draft EIA Report for public consultation contains the necessary information for an appropriate understanding of the Project and associated Environmental Application Process. The document describes the site, alternatives considered, the scope of the assessment, the consultation process to be followed and any findings and recommendations at this stage of the Environmental Application Process.

Table 2 lists the minimum criteria to be satisfied by and EIA Report as guided by the NEMA EIA Regulations (2014 as amended in April 2017). The location of this content in this Draft EIA Report is provided alongside the requirements for ease of reference.

Table 2: Minimum Criteria to be Satisfied by an EIA Report



		Relevant
Regulati	Appendix 3. (1) Scope of Assessment and Content of Environmental Impact	Section of this
on	Assessment Reports	Report
3. (1)	An environmental impact assessment report must contain the information that	
, ,	is necessary for the competent authority to consider and come to a decision on	
	the application, and must include—	
(a)	Details of:	
(i)	The EAP who prepared the report; and	Section 3
(ii)	The expertise of the EAP, including a curriculum vita	Section 3 &
		Appendix G
(b)	The location of the activity, including:	
(i)	The 21-digit Surveyor General code of each cadastral land parcel;	Section 4
(ii)	Where available, the physical address and farm name; and	Section 4
(iii)	Where the required information in items (i) and (ii) is not available, the	Section 4
()	coordinates of the boundary of the property or properties.	
(c)	A plan which locates the proposed activity or activities applied for at an	Section 5
/:\	appropriate scale, or, if it is-	NA
(i)	A linear activity, a description and coordinates of the corridor in which the proposed activity or activities is to be undertaken; or	NA
(ii)	On land where the property has not been defined, the coordinates within which	Section 4
(11)	the activity is to be undertaken;	Section 4
d	A description of the scope of the proposed activity, including:	
(i)	All listed and specified activities triggered and being applied for; and	Section 6.4
(ii)	A description of the associated structures and infrastructure related to the	Section 6
(,	development;	0000.0
(0)		Section 7
(e)	A description of the policy and legislative context within which the development is located and an explanation of how the proposed development complies with	Section 7
	and responds to the legislation and policy context;	
(f)	A motivation for the need and desirability for the proposed development,	Section 8
(.,	including the need and desirability of the activity in the context of the preferred	36661011 0
	development footprint within the approved site as contemplated in the	
	accepted scoping report;	
(g)		
	as contemplated in the accepted scoping report;	
(h)	A full description of the process followed to reach the proposed development	Section 5
	footprint within the approved site as contemplated in the accepted scoping	
40	report, including:	
(i)	Details of the development footprint alternatives considered;	Section 5
(ii)	Details of the public participation process undertaken in terms of regulation 41	Section 22
(:::)	of the Regulations, including copies of the supporting documents and inputs;	Soction 22
(iii)	A summary of the issues raised by interested and affected parties, and an indication of the manner in which the issues were incorporated, or the reasons	Section 22
	for not including them;	
(iv)	The environmental attributes associated with the development footprint	Sections 9 - 21
(10)	alternatives focusing on the geographical, physical, biological, social, economic,	5000.51.05
	heritage and cultural aspects;	
(v)	The impacts and risks identified including the nature, significance, consequence,	Section 24 - 25
. ,	extent, duration and probability of the impacts, including the degree to which	
	these impacts—	
	(aa) can be reversed;	
	(bb) may cause irreplaceable loss of resources; and	
	(cc) can be avoided, managed or mitigated;	
(vi)	The methodology used in determining and ranking the nature, significance,	Section 23
	consequences, extent, duration and probability of potential environmental	
	impacts and risks;	



		Relevant
Regulati	Appendix 3. (1) Scope of Assessment and Content of Environmental Impact	Section of this
on	Assessment Reports	Report
(vii)	Positive and negative impacts that the proposed activity and alternatives will	Section 24 - 25
(*)	have on the environment and on the community that may be affected focusing	30001011 24 23
	on the geographical, physical, biological, social, economic, heritage and cultural	
	aspects;	
(viii)	The possible mitigation measures that could be applied and level of residual risk;	Section 24 - 25
(ix)	If no alternative development footprints for the activity were investigated, the	Section 5
	motivation for not considering such; and	
(xi)	A concluding statement indicating the preferred alternative including preferred	Section 5
()	location of the activity.	C 1: E
(x)	A concluding statement indicating the location of the preferred alternative	Section 5
	development footprint within the approved site as contemplated in the	
/;\	accepted scoping report;	Section 23
(i)	A full description of the process undertaken to identify, assess and rank the	Section 23
	impacts the activity and associated structures and infrastructure will impose on the preferred development footprint on the approved site as contemplated in	
	the accepted scoping report through the life of the activity, including—	
(i)	A description of all environmental issues and risks that were identified during	Section 24 - 25
(1)	the environmental impact assessment process; and	5555551 24 25
(ii)	An assessment of the significance of each issue and risk and an indication of the	Section 24 - 25
	extent to which the issue and risk could be avoided or addressed by the adoption	
	of mitigation measures;	
(j)	an assessment of each identified potentially significant impact and risk,	Section 24 - 25
	including—	
(i)	cumulative impacts;	Section 24 - 25
(ii)	the nature, significance and consequences of the impact and risk;	Section 24 - 25
(iii)	the extent and duration of the impact and risk;	Section 24 - 25
(iv)	the probability of the impact and risk occurring;	Section 24 - 25
(v)	the degree to which the impact and risk can be reversed;	Section 24 - 25
(vi)	the degree to which the impact and risk may cause irreplaceable loss of	Section 24 - 25
/::\	resources; and	C+: 24 25
(vii)	the degree to which the impact and risk can be mitigated;	Section 24 - 25
(k)	where applicable, a summary of the findings and recommendations of any specialist report complying with Appendix 6 to these Regulations and an	Section 9 – 21 and Section 25
	indication as to how these findings and recommendations have been included	and Section 25
	in the final assessment report;	
(I)	an environmental impact statement which contains—	Section 27
(i)	a summary of the key findings of the environmental impact assessment:	Section 27
(ii)	a map at an appropriate scale which superimposes the proposed activity and its	Section 5 &
	associated structures and infrastructure on the environmental sensitivities of	Appendix A
	the preferred development footprint on the approved site as contemplated in	
	the accepted scoping report indicating any areas that should be avoided,	
	including buffers; and	
(iii)	a summary of the positive and negative impacts and risks of the proposed activit and identified alternatives;	Section 27
(m)	based on the assessment, and where applicable, recommendations from	Section 25
(111)	specialist reports, the recording of proposed impact management outcomes for	Section 25
	the development for inclusion in the EMPr as well as for inclusion as conditions	
	of authorisation;	
(n)	the final proposed alternatives which respond to the impact management	Section 5
	measures, avoidance, and mitigation measures identified through the	
	assessment;	
(o)	any aspects which were conditional to the findings of the assessment either by	NA
	the EAP or specialist which are to be included as conditions of authorisation;	



Regul on	lati	Appendix 3. (1) Scope of Assessment and Content of Environmental Impact Assessment Reports	Relevant Section of this Report
(p)		a description of any assumptions, uncertainties and gaps in knowledge which relate to the assessment and mitigation measures proposed;	Section 26
(q)		a reasoned opinion as to whether the proposed activity should or should not be authorised, and if the opinion is that it should be authorised, any conditions that should be made in respect of that authorisation;	Section 27
(r)		where the proposed activity does not include operational aspects, the period for which the environmental authorisation is required and the date on which the activity will be concluded and the post construction monitoring requirements finalised;	NA
(s)		an undertaking under oath or affirmation by the EAP in relation to—	
	(i)	the correctness of the information provided in the reports;	
	(ii)	the inclusion of comments and inputs from stakeholders and I&APs	
	(iii)	the inclusion of inputs and recommendations from the specialist reports where relevant; and	Section 28
	(iv)	any information provided by the EAP to interested and affected parties and any responses by the EAP to comments or inputs made by interested or affected parties;	
(t)		where applicable, details of any financial provision for the rehabilitation, closure, and ongoing post decommissioning management of negative environmental impacts;	NA
(u)		an indication of any deviation from the approved scoping report, including the plan of study, including—	NA
	(i)	any deviation from the methodology used in determining the significance of potential environmental impacts and risks; and	NA
	(ii)	a motivation for the deviation;	NA
(v)		any specific information that may be required by the competent authority; an	NA
(w)		any other matters required in terms of section 24(4)(a) and (b) of the Act.	NA

3 PROJECT TEAM DETAILS

3.1 ENTITY RESPONSIBLE FOR THE DEVELOPMENT

Red Rocket South Africa (Pty) Ltd is proposing the development of the Soyuz 1 Solar PV Park under the legal entity Soyuz 1 Solar PV Park (Pty) Ltd (Applicant). The names and contact details are provided on **Table 3**.

Table 3: Entity Responsible for the Development of the proposed Soyuz 1 Solar PV Park

DEVELOPMENT ENTITY			
Applicant Name	Soyuz 1 Solar PV Park (Pty) Ltd		
Responsible Person	Mr Matteo Giulio Luigi Brambilla		
Address	14th Floor		
	Pier Place		
	Heerengracht Street		
	Foreshore		
	Cape Town		
	8001		
Contact Details	+27 (0)72 212 1531 (C)		
	Email: m.logan@redrocket.energy		



3.2 ENVIRONMENTAL ASSESSMENT PRACTITIONER (EAP)

Terramanzi Group (Pty) Ltd ("TMG") has appointed to undertake this Application for Environmental Authorisation (EA) on behalf of the Applicant.

Wendy Mey was the independent EAP responsible for conducting the Environmental Scoping Phase of the EIA process and for the compilation the Environmental Scoping report. Wendy also managed the specialists appointed for the EIA phase of the environmental authorisation process. Wendy is an environmental consultant with more than 18 years of experience. She is a registered EAP with the Environmental Assessment Practitioners Association of South Africa (EAPASA) (2021/3684). Wendy holds a BSc in Chemical Engineering from the University of KwaZulu Natal and is a senior member of the Environmental Services Team at TMG.

Natasha Williams is the independent EAP responsible for assessing the environmental impacts (based on the specialist input) and compiling this Draft EIA Report. Natasha is an environmental consultant with 29 years of environmental management and EIA experience. She is a registered EAP with the Environmental Assessment Practitioners Association of South Africa (EAPASA) (2019/1458). Natasha holds a BSc Honours from the University of KwaZulu Natal.

Please refer to Appendix G for the EAP's Curriculum Vitae

This report was reviewed by Fabio Venturi whose career spans over 20 years in the industry, across both the government and private sectors of the green economy. Fabio's entrepreneurial drive to innovate and influence has resulted in multiple industry firsts and awards. Fabio is an Accredited Professional with the Green Building Council of South Africa (GBCSA), a Certified Environmental Scientist, served on the South Africa Environmental Industry Body, that being the Western Cape Committee Branch of the South African Affiliate of the International Association for Impact Assessment (IAIAsa), and sat on the National Executive Committee (NEC) of IAIAsa, and is a Certified Carbon Footprint Analyst and Energy Efficiency Auditor.

TMG hereby declares that they have no conflicts of interest related to the work of this report. Specifically, TMG declares that they have no personal financial interests in the property and/or activity being assessed in this report, and that they have no personal or financial connections to the relevant property owners, developers, planners, financiers or consultants of the property or activity, other than fair remuneration for professional services rendered for this report to the Competent Authority. TMG declares that the opinions expressed in this report are independent and a true reflection of their professional expertise.

TMG is a **Level 4 Broad Based Black Economic Empowerment Company** and is **professionally accredited** with several relevant industry bodies, in line with the Preferential Procurement Policy Framework Act No. 5 of 2000 (PPPFA)

4 PROJECT LOCATION

The proposed Soyuz 1 Solar PV Park is located within the Emthanjeni Local Municipality (ELM) which forms part of the Pixley ka Seme District Municipality (PKSDM). The regional location of the proposed site is shown on **Figure 4** and the location of the PKSDM is shown in red in **Figure 5**.




Figure 4: Regional Locality Map





Figure 5: Regional location of the Pixley ka Seme District Municipality

The PKSDM is made up of eight local municipalities which include Emthanjeni, Kareeberg, Thembelihle, Siyathemba, Renosterberg, Ubuntu, Siyancuma and Umsobomvu municipalities. These are shown in **Figure 6**. De Aar is the administrative seat of the EML and PKSDM.

¹The PKSDM is situated in the south-east of the Northern Cape Province and covers an area of 103 222km². It shares its borders with three other provinces, namely the Free State to the east, the Eastern Cape to the south-east, and the Western Cape to the south-west. It is the second-largest district of the five in the province and makes up almost a third of its geographical area.

The main economic sectors comprise of community services (26.6%), agriculture (16.6%), transport (15.1%), trade (12.9%), finance (12.8%), electricity (7.0%), construction (3.3%), manufacturing (3.2%), mining (2.6%).



Figure 6: Local Municipalities within PKSDM

The proposed Soyuz 1 Solar PV Park is situated approximately 14km South-east of Britstown and 23 km west of the town of De Aar. The proposed development will be located on Portion 3 of Farm 145 with an area of 737ha. The details of the cadastral unit making up the Soyuz 1 Solar PV Park are provided in **Table 4** and the area is shown in **Figure 7**

Table 4: Cadastral Land Parcel Details

CADASTRAL LAND PARCEL	SG21 DIGITAL CODE	GPS CO-ORDINATES
Farm 3/145	C01200000000014500003	Northwest corner: 30°44'42.78"S, 23°31'31.32"E
		Northeast corner: 30°45'13.72"S, 23°33'10.60"E
		Middle point: 30°45'33.48"S, 23°32'11.51"E
		Southeast corner: 30°46'22.64"S, 23°33'21.70"E
		Southwest corner: 30°45'44.97"S, 23°30'41.18"E

_

¹ Information sourced from https://municipalities.co.za/overview/137/pixley-ka-seme-district-municipality






Figure 7: Cadastral Map



The climate for this area is classified as semi-desert with annual rainfall ranging from 100mm upwards. Temperatures in the area can reach up to 50°C. The PKSDM is one of the hottest and driest districts in South Africa, making it an ideal location for solar-energy projects. The PKSDM falls within the Solar Development Corridor identified by the Northern Cape Provincial Spatial Development Framework (SDF). This solar development corridor extends from Kakamas to Upington and down to De Aar in the south-east (Yellow Corridor in **Figure 8**).




Figure 8: Northern Cape Development Solar Corridor

The proposed Soyuz 1 Solar PV Park development site is located in an area that is primarily undeveloped farmland and is well suited for solar installations as it comprises an extensive flat area with little agricultural or natural potential together with a very high solar theme sensitivity.

5 ALTERNATIVES CONSIDERED AND THE PREFERRED ALTERNATIVE

In accordance with **Appendix 2 Regulation 2(1)(g) (i, x and v); of GN No. R. 326 of the NEMA EIA Regulations (2014 as amended)**, the following information is presented in this Section:

2(1)(g) – A full description of the process followed to reach the proposed preferred activity, site and location of the development footprint within the site, including:

2(h) i – Details of the alternatives considered

2(h) x- If no alternatives, including alternatives location for the activity were investigated, the motivation for not considering such

2 (h) v –the impacts and risks which have informed the identification of each alternative, including the nature, significance, consequence, extent, duration and probability of such identified impacts, including the degree to which these impacts:

(aa) - can be reversed

(bb) - May cause irreplaceable loss of resources; and

(cc) - Can be avoided, managed or mitigated



In terms of the NEMA EIA Regulations (2014, as amended) the Environmental Impact Report provide a description of the process followed to reach the proposed preferred activity, site and development footprint. In addition, the EIA must contain details **feasible** and **reasonable** alternatives that have been considered and assessed. However, the EIA Regulations also specify that if no alternatives were investigated as part of the environmental scoping or EIA, then a motivation for not considering alternatives must be provided.

Table 5 describes alternatives that could typically be considered during an EIA process relating to renewable energy development.

Table 5: Typical Alternatives Assessed in an EIA Process

TYPE OF ALTERNATIVE	EXPLANATION / EXAMPLES			
Location	Refers both to alternative properties or alternative sites on the			
	same property.			
Activity	Generation of electricity versus use of the land for agricultural			
	production.			
Design or Layout	Design – Different architectural and/or engineering designs			
	Layout – Consideration of different spatial configurations of an			
	activity on a particular site (e.g. siting of a noisy plant away from			
	residences)			
Technological	Consideration of such alternatives is to include the option of			
	achieving the same goal using a different method or process (e.g.			
	1000MW of energy using a coal-fired power station versus the using			
	a Solar PV Park)			
Scheduling and Timing	Where several measures might play a role in an overall program,			
	but the order in which they are schedule will contribute to the			
	overall effectiveness of the end result.			
No-Go Option	This is the option of not implementing the activity.			

In this EIA, only the 'No Go' alternative has been subjected to an environmental impact assessment. No other alternatives have been assessed in terms of environmental impact. However, alternatives were considered at a desk top level by applicant team during the feasibility phase of the Soyuz Solar PV Cluster Project. The consideration of alternatives during the feasibility and planning phase was an iterative process of feedback between the applicant, the EAP and the specialists which has culminated in a single preferred project proposal. The desk-top process considering the available alternatives and process followed to reach the preferred activity, site, and site development footprint is explained as follows:

5.1 PROCESS FOLLOWED TO REACH THE PREFERRED ALTERNATIVE

The following process to identify and define the preferred alternative was applied during the feasibility planning by the proponent and reevaluated during the environmental scoping phase of the environmental authorisation process:

5.1.1 Activity Alternatives

Renewable energy developments in this area of the Northern Cape typically include wind energy farms, solar PV parks and solar concentrators. The EIA process needs to consider if the development of the Soyuz 1 Solar PV Park would be an appropriate land use in the area and on the preferred site.



When considering renewable energy development in this region the planning team determined, during the feasibility stage that the Solar PV facilities in combination with wind energy farms would return the best generation rates of renewable energy based on the following:

Electricity generation from Solar PV technology: Solar PV technology is a suitable activity in the area surrounding Britstown given the High Global Horizontal Irradiance (GHI) in this regions (Figure 9). The Solar PV technology entails comparatively low visual impacts (compared to wind farms and solar concentrators), requires minimal water usage and is a simple and reliable type of technology. At the end of life, the components can be recycles and the development site rehabilitated. In addition, the area where the Soyuz Solar PV Cluster is proposes consists of relatively flat land with suitable orientations to capture the best solar efficiencies. Hence, the proposed Soyuz 1 PV Park development site is best suited for a solar PV installation due to the gentle topography and slope orientation.




Figure 9: Photovoltaic Power Potential for South Africa (2017)

- **Electricity generation from wind:** Local climatic conditions on the higher elevations in the region also favour/support the establishment of wind generation facilities in the area. The proponents of Soyuz renewable energy projects in this region have selected the higher elevations for the wind farms and the lower, flatter land for the solar PV facilities.
- Concentrated solar power (CSP) technology: CSP technology requires large volumes of water and this is a major constrain for this type of technology considering the water challenges and



limitation experienced in this region. While the irradiation values are high enough to generate sufficient solar power, the water constraints render this alternative not feasible.

In addition, the primary current landuse in this area is low density stock farming, in particular sheep farming. The proposed Soyuz 1 Solar PV Park site was selected on the basis that the land capability was expected to be low for agriculture and that stock farming could continue within the development area during the operational phase i.e. the development of the solar PV park would not exclude continued agricultural practices.

On this basis, the only activity alternatives considered by this EIA are the proposed Soyuz 1 PV Park and the 'No Go' option i.e. continued low density stock farming

5.1.2 The "Location" Alternative

This proposed site for the development of the Soyuz 1 Solar PV Park was selected as it was identified as particularly well suited for the proposed activity due to its suitable climatic conditions, topography (gradient and orientation), environmental conditions (i.e. agricultural potential, ecological sensitivity, visibility) in addition to the a willing landowner. The independent specialists confirmed during the environmental scoping phase assessments that the proposed development site did not have environmental 'fatal flaws' that would preclude the development of a solar PV park. As such no other site alternatives were considered by the EIA.

5.1.3 The "Technology" Alternative

The following Technology Alternatives have been considered:

5.1.3.1 Photovoltaic Solar Panels

There are several types of semiconductor technologies currently available and in use for PV solar panels. Two, however, have become the most widely adopted, namely crystalline silicon, thin film or bifacial PV panels. These technologies are discussed in more detail below:

- Crystalline (high efficiency technology at higher cost): Crystalline silicon panels are constructed by first putting a single slice of silicon through a series of processing steps, creating one solar cell. These cells are then assembled in multiples to make a solar panel. Crystalline silicon, also called wafer silicon, is the oldest and the most widely used material in commercial solar panels. Crystalline silicon modules represent 85-90% of the global annual market today. There are two main types of crystalline silicon panels that can be considered for the solar facility:
 - Mono-crystalline Silicon mono-crystalline (also called single crystal) panels use solar cells that are cut from a piece of silicon grown from a single, uniform crystal. Mono-crystalline panels are among the most efficient yet most expensive on the market. They require the highest purity silicon and have the most involved manufacturing process.
 - Poly-crystalline Silicon poly-crystalline panels use solar cells that are cut from multifaceted silicon crystals. They are less uniform in appearance than monocrystalline cells, resembling pieces of shattered glass. These are the most common solar panels on the market, being less expensive than mono-crystalline silicon. They are also less efficient, though the performance gap has begun to close in recent years.



- Thin film (low-cost technology with lower efficiency) There are several types of semiconductor technologies currently available and in use for PV solar panels. Two, however, have become the most widely adopted, namely crystalline silicon, thin film or bifacial PV panels. These technologies are discussed in more detail below:
 - Cadmium Telluride (CdTe) CdTe is a semiconductor compound formed from cadmium and tellurium. CdTe solar panels are manufactured on glass. They are the most common type of thin film solar panel on the market and the most cost-effective to manufacture. CdTe panels perform significantly better in high temperatures and in low-light conditions.
 - Amorphous Silicon Amorphous silicon is the non-crystalline form of silicon and was the first thin film material to yield a commercial product, first used in consumer items such as calculators. It can be deposited in thin layers onto a variety of surfaces and offers lower costs than traditional crystalline silicon, though it is less efficient at converting sunlight into electricity.
 - ➤ Copper, Indium, Gallium, Selenide (CIGS) CIGS is a compound semiconductor that can be deposited onto many different materials. CIGS has only recently become available for small commercial applications and is considered a developing PV technology (First Solar, 2011).
- **Bifacial panels:** s the name suggests, bifacial solar panels have two faces, or rather, they can absorb light from both sides of the panel. A lot of potential energy transfer is lost in traditional solar cells when the light hits the back of a solar panel. Most bifacial solar panels use monocrystalline cells, whereas traditional cells use polycrystalline materials. The monocrystalline materials, alongside the clear light pathway on both sides of the panel, enable the light to be absorbed from either side of the cell, and it is thought that, that the overall efficiency of these cells can be up to 30% greater in commercial applications. Although, the exact amount is variable depending on the surface that they are installed on. The front side of the solar panel still absorbs most of the solar light, but the back side of the solar panel can absorb between 5-90% of the light absorbed by the front of the solar panel.

Traditional solar panels use an opaque back sheet. By comparison, bifacial solar panels either have a clear/reflective back sheet or have dual panes of glass. Most of these solar panels are frameless so any issues with potential-induced degradation (PID) are reduced. To efficiently convert light into electricity from both sides, bifacial solar cells have selective-area metallization schemes that enable light to pass between the metallized areas, rather than the conventional thick metal collectors as seen with monofacial solar panels.

The technology that currently (July 2023) proves to be most feasible and reasonable with respect to the proposed Soyuz 1 Solar PV Park is crystalline silicon panels, due to them being non-reflective, more efficient, and with a higher durability. In addition, bifacial panels for better efficiencies are the preferred alternative. However, due to the rapid technological advances being made in the field of solar technology the exact type of technology to be procured, such as bifacial panels, will only be confirmed at the onset of the project.



5.1.3.2 BESS Battery alternatives

It is proposed that a nominal up to 500 MWh Battery Energy Storage Facility for grid storage would be housed in stacked containers, with a maximum height of 8m and a maximum volume of 1,740m3 of batteries and associated operational, safety and control infrastructure. Three types of battery technologies are being considered for the proposed project: Lithium-ion, Sodium-sulphur or Vanadium Redox flow battery. While there are various battery storage technologies available, the preferred alternative is the utility-scale Lithium-ion (Li-ion) battery energy storage. Li-ion batteries have emerged as the leading technology in utility-scale energy storage applications because they offer the best mix of performance specifications, such as high charge and discharge efficiency, low self-discharge, high energy density, and long cycle life. However, due to the rapid technological advances being made in the field of energy storage the exact type of technology to be will only be confirmed at the onset of the project.

Battery storage offers a wide range of advantages to South Africa including renewable energy time shift, renewable capacity firming, electricity supply reliability and quality improvement, voltage regulation, electricity reserve capacity improvement, transmission congestion relief, load following and time of use energy cost management. In essence, this technology allows renewable energy to enter the base load and peak power generation market and therefore can compete directly with fossil fuel sources of power generation and offer a truly sustainable electricity supply option.

5.1.4 The "Layout" Alternative

The EAP and Professional Team undertook an Opportunities and Constraints Analyses during the environmental scoping phase to determine 'developable' and 'non developable' areas within the proposed site.

This approach prioritises the consideration of the environmental attributes in the project development process and integrates them in the design and layout configuration process. The technical design requirements are matched upfront with 'developable' areas identified through this rigorous process. Within this acceptable development footprint, the preferred layout is the developed.

This methodology optimises the development footprint area instead of creating several design alternatives.

During the environmental scoping phase assessments, the specialists did identify areas within the proposed site that are considered environmentally sensitive and recommended that these areas must be considered 'no go' areas to avoid significant environmental impacts. These environmentally sensitive areas were mapped




Figure 10– Figure 16) and the proposed Soyuz 1 Solar PV Park development layout was amended to avoid disturbance of these areas and the delineated buffer zones i.e. the Impact Management Hierarchy was applied (avoidance before mitigation). The final informed Soyuz 1 Solar PV Park development **preferred site layout plan** is presented in **Figure 17** and this preferred layout is assessed by this EIA.




Figure 10: Avifauna Sensitivity Map




Figure 11: Freshwater Sensitivity Map




Figure 12: Heritage Sensitivity Map




Figure 13: Soil, Land Use and Land Capability Sensitivity Map




Figure 14: Biodiversity Sensitivity Map




Figure 15: Visual Sensitivity Map




Figure 16: Consolidated Sensitivity Map




Figure 17: Preferred Conceptual Site Layout Plan



5.2 CONCLUDING STATEMENT INDICATING PREFERRED ALTERNATIVE (SITE, LAYOUT, LOCATION)

In accordance with Appendix 1 Regulation 3(g) and (h)(xi) of GN No. R. 326 of the NEMA EIA Regulations (2014, as amended):

3(g) – A motivation for the preferred development footprint within the approved site.

3(h) xi – A concluding statement indicating the **preferred alternative development location** within the approved site

Based on the information contained in this section, the proposed development of the Soyuz 1 Solar PV Park on the proposed site applying the proposed conceptual layout is the only and preferred alternative assessed by the specialists and this environmental impact assessment. The environmental scoping phase concluded that the preferred site and the preferred layout are the most suitable alternatives from an environmental perspective and were not fatally flawed. The preferred alternative is assessed in this EIA along with the "No Go" alternative.

6 DETAILS OF THE PROPOSED PREFERRED DEVELOPMENT

The proposed Soyuz 1 Solar PV Park will be developed in a single phase and will have a contracted generating capacity of up to 240 megawatts (million watts – MW²). Bifacial solar photovoltaic (PV) modules installed on single axis tracker mounting structure at a height of up to 6 metres (m) above ground level will be utilised for the panels. The facility will include Battery Energy Storage Systems (BESS) of up to 1000 megawatt hour (MWh³) with a footprint of up to 5 ha. An on-site substation with a capacity of up to 240 megavolt-amperes (MVA⁴), will enable the connection of a 132 kilovolt (kV⁵) Overhead Powerline (OHPL). This will be configured as a 6 ha back-to-back substation, including facility substation, and Eskom collector/switching station with feeder bays. The final interconnection solution will be dependent on the requirements of Eskom, which are still to be defined and will form part of an Environmental Authorisation separate to this application process. The proposed conceptual layout of the Soyuz 1 Solar PV Park is shown in **Figure 18** and the conceptual design details are summarised in **Table 6**.

Table 6: Soyuz 1 Solar PV Park Conceptual Design Details

INFRASTRUCTURE	DESIGN DETAILS	
Contracted Generating Capacity	Up to 240MW	
Total extent of Affected Property	737 ha	
Extent of Development Footprint	628 ha	
PV Panel Type	Bifacial solar PV modules installed on single axis track	
	mounting structure	
Height of PV Panels	Up to 6 m	
Capacity of on-site substation	32 to 132 kV	
Substation footprint	Up to 6 ha	
BESS	Up to 1000 MWh	
BESS footprint	Up to 5 ha	

² One megawatt (MW) = 1,000 kilowatts = 1,000,000 watts and is a unit of measure power

 $^{^3}$ One megawatt hour (MWh) = 1,000 kilowatts of electricity generated per hour and is used to measure electric output

 $^{^4}$ One megavolt-ampere = 1,000,000 volt-amperes and is a unit used for measuring apparent power

 $^{^{5}}$ One kilovolt = 1,000 volts and is a unit of electromotive force



INFRASTRUCTURE	DESIGN DETAILS		
Site Access Road	Up to 8m in width (existing gravel road)		
Internal Access Roads	Up to 4m in width		
Paved Areas	Footprint of up to 0.25 ha		
Fencing	Around the development area		
Operations and Maintenance Building	Footprint of up to 0.15 ha		
Temporary Construction Camp and	Footprint of up to 4 ha		
temporary laydown area			
Powerline	Not part of this application		




Figure 18: Preferred Conceptual Site Layout Plan

6.1 SOLAR PV AND BESS STORAGE TECHNOLOGY

A Solar PV Park is a power plant that generates electricity using the energy from the sun.

Solar Panels

The proposed Soyuz 1 Solar PV Park will consist of large arrays of **solar panels.** Each solar panel is made up of many individual solar cells that **convert sunlight into electricity** through a process called the **photovoltaic effect**.

The photovoltaic effect is a process in which certain materials, typically semiconductors such as silicon, generate an electrical current when exposed to light. This effect is what makes photovoltaic solar cells possible, as they rely on this phenomenon to convert sunlight into electricity.

The photovoltaic effect occurs when photons (light particles) strike the surface of a semiconductor material such as silicon, causing electrons in the material to be knocked loose from their atoms. These free electrons are then able to flow through the material as an electrical current.



Figure 19: An array of mounted PV Panels

The solar panels will be arranged in rows on a large flat surface area (see **Figure 19**). Traditional solar panels capture sunlight on one light-absorbing side facing the sun. The light energy that cannot be captured is simply reflected away. The Soyuz 1 PV Solar Park will use bifacial solar panels.

Bifacial solar panels have solar cells on both sides, which enables the panels to absorb light from the back and the front. This means that a bifacial solar panel can absorb light reflected off the ground or another material in addition to direct sunlight. This results in more power being generated from bifacial modules for the same area, without having to increase the development footprint.




Figure 20: Bifacial Solar Panels

The PV panels are fixed to **support structures** to maximise exposure to the sun and a large fraction of the reflected irradiation. They can either utilise fixed / static support structures or alternatively single or double axis tracking support structures. PV panels that utilise fixed/static support structures are set at an angle (fixed-tilt PV system), to optimise the amount of solar irradiation. With fixed/static support structures, the angle of the PV panel is dependent on the latitude of the proposed Project and may be adjusted to optimise for summer and winter solar radiation characteristics.





PV panels that utilise tracking support structures track the movement of the sun throughout the day, to receive the maximum amount of solar irradiation (see Figure 21).

Figure 21: Support structure for Tracking PV Panels

Sections of the PV array will be electrically connected to central inverters via an internal reticulation network that will be lain underground at depths of up to 2.4 m. The inverters will be Pulse Width Mode Inverters (PWMI) that convert direct current (DC) electricity to alternating current (AC) electricity at grid frequency.

Battery Energy Storage System (BESS)

The Soyuz 1 Solar PV Park will include a Battery Energy Storage System (BESS). The **BESS** functions to store excess electricity generated by solar panels during times of low energy demand or when sunlight is abundant and release it into the grid when energy demand is high or when there is insufficient sunlight. The BESS helps to optimize the Solar PV Park's energy output and reduce curtailment (i.e. the unused solar energy that is lost).

The BESS will have an output capacity of up to 1200 MWh and a development and operational footprint of 50,000 square m² (5ha). The BESS will utilise batteries for energy storage.

Individual rechargeable battery cells are wired together in series and parallel to form modules. Many modules are then stacked and combined to form racks. Racks are then wired together in series or parallel to reach the required voltage. Many racks are then normally combined in a container for ease of transport and installation. The system requires a sophisticated battery management system for controlling, monitoring and protecting battery cells, including the prevention of over or undercharging. During charging and discharging cycles, each cell generates heat. Without good thermal management the cells can overheat leading to increased degradation, malfunction. Each container is fitted with a heating, ventilation and air conditioning system to regulate each container internal environment to optimise performance and battery life.

The BESS comprise multiple such units or containers that will be interconnected with each other.

The BESS will consist of several rechargeable batteries, each comprising of one or more electrochemical cells. The batteries will be connected into modules which are then connected to form battery packs. Several battery packs are containerised to form a unit. The basic components in such a unit/container will comprise:

• Battery packs are made up of several modules.



- A battery management system for controlling, monitoring and protecting battery cells, including the prevention of over or under-charging.
- A power conversion system containing an inverter is required to convert the direct current (DC) from the batteries to alternating current (AC) to feed to the grid; and
- Cooling and fire suppression systems.

BESS batteries are solid-state batteries. Since the components are in solid form and sealed, the risk of accidental spillage to the environment is very low.

A typical BESS installation is shown in **Figure 22**. The BESS will arrive on site pre-assembled housed in containers.



Figure 22: Example of a BESS (Beacon Solar Plant Site, LADWP)

Electrical Infrastructure

The electricity generated by the solar panels is in the form of direct current (DC), but most electrical devices use alternating current (AC). **Inverters** are used to convert the DC electricity from the solar panels into AC electricity that can be used by homes and businesses. The AC electricity generated by the inverters is sent to a **transformer**, which increases the voltage of the electricity so that it can be transmitted over long distances through power lines.

The **switchgear** is used to control the flow of electricity through the facility. It includes switches, fuses, and other protective devices that ensure the safe and reliable operation of the facility.



Soyuz 1 Solar PV Park will be equipped with a **monitoring system** that tracks the performance of the solar panels and other components in real-time. This allows operators to detect and address any issues quickly, ensuring maximum efficiency and reliability.

The electricity generated will be connected to the Eskom national electrical grid through transformers, inverters, and an on-site **substation**, which will convert the electricity from 240MV to 33 kV to 132 kV. The normal components and dimensions of a distribution rated electrical substation will be required. Output voltage from the inverter is 480 V and this is fed into step up transformers to 132 kV. An onsite substation and switching station will be required on the site to step the voltage up to 132 kV, after which the power will be evacuated into the national grid via a single circuit 132 kV power line (to be authorised separate to this application).

The conceptual configuration and components of the Soyuz 1 Solar PV Park described are shown in **Figure 23** and a summary of the details and dimensions of the planned infrastructure is provided in **Table 6**.




Figure 23: PVSEF Conceptual Diagram with the Various Components

6.2 CO-ORDINATES

The co-ordinates of the proposed Soyuz 1 Solar Park and infrastructure are presented in **Table 7**.

Table 7: Soyuz 1 Solar PV Park Co-ordinates

Co-ordinates (degrees, minutes, seconds – WGS84)					
Project Area	Α	30° 44′ 42.61 S	23° 31′ 31.33″ E		
	В	30° 45′ 13.47 S	23° 33′ 10.6″ E		
	С	30° 46′ 22.74 S	23° 33′ 21.82″ E		
	D	30° 45′ 44.15 S	23° 30′ 41.04″ E		
BESS	Α	30° 45′ 07.63 S	23° 32′ 38.16″ E		
	В	30° 45′ 13.10 S	23° 32′ 55.86″ E		



	С	30° 45′ 16.11 S	23° 32′ 54.71″ E
	D	30° 45′ 10.74 S	23° 32′ 36.94″ E
Substation	Α	30° 45′ 00.73 S	23° 32′ 27.11″ E
	В	30° 45′ 04.01 S	23° 32′ 37.72″ E
	С	30° 45′ 10.13 S	23° 32′ 35.19″ E
	D	30° 45′ 06.83 S	23° 32′ 24.58″ E

6.3 SERVICES

The Project will require the following services:

6.3.1 Roads

Access to the preferred site will be via an existing gravel off the provincial Witpoort Road (secondary road). The access road off Witpoort Road is located at a position with clear site lines of at least 300m. The gravel road will be upgraded/repaired (gravel) and will be 8 m wide. This access road will be ± 18 km in length from the Witpoort Road to the northern boundary of the Soyuz 1 Solar PV Park. The internal roads will be 4 m wide gravel roads. The location of the access road is shown on **Figure 24.**




Figure 24: Access road and internal site roads

6.3.2 Water

Water supplies required during the construction phase will be brought on site by Licensed Contractors.

Solar PV panel cleaning will take place bi-annually by using any of the following methods:

- **Manual washing:** This involves manually cleaning the PV panels using water and non-abrasive cleaning tools, such as soft brushes or sponges.
- Automated robotic systems: These systems utilise specialised robots or machines that move along the solar panel arrays, performing automated cleaning using brushes, wipers, or sprayers.



- Waterless cleaning systems: These systems employ techniques like dry brushing or air blowing to remove dust and debris from the PV panels without using water.
- Water spraying systems: This method involves using water sprayers or nozzles to apply pressurized water for efficient cleaning of the PV panels.

Considering environmental factors, waterless cleaning systems are generally considered the best option for PV panel cleaning. These systems minimise water consumption and eliminate the need for wastewater management, reducing the potential for water pollution.

By utilising dry brushing or air blowing techniques, waterless cleaning systems are also more energy-efficient and do not contribute to the consumption of additional resources. Additionally, they can effectively remove dust and debris from the panels without introducing any harmful chemicals or detergents into the environment. Overall, waterless cleaning systems offer a more sustainable and environmentally friendly approach to PV panel maintenance.

If methods are used which require water, then about 6,050m³ of water to be used per annum for panel cleaning for the duration of the operational phase. Water will be either sourced from a registered water services provider registered as such in terms of the Water Services Act 108 of 1997 or from licenced boreholes located on or near the project site.

6.3.3 Electricity

Electricity will be provided by generator sets for the construction phase. Electricity required during the operational phase will be sourced from the Soyuz 1 PV Solar Park via the on-site substation and associated infrastructure.

6.3.4 Sewage

The construction phase will make use of portable, temporary chemical toilets.

Sewage generated on site during operational phase will be stored in a sewage tank on site and serviced by a licenced service provider regularly. Sufficient hygienic facilities will be made available for all workers employed on the site. The anticipated volumes during the operational phase will be small.

Both the temporary chemical toilets and conservancy tanks will be serviced by licensed service providers.

6.3.5 Waste

Designated areas will be allocated for waste storage. Waste will be removed by a licensed service provider for delivery to a licensed waste management facility.

6.4 LISTED ACTIVITIES TRIGGERED

The approach to the Environmental Application and process for the proposed *Activity* is based on the provisions stipulated in section 24(5) of the National Environmental Management Act 2008 ("NEMA") No. 107 of 1998 (as amended) and the above EIA Regulations contained in Government Notice No.'s R. 326, R. 327, R. 325 and R. 324, which dictate that a Scoping and EIA environmental permitting process is to be followed.



Based on the information currently available on the proposed Project, it is anticipated that the following Listed Activities contained in **Listing Notice 1** would require a Basic Assessment process in terms of the NEMA:

GNR 327 - Listing Notice 1: Activity 11

The development of facilities or infrastructure for the transmission and distribution of electricity -

- (i) <u>outside urban areas or industrial complexes with a capacity of more than 33 but less</u> <u>than 275 kilovolts; or</u>
- (ii) inside urban areas or industrial complexes with a capacity of 275 kilovolts or more. Excluding where development of bypass infrastructure for the transmission and distribution of electricity where such bypass infrastructure is
 - (a) temporarily required to allow for maintenance of existing infrastructure;
 - (b) 2 kilometres or shorter in length;
 - (c) Within an existing transmission line servitude; and
 - (d) Will be removed within 18 months of the commencement of development.

The proposed development includes transformers, and underground and overhead cabling up to 33kV between project components. This activity is triggered due to the Back-to-Back Substations (Including the facility substation Eskom collector station with feeder bays) with a contracted capacity of up to 132kV based on Eskom requirements.

GNR 327 - Listing Notice 1: Activity 12

The development of -

- (i) Dams or weirs, where the dam or weir, including infrastructure and water surface area, exceeds 100 square metres; or
- (ii) <u>Infrastructure or structures with a physical footprint of 100 square metres or more;</u>
 - (a) within a watercourse;
 - (b) in front of a development setback; or
 - (c) if no development setback exists, within 32 metres of a watercourse, measured from the edge of a watercourse;

excluding -

- (aa) the development of infrastructure or structures within existing ports or harbours that will not increase the development footprint of the port or harbour;
- (bb) where such development activities are related to the development of a port or harbour, in which case activity 26 in Listing Notice 2 of 2014 applies;
- (cc) activities listed in activity 14 in Listing Notice 2 of 2014 or activity 14 in Listing Notice 3 of 2014, in which case that activity applies;
- (dd) where such development occurs within an urban area;
- (ee) where such development occurs within existing roads, road reserves or railway line reserves; or
- (ff) the development of temporary infrastructure or structures where such infrastructure or structures will be removed within 6 weeks of the commencement of development and where indigenous vegetation will not be cleared.

The proposed Soyuz Solar 1 PV Park on the preferred site and the associated access road will require the establishment of infrastructure within a physical footprint exceeding 100 square metres within a watercourse or within 32 metres of a watercourse identified in the project area.

GNR 327 - Listing Notice 1: Activity 14

<u>The development and related operation of facilities and infrastructure, for the storage, or for the storage</u> and handling, of a dangerous good, where such storage occurs in containers with a combined capacity of 80 cubic metres or more but not exceeding 500 cubic metres.



GNR 327 - Listing Notice 1: Activity 14

The development of the Soyuz 1 Solar PV Park will require the construction and operation of facilities and infrastructure for the storage and handling of dangerous goods (combustible and flammable liquids, such as oils, lubricants, solvents) associated with the onsite substation and PV trackers where such storage will occur inside containers with a combined capacity exceeding 80 cubic meters but not exceeding 500 cubic meters.

GNR 327 - Listing Notice 1: Activity 24

The development of a road—

- (ii) for which an environmental authorisation was obtained for the route determination in terms of activity 5 in Government Notice 387 of 2006 or activity 18 in Government Notice 545 of 2010; or
- (iii) with a reserve wider than 13,5 meters, or where no reserve exists where the road is wider than 8 metres:

but excluding a road—

- (a) which is identified and included in activity 27 in Listing Notice 2 of 2014;
- (b) where the entire road falls within an urban area; or which is 1 kilometre or shorter.

Sections of the proposed access road from the public road to the proposed Soyuz 1 Solar PV Park development site will require development and it is likely that the road will be wider than 8 metres.

GNR 327 - Listing Notice 1: Activity 28

Residential, mixed, retail, commercial, industrial or institutional developments where such land was used for agriculture, game farming, equestrian purposes or afforestation on or after 01 April 1998 and where such development

- (i) will occur inside an urban area, where the total land to be developed is bigger than 5 hectares; or
- (ii) will occur outside an urban area, where the total land to be developed is bigger than 1 hectare;

excluding where such land has already been developed for residential, mixed, retail, commercial, industrial or institutional purposes.

Soyuz 1 Solar PV Park will have a physical footprint exceeding 1ha and occurs outside an urban area and within an area currently zoned for agriculture.

GNR 327 - Listing Notice 1: Activity 56

The widening of a road by more than 6 metres, or the lengthening of a road by more than 1 kilometre—

- (i) where the existing reserve is wider than 13,5 meters; or
- (ii) where no reserve exists, where the existing road is wider than 8 metres;

excluding where widening or lengthening occur inside urban areas.

The existing access road to the preferred Soyuz 1 Solar PV Park site will require upgrading that may trigger this requirement.



Based on the information available on the proposed Project, it is anticipated that the following Listed Activities contained in **Listing Notice 2** require a Scoping and EIA Process in terms of the NEMA:

GNR 325 - Listing Notice 2: Activity 1

The development of facilities or infrastructure for the generation of electricity from a renewable resource where the electricity output is 20 megawatts or more, excluding where such development of facilities or infrastructure is for photovoltaic installations and occurs —

- (a) within an urban area; or
- (b) on existing infrastructure.

The Applicant has proposed to establish a Solar PV Park of up to 240MW.

GNR 325 - Listing Notice 2: Activity 15

<u>The clearance of an area of 20 hectares or more of indigenous vegetation</u>, excluding where such clearance of indigenous vegetation is required for—

- (i) the undertaking of a linear activity; or
- (ii) maintenance purposes undertaken in accordance with a maintenance management plan.

More than 20 hectares of indigenous vegetation is to be cleared.

Based on the information available on the proposed Project, it is anticipated that the following Listed Activities contained in **Listing Notice 3** require a Basic Assessment Process in terms of the NEMA:

GNR 324 - Listing Notice 3: Activity 10

The development and related operation of facilities or infrastructure for the storage, or storage and handling of a dangerous good, where such storage occurs in containers with a combined capacity of 30 but not exceeding 80 cubic metres.

g. Northern Cape

- i. In an estuary;
- ii. Areas within a watercourse or wetland; or within 100 metres from the edge of a watercourse or wetland;
- iii. Outside urban areas:
 - (aa) A protected area identified in terms of NEMPAA, excluding conservancies;
 - (bb) National Protected Area Expansion Strategy Focus areas;
 - (cc) Sensitive areas as identified in an environmental management framework as contemplated in chapter 5 of the Act and as adopted by the competent authority;
 - (dd) Sites or areas identified in terms of an international convention;
 - (ee) Critical biodiversity areas as identified in systematic biodiversity plans adopted by the competent authority or in bioregional plans;
 - (ff) Core areas in biosphere reserves;
 - (gg) Areas within 10 kilometres from national parks or world heritage sites or 5 kilometres from any other protected area identified in terms of NEMPAA or from the core areas of a biosphere reserve;
 - (hh) Areas seawards of the development setback line or within 1 kilometre from
 - the high-water mark of the sea if no such development setback line is
 - determined; or
 - (ii) Within 500 metres of an estuary; or
- iv. Inside urban areas:
 - (aa) Areas zoned for use as public open space;
 - (bb) Areas designated for conservation use in Spatial Development Frameworks adopted by the competent authority or zoned for a conservation purpose; or
 - (cc) Within 500 metres of an estuary



The development of the Solar 1 PV Park will require the construction and operation of facilities and infrastructure for the storage and handling of dangerous goods (combustible and flammable liquids, such as oils, lubricants, solvents) associated with the onsite substation and PV trackers

GNR 324 - Listing Notice 3: Activity 18

The widening of a road by more than 4 metres, or the lengthening of a road by more than 1 kilometre. g. Northern Cape

- i. In an estuary;
- ii. Outside urban areas:
 - (aa) A protected area identified in terms of NEMPAA, excluding conservancies;
 - (bb) National Protected Area Expansion Strategy Focus areas;
 - (cc) Sensitive areas as identified in an environmental management framework as contemplated in chapter 5 of the Act and as adopted by the competent authority;
 - (dd) Sites or areas identified in terms of an international convention;
 - (ee) Critical biodiversity areas as identified in systematic biodiversity plans adopted by the competent authority or in bioregional plans;
 - (ff) Core areas in biosphere reserves;
 - (gg) Areas within 10 kilometres from national parks or world heritage sites or 5 kilometres from any other protected area identified in terms of NEMPAA or from the core area of a biosphere reserve;
 - (hh) Areas seawards of the development setback line or within 1 kilometre from the high-water mark of the sea if no such development setback line is determined; or
 - (ii) Areas within a watercourse or wetland; or within 100 metres from the edge of a watercourse or wetland; or
- iii. Inside urban areas:
 - (aa) Areas zoned for use as public open space; or
 - (bb) Areas designated for conservation use in Spatial Development Frameworks

adopted by the competent authority or zoned for a conservation purpose

The proposed construction of the access road across two episodic drainage lines will be required.

This Application for Environmental Authorisation will be submitted to and considered by the National Department of Forestry, Fisheries and the Environment (DFFE) as the appropriate Competent Authority for the Application.

Based on the above and in terms of GN R. 326 of the NEMA EIA Regulations (2014, as amended), a SCOPING AND ENVIRONMENTAL IMPACT ASSESSMENT PROCESS must be followed.

7 LEGISLATIVE CONTEXT

In accordance with **Appendix 1 Regulation 3(e) of GN No. R. 326 of the NEMA EIA Regulations (2014, as amended)**, the following information is presented in Section 5:

- i. An identification of all legislation, policies, plans and guidelines, spatial tools, municipal development planning frameworks and instruments that are applicable to this activity and have been considered in the preparation of the report
- ii. How the proposed activity complies with and responds to the legislation and policy context, plans, guidelines, tools frameworks and instruments



This section provides an overview of the policy and legislative context within which the development of the Soyuz 1 Solar PV Park is proposed.

7.1 SOUTH AFRICAN LEGISLATION

7.1.1 National Environmental Management Act (Act No. 107 of 1998)

In terms of the National Environmental Management Act, 1998 (Act No. 107 of 1998) (NEMA), as amended and the NEMA EIA Regulations (2014 as amended), an Application for Environmental Authorisation for certain listed activities is required to be submitted to either the Provincial Environmental Competent Authority, or the National Competent Authority (Department of Environmental Affairs, DEA),

- The current NEMA EIA regulations, GN R.326, GN R.327, GN R.325 and GN R.324, promulgated in terms of Sections 24(5), 24M and 44 of the NEMA and subsequent amendments, commenced on 08 December 2014.
- GN R.327 lists those activities for which a Basic Assessment is required,
- GN R.325 lists the activities requiring a full S&EIA and
- GN R.324 lists certain activities and competent authorities in specific identified geographical areas.
- GN R.326 defines the EIA processes that must be undertaken to apply for Environmental Authorisation (EA).

The proposed development of the Soyuz 1 Solar PV Park triggers activities listed in GNR.327, GN R.325 and GN R.324 (see section 6.4) thereby requiring a S&EIA to be undertaken to apply for the EA.

7.1.2 National Water Act (Act No. 36 of 1998)

The National Water Act, 1998 (Act No. 36 of 1998) (NWA) is the primary legislation regulating both the use of water and the pollution of water resources. It is applied and enforced by the Department of Water and Sanitation (DWS). Section 19 of NWA regulates pollution, which is defined as "the direct or indirect alteration of the physical, chemical or biological properties of a water resource so as to make it:

- less fit for any beneficial purpose for which it may reasonably be expected to be used; or
- harmful or potentially harmful to;
- the welfare, health or safety of human beings;
- any aquatic or non-aquatic organisms;
- the resource quality; or
- property.

The persons held responsible for taking measures to prevent pollution from occurring, recurring or continuing include persons who own, control, occupy or use the land. This obligation or duty of care is initiated where there is any activity or process performed on the land (either presently or in the past) or any other situation which could lead or has led to the pollution of water.

The following measures are prescribed in the section 19(2) of the NWA to prevent pollution:

- cease, modify or control any act or process causing the pollution;
- comply with any prescribed standard or management practice;
- contain or prevent the movement of pollutants;
- eliminate any source of the pollution;



- remedy the effects of pollution; and
- remedy the effects of any disturbance to the bed or banks of a watercourse.

Section 21 of the NWA lists the water uses for which a water use licence (WUL) is required. In terms of the NWA, water uses include the following activities:

- (a) Taking water from a water resource;
- (b) Storing water;
- (c) Impeding or diverting the flow of water in a watercourse;
- (d) Engaging in a stream flow reduction activity contemplated in section 36;
- (e) Engaging in a controlled activity identified as such in section 37(1) or declared under section 38(1);
- (f) Discharging waste or water containing waste into a water resource through a pipe, canal, sewer, sea
- (g) outfall or other conduit;
- (h) Disposing of waste in a manner which may detrimentally impact on a water resource;
- (i) Disposing in any manner of water which contains waste from or which has been heated in, any industrial or power generation process;
- (j) Altering the bed, banks, course or characteristics of a watercourse:
- (k) Removing, discharging or disposing of water found underground if it is necessary for the efficient
- (I) continuation of an activity or for the safety of people; and
- (m) Using water for recreational purposes.

The preferred site for the development and operation of the Soyuz 1 Solar PV Park falls within the 500 m zone of regulation (ZoR) of the delineated watercourse. Authorisation in terms of GN509 of 2016 as it related to Sections 21(c) and (i) of the NWA will be required from the DWS for the proposed development.

7.1.3 National Heritage Act (Act No. 25 of 1999)

The National Heritage Resources Act (NHRA) governs the management of heritage resources which are of cultural significance. The South African Heritage Resources Agency (SAHRA) is the national body responsible for the protection of South Africa's cultural heritage resources.

Section 38(3) of the NHRA requires that all heritage resources are identified and assessed and that any comments and recommendations of the relevant heritage resources authority regarding the proposed development have been taken into account prior to the granting of the consent.

The NHRA provides protection for the following categories of heritage resources:

- Landscapes, cultural or natural (Section 3 (3))
- Buildings or structures older than 60 years (Section 34);
- Archaeological Sites, palaeontological material and meteorites (Section 35);
- Burial grounds and graves (Section 36);
- Public monuments and memorials (Section 37);
- Living heritage (Section 2 (d) (xxi)).

In terms of the definitions provided in Section 2 of the NHRA, heritage resources are potentially present on the Soyuz 1 Solar PV Park site.



7.1.4 National Energy Act (Act No 34 of 2008)

The National Energy Act was promulgated in 2008 (Act No 34 of 2008). One of the objectives of the Act was to promote diversity of supply of energy and its sources. In this regard, the preamble makes direct reference to renewable resources, including wind:

"To ensure that diverse energy resources are available, in sustainable quantities, and at affordable prices, to the South African economy, in support of economic growth and poverty alleviation, taking into account environmental management requirements (...); to provide for (...) increased generation and consumption of renewable energies..." (Preamble)"

The Soyuz 1 Solar PV Park contributes to the diversification of the supply of energy in the form of renewable energy and therefore complies with and responds to this legislation.

7.1.5 White Paper on the Energy Policy of the Republic of South Africa

Investment in renewable energy initiatives, such as the Soyuz Solar PV Park 2, is supported by the White Paper on Energy Policy for South Africa (December 1998).

In this regard, the document notes:

"Government policy is based on an understanding that renewables are energy sources in their own right, are not limited to small-scale and remote applications, and have significant medium and long-term commercial potential".

"Renewable resources generally operate from an unlimited resource base and, as such, can increasingly contribute towards a long-term sustainable energy future".

The support for renewable energy policy is guided by a rationale that South Africa has a very attractive range of renewable resources, particularly wind and solar and that renewable applications are in fact the least cost energy service in many cases; more so when social and environmental costs are considered.

Government policy on renewable energy is thus concerned with meeting the following challenges:

- Ensuring that economically feasible technologies and applications are implemented;
- Ensuring that an equitable level of national resources is invested in renewable technologies, given their potential and compared to investments in other energy supply options; and,
- Addressing constraints on the development of the renewable industry.

The White Paper acknowledges that South Africa has neglected the development and implementation of renewable energy applications, despite the fact that the country's renewable energy resource base is extensive, and many appropriate applications exist.

The White Paper also notes that renewable energy applications have specific characteristics that need to be considered.

Advantages include:

- Minimal environmental impacts in operation in comparison with traditional supply technologies; and
- Generally lower running costs, and high labour intensities.



Disadvantages include:

- Higher capital costs in some cases;
- · Lower energy densities; and
- Lower levels of availability, depending on specific conditions, especially with sun and windbased systems.

The IRP 2010⁶ also allocates 43% of new energy generation facilities in South Africa to renewables.

7.1.6 White Paper on Renewable Energy

The White Paper on Renewable Energy (November 2003) (further referred to as the White Paper) supplements the White Paper on Energy Policy (see Section 7.1.5), which recognizes that the medium and long-term potential of renewable energy is significant. This Paper sets out Government's vision, policy principles, strategic goals and objectives for promoting and implementing renewable energy in South Africa. The Soyuz 1 Solar PV Park aligns with this vision and falls squarely within the goals and objectives laid out in the White Paper on Renewable Energy.

The White Paper notes that while South Africa is well-endowed with renewable energy resources that have the potential to become sustainable alternatives to fossil fuels, these have thus far remained largely untapped. As signatory to the Kyoto Protocol⁷, Government is determined to make good the country's commitment to reducing greenhouse gas emissions. To this purpose, Government has committed itself to the development of a framework in which a national renewable energy framework can be established and operate.

South Africa is also a signatory of the Copenhagen Accord, a document that delegates at the 15th session of the Conference of Parties (COP 15) to the United Nations Framework Convention on Climate Change agreed to "take note of" at the final plenary on 18 December 2009. The accord endorses the continuation of the Kyoto Protocol and confirms that climate change is one of the greatest challenges facing the world. In terms of the accord South Africa committed itself to a reduction target of 34% compared to business as usual.

Apart from the reduction of greenhouse gas emissions (GHG), the promotion of renewable energy sources is aimed at ensuring energy security through the diversification of supply (in this regard, also refer to the objectives of the National Energy Act).

Government's long-term goal is the establishment of a renewable energy industry producing modern energy carriers that will offer in future years a sustainable, fully non-subsidized alternative to fossil fuels. The medium-term (10-year) target set in the White Paper is:

10 000GWh⁸ renewable energy contribution to final energy consumption by 2013, to be produced mainly from biomass, wind, solar and small-scale hydro. The renewable energy is to be utilised for

⁶ Integrated Resource Plan (IRP) for South Africa 2010 - 2030

⁷ The Kyoto Protocol is a protocol to the United Nations Framework Convention on Climate Change (UNFCCC), aimed at fighting global warming. The UNFCCC is an international environmental treaty with the goal of achieving "stabilization of greenhouse gas concentrations in the atmosphere at a level that would prevent dangerous anthropogenic interference with the climate system."[The Protocol was initially adopted on 11 December 1997 in Kyoto, Japan and entered into force on 16 February 2005. As of November 2009, 187 states have signed and ratified the protocol (Wikipedia)

⁸ Gigawatt hours, abbreviated as GWh, is a unit of energy representing one billion (1 000 000 000) watt hours and is equivalent to one million kilowatt hours. A kilowatt hour is equivalent to a steady power of one kilowatt running for one hour and is equivalent to 3.6 million joules or 3.6 megajoules.



power generation and non-electric technologies such as solar water heating and bio-fuels. This is approximately 4% (1667MW) of the projected electricity demand for 2013 (41539MW) (Executive Summary, ix).

7.1.7 National Integrated Resource Plan for Electricity (2010-2030)

South Africa's National Development Plan (NDP) 2030 offers a long-term plan for the country. It defines a desired destination where inequality and unemployment are reduced, and poverty is eliminated so that all South Africans can attain a decent standard of living. Electricity is one of the core elements of a decent standard of living and therefore the proposed development of the Soyuz 1 Solar PV Park is in alignment with the NDP. In formulating its vision for the energy sector, the NDP took as a point of departure the Integrated Resource Plan (IRP) 2010–2030 (see 7.1.7) promulgated in March 2011. The IRP is an electricity infrastructure development plan based on least-cost electricity supply and demand balance, considering security of supply and the environment (minimize negative emissions and water usage). The IRP notes that South Africa is a signatory to the Paris Agreement on Climate Change and has ratified the agreement. The energy sector contributes close to 80% towards the country's total Green House Gas (GHG) emissions of which 50% are from electricity generation and liquid fuel production alone. A transition from a fossil fuel-based energy sources is therefore critical to reducing GHG emissions. In terms of IRP (2019) provision has been made for the following new additional capacity by 2030:

- 1 500MW of coal
- 2 500MW of hydro
- 6 000MW of solar PV
- 14 400MW of wind
- 1 860MW of nuclear
- 2 088MW for storage
- 3 000MW of gas/diesel
- 4 000MW from other distributed generation, co-generation, biomass and landfill technologies.

As indicated in **Figure 25**, capacity allocations see an increase in solar PV and wind, and a significant decrease in gas and diesel; and new inclusions include nuclear and storage.






Figure 25: Summary of energy allocations and commitments based on the 2019 IRP

7.1.8 National Development Plan

The National Development Plan (NDP) contains a plan aimed at eliminating poverty and reducing inequality by 2030. The NDP identifies 9 key challenges and associated remedial plans. Managing the transition towards a low carbon national economy is identified as one of the 9 key national challenges. Expansion and acceleration of commercial renewable energy is identified as a key intervention strategy.

The Plan aims to address poverty and exclusion whilst simultaneously attempting to nurture economic growth. It works to achieve this by creating a cycle of expanding opportunities, capacity building, poverty reduction, community integration and upliftment and involvement, which all contribute to better living standards.

7.1.9 The New Growth Path Framework

Government released the New Economic Growth Path Framework on 23 November 2010. The aim of the framework is to enhance growth, employment creation and equity. The policy's main target is to create five million jobs over the next 10 years to reflect government's commitment to prioritising employment creation in all economic policies. The framework identifies strategies that will enable South Africa to grow in a more equitable and inclusive manner while attaining South Africa's developmental agenda. Central to the New Growth Path is a massive investment in infrastructure as a critical driver of jobs across the economy. In this regard, the framework identifies investments in five key areas namely: energy, transport, communication, water and housing. As an energy project, the Soyuz 1 Solar PV Park aligns well with this framework.



The New Growth Path also identifies five other priority areas as part of the programme to create jobs, through a series of partnerships between the State and the private sector. The Green Economy is one of the five priority areas, including expansions in construction and the production of technologies for solar, wind and biofuels. In this regard, clean manufacturing and environmental services are projected to create 300 000 jobs over the next decade.

The renewable energy sector can make a substantial contribution towards meeting the need for job creation through manufacturing, operation management of renewable energy plants and materials, and maintenance.

7.1.10 National Infrastructure Plan

The South African Government adopted a National Infrastructure Plan in 2012. The aim of the plan is to transform the economic landscape while simultaneously creating significant numbers of new jobs, and strengthen the delivery of basic services. The plan also supports the integration of African economies.

These investments will improve access by South Africans to healthcare facilities, schools, water, sanitation, housing and electrification. On the other hand, investment in the construction of ports, roads, railway systems, electricity plants, hospitals, schools and dams will contribute to faster economic growth.

7.2 PROVINCIAL LEVEL POLICY AND PLANNING

7.2.1 Northern Cape Province Provincial Growth and Development Strategy

The Northern Cape Provincial Growth and Development Strategy (NCPGDS) identifies poverty reduction as the most significant challenge facing the government and its partners. All other societal challenges that the province faces emanate predominantly from the effects of poverty. The NCPGDS notes that the only effective way to reduce poverty is through long-term sustainable economic growth and development.

The sectors where economic growth and development can be promoted include:

- Agriculture and Agro-processing
- Fishing and Mariculture
- Mining and mineral processing
- Transport
- Manufacturing
- Tourism

However, the NCPGDS also notes that economic development in these sectors also requires:

- Creating opportunities for lifelong learning
- Improving the skills of the labour force to increase productivity
- Increasing accessibility to knowledge and information

The achievement of these primary development objectives depends on the achievement of several related objectives that, at a macro-level, describe necessary conditions for growth and development.

These are:

Developing requisite levels of human and social capital



- Improving the efficiency and effectiveness of governance and other development institutions
- Enhancing infrastructure for economic growth and social development

The NCPGDS references the need to ensure the availability of inexpensive energy. To promote economic growth in the Northern Cape, the availability of electricity to key industrial users at critical localities at rates that enhance the competitiveness of their industries must be ensured. At the same time, the development of new sources of energy through the promotion of the adoption of energy applications that display a synergy with the province's natural resource endowments must be encouraged.

In this regard the NCPGDS notes "the development of energy sources such as solar energy, the natural gas fields, biofuels, etc., could be some of the means by which new economic opportunity and activity is generated in the Northern Cape". The NCPGDS also highlights the importance of close co-operation between the public and private sectors for the economic development potential of the Northern Cape to be realised.

The NCPGDS highlights the importance of enterprise development and notes that the current level of private sector development and investment in the Northern Cape are low. In addition, the province also lags in the key policy priority areas of SMME Development and Black Economic Empowerment. The proposed solar energy facility therefore has the potential to create opportunities to promote private sector investment and the development of SMMEs in the Northern Cape Province.

In this regard, care will need to be taken to ensure that the proposed development and associated renewable energy facilities do not negatively impact on the region's natural environment. In this regard, the NCPGDS notes that the sustainable utilisation of the natural resource base on which agriculture depends is critical in the Northern Cape with its fragile eco-systems and vulnerability to climatic variation. The document also indicates that due to the provinces exceptional natural and cultural attributes, it has the potential to become the preferred adventure and ecotourism destination in South Africa.

7.2.2 Northern Cape Provincial Spatial Development Framework

Northern Cape Provincial Spatial Development Framework (NCSDF) (2012) lists several sectoral strategies and plans that are to be read and treated as key components of the Provincial Spatial Development Framework (PSDF). Of these there are a number that are relevant to the proposed development, including:

- **Sectoral Strategy 1**: Provincial Growth and Development Strategy of the Provincial Government.
- **Sectoral Strategy 2:** Comprehensive Growth and Development Programme of the Department of Agriculture, Land Reform and Rural Development.
- **Sectoral Strategy 5:** Local Economic Development (LED) Strategy of the Department of Economic Development and Tourism.
- **Sectoral Strategy 11:** Small Micro Medium Enterprises (SMME) Development Strategy of the Department of Economic Development and Tourism.
- **Sectoral Strategy 12:** Tourism Strategy of the Department of Economic Development and Tourism.
- **Sectoral Strategy 19:** Provincial renewable energy strategy (to be facilitated by the Department of Economic Development and Tourism).



The energy objectives for the Northern Cape Province makes specific reference to renewable energy. Of relevance the objectives include:

- Promote the development of renewable energy supply schemes. Large-scale renewable
 energy supply schemes are strategically important for increasing the diversity of domestic
 energy supplies and avoiding energy imports while minimizing detrimental environmental
 impacts.
- Develop and institute innovative new energy technologies to improve access to reliable, sustainable, and affordable energy services with the objective to realize sustainable economic growth and development. The goals of securing supply, providing energy services, tackling climate change, avoiding air pollution, and reaching sustainable development in the province offer both opportunities and synergies which require joint planning between local and provincial government as well as the private sector.
- Develop and institute energy supply schemes with the aim to contribute to the achievement of the targets set by the White Paper on Renewable Energy (2003).

The policy guidelines for the development of the energy sector make specific reference to the renewable energy sector.

- The construction of telecommunication infrastructure must be strictly regulated in terms of the spatial plans and guidelines put forward in the PSDF. They must be carefully placed to avoid visual impacts on landscapes of significant symbolic, aesthetic, cultural or historic value and should blend in with the surrounding environment to the extent possible.
- EIAs undertaken for such construction must assess the impacts of such activities against the directives listed in (a) above.
- Renewable energy sources such as wind, solar, thermal, biomass and domestic hydroelectricity are to constitute 25% of the province's energy generation capacity by 2020.
- The following key policy principles for renewable energy apply.
 - Full cost accounting: Pricing policies will be based on an assessment of the full economic, social and environmental costs and benefits of energy production and utilisation.
 - ➤ Equity: There should be equitable access to basic services to meet human needs and ensure human well-being. Each generation has a duty to avoid impairing the ability of future generations to ensure their own well-being.
 - Global and international cooperation and responsibilities: Government recognises its shared responsibility for global and regional issues and act with due regard to the principles contained in relevant policies and applicable regional and international agreements.
 - Allocation of functions: Government will allocate functions within the framework of the Constitution to competent institutions and spheres of government that can most effectively achieve the objectives of the energy policy.
 - The implementation of sustainable renewable energy is to be promoted through appropriate financial and fiscal instruments.
 - An effective legislative system to promote the implementation of renewable energy is to be developed, implemented, and continuously improved.
 - Public awareness of the benefits and opportunities of renewable energy must be promoted.



- The development of renewable energy systems is to be harnessed as a mechanism for economic development throughout the province in accordance with the Sustainable Development Initiative (SDI) approach or any comparable approach.
- Renewable energy must, first, and foremost, be used to address the needs of the province before being exported.

The overall energy objective for the province also includes promoting the development of renewable energy supply schemes which are strategically important for increasing the diversity of domestic energy supply and avoiding energy impacts, while also minimising the detrimental environmental impacts. The implementation of sustainable renewable energy is also to be promoted within the province through appropriate financial and fiscal instruments.

The development of the Soyuz 1 Solar PV Park supports the overall energy objective of the province to have 25% of its electricity from renewable energy sources.

7.2.3 Northern Cape Provincial Spatial Development Framework (SDF) 2018

The Northern Cape PSDF (2018) refers to infrastructure investment and that a balance must be made and maintained between investments aimed at meeting the social needs of communities and investments and investment aimed to promote economic development and job creation.

The SDF strategy referred to in the PSDF for infrastructure includes achieving the provision of green infrastructure which includes renewable energy. The 2040 Vision of the PSDF identifies key opportunities for the Northern Cape. These include the strengthening of the development triangle that is formed by the linking of Kimberly, Vryburg, Upington and De Aar. The development triangle sustains a diverse economy with strong mining, agricultural, and renewable energy sectors. The PSDF states that a sustainable and viable economic network must be pursued within the development triangle with the purpose of improving the return of public investment in the province.

The development at the Soyuz 1 Solar PV Park will contribute to the economic network of the province specifically in terms of the renewable sector in general.

7.2.4 Northern Cape Climate Change Response Strategy

The Northern Cape Provincial Government (NCPG) is committed to development in accordance with the National Green Paper for National Climate Change Response Strategy (2010) and acknowledges the Northern Cape Province's extreme vulnerability to climate change driven desertification.

The development of provincial green economy which includes green jobs and environmental learnership programmes are important provincial projects that will address climate change. The renewable energy sector is a key element in meeting and addressing the Provincial Climate Change Response Strategy.

The development of the Soyuz 1 Solar PV Soyuz 1 Park will contribute to meeting the promotion of provincial green economy within the Northern Cape.

7.2.5 The Northern Cape Province Green Document

The Northern Cape occupies a central position in the global debate regarding the renewable energy contribution in South Africa. The province locality has resulted in investment into renewable energy and to date the province hosts 59 of South Africans 112 independent power producers. 23 of these



projects are already connected to the grid at a capacity of over 1500MW. The Northern Cape has the potential to generate energy by means of Concentrated Solar Panels (CSP), Photovoltaic (PV) and wind energy.

The NCP Green Document (2017-2018) was prepared by the Northern Cape Department of Economic Development and Tourism. The report assesses the impact of Independent Power Producers (IPPs) on the community level, especially those communities located within 50km of the existing facilities. The document alludes to the fact that the NCP is the overall leader of commercial scale renewable energy projects within the province.

The goal is that by 2018, 23 IPP projects will have been integrated into the national grid, this has already been achieved. The renewable energy projects are recognised as significant forms of development for addressing energy demands in the Country. These projects include Solar PV, concentrated solar and wind farms. Existing projects of this nature have already made significant positive impacts due to their economic development requirements and obligations. Job creation, education and economic surplus are significant contributions by these projects. Considering the life span of these projects (20 years), the future socio-economic potential for upliftment and contribution is significant.

7.3 DISTRICT AND LOCAL POLICY AND PLANNING ENVIRONMENT

The local spheres and levels of government relevant to the Soyuz 1 Solar PV Park are the Pixley Ka Seme District Municipality (PKSDM) and the Emthanjeni Local Municipality. The policies and goals outlined in the policy documents of the above municipalities align with the development of the proposed Soyuz 1 Solar PV Park, with specific relation to job creation, economic growth and poverty alleviation through community upliftment and resilience building.

7.3.1 Pixley ka Seme District Municipality Integrated Development Plan (2020)

The vision of the PKSDM is a "Developed and Sustainable District for Future Generations". The PKSDM aims to achieve this by various objectives which include: supporting the local municipality to create a home for all in the town, settlement and rural areas and to ensure services are rendered to these areas; to provide political and administrative leadership and direction regarding development planning processes; promoting economic growth that is shared across and within communities; promoting integrated development planning in the operations of the municipality; aligning development initiatives in the district to the NDP.

The strategic objectives which are outlined in the IDP and which are relevant to the proposed development are: economic growth in the district regarding service delivery. The IDP notes that growth and development in PKSDM are defined by high levels of poverty and education; low levels of development; high unemployment rates and a vulnerability towards climate change impacts. The IDP recognises the potential for renewable energy to address the challenges mentioned above. The IDP notes that the economy in the Pixley ka Seme municipal area is characterized by:

- High levels of poverty and low levels of education.
- Low levels of development despite the strategic location in terms of the national transport corridors.
- High rate of unemployment, poverty and social grant dependence.



• Prone to significant environmental changes owing to long-term structural changes (such as climate change, energy crises and other shifts).

Of specific relevance the IDP highlights the potential for renewable energy to help address some of these challenges. The development of the proposed Soyuz 1 Solar PV Park will help to meet these needs and address these challenges and to do so in an environmentally sustainable manner.

7.3.2 Pixley ka Seme District Municipality Spatial Development Framework (SDF) (2017)

The SDF notes that the vision for the PKSDM is "Pixley Ka Seme District Municipality, pioneers of development, a home and future for all".

The Mission Statement that underpins the vision refers to:

- Effective and efficient service delivery.
- Optimal human and natural resource development.
- Local economic growth and development, job creation and poverty alleviation.
- A vibrant tourism industry.
- To participate in the fight to reduce the infection rate and lessen the impact of HIV/ Aids and other communicable diseases.
- A safe, secure and community friendly environment.

The SDF identifies the opportunities and constraints associated with the district. Of relevance to the project the opportunities include:

Renewable Energy and the identification of a renewable energy hub in the region. The natural environment and maintenance and conservation of the pristine natural environment to support sustainable farming into the future is an identified opportunity. The SDF notes that Pixley Ka Seme District area with its abundance of sunshine and vast tracts of available land has attracted considerable interest from solar energy investors. The high solar index of the area provides many opportunities in terms of the development of renewable energy. This has been acknowledged by the Northern Cape Government with the identification of the Renewable Energy Hub. The areas around the northern and eastern borders of the Pixley Ka Seme District Municipality form part of this hub with the potential to stimulate special economic development zoned within the area that have the potential to stimulate industrial development.

The PKSDM also falls within the **Solar Development Corridor** as identified in the Northern Cape Provincial Spatial Development Framework. The corridor extends from Kakamas to Upington and down to De Aar in the south-east (**Figure 26**). The SDF also refers to the establishment of a **Renewable Energy Hub** proposed for the Northern Cape stretching from the west coast right up to the De Aar region (**Figure 27**). The Hub can accommodate special economic development within the zone as earmarked and entails a 100km wide zone.




Figure 26: Northern Cape Development Corridors-Solar Corridor (yellow)

The SDF notes that the area is known for its clean air and open skies with limited light pollution. Potential visual impacts must be considered. In this regard the SDF notes that the topography of Pixley Ka Seme region is one of its main assets with vast open spaces and unspoilt panoramic visual vistas stretching over great distances. This asset makes for excellent scenic drives throughout the whole of the region from the flat plains to crossing the main rivers of South Africa. Visual vistas, ridges and "koppies" are assets within the region and they must be managed with sensitivity.

The relevant constraints include high levels of poverty and unemployment, backlog in basic services, including electricity and housing in rural areas, the limited supply of water and overall scarcity of water in the region to support economic development.

The development challenges that face the PKSDM include high unemployment and poverty rates and low income which are placing increasing demand on service delivery because very few people can pay for services. Declining population numbers, and alcohol and substance abuse are also key challenges.




Figure 27: Northern Cape Renewable Energy Hub9

In terms of services, inadequate schools in farming areas results in children having to travel long distances to areas where they go to school. There are also insufficient health centres and lack of amenities and recreational services. Where these services do exist, they are often poorly managed and maintained. The level of key services, such as refuse removal, are also low, while many rural and a number of urban households rely on boreholes for their water supply.

Climate change is identified as a key risk. The SDF notes that the Karoo is predicted to experience more drought periods, coupled with increased evaporation and temperatures and this will negatively impact already restricted water supply. It is likely that the greatest impacts will be on water supply.

The SDF identifies that there are various opportunities and challenges associated with the realisation of the PKSDM vision. Soyuz 1 Solar PV Park links directly to job creation, economic development and community upliftment and presents an opportunity to help overcome and address the abovementioned issues.

7.3.3 Emthanjeni Local Municipality Integrated Development Plan (IDP) (2022)

The Emthanjeni Local Municipality (ELM) is a category B municipality consisting of three towns, namely, De Aar, Britstown and Hanover. The vision of the ELM is "Leading sustainable development for inclusive economic growth". The mission statement linked to the vision is "To create a viable economic development plan that is relevant to the characteristics of the Emthanjeni Municipal area,

_

⁹ Source: Northern PKSDM SDF



designed to create and maintain a sound and healthy local economy, drawing upon local strengths and resources. This will be achieved through:

- Strategic partnerships and collaboration
- Effective stakeholder communications
- Supporting existing businesses and encourage the expansion and repositioning of desirable commercial and industrial uses
- To increase the number of farms or agricultural land in the community

The IDP refers to the national economic pillars adopted on the National Framework for Local Economic Development in South Africa which launched in 2014. The pillars are aligned to the main thrusts and opportunities within ELM to ensure an integrated approach for optimal rate of implementation and economic development in the municipality. The five pillars are:

- Pillar 1: Building a Diverse Economic Base
- Pillar 2: Developing learning and skilful economies
- Pillar 3: Developing Inclusive Economies
- Pillar 4: Enterprise Development and Support
- Pillar 5: Economic Governance and Infrastructure

Pillars 1, 2, 3 and 4 are relevant to the proposed development

Pillar 1: Building a Diverse Economic Base

The first pillar focuses on building a diverse economic base and growing the local economy through industrial and sector-specific (e.g., Tourism, Mining, Agriculture, Manufacturing, etc.).

Pillar 2: Developing learning and skilful economies

The IDP notes that addressing the skills gap and improving skills levels is critical to the to the successful implementation of all the other pillars, as increased skills lead to increased opportunities for stimulating local economies.

Pillar 3: Developing Inclusive Economies

Creating decent work and sustainable livelihoods improves the living standards and ensures a dignified existence for individuals.

Pillar 4: Enterprise Development and Support

The IDP highlights the importance of supporting economic development and creating a diverse economic sector. The need to support SMMEs is also noted.

The development of the Soyuz 1 Soalr PV Park will support these pillars. The IDP also lists 7 Key Performance Areas (KPAs) of which KPA 1: Basic Services and Infrastructure Development, KPA 5: Local Economic Development and KPA 7: Social Development, are relevant to the project.

The IDP highlights the importance to the renewable energy sector and refers to a number of IPP projects located in the ELM and PKSDM.



The proposed Soyuz 1 Solar PV Park can contribute to five of the above objectives such as economic development, infrastructure development, health services (through economic growth), SMME development, and skills development.

7.4 KEY AUTHORITIES FOR THIS ENVIRONMENTAL APPLICATION

The EAP confirms that based on the associated legislations that this Project triggers, the following Competent Authorities will form the key decision makers for the Project at a District and National Level:

- Department of Mineral Resources and Energy (DMRE): This Department is responsible for policy relating to all energy forms and for compiling and approving the Integrated Resources Plan (IRP) for electricity. Furthermore, the Department is responsible for approvals for the use of land that is contrary to the objects of the Mineral and Petroleum Resource Development Act (Act No. 28 of 2002) (MPRDA) in terms of Section 52 of the Act. Therefore, in terms of the Act, approval from the Minister is required to ensure that proposed activities do not sterilise potential mineral resources that may occur within the project site and development area.
- National Energy regulator of South Africa (NERSA): NERSA is responsible for Regulating all aspects of the electricity sector and will issue licenses for IPP projects to generate electricity.
- Department of Forestry, Fisheries, and the Environment (DFFE): DFFE is responsible for environmental policy and is the controlling authority in terms of NEMA and the EIA Regulations, 2014 (GNR 326) as amended. DEA is the Competent Authority for this project (GN R779 of 2016) and is charged with granting the EA for the project under consideration.
- The South Africa Heritage Resources Agency (SAHRA): SAHRA is a statutory organisation established under the National Heritage Resources Act (No. 25 of 1999). NHRA is responsible for the protection of South Africa's cultural heritage.
- South African National Roads Agency Limited (SANRAL): This Agency is responsible for the regulation and maintenance of all national road routes.
- **Department of Water and Sanitation (DWS):** This Department is responsible for effective and efficient water resource management to ensure sustainable economic and social development. This Department is also responsible for evaluating and issuing licenses pertaining to water use (Water Use Licenses (WUL) and General Authorisations).
- The Department of Agriculture, Rural Development and Land Reform (DARDLR): This
 Department is the custodian of South Africa's agricultural resources and is primarily
 responsible for the formulation and implementation of policies governing the agricultural
 sector, Furthermore, the Department is responsible for issuing permits for the disturbance or
 destruction of protected tree species listed under Section 15(1) of the National Forest Act (No.
 84 of 1998) (NFA).

Based on the associated legislations that this Project triggers, the following Competent Authorities will form the key decision makers for the Project at a Provincial and Local Level:



- Provincial Government of the Northern Cape Northern Cape Department of Agriculture,
 Environmental Affairs, Rural Development and Land Reform (DAEARD&LR): This
 Department is the commenting authority of the EIA process for the project and is responsible for issuing of biodiversity and conservation related permits.
- Northern Cape Department of Transport, Safety and Liaison: This Department provides effective coordination of crime prevention initiatives, provincial police oversight, traffic management and road safety towards a more secure environment.
- **Ngwao-Boswa Ya Kapa Bokone (NBKB):** This department identifies, conserves and manages heritage resources throughout the Northern Cape Province.
- **Emthanjeni Local Municipality (ELM):** The Municipality provides important documentation (IDP) which assist the CA in determining the approval of a project.
- **Pixley Ka Seme District Municipality (PKSDM):** PKSDM are responsible for providing provincial and district level guiding documentation and support.

7.5 INTERNATIONAL CONVENTIONS AND AGREEMENTS

The International Conventions and Agreements¹⁰ that have bearing on the proposed development of the Soyuz Solar PV Park Cluster 1-6 and to which South Africa is a signatory are summarised in **Table 8**.

Table 8: International Conventions and Agreements

CONVENTION	SUMMARY OF OBJECTIVES APPLICABLE
Convention on Biological Diversity	Develop strategies, plans or programs for conservation
(29 December 1993)	and sustainable use of biological diversity or adapt for this
	purpose existing strategies, plans or programs which shall
	reflect, inter alia, the measures set out in this Convention.
Convention on Wetlands of	To stem the progressive encroachment and loss of
International Importance (Ramsar)	wetlands now and in the future.
(21 December 1975)	
United Nations Framework	To further reduce greenhouse gas emissions by enhancing
Convention on Climate Change -	the national programs of developed countries aimed at
Kyoto Protocol (23 February 2005)	this goal and by establishing percentage reduction targets
	for the developed countries and through the clean
	development mechanism (CDM) (where developed
	countries can invest in developing country clean
	technology to offset emissions).
Montreal Protocol on Substances	Calculated levels of consumption and production of CFCs
That Deplete the Ozone Layer	must not exceed the stipulated thresholds.
(1 January 1989)	
United Nations Convention to	To combat desertification and mitigate the effects of
Combat Desertification	drought through national action programs.
(26 December 1996)	
United Nations Framework	Protection of the climate system: Operations must
Convention on Climate Change	protect the climate system by controlling greenhouse
(21 March 1994)	gases not controlled by the Montreal Protocol, which
	cause climate change through anthropogenic interference
	with the climate system.

¹⁰ Sources: United States Central Intelligence Agency World Fact book (https://www.cia.gov/the-world-factbook/)

-



CONVENTION	SUMMARY OF OBJECTIVES APPLICABLE		
Stockholm Convention on	This convention seeks to ban the production and use of		
Persistent Organic Pollutants	persistent organic chemicals but allow the use of some of		
(POPs) (17 May 2004)	these banned substances, such as DDT, for vector control.		
The Fourth ACP-EEC Convention 15	Control of hazardous and radioactive waste: the		
December 1989 (Lome)	operation must be aware that international law		
	emphasizes strict control of hazardous waste and		
	compliance with domestic legislation in this regard. It also		
	seeks to prohibit imports and exports of such substances.		
Convention concerning the	Ensuring the identification, protection, conservation,		
Protection of the	presentation and transmission to future generations of		
World Cultural and Natural	the cultural and natural heritage		
Heritage 1972 (Paris)			
Rotterdam Convention on the Prior	Promote shared responsibility and cooperative efforts		
Informed Consent Procedure for	among Parties in the international trade of certain		
Certain Hazardous Chemicals and	hazardous chemicals to protect human health and the		
Pesticides in International Trade	environment from potential harm		
(24 February 2004)			

7.6 INTERNATIONAL FINANCE CORPORATION PERFORMANCE STANDARDS

The Applicant is committed to complying with the International Finance Corporation (IFC) Performance Standards (PS) on social and environmental sustainability. These were developed by the IFC and were last updated on 1st January 2012 (refer to **Figure 28**). The overall objectives of the IFC PS are:

- To fight poverty;
- To do no harm to people or the environment;
- To fight climate change by promoting low carbon development;
- To respect human rights;
- To promote gender equity;
- To provide information prior to project development, free of charge and free of external manipulation;
- To collaborate with the project developer to achieve the PS;
- To provide advisory services; and
- To notify countries of any Transboundary impacts because of a Project.

The PS comprise of eight performance standards namely:

- Performance Standard 1: Assessment and Management of Environmental and Social Risks and Impacts;
- Performance Standard 2: Labour and Working Conditions;
- Performance Standard 3: Resource Efficiency and Pollution Prevention;
- Performance Standard 4: Community Health, Safety and Security;
- Performance Standard 5: Land Acquisition and Involuntary Resettlement;
- Performance Standard 6: Biodiversity Conservation and Sustainable Management of Living Natural Resources;
- Performance Standard 7: Indigenous Peoples; and
- Performance Standard 8: Cultural Heritage.




Figure 28: IFC Performance Standards Framework¹¹

Performance Standard 1 establishes the importance of:

- i. integrated assessment to identify the social and environmental impacts, risks, and opportunities of projects;
- ii. effective community engagement through disclosure of project-related information and consultation with local communities on matters that directly affect them; and
- iii. the management of social and environmental performance throughout the life of a project through an effective Environmental and Social Management System (ESMS).

PS 1 is the overarching standard to which all the other standards relate. The ESMS should be designed to incorporate the aspects of PS 2 to 8 as applicable.

Performance Standards 2 through to 8 establish specific requirements to avoid, reduce, mitigate or compensate for impacts on people and the environment, and to improve conditions where appropriate. While all relevant social and environmental risks and potential impacts should be considered as part of the assessment, Performance Standards 2 through 8 describe potential social and environmental impacts that require particular attention in emerging markets. Where social or environmental impacts are anticipated, the developer is required to manage them through its Social and Environmental Management System consistent with Performance Standard 1.

_

¹¹ Extracted from the International Finance Corporation (IFC) Performance Standards (PS)



7.6.1 Equator Principles

The Equator Principles (EPs) is a credit risk management framework for determining, assessing and managing environmental and social risk in Project Finance transactions. Project Finance is often used to fund the development and construction of major infrastructure and industrial projects. The EPs are adopted by financial institutions and are applied where total project capital costs exceed US\$10 million. The EPs are primarily intended to provide a minimum standard for due diligence to support responsible risk decision-making.

The EPs are based on the IFC PS 2012 and on the World Bank Group Environmental, Health and Safety Guidelines (EHS Guidelines).

The Equator Principles Financial Institutions (EPFIs) have consequently adopted these Principles to ensure that the projects they finance are developed in a manner that is socially responsible and reflect sound environmental management practices.

EPFIs will only provide loans to projects that conform to the following principles:

- Principle 1: Review and Categorisation;
- Principle 2: Social and Environmental Assessment;
- Principle 3: Applicable Social and Environmental Standards;
- Principle 4: Action plan and Management;
- Principle 5: Consultation and Disclosure;
- Principle 6: Grievance Mechanism;
- Principle 7: Independent review;
- Principle 8: Covenants;
- Principle 9: Independent Monitoring and Reporting; and
- Principle 10: EPFI Reporting

7.6.2 The World Bank Group Environmental Health and Safety Guidelines

The EHS Guidelines (World Bank Group, 2007) are technical reference documents with general and industry specific (i.e. mining) examples of Good International Industry Practice (GIIP). Reference to the EHS guidelines is required under IFC PS 3.

The EHS Guidelines contain the performance levels and measures normally acceptable to the IFC and are generally considered to be achievable in new facilities at reasonable cost. When host country regulations differ from the levels and measures presented in the EHS Guidelines, Projects are expected to achieve whichever standard is more stringent.

8 NEED AND DESIRABILITY

This section outlines the purpose of considering the activity's "need" and "desirability" in accordance with the National Environmental Management Principles in terms of NEMA which serve as a guide for the interpretation, administration and implementation of NEMA and the NEMA EIA regulations (2014 as amended). Overall, the development of renewable energy is strongly supported at a national, provincial, and local level. The development of and investment in renewable energy is supported by the National Development Plan (NDP), New Growth Path Framework and National Infrastructure Plan, which all refer to and support renewable energy. The PKSDM SDF and IDP and ELM IDP also support



the development of renewable energy. The development of the proposed Soyuz 1 Solar PV Park is therefore supported by key policy and planning documents.

8.1 LEGISLATIVE FRAMEWORK

The National Environmental Management Principles specifically inter alia require the following:

- Environmental Management must place people and their needs at the forefront of its concern and equitably serve their interests;
- Environmental Management must be integrated, acknowledging that all elements of the environment are linked and interrelated, and it must take into account the effects of decisions on all aspects of the environment and all people in the environment by pursuing the selection of the best practicable environmental option;
- Environmental justice must be pursued so that adverse environmental impacts shall not be distributed in such a manner as to unfairly discriminate against any person; and
- Decisions must take into account the interests, needs and values of all interested and affected parties:
- The Environment is held in public trust for the people, the beneficial use of environmental resources must serve the public interest and the environment must be protected as the people's common heritage.

Need and Desirability must thus be considered in the context of **sustainable development** which is underpinned by social, economic and environmental considerations and takes a long-term strategic view to environmental management.

8.2 SUSTAINABLE DEVELOPMENT

Sustainable development is best summarised by an extract from the United Nations World Commission on Environment and Development and reads as follows:

"Sustainable development is development that meets the needs of the present without compromising the ability of future generations to meet their own needs. As such it requires the promotion of values that encourage consumption standards that are within the bounds of the ecologically possible and to which all could reasonably aspire." ¹¹²

The interdependency model for sustainable development (see **Figure 29**) is a framework that emphasizes the interconnectedness of economic, social, and environmental systems, and the need to address their interdependencies in a holistic manner to achieve sustainable development.

The model recognizes that economic development, social development, and environmental sustainability are mutually reinforcing, and that neglecting any one of these dimensions can have negative consequences for the others. For example, environmental degradation can have negative impacts on social and economic well-being, while economic growth that does not consider environmental and social considerations can be unsustainable in the long term.

The interdependency model for sustainable development emphasizes the need to adopt integrated approaches that consider the economic, social, and environmental dimensions of development. It

-

¹²Our Common Future, WCED, 1987



recognizes that these dimensions are not independent, but are rather interdependent, and that achieving sustainable development requires balancing these dimensions in a way that supports their mutual reinforcement.

The model also emphasizes the importance of participation, collaboration, and partnerships in sustainable development. It recognizes that sustainable development cannot be achieved by any single actor, but rather requires the participation and collaboration of government, civil society, the private sector, and other stakeholders.

Overall, the interdependency model for sustainable development provides a framework for understanding the complex interrelationships among economic, social, and environmental systems, and for addressing these interdependencies in a holistic manner to achieve sustainable development.




Figure 29: Interdependence Model of Sustainability

The EIA Phase has considered and assessed the broad principles of sustainable development to demonstrate the "need and desirability" of the proposed Soyuz 1 Solar PV Park in the context of NEMA.

8.3 NATIONAL NEED AND DESIRABILITY

The requirement for renewable energy projects (solar, wind, hydrological to name a few) across the country has been steadily increasing over the last five to ten years. Renewable energy has been found to be a reliable source of alternative energy supply to the ever under equipped national grid. The need for such renewable energy is driven by the increasing population and economic growth and development within South Africa.

South Africa has one of the most carbon-intensive economies in the world, therefore making the greening of the electricity mix a national imperative. Within this context the green economy is an extremely important trigger and lever for enhancing a country's growth potential and redirecting its development trajectory in the 21st century. The attractiveness of solar technologies is not only supported by local conditions, but also by the relatively mature stage of their technological development.



From a national perspective, there are several needs and desirability factors associated with the proposed development of Soyuz 1 Solar PV Park (and the associated Soyuz Solar PV Cluster):

- **Electricity supply:** South Africa has faced chronic electricity shortages in recent years, which have had negative impacts on economic growth and social development. The development of Soyuz 1 Solar PV Park can contribute to the electricity supply and help to meet the growing demand for energy. In addition, by diversifying the sources of power in the country, the surety of supply will improve.
- Climate change mitigation: South Africa is one of the world's largest emitters of greenhouse gases, which contributes to global climate change. The development of Soyuz 1 Solar PV Park can contribute help to mitigate climate change by reducing the country's reliance on fossil fuels and reducing greenhouse gas emissions.
- Reduced energy losses: The transmission of power from the power stations in Mpumalanga and Gauteng to the Northern Cape results in the high energy losses. By creating a substantial electrical feed from the Soyuz Solar PV Cluster into the grid in the Northern Cape will result in reduced energy losses in transmission.
- **Economic development:** The development of Soyuz 1 Solar PV Park can contribute to economic development by creating jobs and attracting investment. The construction and operation of a Solar PV Park requires skilled labour, which can create employment opportunities in the local community. In addition, the development of a solar PV park can attract domestic and foreign investment, which can contribute to economic growth.
- Lower costs of alternative energy: An increase in power supply by increasing the number of solar PV facilities, like the proposed Soyuz Solar PV Cluster, will eventually reduce the cost of power generated through solar facilities.
- **Environmental sustainability:** South Africa is a country with rich biodiversity and natural resources that need to be protected. The development of Soyuz 1 Solar PV Park can contribute to environmental sustainability by reducing the negative impacts associated with the extraction and transportation of fossil fuels.
- Social development: In South Africa, there are many rural and remote communities that lack
 access to electricity. The development of the Soyuz 1 Solar PV Park can contribute to providing
 reliable source of electricity to these communities, which can support social development and
 improve living standards.
- Renewable energy targets: South Africa has set a target of generating 18 GW of renewable energy by 2030, with solar PV being a major component of this target. The development of the Soyuz 1 Solar PV Park, and the associated Soyuz Solar PV Cluster, can contribute to meeting this national target.

In summary, the development of Soyuz 1 Solar PV Park (and by association the Soyuz Solar Cluster) is a desirable and necessary development to contribute to South Africa's national strategy for meeting the energy needs of the country. This development can enhance energy security, contribute to the



electricity supply, mitigate climate change, support economic development, improve energy affordability, promote environmental sustainability, and support social development.

8.4 REGIONAL NEED AND DESIRABILITY

From a regional perspective in the Northern Cape province of South Africa, there are several needs and desirability factors associated with the development of the Soyuz 1 Solar PV Park and the associated Soyuz Solar PV Cluster:

- Economic development: The Northern Cape is a region with significant potential for economic development, but it is also one of the poorest provinces in South Africa. The development of the Soyuz 1 Solar PV Park can contribute to economic development by creating jobs and attracting investment. The construction and operation of a solar PV park requires skilled labour, which can create employment opportunities in the local community. In addition, the development of a solar PV park can attract domestic and foreign investment, which can contribute to economic growth.
- **Social development:** The Northern Cape is a region with many rural and remote communities that lack access to electricity. The development of the Soyuz 1 Solar PV Park can provide a reliable source of electricity to these communities, which can support social development and improve living standards.
- Resource availability: The Northern Cape is a region with abundant solar radiation, which
 makes it an ideal location for the development of the Soyuz 1 Solar PV Park. The high levels of
 solar radiation in the region can support the generation of large amounts of electricity from
 solar PV, which can help to meet the energy needs of the region and contribute to meeting
 national renewable energy targets.

In summary, the development of the Soyuz 1 Solar PV Park (within the context of the Soyuz Solar PV Cluster) in the Northern Cape province of South Africa is a desirable and necessary strategy for meeting the energy needs of the region. Solar PV Parks can enhance the electricity supply, contribute to economic development, improve energy affordability, promote environmental sustainability, support social development, contribute to meeting national renewable energy targets, and take advantage of the abundant solar resources available in the region.

8.5 LOCAL AND SITE-SPECIFIC NEED AND DESIRABILITY

The proposed Soyuz 1 Solar PV Park is highly desirable due to its unique site-specific benefits. The area offers ample open space that is suitable for solar facility development, along with an amply high solar resource to generate renewable energy.

The proposed facility is located in an area where environmental sensitivities to such a development are low, ensuring that it is a responsible and sustainable project that will have nominal negative impacts on the surrounding environment but significantly contribute to socio-economic development locally and regionally.

The facility will create employment opportunities for the local community, providing a much-needed boost to the local economy. In addition, the skills development that will be provided to employees



and contractors involved in the construction and operation of the facility will have a lasting impact on the community.

Due to the climate and soil limitations the proposed development site for the Soyuz 1 Solar PV Park has low agricultural potential in terms of cultivated crops. Low density grazing can continue to take place in and around the Solar PV facility. The proposed development of the Soyuz 1 Solar PV Park (and the association Soyuz Solar PV Cluster) will generate alternative land use income through the rental for the facility. This will provide the farming enterprises with increased cash flow and rural livelihood and thereby improve the financial sustainability of the landowner and employees and the "run-on" benefits to the local economy.

The environmental impact assessment, inclusive of input from specialists on the local direct impacts and the cumulative impacts has assessed that the potential negative environmental impacts associated with the development of the Soyuz 1 Solar PV Park on the preferred site are low.

CONCLUSION ON NEED AND DESIRABILITY 8.6

The development of the Soyuz 1 Solar PV Park on the proposed (preferred) site will clearly contribute significant benefits to the national and regional environments but will not result in significant biodiversity loss at a local level (direct or cumulative).

EIA SPECIALIST STUDIES 9

In accordance with Appendix 2 Regulation 2(1)(g) (iv); of GN No. R. 326 of the NEMA EIA Regulations (2014 **as amended)**, the following information is presented in this Section:

2(1)(g) (iv) – The environmental attributes associated with the alternatives focusing on the geographical, physical, biological, social, economic, heritage and cultural aspects;

During the Pre- Application Meeting with the Competent Authority (the DFFE) held on 28 February 2023 to discuss the NEMA Environmental Permitting Process for the proposed Soyuz 1 Solar PV Park the DFFE confirmed that the following specialist input was required during the Scoping Phase to confirm or refute the Environmental Sensitivities identified by the DFFE EIA Screening Tool:

- Screening Tool Report Compiled by Luke Verburgt from Enviro-Insight cc dated September
- Avifaunal Scoping Assessment Compiled by Luke Verburgt from Enviro-Insight cc dated February 2023
- Biodiversity Scoping Assessment Compiled by Charne Gouws from SAS Environmental Group of Companies (Pty) Ltd dated February 2023
- Climate Change Assessment Compiled by Hanlie Liebenberg-Enslin from Airshed Planning Professionals (Pty) Ltd (C/O) date February 2023
- Freshwater Ecological Scoping Assessment Compiled by Paul Da Cruz and Stephen van Staden from SAS Environmental Group of Companies (Pty) Ltd dated February 2023
- Geotechnical Reconnaissance Study Compiled by Louis Jonk from GEOSS South Africa (Pty) Ltd dated February 2023
- Heritage Scoping Assessment Compiled by John Gribble from ACO Associates cc dated February 2023



- Noise Scoping Assessment Compiled by Barend van der Merwe from dBA Acoustics dated xx
 February 2023
- Social Scoping Assessment Compiled by Tony Barbour from Tony Barbour Environmental Consulting dated February 2023
- Soil, Landuse and Land Capability Scoping Assessment Compiled by Tshiamo Setsipane and Stephen van Staden from SAS Environmental Group of Companies (Pty) Ltd dated February 2023
- Town Planning Compiled by Soné vd Merwe from Warren Petterson Planning dated February 2023
- Traffic Scoping Assessment Compiled by Christoph Krogscheepers from Innovative Transport Solutions dated March 2023
- Visual Scoping Assessment Compiled by Sanja Erwee and Stephen van Staden from SAS Environmental Group of Companies (Pty) Ltd dated February 2023

Review of the specialist input during the Environmental Scoping phase confirmed that the following additional specialist input would be required during the EIA phase:

- Avifauna Environmental Impact Assessment
- Biodiversity Impact Assessment
- Climate Change Assessment
- Freshwater Ecology Impact Assessment
- Geotechnical Reconnaissance Study
- Heritage Impact Assessment
- Noise Impact Assessment
- Social Impact Assessment
- Soil, Land Use and Land Capability Impact Assessment
- Town Planning Assessment
- Traffic Impact Assessment
- Visual Impact Assessment

The information provided in the specialist reports is presented in the following sections.

Please note that all Specialist Scoping Reports are attached in Appendix B and form part of the EIA Report for Public Consultation.

10 AVIFAUNAL IMPACT ASSESSMENT

TMG, on behalf of the Applicant appointed Enviro-Insight CC (C/O Luke Verburgt) (hereinafter referred to as the "Avifaunal Specialist") to undertake the Avifaunal Impact Assessment for the proposed Soyuz 1 Solar PV Park.

10.1 INTRODUCTION

While each of the six proposed Solar PV Parks that form part of the Soyuz Solar PV Park Cluster 1-6 Project are treated as separate S&EIA processes for the purposes of environmental authorisation, the following factors contributed to treating the fieldwork and certain elements of the discussion as a single project:



- the same developer for each Solar PV Park, albeit via separate companies;
- the close spatial proximity of each Solar PV Park to each other;
- minimisation of establishment and disbursement costs for fieldwork execution;
- taking advantage of avifauna observations from adjacent renewable energy developments to provide a more comprehensive account of the avifauna community for the Soyuz Solar PV Park Cluster 1-6 Project and surroundings; and
- potential cumulative impacts that prevent discussion of each proposed Solar PV Park in isolation.

This report addresses the avifauna species of the <u>Sensitive Animal Species Theme</u> of the EIA Phase of the Environmental Impact Assessment report (EIAr) required for the environmental authorisation process for a proposed development. The report complies with the following:

- The minimum report content requirements for environmental impacts on terrestrial animal and plant species in terms of sections 24(5)(a) and (h) and 44 of the National Environmental Management Act, 1998 (Act No. 107 of 1998);
- Guidance for the implementation of the above-mentioned protocol is followed according to SANBI (2020)¹³, hereafter referred to as "the terrestrial animal species protocol guidelines"; and
- Guidance for avifauna studies in relation to developments of solar facilities is followed according to the "Best-Practice Guidelines for assessing and monitoring the impact of solar energy facilities on birds in southern Africa" (Jenkins et al., 2017¹⁴).

10.2 METHODOLOGY

The methodology applied to conduct the avifaunal impact assessment included the following:

• GIS: Existing data layers were incorporated into a GIS to establish how the study area interacts with important terrestrial and aquatic entities. A simple habitat classification procedure using the latest satellite imagery (Sentinel 2) was performed to help identify habitat types of importance for avifauna during the initial surveys. Furthermore, a drainage and aquatic habitat map was created from the National Freshwater Ecosystem Priority Area (NFEPA) rivers¹⁵ and wetlands¹⁶ database and from manually delineating other large aquatic features from satellite imagery. These were pre-emptively buffered by 100 m. Finally, a digital elevation model (DEM) was obtained for the area and a slope analysis was performed to delineate sensitive rocky habitats. Slopes of > 7° were considered steep enough in this region to constitute potentially sensitive rocky habitats and these were buffered by 30 m. All mapping was performed using open-source GIS software (QGIS¹⁷ and SAGA¹⁸).

¹³ SANBI. 2020. Species Environmental Assessment Guideline. Guidelines for the implementation of the Terrestrial Fauna and Terrestrial Flora Species Protocols for environmental impact assessments in South Africa. South African National Biodiversity Institute, Pretoria. Version 3.1. 2022

¹⁴ Jenkins AR, Ralston-Paton S, Smit-Robinson HA. 2017. Birds & Solar Energy. Best Practice Guidelines: Guidelines for assessing and monitoring the impact of solar power generating facilities on birds in southern Africa

¹⁵ NFEPA Rivers(http://bgis.sanbi.org/SpatialDataset/Detail/397)

¹⁶ NFEPA Wetlands (http://bgis.sanbi.org/nfepa/project.asp)

¹⁷ http://qgis.osgeo.org/en/site/

¹⁸ https://saga-gis.sourceforge.io/



- Desktop and Literature Survey: A desktop study and literature review was undertaken to evaluate all bird species which could potentially occur in the vicinity of the Soyuz Solar PV Cluster, referred to as the "Project Area", predominantly using data from the second South African Bird Atlas Project (SABAP 2¹⁹; [SABAP2, 2020]) but cross-referencing with Hockey et al. (2005) and Sinclair & Ryan (2010). SABAP 2 data are collected as records per pentad (i.e., 5' X 5' or roughly 9 x 9 km).
- Existing Avifauna Data: Pre-construction avifauna data were collected as part of the ESR phase between July 2021 - May 2022 and were as observations per VP, walk and drive transect near the proposed Soyuz Solar PV Cluster. This dataset represents a complete year of pre-construction avifauna monitoring data collected in accordance with the birds and wind energy guideline (Jenkins et al., 2015).
- Solar Energy Facilities (SEF) Survey Requirements: The Birds and Solar Energy Guidelines (Jenkins et al. 2017) provide clear requirements for Avifauna Impact Assessments of Solar PV Parks. Solar PV Parks are categorised into 3 regimes depending on the potential impact on Avifauna. The regime determines the level and intensity of surveys to be completed by the avifauna specialist. Soyuz 1 Solar PV Park is regarded to be a Regime 2 facility based on the generating capacity >100 MW and a footprint >150 ha. The requirements and the progress in effecting these requirements for a Regime 2 facility are provided in **Table 9**.

Table 9: Avifauna Impact Assessments Regime 2 Requirements

RE	QUIREMENT	PROGRESS
1. F	Preliminary Assessment	
a.	Literature review, habitats and	Documented in the Specialist Scoping Report
	desktop	
2. 9	Structured and detailed data collection	
a.	Baseline data collection over 6-12	A summer season survey was performed 7 – 19
	months, across as many seasons as	January 2023. This is considered sufficient when
	possible	combined with the pre-construction surveys
		undertaken between July 2021 and May 2022.
b.	Small bird abundance estimates	Provided with in this Avifauna EIA report.
c.	Transect and vantage point	Provided with in this Avifauna EIA report.
	abundances for large birds and	
	raptors	
d.	Flight behaviour of priority species	Recorded and discussed in in this f Avifauna EIA
		report.
e.	Wetland bird counts and movements	No suitable sites on or surrounding the Soyuz
	between wetlands using the CWAC	Solar PV Park Cluster 1-6 Project to perform this
	initiative (Taylor et al. 1999) ²⁰	protocol
f.	Existing power line collision	None observed.
	mortalities	
3. I	mpact Assessment	
a.	Map key habitats and flyways to be	Provided with in this Avifauna EIA report.
	avoided	
b.	Inform Solar PV Park layout	Provided with in this Avifauna EIA report.

¹⁹ http://sabap2.birdmap.africa/

²⁰ Taylor MR. Peacock F, Wanless RM. (eds). 2015. The 2015 Eskom Red Data Book of Birds of South Africa, Lesotho and Swaziland. BirdLife South Africa, Johannesburg, South Africa.



REQUIREMENT					PROGRESS
c. Assess impacts and mitigation				mitigation	Provided with in this Avifauna EIA report.
strategies					

- Walking & Driving Transects: A single site visits was conducted (Summer: 7-19 January 2023). Sampling was performed by means of combined walking and driving transects in and around the Soyuz Solar PV Park Cluster. Driving was done at very low speeds, with frequent stoppages to observe birds and record data. Short walking transects were conducted from the vehicle wherever habitat allowed, and bird productivity was high. Suitable nesting structures and habitats were evaluated carefully for any possible nests of sensitive/priority bird species and recorded for mapping purposes.
- **Species of Conservation Concern:** The Red List of threatened species generated by the IUCN (http://www.iucnredlist.org/) provided the global conservation status of avifauna.
- **Impact Assessment:** The impact assessment was conducted applying the methodology described in this report in Section 24.

10.3 REGIONAL CONTEXT

The Soyuz Solar PV Cluster is situated entirely within the Least Concern "Northern Upper Karoo" regional vegetation type (**Figure 30**; SANBI 2018²¹) and contains mostly natural habitats, with some low intensity impacts from sheep farming. The Soyuz Solar PV Cluster is not within a REDZ but is situated entirely within the Central Power Corridor. The nearest protected area is the De Aar Nature Reserve situated ~ 20 km away towards the east and the nearby "Platberg-Karoo Conservancy" Important Bird Area (IBA) entirely encompasses the Soyuz 6 Solar PV Park, while all other proposed Solar PV Parks are situated outside of this IBA (**Figure 31**).

_

²¹ SANBI. 2018. Beta Vegetation Map of South Africa, Lesotho and Swaziland [File geodatabase] 2018. Available from the Biodiversity GIS website (http://bgis.sanbi.org/SpatialDataset/Detail/670).




Figure 30:Regional Vegetation Types




Figure 31: Regional Protected Areas and IBAs

10.3.1 Regional Habitat Description

The Soyuz Solar PV Park Cluster is located on relatively flat land, between the elevated rocky ridges characterised by Upper Karoo Hardeveld vegetation (**Figure 30**). These flat areas of Northern Upper Karoo vegetation are characterised by two major habitat types; namely Nama Karoo Low Shrubland and Natural Grassland according to the National Landcover Classification (NLC) (**Figure 32**).




Figure 32: Regional Major Habitats

10.3.2 Regional Expected and Observed Avifauna

A total of 114 bird species have been recorded by the South African Bird Atlas Project (SABAP2) on the seven focal pentads in which the Soyuz Solar PV Park Cluster is situated, all of which are expected to occur on the sites. As per the SABAP desktop assessment, only four species of conservation concern (SCC; threatened and near-threatened) have been observed within at least one of the seven focal the pentads in which the Soyuz SOLAR PV PARK Cluster is situated namely Verreaux's Eagle (VU), Karoo Korhaan (NT), Blue Crane (NT) and Ludwig's Bustard (EN).

However, these pentads suffer from under-sampling as 13 additional species, 6 of which are SCC, were observed during the Soyuz WEF pre-construction avifauna monitoring and 13 additional species, 4 of which are SCC, were observed during the first seasonal avifauna survey conducted for this report. In combination, these two surveys observed an additional 18 species, 6 of which are SCC. **Table 10** shows the 10 expected and observed avifauna SCC for the Soyuz Solar PV Park Cluster. It is worth noting that 6 of these species were not previously recorded by SABAP2.



Table 10: Regional Area Expected Avifauna SCC Observed

COMMON NAME	SCIENTIFIC NAME	# SABAP2 pentads (7 max)	January 2023 survey	Global Status (IUCN) ²²	Regional Status
Ludwig's Bustard Neotis ludwigii		3	Χ	EN	EN
Black Harrier Circus maurus		-		EN	EN
Tawny Eagle	Aquila rapax	-	Χ	VU	EN
Verreaux's Eagle	Aquila verreauxii	1		LC	VU
Denham's Bustard	Neotis denhami	-		NT	VU
Lanner Falcon	Falco biarmicus	-	Χ	LC	VU
Secretarybird	Sagittarius serpentarius	-	Χ	EN	VU
Karoo Korhaan	Eupodotis vigorsii	5	Χ	LC	NT
Blue Crane	Grus paradisea	3	Χ	VU	NT
Kori Bustard	Ardeotis kori	-	Χ	NT	NT

The total number of bird species observed within and around the Soyuz Solar PV Park Cluster 1-6 Project site during the summer survey (7-19 January 2023) was 72 from 1605 observation comprising a total of 3013 individuals. The observed avian species richness is relatively low but expected for this region and abundances were moderate to high due to a productive summer season.

10.4 SITE ENVIRONMENT

10.4.1 Departure from the recommendations of the Birds and Solar Energy guidelines

The Birds and Solar Energy guidelines (Jenkins et al., 2017) recommends two site visits for Regime 2 Solar PV Park developments such as the Soyuz 1 Solar PV Park. However, given that one optimal seasonal survey took place with specific effort applied to the detection of Ludwig's Bustard lekking sites and nesting sites of other SCC, and that an entire years' worth of avifauna pre-construction monitoring surveys are available for the immediate surrounding area, the combined data from the single optimal season survey, the existing WEF pre-construction monitoring data, and additional online data from iNaturalist, are considered sufficient for evaluating impacts to the avifauna of the region from the proposed Solar PV Park development. Any additional data collection, originally scheduled for Autumn (April 2023), would have been unlikely to add significant value as it would not inform on the key concerns surrounding lekking sites for Ludwig's Bustard, since this species does not exhibit breeding behaviour during this time in the Nama Karoo. In addition, all suitable nesting habitats (trees, electricity pylons etc.) were surveyed during the summer survey, have been recorded and will be buffered from development. No additions to the nest locations were realistically expected during the autumn survey, since the suitable nesting habitats for avifauna SCC are rare in the landscape and had already been captured.

A letter was drafted and sent to BirdLife SA on 1 February 2023 to evaluate the above and consider relaxing the requirements for an additional seasonal survey to be substituted/supplemented with the existing avifauna observation data from the Soyuz WEF. A response was received on 27 February from Samantha Ralston Patton of BirdLife SA indicating that BirdLife SA was not able to formally review the

²²Endangered (EN) – very high risk of extinction in the wild; Vulnerable (VU) – considered to be at high risk of unnatural extinction without further human intervention; Near threatened (NT) – close to being endangered soon; Least concern (LC) – unlikely to become endangered or extinct in the near future.



report, but that she personally considered the approach to be reasonable and recommended inclusion of additional sources of data (such as iNaturalist) which was done.

The scoping report, which included the above-mentioned approach, and which was subject to the require public participation process (PPP), received no comments or concerns for the above-mentioned approach from any of the registered Interested and Affected Parties (I&APs). Nevertheless, a follow-up letter to BirdLife SA was sent on 27 May 2023 to confirm whether BirdLife SA did manage to review the scoping report as part of the PPP and whether Samantha's personal position on the approach had changed at all. No response was received, which was taken to indicate no objection to the approach.

Table 11: A summary of the available information on lekking behaviour for Ludwig's Bustard (Nama Karoo)

Habitat	Lekking Dates	Lekking Times	Lekking Movements	Laying Dates
	Related to seasonal	Concentrated	Flights mostly by	(Chittenden et al.,
	rainfall	around dawn and	females & sub-adult	2016)
	(Allan, 1994)	dusk	males during lekking	
	See rainfall graph	(Allan, 2004)	hours	
	below		(Allan, 2004)	
Nama Karoo	Aug - Feb	Morning:	Morning:	Sept - Feb
Bushmanland	June - Sept	05h00 - 10h00	05h00 - 09h00	July - Sept
Succulent Karoo	June - Sept			July - Sept
During droughts	Delayed	Afternoon:	Afternoon:	Delayed
Likely case for Soyuz cluster		16h00 – 19h00	16h00 – 18h00	
(based on general habitat and rainfall data)				
Soyuz cluster	Oct - Feb			Nov - Feb

10.4.2 Survey Coverage

The survey coverage of the Soyuz 1 Solar PV Park was comprehensive and sufficient even if only a 500 m distance on either side of the transect was the effective observation distance (**Figure 33**).




Figure 33:Avifauna survey coverage of the SOYUZ 1 SOLAR PV PARK during the summer survey.

10.4.3 Local Habitats

The habitats observed within the Soyuz 1 Solar PV Park were consistent with the national landcover data (Figure 32) and consisted predominantly of grassland on soft sandy soils and scrubland on harder more stony soils (Figure 34). These habitats were fairly homogenous and occasionally formed mosaics along the ecotone between habitats. No major drainage lines or rocky ridge habitats were observed within the Soyuz 1 Solar PV Park boundary as provided by the client during the Scoping survey. However, subsequent refinement of the development area by the client spans the large drainage area in the south but all infrastructure avoids this sensitive habitat and its buffer. The major habitats are mapped in Figure 35.





Grassland on soft sandy soils

Scrubland/grassland mosaic on harder stony soils

Figure 34: Major habitat types of the Soyuz 1 Solar PV Park




Figure 35: Site Major Types

10.4.4 Observed Avifauna

A total of 721 individuals representing 39 species were observed during the summer survey of the project site (**Table 12**). Of these, four species are of conservation concern Only a single Ludwig's Bustard individual, the target SCC highlighted by the screening tool (**Figure 36**), was observed within the Soyuz 1 Solar PV Park.

Encountered abundances of avifauna species groups are presented in **Table 13**, which demonstrates relatively low encounter rates for raptors (despite many observations of Lesser Kestrels) and very low encounter rates for waterbirds. Small-bodied species were dominant. Large-bodied species were dominated by the presence of Pied Crows. None of the encounter rates shown in Table 13 are considered to represent a potential concern for the proposed development.




Figure 36: Habitat Delineation and Avifaunal Observations

Table 12: Observed Avifauna Species

COMMON NAME	SCIENTIFIC NAME	TOTAL
Northern Black Korhaan	Afrotis afraoides	18
Egyptian Goose	Alopochen aegyptiaca	3
Cape Penduline Tit	Anthoscopus minutus	2
African Pipit	Anthus cinnamomeus	4
Common Swift	Apus apus	14
Kori Bustard	Ardeotis kori	2
Hadada Ibis	Bostrychia hagedash	10
Karoo Lark	Calendulauda albescens	1



COMMON NAME	SCIENTIFIC NAME	TOTAL
Sabota Lark	Calendulauda sabota	7
Karoo Scrub Robin	Cercotrichas coryphoeus	5
Spike-heeled Lark	Chersomanes albofasciata	25
Desert Cisticola	Cisticola aridulus	12
Grey-backed Cisticola	Cisticola subruficapilla	4
Speckled Pigeon	Columba guinea	6
White-necked Raven	Corvus albicollis	3
Pied Crow	Corvus albus	37
Wattled Starling	Creatophora cinerea	10
White-throated Canary	Crithagra albogularis	3
Black-winged Kite	Elanus caeruleus	1
Lark-like Bunting	Emberiza impetuani	266
Grey-backed Sparrow-Lark	Eremopterix verticalis	41
Karoo Korhaan	Eupodotis vigorsii	3
Lesser Kestrel	Falco naumanni	16
Large-billed Lark	Galerida magnirostris	2
Blue Crane	Grus paradisea	2
Barn Swallow	Hirundo rustica	75
Rufous-eared Warbler	Malcorus pectoralis	18
Pale Chanting Goshawk	Melierax canorus	5
Eastern Clapper Lark	Mirafra fasciolata	25
Ant-eating Chat	Myrmecocichla formicivora	10
Ludwig's Bustard	Neotis ludwigii	1
Namaqua Dove	Oena capensis	33
Capped Wheatear	Oenanthe pileata	18
Cape Sparrow	Passer melanurus	12
Southern Masked Weaver	Ploceus velatus	5
Black-chested Prinia	Prinia flavicans	1
Red-billed Quelea	Quelea quelea	4
Acacia Pied Barbet	Tricholaema leucomelas	4
Crowned Lapwing	Vanellus coronatus	13
Grand Total	39	721

Table 13: Observed avifauna species groups during the summer survey of the proposed Soyuz 1-6 Solar Cluster

	Time	Distance	Small Bird	Large Bird		
Date	(h)	(m)	(<30cm)	(>30cm)	Raptors	Waterbirds
			618 [78.3/h;	103 [13/h;	22 [2.8/h;	3 [0.4/h;
PV1	7.9	33.8	18.3/km]	3/km]	0.7/km]	0.1/km]
			383 [83.2/h;	42 [9.1/h;	6 [1.3/h;	
PV2	4.6	27.3	14/km]	1.5/km]	0.2/km]	1 [0.2/h; 0/km]
			384 [89.2/h;	46 [10.7/h;	12 [2.8/h;	5 [1.2/h;
PV3	4.3	28.3	13.6/km]	1.6/km]	0.4/km]	0.2/km]



Date	Time (h)	Distance (m)	Small Bird (<30cm)	Large Bird (>30cm)	Raptors	Waterbirds
			464 [19.9/h;	50 [2.1/h;	5 [0.2/h;	5 [0.2/h;
PV4	23.3	49.9	9.3/km]	1/km]	0.1/km]	0.1/km]
			456 [9.8/h;	75 [1.6/h;	6 [0.1/h;	6 [0.1/h;
PV5	46.6	62.4	7.3/km]	1.2/km]	0.1/km]	0.1/km]
			453 [14.1/h;	91 [2.8/h;	9 [0.3/h;	21 [0.7/h;
PV6	32.2	87.6	5.2/km]	1/km]	0.1/km]	0.2/km]
			2758 [23.2/h;	407 [3.4/h;	60 [0.5/h;	41 [0.3/h;
Total	118.9	289.3	9.5/km]	1.4/km]	0.2/km]	0.1/km]

Note: presented as actual densities observed and by survey effort [per hour and per km]. The focal development, Soyuz 1 Solar PV Park, is highlighted in red.

10.4.5 Species of Conservation Concern (SOC)

Brief descriptions of each of the expected and observed SCC (**Table 14**) are provided below in context with the proposed Development Area.

Endangered species

- Ludwig's Bustard (*Neotis Iudwigii*) is widely but patchily distributed across the arid interior of South Africa, extending into western Namibia (Shaw 2015). This species is particularly prone to fatalities caused by collisions with electricity transmission lines and is also susceptible to disturbance, as well as hunting and poisoning (Shaw 2015). This species was recorded during the survey in the Development Area and is considered a resident. It was also observed numerous times in the Soyuz Solar PV Park Cluster area. Although no lekking sites were observed despite specifically searching for them, the high density of individuals in the Soyuz Solar PV PArkCluster area could suggest that there are lekking sites in the area. Lekking sites are typically elevated areas compared to the surrounding landscape and therefore all such areas, indicated by the delineated "Rocky Ridges & Steep Slopes" have been pre-emptively buffered from development.
- The Tawny Eagle (*Aquila rapax*) is one of the most threatened eagles in South Africa with a high sensitivity to land transformation. They are known to have been electrocuted by overhead power lines (Taylor *et al.* 2015). They forage extremely widely and require tall structures (trees or electricity pylons) for breeding, which are absent in the proposed development area. This species is only expected to sporadically forage over the Development Area.
- Secretarybird (Sagittarius serpentarius) is listed as Endangered globally and Vulnerable regionally (Taylor et al., 2015; BirdLife International 2020). Secretarybirds favour open habitats for terrestrial foraging and seek out flat-top trees for nesting. This species has an extremely wide distribution across Africa but occurs at very low densities. It is prone to collision with powerlines and fences (from being flushed), while habitat loss and alteration are also major regional threats (Retief 2015). Only a single individual was observed during the survey, but this species is expected to be an infrequent visitor to the Development Area.



• The Black Harrier (*Circus maurus*) was not observed during the survey but was observed during the year-long preconstruction surveys of the proposed Soyuz 1-6 Wind Energy Facility (WEF) cluster project. It is most likely an infrequent seasonal visitor during the wetter times of the year. No nesting/breeding behaviour was observed nor are any of the habitats present considered as suitable breeding habitat. This species is strongly associated with wetlands, marshes and drainage lines, where it focusses its foraging activities and consequently, these habitats have been pre-emptively buffered from development.

Vulnerable species

- Lanner Falcon (*Falco biarmicus*) occurs widely across South Africa in nearly all open habitat types. Major threats include habitat loss and collisions with powerlines. No individuals were recorded within the Development Area during the surveys, but it was observed in the Soyuz SOLAR PV PARK Cluster area. This species is adept at using man-made structures such as transmission pylons as perches, sites to hunt from, and nesting sites. It is an infrequent visitor to the Development Area.
- Verreaux's Eagle (*Aquila verreauxii*) is quite widely distributed in South Africa, showing a preference for rocky ridges and mountains on which it breeds. The main threats facing this species in South Africa are direct persecution, drowning in farm dams, and collisions with and electrocutions on electricity transmission lines. Collisions with wind turbines is a growing threat. This species may occasionally forage over the Development Area but is not expected to breed there.
- Blue Crane (*Grus paradisea*) was recently downgraded from regionally Vulnerable to Near-Threatened (Taylor et al., 2015), but is still considered as globally Vulnerable (IUCN, 2023).
 The species was frequently observed foraging over the Soyuz SOLAR PV PARK Cluster area. No suitable breeding habitat was however observed. The species prefers open areas and it is considered as a regular foraging visitor in the region.
- Denham's Bustard (*Neotis denhami*) is very similar to Ludwig's bustard (described above) in its habitat requirements. It was not observed during the survey but was observed during the year-long preconstruction surveys of the proposed Soyuz 1-6 Wind Energy Facility (WEF) cluster project, indicating that it's not common in the region.

Near-Threatened species

- The Kori Bustard (*Ardeotis kori*) prefers foraging in open areas. The main threats to this species are habitat destruction (especially conversion to agriculture) and collision with overhead power lines (Taylor *et al.* 2015). This species was observed on multiple occasions in the Soyuz SOLAR PV PARK Cluster area and is considered a low density resident in the region.
- Karoo Korhaan (*Eupodotis vigorsii*) is a fairly common resident favouring areas close to drainage lines but also utilising open areas. Highly susceptible to collisions with powerlines and fences (from being flushed).



Table 14: Observed and expected avifauna species of conservation concern for the proposed Soyuz

1 Solar PV Park

Common Name	Scientific Name	# SABAP2 pentads (7 max)	Jan 2023 survey	Soyuz WEF surveys	Global Status (IUCN)	Regional Status (Taylor et al. 2015)	WEF Priority Species Rank
Ludwig's Bustard	Neotis ludwigii	3	Х	Х	EN	EN	14
Black Harrier	Circus maurus	-		Х	EN	EN	6
Tawny Eagle	Aquila rapax	-	Х	Х	VU	EN	30
Verreaux's Eagle	Aquila verreauxii	1		Х	LC	VU	3
Denham's Bustard	Neotis denhami	-		Х	NT	VU	21
Lanner Falcon	Falco biarmicus	-	Х	Х	LC	VU	24
Secretarybird	Sagittarius serpentarius	-	Х	Х	EN	VU	13
Karoo Korhaan	Eupodotis vigorsii	5	Х	Х	LC	NT	51
Blue Crane	Grus paradisea	3	Х	Х	VU	NT	
Kori Bustard	Ardeotis kori	-	Х	Х	NT	NT	39

10.4.6 Summary of Soyuz 1 Solar PV Park Avifaunal Environment

Loss of foraging habitat and potential collisions with associated powerlines represents the major threats from the proposed development to the avifauna SCC discussed above. No loss of breeding habitat is expected from the proposed development.

10.5 EXISTING IMPACTS

Very low levels of existing impacts to avifauna were observed in the Soyuz 1 Solar PV Park during the surveys. Land use is almost exclusively low intensity livestock farming. Nevertheless, some potential impacts to avifauna observed on site include:

- **Livestock grazing** reduces plant diversity and abundance and therefore habitat viability for foraging avifauna. However the low intensity of this practice is unlikely to have significantly altered the avifauna assemblage within the region.
- **Built infrastructure** Some small farm structures, predominantly drinking facilities for livestock, are present which modify the habitat. Usually this is through the presence of a few alien trees which act as an attractant for avifauna and the trampling of vegetation by livestock which removes foraging habitat for birds.
- Alien and invasive species Very few alien tree species are present, usually in association with the built infrastructure.

10.6 SITE ECOLOGICAL IMPORTANCE (SEI)

The SEI was evaluated for each of the avifauna habitats in the project area of influence, and the detailed evaluation is presented in **Table 15**. The spatial representation of this SEI evaluation, which does include the application of buffers for the drainage (100 m) and rocky ridge (30 m) habitats, is presented in **Figure 37**, from which can be seen that the proposed project infrastructure has no interaction with the Very High SEI and entirely interacts with the Medium SEI.



Table 15: Evaluation of Site Ecological Importance (SEI) of avifauna habitats in the project area of influence for the proposed Soyuz 1 Solar PV Park.

Habitat	Conservation Importance (CI)	Functional Integrity (FI)	Receptor Resilience (RR)	Site Ecological Importance (SEI)
Low Shrubland (Nama Karoo), Natural Grassland and Eroded Lands	Medium – Confirmed foraging habitat of Endangered Secretarybird (Global EN [A2acde+3cde+4acde]; Regional: VU, [A4acd; C1]) and Endangered Ludwig's Bustard (A4cd). Due to the extensive geographical distribution of both species and their low density occurrences in the habitats present in the Development Area, the CI is downgraded to Low. This is considered appropriate given the buffering of optimal foraging habitat (Major Drainage) and the large number of protected areas in which both species occur.	Very High – Very large (> 100 ha) intact area for any conservation status of ecosystem type, high habitat connectivity serving as functional ecological corridors, minimal current negative ecological impacts.	Medium – Arid area habitats will typically recover slowly (~ more than 10 years) to restore > 75% of the original species composition and functionality. Scarification of landscape due to vegetation clearing remains visible for decades.	MEDIUM (BI = Medium)
Major Drainage	High – Sporadic predicted occurrence of Black Harrier (EN [C1+2a(ii)]) utilising this habitat for foraging purposes. Confirmed preferred foraging habitat of Endangered Secretarybird (Global EN [A2acde+3cde+4acde]; Regional: VU, [A4acd; C1]) and Endangered Ludwig's Bustard (A4cd). Presence of moisture leads to greater probability and persistence of prey items, which is why it is preferred.	Very High — Very large (> 100 ha) intact area for any conservation status of ecosystem type, high habitat connectivity serving as functional ecological corridors, minimal current negative ecological impacts.	Medium – Arid area habitats will typically recover slowly (~ more than 10 years) to restore > 75% of the original species composition and functionality. Scarification of landscape due to vegetation clearing remains visible for decades.	VERY HIGH (BI = Very High)
Rocky Ridges & Steep Slopes	Medium – Highly likely lekking habitat of the Endangered Ludwig's Bustard (A4cd). Due to the importance of lekking habitat for the conservation of this species, and the fact that such habitat is limited in the landscape, the CI is upgraded to High. This is considered appropriate given the downgrading of CI for foraging habitat of this species.	Very High – Very large (> 100 ha) intact area for any conservation status of ecosystem type, minimal current negative ecological impacts. Despite the isolated nature of rocky ridges, this habitat is well connected by natural areas in-between.	Very Low – Habitat that is unable to recover from major impacts – complete functionality cannot be restored if any excavations or physical alterations take place on the rocky ridges itself.	VERY HIGH (BI = Very High)

Note: BI = Biodiversity Importance






Figure 37: Avifauna Site Ecological Importance (SEI) for the proposed Soyuz 1 Solar PV Park

10.7 POTENTIAL AVIFAUNAL IMPACTS

The main anticipated environmental impacts on avifauna from the proposed Soyuz 1 Solar PV Park are described in **Figure 38**.




Figure 38: Avifauna Impacts Descriptions

Each of these potential impacts to avifauna are described and assessed in Section 24.

10.8 OPPORTUNITIES AND CONSTRAINTS

Following the appropriate buffering of the sensitive habitats for avifauna, a No-Go delineation was developed to indicate the areas where development of infrastructure should be avoided. By implication, the areas outside of the No-Go delineation and within the boundary of the Soyuz 1 Solar PV Park are considered developable. The opportunities (developable) and constraints (non-developable) map identified during the environmental scoping phase for the proposed the Soyuz 1 Solar PV Park remain relevant and are presented in **Figure 39**.




Figure 39: Avifaunal Opportunities and constraints (No-Go areas) map for the proposed the Soyuz

1 Solar PV Park

10.9 CONCLUSION OF AVIFAUNAL SPECIALIST

There are no major negative impacts to avifauna SCC expected from the proposed development, provided that the proposed mitigation measures recommended are applied. The Soyuz Solar PV Cluster and proposed project activities are likely to represent a low risk to avifauna (after application of mitigation) and therefore, the same is true for the **Soyuz 1 Solar PV Park**. The avifauna specialist therefore recommends that DFFE should grant environmental authorisation (exclusive of any transmission lines which are to be evaluated separately), on condition that:

- All mitigation measures stipulated by the avifauna specialist are incorporated into the EMPr and are adhered to;
- The EMP must also include the necessity for post-construction avifauna monitoring as stipulated in Jenkins et al. (2017).



11 TERRESTRIAL BIODIVERSITY ASSESSMENT

TMG, on behalf of the Applicant appointed SAS (C/O Mr C Steyn) (hereinafter referred to as the "Terrestrial Specialist") to undertake a Terrestrial Biodiversity Impact Assessment for the proposed Soyuz 1 Solar PV Park.

11.1 ASSESSMENT APPROACH

Maps and digital satellite images were generated prior to the field assessment to determine broad habitats, vegetation types and potentially sensitive sites. Relevant databases and documentation that were considered during the desktop assessment of the Soyuz 1 Solar PV Park included:

- National Protected Areas Expansion Strategy (NPAES) 2018 database;
- The South African Conservation Areas Database, Quarter 3 (SACAD, 2022);
- The South African Protected Areas Database, Quarter 3 (SAPAD, 2022);
- The Northern Cape Critical Biodiversity Areas (CBA) Map, including the following datasets and research documents:
 - 2016 Northern Cape Critical Biodiversity Areas (Northern Cape DAEARDLR, 2016a);
 - 2016 Northern Cape Critical Biodiversity Areas Reason (Northern Cape DAEARDLR, 2016b); and
 - Critical Biodiversity Areas of the Northern Cape: Technical Report (Holness et al. 2016).
- The National Vegetation Map Project (VEGMAP), with the below vector dataset used for information on Biomes, Bioregions and Vegetation Type(s):
 - 2018 Final Vegetation Map of South Africa, Lesotho, and Swaziland (SANBI 2006–2018; SANBI, 2018a).
- The 2022 Red List of Ecosystems (RLE) for the terrestrial realm for South Africa (SANBI 2022a and 2022b);
- From the National Biodiversity Assessment (NBA, 2018) Terrestrial Assessment project (Skowno et al., 2019):
 - 2018 Terrestrial ecosystem threat status and protection level remaining extent (SANBI, 2018b); and
 - 2018 Terrestrial ecosystem threat status and protection level layer (SANBI, 2018c).
- The Important Bird and Biodiversity Areas (IBA) Programme and vector dataset (BirdLife South Africa, 2015; Marnewick et al., 2015a and 2015b), in conjunction with the South African Bird Atlas Project 2 (SABAP 2);
- The International Union for Conservation of Nature (IUCN);
- The National Web-Based Environmental Screening Tool (accessed 2022); and
- From the 2017 Strategic Water Source Areas (SWSA) project:
 - 2017 SWSA Surface water (Water Research Commission, 2017)

The field assessment took place to determine the ecological status of the Soyuz 1 Solar PV Park and to "ground-truth" the results of the desktop assessment.

11.2 DESKTOP ASSESSMENT – CONSERVATION CHARACTERISTICS

The Conservation Characteristics of the study area as determined by the desktop assessment are summarised as a "dashboard" in **Table 16**.



Table 16: Summary of the conservation characteristics for the Soyuz 1 Solar PV Park (Quarter Degree Square (QDS) 3023 DA and 3023DC).

	DETAILS OF THE S	OYUZ 1 SOLAR PV PARK IN TERMS OF MUCINA & RUTHERFORD (2006) A	ND THE NATIONAL VEGETATION MAP PROJECT (SANBI.			
		2018A) - ORIGINAL EXTENT OF MAPPED VEGET				
BIOME		Soyuz 1 Solar PV Park is situated within the Nama-Karoo Biome .				
BIOREGION		Soyuz 1 Solar PV Park is located within the Upper Karoo Bioregion.				
VEGETATION TYPES		Northern Upper Karoo (Nku3) – vast majority of the	Upper Karoo Hardeveld (NKu2)- very small section within the			
		site	Access Road			
ALTITUDE (M)		1 000–1 500 m	1 000–1 900			
CLIMATE			In the western part of its area, this unit experiences the same			
		Rainfall peaks in autumn (March)	climate as the Western Upper Karoo. In the eastern part, the			
			climate is very close to			
	1		that of Karoo Escarpment			
	MAP (mm)	275	254			
ш	MAT (°C)	16.5	14.7			
ΙΑΤ	MFD (Days)	37	46			
CLIMATE	MAPE (mm)	2615	2441			
Ö	MASMS (%)	83	82			
		Northern Cape and Free State Provinces: Northern regions of the	Northern, Western and Eastern Cape Provinces: Discrete areas of			
		Upper Karoo plateau from Prieska, Vosburg and Carnarvon in the	slopes and ridges, including dolerite dykes and sills in the region			
DISTRI	BUTION	west to Philipstown, Petrusville and Petrusburg in the east.	spanning Middelpos in the west and Strydenburg, Richmond and			
		Bordered in the north by Niekerkshoop, Douglas and Petrusburg	Nieu-Bethesda in the east. Most crest areas and steep slopes of			
		and in the south by Carnarvon, Pampoenpoort and De Aar. A few	the Great Escarpment facing south between Teekloofpas			
		patches occur in Griqualand West	(connecting Leeu-Gamka and Fraserburg) and eastwards to Graaff-Reinet			
GEOLOGY AND SOILS		Shales of the Volksrust Formation and to a lesser extent the Prince				
		Albert Formation (both of the Ecca Group) as well as Dwyka Group	Primitive, skeletal soils in rocky areas developing over sedimentary			
		diamictites form the underlying geology. Jurassic Karoo Dolerite	rocks such as mudstones and arenites of the Adelaide Subgroup			
		sills and sheets support this vegetation complex in places. Wide	of the Karoo Supergroup and to a lesser extent also the Ecca			
		stretches of land are covered by superficial deposits, including	Group (Waterford and Volksrust Formations) as well as Jurassic			
		calcretes of the Kalahari Group. Soils are variable from shallow to	dolerite sills and dykes and subsummit positions of mesas and			
		deep, red-yellow, apedal, freely drained soils to very shallow	butts with dolerite boulder slopes. Almost entirely lb land type			
		Glenrosa and Mispah forms. Mainly Ae, Ag and Fc				
		land types.				



	Least threatened . Target 21%. None conserved in statutory					
	conservation areas. About 4% has been cleared for cultivation (the					
	highest proportion of any type in the Nama-Karoo) or irreversibly	Least threatened . Target 21%. Only about 3% statutorily				
	transformed by building of dams (Houwater, Kalkfontein and	conserved in Karoo National Park and Karoo Nature Reserve. Small				
CONSERVATION	Smart Syndicate Dams). Areas of human settlements are	percentage also protected in private reserves such as Rupert				
	increasing in the northeastern part of this vegetation type	Game Farm. Erosion is moderate (64%) and high (2%).				
	(Hoffman et al. 1999). Erosion is moderate (46.2%), very low (32%)					
	and low (20%). Prosopis glandulosa, regarded as one of the 12					
	agriculturally most important invasive alien plants in South Africa,					
	is widely distributed in this vegetation type (Hoffman et al. 1999).					
	Prosopis occurs in generally isolated patches, with densities ranging					
	from very scattered to medium (associated with the lower Vaal					
	River drainage system and the confluence with the Orange River)					
	to localised closed woodland on the western border of the unit					
	with Bushmanland Basin Shrubland.					
	Shrubland dominated by dwarf karoo shrubs, grasses and Acacia					
	mellifera subsp. detinens and some other low trees (especially on	Steep slopes of koppies, butts, mesas and parts of the Great				
VEGETATION AND LANDSCAPE	sandy soils in the northern parts and vicinity of the Orange River).	Escarpment covered with large boulders and stones supporting				
FEATURES	Flat to gently sloping, with isolated hills of Upper Karoo Hardeveld	sparse dwarf Karoo scrub with drought-tolerant grasses of genera				
1 2 11 5 11 2	in the south and Vaalbos Rocky Shrubland in the northeast and	such as <i>Aristida, Eragrostis</i> and <i>Stipagrostis</i> .				
	with many interspersed pans.	Sacri da / iristiad) Li agrostis and stipagrostis.				
DETAILS O	DETAILS OF THE SOYUZ 1 SOLAR PV PARK IN TERMS OF THE 2018 NATIONAL BIODIVERSITY ASSESSMENT- REMAINING					
DETAILS C	DETAILS OF THE SOYUZ I SULAR PV PARK IN TERMS OF THE 2018 NATIONAL BIODIVERSITY ASSESSMENT- REMAINING EXTENT OF MAPPED VEGETATION TYPE					
		pes. The Soyuz 1 Solar PV Park is within the Northern Upper Karoo				
	(vast majority of the site) which is considered Least Concerned (LC) and Not Protected (NP) , whereas the Upper Karoo Hardeveld					
		Poorly Protected (PP). A very small extent of the Soyuz 1 Solar PV				
Park has been transformed and most of the Soyuz 1 Solar PV Park is representative of original vegetation types.						
NBA (2018): ECOSYSTEM The NBA is the primary tool for monitoring and reporting on the state of biodiversity in South Africa. Two headline indicators that are						
PROTECTION LEVEL AND applied to both ecosystems and species are used in the NBA: threat status and protection level. Ecosystem threat status tells us about						
ECOSYSTEM THREAT STATUS	the degree to which ecosystems are still intact or alternatively losing vital aspects of their structure, function, and composition, on					
		nds. Ecosystem types are categorised as Critically Endangered (CR),				
		of each ecosystem type that remains in good ecological condition				
		whether ecosystems are adequately protected or under-protected.				
	Ecosystem types are categorised as not protected, poorly protected, moderately protected or well protected, based on the proportion					
	of each ecosystem type that occurs within a protected area recognised in the NEMPAA.					
	The state of the s					



NATIONAL THREATENED ECOSYSTEMS ASSOCIATED WITH THE SOYUZ 1 SOLAR PV PARK (2011 AND PROPOSED 2021)					
NATIONAL RED LISTED ECOSYSTEMS (2022)	According to the 2022 RLE, the Soyuz 1 Solar PV Park is within LC ecosystems, namely the Northern Upper Karoo and the Upper Karoo Hardeveld, which are endemic ecosystems. The purpose of the list of threatened terrestrial ecosystems is an important input into spatial planning and decision making in South Africa. The list and the spatial data underpinning it is referred to in national regulations relating to EIA; specifically – CR and EN ecosystem types trigger additional steps and processes during EA processes. The data will also become part of the Environmental Screening Tool developed by the DFFE which all prospective developers are required to complete prior to the EA process. The remnants of the threatened types are input features in systematic biodiversity plans and are mostly absorbed as part of the CBA network.				
CONSERVATION DETAILS PERTAINING TO THE AREA OF INTEREST (VARIOUS NATIONAL WEB BASED ENVIRONMENTAL SCREENING TOOL (accessed 2022) DATABASES)					
IMPORTANT BIRD AND BIODIVERSITY AREAS (IBA) (2015)	The Soyuz 1 Solar PV Park is not located within 10 km of an IBA (IBA, 2015).	The screening tool is intended to allow for pre-screening of sensitivities in the landscape to be assessed within the EA process. This assists with implementing the mitigation hierarchy by allowing developers to adjust their proposed development footprint to avoid sensitive areas			
	The various datasets associated with nationally protected areas (i.e., SAPAD, and NPAES) do not indicate any protected areas or focus areas within 10 km of the Soyuz 1 Solar PV Park. The various national conservation areas checked for the Soyuz 1 Solar PV Park (i.e., SACAD, SWSA) did not indicate the Soyuz 1 Solar PV Park to be within 10 km of any conservation areas. For the SWSA, only the surface water was checked for the terrestrial biodiversity assessment. Refer to the Freshwater report (SAS 22- 1182) for details on underground SWSA.	Animal Species Theme ⁴	The Animal Species Theme for the Soyuz 1 Solar PV Park was identified to be of medium sensitivity . Trigger species as indicated by the screening tool; - Medium : Aves- <i>Neotis ludwigii</i> (Ludwig's Bustard: EN)		
SAPAD (2022, Q3); SACAD (2022, Q3); NPAES (2018); AND SWSA (2017)		Terrestrial Biodiversity Theme	For the Terrestrial Biodiversity Theme, the Soyuz 1 Solar PV Park has an overall low sensitivity.		
		Plant Species Theme	The Plant Species Theme for the Soyuz 1 Solar PV Park was identified to be of medium and low sensitivity , with the vast majority of the Soyuz 1 Solar PV Park identified as medium sensitivity and a small eastern portion identified as low sensitivity areas for the plant species theme.		
	NORTHERN CAPE PROVINCIAL SPATIAL DEVEL	OPMENT FRAMEWORK (NCP.	Trigger species as indicated by the screening tool; - Medium: Tridentea virescens (Rare; R) SDF, 2019)		

The NCPSDF is to function as an innovative strategy that will apply sustainability principles to all forms of land use management throughout the northern cape as well as to facilitate practical results, as it relates to the eradication of poverty and inequality and the protection of the integrity of the environment.



The Soyuz 1 Solar PV Park is not located within any development corridors.

RENEWABLE ENERGY DEVELOPMENT ZONES AND CORRIDORS

The proposed Soyuz 1 Solar PV Park within the Britstown Solar Cluster is not present within any Renewable Energy Development Zone (REDZ). Furthermore, according to the South African Renewable Energy EIA Application Database (REEA, 2021) there are eighteen applications for renewable energy facilities (wind and solar) within a 50 km radius of the Soyuz 1 Solar PV Park, of which eleven have been approved, one has lapsed or have been withdrawn and seven are still in the process. This indicates that the larger region has been earmarked for renewable energy facilities, which may alter the landscape character.

STRATEGIC TRANSMISSION CORRIDORS

The five strategic transmission corridors were assessed as part of the 2016 Electricity Grid Infrastructure (EGI) Strategic Environmental Assessment (SEA). These corridors were Gazetted for implementation on 16 February 2018 in government Gazette 41445, GN 113. The gazette documented notice given by the minister of environmental affairs of alternative procedures to be followed when applying for environmental authorisation for large scale electricity transmission and distribution development activities, identified in terms of section 24(2)(a) of the NEMA in the identified strategic transmission corridors (i.e. Areas declared as geographical areas of strategic importance).

The proposed Soyuz 1 Solar PV Park within the Britstown Solar Cluster is located within the Central Corridor of the Strategic Transmission Corridors.

NORTHERN CAPE CRITICAL BIODIVERSITY AREAS (2016)				
Ecological Support Area (ESA)	A small section within the centre of the Soyuz 1 Solar PV Park, intersecting the access road is located within an ESA. ESAs are areas which must retain their ecological processes to meet biodiversity targets for ecological processes that have not been met in CBAs or protected areas. Similarly, ESAs are required to meet biodiversity targets for representation of ecosystem types or species of special concern when it is not possible to meet them in CBAs. These areas support ecological functioning of protected areas or CBAs or a combination of these (SANBI, 2017).			
Other Natural Areas (ONA)	Most of the Soyuz 1 Solar PV Park is extent, excluding the ESA, is comprised of areas classified as ONAs. According to the Technical Guidelines for CBA Maps document, ONA consist of all those areas in good or fair ecological condition that fall outside the protected area network and have not been identified as CBAs or ESAs (SANBI, 2017).			

Areas Database; SAPAD = South African Protected Areas Database; IBA = Important Bird Area; MAP – Mean annual precipitation; MAT – Mean annual temperature; MAPE – Mean annual potential evaporation; MFD = Mean Frost Days; MASMS – Mean annual soil moisture stress (% of days when evaporative demand was more than double the soil moisture supply).



11.3 FAUNAL ASSESSMENT

11.3.1 Assessment Approach

The field assessment was undertaken during summer (16th January – 20th of January 2023), to determine the faunal ecological status of the Soyuz 1 Solar PV Park. A reconnaissance 'walkabout' was initially undertaken to determine the general habitat types found throughout the sites where the Soyuz 1 Solar PV Park will occur. Following this, specific study sites were selected that were representative of the habitats found within the sites, with special emphasis being placed on areas that may potentially support faunal SCC. Sites were investigated on foot to identify the occurrence of fauna within the sites. Sherman and camera traps were used to increase the likelihood of capturing and observing mammal species, notably nocturnal and reclusive mammals.

To accurately determine the PES of the habitat and associated faunal assemblages within the sites and capture comprehensive data with respect to faunal taxa, the following methodology was applied:

- Maps and digital satellite images were consulted prior to the field assessment to determine broad habitats, vegetation types and potentially sensitive sites. An initial visual on-site assessment of the sites was made in order to confirm the assumptions made during consultation of the digital satellite imagery;
- A literature review with respect to habitats, vegetation types and species distribution was conducted;
- Relevant databases considered during the assessment of the proposed Soyuz 1 Solar PV Park
 activities included online atlases on the Animal Demography Unit (ADU) Virtual Museum
 website; the Important Bird and Biodiversity Areas (IBA, 2015); International Union for
 Conservation of Nature (IUCN); iNaturalist website; South African National Biodiversity
 Institute (SANBI) Red List of South African Species; the Northern Cape Biodiversity Areas
 Database (2016), the DFFE Screening Tool and the National Biodiversity Assessment (NBA,
 2018).
- Sensitivity mapping All the ecological features associated with the sites were considered, and sensitive areas were assessed. In addition, identified locations of protected species were marked by means of Global Positioning System (GPS). A Geographic Information System (GIS) was used to project these features onto satellite imagery and/or topographic maps. The sensitivity map should guide the final design and layout of the Soyuz 1 Solar PV Park..
- Faunal Species of Conservation Concern During field assessments, it is not always feasible to identify or observe all species within an area, largely due to the secretive nature of many faunal species, possible low population numbers or varying habits of species. As such, and to specifically assess an area for faunal SCC, a Probability of Occurrence (POC) estimation is used, considering several factors to determine the probability of faunal SCC occurrence within the sites. Species listed in Appendix B of Appendix B and those which were listed in the screening tool whose known distribution ranges and habitat preferences include the proposed infrastructure development sites were taken into consideration. Faunal species likely to occur within the Soyuz 1 Solar PV Park are indicated and briefly discussed within each of the relevant dashboards, along with their POC.



11.3.2 Faunal Habitat

During the site assessment, two habitat units were identified within the Soyuz 1 Solar PV Park footprint area, namely plains and freshwater ecosystems:

- **Plains Habitat:** This habitat is considered largely natural and representative of the reference vegetation type. The plains habitat can further be split into three sub-units, namely:
 - Upper Karoo veld;
 - Modified Karoo veld; and ➤ Upper Karoo footslope.

Although these three sub-units differed in vegetative structure and plant species composition, there were still some shared plants species between them. These habitat units provided suitable habitat for a diversity of faunal species common to the region. Further, the alternating vegetation structure, albeit absent of large woody species, does provide increase habitat opportunities for various species. These three sub-units were predominantly favoured by species that select for more open areas, as well as smaller species which rely on the dense woody shrubs for refuge. This habitat is relatively open and unrestricted, with habitat connectivity being unimpeded, allowing for fauna to move through, and in and out the Soyuz 1 Solar PV Park without restriction.

• Freshwater Ecosystem Habitat: The Freshwater Ecosystem Habitat comprised of Episodic Drainage Lines, located at the southern, eastern and western boundaries of the Soyuz 1 Solar PV Park. It is also noted that the access road also crosses two of these drainage lines. These drainage lines are typically channelled features which did not have riparian vegetation. During the assessment it was evident that these drainage lines had small catchments and contained water for a very limited period of time. As the drainage lines were not notably different in terms vegetation structure, they provided similar degrees of habitat for fauna to that of the surrounding areas. The drainage line may however serve as movement corridors for more secretive and recluse species which wish to avoid detection. Food resources within this habitat were on par with that of the plains habitat, whilst the limited hydroperiod of the drainage lines does not provide increased opportunities for water dependant species, notably amphibians.

The habitats identified are depicted on Figure 40 and Figure 41.




Figure 40: Habitat units associated with the Soyuz 1 Solar PV Park




Figure 41: Habitat units associated with the Soyuz 1 Solar PV Park



11.3.3 Mammal Observations

Table 17: Field assessment results pertaining to mammal species within the Soyuz 1 Solar PV Park.

MAMMALS REFERENCE PHOTOGRAPHS





Photographs - Top: (Left to right) Orycteropus afer (Aardvark) foraging for termites and Hystrix africaeaustralis (Porcupine) quills.







Bottom: (Left to right) Pedetes capensis (Southern Springhare), Geosciurus inauris (Cape Ground Squirrel) and Caracal caracal (Caracal, LC) feeding on a

Antidorcas marsupialis

(Springbuck, LC) carcass found in the veld.



DISCUSSION

The majority of the Soyuz 1 Solar PV Park comprises of large open space areas, with little anthropogenic structures or activities that may hinder species movement. Mammal species are free to move both within and out of the Soyuz 1 Solar PV Park at the current time, maintaining continued ecological connectivity. Although there are several fences present, the mammal species in the region appear to be well adept at moving past these boundaries, either by jumping over, climbing under or in some instances where possible, through the fence itself. As this is an arid region, continuous large scale habitat connectivity is important as food and water resources are limited, requiring mammals, notably larger mammals, to cover greater distances to meet their individual energy demands and hydration needs. The habitat within the Soyuz 1 Solar Park is not considered unique to the region nor are there niche areas which would support isolated or endemic populations. Mammal species observed during the site assessment, as well as those contained in the relevant databases, are considered common and widespread throughout the region.

MAMMAL SCC				
Species	Habitat and Resources in the project boundary	RSA Status	POC	
Vulpes chama (Cape Fox)	This species is extremely secretive with a nocturnal or crepuscular lifestyle. Inhabits drier parts of the country. Preys upon small mammals, insects, birds, reptiles, fruits and carrion. This species will forage through the Soyuz 1 Solar PV Park as well as the surrounding areas. The Soyuz 1 Solar PV Park will lead to loss of habitat and foraging grounds, but not to such an extent that it will pose a threat to this species or conservations thereof.	P TOPS	Low	
Hyaena brunnea (Brown Hyaena)	This species is extremely secretive with a nocturnal or crepuscular lifestyle. Inhabits drier parts of the country. Preys upon rodents but will also feed upon small reptiles. This species will forage across a large area, with the Soyuz 1 Solar PV Park likely only forming a small part of this species overall home range. The Soyuz 1 Solar PV Park will lead to loss of habitat and foraging grounds, but not to such an extent that it will pose a threat to this species or conservations thereof.	P TOPS	Medium	
<i>Orycteropus afer</i> (Aardvark)	This species is extremely secretive with a nocturnal or crepuscular lifestyle. Inhabits the savanna, grasslands and woodlands parts of the country. Preys upon ants and termites. This species is known to forage over large distances, notably in the arid regions. The Soyuz 1 Solar Park will lead to loss of foraging ground for this species, however at present there is suitable and sufficient habitat remaining in the surrounding area for this species.	P TOPS	Confirmed	
	CONCUIDING PEMARKS			

The Soyuz 1 Solar PV Park is located within a largely functional and ecologically intact landscape that is able to support mammal species akin to the region. The Soyuz 1 Solar PV Park is located in an area that is primarily used for livestock farming and it is highly likely that predatory animals will be hunted by farmers as these animals will potentially utilise livestock as a food source.

The Soyuz 1 Solar PV Park did not provide any unique or niche habitat for mammal species, and as such, the risk to specialist mammal species is low. Habitat loss is considered to be the main impact that will occur, along with the inevitable displacement of mammal species from these footprint areas. For a full list of observed mammal species of the Soyuz 1 Solar PV Park, refer to Appendix C of the Terrestrial Biodiversity Impact Assessment Report.

The Screening Tool indicated a medium sensitivity for the Animal Species Theme for the Soyuz 1 Solar PV Park. Following the assessment of the site, it is the opinion of the specialist that the sensitivity rating is correct and aligns with the field results.



11.3.4 Herpetofauna (Reptiles and Amphibians) Observations

Table 18: Field assessment results pertaining to herpetofauna within the Soyuz 1 Solar PV Park.

Photographs: (Left to right) Agama aculeata aculeata (Common Ground Agama), and Stigmochelys pardalis (Leopard Tortoise).

DISCUSSION

Reptiles are inherently well adapted to surviving within arid regions, largely as they are not reliant of permanent water sources, but also as they can regulate their metabolic rates, syncing with seasonal changes as well as food availability. This allows them to survive in areas where regular food resources are not always readily available and often highly seasonal. The Soyuz 1 Solar PV Park lacks suitable habitat for rupicolous species (those which select for rocky areas and outcrops), however the deep sandy soils provide suitable burrowing substrate in which to easily excavate burrows. Woody species and dead wood on the ground will further provide shelter and areas of refuge for reptiles, notably small skinks and lizards. Reptile species within the Soyuz 1 Solar PV Park are not limited in terms of habitat connectivity, however smaller skinks and lizards are more restricted in terms of home ranges and are less likely to expend energy reserves moving over large distances. As such, these smaller reptiles were notably more common within the Soyuz 1 Solar PV Park.

The episodic drainage lines are highly ephemeral in nature. This is a result of the region's dry climate, coupled with high rates of rainfall infiltration due to the dominance of sandy soils in the region, resulting in the drainage lines remaining dry for extended periods of time. Other than the episodic drainage lines, no further freshwater systems (permanent or temporary), occur within the Soyuz 1 Solar PV Park. As such, suitable habitat for water dependant amphibians are absent from the site, which significantly limits amphibian species, as very few can survive in such dry conditions. *Poyntonophrynus vertebralis* (Pygmy Toad) and *Cacosternum boettgeri* (Boettger's Dainty Frog) do show increased tolerance to dry conditions and have been recorded further south of the Soyuz 1 Solar PV Park. These species were however observed in close association with artificial water bodies, none of which occur in the Soyuz 1 Solar PV Park.



HERPETOFAUNA SCC			
Species	Habitat and Resources in the project boundary	RSA status	POC
Python natalensis (African Rock Python)	Python natalensis (African Rock pythons) often utilize burrows dug by Orycteropus afer (Aardvark) and other burrowing mammals to lay eggs, escape to when disturbed or when the outside temperatures increase. These snakes are ambush predators that kill by constriction. They wait silently for a suitable prey item to move into striking range. Pythons will feed on a variety of small and medium sized mammals, depending on the size of the snake. Smaller snakes may also prey upon lizards and frogs.	TOPS	Mediu m

CONCLUDING REMARKS

Reptiles, notably skinks and lizards, were abundant within the Soyuz 1 Solar PV Park, whilst predatory snakes which are known to occupy the immediate area but were not observed during the site assessment. Amphibian species are not expected to occur within the Soyuz 1 Solar PV Park, largely due to the lack of suitable moisture-driven habitat. Overall, the Soyuz 1 Solar PV Park can be considered largely homogenous in terms of habitat provisioning for herpetofauna, lacking any unique or niche habitats that may support increased species diversity or unique species assemblages, such as wetland systems or rupicolous habitat. As such, the herpetofauna species composition of the Soyuz 1 Solar PV Park does not differ from the surrounding areas nor does it provide increased opportunities for SCC occurrence. Habitat loss is the main impact that will occur, along with the inevitable displacement of species from the footprint area. For a full list of observed herpetofauna species observed please refer to Appendix C of the Terrestrial Biodiversity Impact Assessment Report. The Screening Tool indicated a medium sensitivity for the Animal Species Theme for the Soyuz 1 Solar PV Park. Following the assessment of the site, it is the opinion of the specialist that the sensitivity rating is correct and aligns with the field results.

11.3.5 Invertebrates (Insects and Arachnids) Observations

Table 19: Field assessment results pertaining to invertebrates within the Soyuz 1 Solar PV Park

INVERTEBRATE REFERENCE PHOTOGRAPHS INVERTEBRATE REFERENCE PHOTOGRAPHS

Photographs - (Left to right) Junonia hierta (Yellow Pansy), Trinervitermes trinervoides (Snouted Harvester Termite), Stegodyphus mimosarum (Community Nest Spider) and Belenois aurota (Brown-veined White).



DISCUSSION

Suitable habitat for insects and arachnids that are adapted to the arid nature of the region are present within the Soyuz 1 Solar PV Park, however, the relatively homogenous structure and absence of niche habitat such as natural ridges, rocky outcrops and wetlands does limit the occurrence of specialist invertebrate species. Many of the species observed belong to the Order Lepidoptera (Butterflies and Moths), with these species often being transitory/migratory species, moving over large expanses of land. Some species of butterflies are known to move in masse through areas, following the early summer rains and accompanied floral blooms, on which they rely for food resources, obtaining energy requirements from the nectar in flowers. Many other insects follow similar life cycles, coinciding with peak rainfall events to ensure that there has been sufficient plant growth to sustain them. This emergence of insects also provides an important increase in food resources for a diversity of insectivorous species from other faunal classes. In addition to serving as important food resources, insects provide other important ecological functions, notably removal of waste material (carrion and dung), often cycling the material back into the earth which increases soil fertility. Conversely, a decreased abundance of insect species will have a notable knock-on effect on other species, due to the diminishing of available food resources.

Although several arachnid species were observed at the time of assessment, it is likely that the abundance thereof will be higher, given the secretive and often nocturnal nature of such species. As expected, spiders appeared to be the most abundant arachnids in the Soyuz 1 Solar PV Park, with numerous *Stegodyphus mimosarum* (Community Nest Spider) being observed. The recent good rainfall resulted in a notable increase in plant growth, insect population species and comparatively, an increase in arachnid numbers. This increase in available food resources was likely a contributing factor for the increased observation rate of arachnid species during the site assessment.

INVERTEBRATE SCC				
Species	RSA Status	POC		
Opistophthalmus sp (Burrowing Scorpion)			Mediu m	

CONCLUDING REMARKS

The Soyuz 1 Solar PV Park was largely homogenous in terms of habitat provisioning for invertebrate species, lacking notably unique or niche habitat for invertebrate species. Habitat loss and the resultant loss of ecological connectivity are the main impacts that will occur, along with the inevitable displacement of species from the footprint areas. For a full list of observed invertebrate species of the Soyuz 1 Solar PV Park, refer to Appendix C of the Terrestrial Biodiversity Impact Assessment Report. The Screening Tool indicated a medium sensitivity for the Animal Species Theme for the Soyuz 1 Solar PV Park. Based on the site assessment, it is the opinion of the specialist that the sensitivity rating is correct and aligns with the field results.




11.3.6 SENSITIVITY MAPPING

Figure 42 and Figure 43 conceptually illustrates the faunal ecological sensitivity for the various areas. The areas are depicted according to their sensitivity in terms of the presence or potential for faunal SCC, habitat integrity, levels of disturbance and overall levels of diversity. Table 20 presents the sensitivity of each habitat along with an associated conservation objective and implications for the proposed activities.

Table 20: A summary of the sensitivity of each habitat unit and the implications for the proposed Soyuz 1 Solar PV Park.

Habitat Unit	Habitat Sensitivity Graph	Sensitivity	Key Habitat Characteristics
Plains Habitat	Habitat Availability Faunal Diversity Food Integrity Availability	INTERMEDIATE Conservation Objective Preserve and enhance biodiversity of the habitat unit and surrounds while optimising development potential	 Habitat remains largely intact with minimal disturbances to faunal habitat. Ecological connectivity has not been impacted upon and faunal species are able to readily move through and in and out of the Soyuz 1 Solar PV Park. Habitat comprises natural vegetation, providing food resources and shelter to faunal species common to the region. One mammal SCC observed on site. Several other SCC have medium POCs for the Soyuz 1 Solar PV Park.





MODERATELY HIGH

Conservation
Objective
Preserve and enhance
the biodiversity of the
habitat unit, limit
development and

disturbance.

- The Freshwater Ecosystem Habitat functions as an important ecological system and an important movement corridor for fauna;
- Habitat remains largely intact with minimal disturbances to faunal habitat.
- Ecological connectivity has not been impacted upon and faunal species are able to readily move through and in and out of the Soyuz 1 Solar PV Park.
- Habitat comprises natural vegetation, providing food resources and shelter to faunal species common to the region.
- One mammal SCC observed on site.
- Several other SCC have medium POCs for the Soyuz 1 Solar PV Park.




Figure 42: Habitat sensitivities associated with the Soyuz 1 Solar PV Park






Figure 43: Habitat sensitivities associated with the Soyuz 1 Solar PV Park



11.3.7 International Finance Corporation (IFC) Performance Standard 6 Habitat Description

This section serves to address the application of Performance Standard 6 (Biodiversity Conservation and Sustainable Management of Living Natural Resources) of the International Finance Corporation (IFC) and to categorise the observed habitats and faunal component as described in Section 3 above into the relevant IFC defined habitat categories. **Table 21** lists the various habitat units as identified with reference to the IFC habitat categories.

Table 21: Habitat Units and Faunal Classes as they relate to the IFC Habitat Categories and considerations

Habitat Units As per Biodiversity Reports	Applicable IFC Habitat and applicable Criteria (General Notices)	IFC Habitat Unit Discussion
		Natural Habitat
		These units are in a natural condition with minimal disturbances through landscape altering activities. Although grazed, the overall level of habitat provision as well as species diversity still qualifies this habitat unit as a natural habitat in terms of the IFC descriptions where habitat of suitable structure will be favoured by four SCC. Whilst some areas have been subjected to higher levels of impact than others, on a landscape level the overall ecological functioning has not been impaired to an extent that would classify this habitat as modified.



Habitat Units As per Biodiversity Reports	Applicable IFC Habitat and applicable Criteria (General Notices)	IFC Habitat Unit Discussion
Freshwater Ecosystems Habitat, Upper Karoo Habitat, Upper Karo o footslope Habitat,	Natural Habitat Natural habitats consist of 99.98% of the proposed project footprint area. Natural habitats are areas composed of viable assemblages of plant and/or animal species of largely native origin, and/or where human activity has not essentially modified an area's primary ecological functions and species composition. Additional Considerations: One mammal SCC was confirmed and several other faunal SCC have a medium POC within these habitats, however, the Soyuz 1 Solar PV Park is not anticipated to be an important foraging or breeding location for these species.	 Additional Considerations: These units may provide habitat for SCC, however, these species have wide ranges and although they may forage and breed here this area is not considered critical habitat for breeding or foraging and as such do not meet the requirements for this habitat unit to be considered Critical Habitat as per the IFC definitions; Consideration needs to be given to GN37 as it indicates that in some instances "significant biodiversity values may cause natural or critical habitat requirements to be applied, in which case they should be treated using the guidelines for those habitat designations". With this in mind grazed portions of the Freshwater Ecosystems Habitat, Upper Karoo Habitat and Upper Karoo footslope Habitat can be considered as Natural Habitat as per the IFC standards; GN51 Long-term biodiversity monitoring may be required to validate the accuracy of predicted impacts and risks to biodiversity values, especially for the large scale loss of natural habitat; GN52. Specific thresholds should be set for monitoring results that will trigger a need to adapt the management plan(s) to address any deficiencies in performance. The results of the monitoring program should be reviewed regularly; GN56. To facilitate decision-making, numerical thresholds have been defined for the first four critical habitat criteria (i.e., CR/EN species; endemic/ restricted-range species; migratory/ congregatory species; threatened and unique ecosystems). The thresholds presented in this Guidance Note were obtained from globally standardized numerical thresholds published in the IUCN's A Global Standard for the Identification of Key Biodiversity Areas and Red List Categories and Criteria. The thresholds are indicative and serve as a guideline for decision-making only; GN57. For Criterion 5, there are no numerical thresholds. Best available scientific information and expert opinion should be used to guide decision-making with respect to the relative "criti

11.3.8 POTENTIAL FAUNAL IMPACTS

The following potential faunal impacts have been identified by the specialist:

Loss of faunal habitat and potential species diversity: The most significant impact to faunal species in the proposed Soyuz 1 Solar PV Park and access road will result from the clearance of vegetation within the solar farm footprint area during the construction phase. As a result of the loss of habitat, faunal species abundances and diversity will also be impacted upon, as the footprint area will no longer be able to support faunal species. As a



result of the habitat loss and the construction of the proposed Soyuz 1 Solar PV Park and boundary fences, habitat connectivity and the movement of fauna through the Soyuz 1 Solar PV Park will also be impacted upon. The loss of habitat and connectivity may have a negative impact on faunal species in the region and consequently a potential decrease in species carrying capacity. Decreased habitat connectivity may further impact on breeding populations, limiting gene flow (breeding) opportunities for faunal species inhabiting the natural areas around the solar farm footprint. Unlike the solar farm footprint, the proposed access road will have a notably lower impact in terms of habitat loss with limited impact on habitat connectivity as the access road will make use of an existing route.

- Loss of faunal Species of Conservation Concern: Only one SCC was confirmed for the proposed Soyuz 1 Solar PV Park and access road, namely *Orycteropus afer* (Aardvark). Several other faunal SCC POCs ranging from low to medium for the proposed Soyuz 1 Solar PV Park and access road. With most of these SCC likely to be associated with the solar farm footprint area. Vegetation clearance activities and earth works will place many SCC at risk, not only from a loss of habitat but also potential mortalities. This is of increased importance when considering invertebrate SCC, as many of these species are slow moving and live in burrows and under rocks. As such, these species are unlikely to be able to escape ahead of ground clearing activities. As such, it is essential that these species be actively searched for ahead of earth works. Where this is not feasible, as species are observed when vegetation clearance takes place, they are to be appropriately rescued and relocated. Provided that mitigation measures are implemented, the overall impact to faunal SCC because of the construction and operation activities is unlikely to significantly impact SCC populations in the region.
- **Probable Residual Impacts:** Even with extensive mitigation, residual impacts on the receiving faunal ecological environment may persist. The following points highlight the key residual impacts that have been identified:
 - Continued, long-term decline of faunal species diversity;
 - Long-term loss of faunal SCC abundance in the local area;
 - Further habitat fragmentation and AIP proliferation; and
 - Disturbed areas are highly unlikely to be rehabilitated to baseline levels of ecological functioning and as such loss of faunal habitat, species diversity and faunal SCC will most likely be long term (life of operation).

11.3.9 CONCLUSION OF THE FAUNA SPECIALIST

Impacts stemming from the construction of the proposed Soyuz 1 Solar PV Park and access road will likely result in high to medium impacts to faunal species. Through the implementation of mitigation measures as stipulated in Section 24, along with sound environmental management, impacts can be reduced

Although the proposed development will likely impact on faunal species because of habitat loss, the habitats within the proposed Soyuz 1 Solar PV Park and access road is not deemed to be of increased sensitivity for fauna, nor does it contain niche / unique habitat types or features that support range restricted SCC. Although several SCC are likely to occur within (permanently or temporarily) the



proposed Soyuz 1 Solar PV Park and access road, they are equally likely to be found in the same abundance in the surrounding natural areas. From a faunal ecological perspective, provided that all mitigation measures are implemented and that sound environmental management takes place, the proposed Soyuz 1 Solar PV Park and access road are not expected to pose a significant threat to faunal populations in the region. As such, it is the opinion of the specialists that there is no foreseeable reason why this development should not be authorised.

11.4 FLORA ASSESSMENT

11.4.1 Assessment Approach

The purpose of the flora assessment and outcomes are as follows:

- To determine and describe habitat types, communities and the ecological state of the sites associated with the Soyuz 1 Solar PV Park and to rank each habitat type based on conservation importance and ecological sensitivity;
- To provide inventories of floral species as encountered within the Soyuz 1 Solar PV Park;
- To identify and consider all sensitive landscapes such as indigenous forests, rocky ridges, wetlands and/ or any other special features such as Critical Biodiversity Areas (CBAs) and Ecological Support Areas (ESAs);
- To conduct a Red Data Listed (RDL) floral species assessment as well as an assessment of other SCCs, including the potential for such species to occur within the Soyuz 1 Solar PV Park;
- To provide detailed information to guide the activities associated with the proposed development within the Soyuz 1 Solar PV Park; and
- To ensure the ongoing functioning of the ecosystem in such a way as to support local and regional conservation requirements, to allow regional and national biodiversity targets to be met, and the provision of ecological services in the local area is sustained.

An on-site visual investigation of the assessment areas was conducted during summer to confirm and ground-truth the assumptions made during the consultation of the background maps

The vegetation surveys are based on the subjective sampling method, which is a technique where the specialist chooses specific sample sites within the area of interest based on their professional experience in the area and background research done prior to the site visit. This allows representative recordings of floral communities and optimal detection of SCC.

The steps followed during the preparation for and the conduction of the field assessments were as follows:

To guide the selection of appropriate sample sites, background data and digital satellite
images were consulted before going to site, during which broad habitats, vegetation types
and potentially sensitive sites were identified. The results of these analyses were then used
to focus the fieldwork on specific areas of concern and to identify areas where targeted
investigations were required (e.g., for SCC detection and within the direct footprint of the



proposed mining project);

- All relevant resources and datasets as presented by the SANBI's Biodiversity Geographic Information Systems (BGIS) website (http://bgis.sanbi.org) and the Environmental Geographical Information Systems (E-GIS) website (https://egis.environment.gov.za/), including the Northern Cape CBA Map (2016) and the Screening Tool, were consulted to gain background information on the physical habitat and potential floral diversity associated with the assessment areas:
- Based on the broad habitat units delineated before going to site and the pre-identified
 points of interest, which is updated based on on-site observations and access constraints,
 the selected sample areas were surveyed on foot, following subjective transects, to identify
 the occurrence of the dominant plant species and habitat diversities, but also to detect SCC
 which tend to be sparsely distributed. The SCC assessment included the below aspects:
 - Threatened species. In terms of Section 56(1) of the National Environmental Management: Biodiversity Act, 2004 (Act No. 10 of 2004) (NEMBA), threatened species are Red Data Listed (RDL) species falling into the following categories of ecological status: Critically Endangered (CR), Endangered (EN), Vulnerable (VU) or Protected in terms of the NEMBA Threatened or Protected Species (TOPS) Regulations (Government Gazette 47984 (GN 3012) dated 3 February 2023)). Removal, translocation and/or destruction of these species require authorisation from the Department of Forestry, Fisheries, and the Environment (DFFE); and
 - ➤ Protected Species. Species that do not necessarily fall in the above categories of ecological status, but that are deemed important from a provincial biodiversity perspective, e.g., Specially Protected Species (Schedule 1) (Section 49(1)) and Protected Species (Schedule 2) (Section 50(1)) of the Northern Cape Nature Conservation Act, 2009 (Act No. 9 of 2009) (NCNCA). Activities are restricted for these species and may not occur without permits from the relevant provincial authorities. The List of Protected Tree Species (GN No. 536) as published in the Government Gazette 41887 dated 7 September 2018 as it relates to the National Forest Act, 1998 (Act No. 10 of 1998) (NFA) was also considered for the SCC assessment; and
- Photographs were taken of each vegetation community that is representative of typical vegetation structure of that community, as well as photographs of all detected SCC (except for sensitive species as identified by the DFFE's Screening Tool).

11.4.2 Broad-scale Vegetation Characteristics

he Soyuz 1 Solar PV Park occurs within the Northern Upper Karroo vegetation type and the majority of the proposed access road in the Northern Upper Karroo vegetation type as well. A small portion of the access road, however, is located within the Upper Karroo Hardeveld vegetation type. This was based on spatial data from the 2018 Final Vegetation Map of South Africa, Lesotho and Swaziland, in which these vegetation types are currently considered to be of Least Concern (LC) in terms of threat status. In terms of their protection level (as per the 2018 National Biodiversity Assessment), the



Northern Upper Karroo vegetation type is currently not protected (NP), whereas the Upper Karroo Hardeveld vegetation type is currently poorly protected (PP). These vegetation types were used as the reference states against which the ground-truthed vegetation communities were compared (descriptions as per Mucina and Rutherford, 2006)..

11.4.3 Ground-truthed Vegetation Characteristics

Based on the results of the field investigations undertaken in January 2023, two habitat units were identified. The one habitat unit was divided into three subunits, namely:

- Plains vegetation: Three subunits were distinguished:
 - ➤ Upper Karoo footslopes (0.16 ha): The footslope vegetation was only present in a small portion of the Soyuz 1 Solar PV Park access road.
 - Open Karoo veld (638.23 ha): This subunit was found throughout the Soyuz 1 Solar PV Park footprint area.
 - Modified Karoo veld (0.13 ha): Existing dirt roads also fall under this subunit.
- Freshwater ecosystems, which comprise of episodic drainage lines3, were identified on the
 western and eastern boundary of the Soyuz 1 Solar PV Park footprint area and several of
 these systems are traversed by the proposed access road. Further discussions on this
 freshwater ecosystem can be reviewed in the freshwater EIA report (SAS 22-1182).

Figure 44 and **Figure 45** depict the full extent of the habitat units associated with the Soyuz 1 Solar PV Park.






Figure 44: Conceptual illustration of the habitat units associated with the Soyuz 1 Solar PV Park and access road






Figure 45: Conceptual illustration of the habitat units associated with the Soyuz 1 Solar PV Park access road.



11.4.4 Plains Habitat Unit

Table 22: Field assessment results pertaining to the Plains Habitat Unit within the Soyuz 1 Solar PV Park **OPEN KAROO VELD**

UPPER KAROO FOOTSPLOPES Upper Karoo footslopes: The footslope vegetation was only present in a small portion of the Soyuz 1 Solar PV Park access road. This habitat unit has a steeper topography than the surrounding plains and is rockier with various amounts of scattered

outcrops. Short dwarf shrubs and succulents dominated this habitat unit, from the Euphorbiaceae family. All species under the Euphorbiaceae family are protected under the NCNCA.

The Upper Karoo Footslope habitat still represents

the reference vegetation type (i.e., Upper Karroo Hardeveld vegetation type). Mucina and Rutherford (2006) describes the Northern Upper Karroo as Shrubland dominated by dwarf karoo shrubs, grasses and Senegalia (previously known as Acacia) mellifera subsp. detinens and some other low trees. This habitat was dominated by dwarf shrubs, but no trees were noted within the habitat unit.

The habitat unit is dense to open shrubland. The Upper Karoo Footslope habitat was in a good ecological condition (i.e., areas that are natural or near natural and are associated with an ecological condition class in which composition, structure and function are still intact or largely intact).

This subunit was found throughout the Soyuz 1 Solar PV Park footprint area (best represented within the footprint area). The vegetation consisted of both good vegetation cover and species diversity with a good mix of woody dwarf shrubs and grasses. Dominant grass species include *Eragrostis* lehmanniana, E. obtusa, Stipagrostis cilliata, Aristida congesta and A. diffusa.

The Upper Karoo Footslope habitat still represents the reference vegetation type (i.e., Northern Upper Karroo vegetation type). The habitat unit is dense to open shrubland. The Upper Karoo Footslope habitat was in a good ecological condition (i.e., areas that are natural or near natural and are associated with an ecological condition class in which composition, structure and function are still intact or largely intact).



Existing dirt roads also fall under this subunit. While the vegetation structure of the Modified Karoo Veld is representative of the reference vegetation type (i.e., Northern Upper Karroo), it is no longer considered to be a good representative in terms of species composition. Considering the Mucina and Rutherford (2006) description of the Northern Upper Karroo, this habitat subunit has significantly deviated from the reference state. Instead, several of the species that are typically dominant within the reference state are either absent within the Modified Karoo Veld Habitat or only occur in low abundances. These areas have either been cleared of vegetation or modified and dominated by alien vegetation such as Eucalyptus camaldulensis and Atriplex nummularia. This shift in species composition is likely due to the grazing land use in the area, which is further exacerbated by altered ecological drivers within the landscape. The modified karoo habitat is in fair ecological condition (i.e., areas that are moderately modified, seminatural, and associated with an ecological condition class in which ecological function is maintained even though composition and structure have been compromised).

MODIFIED KAROO VELD







A small portion of the access road is located within and adjacent to the Upper Karoo Footslope habitat unit, where outcrops of rocky areas occurred, potentially hosting provincially protected species.







Open Karoo veld dominated by grass species and woody dwarf species.



Typical examples of the Modified Karoo Veld noted along the access road.

FLORAL SCC OVERVIEW

he Screening Tool identified the Soyuz 1 Solar PV Park to be in a medium sensitivity area for the Plant Species Theme (triggering species included the sensitive species). This species was not found during the site assessment, and habitat for this species to occur is improbable. For the Terrestrial Biodiversity Theme, the Soyuz 1 Solar PV Park has an overall low sensitivity, which was supported form the finding of the field assessment.

For the Terrestrial Biodiversity Theme, the Soyuz 1 Solar PV Park has an overall low sensitivity, excluding a very small section identified as very high sensitivity in the south-eastern most corner of the Soyuz 1 Solar PV Park. The very high sensitivity was triggered by the presence of an ESA. The detailed Terrestrial Biodiversity



Specialist Assessment report outlines the habitat and ecological drivers (or lack thereof) within Soyuz 1 Solar Park and provide clear motivations for disputing the very high sensitivity outcome of the screening tool.

No other threatened SCC (i.e., RDL plants or TOPS), in terms of Section 56(1) of the NEMBA, were recorded during the site assessment. No protected tree species, as per the NFA, were identified during the site assessment for the Soyuz 1 Solar PV Park footprint area. However, the Upper Karoo footslope is species-rich in terms of the NCNCA Schedule 2 protected species list (see below).

Several provincially protected species (both Schedule 1 and Schedule 2) were associated with the Plains Habitat unit. The below list presents the species recorded on site as well as species that have obtained a high probability of occurrence (POC) score due to suitable habitat within the plains habitat unit.

- Boophone disticha (Schedule 2, LC, POC = High);
- Crinum sp. (Schedule 2, LC, POC = Medium);
- Lessertia frutescens (Schedule 1, LC, POC = High);
- Moraea pallida (Schedule 2, LC, POC = Medium);
- Nemesia fruticans (Schedule 2, LC, POC = Medium);
- Nerine sp. (Schedule 2, LC, POC = Medium);
- Pergularia daemia (Schedule 2, LC, POC = High);
- Ruschia sp. (Schedule 2, LC, POC = High);
- Within the protected Aizoaceae family, Mesembryanthemum species, Drosanthemum species were abundant; and
- From the protected Euphorbiaceae family, Euphorbia species

The above-mentioned species are all of LC in terms of threat status and are not locally restricted in their distribution. Permits from Northern Cape Department: Agriculture, Environmental Affairs, Rural Development and Land Reform (DAEARDLR) and from the DFFE should be obtained to remove, cut, or destroy the above-mentioned protected species before any vegetation clearing may take place.

11.4.5 Freshwater Ecosystem Habitat Unit

Table 23: Field assessment results pertaining to the Freshwater Ecosystem Habitat Unit within the Soyuz 1 Solar PV Park

FRESHWATER ECOSYSTEMS



The site assessment confirmed the presence of five (5) freshwater ecosystems associated with the study and investigation areas and two (2) freshwater ecosystems associated with the proposed access road and associated investigation area, all of which were characterised as episodic drainage lines:

- Two (2) episodic drainage lines on the western boundary of the Soyuz 1 Solar PV Park study area and draining into the investigation area;
- > Two (2) episodic drainage lines located within the investigation area of the Soyuz 1 Solar PV Park.
- > One (1) episodic drainage line on the eastern boundary of the Soyuz 1 Solar PV Park study area; and draining eastwards into the investigation area;
- One (1) episodic drainage line located in the investigation area (500m buffer surrounding the access road); and
- One (1) episodic drainage line crossed by the access road.









Soyuz 1 Solar PV Park western boundary drainage lines Left – View downgradient along one of the smaller drainage lines; Middle – head of one of the smaller drainage lines. Soyuz 1 Solar PV Park access road drainage lines Middle – headcut within the channel bed in the lower part of the reach; Right – channel in the downstream part of the reach indicating outcropping of calcrete in the bed.

The catchment of the drainage line is located in a shallow valley head located between areas of localised higher-lying topography (koppies) and is mostly characterised by livestock rearing. The landcover in the catchment is thus characterised by grassy Karroid vegetation, with sheet and gulley erosion appearing to be reasonably prominent. As with most of the drainage line freshwater features in the study area, drainage is expressed in a channelised form where it occurs in areas of increased slope, dissipating (and ceasing to be a freshwater feature) where the channelised feature enters an area of flat topography (plains) that characterise most of the wider area. This is true of the drainage line crossed by the access road, along which the channel becomes increasingly less defined until it dissipates into a longitudinal band of wide sandy deposits to the north of the investigation area.

The drainage line is highly episodic in nature, not characterised by any form of baseflow and only fed by surface water flows from the surrounding catchment area during and after rainfall events of sufficient volume and intensity to generate surface runoff. Soils in the catchment of the drainage line appear to be shallow sandy soils that are underlain by a calcrete layer that occurs near the surface, and which outcrops in places, thus hindering vertical movement of runoff water into the soil profile, and thereby increasing surface runoff volumes. As such this drainage line is likely to be 'flashy' in nature, being characterised by surface flows for very short duration. Due to the very low occurrence of rainfall events in a semi-arid setting twinned with the limited duration of flows, the two smaller drainage lines do not display any moisture dependent biota, and only in certain places at the lower part of the reach of the larger drainage line does the graminoid *Stipagrostis namaquensis* occur – a grass species that typically only occurs in drainage lines in semi-arid Karoo settings.

FLORAL SCC OVERVIEW



The online Screening Tool identified the Soyuz 1 Solar PV Park to be in a medium sensitivity area for the Plant Species Theme (Triggering species included Sensitive species). This species was not found during the site assessment, and habitat for this species to occur is improbable. For the Terrestrial Biodiversity Theme, the Soyuz 1 Solar PV Park has an overall low sensitivity, which was supported form the finding of the field assessment. An ESA was assigned to a portion of the access road due to the National Freshwater Ecosystem Priority Areas (NFEPA) database indicating that an unnamed tributary of the Ongers River was present. From the freshwater assessment, this system was verified to be present and therefore the ESA was also considered to be present, as such the low sensitivity (as per the Terrestrial Biodiversity Theme) is not supported for this portion of the access road where it crosses the ESA area.

No threatened SCC (i.e., Red Data Listed plants or Threatened and Protected Species (TOPS)), in terms of Section 56(1) of the National Environmental Management: Biodiversity Act, 2004 (Act No. 10 of 2004) (NEMBA), were recorded during the site assessment. No protected tree species, as per the National Forest Act, 1998 (Act No. 84 of 1998) (NFA), were identified during the site assessment for the Soyuz 1 Solar PV Park footprint area. The Upper Northern Karoo veld is species-rich in terms of the Northern Cape Nature Conservation Act, 2009 (Act No. 9 of 2009) (NCNCA) Schedule 2 protected species list. Several provincially protected species (both Schedule 1 and Schedule 2) were associated with the Freshwater Habitat unit. The below list presents the species recorded on site as well as species that have obtained a high POC score due to suitable habitat within this habitat unit.

- ➢ Boophone disticha (Schedule 2, LC, POC = High);
- > Crinum sp. (Schedule 2, LC, POC = Medium);
- Moraea pallida (Schedule 2, LC, POC = Medium);
- Ruschia sp. (Schedule 2, LC, POC = High); and
- > Within the protected Aizoaceae family, Mesembryanthemum species, Drosanthemum species were abundant.

The above-mentioned species are all of LC in terms of threat status and are not locally restricted in their distribution. Permits from Northern Cape DAEARDLR and from the DFFE should be obtained to remove, cut, or destroy the above-mentioned protected species before any vegetation clearing may take place.



11.4.6 Alien and Invasive Plant Species (AIP)

A total of six AIPs (listed and non-listed) were found within the Soyuz 1 Solar PV Park. Of the six species encountered on site, two species are listed under NEMBA Category 1b, two species is listed under the NEMBA Category 2, and the remaining two species are not listed under NEMBA; however, these species are considered problem plants that often establish in disturbed sites or previously cultivated areas. These species can often become problematic and pose a threat to biodiversity as these species compete with indigenous native floral species and often replace native floral species.

Due to the extent of AIPs within the Soyuz 1 Solar PV Park, especially those falling in the Category 1b and which occur within the Freshwater Ecosystem, it is highly recommended that an Alien and Invasive Species Control and Management Plan be set up and implemented (by the proponent) to ensure further loss of indigenous floral communities do not occur, and that the freshwater ecosystems are not placed under additional pressure due to the presence of AIPs. Refer to **Table 24** for more information on the AIPs recorded on site.

Table 24: Dominant alien floral species identified during the field assessment with their invasive status as per NEMBA: Alien and Invasive Species Lists, GN R1003 of 2020

Scientific name / Common name		Origin	NEMBA Category	Upper Karoo Footslopes	Open Karoo	Freshwater Ecosystems	Modified Karoo
		Wo	ody Species				
Melia aze	edarach	India, Australia	1b				Χ
Eucalypti	us camaldulensis	Australia 1b				Χ	
Atriplex nummularia		Australia	2		Χ		Х
	Herbaceous Species						
Lepidium	Lepidium aficanum S		Not listed		Χ		Χ
Pseudognaphalium luteo - album		Europe	Not listed		Χ		х
	Succulents						
Agave sis	gave sisalana North America				·		Χ

11.4.7 Sensitivity

The Screening Tool identified the Soyuz 1 Solar PV Park is considered **medium to low** and the access road to be in a **low sensitivity** area for the Plant Species Theme (i.e., areas where no threatened flora are known or expected to occur). The low sensitivity for the Plant Species Theme was confirmed during the ground-truthing of the assessed areas. An ESA was assigned to a portion of the access road due to the NFEPA database indicating that an unnamed tributary of the Ongers River was present. From the freshwater assessment, this system was verified to be present and therefore the ESA is present but the low sensitivity is not supported for this portion of the access road where it crosses the ESA area. Mitigation measures as stipulated by the freshwater ecologist must be implemented to minimise impacts when crossing this system. The terrestrial theme of **low sensitivity** was also supported, except for the freshwater habita.



Based on the ground-truthed results of the site visit, **Table 25** presents the site sensitivity of each identified habitat unit along with an associated conservation objective and implications for development. These sensitivities differ from the Screening Tool sensitivities as they consider different aspects, such as the presence or potential for floral SCC (both threatened species as well as protected species), habitat integrity and levels of disturbance, threat status of the habitat type, the presence of unique landscapes and overall levels of diversity (compared to a reference type).


Figure 46and **Figure 47** conceptually illustrate the areas of varying ecological sensitivity and how they will be impacted by the proposed infrastructure development.



Table 25: A summary of the sensitivity of each habitat unit and implications for development.

	Conservation objective	Key habitat characteristics
Presence of Unique Landscape Presence of Unique Landscape Floral SCC Floral Diversity Floral SCC Floral Diversity Conservation Status Upper karoo footslope habitatel SCC Presence of Unique Landscape Floral Diversity Floral Diversity Floral Diversity Floral Diversity Floral Diversity	INTERMEDIATE Conservation Objective Preserve and enhance biodiversity of the habitat unit and surrounds while optimising development potential	 Apart from the Modified Habitat, the Upper Karr Footslopes and Open Karroo habitat sub-units representative of the reference states; Species richness for the Modified Habitat was low, when for the Upper Karroo Footslopes and Open Karroo specichness was moderate; Although none of the sub-units are associated with Fispecies, nor are such anticipated to establish via populations within these sub-units. The medium sensitive assigned by the Screening Tool for the Plant Species The is not supported for these sub-units; The Open Karoo and Upper Karroo Footslopes have potential to host some of the NCNCA-protected specialthough none were found and confirmed on site during assessment; No significant biodiversity features were confirmed for habitat associated with the Soyuz 1 Solar PV Park or accordad. The very low sensitivity assigned by the Screening T for the Terrestrial Biodiversity Theme is supported for the sub-units.










Figure 46: Conceptual illustration of the habitat sensitivities associated with the Soyuz 1 Solar PV Park or access road




Figure 47: Conceptual illustration of the proposed layout as it relates to the habitat sensitivities associated with the Soyuz 1 access road



11.4.8 International Finance Corporation (IFC) Performance Standard 6 Habitat Description

This section serves to address the application of Performance Standard 6 (Biodiversity Conservation and Sustainable Management of Living Natural Resources) of the International Finance Corporation (IFC) and to categorise the observed habitats and faunal component as described above into the relevant IFC defined habitat categories. **Table 26** lists the various habitat units as identified with reference to the IFC habitat categories.

Table 26: Habitat Units and Floral Classes as they relate to the IFC Habitat Categories and considerations

Habitat Units	Applicable IFC Habitat	IFC Habitat Unit Discussion
asper	and applicable Criteria	
	(General Notices)	
		Natural Habitat These units are in a natural condition with minimal disturbances through landscape altering activities. Although grazed, the overall level of habitat provision as well as species diversity still qualifies this habitat unit as a natural habitat in terms of the IFC descriptions where suitable habitat are likely for six SCC and where from the protected Aizoaceae family, Mesembryanthemum species, Drosanthemum species were abundant; and from the protected Euphorbiaceae family, Euphorbia species located within access road of the Soyuz 1 Solar PV Park. Whilst some areas have been subjected to higher levels of impact than others, on a landscape level the overall ecological functioning has not been impaired to an extent that would classify this habitat as modified. Additional Considerations: Consideration needs to be given to GN37 as it indicates that in some instances "significant biodiversity values may cause natural or critical habitat requirements to be applied, in which case they should be treated using the guidelines for those habitat designations". GN51 Long-term biodiversity monitoring may be required to validate the accuracy of predicted impacts and risks to biodiversity values, especially for the large-scale loss of natural habitat; GN52. Specific thresholds should be set for monitoring results that will trigger a need to adapt the management plan(s) to address any deficiencies in performance. The results of the monitoring program should be reviewed regularly; GN56. To facilitate decision-making, numerical thresholds have been defined for the first four critical habitat criteria (i.e., CR/EN species; endemic/restricted-range species; migratory/congregatory species; threatened and unique ecosystems). The thresholds presented in this Guidance Note were obtained from
		results of the monitoring program should be reviewed regularly; GN56. To facilitate decision-making, numerical thresholds have been defined for the first four critical habitat criteria (i.e., CR/EN species; endemic/restricted-range species; migratory/congregatory species; threatened and unique ecosystems). The thresholds
		globally standardized numerical thresholds published in the IUCN's A Global Standard for the Identification of Key Biodiversity Areas and Red List Categories and Criteria. The thresholds are indicative and serve as a guideline for decision-making only; GN57. For Criterion 5, there are no numerical thresholds.



Habitat Units asper Biodiversity Reports	Applicable IFC Habitat and applicable Criteria (General Notices)	IFC Habitat Unit Discussion
		 Best available scientific information and expert opinion should be used to guide decision-making with respect to the relative "criticality" of a habitat in these cases; GN89. A biodiversity monitoring and evaluation program (BMEP) is a fundamental aspect of demonstrating compliance; GN102. Preventive and mitigation measures are essential when the project includes a linear infrastructure, such as a pipeline, transmission line, road, or rail development, as the right-of-way will likely traverse and link several habitats through one corridor, providing optimal means for a species to quickly spread through the region; GN104 states that all measures must be put in place to ensure the adequate control of alien plant species proliferation, ensuring that natural habitats are not further degraded to such a state that they will be considered modified; and As per GN106, this habitat unit is considered important in terms of "Provisioning ecosystem services, regulating ecosystem services and Supporting services". These habitats do offer a suitable movement corridor, habitat for game and wild foods.



Habitat Units asper Biodiversity Reports	Applicable IFC Habitat and applicable Criteria (General Notices)	IFC Habitat Unit Discussion
Modified Karoo Veld Habitat	Modified Habitat Modified habitats are areas that may contain a large proportion of plant and/or animal species of non-native origin, and/or where human activity has substantially modified an area's primary ecological functions and species composition. Modified habitats may include areas managed for agriculture, forest plantations, reclaimed coastal zones, and reclaimed wetlands.	 Modified Habitat This habitat unit is modified as per the IFC guidelines due to the increased levels of alien plant proliferation, loss of native species and the continuous ground disturbances associated with agricultural activities. The ecological functions of this habitat unit have been significantly altered from their natural state, providing limited habitat for flora species associated with the region. Additional Considerations: The Modified Karoo Veld Habitat may provide habitat for SCC, however these habitats are not considered of significant importance to any of these species and do not meet the requirements for this habitat unit to be considered Critical Habitat as per the IFC definitions; GN51 Long-term biodiversity monitoring may be required to validate the accuracy of predicted impacts and risks to biodiversity values; GN52. Specific thresholds should be set for monitoring results that will trigger a need to adapt the management plan(s) to address any deficiencies in performance. The results of the monitoring program should be reviewed regularly; GN89. A biodiversity monitoring and evaluation program (BMEP) is a fundamental aspect of demonstrating compliance; GN102. Preventive and mitigation measures are essential when the project includes a linear infrastructure, such as a pipeline, transmission line, road, or rail development, as the right-of-way will likely traverse and link several habitats through one corridor, providing optimal means for a species to quickly spread through the region; and GN104 states that all measures must be put in place to ensure the adequate control of alien plant species proliferation, ensuring that surrounding natural habitats are not further degraded to such a state that they will in turn be considered modified.

11.4.9 POTENTIAL FLORAL IMPACTS

The following potential faunal impacts have been identified by the specialist:

• Loss of faunal habitat and potential species diversity: The most significant impact to floral species in the proposed Soyuz 1 Solar PV Park and access road will result from the clearance of vegetation within the solar farm footprint area during the construction phase. As a result of the loss of habitat, species abundances and diversity will also be impacted upon, as the footprint area will no longer be able to support indigenous and potentially SCC species. As a result of the habitat loss and the construction of the proposed Soyuz 1 Solar PV Park, habitat fragmentation will also be impacted upon. The loss of habitat and connectivity may have a negative impact on floral species diversity in the region and consequently a potential decrease in species carrying capacity. Unlike the



solar farm footprint, the proposed access road will have a notably lower impact in terms of habitat loss with limited impact on habitat connectivity as the access road will make use of an existing route.

- Loss of floral Species of Conservation Concern: The exact impact on floral SCC will only be determined after the floral walkdown of the authorised footprints have been undertaken. However, following the site assessment, no floral SCC of increased significance is anticipated to be lost due to habitat clearance (no RDL species anticipated, and only commonly occurring and widespread protected species were recorded). The proposed activities can attempt to avoid destruction of floral SCC through footprint walkdowns and planning of a rescue and relocation plan (where feasible). The direct impact of the Soyuz 1 Solar PV Park's activities on the floral SCCs is not anticipated to result in the loss of significant SCCs. Without mitigation measures implemented, the impact significance varies from medium (construction, operational and maintenance phases) to low (for the rest of the development phases for all habitat areas.
- **Probable Residual Impacts**: Even with extensive mitigation, residual impacts on the receiving floral ecological environment may persist. The following points highlight the key residual impacts that have been identified:
 - Degradation of ecologically intact habitat outside of the authorised footprint due to edge effects;
 - Permanent loss of and altered floral species diversity outside of the footprint area, including loss of favourable habitat for protected species, mainly resulting from a fragmented landscape and modified ecological corridors;
 - Permanent loss of floral habitat and diversity due to poorly executed rehabilitation efforts, AIP control, and lack of monitoring during operational and maintenance of the project;
 - ➤ Loss of SCC resulting from increased harvesting in the region; and Ongoing AIP proliferation and potential native bush encroaching in the adjacent natural vegetation communities.
 - Ongoing AIP proliferation and potential native bush encroaching in the adjacent natural vegetation communities.

11.4.10 Conclusion of the Flora Specialist

No threatened SCC (i.e., Red Data Listed plants or Threatened and Protected Species (TOPS)), in terms of Section 56(1) of the National Environmental Management: Biodiversity Act, 2004 (Act No. 10 of 2004) (NEMBA), were recorded during the site assessment. No protected tree species, as per the National Forest Act, 1998 (Act No. 84 of 1998) (NFA), were identified during the site assessment for the Soyuz 1 Solar PV Park footprint area. The Upper Northern Karoo veld is species-rich in terms of the Northern Cape Nature Conservation Act, 2009 (Act No. 9 of 2009) (NCNCA) Schedule 2 protected species list.

The most significant impact to floral species in the proposed Soyuz 1 Solar PV Park and access road will result from the clearance of vegetation within the solar farm footprint area during the



construction phase. As a result of the loss of habitat, species abundances and diversity will also be impacted upon, as the footprint area will no longer be able to support indigenous and potentially SCC species. As a result of the habitat loss and the construction of the proposed Soyuz 1 Solar PV Park, habitat fragmentation will also be impacted upon. The loss of habitat and connectivity may have a negative impact on floral species diversity in the region and consequently a potential decrease in species carrying capacity.

During the **operational and maintenance phase**, monitoring of the biodiversity surrounding the project footprint must take place to ensure no unplanned, adverse impacts to biodiversity occurs – especially edge effects that result in habitat loss or degradation beyond the project footprint. Erosion, stormwater, and AIP control forms an essential part of these maintenance activities.

Unlike the solar farm footprint, the proposed access road will have a notably lower impact in terms of habitat loss with limited impact on habitat connectivity as the access road will make use of an existing route.

12 CLIMATE CHANGE ASSESSMENT

TMG, on behalf of the Applicant appointed Airshed (C/O MS Hanlie Liebenberg – Enslin) (hereinafter referred to as the "Climate Specialist") to undertake a Climate Impact report for the proposed Soyuz 1 Solar PV Park.

12.1 OBJECTIVE AND SCOPE OF ASSESSMENT

The climate change and GHG assessment (CCA) assesses whether the proposed Soyuz 1 Solar PV Park complies with the legal and policy context, as well as impacts and risks of the proposed project using a defensible and defined methodology, and identify measures to avoid, minimise or otherwise manage identified impacts and monitor residual risks.

The above objective was achieved by applying the following scope of work:

- Identification of the Transitional and Physical Risks associated with the project (as per the Task Force on Climate- related Financial Disclosures).
- GHG emissions during the construction and operation of the project covering Scope1 and Scope 2 emissions.
- Comparison of GHG emissions to the global and national emission inventories, and to international benchmarks for the project.
- The robustness of the project in terms of forecasted climate change impacts to the area over the lifetime of the project.
- The vulnerability of communities in the immediate vicinity of the project to climate change.
- Proposed management and mitigation strategies.

12.2 STUDY APPROACH AND METHODOLOGY

GHG emissions for the project were calculated and compared to the global and national emission inventory and compared to international benchmarks for the project. The following methodology was applied:



- **Project and information review:** A review of the project from an air quality perspective to identify sources of GHG emission.
- Carbon footprint calculation: The Carbon Footprint is an indication of the GHGs estimated to be emitted directly and/or indirectly by an organisation, facility, or product. It can be estimated from:

Carbon emissions = Activity information * emission factor * GWP

Where

- Activity information relates to the activity that causes the emissions.
- emission factor refers to the amount of GHG emitted per unit of activity.
- GWP or global warming potential is the potential of an emitted gas to cause global warming relative to CO₂². This converts the emissions of all GHGs to the equivalent amount of CO₂ or carbon dioxide equivalent (CO₂-e). GWPs over a 100-year time horizon for CH₄ emissions with a multiplier of 23; and N₂O emissions with a multiplier of 296 and are aligned with those stipulated in the recent Methodological Guidelines for Quantification of Greenhouse Gas Emissions (DFFE, 2022).
- **Scope of Carbon Footprint:** The three broad scopes for estimating GHG are:
 - Scope 1: All direct GHG emissions.
 - Scope 2: Indirect GHG emissions from consumption of purchased electricity, heat, or steam
 - Scope 3: Other indirect emissions, such as the extraction and production of purchased materials and fuels, transport- related activities in vehicles not owned or controlled by the reporting entity, electricity-related activities not covered in Scope 2, outsourced activities, waste disposal, etc.

This study considered Scope 1 emissions, which are the emissions directly attributable to the project and Scope 2 emissions, which are the emissions associated with bought-in electricity. Scope 3 emissions which consider the "embedded" carbon in bought-in materials and transport as well as the use of exported materials, which does not form part of the assessment. Only Scope 1 emissions need to be quantified to be in line with the DFFE guidelines. The inclusion of Scope 2 places the assessment in line with the guidelines provided by the International Finance Corporation (IFC, 2012).

- Impact Assessment Methodology: As the emission of greenhouse gases has a global impact, it is not feasible to follow the normal impact assessment methodology viz. comparing the state of the physical environment after implementation of the project to the condition of the physical environment prior to its implementation. Instead, this study assessed the following:
 - The GHG emissions during the construction, operation and decommissioning of the project compared to the global and South African emission inventory and to international benchmarks for the project.
 - The impact of climate change over the lifetime of the project taking the robustness of the project into account.
 - The vulnerability of communities in the immediate vicinity of the project to climate change.

12.3 PHYSICAL RISK OF CLIMATE CHANGE ON THE REGION

The climate change projections in this report discuss results from the South Africa 'Green Book'8 (CSIR, 2019). The Green Book provides information on the baseline (1961 to 1990) temperature; rainfall; extreme rainfall events; and, very hot days, with two future Representative Concentration Pathways (RCPs); i.e. RCP4.5 and RCP8.5 for the year 2020 to 2050.

Based on modelled Climate Change Trajectories for the region in which the proposed Soyuz 1 Solar PV Park and communities are situated, the annual average near surface temperatures (2 m above ground) are expected to increase by between 1.78 – 2.89°C for RCP4.5, and between 2.4 - 3.2°C for RCP8.5. At the project site the increase is 2.1°C for RCP4.5 and by 2.7°C for RCP8.5 (Figure 6). Very hot days are expected to increase from 8.2 days (baseline) to 15.8 days (RCP4.5) at the project site, ranging between 4.3 – 35.86 days for RCP4.5 and between 9.38 – 44.52 days for RCP8.5. The total annual rainfall is expected to increase by 29.1 mm (RCP4.5) but could decrease by 0.3 mm when considering RCP8.5. Extreme rainfall days is likely to increase by between 0.2 days for RCP4.5, and 0.5 days for RCP8.5.




Figure 48: Projected Climate Change (2030 -2050) for the Region

12.4 CLIMATE HAZARDS AND VULNERABILITIES

The Green Book (CSIR, 2019); was developed to be an online platform providing quantitative scientific evidence on the likely impacts that climate change and urbanisation will have on South Africa's cities



and towns. A profile for each local municipality, including individual settlements and neighbourhoods, was built in terms the rates of socio-economic, economic, physical and environmental risks associated with urbanisation, population growth and climate change (Le Roux, et al., 2019). The risk profile was accessed for the Emthanyeni Municipality. The present Emthanyeni Municipality socio-economic risk index is 3, ranking 9th out of 26 in the province and 47th out of 213 in the country. The baseline (2011) economic vulnerability (3.4) for the Emthanyeni Municipality was rated 3rd out of all (213) municipalities in the country. The physical vulnerabilities (5.7) ranked 7th out of all municipalities in the country behind. The environmental vulnerability (3.9) for the Emthanyeni Municipality was rated 24th out of 213 municipalities.

The Green Book risk profile includes an assessment of projected risk to Emthanyeni Municipality up to 2050, mostly based on the low mitigation RCP8.5 climate simulations, and highlights the following:

- Change up to 2050 in extreme rainfall days based on the 95th percentile of daily rainfall is shown in Figure 10, and compared with those under the current rainfall where a value of more than 1 indicates an increase in extreme daily rainfalls. For the project area it is just under 1 (0.963) thus no increase in extreme daily rainfall is expected.
- The projected change in drought tendencies (i.e. the number of cases exceeding near-normal per decade) for the period 2050 relative to the baseline period, for RCP 8.5. A negative value of -0.1 at the project area indicates an increase in drought tendencies per 10 years (more frequent than baseline). The settlement of Britstown is at a medium risk of increases in drought tendencies. There are isolated pockets of medium increased risk of wildfires within the municipality. For the project area, however, the fire danger day is 63 which exceeds the McArthur fire-danger index value of 24.

In addition to the hazards identified in the Green Book, Hofste, et al., (2019) currently describe the area as arid with low water use, with a projection for the future (2040 based on a conservative low mitigation trajectory) of low water stress. South Africa is known to be a water stressed country (Kusangaya, Shekede, & Mbengo, 2017) where climate change, through elevated temperatures, is likely to increase evaporation rates which may decrease water volumes available for dryland and irrigated agriculture (Davis-Reddy & Vincent, 2017).

Extreme weather events affecting southern Africa, including heat waves, flooding due to intensified rainfall due to large storms and drought, have been shown to increase in number since 1980 (Davis-Reddy & Vincent, 2017). Projections indicate (Davis-Reddy & Vincent, 2017):

- with high confidence, that heat wave and warm spell duration are likely to increase while cold
 extremes are likely to decrease, where up to 80 days above 35°C are projected by the end of
 the century;
- with medium confidence, that droughts are likely to intensify due to reduced rainfall and/or an increase in evapotranspiration; and
- with low confidence, that heavy rainfall events (more than 20 mm per 24 hours) will increase.



12.5 PROJECT IMPACT: THE PROJECTS CARBON FOOTPRINT

12.5.1 Scope 1 GHG Emission Sources

- Construction phase: The project includes the installation of Solar PV modules covering an area of 498 Ha. Even though it is likely that vegetation clearance will be avoided and obstacles below piling locations for tracker structures will be removed only if required, the areas covered by the solar panels will avoid sunlight to the vegetation below, and subsequently it will die off. This will result in decreased carbon sequestration by plants. This area was therefore included in the land clearing calculation. In addition, GHG will be emitted through operating diesel-powered mobile equipment such as mobile drilling or ramming rigs, road building equipment, concrete trucks, mobile cranes, forklifts, light duty transport vehicles.
- **Operational Phase**: The main sources of GHG due to the proposed operations are the mobile (maintenance vehicles and equipment) and stationary equipment (generators).
- **Decommissioning Phase:** As operations progress, the previously cleared areas that form part of the project will be rehabilitated resulting in a carbon sink gain. Even assuming rehabilitation uses the same indigenous vegetation, the carbon balance will not be completely restored. The Solar PV modules cover the vegetation, which may impact on species that prefer sunlight. However, there is insufficient data at this point to determine the decommissioning GHG emissions. This is likely to be equivalent or less than the construction phase, with the reestablishment of a carbon sink in the revegetation of the site.

12.5.2 Scope 2 GHG Emission Sources

Scope 2 GHG emissions apply to consumption of purchased electricity, heat, or steam. From the information provided, no Eskom generated electricity will be used during construction or operational phases.

12.5.3 Summary of Scope 1 and Scope 2 Emissions Sources

The total CO_{2eq} emission rate from the Soyuz 1 Solar PCV Park construction phase 3 843 tpa (Scope 1) and no Scope 2 emissions. For a single operational year, the Scope 1 GHG emissions will be 34 tpa.

Assuming the facility operates at the contracted capacity for an average of 6.2 hours a day, the project could potentially avoid emissions of approximately 553 982 tonnes of CO_{2eq} per annum. Over the lifetime of the project, given as 30 years, the avoided emissions are 16.62 MtCO₂.e.

12.5.4 The Projects GHG Emissions Impact

- Impact on the National Inventory: The operational phase of Soyuz 1 Solar PCV Park will likely result in a slight increase in Scope 1 emissions and a decrease in Scope 2 emissions. The annual operational CO₂-e emissions from the Soyuz 1 Solar PCV Park operations is less than 0.000008% to the South African "energy" sector total and 0.000007% of the National GHG inventory total, based on the published 2017 National GHG Inventory (DFFE, 2021). The annual CO₂-e emissions from the construction phase would contribute approximately 0.0007% to the South African "energy" sector total and represent a contribution of 0.0009% to the National GHG inventory total (DFFE, 2021).
- Alignment with National Policy: Regulations pertaining to GHG reporting using the NAEIS were published in 2017 (Republic of South Africa, 2017) (as amended by GN R994, 11 September 2020) where mandatory reporting guidelines focus on reporting of Scope 1



emissions only. The DFFE is working together with local sectors to develop country specific emissions factors in certain areas; however, in the interim the IPCC default emission figures may be used to populate the SAAQIS GHG emission factor database. With the operational Scope 1 CO₂-e emissions below 100 000 t/a, Soyuz 1 Solar PCV Park does not have to compile a pollution prevention plan (PPP). Photovoltaic plants also do not have to report on SAGERS (Annexure 1 of the GG No.43712 of 11 September 2020).

12.6 PROJECT IMPACT: PHYSICAL RISKS OF CLIMATE CHANGE

- Physical Risks of Climate Change on the Project's Construction and Operations: With the increase in temperature, including heat waves, there is the likelihood of an increase in discomfort, possibility of heat related illness (such as heat exhaustion, heat cramps, and heat stroke). Both these have the potential to negatively affect staff process performance and productivity. From a process point of view, elevated ambient temperatures (up to 45°C) may slightly reduce the fuel requirements needed to meet the generating capacity required. However, water use as a dust control measure during construction, and to keep the Solar PV panels clean, may increase. The impact of intense rainfall events on the Solar PV Plant cannot be ruled out, where the frequency of intense rainfall events could increase from the long-term baseline. These events could affect production capacity during high cloud cover events. High rainfall events could result in flooding affecting site access, safe operation of equipment, delivery of fuel, as well as physical damage to infrastructure during high wind speed events associated with intense storms.
- Potential Effect of Climate Change on the Community: With the increase in temperature, including heat waves, there is the likelihood of an increase in discomfort and possibility of heat related illness (such as heat exhaustion, heat cramps, and heat stroke). There is also the possibility of increased evaporation which in conjunction with the decrease in rainfall can result in water shortage. This does not only negatively affect the community's water supply but can reduce the crop yields and affect livestock resulting in compromised food security. The projected increased risk of wildfires is medium at Britstown, but with an increased number of fire danger days within the project area which could potentially damage the PV Solar panels and infrastructure.

12.7 PROJECT ADAPTATION AND MITIGATION MEASURES

Climate change management includes both mitigation and adaptation. The main aim of mitigation is to stabilise or reduce GHG concentrations because of anthropogenic activities. This is achievable by lessening sources (emissions) and/or enhancing sinks through human intervention. Mitigation measures are typically the focus of the energy, transport, and industry sectors (Thambiran & Naidoo, 2017). Adaptation measures focus on the minimising the impact of climate change, especially on vulnerable communities and sectors. Inclusion of the climate change adaptation in business strategic implementation plans is one of the outcomes defined in the Draft National Climate Change Adaptation Strategy (Government Gazette No.42466:644, May 2019).

Project specific mitigation measures, may include:



- GHG emissions from vehicles and equipment: maintain vehicles and machinery in accordance with manufacturers standard specifications.
- GHG emissions from generators: minimization of events that require the use of a dieselpowered generator.

Carbon offset options could include restoring and increasing vegetation cover where possible, rehabilitating ecosystems and maintain ecological infrastructure, and develop agricultural programmes that can support the surrounding community. With the main agricultural activities around Britstown including wool production and livestock farming, the Solar PV sites could provide shade to grazing sheep and other livestock, thus reduce heat stress.

From an adaption perspective, additional support infrastructure can reduce the climate change impact on the employees. For example, improving the thermal and electrical efficiency of buildings to reduce electricity consumption for air conditioning, ensuring adequate water supply for staff drinking water, amending summer operating hours to avoid the hottest part of the day and potential health and safety impacts for employees, having shaded green rest areas for employees during their shift breaks.

12.8 IMPACT ASSESSMENT: SIGNIFICANCE RATING

The calculated CO₂-e emissions from the project are calculated at 1 007 tonnes for the entire project life and 34 tonnes per average operational year. The Construction phase will have the highest annual contribution at 3 838 tonnes. In addition, the operations will have 16.62 MtCO₂-e saving over the life of the project. The project Category 1 and 2 emissions due to operations would contribute approximately 0.000008% to the National GHG inventory total (based on the 2017 National inventory).

GHG threshold may be based on the classification of projects by the European Bank for Reconstruction and Development (EBRD), in which projects contributing more than 25 Gg CO₂-e per year to have significant GHG emissions14 (EBRD 2019).

The proposed intensity rating for annual emissions is as follows:

25 Gg CO ₂ -e :	Very	Low	(i.e.,	threshold	used	by	EBRD,	IFC and	t
----------------------------	------	-----	--------	-----------	------	----	-------	---------	---

Equator Principals)

25 – 100 Gg CO₂-e: Low (i.e., DFFE PPP requirement threshold is 100 Gg

CO2-e)

100 – 500 Gg CO₂-e: Medium (i.e., DFFE PPP to 0.1% of the total gross SA

GHG emissions

500 – 5 000 Gg CO₂-e: High (i.e., 0.1% to 1.0% of the total gross SA GHG

emissions)

>5 000 Gg CO₂-e: Very High (i.e., more than 1.0% of the total gross SA

GHG emissions)

The combined GHG emissions (construction and operations) for the project operations per annum of 4 250.5 tonne CO₂-e are below the threshold used by EBRD. The impact significance is therefore considered to be **Very Low**.

12.9 CONCLUSION AND RECOMMENDATION OF THE CLIMATE SPECIALIST

The conclusions and recommendations of the assessment are summarised below:



- The region around Britstown where Soyuz 1 Solar PV Park project is proposed to be developed is likely to experience increased temperatures and rainfall events in the future. Climate change impacts will disproportionately affect under-developed communities that lack the physical and financial resources to cope with the physical effects of climate change, such as droughts, floods and increases in diseases.
- Cumulatively, assuming the SOLAR PV PARK replaces generative capacity from other fossil fuel sources, the facility could contribute to lowering South Africa's GHG emissions from the Energy sector. This is since the PV arrays and BESS provide renewable energy at a lower carbon dioxide equivalent (CO2-e)1²³ emission per unit electricity.
- Based on Soyuz 1 Solar PV Park Scope 1 and Scope 2 GHG emissions, it is the Climate Specialist
 opinion that the project may be authorised due to its low impact significance, and the positive
 cumulative downstream impact since the Solar PV facility will have a lower emission per unit
 compared with the Eskom which is largely dependent on coal fired power stations.
- Provided that the Soyuz 1 Solar PV Park will result in long-term vegetation loss (30 years), the
 loss should be offset by restoring and increasing vegetation cover where possible,
 rehabilitating ecosystems and maintain ecological infrastructure, and develop agricultural
 programmes that can support the surrounding community, also allowing livestock to graze in
 the PV Solar parks which would provide shade resulting in lower heat stress to the animals.

13 FRESHWATER IMPACT ASSESSMENT

TMG, on behalf of the Applicant appointed SAS (C/O Mr Stephen van Staden) (hereinafter referred to as the "Freshwater Specialist") to undertake a Freshwater Ecological Impact Assessment for the proposed Soyuz 1 Solar PV Park.

13.1 ASSESSMENT METHODOLOGY

The following summarises the assessment methodology applied:

- A background study of relevant national, provincial, and municipal datasets (such as National Freshwater Ecosystem Priority Areas [NFEPA] (2011), and the National Biodiversity Assessment 2018: South African Inventory of Inland Aquatic Ecosystems (SAIIAE) databases was undertaken to aid in defining the Ecological Importance and Sensitivity (EIS) of the freshwater ecosystems;
- All freshwater ecosystems within the investigation area were delineated using desktop
 methods in accordance with GN 509 of 2016 as it relates to activities as stipulated in the NWA
 and verified where possible according to the "Department of Water Affairs and Forestry
 (DWAF)2 (2005)3: A practical field procedure for identification of wetlands and riparian
 areas". Aspects such as terrain setting, hydrological characteristics, vegetation indicators (e.g.

²³ A CO₂ equivalent, abbreviated as CO₂-e is a metric measure used to compare the emissions from various GHGs based on their global-warming potential (GWP), by converting amounts of other gases to the equivalent amount of CO₂ with the same global warming potential.



vegetation species composition and structure), and soil wetness were used to verify the freshwater ecosystems;

- The freshwater ecosystem classification assessment was undertaken according to the Classification System for Wetlands and other Aquatic Ecosystems in South Africa. User Manual: Inland systems (Ollis et al., 2013);
- The EIS of the freshwater ecosystems were determined according to the method described by Rountree and Kotze (2013);
- The PES of the freshwater ecosystems were assessed according to the resource directed measures guideline as advocated by Macfarlane et al. (2008);
- The ecological service (EcoService) provision of the identified freshwater ecosystems was determined using the WET-EcoServices (Version 2) tool developed by Kotze et. al. (2020);
- The freshwater ecosystems were mapped relation to the study area. In addition to the freshwater ecosystem boundaries, the appropriate provincial recommended buffers and legislated zones of regulation were depicted where applicable;
- Allocation of a suitable Recommended Ecological Category (REC) and Recommended Management Objective (RMO) to the freshwater ecosystems based on the results obtained from the PES and EIS assessments;
- The DWS Risk Assessment Matrix (2016) and the impact assessment methodology as applied by the EAP was applied to identify potential impacts that may affect the freshwater ecosystems because of the proposed activities and infrastructure associated with the Soyuz 1 Solar PV Park, and to aim to quantify the significance thereof; and
- Management and mitigation measures which should be implemented during the various development phases to assist in minimising the impact on the receiving freshwater ecosystem environment have been presented.

13.2 DESKTOP ANALYSIS

The results of the Desktop Analysis are presented in a summary "dashboard" (**Table 27**). important to note that although all data sources are used to provide useful and often verifiable, high-quality data, the various databases used do not always provide an entirely accurate indication of the proposed Soyuz 1 Solar PV Park's actual site characteristics at the scale required to inform the EIA process. Nevertheless, this information is considered useful as background information to the study, is important in legislative contextualisation of risk and impact, and was used as a guideline to inform the assessment and to focus on areas and aspects of increased conservation importance.



Table 27: Desktop data relating to the characteristics of the freshwater ecosystems associated with Soyuz 1 Solar PV Park and investigation area [Quarter Degree Square (QDS) 3023DA and 3023DC]

Aquatic ecoregion and sub-reg	ions in which the Soyuz 1 Solar	Details of the area	in terms of the National Freshwater Ecosystem Priority Area (NFEPA) (2011)	
PV Park falls		database		
Ecoregion Catchment	Nama Karoo Orange		The Soyuz 1 Solar PV Park, proposed access road, and the investigation area do not fall within a sub- quaternary catchment currently considered important in	
Quaternary Catchment	D61L and D62A	FEPACODE	terms of fish or freshwater conservation. River FEPAs achieves biodiversity	
WMA SubWMA	Lower Orange Orange Tributaries	_	targets for river ecosystems and threatened fish species and were identified in rivers that are currently in a good condition.	
Dominant characteristics of the (Kleynhans et al., 2007)	Nama Karoo Ecoregion Level 2	NFEPA Wetlands	According to the NFEPA database, no wetlands are indicated within Soyuz 1 Solar PV Park, access road, or the associated investigation area.	
Ecoregion Level 2	26.03			
Dominant primary terrain morphology	Open hills, lowlands, mountains; moderate and high relief	Wetland Vegetation Type	The Soyuz 1 Solar PV Park and associated investigation area falls within the Upper Nama Karoo wetland vegetation type and is considered Least Threatened (LT) according to Mbona et al (2015)	
Dominant primary vegetation types	Upper Nama Karoo, Bushmanland Nama Karoo, Upland Succulent Karoo, Escarpment Mountain Renosterveld	NFEPA Rivers	According to the NFEPA database, an unnamed tributary of the Ongers River is indicated to be traversed by a portion of the proposed access road associated with the PV facility and is located within the investigation area. According to the NFEPA Database, the River is indicated to be in a heavily to critically modified ecological condition (RIVCON Z).	
Altitude (m amsl)	1100 to 1500			
MAP (mm)	0 to 500			
Coefficient of Variation (% of MAP)	30 – 40	Land Type Data		
Rainfall concentration index	15 to 55	Most of the Soyuz	1 Solar PV Park and associated investigation area are located within the Ae298 land	
Rainfall seasonality	Very late summer, late summer, Winter		portion of the Soyuz 1 Solar PV Park and investigation area is located within the portion of the access road is located within the Ib387 land type. The predominance	
Mean annual temp (°C)	14 to 18	1	ts of the study area is reflected in these land types; Ib, Ic, and Fc land type groupings	
Winter temperature (°C)	0 to 18		ed by rock or very shallow soils above rock or weathered bedrock. Ib land type	
Summer temperature (°C)	12 to 30	groupings are areas where 60-80% of the surface is occupied by exposed rock and stones/boulders and the slopes are usually steep. Ic land type groupings are very similar and are characterised by exposed rocks covering more than 80 % of the area. The Fc land type consists of Glenrosa and/or Mispah soil		
Median annual simulated runoff (mm)	<5 - 40			
Ecological Status of the most pr (DWS, 2014)	oximal sub-quaternary reach	type in upland soils	sibility of other soils occurring throughout. Lime is rare or absent within this land s but is generally present in low-lying areas. The Ae Land Type refers to red, highwhich the depth varies from 0.1 to >0.3 m.	



			Importantly none of these land types are characterised by the presence of any soil forms which are typically associated with wetness indicators and hydromorphic soils, and thus no wetlands are anticipated to be located within the study and investigation areas.		
Sub-quaternary re	each	D62A - 05344	Details of the Soyuz 1 Solar PV Park and associated access road in terms of the National Biodiversity Assessment (2018): South African Inventory of Inland Aquatic Ecosystems (SAIIAE)		
Point Proximity to Solar PV Park	Soyuz 1	~9.8 km north of the PV 1 facility.	According to the NBA (2018) (SAIIAE) database, two artificial dams are indicated within the southern portion of the investigation area associated with the Soyuz 1 Solar PV Park. The unnamed River is		
Assessed by an ex	-	No (Data deficient)	indicated to be in a heavily to critically modified (RIVCON Z) ecological condition according to the 2018		
National Web-Based Environmental Screening Tool (Accessed 2023		ental Screening Tool (Accessed	database. The Ecosystem Protection Level (EPL) of the river is Not Protected (NP) and the Ecosystem Threat Status (ETS) is Least Threatened (LT). The NBA National Wetlands Database indicates portions		
_		to allow for the pre-screening of	of a river on valley floors.		
sensitivities in the landscape to be assessed within the EA			The Soyuz 1 Solar PV Park has an overall low sensitivity for aquatic biodiversity according to the		
process. This assists with implementing the mitigation			screening tool. The investigation area shows very high sensitivity for the area identified as the		
hierarchy by allowing developers to adjust their proposed			unnamed River traversed by the proposed access road which is indicated as an ESA. This ESA corresponds with the Northern Cape CBA database.		
development footprint to avoid sensitive areas. Detail of the Assessment area in terms of the Northern Cape Critical Biodiv					
Ecological Ecological		-			
Support Area	The area associated with the unnamed River identified by the NFEPA (2011) and NBA (2018) databases is indicated as an ESA. According to the Technical Guidelines for CBA Maps document, ESAs are areas that must retain their ecological processes in order to meet biodiversity targets for				
(ESA)	ecological processes that have not been met in CBAs or protected areas; meet biodiversity targets for the representation of ecosystem types or				
(-)	Species of special concern when it's not possible to meet them in CBAs; support ecological functioning of protected areas or CBAs or a combination				
	of these.				
Other Natural	The Soyuz 1 Solar PV Park, associated investigation area, and proposed access road are indicated as ONAs. According to the Technical Guidelines for				
Area (ONA)	CBA Maps document, ONA consists of all those areas in a good or fair ecological condition that fall outside the protected area network and have not been identified as CBAs or ESAs.				

Note: CBA = Critical Biodiversity Area; DWS = Department of Water and Sanitation; EI = Ecological Importance; EPL = Ecosystem Protection Level; ES = Ecological Sensitivity; ESA = Ecological Support Area; ETS = Ecosystem Threat Status; LT = Least Threatened; m amsl = Meters Above Mean Sea Level; MAP = Mean Annual Precipitation; NBA= National Biodiversity Assessment; NFEPA = National Freshwater Ecosystem Priority Areas; NP = Not Protected; ONA = Other Natural Areas; PES = Present Ecological State; SAIIAE = South African Inventory of Inland Aquatic Ecosystems; WMA = Water Management Area; OHPL = Overhead Powerline.



13.3 FRESHWATER ECOSYSTEM CHARACTERISATION & DELINEATION

The site assessment confirmed the presence of five (5) freshwater ecosystems associated with the study and investigation areas and two (2) freshwater ecosystems associated with the proposed access road and associated investigation area, all of which were characterised as episodic drainage lines:

- Five (5) episodic drainage lines located within the investigation area of the Soyuz 1 Solar PV Park.
- One (1) episodic drainage line located in the investigation area of the access road; and
- One (1) episodic drainage line crossed by the access road.

The freshwater ecosystems identified were classified according to the Classification System (Ollis et al., 2013) as Inland Systems. The freshwater ecosystems fall within the Nama Karoo Aquatic Ecoregion and the Upper Nama Karoo WetVeg (wetland vegetation) group, classified by Mbona et al. (2015) as "Least Threatened". At Levels 3 (Landscape Unit) and 4 (HGM Type) of the Classification System, the systems are classified as per the summary in **Table 28**.

Table 28: Levels 3 and 4 Characterisation of the Freshwater Ecosystem

Freshwater Ecosystem HGM Type	Level 3: Landscape unit	Level 4: Hydrogeomorphic (HGM) Type
River (Episodic	Valley floor—the base of a	linear landform with clearly discernible
Drainage Line)	valley, situated between two	bed and banks, which permanently or
	distinct valley side-slopes,	periodically carries a concentrated flow of
	where alluvial or fluvial	water. A river is taken to include both the
	processes typically dominate.	active channel and the riparian zone as a
		unit.

An important component of the delineation and ground-truthing of desktop delineations of freshwater ecosystems as undertaken during the field assessment was the confirmation of whether certain parts of the study and investigation areas that were indicated as being freshwater features in desktop databases, including 1 in 50 000-scale topo-cadastral maps, comprised freshwater ecosystems. It is important to note that certain such drainage systems in the study and investigation areas were confirmed to **not qualify as freshwater ecosystems** (watercourses) in terms of the definition in the NWA and GN509.

Each part of the study area where drainage was indicated in either national or provincial databases or on the topo-cadastral maps was carefully investigated to confirm the presence or absence of indicators of freshwater ecosystems, as defined above. Certain longitudinal bands of sandy soils on the Soyuz 1 Solar PV Park development footprint, and along the proposed access road alignment displayed the above absence of definitive freshwater ecosystem characteristics and were accordingly not classified as freshwater ecosystems.

The delineated (field verified) extent of the freshwater ecosystems relative to the proposed Soyuz 1 Solar PV Park and associated investigation area are depicted in **Figure 49** and key information pertaining to the characteristics of the systems are presented in dashboard style reports in **Table 29** - **Table 31**.





Figure 49: Delineated freshwater ecosystems associated with the proposed Soyuz 1 Solar PV Park

13.4 FRESHWATER ECOSYSTEM: SITE VERIFICATION

The dashboard-style tables (**Table 29 -Table 31**) summarise the findings of the field verification in terms of relevant aspects (hydrology, geomorphology, and vegetation components) of freshwater ecology of the potentially directly affected freshwater ecosystems.



Table 29: Summary of the assessment of the first order EDLs located on the western and eastern parts of the proposed Soyuz 1 Solar PV Park



221101 – Soyuz 1 Solar PV Park – Draft Environmental Impact Assessment Report for public consultation – August 2023 © Terramanzi Group (Pty) Ltd



	THE PROPOSED DEVELOPINENT OF SOTUE I SOLAR PV	PARK AND ASSOCIATEL	INFRASTRUCTURE NEAR BRITSTOWN, NORTHERN CAFE FROWINGE - AUGUST 2025		
	Due to the relatively small size and landscape position of the EDL's, they have not been dammed or impounded – the most prevalent and arguably the most significant impact				
	on freshwater ecosystems (EDLs) in the wider area. The EDL's are characterised by a relatively natural catchment, with the only landuse practised being livestock rearing.				
	Accordingly the hydrology of the EDL's appears to be a relatively natural state. No areas of vegetative alteration were noted and vegetation within the EDLs was assessed to be				
	representative of short EDLs with a very limited hy	droperiod. The only	visible impact on the EDL's was that of limited erosion, with some incision related to bank erosion present.		
EIS Discussion	EIS Category: Low	REC, RMO	REC Category: A/B		
	The most important aspect of the EIS of the	&	RMO: Maintain		
	EDL's relates to biodiversity aspects. Despite	BAS	BAS: A/B (Maintain)		
	their relatively short length, they provide an	Category	Since the EDLs have been assessed to be in a largely natural state, but with a low EIS rating, the ecological		
	element of biodiversity importance by providing	(All CWs)	condition of the EDLs must be maintained. This entails that landuse change in the catchment of the		
	a source of food and shelter for biota, related to		drainage lines should carefully consider the impact on the EDLs to ensure that the ecological state of the		
	a partially elevated degree of moisture		EDLs does not become degraded. In the context of the proposed development, the exclusion of the EDLS		
	availability. Due to their very limited length and		from the development site entails that the development will not risk the direct impacting of the EDLs,		
	spatial extent the drainage lines are not		however these EDLs will be downgradient of large areas of land which will be kept devoid of natural		
	significant or sensitive from a hydrological		vegetation. It is thus vitally important that construction and operational stormwater measures be		
	perspective providing very few hydrological		implemented as part of the development.		
	functions. The only aspect of direct human				
	benefit provided is the limited degree of				
	livestock grazing provision.				
	The state of the s				

Watercourse drivers and receptors discussion (hydraulic regime, geomorphological processes, water quality and habitat and biota):

The catchment of the EDLs is comprised of gently sloping terrain, with the drainage lines representing the only signs of incision in this part of the landscape. The catchment of the EDLs is mostly characterised by livestock rearing. The landcover in the catchment is thus characterised by grassy and dwarf-shrub Karroid vegetation with certain areas of calcrete outcropping which are naturally less vegetated. As with most of the drainage line freshwater features in the study area, drainage is expressed in a channelised form where it occurs in areas of increased slope, dissipating (and ceasing to be a freshwater feature) where the channelised feature enters an area of flat topography (plains) that characterise most of the wider area. The three EDLs all feed into the higher order EDL in the southern part of the development site, differing from the EDL on the development site eastern boundary that dissipates to the east of the development site.

The EDLs are highly episodic in nature, not characterised by any form of baseflow and only fed by surface water flows from the surrounding catchment area during and after rainfall events of sufficient volume and intensity to generate surface runoff. As such these short EDLs are likely to be 'flashy' in nature, being characterised by surface flows for very short duration. No impounding features are located along the EDLs and accordingly during periods of flows, overland flows will be channelled along the EDLs, feeding into the larger southern EDL in the case of the three EDLs located to the west of site, and in the case of the EDL to east of the dissipating and discharging into the flatter terrain.

Due to their very limited extent, the EDLs do not typically demonstrate any woody riparian vegetation species. Rather the riparian zone of the EDLs is characterised by wiry Karroid grass species and dwarf shrubs. Due to their limited spatial extent, the EDL's do not provide, and are not characterised by a significantly altered biological assemblage as compared to the surrounding terrestrial habitats.

Extent	0
Modification	
anticipated	

The four EDLs are not located within the footprint of solar PV arrays and thus will not be subject to any direct impacts if mitigation measures (in the form of ensuring the EDLs are no go zones) are correctly implemented. As the EDLs are however downgradient of the proposed solar arrays, indirect impacts, primarily in the form of stormwater-related and dust related impacts could occur. In this context the implementation of mitigatory measures to prevent indirect impacts from adversely affecting the EDLs are highly important.

Impact Significance & Business Case:

Low

As the Soyuz1 Solar PV Park's solar array footprint is not located in any of the EDLs, the development of the solar arrays has not been determined pose a high quantum of impact on the EDLs located to the west and east of the development site boundary. However the implementation of mitigation measures in particular ensuring no vehicle access to the EDLs, and formalised control of both construction and operational stormwater is critical in order to maintain at a "Low" degree of risk.



221101-01 – DRAFT ENVIRONMENTAL IMPACT ASSESSMENT REPORT FOR PUBLIC CONSULTATION FOR THE PROPOSED DEVELOPMENT OF SOYUZ 1 SOLAR PV PARK AND ASSOCIATED INFRASTRUCTURE NEAR BRITSTOWN, NORTHERN CAPE PROVINCE – AUGUST 2023 Table 30: Summary of the assessment of the EDL in the southern part of the Soyuz 1 Solar PV Park

Present State Assessment Flood atternation Stream flow regulation Stream flow regulation Stream flow regulation Food for livestock Flood for livestock Water for human use Blodiversity maintenance Blodiversity maintenance





Photograph notes: Left: View downstream along the EDL. Right: View into the catchment of the EDL.

Ecoservice provision

Cultivated Foods – Moderately Low Biodiversity Maintenance - Low All other services = Very Low

---Demand ---Supply

Due to the presence of impoundments along the reach assessed the Wet-EcoServices tool has assigned a higher degree of supply for cultivated foods, however in reality (as indicated by the demand) cultivation does not occur within the local area due to the absence of permanent water sources for irrigation in a semi-arid setting. The drainage line has been assigned a low degree of biodiversity maintenance by the tool, but it should be noted that the supply of this ecoservice is higher and, biodiversity maintenance provisioning is likely to be supplied to a greater extent at a local level. Due to its limited hydroperiod there are very limited hydrological ecoservices provided by the drainage line, but the EDL will trap sediment in the two dams along the reach. The natural state of the of the catchment entails that there are no pollutant sources that would need to be trapped or assimilated

PES/ discussion

Riparian IHI PES Category: B/C

The primary impact on the wider reach of the drainage line is impoundments / dams. Two low dam walls are located within the reach within the investigation area and six further dams are located in the upper-most part of the wider reach. The dams primarily affect the hydrology of this episodic drainage line, by holding back water in instances of flows along the channel after rainfall events. The deprivation of flow from downstream reaches has a concomitant impact on the vegetation within the riparian corridor of the drainage line. The magnitude of the impact is expected to be lower than other larger EDLs impounded in the wider area as the dam walls are low as the EDL is not characterised by significant woody riparian vegetation along the reach within the investigation area. No erosion was noted within the reach in the investigation area, likely due to the sandy nature of the substrate in the drainage line due to the absence of channelled flow, and due to the very flat longitudinal profile of the drainage line. Excess sediment deposition is likely to have occurred upstream of the two low walls within the reach in the investigation area, but this factor does not appear to have altered the sediment balance in the reach.

Despite the impact of impoundments on the hydrology of the reach, the riparian vegetation was assessed to be in a relatively intact state, and a homogenous species composition and structural variation in vegetation was noted along the length of the reach. The riparian corridor did not support any woody vegetation and there was no lateral zonation of vegetation noted. The riparian corridor was noted to be characterised by a high degree of overall vegetation cover, with limited areas being characterised by no vegetation.



EIS discussion

EIS Category: Low

The most important aspect of the drainage line's EIS relates to biodiversity aspects. Despite the absence of woody vegetation and thus low riparian habitat heterogeneity the EDL will provide a degree of biodiversity importance by performing a role as an ecological corridor, as well as a source of food and shelter for biota, with an elevated degree of moisture availability being an important factor. Due to the limited hydroperiod of the drainage line it is not significant or highly sensitive overall in a hydrological context. Despite their negative ecological and hydromorphological impacts the impoundments increase flood attenuation and sediment capturing. The only direct human benefit associated with the drainage line relates to its provision of grazing for livestock.

REC, RMO & BAS Category (All CWs)

REC Category: B/C RMO: Maintain BAS: A/B (Maintain)

Since the EDL has been assessed to be in a largely natural state, but with a low EIS rating, the ecological condition of the EDL must be maintained. This entails that landuse change in the catchment of the EDL should carefully consider the impact on the EDL to ensure that the ecological state of the EDL does not become degraded. In the context of the proposed development, the exclusion of the EDL from the development site entails that the development will not risk the direct impacting of the EDLs – except for the proposed access road. The proposed access road will need to be designed to minimise hydrological and ecological connectivity impacts. In addition the EDL will be downgradient of large areas of land which will be kept devoid of natural vegetation.

It is thus vitally important that construction and operational stormwater measures be implemented as part of the development.

Watercourse drivers and receptors discussion (hydraulic regime, geomorphological processes, water quality and habitat and biota):

the construction footprint be kept to a minimum the risk can be reduced to a "Low" Risk.

This EDL is characterised by one of the largest catchments of the EDLs in the wider area, rising in mountainous terrain approximately 8.5 km to the east of the study area. With the exception of the mountainous terrain at the head of the catchment of the EDL, the terrain in its catchment is comprised of gently slopes. The catchment of the EDLs is mostly characterised by livestock rearing. The landcover in the catchment is thus characterised by grassy and dwarf-shrub Karroid vegetation. As with most of the drainage line freshwater features in the study area, drainage is expressed in a channelised form where it occurs in areas of increased slope but flattening out and taking an un-incised form for most of its length, including within the reach in the investigation area.

The EDL is highly episodic in nature, not characterised by any form of baseflow and only fed by surface water flows from the surrounding catchment area during and after rainfall events of sufficient volume and intensity to generate surface runoff. In addition to the multiple impoundments in the upper part of the catchment of the EDL, two low impoundments are located along the reach of the EDL in the investigation area. These two impoundments will trap water during flow periods.

The reach of the EDL in the investigation area did not display any woody riparian vegetation species. Rather the riparian zone of the EDL is characterised by Karroid grass species and dwarf shrubs. Due to the absence of woody riparian vegetation (i.e. very limited riparian habitat heterogeneity) the EDL is not characterised by a significantly altered biological assemblage as compared to the surrounding terrestrial habitats.

No water quality parameters were able to be measured due to the absence of any flowing water.

Extent of modification anticipated

The drainage line is not located within the footprint of the solar PV arrays but is proposed to be crossed by an access road that links the two parts of Site 1. The road is proposed to cross the drainage line at a point immediately downstream of a dam located within the reach and thus this part of the drainage line is already impacted. However should the access road not be designed to incorporate throughflows as accommodated by culverts under the road surface it could exert a further impact on the downstream reach in a hydrological and associated fluvial morphological context and would act as a further hard barrier to the movement of biota longitudinally along the drainage system. Design-related mitigation measures will thus need to be considered and incorporated into the design of the drainage line road crossing.

The EDL could also be adversely affected by altered inflows from its surrounding catchment, due mainly to the permanent removal of vegetation over large parts of the catchment of the reach located in the investigation area. Accordingly stormwater-related mitigation is critical on the development site.

Impact Significance & Business Case:

Low

As the Soyuz1 Solar PV Park's solar array footprint is not located in the EDL, the development of the solar arrays has not been determined pose a high quantum of impact on the EDLs located between the two components of the development site. However the implementation of mitigation measures in particular formalised control of both construction and operational stormwater is critical in order to maintain at a "Low" degree of risk related to the development of solar PV arrays in the immediate catchment of the reach.

The proposed access road linking the two distinct parts of the Soyuz 1 Solar PV Park site would cross the EDL immediately downstream of a dam wall but at the alignment of the proposed road there is no current infrastructure. Accordingly a portion of the drainage line and riparian zone would be cleared of vegetation and substrate would be disturbed. The potential for destruction /' clearing of riparian vegetation was assessed to pose a risk of "Medium" significance, with all other risks being assessed to be low. However should



221101-01 – DRAFT ENVIRONMENTAL IMPACT ASSESSMENT REPORT FOR PUBLIC CONSULTATION FOR THE PROPOSED DEVELOPMENT OF SOYUZ 1 SOLAR PV PARK AND ASSOCIATED INFRASTRUCTURE NEAR BRITSTOWN, NORTHERN CAPE PROVINCE – AUGUST 2023 Table 31:Summary of the assessment of the EDL proposed to be crossed by the proposed Soyuz 1 Solar PV Park

Food for livestock Water for human use Biodiversity maintenance Water Sor human use Biodiversity maintenance Biodiversity maintenance Biodiversity maintenance Biodiversity maintenance





Ecoservice provision

Cultivated Foods – Moderately Low Biodiversity Maintenance - Low All other services = Very Low

Due to the presence of impoundments along the reach assessed the Wet-EcoServices tool has assigned a higher degree of supply for cultivated foods, however in reality (as indicated by the demand) cultivation does not occur within the local area due to the absence of permanent water sources for irrigation in a semi-arid setting. The drainage line has been assigned a low degree of biodiversity maintenance by the tool, but it should be noted that the supply of this ecoservice is higher and, biodiversity maintenance provisioning is likely to be supplied to a greater extent at a local level. Due to its limited hydroperiod there are very limited hydrological ecoservices provided by the drainage line, but the EDL will trap sediment in the dams along the wider reach. The natural state of the of the catchment entails that there are no pollutant





Photograph notes: Top Left: View upstream from the dam wall within the reach into an area of extensive deposited sediment in the dam footprint; **Top right** – riparian vegetation along a part of the reach; **Bottom left** – headcut within the channel bed in the lower part of the reach; **Bottom right** – channel in the downstream part of the reach indicating outcropping of calcrete in the bed.



	THE PROPOSED DEVELOPMENT OF SOYUZ 1 SOLAR PV	PARK AND ASSOCIATED	D INFRASTRUCTURE NEAR BRITSTOWN, NORTHERN CAPE PROVINCE – AUGUST 2023		
	sources that would need to be trapped or				
	assimilated.				
PES/	Riparian IHI PES Category: C				
discussion		inage line is impound	dments / dams. One dam is located within the reach within the investigation area and three further dams		
	. , ,		t the hydrology of this episodic drainage line, by holding back water in instances of flows along the channel		
			s has a concomitant impact on the vegetation within the riparian corridor of the drainage line, as the trees		
			poundment are likely to be heavily dependent on the input of water in during flow events. Erosion in the		
	•		n the downstream part of the reach within the investigation area. The presence of such headcut erosion		
			oundments – by depriving the downstream reach of sediment such headcut erosion may be initiated to		
			as however noted to be limited in spatial extent with the headcut and limited areas of bank erosion (as		
	exacerbated by the movement of livestock) being		· · · · · · · · · · · · · · · · · · ·		
	,	•	y and vegetative composition of the reach, the riparian vegetation was assessed to be in a relatively intact		
			in vegetation was noted. The riparian corridor supported a relatively high proportion of trees and large		
	· · · · · · · · · · · · · · · · · · ·		dor was noted to be characterised by a high degree of overall vegetation cover, with limited areas being		
	characterised by no vegetation, primarily in the active channel where alluvial material has been deposited or where outcropping of calcrete occurs, or on the margins of the riparian corridor where soils characterised by a higher degree of clay content occur. Such areas on the margins of the riparian zone were noted to be largely devoid of vegetation				
	with the development of soil crusting at the surfa		officent occur. Such areas on the margins of the riparian zone were noted to be largery devolutor vegetation		
EIS Discussion	EIS Category: Low	REC, RMO			
LIS DISCUSSION	The most important aspect of the drainage line's	&	REC Category: C		
	EIS relates to biodiversity aspects. Despite its	BAS	RMO: Maintain		
	relatively short length and lack of connectivity to	Category	BAS: C (Maintain)		
	the wider drainage system (as the drainage line	(All CWs)	Since the drainage line has been assessed to be in a moderately modified state, but with a low EIS rating,		
	dissipates downgradient of the investigation	(All CW3)	the ecological condition of the drainage line must be maintained. This entails that landuse change in the		
	area), it provides an important degree of		catchment of the drainage lines should carefully consider the impact on the drainage line to ensure that		
	biodiversity importance by performing an		the ecological state of the drainage line does not become degraded. In the context of the proposed		
	important role as an ecological corridor, as well		development, the crossing of the drainage by the proposed access road must not impact the drainage		
	as a crucial source of food and shelter for biota,		line to the extent that the PES class is lowered.		
	with an elevated degree of moisture availability				
	being a critical factor. The semi-arid climatic				
	setting and dependence of woody riparian				
	vegetation on moisture impacts entails that the				
	drainage line displays a moderate degree of				
	sensitivity to changes in floods. Despite their				
	negative ecological and hydromorphological				
	impacts the impoundments increase flood				
	attenuation. The only direct human benefit				
	associated with the drainage line relates to its				
	provision of grazing for livestock.				
	Provision of grazing for investock.				



Watercourse drivers and receptors discussion (hydraulic regime, geomorphological processes, water quality and habitat and biota):

The catchment of the drainage line is located in a shallow valley head located between areas of localised higher-lying topography (koppies) and is mostly characterised by livestock rearing. The landcover in the catchment is thus characterised by grassy Karroid vegetation, with sheet and gulley erosion appearing to be reasonably prominent. As with most of the drainage line freshwater features in the study area, drainage is expressed in a channelised form where it occurs in areas of increased slope, dissipating (and ceasing to be a freshwater feature) where the channelised feature enters an area of flat topography (plains) that characterise most of the wider area. This is true of the drainage line crossed by the access road, along which the channel becomes increasingly less defined until it dissipates into a longitudinal band of wide sandy deposits to the north of the investigation area.

The drainage line is highly episodic in nature, not characterised by any form of baseflow and only fed by surface water flows from the surrounding catchment area during and after rainfall events of sufficient volume and intensity to generate surface runoff. Soils in the catchment of the drainage line appear to be shallow sandy soils that are underlain by a calcrete layer that occurs near the surface, and which outcrops in places, thus hindering vertical movement of runoff water into the soil profile, and thereby increasing surface runoff volumes. As such this drainage line is likely to be 'flashy' in nature, being characterised by surface flows for very short duration. The reach of the drainage located within the investigation area and its upstream extent is characterised by a number of impoundments (dams) which extend across the lateral extent of the riparian corridor. These dams have altered the hydrology of the drainage line by reducing flood flows into downstream reaches of the drainage line. These impoundments thus exert an important impact on the drainage line by depriving riparian vegetation of flood flows which sustain the woody vegetation in the riparian corridor. The impoundments also alter the sediment balance of the drainage line and are likely to be partially responsible for the initiation of channel and associated headcut erosion on the downstream part of the reach.

Riparian habitat is comprised of a mix of woody and herbaceous vegetation, with clusters of woody vegetation (shrubs and small trees) occurring along certain areas of the channel banks and where deeper sandy soils occur. Herbaceous vegetation is comprised mostly of graminoids and dwarf karoo shrubs. Due to the altered habitat compared to the surrounding Karroid grassy scrubveld, increased habitat diversity and elevated levels of moisture, the drainage line supports a relatively high degree of faunal biodiversity in a local area context.

Extent of Modification anticipated

The drainage line is not located within the footprint of a solar PV array but is proposed to be crossed by the Site 1 / 5 access road. The road is proposed to cross the drainage line at a point immediately downstream of a dam located within the reach and thus this part of the drainage line is already impacted. However should the access road not be designed to incorporate throughflows as accommodated by culverts under the road surface it could exert a further impact on the downstream reach in a hydrological and associated fluvial morphological context and would act as a further hard barrier to the movement of biota longitudinally along the drainage system. Design-related mitigation measures will thus need to be considered and incorporated into the design of the drainage line road crossing.

Impact Significance & Business Case:

Low

The proposed access road would cross the EDL immediately downstream of a dam wall but at the alignment of the proposed road there is no current infrastructure. Accordingly a portion of the drainage line and riparian zone would be cleared of vegetation and substrate would be disturbed. The potential for destruction /' clearing of riparian vegetation under circumstances was assessed to pose a risk of "Medium" significance, with all other risks being assessed to be low. However should the construction footprint be kept to a minimum the risk can be reduced to a "Low" Risk.



13.5 APPLICATION OF BUFFER ZONES

The following Zones of Regulation (ZoR) are applicable to the Soyuz 1 Solar PV Park development site and access roads (Figure 50):

- NEMA 32 m ZoR as it relates to the National Environmental Management Act, 1998 (Act No. 107 of 1998);
- GN 509 100m ZoR as it relates to the National Water Act, 1998 (Act No. 36 of 1998).




Figure 50: Conceptual presentation of the zones of regulation applicable to the Soyuz 1 Solar PV Park in relation to the delineated freshwater ecosystems.

13.6 POTENTIAL FRESHWATER IMPACTS

There are **five key ecological impacts** on freshwater ecosystems that may potentially occur in relation to the access road:

- Altered freshwater ecosystem habitat and ecological structure;
- Changes to sociocultural and service provision;
- Altered biotic integrity and disturbance to ecosystem function;
- Impacts on the hydrology and sediment balance of the freshwater ecosystems; and
- Altered water quality.




Figure 51: Freshwater Ecosystem Delineation

Direct impacts could occur should the footprint of the Soyuz 1 Solar PV Park encroach on the delineated extent of the freshwater ecosystems, thereby resulting in direct transformation or degradation of freshwater habitat. In the context of the proposed development's initial layout, this would materialise if the footprint of the solar arrays encroached on the three drainage lines that occur within the study area boundaries, and in the instance of the proposed access road crossing the drainage line in the eastern part of its alignment. Indirect and cumulative impacts to the receiving freshwater environments could also occur. Direct impacts will be able to be avoided on the Soyuz 1 Solar PV Park development site should the footprint of the solar arrays be placed outside of the delineated extent of the drainage lines located on the site (Avoidance). Indirect impacts can be minimised with the implementation of a suitable buffer surrounding the drainage lines.

Greater detail on the potential risks related to indirect impacts and direct impacts associated with project components are as follows:

- Site clearing and preparation prior to commencement of any construction related activities
 for the proposed project may result in the potential for an increased degree of runoff and
 erosion, thus leading to increased sedimentation of adjacent / downgradient freshwater
 ecosystems. This may further contribute to smothering of freshwater biota due to increased
 sedimentation and decreased ecological service provisioning. The impacts of site clearing are
 anticipated to be relatively localised however, any impacts on the freshwater ecosystems will
 likely affect neighbouring areas further downstream;
- The potential exists for construction activities associated with the proposed project to generate dust through the removal of vegetation and topsoil, especially if injudicious, large



scale clearing of vegetation across the entire development site were to occur. This could result in large volumes of dust being transported into nearby freshwater systems, thereby smothering vegetation and other biota;

- Altered drainage patterns (related to stormwater in the event of precipitation events) due to
 increased impermeable surfaces or surfaces cleared of vegetation could adversely affect
 downgradient / adjacent freshwater ecosystems. In turn, this may contribute to increased
 alien vegetation proliferation and possible incision and sedimentation of the freshwater
 ecosystems;
- Cement mixing (batching) during construction could adversely affect downgradient freshwater ecosystems if polluted stormwater from the batching / mixing areas is transported into freshwater ecosystems. Such polluted stormwater could alter the pH of surface water, thereby posing a risk to freshwater biota;
- It is considered likely that the development of operational stormwater infrastructure will occur as part of the proposed development and may lead to loss of catchment yield from stormwater containment, thereby leading to altered vegetation community structure and diversity due to moisture stress and reduction in volume of water entering the freshwater environment, leading to reduced recharge. The intensity of the impact will be reduced if stormwater generated from the operational components of the development, if not used for stormwater recycling purposes, be discharged into the receiving freshwater environments in a manner that does not result in scouring and erosion of freshwater ecosystems and alterations to freshwater ecosystem hydrology;
- The operation and maintenance of the proposed infrastructure associated with the Soyuz 1
 Solar PV Park may result in increased risk of pollution of surface water, increased risk of
 sediment transport in surface runoff from impermeable surfaces, altered vegetation
 community composition, increased risk of erosion and altered runoff patterns within the
 landscape;
- The upgrade of the proposed access road across the drainage line will result in a direct impact on the affected reach. The new proposed road would lead to the direct transformation of a certain area of freshwater habitat and could result in alterations to the hydrology and geomorphology of the affected reach by potentially impounding surface flows (when these occur) upstream of the crossing and preventing sediment from being transported into the downstream reach of the freshwater ecosystem. Crossing structures may also cause the channelisation of flows downstream of the structure and lead to scouring, if not properly designed. This impact will be partly mitigated by the alignment of the proposed road crossing immediately downstream of an impounding structure (dam wall) entailing that the road crossing will be developed in an already impacted part of the drainage line reach.

13.7 CONCLUSION OF FRESHWATER SPECIALIST

The results of the field verification indicated that no freshwater ecosystems are located in the proposed Soyuz 1 Solar PV Park development area (i.e. within the preferred site layout footprint), but that five EDLs are located in close proximity to the PV array development site boundaries. In addition, one EDL is crossed by the proposed access road with a further EDL located close to the access road. It is important to note that one of the five EDLs located between the two Soyuz 1 Solar PV Plant is crossed by a proposed link road.



The proposed development would thus not have the potential to directly impact any freshwater feature in the context of the proposed Soyuz 1 Solar PV Park layout. Only indirect impacts associated with the Solar PV arrays could materialise. The proposed access road will result in direct impacts on the two EDLs crossed through direct habitat transformation that would adversely affect freshwater ecosystem provision and resource quality of the receiving EDLs.

Following the freshwater ecosystem assessment, the DWS Risk Assessment Matrix (2016) was applied to determine the significance of impacts of the proposed Soyuz 1 Solar PV Park access road on the receiving freshwater environment. The activities associated with the construction and operation of the proposed development pose a "Low" risk significance to the freshwater ecosystems within the study and investigation areas, provided that the mitigation and control measures specified are adhered to. All mitigation measures as stipulated in Aquatic Impact Assessment report must be implemented to prevent edge effects and cumulative impacts.

In the context of these findings and assessment of low impacts, it is the professional opinion of the freshwater specialist that the development can be considered for approval by the relevant authorities in terms of the Water Use Authorisation and EIA processes.

14 GEOTECHNICAL RECONNASAINCE ASSESSMENT

TMG, on behalf of the Applicant appointed GEOSS South Africa (C/O Louis Jonk) (hereinafter referred to as the "Geotech Specialist") to undertake the Geotechnical Impact Assessment the proposed Soyuz 1 Solar PV Park.

14.1 TOPOGRAPHY AND SITE FEATURES

The Soyuz Solar PV Cluster development lies within area characterised mostly by topographically-subdued, flat to very gently hilly terrain with localised topographic highs in the form of butts or ridges formed from negative weathering of more competent Karoo dolerites. All of the proposed sites for the Soyuz Solar PV Cluster are situated on topographical lows in the area. The Soyuz 1 Solar PV Park is located at elevation ranging from 1194 to 1253 m above mean sea level (amsl). Although agriculture is the dominant industry within the area, the landscape has remained relatively unchanged as the regional farming practices are dominated by livestock development. During the summer months, the vegetation is dominated by medium-length grasses and small brushes of the Upper Karoo Bioregion with numerous scattered domical termitaria The study area displays very little bedrock outcrop, except for the margins of local topographic highs, the outward dipping edge of localised ridges, and occasional small borrow pits exploiting Quaternary-age deposits The topography in the region has been classified in terms of development based on classes suggested by Stiff et al. (1996). Most of the region is classified as "intermediate" followed by "favourable" due to the flat nature of the site.

14.2 GEOLOGY

The Council for Geoscience (CGS) has mapped the area at a scale of 1:250 000 scale (2824 Kimberly, GCS 1993). The geological setting is shown in **Figure 52** and the main geology of the area is listed in **Table 32**.



The site is mostly underlain by shale, siltstone and sandstone of the Karoo-aged Tierberg Formation of the Ecca Group, which have been intruded by Jurassic-aged dolerites, and overlain by quaternary-aged surficial cover.

Table 32: Geological Formations

CODE	FORMATION	GROUP	LITHOLOGY	
~	Quaternary-aged	sediments	Alluvium	
Jd	Jurassic aged in	ntrusives	Dolerite	
Pa	Abrahamskraal	Adelaide	Red and greenish-grey mudstone, subordinate siltstone and sandstone	
Pwa	Waterford	Ecca	Sandstones, rhythmites, shales, and mudstones. Structures include wave ripples and slumping	
Pt	Tierberg	Ecca	Grey shale with interbedded siltstones in the upper part	




Figure 52: Geological Setting

14.3 SOIL TYPE DISTRIBUTION

Soils refer to the uppermost layer of sediments found within a specific area. Although all soils consist of essentially the same five elements i.e., organic matter, minerals, gasses, liquids, and organisms, varying pedogenic (soil forming) processes can lead to a wide diversity of soil types with large variation in both chemical and engineering properties.

Following the soil distribution maps of Fey (2010)²⁴ the Soyuz Solar PV Park Cluster 1-6 is located within the following five main soil type distributions (**Figure 53**).

- Calcic soils Soft or hardpan, marked carbonate or gypsum enrichment
- Cumulic soils Incipient soil formation in colluvial, alluvial or aeolian sediment
- Lithic soils Incipient soil formation on weathered rock or saprolite
- Duplex soils Marked textural contrast through clay enrichment
- Oxidic soils Residual iron enrichment through weathering, typically uniform in colour.




Figure 53: Soil Type Distributions across South Africa

A reconnaissance visit to the site at the end of January confirmed that the major soil types present at the Soyuz 1 PV Solar Park were Cumulic soils and Calcic soils with a strongly developed calcium carbonate horizon within the first-meter depth of the subsoil

14.4 PEDOCRETE DEVELOPMENT

Pedocretes describe materials that have formed *in situ* due to the cementation or replacement of soils by authigenic minerals such as iron or calcium carbonate from direct precipitation out of soil or from groundwater. Pedocretes are fairly common throughout southern Africa and are classified as either indurated (hardpans, honeycombs, nodules) or non-indurated (soft or powdery forms). Brink (1985)²⁵ compiled a general map of pedocretes distribution across southern Africa, which shows that the Soyuz Solar PV Park Cluster 1-6 is located well within the common distribution of calcrete soils (Figure 54).

²⁴ Fey, M., (2010) Soils of South Africa. Cambridge University Press.

²⁵ Brink, A. B. A., (1985). Engineering Geology of Southern Africa Volume 4. Building Publications, South Africa. Building Publications, 1985.



The generalised soil profile is provided in **Table 33**.

Table 33: Generalised Soil Profile

DEPTH (mbgl)	EXPECTED SOIL PROFILE
	Dry, red to reddish brown, loose to medium dense, fine to medium grained
0.0 to 0.5/1.0	silty SAND containing rounded calcrete pebbles.
	This horizon potentially represents the topsoil and transported alluvium.
	Laterally discontinuous, <u>hard yet brittle</u> , white calcrete, variably
0.5/1.0 to 1.2/1.5	interbedded with 0.1 to 0.2 m thick layers of fine to medium grained red
	SAND
	Dry, dark grey, highly fractured and friable, unweathered, fine-grained
1 2/1 5 += 2.0	SHALES of the Tierberg Formation.
1.2/1.5 to 2.0	Note: Fractures are infilled by calcium carbonate to form a characteristic
	calcrete-shale honeycomb structure.
2.0 to 3.0	Dry, dark grey, highly fractured and friable, unweathered, fine-grained
(end of profile)	SHALES of the Tierberg Formation.




Figure 54: Distribution of Pedocretes across Southern Africa

14.5 HYDROGEOLOGY

In the region earmarked for development, two aquifer types occur namely intergranular and fractured, and fractured aquifers, with fractured aquifers dominating the area. Both the intergranular and fractured aquifer as well as the fractured aquifer are shown to have an indicative yield potential of 0.5 to 2.0 L/s (DWAF, 2002).²⁶

-

²⁶ DWAF (2002). The hydrogeological map series of the republic of South Africa. Beaufort West, 3122. Scale: 1:500 000.




The regional groundwater quality is classified following DWAF (1998) as "marginal" directly underlying the study area with an associated electrical conductivity (EC) of 70 - 300 mS/m (DWAF, 2002).

It should be noted that the above classifications are based on regional datasets, and therefore only provide an indication of conditions to be expected. In field testing will be required to confirm the local water quality and yield potential.

14.6 SEISMICITY

It is common practise to design structures for seismic loads when the nominal peak horizontal ground acceleration (NPGA) exceeds a 0.1 g once every 475 years²⁷.



Retief and Dunaiski, (2009) delineated such regions in southern Africa, the approximate position of Britstown is shown in red on Figure 55 relative to these regions.

The region surrounding Britstown is shown to have a nominal peak ground acceleration of less than 0.1g.

Figure 55: Nominal Peak Ground Acceleration Zones

14.7 POTENTIAL IMPACTS

The impact of the project alternatives on the geological environment will predominantly relate to the impact that the development will have on the soils/rock units beneath the site. The impact of the development and construction, and operation of the proposed Soyuz 1 Solar PV Park activity on the geological environment is limited to topsoil stripping, excavations for pad foundations (if required), trenching, the construction of access roads, and associated light infrastructure. Bulk earthworks, where required for the construction of platforms and access roads, may generate a significant impact on the soils and rocks where construction takes place.

The primary concern associated with geotechnical works is increased soil erosion on site, due to the stripping of vegetation during the construction phase of the project. Removal of vegetation reduces infiltration, thereby increasing runoff yielding increased erosion. Further, compaction during earthworks reduces rainwater infiltration and increases surface runoff and increasing erosion. The construction of paved and/or hard-surfaced areas increases runoff and often localises discharge of stormwater, which may lead to increased erosion and consequently loss of topsoil. Disturbance of the

²⁷Retief, J., V., and Dunaiski, P., E., (2009). Background to SANS 10160: Basis of structural design and actions for buildings and industrial structures. Published by SUN MeDIA Stellenbosch.



soil may extend beyond the footprint of the structures should such conditions persist for long periods, e.g., more than 10 years.

15 HERITAGE IMPACT ASSESSMENT

TMG, on behalf of the Applicant appointed (ACO Associates) (C/O Mr John Gribble) (hereinafter referred to as the "Heritage Specialist") to undertake a Heritage Impact Assessment (HIA) for the proposed Soyuz 1 Solar PV Park.

15.1 METHODOLOGY

The HIA aims to identify heritage resources which may be impacted during the *construction*, *operation* and *decommissioning* phases of the project, assess their significance and provide recommendations for mitigation.

This assessment included the following:

- A desktop level literature review to assess the potential for archaeological, cultural and historic sites in the proposed development area;
- Archaeological field work to identify and document (collect GPS coordinates and photograph)
 heritage resources, that may be affected by the project, on the ground. A physical heritage
 survey of the Soyuz 1-6 SPV project areas was over five days between 7 and 11 January 2023;
- A desktop palaeontological impact assessment (PIA) to assess whether palaeontological features will be affected by the project.
- An assessment of the sensitivity and significance of any heritage resources, an evaluation of the potential impacts on them of the construction, operation and decommissioning of the project, and
- Determination of measures to mitigate any negative impacts of the project on them.

15.2 RECEIVING ENVIRONMENT

The property on which the Soyuz 1 Solar PV Park is being proposed is rural farmland and is zoned agricultural. Historically the land has been and continues to be used for stock farming.

The Soyuz 1 Solar PV Park development site is situated on a largely flat plain, within a ring of intrusive, igneous dolerite hills and outcrops.

The proposed development site is almost entirely covered in the red alluvial sands typical of this part of the Northern Cape. Although the depth of the sand varies, animal burrows noted during the survey indicate that it can be more than a metre thick in places. Two small seasonal river courses cross the site in a westerly direction but both have been excluded from the development site footprint.

The vegetation is the grassy, dwarf shrubland typical of the Nama-Karoo biome as can be seen in **Figure 56** and **Figure 57**. The only trees in the landscape are those planted in historical times at small dams installed to water livestock.





Figure 56: View south across the Soyuz 1 Solar PV Park development site




Figure 57: View north across the Soyuz 1 Solar PV Park development site

15.3 PALAEONTOLOGY

According to palaeontologist Dr Marion Bamford of the University of the Witwatersrand, the proposed development site lies on sedimentary rocks of the lower Karoo Supergroup and on much younger Tertiary limestones and Quaternary sands, most of which can preserve fossils. The ridges surrounding the basin in which the Soyuz 1 Solar PV Park will be constructed are Jurassic age dolerite which is an intrusive volcanic rock and, as such, is not fossiliferous. The Quaternary sand, alluvium and calcrete, dating to within the last million years. These sediments may contain transported fossils that originated in the source area of the sediments or have been trapped in palaeo-channels along the modern river valleys. This fossil material will be fragmentary and out of its original context but may, nevertheless preserve important palaeontological information.

According to SAHRA's palaeo-sensitivity map (see https://sahris.sahra.org.za/map/palaeo) (Figure 58), the proposed Soyuz 1 Solar PV Park development site is an area of moderate palaeontological sensitivity because the underlying Quaternary sediment has the potential to contain transported, fragmentary fossil material





Note: shading = very high sensitivity, orange = high, green = moderate, grey = zero (Source: : https://sahris.sahra.org.za/map/palaeo).

Figure 58: Palaeontological sensitivity of the proposed Soyuz 1 Solar PV Park development site Red

15.4 ARCHAEOLOGY

The survey of the proposed development site found very little archaeological material or other heritage resources in the flat grasslands that comprise the site.

Occasional ephemeral scatters of heavily patinated Middle Stone Age (MSA) hornfels lithics were noted in the less vegetated areas of the site. This type of archaeological material is very common and occurs widely across much of the Karoo and much of it is in secondary context, having been moved by water and deflated by sediment erosion down into a mixed, lag deposit. This material is generally regarded as background scatter and is of very low cultural significance. No Early Stone Age (ESA) lithics were seen.

The locations of the archaeological material found are shown on **Figure 59** and **Figure 60**. The survey tracks (yellow) are overlaid with the proposed Soyuz 1 Solar PV development footprint area (blue polygons) and the farm portion (red polygon). The numbered points represent the archaeological and other heritage occurrences recorded during the January 2023 survey.

.






Figure 59: Survey tracks overlaid with the Soyuz 1 Solar PV Park development footprint and the farm portion




Figure 60: Cluster of historical archaeological structures and midden next to access road

Some of the archaeological features detected during the survey are described as follows:

- **GO11:** The only Later Stone Age (LSA) artefact recorded was an isolated broken lower grindstone.
- **GO12:** A single rock engraving was recorded in a smaller cluster of low dolerite boulders. The image is a crescent, about 20 cm high and 15 cm across, which has been scratched onto the rough patinated surface of the boulder. The rock engraving has been given a grading of 3C.
- **JG009-JG013 / G009:** A cluster of stone structures with an associated midden and some historical graffiti were recorded on and around a dolerite koppie. This cluster of sites has been given a grading of 3C.

15.5 HISTORICAL BUILT ENVIRONMENT

A comparison of the earliest 1:250,000 topographic map for the area, which dates from 1961, with modern satellite imagery in a GIS indicates that there are no historical built structures within the proposed development footprint. The nearest historical farm complex is at Rietpoort, more than 4,5 km east of the project area (**Figure 61**).






Figure 61: Location of Rietpoort Farmstead

15.6 GRAVES AND BURIALS

No graves or burial grounds were recorded within the proposed development footprint. A handful of stone mounds associated with the historical structures adjacent to the access road could be unmarked graves.

15.7 CULTURAL LANDSCAPE

In respect of the landscape within which the Soyuz 1 Solar PV Park will be developed, the climate of the area and its geology has resulted in rugged landforms with low-growing, Karoo shrub and grasses extending over an expansive, undulating landscape broken by rocky intrusions.

The uninhabited nature of the wide-open spaces gives a feeling of remoteness and isolation.

The current land-use of the proposed development site and in the surrounding area also does not significantly alter the natural character. The area is remote and sparsely populated and the patterns created by fences, farm tracks and windpumps, with few dwellings or other humanly-made structures add to the sense of remoteness and isolation.

The paucity of natural landscape features that could have served as foci for pre-colonial human activities and the apparent lack of archaeological and other heritage sites on the project site suggest that the landscape of the proposed development site was of limited significance to, and thus lightly used and occupied by, a succession of pre-colonial and, more recently, to colonial people.

The cultural landscape within which the proposed development site will be located is not well developed but reflects the recent historical use of the land for livestock farming. Its main features are fences, water troughs, wind pumps and occasional farm complexes and it can be described as a lightly used, organically evolved, largely relict landscape.



The development of the Soyuz 1 Solar PV Park on the proposed site will alter the character of this rural landscape, and has the potential to contrast with the typical land use and historical form of human elements that are present in the landscape.

15.8 VISUAL ASSESSMENT

A Visual Impact Assessment (VIA) of the proposed Soyuz 1 Solar PV Park development on the proposed site was conducted by Scientific Aquatic Services as part of the EIA process. In its comments on the heritage Scoping report, SAHRA requested reference to the visual assessment in the HIA.

The proposed development site is situated in an area whose arid nature restricts livestock densities. This has led to relatively large farms with a sparse human population.

The VIA identified five visual receptors within 5 km of the proposed development area and its access road. However, because visual impacts are only experienced when there are receptors present to experience the impact, only one of the identified receptors, the Rietpoort farm complex and Guest House located approximately 4,6 km west of the SPV area will, potentially, be subject to impacts (Figure 62).




Figure 62: Map indicating the location of potential sensitive receptors within 5km of the proposed Soyuz 1 Solar PV Park

The undulating topography of the area between the proposed development site and the Rietpoort farm complex, and the dense vegetation around the farmstead obscures the view towards the development site. As such, the visual impact of the proposed Soyuz 1 Solar PV Park on the preferred development site is considered low to negligible as the visual intrusion on the receiving environment will be minor (if any). The proposed Soyuz 1 Solar PV Park is therefore likely to have an overall low visual impact on the receiving environment.



With the proposed development site and surroundings being dominated by dwarf karoo shrubs and grasses, the vegetative component will not be able to assist in screening the proposed Soyuz 1 Solar PV Park. The Rietpoort Guest House does however have existing dense tree lines which obscure the view towards the proposed development site. The local topography of the area is relatively flat to gently sloping with isolated hills and a mountainous backdrop. With the local topography being relatively flat, it is unlikely to assist in absorbing and/ or screening the proposed Soyuz 1 Solar PV Park. The mountainous backdrop will however somewhat assist in absorbing the Soyuz 1 Solar PV Park. The field assessment did indicate from a distance further than 1 km from the proposed development site, the gently sloping topography will influence the visibility of the Soyuz 1 Solar PV Park. The Visual Absorption Capacity (VAC) of the area is therefore considered moderate, indicating that the proposed visual façade of the development will be absorbed in the area, to a degree.

15.9 POTENTIAL HERITAGE IMPACTS

The main concerns related to the proposed development of the Soyuz 1 Solar PV Park on the proposed site are impacts to palaeontological resources and impacts to the cultural landscape. Although, except for the engraved site G012, the proposed development footprint appears to contain no significant archaeology. There is the very small chance that significant archaeological sites and/or material could occur within the proposed development footprint. Although no graves have been identified within the proposed development footprint, it is possible that unmarked burials could be present. The built environment has been scoped out of this assessment.

The following impacts have been identified:

Construction Phase

- Potential impacts on palaeontology
- Potential impacts on archaeology
- Potential impacts on graves and burials
- o Potential impacts on the cultural landscape.

Operational Phase

o Potential impacts on the cultural landscape.

Decommissioning Phase

o Potential impacts on the cultural landscape.

Cumulative Impacts

- Potential impacts on palaeontology
- Potential impacts on archaeology
- Potential impacts on graves and burials
- o Potential impacts on the cultural landscape.

15.9.1 Potential impacts on palaeontology

Activities associated with the construction and decommissioning of the proposed Soyuz 1 Solar PV Park may disturb or destroy fossil material within the Quaternary sediment that covers the site. However, the potential for fossils in these sediments is very variable and significance of impacts palaeontological resources would thus be low negative, but very low negative with the implementation of mitigation measures.



15.9.2 Potential impacts on archaeology

Archaeological sites and/or materials may be affected during activities associated with the construction and decommissioning of the proposed Soyuz 1 Solar PV Park. Most of the archaeological material identified within the proposed development footprint is of very low cultural significance, but the engraving at G012 has been graded 3A. The significance of impacts on the known archaeological would thus be low negative, but very low negative with the implementation of mitigation measures.

15.9.3 Potential impacts on graves and burials

Human graves or burials could be impacted almost anywhere within the proposed development footprint on, but the probability of this happening during earthworks associated with the construction and decommissioning phases is extremely low and the significance rating is thus very low negative both without and with the implementation of mitigation measures.

15.9.4 Potential impacts on the cultural landscape.

The cultural landscape is likely to be the heritage resource most affected by the establishment of the Soyuz 1 Solar PV Park on the proposed site, but given that the landscape is assessed as low cultural significance, the potential impact is assessed to be low negative.

15.9.5 Visual Impacts

With the Rietpoort farm complex being the only receptor within a 5 km radius of the proposed Soyuz 1 Solar PV Park, the visual impact is based on the view of the farm complex. The Visual Impact Assessment has concluded that that because the farm complex is at a lower elevation than the proposed development site and is well screened by trees, the visual impact associated with the Soyuz 1 Solar PV Park is low to negligible, as the visual intrusion on the visual receptor will be minor.

15.10 FINDINGS AND MITIGATIONS MEASURES

The Heritage Specialist concludes the following findings and recommendations to avoid and minimise impacts to heritage resources:

Palaeontology

The palaeontological sensitivity of the proposed development site is moderate with the site covered by relatively recent, Quaternary sediments. The PIA states that "based on experience and the lack of any previously recorded fossils from the area, it is extremely unlikely that any fossils would be preserved in the overlying sands and alluvium of the Quaternary because there are no palaeo-pans evident in the satellite imagery". The palaeontologist recommends that:

- A Fossil Chance Find Protocol is included in the Environmental Management Programme (EMPr):
- If fossils are found during construction then they should be rescued and a palaeontologist called to assess and collect a representative sample.

Archaeology

The archaeological sensitivity of the proposed development site is low, and except for the rock engraving G012 and the cluster of archaeological remains and midden (JG009-JG013 / G009) near the access road. The recorded archaeological material is of low significance. It is possible, however, that currently unknown archaeological sites and material may be present



either on or below the surface within the proposed development footprint. It is recommended that:

- ➤ A permanent 20 m no-go area or buffer must be implemented around the engraved boulder (G012). This buffer must be physically demarcated during construction and decommissioning;
- ➤ The cluster of sites adjacent to the access road (JG009-JG013 / G009) must be subject to the implementation of a permanent 20 m no-go area or buffer around it; and
- ➤ Any chance finds of archaeological material must be reported to SAHRA and/or an archaeologist.

Graves and Burials

No graves or burial grounds have been recorded within the proposed development site, but it is possible that unmarked burials could be present. Such, usually pre-colonial graves, are an extremely sensitive and often contested heritage resource, and it is generally impossible to predict their presence in advance of development. It is recommended therefore that the following measures are included in the EMPr:

In the event of the discovered of human remains, work in the immediate area must cease, the remains must be made safe and left in situ and the find must be reported immediately to SAHRA and/or an appropriately experienced archaeologist so that a decision can be made about how to mitigate with the discovery.

• Cultural Landscape

The cultural landscape within which the Soyuz 1 SPV park will be located is likely to be the heritage resource most affected by its construction. However, it is of low cultural significance and the impacts will be low. To mitigate potential impacts, it is recommended that:

- The disturbance footprint of the project during construction is kept to a minimum and all disturbed areas that will not be needed during operation are rehabilitated;
- At decommissioning, all areas are rehabilitated following an approved rehabilitation plan.

Visual

Impacts to the Rietpoort farm complex which is the only visual receptor within a 5 km radius of the proposed development, are low to negligible, as the visual intrusion on this receptor will be minor.

• Cumulative Impacts

- Although the region is generally palaeontologically sensitive, the occurrence of fossils is not consistent. While impacts across the area are possible, the mixed nature of the regional geology, and the low level of surface and near surface exposure of fossil-bearing rocks where they do occur, means that cumulative impacts on palaeontological resources are not likely.
- Archaeological material and sites are potentially at risk from cumulative impacts, given their widespread occurrence and exposure across the area but their relatively thin spread suggests that while impacts are possible, they are unlikely to be cumulatively significant.
- The implementation of measures at individual project level can do much to mitigate and reduce cumulative impacts to heritage resources.
- ➤ Cumulative impacts to the cultural landscape are likely as industrial elements are introduced into the generally lightly used, organically evolved, and largely relict cultural landscape of the region. The construction of the Soyuz Solar PV cluster and other mainly renewable energy projects in the region will alter the character of the



rural landscape and will contrast with the typical land use and historical form of human elements that are present in the landscape.

15.11 CONCLUSION OF HERITAGE SPECIALIST

This assessment has found that the proposed site identified for the proposed Soyuz 1 Solar PV Park is in a heritage environment of relatively low sensitivity and that significant impacts to heritage resources arising from the establishment of the facility on the preferred site are unlikely.

If the development is not authorised, the site would stay as it currently is with a neutral impact significance.

It is the considered opinion of the heritage specialist, that provided the recommended mitigation measures are implemented, the overall impact and significance of the development of the proposed Soyuz 1 Solar PV Park on the preferred site on heritage resources will be low. The proposed development is acceptable from a heritage perspective.

16 ENVIRONMENTAL NOISE IMPACT ASSESSMENT

TMG, on behalf of the Applicant appointed dbAcoustics (C/O Mr Barend van der Merwe) (hereinafter referred to as the "Noise Specialist") to undertake a Noise Impact Assessment report for the proposed Soyuz 1 Solar PV Park.

16.1 OBJECTIVES AND METHODOLOGY

The objectives of the specialist study were to:

- Gain a detailed understanding of the baseline noise environment at the proposed PV plant and infra-structure areas and at the residential areas (farmhouses);
- Identify areas that should be avoided due to irreplaceable environmental sensitivity or irreversible environmental impact, or identification of mitigation measures to replace/rehabilitate impacted sensitivities;
- Determine and assess the impacts (including cumulative impacts) to receptors and resources in the vicinity of the proposed PV plant;
- Identify if there are any fatal flaws in terms of noise associated with the proposed development;
- Develop environmental management measures so that negative impacts may be mitigated, and positive benefits enhanced;
- Provide guidance with regard to any further legal requirements/licenses or permits that may be needed.

16.2 CURRENT SITE NOISE PROFILE

The following observations were made in and around the proposed Soyuz 1 Solar PV Park development site:

- There was a continuous flow of traffic along the N12 main road and intermittent traffic along N10;
- Distant seasonal agricultural activity noise was audible at some of the measuring points;



- The wind and weather conditions play an important role in noise propagation;
- Domestic noise and intermittent traffic on the eastern side of Britstown City;
- Intermittent traffic along gravel road between Britstown and Twyfelhoek Farm.

16.2.1 Current Noise Sources

The following are noise sources in the vicinity of proposed development site were identified:

- Traffic noise along main roads;
- Intermittent traffic noise along gravel road;
- Agricultural type noises;
- Insects seasonal;
- Birds;
- Wind noise

16.2.2 Current Ambient Noise Levels

Noise monitoring was undertaken at the monitoring sites shown on **Figure 63**. The monitoring points were selected taking into consideration the site and its location to identified sensitive noise receptors as shown on **Figure 64**.




Figure 63: Noise Monitoring points for the study area




Figure 64: Noise receptors in the study area

The distances between the identified sensitive receptors (residential / tourism) to the potential noise source within the boundaries of the PV plant are presented in **Table 34**. The distances between the potential noise sources were calculated by means of the direct line of site.

Table 34: Distances (in m) between the noise receptors and the potential noise sources in meters

Noise		Soyuz 1 Solar PV Park								
Receptors	BESS	Central	O&M	Substation	PV	Lay	Construction			
		Inverter	Building		Modules	down	Area			
						area				
Α	6076	6076	6796	6471	4099	5955	5955			
В	8735	8735	8556	8300	8486	8143	8143			
С	18 509	18 509	18310	18073	18163	17781	17781			
D	9978	9978	1065	9592	10077	9979	9979			
E	8357	8357	8286	8379	8846	8767	8767			
F	5868	5868	5774	6099	6336	6680	6680			
G	8891	8891	8718	9051	9448	9600	9600			
Н	15818	15818	15748	15083	16162	16046	16046			

The ambient noise levels measured are presented in **Table 35**.



Table 35: Day and night-time noise levels (LAeq)

Position	Daytime i	n dBA	Night-tim	e 1 in dBA	Night-time 1 in dBA		
	Ambient L _{Aeq} - dBA	Remarks	Ambient L _{Aeq} - dBA	Remarks	Ambient L _{Aeq} - dBA	Remarks	
1	38.7	Rietpoort Guesthouse noises	40.4	Insects, wind	41.5	Insects, wind noise and trees	
2	38.2	Kalkenburg farm	37.1	noise and trees	30.2	Wind noise and	
3	42.7	noise	29.9	Wind noise and	31.3	insects	
4	42.7	Wind noise	29.9	insects	31.3	Natural noises	
5	42.2	Wind noise	32.2	Wind noise	31.9	Natural noises	
6	37.0	Natural noises	30.9	Natural noises	31.7	Natural noises	
7	32.9	Natural noises	29.9	Natural noises	31.3	Natural noises	
8	40.1	Natural noises	31.1	Natural noises	29.2	Natural noises	
9	60.6	Distant N12 noise	48.4	Natural noises	37.1	Distant N12 noise	
10	38.1	Distant N10 noise	42.2	Distant N12 noise	42.9	Distant N10 noise	

16.3 PREDICTED NOISE LEVELS

The different noise levels of machinery and/or equipment which may be used during construction activities at the PV plant footprint are illustrated in **Table 36**.

Table 36: Noise levels of standard construction machinery

Equipment	Reduction in the noise level some distance from the source – dBA (Cumulative distance from source in m)								
	2 m 15m 30m 60m 120m 240m 480m 960m 1920m								
Dump truck	91.0	62.5	56.5	50.4	44.4	38.4	32.4	26.4	20.3
Backhoe	85.0	56.5	50.5	44.4	38.4	32.4	26.4	20.4	14.3
Drilling Equipment	100.0	71.5	65.5	59.4	53.4	47.4	41.4	35.4	29.3
Flatbed truck	85.0	56.5	50.5	44.4	38.4	32.4	26.4	20.4	14.3
Pickup truck	70.0	41.5	35.5	29.4	23.4	17.4	11.4	5.4	-0.7
Tractor trailer	85.0	56.5	50.5	44.4	38.4	32.4	26.4	20.4	14.3
Crane	85.0	56.5	50.5	44.4	38.4	32.4	26.4	20.4	14.3
Pumps	70.0	41.5	35.5	29.4	23.4	17.4	11.4	5.4	-0.7
Welding Machine	72.0	43.5	37.5	31.4	25.4	19.4	13.4	7.4	1.3
Generator	90.0	61.5	55.5	49.4	43.4	37.4	31.4	25.4	19.3
Compressor	85.0	56.5	50.5	44.4	38.4	32.4	26.4	20.4	14.3
Pneumatic tools	85.0	56.5	50.5	44.4	38.4	32.4	26.4	20.4	14.3
Cumulative noise levels from the construction activities	101.5	72.9	66.9	60.9	54.9	48.9	42.8	36.8	30.8



16.4 NOISE IMPACTS TO SENSITIVE RECEPTORS

The following formula was used to calculate the noise levels at the sensitive receptors during the construction, operational and decommissioning phases respectively:

$$Lp = Lw - 20log R - \alpha$$

where, Lp is the sound level at a distance from the source in dBA;

Lw is the sound level at the source in dBA;

R is the distance from the source:

 α is the noise reduction factor of 5 for air density and ground conditions.

The noise levels at the noise sensitive areas are added in a logarithmic manner to determine the overall sound exposure at the sensitive receptor. The increase in the prevailing ambient noise level is calculated in the following manner:

$$\Delta LReq,T = LReq,T (post) - LReq,T (pre)$$

where,

LReq,T (post) – noise level after completion of the phase – projected or calculated noise levels; LReq,T (pre) – noise level before the proposed project – ambient noise level.

The noise levels at the sensitive receptors were added in a logarithmic manner to determine the overall sound exposure at the receptor. The criteria for assessing the magnitude of a noise impact are illustrated in **Table 37**.

Increase Δ -dBA	Assessment of Impact Magnitude	Colour code
0<Δ≤1	Not audible	
1<∆≤3	Very Low	
3<∆≤5	Low	
5<Δ≤10	Medium	
10<Δ≤15	High	
15< Δ	Very High	

Table 37: Noise intrusion level criteria

16.4.1 Predicted Construction Phase Noise Levels

The arithmetic calculated noise levels (dBA) during the construction phase for the different activities in the vicinity of the residential areas, when these activities will occur along the nearest boundary to the residential areas, are presented in **Table 38**.

Table 38: Noise Intrusion levels during construction phase - Soyuz 1 Solar PV Park

Residential property	Clearing and grubbing of topsoil and vegetation	Construction activities at the PV PLANT	Construction activities at the PV PANELS	Installation of the INFRA- STRUCTURE	Construction activities of the OHP LINE	Cumulative Levels	Cumulative noise level - Daytime	Cumulative noise level - Nighttime	Intrusion noise level - daytime	Intrusion noise level - nighttime
Α	7.8	7.3	7.5	6.8	8.2	14.6	38.7	40.7	0.0	0.0
В	4.7	4.2	4.8	3.7	1.9	11.0	38.2	44.7	0.0	0.0
С	-1.8	-2.3	-2.0	-2.8	-4.7	4.4	38.1	42.4	0.0	0.0
D	3.5	3.0	3.0	2.5	0.4	9.6	42.7	30.6	0.0	0.0
F	8.1	7.6	6.5	7.1	4.5	13.9	33.0	30.7	0.1	0.1
G	4.5	4.0	3.4	3.5	1.0	10.4	32.9	30.6	0.0	0.0
Н	-0.5	-1.0	-1.1	-1.5	-3.7	5.6	32.9	30.6	0.0	0.0

^{*}Calculated ambient noise level is the prevailing ambient noise level measured plus the cumulative noise level from the different activities at the residential areas; and

16.4.2 Predicted Operational Phase Noise Levels

The arithmetic calculated noise levels (dBA) during the operational phase for the different activities in the vicinity of the residential areas are illustrated in **Table 39**.

Table 39: Calculated noise intrusion level during operational phase - Soyuz 1 Solar PV Park

Residential property	BESS Area	Noise from the Central Inverter	Noise from the sub-station	Noise from the O & M Building	PV Modules	Maintenance activities	Cumulative Levels	Cumulative noise level - Daytime	Cumulative noise level – night- time	Intrusion noise level - daytime	Intrusion noise level – night- time
Α	7.9	9.9	6.8	1.4	0.7	-7.0	13.7	38.7	40.7	0.0	0.0
В	4.7	7.3	4.6	-0.6	-5.6	-9.7	11.0	38.2	44.7	0.0	0.0
С	-1.8	0.6	-2.1	-7.3	-12.2	-16.5	4.3	38.1	42.4	0.0	0.0
D	3.6	5.6	3.4	17.5	-7.1	-11.5	18.1	42.7	30.8	0.0	0.2
E	5.1	6.7	4.5	-0.4	-5.9	-10.4	10.8	42.2	32.1	0.0	0.0
F	8.2	9.1	7.3	2.8	-3.0	-8.0	13.5	32.9	30.7	0.0	0.1
G	4.6	5.9	3.9	-0.8	-6.5	-11.1	10.1	32.9	30.6	0.0	0.0
Н	-0.4	1.4	-0.6	-5.9	-11.2	-15.6	5.5	32.9	30.6	0.0	0.0

^{*}Calculated ambient noise level is the prevailing ambient noise level measured plus the cumulative noise level from the different activities at the residential areas; and

16.4.3 Road Traffic Noise

SANS 10210 of 2004, the national standard for the calculating and predicting of road traffic noise was used to calculate the noise level to be generated by the traffic along the preferred road. The calculations to determine the noise level from the additional traffic along the preferred road are based on the following equation:

^{*}The noise intrusion level is the difference between the existing prevailing ambient noise level and the calculated noise level during the construction phase.

^{*}The noise intrusion level is the difference between the existing prevailing ambient noise level and the calculated noise level when the PV plant will be operational



Basic Model

LBasic = 38.3 + 10 Log (Qr) dBA,

where; LBasic = basic noise level in dBA and Qr is the mean traffic flow per hour.

The calculation of the noise levels during the construction phase are based on a total of 7 vehicles per hour of which 4 will be heavy-duty vehicles and 3 will be motor-vehicles and during the operational phase 5 vehicles of which 1 will be heavy-duty vehicles and 4 will be motor vehicles.

The calculated traffic noise level at 50m from the access road will be 39.8dBA during the construction phase and 37.7dBA during the operational phase.

16.5 POTENTIAL NOISE IMPACTS

Potential noise impacts which may be associated with the development of the Soyuz 1 Solar PV Park, have been identified by the Noise Specialist as follows:

16.5.1 Construction phase

- **Site clearing and grubbing of footprint:** Noise may be generated by the construction activities and the use of construction equipment such as Graders, TLB's and Front-end loaders. The use of this equipment will create an increase in noise levels in the immediate vicinity of the construction activities and in some cases at some distance from the activities.
- **Construction activities of the PV modules at Soyuz 1 Solar PV Park:** Noise could be generated by the following activities: earth drilling, generator noise and civil construction.
- Construction of the infrastructure: The construction of the BESS, O&M building, Sub-station, roads may generate localised noise increase in particular the use of cranes and generators during the assembly stage of the sub-station and/or batteries.
- Traffic noise generated by vehicles accessing the proposed development site: Construction roads to and from the site would create a temporary linear noise source.

16.5.2 Operational phase

- BESS activities;
- Inverter noise:
- Sub-station noise;
- Additional traffic to and from the Soyuz Solar 1 PV Park;

The operations of the above infrastructure may result in low noise emissions due to the operation of fans.

16.5.3 Decommissioning phase:

- Planting of grass and vegetation at the rehabilitated areas;
- Removal of infra-structure.

16.6 RECOMMENDATIONS

16.6.1 Acoustic Screening Recommendations:

The proposed acoustic screening measures for the project are given in **Table 40**. These are based on the best practicable methods, acoustic screening techniques and the IFC's Health and Safety Regulations.



Table 40: Recommended acoustic screening measures

Activity	Recommendations
Construction phase	Equipment and/or machinery which will be used must comply with the manufacturer's specifications on acceptable noise levels. Construction activities to be done during daytime periods only.
Operational phase	All equipment with noise levels exceeding 85.0dBA to be acoustically screened off by means of engineering control measures. Plenum boxes to be fitted over the mechanical fans when baseline noise level at the footprint is exceeded. Acoustic screens to be erected between the BESS, O&M building and the sub-station and the direction of the closest farmhouse should the noise from the activities be audible at the farmhouses. Reverse signal of maintenance vehicles to be replaced with vibration type signal. The Inverter will have to be acoustically screened off (acoustic screen on the side facing the residential areas) when the sound from the Inverter is audible at the abutting farmhouses.
Decommissioning phase	Equipment and/or machinery which will be used must comply with the manufacturer's specifications on acceptable noise levels. Removal of structures and the planting of grass activities to be done during daytime periods only.

The following are the Environmental, Health and Safety Guidelines of the IFC of the World Bank, which should be taken into consideration during the construction, operational and decommissioning phases of the project:

- Selecting equipment with lower sound power levels;
- Installing silencers for fans;
- Installing suitable mufflers on engine exhausts and compressor components;
- Installing acoustic enclosures for equipment causing radiating noise;
- Installing vibration isolation for mechanical equipment;
- Re-locate noise sources to areas which are less noise sensitive, to take advantage of distance and natural shielding;
- Taking advantage during the design stage of natural topography as a noise buffer;
- Develop a mechanism to record and respond to complaints.

16.6.2 Noise Monitoring

It is recommended that the following noise monitoring programme be implemented for the proposed Soyuz 1 Solar PV Park:

- **Construction Phase:** Noise monitoring must be undertaken if noise complaints are received. The nature of the monitoring to be undertaken should be determined at the time based on the nature and location of the noise nuisance experienced.
- Operational Phase: Once the PV facility is fully commissioned, a noise monitoring survey must be undertaken to establish that the noise levels by the facility are in keeping with the levels predicted by the noise level survey and to ensure that the noise levels will not affect off-site sensitive receptors. Thereafter, for the duration of the operational phase, noise monitoring must be undertaken if noise complaints are received. The nature of the monitoring to be undertaken, including the location of the monitoring points, should be determined at the time based on the nature and location of the noise nuisance experienced.

16.7 CONCLUSION OF THE NOISE SPECIALIST

The proposed Soyuz 1 Solar PV Park will be situated in an area where there are feeder roads, seasonal agricultural activities, and residential areas. The noise impact assessment revealed that the noise



impact will be negligible-positive during the operation, and low-negative during the construction and decommission phases after the implementation of the mitigatory measures. The recommended noise mitigatory measures will ensure that the proposed Soyuz 1 Solar PV Park environmentally sustainable.

17 SOCIAL IMPACT ASSESSMENT

TMG, on behalf of the Applicant appointed Tony Barbour Environmental Consulting South Africa (C/O Tony Barbour) (hereinafter referred to as the "Social Specialist") to undertake the Social Impact Assessment for the proposed Soyuz 1 Solar PV Park.

17.1 ADMINISTRATIVE CONTEXT

The study area is located within the Emthanjeni Local Municipality (ELM), which falls within the Pixley ka Seme District Municipality (PKSDM) in the Northern Cape Province (Figure 3.1). The PKSDM is made up of eight category B local municipalities which include Emthanjeni, Kareeberg, Thembelihle, Siyathemba, Renosterberg, Ubuntu, Siyancuma and Umsobomvu municipalities. De Aar is the administrative seat of the EML and PKSDM. The site is located within Ward 8 in the ELM.

17.1.1 Population

The population of the ELM in 2016 was 45 404. Of this total, 36.4% were under the age of 18, 57.9% were between 18 and 64, and the remaining 5.8% were 65 and older. The ELM therefore has a relatively large young population. This creates challenges in terms of creating employment opportunities. In terms of race groups, Coloureds made up 60.9% of the population, followed by Black Africans (32%) and Whites (6.9%). The main first language spoken in the ELM was Afrikaans (69.6%), followed by IsiXhosa (26.5%) and English (0.9%).

The population of Ward 8 in 2011 was 4 448. Of this total, 32.53% were under the age of 18, 61.3% were between 18 and 64, and the remaining 6.2% were 65 and older. Like the ELM, Ward 8 also had a relatively large young population. In terms of race groups, Black Africans made up 44.3% of the population, followed by Coloureds (39.2%) and Whites (15.1%). The main first language spoken in the Ward 8 was Afrikaans (55.3%), followed by IsiXhosa (34.2%) and English (2%).

The high percentage of young people in both the ELM and Ward 8 means that a large percentage of the population is dependent on a smaller productive sector. The dependency ratio is the ratio of non-economically active dependents (usually people younger than 15 or older than 64) to the working age population group (15-64). The higher the dependency ratio the larger the percentage of the population dependent on the economically active age group. This in turn translates reduced revenue for local authorities to meet the growing demand for services. The national dependency ratio in 2011 was 52.7%, similar to that of the Northern Cape Province (55.7%). The dependency ratio for the ELM (2011) was 60.4%. The traditional approach is based people younger than 15 or older than 64. The 2016 information provides information for the age group under 18. The total number of people falling within this age group will therefore be higher than the 0-15 age group. However, most people between the age of 15 and 17 are not economically active (i.e., they are likely to be at school).

Using information on people under the age of 18 is therefore likely to represent a more accurate reflection of the dependency ratio. Based on these figures, the dependency ratio for the ELM in 2016 and Ward 8 (2011) was 72.8% and 63% respectively. This figure is significantly higher than the national and provincial levels in 2011 (52.7% and 55.7% respectively). The higher dependency ratio reflects the



limited employment opportunities in the area and represent a significant risk to the district and local municipality. The high dependency ratio also highlights the importance to maximising local employment opportunities and the key role played by training and skills development programmes.

17.1.2 Households and house types

Based on the information from the 2016 Community Survey there were a total of 11 992 households in the ELM and 1 200 in Ward 8 (2011). Most of the households reside in formal houses (74.2% ELM and 92.5% Ward 8). The figure for the ELM is similar to the District (78.1%) and Provincial (74.4%) figures. Approximately 17% of the households in the ELM reside in backyard flats and a further 4.2% in informal shacks. For Ward 6 only 1.2% lived in shacks. Only 1.7% of the households in Ward 8 resided in shacks in 2011.

Based on the information from the 2016 Community Household Survey 39.8% of the households in the ELM are headed by females compared to 31.3% for Ward 8 (2011). The figure for ELM was similar to the District and Provincial figures of 37% and 39% respectively. The high number of female-headed households at the local municipal and ward level reflects the lack on formal employment and economic opportunities in the ELM. As a result, job seekers from the ELM need to leave the areas to seek work in the larger centres. As indicated above, this highlights the importance to maximising local employment opportunities and the key role played by training and skills development programmes.

Most of the job seekers are likely to be males. This is due to traditional rural patriarchal societies where the role of the women is usually linked to maintaining the house and raising the children, while the men tend to be the ones that migrate to other areas in search of employment.

17.1.3 Household income

Based on the data from the 2011 Census, 9.1% of the population of the ELM had no formal income, 3.3% earned less than R 4 800, 4.9% earned between R 5 000 and R 10 000 per annum, 18.2% between R 10 000 and R 20 000 per annum and 22.4% between R 20 000 and 40 000 per annum (2011). The figures for Ward 8 were 11.1%, 1.9%, 3.5%, 19.1 and 20.6%. The poverty gap indicator produced by the World Bank Development Research Group measures poverty using information from household per capita income/consumption. This indicator illustrates the average shortfall of the total population from the poverty line. This measurement is used to reflect the intensity of poverty, which is based on living on less than R3 200 per month for an average sized household (~ 40 000 per annum). Based on this measure, in the region of 57.9% of the households in the ELM and 56.2% in Ward 8 live close to or below the poverty line. While this figure is lower than the provincial level of 62.9%, the low-income levels reflect the limited employment opportunities in the area and dependence on the agricultural sector. This is also reflected in the high unemployment rates. As indicated above, this highlights the importance to maximising local employment opportunities and the key role played by training and skills development programmes.

The low-income levels are a major concern given that an increasing number of individuals and households are likely to be dependent on social grants. The low-income levels also result in reduced spending in the local economy and less tax and rates revenue for the ELM. This in turn impacts on the ability of the ELM to maintain and provide services.

The Integrated Development Plan (IDP) for the ELM indicates that the total number of indigent households within the municipal area increased from 2 726 households as of 30 June 2014 to 2 874 as



at April 2017 and about 3 594 households during January 2016/17. The COVID-19 pandemic is likely to have resulted in an increase in the number of indigent households in 2020 and 2021.

17.1.4 Employment

The official unemployment figure in 2011 for the ELM was 14.5%. The figures also indicate that the majority of the population are not economically active, namely 43.7%. These figures are similar to the official unemployment rate for the Northern Cape Province (14.5%) and Pixley ka Seme District (14.8%). This reflects the limited employment opportunities in the area, which in turn are reflected in the low income and high poverty levels. Given the impact of COVID-19 pandemic, the unemployment levels are likely to be higher in 2021. The figures for Ward 8 were 7.8% (unemployed) and 49.2% not economically active.

17.1.5 Education

In terms of education levels, the percentage of the population over 20 years of age in the ELM with no schooling was 17.4% in 2011, compared to 7.9% for the Northern Cape Province and 11.9% for the District. The percentage of the population over the age of 20 with matric was 28.3%, compared to 29.1% for the Province and 25.3% for the District. Only 1.5% and 1.4% of the population over the age of 20 years in the ELM had an undergraduate and postgraduate qualification, respectively. The relatively poor education levels in the ELM pose a potential challenge to the implementation of an effective training and skills development programme for local community members. The figures for Ward 8 (2011) were 8.6% with no schooling, 29.2% with matric and 2.3% and 1.2% with an undergraduate and postgraduate degree respectively. The figure for matric was similar to the provincial figure and higher than the district level.

17.1.6 Access to Electricity

Based on the information from the 2016 Community Survey 96.6% of households in the ELM had access to electricity. Of this total 88.4% had inhouse prepaid meters. No data was available for Ward 8.

17.1.7 Access to water

Based on the information from the 2016 Community Survey 96.7% of households in the ELM were supplied by a regional or local service provider. However, only 53.2% of the households had piped water inside their houses, while 44.3% relied on piped water inside the yard. The figures for the District were 45.8% and 44.4% respectively. Only 45.3% of households in the Northern Cape Province have piped water inside their homes. For Ward 8, 80.6% of households were supplied by the local service provider and 17% relied on boreholes, which reflects the rural nature of Ward 8.

17.1.8 Sanitation

Based on the information from the 2016 Community Survey, 95.3% of households in the ELM had access to flush toilets, 2.1% rely on pit latrines, 1.5% use bucket toilets, while 0.5% had no access to toilet facilities. The figures in terms of access to flush toilets are higher than provincial (71.4%) and District (82.8%) figures. For Ward 8 81.1% of households had access to flush toilets and 5% had no access to toilets. 8.9% relied on pit latrines.



17.1.9 Refuse collection

Based on the information from the 2016 Community Survey, 79.8% of households in the ELM had their refuse collected on a regular basis by a local authority of private company, 4.6% use their own dumps, and 8.7% are not serviced. For Ward 8, 77.8% of households were provided with a regular service while 14% relied on their own dump.

17.2 HEALTH AND COMMUNITY FACILITIES

The PKSDM is served by 3 District Hospitals, 8 Community Health Centres, 28 Primary Health Care Clinics, 4 satellite clinics and 1 mobile clinic, distributed over the district. The ELM has 1 District Hospital and 6 Primary Health Care clinics. There are no community health centres within ELM that provide a 24hour service. A new hospital was built in De Aar and was opened in 2017. The Central Karoo Hospital serves as the referral hospital for the district. Minor operations are performed at the facility. Specialists visit the district monthly from Kimberley Hospital Complex. In terms of education the ELM has 16 schools of which 13 are no-fee schools. The ELM also has libraries.

17.3 ECONOMIC OVERVIEW

17.3.1 Agriculture

Agriculture is the key economic sector in the PKSDM and ELM. Many of the towns within the district municipal area function mainly as agricultural service centres, with the level of services provided at the centres to a large extent reliable on the intensity of the farming practices in the surrounding area. Despite the largely semi-arid and arid environment in the district, the fertile land that lies alongside the Orange, Vaal and Riet Rivers supports the production of some of the country's finest quality agricultural products, including grapes and vegetables. The main livestock farming in the region include cattle, sheep, and goat farming. Game breeding has also been identified as one of the opportunities which could be linked with the tourism sector for Game reserves and hunting activities. However, despite the key role played by agriculture there is limited value adding to the farming products within the district and the area is prone to droughts and climate change.

17.3.2 Mining

The main deposits in Pixley ka Seme include alluvial diamond mining along the Orange River and various semi-precious stones, such as tiger-eye and zinc deposits. The region also has various saltpans for the potential of salt production. Uranium deposits also occur in the district.

17.3.3 Tourism

The tourism sector in the district contributes 15.6% to the provincial gross value added (GVA). The municipalities Emthanjeni, Kareeberg, Umsobomvu and Siyancuma municipalities are the biggest contributors to the provincial gross value added (GVA). The PKSDM IDP notes that the tourism opportunities in the district will increase due to the Karoo Array Telescope (KAT), a project being driven at a national level. Of relevance, the PKSDM notes that care needs to be taken with developments that have the potential to negatively impact on the Karoo landscapes.

17.3.4 Renewable energy

Of key relevance the PKSDM IDP identifies renewable energy as key economic sector and refers to the substantial socio-economic development (SED) and enterprise development (ED) contributions leveraged by the IPPPP commitments. The IDP notes that the towns of Prieska and Carnarvon have in



recent years changed character from small rural towns to potentially regional hubs as a result of investments in renewable energy generation and the Square Kilometre Array (SKA) radio telescope project, respectively.

17.4 OVERVIEW OF THE STUDY AREA

The proposed Soyuz 1 Solar PV Park development site forms part of a complex of 6 Soyuz PV projects currently proposed (separate applications) in the area to the south-east of Britstown in the south-eastern Northern Cape Province (NCP). Britstown is located at the intersection of the N10 (De Aar-Prieska) and the N12 (Victoria West-Kimberley).

The proposed site is accessed off the Deelfontein Road (Britstown to Richmond). The road is primarily used by local farmers residing on properties accessed off this road.

Two 400 kV Eskom lines traverse the broader study area north-west (Britstown) to south-east (De Aar). The nearest line is located approximately 13 km north of the proposed site site. Other infrastructure include the Britstown-De Aar railway line located roughly parallel to the south of the N12, approximately 18 km north of the PV1 site.

The study area is located on the Great Escarpment in the arid Central Karoo region. Annual rainfall is around 250 mm, and the area is prone to droughts. The landscape is general flat, punctuated by koppies. The veld consists of karroid scrub on plains and shrubland on the slopes of koppies. The scrub is characterized by the predominance of grasses in good rainfall years, increasing the risk of veld fires. The landscape is essentially treeless, with trees confined to ephemeral drainage courses and farmyards.

The study area properties are used for livestock farming and the area is traditionally a wool farming area. Carrying capacities are modest, around 2.4 ha per sheep. Most operations rely on networks of boreholes and watering points. No significant cropping activities are associated with the study area, although a few livestock operations grow modest quantities of irrigated fodder for own use. Economic farming units are large, typically consisting of several properties. Some farmers lease additional land. The study area settlement is consequently sparse, and mainly concentrated on a few base farms, typically near public roads. Labourers typically live on the base properties. Caretaker staff reside on some properties. Farmsteads and labourers' houses on some properties have become redundant and are no longer inhabited.

No protected natural areas are in or in significant proximity to the study area. Natural and/ or introduced game occur on many study area properties. While many farmers offer limited seasonal hunting opportunities, no game farming or dedicated commercial hunting operations are located in the study area. Several of the farmers interviewed have currently suspended seasonal hunting to give the game a chance to recover from the recent drought.

Local tourism is primarily focused on accommodation. Several farm stay facilities are located in the study area south-east of Britstown. The facilities located near the PV1 site – on Rietpoort, Rooidam, Twyfelberg, Sweetfontein, and Windpoort - are all located on working livestock farms and primarily cater to passing traffic on the N12 and N10 (overnight accommodation). Sweetfontein also caters to weddings and other functions over weekends, with regular accommodation spillovers into the other guest facilities in the area (Lambrechts, pers. comm). The Karoo sense of place – open spaces and



night skies – is considered a key attraction (as per internet marketing of the relevant facilities). Sweetfontein offers game drives, but the operation (which includes Twyfelberg) is not focused on game tourism.

17.5 PREFERRED SITE AND ADJACENT PROPERTIES

The proposed Soyuz 1 Solar PV Park development site is situated on a portion of a single property, Farm 145/3. This property borders onto 6 other properties. Two additional properties – Twyfelhoek 127/9 and 127/5 – are only affected by the proposed site access road off the Deelfontein public gravel road.

The site property (145/3) and two adjacent ones – Twyfelhoek 127/1 and Farm 146 – are owned by Mr Andries Grove. Mr Grove's operation is based on near-adjacent Dreunfontein 126/RE 7.5 km to the north (Table 3.1). The other four site-adjacent properties are owned by three land owners, namely Mr Gerard Sieberhagen (Twyfelhoek 127/3, Farm 145/RE), Mr Gerrit Raath (Perdepoort 169/1), and the Killowen Trust. The two properties only affected by the access road belong to respectively Messrs Zachi Blomerus (127/9) and Olof Paul (127/5). With the possible exception of the Killowen Trust, all the relevant owners are based on near-adjacent farms in the immediate study area. Perdepoort 169/1 (Rietpoort) is the only permanently inhabited one of the 9 study properties. Rietpoort serves as base farm.

All the relevant properties (Nieuwejaarsfountain 147/6 assumed) are actively farmed as sheep farms. Labourer households reside on the base properties of the relevant owners. Of the 9 study properties. resident labourer households are therefore only associated with Perdepoort 169/1 (Rietpoort). Tourist accommodation (overnight farm stay) is associated with Perdepoort 169/1 (Rietpoort Guest Farm) and Twyfelhoek 127/5 (Windpoort Country Guest House). Both properties primarily form part of livestock farming operations based on adjacent or near-adjacent properties.

17.5.1 Relationship to Receptors

The proposed Soyuz 1 Solar PV Park would occupy most of the subject property (145/3). The property forms part of a significantly larger farming operation (Kolkenburg farm). Footprint losses to grazing associated with infrastructure could be absorbed by the larger operation, or the lease income used to lease additional grazing or otherwise support the existing farming operation (Grove, pers. comm).

As indicated, the settlement pattern is sparse. The proposed site is located within 5 km of only one residential/ tourism receptor, namely the cluster on Perdepoort 169/1 - Rietpoort farmstead, labourers houses and Rietpoort Guest Farm - located approximately 4 km to the west of the site. The farmstead is screened from the site by a series of intervening koppies and would not be visible from the farmstead. The proposed site is not located in significant proximity to the N12 (9 km) or N10 (17 km). Moreover, the site is enclosed by a circle of kopjes which effectively screens it from receptors. All proposed construction phase terrains, as well as the proposed substation, BESS and substation sites are located >5 km from all residential/ tourism receptors and public roads, i.e., not within significant proximity of any social receptors.

The Deelfontein public gravel road is primarily used by local farmers. The portion between Britstown and the proposed site access road intersection would affect primary access to two permanently inhabited properties, Dreunfontein 126/1 (Witfontein) and Uitkoms (Pettsspot 971), as well as the Windpoort Country Guest House on Twyfelhoek 127/5. Witfontein and Uitkoms are located >1 km



from the road, but the Windpoort guest house is located close to the road (~70 m). PV 4 is currently proposed on Twyfelhoek 127/5, approximately 560 m north of the guest accommodation (farmhouse). The site access road would not affect access to dwellings on any properties. Perdepoort 169/1 and Nieuwejaarsfountain 147/6 are accessed off the R389 and would not be affected by project-related traffic.

The immediate study area is not currently affected by transmission line infrastructure or operational PV facilities (or any under construction). Other Soyuz PV parks and Soyuz WEFs are currently proposed on 4 of the 9 study properties, including the two guest farm properties (Rietpoort, Windpoort).

17.6 OTHER PROPOSED RENEWABLE ENERGY FACILITIES

The proposed Soyuz 1 Solar PV Park development site is not located within a REDZ. The DFFE's Renewable Energy website does not indicate any historic applications located within a 30 km radius of the proposed site. No operational REFs are currently located within a 30 km radius of the site. The 6 Soyuz PV projects and 6 Soyuz WEF projects are not reflected. The proposed site borders onto Soyuz WEF1 and WEF2 areas. Not indicated on **Figure 65**, is Solar Capital's approved Stiltevrede REF suite located between (and adjacent to) the easternmost of the proposed Soyuz Solar PV Cluster (viz, proposed Soyuz 6 Solar PV Park) and De Aar.




Figure 65: Proposed Soyuz 1 Solar PV (pink outline) in relation to historic REF applications within a 30 km radius (red circle).

Note: Also indicated are other proposed Soyuz PVs (light blue), proposed Soyuz WEF suite (purple), and operational REFs (green outlines) (Source: DFF&E).

17.7 ASSESSMENT OF POLICY AND PLANNING FIT

The development of renewable energy is strongly supported at a national, provincial, and local level. The development of and investment in renewable energy is supported by the National Development Plan (NDP), New Growth Path Framework and National Infrastructure Plan, which all refer to and support renewable energy. The PKSDM SDF and IDP and ELM IDP also support the development of renewable energy. The development of the proposed Souyz 1 PV Solar Park is therefore supported by key policy and planning documents.



17.8 POTENTIAL CONSTRUCTION PHASE IMPACTS

The following potential construction phase impacts have been identified and are discussed:

• Potential Positive Impacts

 Creation of employment and business opportunities, and opportunity for skills development and on-site training.

• Potential Negative Impacts

- Impacts associated with the presence of construction workers on local communities.
- Impacts related to the potential influx of job-seekers.
- Increased risks to livestock and farming infrastructure associated with the construction related activities and presence of construction workers on the site.
- Increased risk of grass fires associated with construction related activities.
- Nuisance impacts, such as noise, dust, and safety, associated with construction related activities and vehicles.
- Impact on productive farmland.

17.8.1 Creation of local employment, training, and business opportunities

The construction phase of each the proposed Soyuz Solar PV Cluster facilities will extend over a period of approximately 18 months and create in the region of 200-250 employment opportunities. Members from the local communities in the area, specifically Britstown and De Aar, would be able to qualify for most of the low skilled and semi-skilled employment opportunities. Most of these employment opportunities will accrue to Historically Disadvantaged (HD) members of the community. Based on information from similar projects the total wage bill for the construction phase of each PV SEF will be in the region of R 25 million (2023 Rand values). A percentage of the wage bill will be spent in the local economy which will also create opportunities for local businesses in the local towns in the area.

Given relatively high local unemployment levels and limited job opportunities in the area, this will represent a significant, if localised, social benefit. The capital expenditure for each Soyuz Solar PV Cluster facility will be approximately R 1.5 billion (2022 Rand value). Due the lack of diversification in the local economy the potential for local companies is likely to be limited. Most benefits are therefore likely to accrue to contractors and engineering companies based outside the ELM. The local service sector will also benefit from the construction phase. The potential opportunities would be linked to accommodation, catering, cleaning, transport, and security, etc. associated with the construction workers on the site.

The hospitality industry in the area will also benefit from the provision of accommodation and meals for professionals (engineers, quantity surveyors, project managers, product representatives etc.) and other (non-construction) personnel involved on the project. Experience from other construction projects indicates that the potential opportunities are not limited to on-site construction workers but also to consultants and product representatives associated with the project.

The potential benefits for local communities are confirmed by the findings of the Overview of the IPPPP undertaken by the Department of Energy, National Treasury and DBSA (December 2021). The study found that to date, a total of 63 291 job years have been created for South African citizens, of which 48 110 job years were in construction and 15 182 in operations. By the end of December 2021, 85 projects had successfully completed construction and moved into operation. These projects



created 44 172 job years of employment, compared to the anticipated 30 488. This was 45% more than planned.

In terms of benefits for local communities, significantly more people from local communities were employed during construction than was initially planned. For active projects, the expectation for local community participation was 13 284 job years. To date 25 272 job years have been realised (i.e. 90% more than initially planned), with 23 projects still in, or entering, construction. The number of black SA citizens employed during construction also exceeded the planned numbers by 74%.

Black South African citizens, youths and rural or local communities have been the major beneficiaries during the construction phases, as they respectively represent 81%, 44% and 48% of total job opportunities created by IPPs to date. However, woman and disabled people could still be significantly empowered as they represent a mere 10% and 0.4% of total jobs created to date, respectively. Nonetheless, the fact that the REIPPPP has raised employment opportunities for black South African citizens and local communities beyond planned targets, indicates the importance of the programme to employment equity and the drive towards more equal societies.

The share of black citizens employed during construction (81%) and the early stages of operations (85%) has significantly exceeded the 50% target and the 30% minimum threshold. Likewise, the share of skilled black citizens (as a percentage of skilled employees) for both construction (71%) and operations (82%) has also exceeded the 30% target and minimum threshold of 18%. The share of local community members as a share of SA-based employees was 48% and 70% for construction and operations respectively – exceeding the minimum threshold of 12% and the target of 20%.

While the construction phase will create local employment opportunities, incidences of labour unrest have been associated with other renewable energy projects in the area. These incidents have been linked to unmet expectations and loss of local jobs once construction activities have been completed. This is an issue that will have to be managed.

Impact of construction workers on local communities

The presence of construction workers poses a potential risk to family structures and social networks. While the presence of construction workers does not in itself constitute a social impact, the way construction workers conduct themselves can impact on local communities. The most significant negative impact is associated with the disruption of existing family structures and social networks. This risk is linked to potentially risky behaviour, mainly of male construction workers, including:

- An increase in alcohol and drug use.
- An increase in crime levels.
- The loss of girlfriends and/or wives to construction workers.
- An increase in teenage and unwanted pregnancies.
- An increase in prostitution.
- An increase in sexually transmitted diseases (STDs), including HIV.

Workers are likely to be accommodated in nearby towns of Britstown and De Aar. As indicated above, the objective will be to source as many of the low and semi-skilled workers locally. These workers will be from the local community and form part of the local family and social networks. This will reduce the risk and mitigate the potential impacts on the local community. The potential impact on the local



community will therefore be negligible. The balance of semi-skilled and skilled workers will be accommodated in Britstown and De Aar.

While the risks associated with construction workers at a community level will be low, at an individual and family level they may be significant, especially in the case of contracting a sexually transmitted disease or an unplanned pregnancy. However, given the nature of construction projects, it is not possible to totally avoid these potential impacts at an individual or family level.

17.8.2 Influx of job seekers

Large construction projects tend to attract people to the area in the hope that they will secure a job, even if it is a temporary job. These job seekers can in turn become "economically stranded" in the area or decide to stay on irrespective of finding a job or not. While the proposed project on its own does not constitute a large construction project, the establishment of several renewable energy projects in the area may attract job seekers to the area. As in the case of construction workers employed on the project, the actual presence of job seekers in the area does not in itself constitute a social impact. However, the way in which they conduct themselves can impact on the local community. The main areas of concern associated with the influx of job seekers include:

- Impacts on existing social networks and community structures.
- Competition for housing, specifically low-cost housing.
- Competition for scarce jobs.
- Increase in incidences of crime.

These issues are like the concerns associated with the presence of construction workers and are discussed in Section 4.3.2. The findings of the SIA indicate that the potential for economically motivated in-migration and subsequent labour stranding is likely to be negligible. This is due to the isolated location of the area and the limited economic and employment opportunities in the Britstown and De Aar. The risks associated with the influx of job seekers are therefore likely to be low.

17.8.3 Risk to safety, livestock, and farm infrastructure

The presence on and movement of construction workers on and off the site poses a potential safety threat to local famers and farm workers in the vicinity of the site. In addition, farm infrastructure, such as fences and gates, may be damaged and stock losses may also result from gates being left open and/or fences being damaged, or stock theft linked either directly or indirectly to the presence of farm workers on the site. The potential risks (safety, livestock, and farm infrastructure) can be effectively mitigated by careful planning and managing the movement of construction on and off the site workers during the construction phase.

17.8.4 Increased risk of grass fires

The presence of construction workers and construction-related activities on the site poses an increased risk of grass fires that could, in turn pose, a threat to livestock, crops, wildlife and farm infrastructure. The potential risk of grass fires will be higher during the dry, windy winter months from May to October.

17.8.5 Nuisance impacts associated with construction related activities

Construction related activities, including the movement of heavy construction vehicles of and on the site, has the potential to create dust, noise and safety impacts and damage roads. The impacts will be



largely local and can be effectively mitigated. The number of potentially sensitive social receptors, such as farmsteads, will also be low due to the sparse settlement patterns and small number of farmsteads in the area.

17.8.6 Impacts associated with loss of farmland

The activities associated with the construction phase and establishment of the proposed project and associated infrastructure will result in the disturbance and loss of land available for grazing. The impact on farmland associated with the construction phase can be mitigated by minimising the footprint of the construction related activities and ensuring that disturbed areas are fully rehabilitated on completion of the construction phase. Existing internal roads should be used where possible. This requires careful site planning and management of operations. If new roads are required, these roads should be rehabilitated on completion of the construction phase. In addition, the landowners will be compensated for the loss of land.

17.9 POTENTIAL OPERATIONAL PHASE IMPACTS

The following key social issues are of relevance to the operational phase:

Potential positive impacts

- The establishment of infrastructure to improve energy security and support renewable sector.
- Creation of employment opportunities.
- Benefits to the affected landowners.
- Benefits associated with the socio-economic contributions to community development.

Potential negative impacts

- Visual impacts and associated impacts on sense of place.
- Impact on property values.
- Impact on tourism.

17.9.1 Improve energy security and support the renewable energy sector

The primary goal of the proposed project is to improve energy security in South Africa by generating additional energy. The proposed Soyuz 1 Solar PV Park and the associated Soyuz Solar PV Cluster will reduce the carbon footprint associated with energy generation in South Africa. The project should therefore be viewed within the context of the South Africa's current reliance on coal powered energy to meet most of its energy needs, and secondly, within the context of the success of the REIPPPP.

Improved energy security

South Africa's energy crisis, which started in 2007 and is ongoing, has resulted in widespread rolling blackouts (referred to as load shedding) due to supply shortfalls. The load shedding has had a significant impact on all sectors of the economy and on investor confidence. The mining and manufacturing sector have been severely impacted and will continue to be impacted until such time as there is a reliable supply to energy. The Minister of Mineral Resources and Energy, Gwede Mantashe, indicated in February 2023 that the cost of load shedding was estimated at R1 billion a day. The South African Reserve Bank indicated in February 2023 that stage 3 and stage 6 loadshedding cost the South African economy between R204 million and R899 million a day.

A survey of 3 984 small business owners in 2019 found that 44% said that they had been severely affected by load shedding with 85% stating that it had reduced their revenue, with 40% of small businesses losing 20% or more or revenue during due to load shedding period.



Impact of a coal powered economy

The Green Jobs study (2011) notes that South Africa has one of the most carbon-intensive economies in the world, thus making the greening of the electricity mix a national imperative. The study notes that renewable energy provides an ideal means for reaching emission reduction targets in a relatively easy manner. In addition, and of specific relevance to South Africa renewable energy is not as dependent on water compared to the massive water requirements of conventional power stations, has a limited footprint and therefore does not impact on large tracts of land, poses limited pollution and health risks, specifically when compared to coal and nuclear energy plants.

The Greenpeace Report (powering the future: Renewable Energy Roll-out in South Africa, 2013), also notes that within a broader context of climate change, coal energy does not only have environmental impacts, it also has socio-economic impacts. These include acid mine drainage from abandoned mines in South Africa and the risk this poses on the country's limited water resources.

Benefits associated with REIPPPP

Through the competitive bidding process, the IPPPP has effectively leveraged rapid, global technology developments and price trends, buying clean energy at lower and lower rates with every bid cycle, resulting in SA getting the benefit of renewable energy at some of the lowest tariffs in the world. The price for wind power has dropped by 50% to R0.94/kWh, while solar PV has dropped with 75% to R1.14/kWh between BW1 and BW4.

Prices contracted under the REIPPPP for all technologies are well below the published REFIT prices. The REIPPPP has effectively translated policy and planning into delivery of clean energy at very competitive prices. As such it is contributing to the national aspirations of secure, affordable energy, lower carbon intensity and a transformed 'green' economy.

17.9.2 Creation of employment opportunities

Each PV SEF will create ~30-40 employment opportunities during the operational phase, of which 70% will be unskilled, 25% semi-skilled 25%, and 5% skilled 5%. Most of the unskilled and low skilled workers will be local HDI residents of Britstown and De Aar. Based on similar projects the annual operating budget will be in the region of R 30 million (2023 Rand values), including wages.

17.9.3 Generate income for affected landowner

The applicant will enter into rental agreements with the affected landowners for the use of the land for the establishment of the proposed Soyuz Solar PV Cluster facilities. In terms of the rental agreement the affected landowner will be paid an annual amount dependent upon the area affected. The additional income will reduce the risk to his livelihoods posed by droughts and fluctuating market prices for sheep and farming inputs, such as fuel, feed etc. Given the low carrying capacity of the veld the additional income represents a significant benefit for the affected landowner.

17.9.4 Benefits associated with the socio-economic development contributions

The REIPPPP has been designed not only to procure energy but has also been structured to contribute to the broader national development objectives of job creation, social upliftment and broadening of economic ownership. Socio-economic development (SED) contributions are an important focus of the REIPPPP and are aimed at ensuring that local communities benefit directly from the investments attracted into the area. These contributions accrue over the project operation life and, in so doing, create an opportunity to generate a steady revenue stream over an extended period. This revenue can be used to fund development initiatives in the area and support the local community. The long-term duration of the revenue stream also allows local municipalities and communities to undertake



long term planning for the area. The revenue from the proposed SEF can be used to support a number of social and economic initiatives in the area, including:

- Creation of jobs.
- Education.
- Support for and provision of basic services.
- School feeding schemes.
- Training and skills development.
- Support for SMME's.

The minimum compliance threshold for SED contributions is 1% of the revenue with 1.5% the targeted level over the 20-year project operational life. For the current portfolio of projects, the average commitment level is 2%, which is 101% higher than the minimum threshold level. To date (across BW1-4) a total contribution of R22.8 billion has been committed to SED initiatives. Assuming an even, annual revenue spread, the average contribution per year would be R1.1 billion. Of the total commitment, R18.5 billion is specifically allocated for local communities where the IPPs operate. With every new IPP on the grid, revenues and the respective SED contributions will increase.

As a percentage of revenue, SED obligations become effective only when operations commence, and revenue is generated. Of the 91 IPPs that have reached financial close (BW1–BW4), 85 are operational. The SED contributions associated with these 85 projects has amounted to R 1.8 billion to date.

In terms of ED and SED spend, education, social welfare, and health care initiatives have a SED focus. SED spend on education has been almost double the expenditure on enterprise development. In this regard IPPs have supported 1 388 education institutions with a total of R437 million in contributions, from 2015 to the end of June 2021. A total of 1 276 bursaries, amounting to R210.8 million, have been awarded by 67 IPPs from 2015 until the end of June 2021. The largest portion of the bursaries were awarded to African and Coloured students (97.4%), with women and girls receiving 56.3% of total bursaries. The Northern Cape province benefitted most from the bursaries awarded, with 57.2%, followed by the Eastern Cape (20.2%) and Western Cape (14.1%). Enterprise development and social welfare are the focus areas that have received the second highest share of the contributions to date.

The Green Jobs study (2011) found that the case for renewable energy is enhanced by the positive effect on rural or regional development. Renewable energy facilities located in rural areas create an opportunity to benefit the local and regional economy through the creation of jobs and tax revenues.

The SED contributions do therefore create significant benefits for local rural communities. However, the funds can be mismanaged. This is an issue that will need to be addressed when allocating SED funds.

17.9.5 Visual impact and impact on sense of place

The proposed Soyuz 1 Solar PV Park has the potential to impact on the areas existing rural sense of place. The findings of the Visual Impact Assessment (VIA) note that with the Rietpoort Guest House being the only receptor within a 5 km radius, the impact is based on the view from the Rietpoort Guest House, which is located at a lower elevation. As such the proposed visual impact associated with the Soyuz 1 Solar PV Park on the proposed site is assessed as low.



In terms of potential nighttime lighting, the VIA notes that this is also expected to be low and will be limited to a local area. The security lights associated with the BESS, Substation and O&M Buildings may potentially contribute somewhat to the effects of skyglow and artificial lighting in the region. This can however be easily mitigated by installing security lighting no higher than 5 meters above the ground and through appropriate planning of illumination direction and shielding.

In conclusion the VIA notes that from a visual resource aspect, there are no fatal flaws associated with the Soyuz 1 Solar PV Park. Based on the feedback from local landowners the potential impact on sense of place was not raised as an issue of concern.

17.9.6 Potential impact on property values

The potential visual impacts associated with the proposed Soyuz 1 Solar PV Park have the potential to impact on property values. Based on the results of a literature review undertaken for wind farms the potential impact on property values in rural areas is likely to be limited. The findings are also likely to be relevant to PV SEFs. In this regard a study undertaken in Australia in 2016 (Urbis Pty Ltd) found that:

- Appropriately located wind farms within rural areas, removed from higher density residential areas, are unlikely to have a measurable negative impact on surrounding land values.
- There is limited available sales data to make a conclusive finding relating to value impacts on residential or lifestyle properties located close to wind farm turbines, noting that wind farms in NSW have been constructed in predominantly rural areas.

The impact of PV SEFs on property values is likely to be lower than the impact of WEFs due to the reduced visual impact. As indicated above, based on the findings of the VIA the visual impacts will be low. The impact of the proposed PV SEF on property values is therefore likely to be low.

17.9.7 Potential impact on tourism

The potential visual impacts associated with the proposed Soyuz 1 Solar PV Park have the potential to impact on tourism facilities and tourism in the area. Based on the findings of the literature review there is limited evidence to suggest that the proposed Soyuz 1 Solar PV Park would impact on the tourism in the PKSDM and ELM at a local and regional level. Based on interviews with affected landowners no concerns were raised regarding the impact on guest houses in the area.

17.10 CONCLUSIONS AND RECOMMENDATIONS OF THE SOCIAL SPECIALIST

The findings of the SIA indicate that the development of the proposed Soyuz 1 Solar PV Park and associated infrastructure will create employment and business opportunities for the ELM during both the construction and operational phase of the project. All the potential negative impacts can also be effectively mitigated.

SED contributions associated with the project will also benefit the local community. The enhancement measures listed in the report should be implemented to maximise the potential benefits. The significance of this impact is rated as High Positive. The proposed development also represents an investment in clean, renewable energy infrastructure, which, given the negative environmental and socio-economic impacts associated a coal-based energy economy and the challenges created by climate change, represents a significant positive social benefit for society. The Renewable Energy Independent Power Producers Procurement Programme (REIPPPP) has resulted in significant socio-economic benefits, both at a national level and at a local, community level. These benefits are linked



to foreign Direct Investment, local employment and procurement and investment in local community initiatives. The establishment of the proposed Soyuz 1 Solar PV Park is therefore supported by the findings of the SIA.

The establishment of the proposed Soyuz 1 PV SEF and associated infrastructure is supported by the findings of the SIA.

18 SOIL, LAND USE AND LAND CAPABILITY IMPACT ASSESSMENT

TMG, on behalf of the Applicant appointed Zimpande Research Collaborative (C/O T. Setsipane) (hereinafter referred to as the "Agricultural Specialist") to undertake the Agricultural Impact Assessment for the proposed Soyuz 1 Solar PV Park.

18.1 METHODOLOGY SUMMARY

The soil, land use and land capability assessment comprised the following aspects:

- As part of the desktop study various data sets were consulted which includes but not limited
 to Soil and Terrain dataset (SOTER) to review the geology, landform and land capability to
 establish broad baseline conditions and sensitivity of proposed project area both on
 environmental and agricultural perspective;
- Compilation of various maps depicting the on-site conditions based on desktop review of existing data;
- Classification of the climatic conditions occurring within the study area;
- Conducting a soil classification survey within the proposed development footprint;
- Assessing the spatial distribution of various soil types within the proposed project area and classify the dominant soil types according to the South African Soil Classification System: A Natural and Anthropogenic System for South Africa (Soil Classification Working Group, 2018);
- Identify restrictive soil properties on land capability under prevailing conditions.

18.2 DESKTOP ASSESSMENT

The following data presented in **Table 41** is applicable to the study area, according to various data sources including but not limited to the Agricultural Geo-referenced Information System (AGIS)

Table 41: Desktop based soil background information sourced from various databases.

Parameters	Description
Mean Annual	The Mean Annual Precipitation (MAP) within the study area is estimated
precipitation (MAP)	to range between 201 – 400 mm per annum. These conditions have a
	low yield potential for a moderate range of adapted crops and planting
	date options may be limited for supporting rain fed agriculture, in some
	instances supplementary irrigation may be required if available.
Mean Annual	The mean annual evaporation (MAE) of the entire study area is
Evaporation (MAE)	estimated to be between 2201 – 2400 mm. The high evaporation rates
	pose risks to plant yield due possible plant permanent wilting resulting
	desiccation and lack of adequate soil moisture.
Geology	The study area is dominated by the Adelaide geological formation and
	the remaining western portion is dominated by the Ecca geological
	formation. The Adelaide Subgroup is the lower subgroup of the Beaufort
	Group with mudstone dominated rocks, which contains silt and clay



sized particles. The Ecca group is the second of the main subdivisions of the Karoo Supergroup of geological strata in southern Africa. The Plain Landform type dominates the entire study area, which means the terrain is suitable to allow agricultural activities. Soil pH According to the AGIS database, the pH of soil medium occurring within the study area is considered alkaline with pH ranging between 7.5 – 4.4. In highly alkaline soil, phosphorus and most micronutrients become less available. This is however not considered a limitation as the soil's pH condition can be ameliorated. Landtype detail The entire study area is dominated by the Ae297 landtype. The Ae297 land types represent areas with mostly red soils without water tables. These red soils are deeper than 0.3m with high base status and there is an absence of dunes in the landscape. These soils can utilised for intensive agricultural purposes, however water storage limitations may limit the crop choice without supplementary irrigation. The Soil and Terrain (SOTER) database indicates that the entire study area is dominated by Chromic Cambisols. These soils are typically encountered in young deposition areas but also in high erosion areas where they form after genetically mature soils such as Luvisols have eroded away. The B-horizon is normally a yellowish-brown colour but that may also be an intense red. These soils make good agricultural land and are intensively used. Desktop land capability The desktop land capability of the soils associated with the study area is of non-arable, grazing woodland or wildlife capability. The remaining access road footprint is characterised by a Wilderness capability (Class VII). Grazing Capacity According to the AGIS database, the livestock grazing capacity potential is estimated to be approximately 23 hectares per large animal for the soils are the soils of the soils The thing the predicted soil loss for the entire study area is considered low for commercial livestock agriculture. The predicted soil loss fo	Parameters	Description
Landform type The Plain Landform type dominates the entire study area, which means the terrain is suitable to allow agricultural activities. Soil pH According to the AGIS database, the pH of soil medium occurring within the study area is considered alkaline with pH ranging between 7.5 – 4.4. In highly alkaline soil, phosphorus and most micronutrients become less available. This is however not considered a limitation as the soil's pH condition can be ameliorated. Landtype detail The entire study area is dominated by the Ae297 landtype. The Ae297 land types represent areas with mostly red soils without water tables. These red soils are deeper than 0.3m with high base status and there is an absence of dunes in the landscape. These soils can utilised for intensive agricultural purposes, however water storage limitations may limit the crop choice without supplementary irrigation. The Soil and Terrain (SOTER) soil classification The Soil and Terrain (SOTER) database indicates that the entire study area is dominated by Chromic Cambisols. These soils are typically area is dominated by Chromic Cambisols. These soils are typically classification Encountered in young deposition areas but also in high erosion areas where they form after genetically mature soils such as Luvisols have eroded away. The B-horizon is normally a yellowish-brown colour but that may also be an intense red. These soils make good agricultural land and are intensively used. Desktop land capability The desktop land capability of the soils associated with the study area is of non-arable, grazing woodland or wildlife capability. The remaining access road footprint is characterised by a Wilderness capability (Class VII). Grazing Capacity According to the AGIS database, the livestock grazing capacity potential is estimated to be approximately 23 hectares per large animal for the study area. The grazing capacity is considered low for commercial livestock agriculture. Desktop based Land use The entire study area is characterised by vacant or unspecif		
The Plain Landform type dominates the entire study area, which means the terrain is suitable to allow agricultural activities. Soil ph		
Soil pH According to the AGIS database, the pH of soil medium occurring within the study area is considered alkaline with pH ranging between 7.5 – 4.4. In highly alkaline soil, phosphorus and most micronutrients become less available. This is however not considered a limitation as the soil's pH condition can be ameliorated. Landtype detail The entire study area is dominated by the Ae297 landtype. The Ae297 land types represent areas with mostly red soils without water tables. These red soils are deeper than 0.3m with high base status and there is an absence of dunes in the landscape. These soils can utilised for intensive agricultural purposes, however water storage limitations may limit the crop choice without supplementary irrigation. The Soil and Terrain (SOTER) soil classification The Soil and Terrain (SOTER) database indicates that the entire study area is dominated by Chromic Cambisols. These soils are typically encountered in young deposition areas but also in high erosion areas where they form after genetically mature soils such as Luvisols have eroded away. The B-horizon is normally a yellowish-brown colour but that may also be an intense red. These soils make good agricultural land and are intensively used. Desktop land capability The desktop land capability of the soils associated with the study area is of non-arable, grazing woodland or wildlife capability. The remaining access road footprint is characterised by a Wilderness capability (Class VII). Grazing Capacity According to the AGIS database, the livestock grazing capacity potential is estimated to be approximately 23 hectares per large animal for the study area. The grazing capacity is considered low for commercial livestock agriculture. The entire study area is characterised by slightly saline soils and therefore crops sensitive to saline conditions may be affected. The remaining powerline footprint area is not regarded as neither saline or sodic, thus the soils will not be impacted on by high salt concentrations. Probability of soil l	Landform type	
According to the AGIS database, the pH of soil medium occurring within the study area is considered alkaline with pH ranging between 7.5 – 4.4. In highly alkaline soil, phosphorus and most micronutrients become less available. This is however not considered a limitation as the soil's pH condition can be ameliorated. Landtype detail The entire study area is dominated by the Ae297 landtype. The Ae297 land types represent areas with mostly red soils without water tables. These red soils are deeper than 0.3m with high base status and there is an absence of dunes in the landscape. These soils can utilised for intensive agricultural purposes, however water storage limitations may limit the crop choice without supplementary irrigation. The Soil and Terrain (SOTER) database indicates that the entire study area is dominated by Chromic Cambisols. These soils are typically encountered in young deposition areas but also in high erosion are where they form after genetically mature soils such as Luvisols have eroded away. The B-horizon is normally a yellowish-brown colour but that may also be an intense red. These soils make good agricultural land and are intensively used. Desktop land capability The desktop land capability of the soils associated with the study area is of non-arable, grazing woodland or wildlife capability. The remaining access road footprint is characterised by a Wilderness capability (Class VII). Grazing Capacity According to the AGIS database, the livestock grazing capacity potential is estimated to be approximately 23 hectares per large animal for the study area. The grazing capacity is considered low for commercial livestock agriculture. Desktop based Land use The entire study area is characterised by slightly saline soils and therefore crops sensitive to saline conditions may be affected. The remaining powerline footprint area is not regarded as neither saline or sodic, thus the soils will not be impacted on by high salt concentrations. The predicted soil loss for the entire study area is co	,,	
the study area is considered alkaline with pH ranging between 7.5 – 4.4. In highly alkaline soil, phosphorus and most micronutrients become less available. This is however not considered a limitation as the soil's pH condition can be ameliorated. Landtype detail The entire study area is dominated by the Ae297 landtype. The Ae297 land types represent areas with mostly red soils without water tables. These red soils are deeper than 0.3m with high base status and there is an absence of dunes in the landscape. These soils can utilised for intensive agricultural purposes, however water storage limitations may limit the crop choice without supplementary irrigation. The Soil and Terrain (SOTER) database indicates that the entire study area is dominated by Chromic Cambisols. These soils are typically encountered in young deposition areas but also in high erosion areas where they form after genetically mature soils such as Luvisols have eroded away. The B-horizon is normally a yellowish-brown colour but that may also be an intense red. These soils make good agricultural land and are intensively used. Desktop land capability The desktop land capability of the soils associated with the study area is of non-arable, grazing woodland or wildlife capability. The remaining access road footprint is characterised by a Wilderness capability (Class VII). Grazing Capacity According to the AGIS database, the livestock grazing capacity potential is estimated to be approximately 23 hectares per large animal for the study area. The grazing capacity is considered low for commercial livestock agriculture. Desktop based Land use The entire study area is characterised by vacant or unspecified landuses. The study area is characterised by slightly saline soils and therefore crops sensitive to saline conditions may be affected. The remaining powerline footprint area is not regarded as neither saline or sodic, thus the soils will not be impacted on by high salt concentrations. Probability of soil loss Water retaining characteristics	Soil pH	
In highly alkaline soil, phosphorus and most micronutrients become less available. This is however not considered a limitation as the soil's pH condition can be ameliorated. Landtype detail The entire study area is dominated by the Ae297 landtype. The Ae297 land types represent areas with mostly red soils without water tables. These red soils are deeper than 0.3m with high base status and there is an absence of dunes in the landscape. These soils can utilised for intensive agricultural purposes, however water storage limitations may limit the crop choice without supplementary irrigation. The Soil and Terrain (SOTER) database indicates that the entire study area is dominated by Chromic Cambisols. These soils are typically encountered in young deposition areas but also in high erosion areas where they form after genetically mature soils such as Luvisols have eroded away. The B-horizon is normally a yellowish-brown colour but that may also be an intense red. These soils make good agricultural land and are intensively used. Desktop land capability The desktop land capability of the soils associated with the study area is of non-arable, grazing woodland or wildlife capability. The remaining access road footprint is characterised by a Wilderness capability (Class VII). Grazing Capacity According to the AGIS database, the livestock grazing capacity potential is estimated to be approximately 23 hectares per large animal for the study area. The grazing capacity is considered low for commercial livestock agriculture. Desktop based Land use Alkalinity and Sodicity of the soils The entire study area is characterised by vacant or unspecified landuses. The study area is characterised by slightly saline soils and therefore crops sensitive to saline conditions may be affected. The remaining powerline footprint area is not regarded as neither saline or sodic, thus the soils will not be impacted on by high salt concentrations. Probability of soil loss The predicted soil loss for the entire study area is considered M	'	
available. This is however not considered a limitation as the soil's pH condition can be ameliorated. The entire study area is dominated by the Ae297 landtype. The Ae297 land types represent areas with mostly red soils without water tables. These red soils are deeper than 0.3m with high base status and there is an absence of dunes in the landscape. These soils can utilised for intensive agricultural purposes, however water storage limitations may limit the crop choice without supplementary irrigation. The Soil and Terrain (SOTER) database indicates that the entire study area is dominated by Chromic Cambisols. These soils are typically encountered in young deposition areas but also in high erosion areas where they form after genetically mature soils such as Luvisols have eroded away. The B-horizon is normally a yellowish-brown colour but that may also be an intense red. These soils make good agricultural land and are intensively used. Desktop land capability The desktop land capability of the soils associated with the study area is of non-arable, grazing woodland or wildlife capability. The remaining access road footprint is characterised by a Wilderness capability (Class VII). Grazing Capacity According to the AGIS database, the livestock grazing capacity potential is estimated to be approximately 23 hectares per large animal for the study area. The grazing capacity is considered low for commercial livestock agriculture. Desktop based Land use The entire study area is characterised by vacant or unspecified landuses. The study area is characterised by slightly saline soils and therefore crops sensitive to saline conditions may be affected. The remaining powerline footprint area is not regarded as neither saline or sodic, thus the soils will not be impacted on by high salt concentrations. Probability of soil loss The predicted soil loss for the entire study area is considered Moderate. This can be attributed to the sandy nature of the soils, which are susceptible to wind and water erosion. Soil Water		
Landtype detail The entire study area is dominated by the Ae297 landtype. The Ae297 land types represent areas with mostly red soils without water tables. These red soils are deeper than 0.3m with high base status and there is an absence of dunes in the landscape. These soils can utilised for intensive agricultural purposes, however water storage limitations may limit the crop choice without supplementary irrigation. The Soil and Terrain The Soil and Terrain (SOTER) database indicates that the entire study area is dominated by Chromic Cambisols. These soils are typically encountered in young deposition areas but also in high erosion areas where they form after genetically mature soils such as Luvisols have eroded away. The B-horizon is normally a yellowish-brown colour but that may also be an intense red. These soils make good agricultural land and are intensively used. Desktop land capability The desktop land capability of the soils associated with the study area is of non-arable, grazing woodland or wildlife capability. The remaining access road footprint is characterised by a Wilderness capability (Class VII). Grazing Capacity According to the AGIS database, the livestock grazing capacity potential is estimated to be approximately 23 hectares per large animal for the study area. The grazing capacity is considered low for commercial livestock agriculture. Desktop based Land use The entire study area is characterised by slightly saline soils and therefore crops sensitive to saline conditions may be affected. The remaining powerline footprint area is not regarded as neither saline or sodic, thus the soils will not be impacted on by high salt concentrations. Probability of soil loss The predicted soil loss for the entire study area is considered Moderate. This can be attributed to the sandy nature of the soils, which are susceptible to wind and water erosion. Soil Water Retaining Characteristics Water retaining characteristics are scarce or absent within the entire study area. Water storage during		
land types represent areas with mostly red soils without water tables. These red soils are deeper than 0.3m with high base status and there is an absence of dunes in the landscape. These soils can utilised for intensive agricultural purposes, however water storage limitations may limit the crop choice without supplementary irrigation. The Soil and Terrain (SOTER) database indicates that the entire study area is dominated by Chromic Cambisols. These soils are typically encountered in young deposition areas but also in high erosion areas where they form after genetically mature soils such as Luvisols have eroded away. The B-horizon is normally a yellowish-brown colour but that may also be an intense red. These soils make good agricultural land and are intensively used. Desktop land capability of the soils associated with the study area is of non-arable, grazing woodland or wildlife capability. The remaining access road footprint is characterised by a Wilderness capability (Class VII). Grazing Capacity According to the AGIS database, the livestock grazing capacity potential is estimated to be approximately 23 hectares per large animal for the study area. The grazing capacity is considered low for commercial livestock agriculture. Desktop based Land use The entire study area is characterised by vacant or unspecified landuses. The study area is characterised by slightly saline soils and therefore crops sensitive to saline conditions may be affected. The remaining powerline footprint area is not regarded as neither saline or sodic, thus the soils will not be impacted on by high salt concentrations. Probability of soil loss The predicted soil loss for the entire study area is considered Moderate. This can be attributed to the sandy nature of the soils, which are susceptible to wind and water erosion. Water retaining characteristics are scarce or absent within the entire study area. Water storage during the fallow period may not be possible in the absence of irrigated agriculture. Clay Content The clay content f		
land types represent areas with mostly red soils without water tables. These red soils are deeper than 0.3m with high base status and there is an absence of dunes in the landscape. These soils can utilised for intensive agricultural purposes, however water storage limitations may limit the crop choice without supplementary irrigation. The Soil and Terrain (SOTER) database indicates that the entire study area is dominated by Chromic Cambisols. These soils are typically encountered in young deposition areas but also in high erosion areas where they form after genetically mature soils such as Luvisols have eroded away. The B-horizon is normally a yellowish-brown colour but that may also be an intense red. These soils make good agricultural land and are intensively used. Desktop land capability The desktop land capability of the soils associated with the study area is of non-arable, grazing woodland or wildlife capability. The remaining access road footprint is characterised by a Wilderness capability (Class VII). Grazing Capacity According to the AGIS database, the livestock grazing capacity potential is estimated to be approximately 23 hectares per large animal for the study area. The grazing capacity is considered low for commercial livestock agriculture. Desktop based Land use The entire study area is characterised by vacant or unspecified landuses. The study area is characterised by slightly saline soils and therefore crops sensitive to saline conditions may be affected. The remaining powerline footprint area is not regarded as neither saline or sodic, thus the soils will not be impacted on by high salt concentrations. The predicted soil loss for the entire study area is considered Moderate. This can be attributed to the sandy nature of the soils, which are susceptible to wind and water erosion. Water retaining characteristics are scarce or absent within the entire study area. Water storage during the fallow period may not be possible in the absence of irrigated agriculture. Clay Content The clay c	Landtype detail	The entire study area is dominated by the Ae297 landtype. The Ae297
These red soils are deeper than 0.3m with high base status and there is an absence of dunes in the landscape. These soils can utilised for intensive agricultural purposes, however water storage limitations may limit the crop choice without supplementary irrigation. The Soil and Terrain (SOTER) database indicates that the entire study area is dominated by Chromic Cambisols. These soils are typically encountered in young deposition areas but also in high erosion areas where they form after genetically mature soils such as Luvisols have eroded away. The B-horizon is normally a yellowish-brown colour but that may also be an intense red. These soils make good agricultural land and are intensively used. Desktop land capability The desktop land capability of the soils associated with the study area is of non-arable, grazing woodland or wildlife capability. The remaining access road footprint is characterised by a Wilderness capability (Class VIII). Grazing Capacity According to the AGIS database, the livestock grazing capacity potential is estimated to be approximately 23 hectares per large animal for the study area. The grazing capacity is considered low for commercial livestock agriculture. Desktop based Land use Alkalinity and Sodicity of the entire study area is characterised by vacant or unspecified landuses. The entire study area is characterised by slightly saline soils and therefore crops sensitive to saline conditions may be affected. The remaining powerline footprint area is not regarded as neither saline or sodic, thus the soils will not be impacted on by high salt concentrations. Probability of soil loss The predicted soil loss for the entire study area is considered Moderate. This can be attributed to the sandy nature of the soils, which are susceptible to wind and water erosion. Soil Water Retaining Characteristics Water retaining characteristics are scarce or absent within the entire study area. Water storage during the fallow period may not be possible in the absence of irrigated agricultu	/ /	
an absence of dunes in the landscape. These soils can utilised for intensive agricultural purposes, however water storage limitations may limit the crop choice without supplementary irrigation. The Soil and Terrain (SOTER) database indicates that the entire study area is dominated by Chromic Cambisols. These soils are typically encountered in young deposition areas but also in high erosion areas where they form after genetically mature soils such as Luvisols have eroded away. The B-horizon is normally a yellowish-brown colour but that may also be an intense red. These soils make good agricultural land and are intensively used. Desktop land capability The desktop land capability of the soils associated with the study area is of non-arable, grazing woodland or wildlife capability. The remaining access road footprint is characterised by a Wilderness capability (Class VII). Grazing Capacity According to the AGIS database, the livestock grazing capacity potential is estimated to be approximately 23 hectares per large animal for the study area. The grazing capacity is considered low for commercial livestock agriculture. Desktop based Land use Alkalinity and Sodicity of the soils associated with the study area is characterised by vacant or unspecified landuses. Alkalinity and Sodicity of the entire study area is characterised by slightly saline soils and therefore crops sensitive to saline conditions may be affected. The remaining powerline footprint area is not regarded as neither saline or sodic, thus the soils will not be impacted on by high salt concentrations. Probability of soil loss The predicted soil loss for the entire study area is considered Moderate. This can be attributed to the sandy nature of the soils, which are susceptible to wind and water erosion. Soil Water Retaining Characteristics Water retaining characteristics are scarce or absent within the entire study area. Water storage during the fallow period may not be possible in the absence of irrigated agriculture. Clay Content The clay		
intensive agricultural purposes, however water storage limitations may limit the crop choice without supplementary irrigation. The Soil and Terrain (SOTER) database indicates that the entire study area is dominated by Chromic Cambisols. These soils are typically encountered in young deposition areas but also in high erosion areas where they form after genetically mature soils such as Luvisols have eroded away. The B-horizon is normally a yellowish-brown colour but that may also be an intense red. These soils make good agricultural land and are intensively used. Desktop land capability The desktop land capability of the soils associated with the study area is of non-arable, grazing woodland or wildlife capability. The remaining access road footprint is characterised by a Wilderness capability (Class VII). Grazing Capacity According to the AGIS database, the livestock grazing capacity potential is estimated to be approximately 23 hectares per large animal for the study area. The grazing capacity is considered low for commercial livestock agriculture. Desktop based Land use The entire study area is characterised by vacant or unspecified landuses. Alkalinity and Sodicity of the soils The study area is characterised by slightly saline soils and therefore crops sensitive to saline conditions may be affected. The remaining powerline footprint area is not regarded as neither saline or sodic, thus the soils will not be impacted on by high salt concentrations. Probability of soil loss The predicted soil loss for the entire study area is considered Moderate. This can be attributed to the sandy nature of the soils, which are susceptible to wind and water erosion. Water retaining characteristics are scarce or absent within the entire study area. Water storage during the fallow period may not be possible in the absence of irrigated agriculture. Clay Content The clay content for most soils within the study area are characterised by clay contents between 15% - 35%.		·
Ilmit the crop choice without supplementary irrigation. The Soil and Terrain (SOTER) database indicates that the entire study area is dominated by Chromic Cambisols. These soils are typically encountered in young deposition areas but also in high erosion areas where they form after genetically mature soils such as Luvisols have eroded away. The B-horizon is normally a yellowish-brown colour but that may also be an intense red. These soils make good agricultural land and are intensively used. Desktop land capability		·
The Soil and Terrain (SOTER) soil classification The Soil and Terrain (SOTER) database indicates that the entire study area is dominated by Chromic Cambisols. These soils are typically encountered in young deposition areas but also in high erosion areas where they form after genetically mature soils such as Luvisols have eroded away. The B-horizon is normally a yellowish-brown colour but that may also be an intense red. These soils make good agricultural land and are intensively used. Desktop land capability The desktop land capability of the soils associated with the study area is of non-arable, grazing woodland or wildlife capability. The remaining access road footprint is characterised by a Wilderness capability (Class VII). According to the AGIS database, the livestock grazing capacity potential is estimated to be approximately 23 hectares per large animal for the study area. The grazing capacity is considered low for commercial livestock agriculture. Desktop based Land use Alkalinity and Sodicity of the soils are study area is characterised by vacant or unspecified landuses. The entire study area is characterised by slightly saline soils and therefore crops sensitive to saline conditions may be affected. The remaining powerline footprint area is not regarded as neither saline or sodic, thus the soils will not be impacted on by high salt concentrations. Probability of soil loss The predicted soil loss for the entire study area is considered Moderate. This can be attributed to the sandy nature of the soils, which are susceptible to wind and water erosion. Water retaining characteristics are scarce or absent within the entire study area. Water storage during the fallow period may not be possible in the absence of irrigated agriculture. Clay Content The clay content for most soils within the study area are characterised by clay contents between 15% - 35%.		
Alkalinity and Sodicity Of the soils Clay Content Of the soils Probability of soil loss Probability of soil loss Probability of soil loss Clay Content Clay Content Clay Content Clay Content Are a is dominated by Chromic Cambisols. These soils are typically encountered in young deposition areas but also in high erosion areas where they form after genetically mature soils such as Luvisols have eroded away. The B-horizon is normally a yellowish-brown colour but that may also be an intense red. These soils make good agricultural land and are intensively used. The desktop land capability of the soils associated with the study area is of non-arable, grazing woodland or wildlife capability. The remaining access road footprint is characterised by a Wilderness capability (Class VII). Grazing Capacity According to the AGIS database, the livestock grazing capacity potential is estimated to be approximately 23 hectares per large animal for the study area. The grazing capacity is considered low for commercial livestock agriculture. Desktop based Land use The entire study area is characterised by vacant or unspecified landuses. The study area is characterised by slightly saline soils and therefore crops sensitive to saline conditions may be affected. The remaining powerline footprint area is not regarded as neither saline or sodic, thus the soils will not be impacted on by high salt concentrations. Probability of soil loss Water retaining characteristics are scarce or absent within the entire sudy area. Water storage during the fallow period may not be possible in the absence of irrigated agriculture. Clay Content The clay content for most soils within the study area are characterised by clay contents between 15% - 35%.	The Soil and Terrain	
classification encountered in young deposition areas but also in high erosion areas where they form after genetically mature soils such as Luvisols have eroded away. The B-horizon is normally a yellowish-brown colour but that may also be an intense red. These soils make good agricultural land and are intensively used. Desktop land capability The desktop land capability of the soils associated with the study area is of non-arable, grazing woodland or wildlife capability. The remaining access road footprint is characterised by a Wilderness capability (Class VII). Grazing Capacity According to the AGIS database, the livestock grazing capacity potential is estimated to be approximately 23 hectares per large animal for the study area. The grazing capacity is considered low for commercial livestock agriculture. Desktop based Land use The entire study area is characterised by vacant or unspecified landuses. Alkalinity and Sodicity of the soils The study area is characterised by slightly saline soils and therefore crops sensitive to saline conditions may be affected. The remaining powerline footprint area is not regarded as neither saline or sodic, thus the soils will not be impacted on by high salt concentrations. Probability of soil loss The predicted soil loss for the entire study area is considered Moderate. This can be attributed to the sandy nature of the soils, which are susceptible to wind and water erosion. Soil Water Retaining Characteristics are scarce or absent within the entire study area. Water storage during the fallow period may not be possible in the absence of irrigated agriculture. Clay Content The clay content for most soils within the study area are characterised by clay contents between 15% - 35%.		
where they form after genetically mature soils such as Luvisols have eroded away. The B-horizon is normally a yellowish-brown colour but that may also be an intense red. These soils make good agricultural land and are intensively used. Desktop land capability The desktop land capability of the soils associated with the study area is of non-arable, grazing woodland or wildlife capability. The remaining access road footprint is characterised by a Wilderness capability (Class VII). Grazing Capacity According to the AGIS database, the livestock grazing capacity potential is estimated to be approximately 23 hectares per large animal for the study area. The grazing capacity is considered low for commercial livestock agriculture. Desktop based Land use The entire study area is characterised by vacant or unspecified landuses. Alkalinity and Sodicity of the soils The study area is characterised by slightly saline soils and therefore crops sensitive to saline conditions may be affected. The remaining powerline footprint area is not regarded as neither saline or sodic, thus the soils will not be impacted on by high salt concentrations. Probability of soil loss The predicted soil loss for the entire study area is considered Moderate. This can be attributed to the sandy nature of the soils, which are susceptible to wind and water erosion. Soil Water Retaining Characteristics Water retaining characteristics are scarce or absent within the entire study area. Water storage during the fallow period may not be possible in the absence of irrigated agriculture. Clay Content The clay content for most soils within the study area are characterised by clay contents between 15% - 35%.		,
eroded away. The B-horizon is normally a yellowish-brown colour but that may also be an intense red. These soils make good agricultural land and are intensively used. Desktop land capability The desktop land capability of the soils associated with the study area is of non-arable, grazing woodland or wildlife capability. The remaining access road footprint is characterised by a Wilderness capability (Class VII). Grazing Capacity According to the AGIS database, the livestock grazing capacity potential is estimated to be approximately 23 hectares per large animal for the study area. The grazing capacity is considered low for commercial livestock agriculture. Desktop based Land use The entire study area is characterised by vacant or unspecified landuses. The study area is characterised by slightly saline soils and therefore crops sensitive to saline conditions may be affected. The remaining powerline footprint area is not regarded as neither saline or sodic, thus the soils will not be impacted on by high salt concentrations. Probability of soil loss The predicted soil loss for the entire study area is considered Moderate. This can be attributed to the sandy nature of the soils, which are susceptible to wind and water erosion. Soil Water Retaining Characteristics Water retaining characteristics are scarce or absent within the entire study area. Water storage during the fallow period may not be possible in the absence of irrigated agriculture. The clay content for most soils within the study area are characterised by clay contents between 15% - 35%.		
that may also be an intense red. These soils make good agricultural land and are intensively used. The desktop land capability of the soils associated with the study area is of non-arable, grazing woodland or wildlife capability. The remaining access road footprint is characterised by a Wilderness capability (Class VII). Grazing Capacity According to the AGIS database, the livestock grazing capacity potential is estimated to be approximately 23 hectares per large animal for the study area. The grazing capacity is considered low for commercial livestock agriculture. Desktop based Land use The entire study area is characterised by vacant or unspecified landuses. Alkalinity and Sodicity of the soils The study area is characterised by slightly saline soils and therefore crops sensitive to saline conditions may be affected. The remaining powerline footprint area is not regarded as neither saline or sodic, thus the soils will not be impacted on by high salt concentrations. Probability of soil loss The predicted soil loss for the entire study area is considered Moderate. This can be attributed to the sandy nature of the soils, which are susceptible to wind and water erosion. Soil Water Retaining Water retaining characteristics are scarce or absent within the entire study area. Water storage during the fallow period may not be possible in the absence of irrigated agriculture. Clay Content The clay content for most soils within the study area are characterised by clay contents between 15% - 35%.		
Desktop land capability The desktop land capability of the soils associated with the study area is of non-arable, grazing woodland or wildlife capability. The remaining access road footprint is characterised by a Wilderness capability (Class VII). Grazing Capacity According to the AGIS database, the livestock grazing capacity potential is estimated to be approximately 23 hectares per large animal for the study area. The grazing capacity is considered low for commercial livestock agriculture. Desktop based Land use The entire study area is characterised by vacant or unspecified landuses. Alkalinity and Sodicity of the soils The study area is characterised by slightly saline soils and therefore crops sensitive to saline conditions may be affected. The remaining powerline footprint area is not regarded as neither saline or sodic, thus the soils will not be impacted on by high salt concentrations. Probability of soil loss The predicted soil loss for the entire study area is considered Moderate. This can be attributed to the sandy nature of the soils, which are susceptible to wind and water erosion. Soil Water Retaining Characteristics Water retaining characteristics are scarce or absent within the entire study area. Water storage during the fallow period may not be possible in the absence of irrigated agriculture. Clay Content The clay content for most soils within the study area are characterised by clay contents between 15% - 35%.		· · · · · · · · · · · · · · · · · · ·
Desktop land capability The desktop land capability of the soils associated with the study area is of non-arable, grazing woodland or wildlife capability. The remaining access road footprint is characterised by a Wilderness capability (Class VII). Grazing Capacity According to the AGIS database, the livestock grazing capacity potential is estimated to be approximately 23 hectares per large animal for the study area. The grazing capacity is considered low for commercial livestock agriculture. Desktop based Land use The entire study area is characterised by vacant or unspecified landuses. The study area is characterised by slightly saline soils and therefore crops sensitive to saline conditions may be affected. The remaining powerline footprint area is not regarded as neither saline or sodic, thus the soils will not be impacted on by high salt concentrations. Probability of soil loss The predicted soil loss for the entire study area is considered Moderate. This can be attributed to the sandy nature of the soils, which are susceptible to wind and water erosion. Soil Water Retaining Characteristics Water retaining characteristics are scarce or absent within the entire study area. Water storage during the fallow period may not be possible in the absence of irrigated agriculture. Clay Content The clay content for most soils within the study area are characterised by clay contents between 15% - 35%.		
of non-arable, grazing woodland or wildlife capability. The remaining access road footprint is characterised by a Wilderness capability (Class VII). Grazing Capacity According to the AGIS database, the livestock grazing capacity potential is estimated to be approximately 23 hectares per large animal for the study area. The grazing capacity is considered low for commercial livestock agriculture. Desktop based Land use The entire study area is characterised by vacant or unspecified landuses. Alkalinity and Sodicity of the soils The study area is characterised by slightly saline soils and therefore crops sensitive to saline conditions may be affected. The remaining powerline footprint area is not regarded as neither saline or sodic, thus the soils will not be impacted on by high salt concentrations. Probability of soil loss The predicted soil loss for the entire study area is considered Moderate. This can be attributed to the sandy nature of the soils, which are susceptible to wind and water erosion. Soil Water Retaining Characteristics Water retaining characteristics are scarce or absent within the entire study area. Water storage during the fallow period may not be possible in the absence of irrigated agriculture. Clay Content The clay content for most soils within the study area are characterised by clay contents between 15% - 35%.	Desktop land capability	·
access road footprint is characterised by a Wilderness capability (Class VII). Grazing Capacity According to the AGIS database, the livestock grazing capacity potential is estimated to be approximately 23 hectares per large animal for the study area. The grazing capacity is considered low for commercial livestock agriculture. Desktop based Land use The entire study area is characterised by vacant or unspecified landuses. Alkalinity and Sodicity of the soils The study area is characterised by slightly saline soils and therefore crops sensitive to saline conditions may be affected. The remaining powerline footprint area is not regarded as neither saline or sodic, thus the soils will not be impacted on by high salt concentrations. Probability of soil loss The predicted soil loss for the entire study area is considered Moderate. This can be attributed to the sandy nature of the soils, which are susceptible to wind and water erosion. Soil Water Retaining Characteristics Water retaining characteristics are scarce or absent within the entire study area. Water storage during the fallow period may not be possible in the absence of irrigated agriculture. Clay Content The clay content for most soils within the study area are characterised by clay contents between 15% - 35%.	' ' '	· · · · · · · · · · · · · · · · · · ·
Grazing Capacity According to the AGIS database, the livestock grazing capacity potential is estimated to be approximately 23 hectares per large animal for the study area. The grazing capacity is considered low for commercial livestock agriculture. Desktop based Land use The entire study area is characterised by vacant or unspecified landuses. Alkalinity and Sodicity of the soils The study area is characterised by slightly saline soils and therefore crops sensitive to saline conditions may be affected. The remaining powerline footprint area is not regarded as neither saline or sodic, thus the soils will not be impacted on by high salt concentrations. Probability of soil loss The predicted soil loss for the entire study area is considered Moderate. This can be attributed to the sandy nature of the soils, which are susceptible to wind and water erosion. Soil Water Retaining Characteristics Water retaining characteristics are scarce or absent within the entire study area. Water storage during the fallow period may not be possible in the absence of irrigated agriculture. Clay Content The clay content for most soils within the study area are characterised by clay contents between 15% - 35%.		
is estimated to be approximately 23 hectares per large animal for the study area. The grazing capacity is considered low for commercial livestock agriculture. Desktop based Land use The entire study area is characterised by vacant or unspecified landuses. Alkalinity and Sodicity of the soils The study area is characterised by slightly saline soils and therefore crops sensitive to saline conditions may be affected. The remaining powerline footprint area is not regarded as neither saline or sodic, thus the soils will not be impacted on by high salt concentrations. Probability of soil loss The predicted soil loss for the entire study area is considered Moderate. This can be attributed to the sandy nature of the soils, which are susceptible to wind and water erosion. Soil Water Retaining Water retaining characteristics are scarce or absent within the entire study area. Water storage during the fallow period may not be possible in the absence of irrigated agriculture. Clay Content The clay content for most soils within the study area are characterised by clay contents between 15% - 35%.		
study area. The grazing capacity is considered low for commercial livestock agriculture. Desktop based Land use Alkalinity and Sodicity of the soils The study area is characterised by slightly saline soils and therefore crops sensitive to saline conditions may be affected. The remaining powerline footprint area is not regarded as neither saline or sodic, thus the soils will not be impacted on by high salt concentrations. Probability of soil loss The predicted soil loss for the entire study area is considered Moderate. This can be attributed to the sandy nature of the soils, which are susceptible to wind and water erosion. Soil Water Retaining Characteristics Water retaining characteristics are scarce or absent within the entire study area. Water storage during the fallow period may not be possible in the absence of irrigated agriculture. Clay Content The clay content for most soils within the study area are characterised by clay contents between 15% - 35%.	Grazing Capacity	According to the AGIS database, the livestock grazing capacity potential
Desktop based Land use Alkalinity and Sodicity of the soils Probability of soil loss The predicted soil loss of a tributed to the sandy nature of the soils, which are susceptible to wind and water erosion. Soil Water Retaining Characteristics Clay Content The entire study area is characterised by slightly saline soils and therefore crops sensitive to saline conditions may be affected. The remaining powerline footprint area is not regarded as neither saline or sodic, thus the soils will not be impacted on by high salt concentrations. The predicted soil loss for the entire study area is considered Moderate. This can be attributed to the sandy nature of the soils, which are susceptible to wind and water erosion. Water retaining characteristics are scarce or absent within the entire study area. Water storage during the fallow period may not be possible in the absence of irrigated agriculture. Clay Content The clay content for most soils within the study area are characterised by clay contents between 15% - 35%.		is estimated to be approximately 23 hectares per large animal for the
Desktop based Land use Alkalinity and Sodicity of the soils The study area is characterised by slightly saline soils and therefore crops sensitive to saline conditions may be affected. The remaining powerline footprint area is not regarded as neither saline or sodic, thus the soils will not be impacted on by high salt concentrations. Probability of soil loss The predicted soil loss for the entire study area is considered Moderate. This can be attributed to the sandy nature of the soils, which are susceptible to wind and water erosion. Soil Water Retaining Characteristics Water retaining characteristics are scarce or absent within the entire study area. Water storage during the fallow period may not be possible in the absence of irrigated agriculture. Clay Content The clay content for most soils within the study area are characterised by clay contents between 15% - 35%.		study area. The grazing capacity is considered low for commercial
Alkalinity and Sodicity of the soils Crops sensitive to saline conditions may be affected. The remaining powerline footprint area is not regarded as neither saline or sodic, thus the soils will not be impacted on by high salt concentrations. Probability of soil loss The predicted soil loss for the entire study area is considered Moderate. This can be attributed to the sandy nature of the soils, which are susceptible to wind and water erosion. Soil Water Retaining Characteristics Water retaining characteristics are scarce or absent within the entire study area. Water storage during the fallow period may not be possible in the absence of irrigated agriculture. Clay Content The clay content for most soils within the study area are characterised by clay contents between 15% - 35%.		livestock agriculture.
of the soils crops sensitive to saline conditions may be affected. The remaining powerline footprint area is not regarded as neither saline or sodic, thus the soils will not be impacted on by high salt concentrations. Probability of soil loss The predicted soil loss for the entire study area is considered Moderate. This can be attributed to the sandy nature of the soils, which are susceptible to wind and water erosion. Soil Water Retaining Characteristics Water retaining characteristics are scarce or absent within the entire study area. Water storage during the fallow period may not be possible in the absence of irrigated agriculture. Clay Content The clay content for most soils within the study area are characterised by clay contents between 15% - 35%.	Desktop based Land use	The entire study area is characterised by vacant or unspecified landuses.
powerline footprint area is not regarded as neither saline or sodic, thus the soils will not be impacted on by high salt concentrations. Probability of soil loss The predicted soil loss for the entire study area is considered Moderate. This can be attributed to the sandy nature of the soils, which are susceptible to wind and water erosion. Soil Water Retaining Characteristics Water retaining characteristics are scarce or absent within the entire study area. Water storage during the fallow period may not be possible in the absence of irrigated agriculture. Clay Content The clay content for most soils within the study area are characterised by clay contents between 15% - 35%.	Alkalinity and Sodicity	The study area is characterised by slightly saline soils and therefore
the soils will not be impacted on by high salt concentrations. Probability of soil loss The predicted soil loss for the entire study area is considered Moderate. This can be attributed to the sandy nature of the soils, which are susceptible to wind and water erosion. Soil Water Retaining Characteristics Water retaining characteristics are scarce or absent within the entire study area. Water storage during the fallow period may not be possible in the absence of irrigated agriculture. Clay Content The clay content for most soils within the study area are characterised by clay contents between 15% - 35%.	of the soils	crops sensitive to saline conditions may be affected. The remaining
Probability of soil loss The predicted soil loss for the entire study area is considered Moderate. This can be attributed to the sandy nature of the soils, which are susceptible to wind and water erosion. Soil Water Retaining Characteristics Water retaining characteristics are scarce or absent within the entire study area. Water storage during the fallow period may not be possible in the absence of irrigated agriculture. Clay Content The clay content for most soils within the study area are characterised by clay contents between 15% - 35%.		powerline footprint area is not regarded as neither saline or sodic, thus
This can be attributed to the sandy nature of the soils, which are susceptible to wind and water erosion. Soil Water Retaining Characteristics Water retaining characteristics are scarce or absent within the entire study area. Water storage during the fallow period may not be possible in the absence of irrigated agriculture. Clay Content The clay content for most soils within the study area are characterised by clay contents between 15% - 35%.		the soils will not be impacted on by high salt concentrations.
susceptible to wind and water erosion. Soil Water Retaining Characteristics Soil Water Retaining Characteristics Soil Water Retaining Characteristics Soil Water Retaining Characteristics Soil Water Retaining Soil W	Probability of soil loss	The predicted soil loss for the entire study area is considered Moderate.
Soil Water Retaining Characteristics Characteristics Water retaining characteristics are scarce or absent within the entire study area. Water storage during the fallow period may not be possible in the absence of irrigated agriculture. Clay Content The clay content for most soils within the study area are characterised by clay contents between 15% - 35%.		This can be attributed to the sandy nature of the soils, which are
Characteristics study area. Water storage during the fallow period may not be possible in the absence of irrigated agriculture. Clay Content The clay content for most soils within the study area are characterised by clay contents between 15% - 35%.		susceptible to wind and water erosion.
in the absence of irrigated agriculture. Clay Content The clay content for most soils within the study area are characterised by clay contents between 15% - 35%.	Soil Water Retaining	Water retaining characteristics are scarce or absent within the entire
Clay Content The clay content for most soils within the study area are characterised by clay contents between 15% - 35%.	Characteristics	study area. Water storage during the fallow period may not be possible
by clay contents between 15% - 35%.		in the absence of irrigated agriculture.
·	Clay Content	The clay content for most soils within the study area are characterised
·	•	
Soil Depth Majority of the study area is characterised by soils with depth between	Soil Depth	Majority of the study area is characterised by soils with depth between
450 mm and 750 mm. The powerline route is largely dominated by		
soils with less than 450 mm in depth. This indicates a limited choice of		, , , , , , , , , , , , , , , , , , , ,
crops for cultivation for majority of the area due to shallower depths		· ·
Department of The entire Soyuz 1 Solar PV Park is characterised by medium sensitivity	Department of	
Environmental Affairs to agriculture		The entire Soyuz 1 Solar PV Park is characterised by medium sensitivity
(DFFE) screening tool	•	



18.3 CURRENT LAND USE

According to observations made during the site assessment the study area largely comprises of the Karoo and Fynbos shrubland vegetation associated with wilderness land use as well as livestock grazing, with limited anthropogenic impact. At the time of assessment, no cultivation of crops was observed within the boundaries of the study areas as well as in the immediate vicinity, however livestock is the dominating agricultural activity.

18.4 DOMINANT SOIL FORMS

The identified soil forms within the study area include the soils of Coega, Mispah and Askham/Clovelly formation.

The Askham/Clovelly soil form is characterised by an orthic A horizon underlain by a yellow brown apedal horizon and by either a hard carbonate or/and lithic horizon. These soils are associated with low-activity clays (kaolinite mineral) synonymous with weak and apedal soils related to sandy textured soils. These soils account for approximately 348.0 ha (56.5%) of the entire development footprint and are are considered ideal for cultivation due to:

- Good drainage characteristics;
- Sufficient depth for root growth;
- Sufficient moisture holding capacity; and
- Nutrient retention capacity to support the optimum growth and production.

The Coega soil forms are typically shallow in nature and are characterised by the presence of an orthic A horizon underlain by the hard carbonate horizon. Hard carbonate horizons can be massive, vesicular or platy in nature and typically contain calcium and/or magnesium carbonates with a hard to extremely hard consistence. These soils are typically not suitable for cultivation due to a shallow effective rooting depth, high pH, high alkalinity, low nutrient availability, stoniness and low moisture retention due to the sandy nature of the soils. However, these soils can be cultivated under intensive management strategies by breaking of the hard carbonate and dorbank horizons to improve drainage and rooting depth with the presence of an irrigation scheme. Despite these limitations, the choice of crop is still limited to certain pome fruit varieties. Thus, these soils are generally restricted to intensive grazing and wildlife.

The Mispah soil types is associated with poor physical properties for plant root system penetration and water infiltration, due to the shallow nature of the soil and/or limiting impeding layer of the underlying parent material. Based on the degree of weathering some lithic material of varying sizes can be mixed closely with soil material. These types of soils are usually avoided for intensive use and thus left for grazing, forestry, and wildlife land uses.

18.5 LAND CAPABILITY CLASSIFICATION

For this assessment, land capability was inferred in consideration of observed limitations to land use due to physical soil properties and prevailing climatic conditions. Climate Capability (measured on a scale of 1 to 8) was therefore considered in the agricultural potential classification. The study area falls into Climate Capability Class 7 due a severely restricted choice of crops due to heat, cold and/or moisture stress. The identified soils were classified into land capability and land potential classes using



the Camp et. al, and Guy and Smith Classification system (Camp et al., 1987; Guy and Smith, 1998), and this is shown in **Table 42**.

Table 42: Land Capability and Potential Classifications

SOIL FORM	LAND	LAND POTENTIAL	AREA (HA)	PERCENTAGE
	CAPABILITY			(%)
Askham/Clovelly	Arable (Class III)	Restricted Potential (L5)	14.2	2.1
Coega	Grazing (Class V)	Very Restricted Potential (L6)	669.6	97.8
Mispah	Grazing (Class V)	Very Restricted Potential (L6)	1.1	0.2
Total Enclosed			684.9	100

The identified soil forms with respect to agricultural use are depicted in Figure 66 and Figure 67.




Figure 66: Land Capability of the Identified Soil Forms






Figure 67: Land potential associated with the study area

The identified land capability limitations for the identified soils are discussed in comprehensive "dashboard style" summary tables presented from **Table 43** and **Table 44**.




Table 43: Summary discussion of the Arable (Class III) land capability class.





Table 44: Summary discussion of the Grazing (Class VI) land capability class for the Glenrosa soil form.





18.6 POTENTIAL SOIL AND LAND CAPABILITY IMPACTS

The activities and potential impacts identified are summarised in **Table 45** and discussed thereafter.

Table 45: Activities and Potential Impacts associated with proposed development during different phases

ACTIVITIES AND ASPECTS REGISTER

Pre-Construction Phase

- Planning and design of the footprint areas.
- Preparation for the construction activities

Impacts:

- Excessive vegetation clearance within infrastructure leading to soil erosion
- Soil Compaction leading to disruption of soil physical characteristics (i.e. Structure, porosity)
- Soil Contamination leading to alteration of the soil chemical characteristics and subsequent impact on fertility

Construction Phase

Land and footprint clearing and soil stripping.

Impacts:

- Increased soil erosion and subsequent soil loss.
- Decline in soil organic matter, biological activity, CEC, and overall soil quality.
- Soil Compaction leading to disruption of soil physical characteristics (i.e., Structure, porosity)
- Topsoil stripping and stockpiling.

Impacts:

- Soils in stockpile are subject to insufficient nutrient availability, low water-holding capacity, extreme pH,
- altered soil structure, or high concentrations of toxic contaminants may pose a challenge to plant growth and survival.
- Vehicle/equipment movement leading to soil erosion and compaction. Reduction in biodiversity. Modification of existing landscape and hydrological functioning.
- Establishment of surface infrastructure

Impacts:

- Spillage of hydrocarbons leading to soil contamination.
- Increased run-off (and erosion) in compacted areas and modification of natural infiltration.
- Air pollution and contamination of nearby water sources by dust from earth moving activities.

Operational and Maintenance Phases

Operation of the surface infrastructure.

Impacts:

- Increased soil erosion, compaction and spillage of hydrocarbons
- Pollution from dust particles due to vehicular traffic, blasting and other activities if not suppressed

18.6.1 Stripping and Removal of Productive Topsoil and Subsequent Loss of Agricultural Land Capability

Vegetation clearing and soil stripping prior to the commencement of construction activities for the proposed Soyuz 1 Solar PV Park can possibly result potential loss and degradation of productive topsoil material if not mitigated properly. As a result, the soils are prone to compaction from heavy



machinery, loss of soil structure, nutrient degradation by mixing topsoil with lower quality subsoil, and salinisation. The topsoil buried in a stockpile (if any) may become anaerobic, which may alter physical, chemical, and biological components of the soil material.

The most dominant soils accounting for 97% of the study area are of low agricultural potential because of a shallow rooting depth. Consequently, these soils are suitable mostly for grazing and wildlife uses. If these soils are to be cultivated, intense management practices such as ripping of the hardpan carbonate (plough layer) below the topsoil and supplementary irrigation may be required as breaking of the plough layer can make the soils highly porous and prone to losing water. In addition, considering the climatic conditions of the area which is associated with limited rainfall as per the review of desk-based data sources and the absence of any irrigation scheme, this renders the study area not suitable for any large-scale agricultural cultivation.

Given the above-mentioned constraints, the loss of land capability is anticipated to be Medium Low because of site clearing, followed by soil stripping and stockpiling (if possible) of topsoil material will potentially result in loss of fertile topsoil, reduced soil quality and soil erosion. The Low impact with mitigation measures considers that the applicant will adhere to the integrated mitigation measure.

18.6.2 Impact: Soil Erosion

Soil erosion is largely dependent on land use and soil management and is generally accelerated by anthropogenic activities. In the absence of detailed South African guidelines on erosion classification, the erosion potential and interpretation are based on field observations as well as observed soil profile characteristics. In general, soils with high clay content have a high-water retention capacity, thus less prone to erosion in comparison to sandy textured soils, which in contrast are more susceptible to erosion.

The proposed development footprint is located on a flat to moderately sloping terrain, which slightly increases the erosion risk. While the identified soils display a moderate to low susceptibility to erosion under current conditions, their susceptibility to erosion is likely to increase once the land is cleared for construction activities, and the soils will inevitably be exposed to wind and stormwater. The severity of this impact is anticipated to be Medium for most of the soils and with the appropriate mitigation measures the significance of this impact may be Low. Soil erosion is likely to have some negative impacts on soil and this will most likely lead to:

- Removal of organic matter and important soil nutrients essential for vegetation growth and thus reduced yield potential;
- Possible pollution and sedimentation of nearby water sources consequently affecting the water quality for livestock; and
- Limited water availability essential for vegetation growth.

18.6.3 Soil Compaction

Heavy equipment traffic during construction and activities is anticipated to cause soil compaction. The severity of this impact is anticipated to be moderately high for most soils under cultivation and moderately low for soils characterised by the presence of rocky outcrops and hard carbonates. However, the significance of the impact is Medium if unmanaged and Low if managed, given that the effect will be localized and restricted to access roads, vehicle hardstand areas and equipment and machinery laydown areas. Soil compaction will potentially lead to:



- Increased bulk density and soil strength reduced aeration and lower infiltration rate;
- Consequently, it lowers crop performance via stunted aboveground growth coupled with reduced root growth
- Destroyed soil structure, causing it to become more massive with fewer natural voids with a
 high possibility of soil crusting. This situation can lead to stunted, drought- stressed plants
 because of restricted water and nutrient uptake, which results in reduced crop yields; and
- Soil biodiversity is also influenced by reduced soil aeration. Severe soil compaction may cause reduced microbial biomass. Soil compaction may not influence the quantity, but the distribution of macro fauna that is vital for soil structure including earthworms due to reduction in large pores.

18.6.4 Soil Contamination

Contamination sources are mostly unpredictable and often occur as incidental spills or leaks during both the construction and operational phase. Thus, all the identified soils are considered equally predisposed to potential contamination. The significance of soil contamination is medium for all identified soils without mitigation, largely depending on the nature, volume and/or concentration of the contaminant of concern as well as the rate at which contaminants are transported by water in the soil. Therefore, strict waste management protocols, vehicular maintenance, as well as product stockpile management and activity specific Environmental Management Programme (EMP) and monitoring guidelines should be adhered to during the construction and operational activities. If the management protocols are not well managed this will more likely lead to:

- Contaminants leaching into the soil and thus potentially rendering the soil sterile
- reducing the yield potential of soils.
- Potential reduction of water quality used for irrigation and for livestock use.

18.7 IMPACT STATEMENT ON ACCESS ROAD

The proposed access road is largely aligned to the existing roads, thus no significant ground clearing, and soil stripping is anticipated for this development except edge effects which might occur should the current roads be widened. The overall impact significance from a soil, land use and land capability as well as agricultural potential perspective is low without mitigation and can be further reduced to a very low significance once mitigation measures have been implemented.

18.8 CONCLUSION OF LAND CAPABILITY SPECIALIST

From a soil, land use and land capability point of view, this proposed development of the Soyuz 1 Solar PV Park on the preferred site is regarded as being of low impact significance due to the inherent soil constraints of the area such as the lack of a soil medium (shallow soils) and the prevailing harsh climatic conditions. Based on the above mentioned the proposed project can be considered. However, mitigation measures and recommendations outlined in this document need to be strongly considered and implemented accordingly in efforts to conserve soil resources and allow use of valuable topsoil in other areas.

19 TOWN PLANNING ASSESSMENT

TMG, on behalf of the Applicant appointed Warren Petterson Planning (C/O MS Soné vd Merwe) (hereinafter referred to as the "Town Planning Specialist") to undertake a town planning report for the proposed Soyuz 1 Solar PV Park.



The subject farm, proposed as the development site, is zoned Agricultural Zone 1 in terms of the Emthanjeni Local Municipality Land Use Scheme, 2022. According to the scheme regulations, no provision is made for renewable energy facilities on land zoned Agricultural Zone 1.

A rezoning application (land use application) to the local authority will be required in terms of Section 3(2)(i) of Emthanjeni Municipality Spatial Planning and Land Use Management By-Law, 2015 to allow for the development of the Soyuz 1 Solar PV Park.

It must be noted that the rezoning application can only be finalized and submitted for consideration once the Environmental Authorization is granted. It is advised that the rezoning application be submitted after the Environmental Authorization is granted as the layout and site development plan will be impacted during this process after input from all the relevant specialists and government departments is received.

20 TRANSPORT IMPACT ASSESSMENT

TMG, on behalf of the Applicant appointed ITS Engineers (Mr Pieter Arrangie)) (hereinafter referred to as the "Traffic Impact Specialist") to undertake a Transport Impact Assessments for the proposed Soyuz 1 Solar PV Park.

20.1 TRAFFIC ANALYSIS SCOPE

This assessment evaluates the expected traffic impact of the proposed development during the construction and operational phases. Possible access routes to the proposed development site are assessed and comments are made on the condition of the existing roads in the vicinity. Improvements to the surrounding road network are recommended where appropriate. The report is based on existing available information on the road network, road condition information obtained during site visits and an assessment of the expected traffic volumes generated by the construction and operational phases of the proposed Soyuz 1 Solar PV Park.

20.2 EXISTING CONDICTIONS

20.2.1 Existing Cross-sections and Surface Conditions

The National Roads (N10 & N12) are the only major roads in the site vicinity. The N10 and N12 have posted speed limits of 120 km/h. The sections of these roads in the vicinity of the site have a typical rural formation of National Roads, paved with one lane per direction of travel with shoulders along both sides of the road. The lanes are 3.7m wide with 2m shoulders. Windpoort Road is 8m wide gravel road. The road surface of sections of Windpoort Road in the site vicinity are in poor condition.

20.2.2 Existing Traffic Volumes

Existing traffic conditions are based on the traffic volumes extracted from the SANRAL Comprehensive Traffic Observation (CTO) Stations and Provincial count stations in the area. **Table 46** presents the current average daily traffic volumes (ADT) and the average daily truck traffic volumes (ADTT) and the peak hour volumes on the road network in the wind farm site vicinity.



Table 46: Existing Traffic Conditions

ROADWAY	AVERAGE DAILY TRAFFIC (ADT) VOLUMES	AVERAGE DAILY TRUCK TRAFFIC VOLUMES	PEAK HOUR VOLUME	% HEAVY VEHICLES
N12	885	355	85	40%
Windpoort Road –	<50	<5	Not	10%
Britstown to Site			Applicable	

The existing traffic volumes on the surrounding road network are low and will not be any reason for concern in terms of the expected transport impact associated with the proposed development.

20.2.3 Existing Access

Access to the proposed development site will be via existing access roads created off Windpoort Road. The required shoulder sight distance (SSD) for heavy vehicles along roads with a posted speed limit of 60km/h is 220 metres based on the geometric design guidelines of the UTG. The available SSD along Windpoort Road is more than 300 metres in both directions from where the existing site access departs, which is acceptable and safe for the existing posted speed limits along Windpoort Road.

20.3 TRAFFIC IMPACT ANALYSIS METHODOLOGY

The expected effects of traffic that would be generated by the proposed development during peak hours were determined as follows:

- The Existing (2023) traffic volumes were assessed for the road network in the vicinity of the proposed development site.
- The baseline (2028) traffic volumes were determined for the study network in the vicinity of the proposed development site. The baseline traffic volumes are the traffic volumes that would be associated with the road network in the absence of the proposed development in five years' time (No-Go Alternative).
- Construction Phase Traffic was assessed for the study network
- Site-generated trips were estimated for the proposed development;
- The construction phase traffic and the assigned site-generated traffic from the proposed development were added to the background traffic volumes to determine the total traffic conditions during the construction phase and with the development completed.

20.4 YEAR 2028 BACKGROUND TRAFFIC CONDITIONS

For the purposes of this study, year 2028 baseline traffic volumes were developed by applying a 3.0 percent annual traffic growth rate to the existing traffic volumes on the major links. This estimated growth rate was assumed to allow for the additional traffic volumes that will be generated by other in-process and future developments in the vicinity of the proposed development prior to the establishment of the Soyuz 1 Solar PV Park.

Due to the low traffic volumes on the surrounding road network, it is expected that the road network will continue to operate at acceptable levels-of-service during baseline conditions. Sections of Windpoort Road in the site vicinity are in a poor condition, but no major road upgrades other than regular road maintenance will be required in the near future.



20.5 CONSTRUCTION PHASE TRAFFIC

A large amount of traffic will be generated during the construction phase. The following activities will probably occur during the construction phase:

- Construction of the internal access roads,
- Stripping and stockpiling of topsoil,
- Excavation and construction of the foundations for the solar panel racks,
- · Construction of the operations building,
- Assembly and disassembly of solar panel arrays,
- Trenching for cabling; and
- Reinstatement of the site

The internal access roads will be constructed mainly of local materials sourced on site if the material is suitable, otherwise material will be imported from licensed commercial quarries. These internal roads will be retained and used for inspection and maintenance of the solar panels.

20.5.1 Trip Generation

It is predicted that approximately 800 trucks will be required delivering equipment and building material during the construction period, depending on the type and configuration of the solar panel arrays. The number of delivery vehicles could vary substantially, but for the purposes of this study it was assumed that 800 delivery truck represents a worst-case scenario. The construction period could probably vary between six and eight months. It is assumed that delivery of the equipment will occur randomly over a six- month period. With a possible 150 working days in a six-month period, it means that on average approximately 6 trucks will visit the site per day which equates to approximately 12 truck trips spread over an eight-hour day.

Based on the information supplied it is assumed that approximately 400 construction workers could be employed during the peak construction period. Based on information provided the bulk of these workers will be transported to/from the construction site via bus. If 90 percent of the construction staff travels by bus with an average occupancy of 50 passengers per vehicle it equates to approximately 8 buses visiting the site in the morning and afternoon peak hours. If the remaining 10 percent travel with private vehicles, it equates to approximately 120 motor vehicle and truck trips during the average weekday.

20.5.2 Trip Distribution and Assignment

It is expected that the trips to/from the proposed Solar Project will come from Britstown. The trucks delivering the building material and equipment could come from Gauteng, Cape Town/Saldanha harbour and from Durban.

20.6 OPERATIONAL PHASE

It is expected that approximately 20 permanent staff members will be employed at the proposed Soyuz 1 Solar PV Park during the operational phase. If all the staff travel to work with private vehicles it means 20 trips in during the a.m. peak hour and 20 trips out during the p.m. peak hour. The operational phase of this project is not expected to generate significant traffic volumes. The



typical day-to-day activities will probably only be service vehicles undertaking general maintenance at the site.

20.7 TRAFFIC IMPACT STATEMENT

Based on the expected number of construction trips generated by the proposed development the existing road network has sufficient capacity to accommodate the additional trips from an operational perspective. During construction it is expected that road surfaces of the gravel roads will require maintenance to prevent damage to the road structure.

It is recommended that once construction is completed the public roads should be inspected and repaired where necessary.

20.8 POTENTIAL TRAFFIC IMPACTS

The following impacts relating to the increased traffic during the construction phase have been identified:

- Increase in traffic volumes on the surrounding road network as a result of construction traffic
- Gravel loss and possible damage to the road layer works. as a result of additional truck traffic during the construction phase.

The following impacts relating to the increased traffic during the operational phase have been identified:

Increase in traffic volumes on the surrounding road network during the operational phase.

20.9 CONCLUSIONS AND RECOMMENDATIONS OF THE TRAFFIC SPECIALIST

Based on the evaluation as discussed in this report the existing road network has sufficient spare capacity to accommodate trip generation associated with the proposed development, without any road upgrades required to the existing road infrastructure. It is recommended that the proposed Soyuz 1 Solar PV Park be approved from a transport impact perspective.

The Traffic Management Plan must be included in the EMPr.

21 VISUAL IMPACT ASSESSMENT

TMG, on behalf of the Applicant appointed SAS (C/O S. Erwee) (hereinafter referred to as the "Visual Specialist") to undertake the Visual Impact Assessment (VIA) for the proposed Soyuz 1 Solar PV Park.

21.1 Scope of VIA

The purpose of the VIA is:

- To determine the Category of Development and Level of Assessment as outlined by Oberholzer (2005) and with this information undertake an appropriate Visual Impact Assessment;
- To describe the receiving environment in terms of regional context, location and environmental and landscape characteristics;
- To describe and characterise the proposed project and the receiving environment in its envisioned future state;
- To identify the main viewsheds through undertaking a viewshed analysis, based on the



proposed height of infrastructure components and the Digital Elevation Model (DEM), as a mechanism to identify the locations of potential sensitive receptors sites and the distance of these receptor sites from the Soyuz 1 Solar PV Park, if necessary;

- To identify and describe potential sensitive visual receptors residing at or utilising receptor sites;
- To establish receptor sites and identify Key Observation Points (KOPs) from which the proposed project will have a potential visual impact, if necessary;
- To prepare a photographic study and conceptual visual simulation of the proposed project as the basis for the viewshed identification and analysis, if necessary;
- To assess the potential visual impact of the proposed project from selected receptors sites in terms of standard procedures and guidelines; and
- To describe mitigation measures to avoid or minimise any potential visual impacts.

21.2 METHODOLOGY

The method of assessment included the following:

• Desktop Assessment: The method of assessment for this report is based on a spatial analysis of the Soyuz 1 Solar PV Park and the surrounding areas, using Geographic Information Systems (GIS) such as Planet GIS, ArcGIS, Global Mapper as well as digital satellite imagery, photographs, various databases and most relevant available data on the Soyuz 1 Solar PV Park and surroundings. The desktop assessment served to guide the field assessment through identifying preliminary areas of importance in terms of potential sensitive receptors possibly exposed to potential visual impacts.

The desktop study included an assessment of the current state of the environment of the area including the climate of the area, topography, land uses and land cover with data obtained from the websites of the South African National Biodiversity Institute (SANBI) and the Agricultural Research Council (ARC). All databases used were published within the last 5 years and contain up to date and relevant information.

During the desktop assessment, which took place prior to and in preparation of the field assessment, the 1:50 000 topographical map, as well as high-definition aerial photographs from Google Earth Pro were used to identify the dominant landforms and landscape patterns. These resources together with digital elevation data were utilised to establish a parameter within which potential sensitive receptors were to be identified via Google Earth Pro. These parameters can henceforth be referred to as the visual assessment zone. Based on the mountainous terrain of the area, the visual assessment zone encompasses a 5 km radius of the Soyuz 1 Solar PV Park, on a desktop level. The potentially sensitive receptors identified within the visual assessment zone during the desktop assessment was verified during the field assessment.

• **Field Assessment:** A field assessment was undertaken during the summer season on the 16th to 18th of January 2023. As the Soyuz 1 Solar PV Park is located in an arid area where rainfall is limited, vegetation is short (shrubs and grass) and agricultural practices are dominant, the season within which the VIA takes place is irrelevant as the vegetation screening factor will remain similar (low). Some seasonal colour variation will however be evident between winter and summer.



The field assessment included a drive-around and on-foot survey of the Soyuz 1 Solar PV Park and drive around in the visual assessment zone (5 km radius), to determine the visual context within which the proposed project is to be developed. The visibility of an object decreases exponentially the further away the observer is from the source of impact. Points from where the proposed solar facilities were determined to be visible were recorded (making use of Global Positioning Systems (GPS) to confirm these aesthetically sensitive viewpoints and potential sensitive visual receptors in relation to the proposed project.

21.3 DEVELOPMENT CATEGORY AND LEVEL OF IMPACT ASSESSMENT

It was determined that the proposed project can be defined as a Category 5 development, which includes renewable energy structures.

Based on the outcome of the desktop and field assessments it is evident that the proposed Soyuz 1 Solar PV Park is situated in a rural area and due to the arid nature of the climate stocking densities are restricted which has led to relatively large farms across the landscape, resulting in the area being sparsely populated. As such, there is only one receptor located within 5 km of the Soyuz 1 Solar PV Park, namely the Rietpoort Guest House, located approximately 4,6 km west. There are however four farmsteads located within the 5 km visual assessment zone of the proposed access road. It is important to note that visual impacts are only experienced when there are receptors present to experience the impact, in this context there is one receptor present, thus the visual impact is considered low. Based on the field assessment, the undulating topography and dense vegetation associated with the Rietpoort Guest House obscures the view towards the Soyuz 1 Solar PV Park, therefore the visual impact for the Soyuz 1 Solar PV Park is considered low to negligible as the visual intrusion on the receiving environment will be minor if any. The proposed Soyuz 1 Solar PV Park is therefore likely to have an overall low visual impact on the receiving environment, therefore a Level 1 Assessment was undertaken versus a level 4 Assessment.

21.4 RECEIVING ENVIRONMENT

Table 47 briefly describes the receiving environment associated with the Soyuz 1 Solar PV Park within its current context. **Figure 68** shows the sensitive receptors in the study area while **Figure 69** depicts the topography of the study area.



Table 47: Summary of the visual assessment of the Soyuz 1 Solar PV Park and surrounds

Climate	As a result of climate variations throughout the year, the appearance and perception of the landscape within and surrounding the Soyuz 1 Solar PV Park changes with the seasons. The vegetation associated with the Soyuz 1 Solar PV Park is dominated by short shrubs and grasses, with some isolated tree clumps, thus seasonal variation in terms of vegetation, is unlikely to have a significant effect on the area from where project components would potentially be visible. Since the Soyuz 1 Solar PV Park falls within an arid region that is characterised by limited rainfall and relatively low vegetation, the visibility of the proposed solar panels is likely remain constant throughout the year. With the arid environment, atmospheric dust concentration is higher during the drier months due to drier soil conditions and lower rainfall, resulting in atmospheric haziness, which will somewhat affect the visibility of the proposed solar panels.	Landscape Character and Quality	The Soyuz 1 Solar PV Park is located in an arid rural area forming the landscape character of dwarf shrubveld with a colour palette of mostly brown with some shades of olive green. Due to the gently sloping terrain, one can see vastly across the landscape and into the mountainous backdrop. Even though the Soyuz 1 Solar PV Park is located within a rural area, the renewable energy facility (wind and solar) at the town of De Aar, is present in the greater landscape, thus this project will not set a precedent for renewable energy facilities in the region. The dwarf shrubveld is characteristic of this area and the greater karoo region, indicating that the landscape character is relatively common. Even though the landscape is considered homogenous in terms of vegetation and colour palette, the mountainous ranges, outcrops and hills in the landscape form topographical diversity and contributes to the scenic quality of the area, resulting in a moderately sensitive area.
Land Use a Visual Receptors	area being sparsely populated. Agricultural practices, mostly cattle and sheep grazing,	Visual Absorption Capacity (VAC)	The VAC of the area is considered moderate, indicating that the proposed PV structures will be absorbed in the area, to a degree. This is mainly attributed to the mountain ranges of the area and the relatively low height of the structures and angle thereof. With the agricultural practices taking place in the area there are regular intervals where bare ground and shades of brown are present in the landscape, therefore the bi-facial panels with the underlying ground may be lined with crushed stone will not be significantly contrasting in colour.



	According to SAPAD (2022) and SACAD (2022) the Soyuz 1 Solar PV Park is not located	Sense of	Sense of place is the unique value that is allocated to a specific place or area through
	within a 10 km radius of any protected or conservation areas.	Place	the cognitive experience of the user or viewer. It is created by the land use, character
	Since the Soyuz 1 Solar PV Park is situated within a remote area, the only roads		and quality of a landscape, as well as by the tangible and intangible value assigned
	present within a 5 km radius are farm roads, which are utilised infrequently and		thereto. The sense of place associated with the Soyuz 1 Solar PV Park is related to the
	predominantly by the farmers and workers. Due to their momentary views and		landscape character type, defined as rural, relatively flat to gently sloping with very
	experience of the receiving environment motorists are classified as low sensitive		limited anthropogenic movement. The Soyuz 1 Solar PV Park can be described as calm,
	receptors.		tranquil and peaceful, with limited development and movement, with the exception of
	The R398 roadway is located approximately 5,6 km west of the Soyuz 1 Solar PV Park,		the shepherds moving with the livestock. The sense of place is however not unique to
	while the N12 national road is located approximately 13,8 km west of the Soyuz 1		the Soyuz 1 Solar PV Park as it extends to the larger region. During the construction
	Solar PV Park and the N10 national road is located approximately 21,2 km to the		phase of the Soyuz 1 Solar PV Park, the sense of place will however be affected, shifting
	northeast. With the national routes located quite a distance from the Soyuz 1 Solar PV		the mood to busy and disturbed with construction vehicles and potential need for some
	Park, and the undulating topography of the area rendering no visibility of the Soyuz 1		earth moving equipment, however, once the panels are operational there will be
	Solar PV Park, these routes will not be affected by the proposed Soyuz 1 Solar PV		limited additional vehicular movement in and out of the area, thus returning the area
	Park, therefore the buffers applicable to national routes according to SEAs are not		to a calm and tranguil landscape.
	relevant to this project.		
		A.1. 1 . =-1	
	The local topography of the Soyuz 1 Solar PV Park is relatively flat to gently sloping	Night-Time	The Soyuz 1 Solar PV Park is located in a rural area where the only sources of lighting
	with isolated hills and a mountainous backdrop. With the local topography of the Soyuz	Lighting	are the town of Britstown (located approximately 15,6 km to the north) and the
_	1 Solar Park being relatively flat, it is unlikely to assist in absorbing and/or screening		scattered farmsteads. The lighting environment of the region is therefore considered
Topography	the Soyuz 1 Solar PV Park. The mountainous backdrop will however somewhat assist		intrinsically dark (Zone E1 [Natural]). Development of the Soyuz 1 Solar PV Park may
	in absorbing the Soyuz 1 Solar PV Park. The field assessment did however indicate		potentially be a source of light pollution during the construction and operational phases,
	from a distance, further than 1 km from the Soyuz 1 Solar PV Park, the gently sloping		due to security lighting on the perimeter fence and at the buildings (substation, BESS
	topography does influence the visibility of the Soyuz 1 Solar PV Park. Please refer to		and O&M Buildings). Overall, the impact significance of potential night-time lighting is
	Figures 7 and 8 for the elevation and slope models of the area.		expected to be moderately low and will be limited to a local area, as the Soyuz 1 Solar
	The Soyuz 1 Solar PV Park falls within the Nama Karoo biome and Upper Karoo		PV Park is not a development that requires a significant amount of lighting. This
	bioregion according to the spatial data from 2018 Final Vegetation Map of South		corresponds with Bortle's Scale – indicating that Soyuz 1 Solar PV Park falls within a
	Africa, Lesotho and Swaziland. The Northern Upper Karoo vegetation type		Class 1 area (excellent dark sky) where the light pollution is so low only the airglow is
	characterises the entire Soyuz 1 Solar Park and most of the proposed access road,		apparent, and ground objects are only visible as silhouettes, in this case the distant
	with the small western portion of the access road characterised by the Upper Karoo		farmsteads. As such the introduction of lighting sources in an intrinsically dark area
Vegetation	Hardeveld. The field assessment indicated that the Soyuz 1 Solar PV Park is		results in the Soyuz 1 Solar PV Park to somewhat contribute to the effects of sky glow
Cover	representative of the Northern Upper Karoo, with areas being subject to grazing		and artificial lighting in the region. It should however be noted that the mountain ranges
	(feeding pens), thus displaying degraded habitat and two small episodic drainage		and gently undulating topography will reduce the range of visibility of the proposed
	lines (STS, 2023). With the area dominated by dwarf karoo shrubs and grasses, the		lighting from the Soyuz 1 Solar PV Park.
	vegetative component of the Soyuz 1 Solar PV Park and immediate surrounds will		
	not be able to assist in screening the Soyuz 1 Solar PV Park. The		
	Rietpoort Guest House does however have existing dense tree lines which may		
	obscure the view towards Soyuz 1 Solar PV Park.		






Figure 68: Map indicating the location of potential sensitive receptors within 5km of the Soyuz 1 Solar PV Park




Figure 69: False colour elevation rendering depicting the topographical character of the Soyuz 1 Solar PV Park



21.5 POTENTIAL VISUAL IMPACTS

Potential impacts on the visual environment in the region because of the proposed Soyuz 1 Solar PV Park facilities and based on available information, are discussed.

Glint and Glare Considerations

PV panels are designed to generate electricity by absorbing the rays of the sun and are therefore constructed of dark-coloured materials, and are covered by anti-reflective coatings. Indications are that as little as 2% of the incoming sunlight is reflected from the surface of modern PV panels especially where the incidence angle (angle of incoming light) is smaller i.e. the panel is facing the sun directly (LOGIS, 2021). This is particularly true for tracker arrays that are designed to track the sun and keep the incidence angle as low as possible (LOGIS, 2021).

Glint and glare occur when the sun reflects off surfaces with specular (mirror-like) properties, which include glass windows, water bodies and potentially some solar energy generation technologies (e.g. CSP heliostats and parabolic troughs). Glint is generally of shorter duration and can be described as "a momentary flash of bright light", whilst glare is the reflection of bright light for a longer duration. Glint and glare may impair the visibility of observers and cause annoyance, discomfort, or loss in visual performance.

Literature review indicates glint and glare is only likely experienced when the observer is at a higher elevation than the proposed solar PV panels and depends on the degree to which is the panels are tilted. For example the glint and glare from tracking panels with back tracking towards ground-based receptors are most common when the panels are flat in the morning/evening (LOGIS, 2021). This is when the larger incidence angle (angle of incoming light) yields more reflected light.

The visual impact associated with glint and glare relates to the potential it has to negatively affect sensitive receptors in relative close proximity to the source, or aviation safety risk for pilots (especially where the source interferes with the approach angle to the runway). The Rietpoort Guest House is the only visual receptor present within a 5 km radius of the Soyuz 1 Solar PV Park. Based on elevation data, the Rietpoort Guest House is located at a lower elevation than the Soyuz 1 Solar PV Park, as such people visiting the Guest House would not experience a reflection due to the 0° tilt (lying flat) of the panels in the mornings. The observers would theoretically be looking at the base (underside) or edge of the panels.

The Federal Aviation Administration (FAA) of the United States of America have researched glare as a hazard for aviation pilots on final approach and may prescribe specific glint and glare studies for solar energy facilities near aerodromes (airports, airfields, military airbases, etc.). It is generally possible to mitigate the potential glint and glare impacts through the design and careful placement of the infrastructure. The Kimberley Airport is located approximately 260 km north of the Soyuz 1 Solar PV Park, therefore the potential visual impact of glint and glare is considered limited. In the event that glint and glare are visible, the reflection experienced would be similar to other reflections produced from surfaces such as the reflection of windows, streets signs and still water associated with larger impoundments (PagerPower, 2014).

A local airstrip is located 8 km west of the Soyuz 1 Solar PV Park, which is likely used by farmers in the area. It is likely that the frequency of use is limited and limited to small aircrafts. Airstrips with the



main runway situated on an east to west axis, and located at an angle of less than 30 degrees to the north and 20 degrees to the south in the southern hemisphere from a proposed SOLAR PV PARK are invariably at a higher risk of experiencing glint and glare, due to the airstrip being orientated at an angle that would lead to reflection toward the runway. The abovementioned airstrip main runway axis is orientated at a west northwest to east southeast direction, which puts the airstrip at some risk to glint and glare impacts when landing and on take-off from features in the landscape. The Soyuz 1 Solar PV Park is located at an angle between 24° and 36° to the main runway axis, depending on the position within the Soyuz 1 Solar PV Park. Figure 10 below provides an illustration of the bearings from the airstrip to the Soyuz 1 Solar PV Park. Line 4 is the direction of the airstrip which is at a bearing of 108.9480°, the angle of incidence of line 1 is at a bearing of 72.28°, indicating that the airstrip is at a 36.656° from the Soyuz 1 Solar PV Park. Line 2 is at bearing of 81.40°, indicating that the airstrip is at an angle of 27.54° from the Soyuz 1 Solar PV Park, while line 3 is at a bearing of 84.85° indicating that the airstrip is at an angle of 24.09° from the Soyuz 1 Solar PV Park. From the above, the southern portions of the Soyuz 1 Solar PV Park pose some risk to generate glint and glare from the SOLAR PV PARK, due to the angle thereof in relation to the runway. The risk is most significant in the mornings and most likely will be more significant in winter months when the sun rises further to the north. Should glint and glare be experienced, this could be mitigated with a simple go-around of the aircraft and landing in the opposite direction which should be possible in the early morning when winds are generally at a lower speed and direction of landing is not a significant factor. A mitigatory measure that should be implemented by the proponent that is recommended is that the PV Panels are no longer managed as flat by the time the sun rises, and should ideally be facing east already, to lower the risk of reflection toward the airstrip. Solar PV systems can safely coexist in area where aerodromes are located, provided that mitigation measures are undertaken, such as utilising anti-reflection coating on the PV modules, texturing the PV module surface and/ or varying the alignment of the PV array (Sreenath et al., 2020). Should additional mitigatory measures be deemed necessary solar panels with this technology can be utilised.

The intensity of the light reflected from the solar panels decrease with increasing distance, and is directly proportional to the size of the PV array, which in this case is a relatively big 240 MW installation. With Rietpoort Guest House being the only receptor within a 5 km radius, the possibility of experiencing glint and glare is relatively low.

Table 48 identifies potential activities that might take place during the various phases of the proposed project, which could possibly have a visual impact on the surrounding landscape.

Table 48: Potential activities resulting in negative Visual Impacts

Pre-Construction	Construction	Operational	Decommissioning
Planning and placement of PV	Site clearing, including the	Presence of the SOLAR PV PARK	Demolition and
Panels in such a way that it may	removal of topsoil and	within a	removal of
cause glint and glare impacts at	vegetation within the footprint.	20 km radius where no	infrastructure leading
the Rietpoort Guest House		renewable energy structures	to dust generation,
		have been introduced. It should	erosion and changes in
		however be noted that Soyuz 1	the visual character of
		Solar PV Park is part of the	the project area
		Britstown Cluster (six), and	
		eighteen other applications	
		within a 50 km radius	



Pre-Construction	Construction	Operational	Decommissioning
Placement of SOLAR PV PARK in such a way that it leads to loss of natural visual resources such as freshwater ecosystems	Excavation of foundations for substation infrastructure	Potential increased proliferation of alien floral species and further transformation of habitat leading to a change in landscape character	Potential ineffective rehabilitation leading to poor vegetation cover and the bare areas remaining present
Failure to initiate a concurrent rehabilitation plan and alien floral species control plan may lead to further impacts on the landscape Character during later development phases	Temporary soil stockpiles potentially leading to visual intrusion	Permanent loss of vegetation underneath the bi-facial single axis trackers, due to the ground lined with crushed stone at least to a degree, leading to visual contrast	Ongoing proliferation of alien vegetation
Planning of light placement and overall lighting strategy	Construction and placement of PV Panels	Potential of sunlight reflecting off the PV arrays potentially creating glint and glare impacts	Stationary and vehicle mounted lighting during the decommissioning phase
	Construction of general surface infrastructure including internal access roads	A small and periodic increase in human activity and operational vehicles	
	An increase in dust and vehicular movement due to construction activities	Exterior lighting around the perimeter of the Soyuz 1 Solar PV Park	
	Increased amount of human activity, traffic, construction vehicles, and other equipment such as excavators and cranes	Potential lighting at night from operational vehicles	
	Use of security lighting during the construction phase	Security and other lighting around and on support structures (BESS, substation and O&M Building) could also contribute to light pollution Potential emergency maintenance activities conducted at night	

21.6 CONCLUSION OF VISUAL SPECIALIST

From a visual resource aspect, there are no fatal flaws associated with the Soyuz 1 Solar PV Park. Hence, it is the professional opinion of the visual specialist that the development of the Soyuz 1 Solar PV Park can be considered for authorisation.

22 PUBLIC PARTICIPATION PROCESS

In accordance with **Appendix 1 Regulation 2(h)(ii, iii) of GN No. R. 326 of the NEMA EIA Regulations (2014, as amended)**, the following information is presented in Section 12:

2(h) ii – Details of the Public Participation Process undertaken in terms of Regulation 41 of the Regulations, including copies of the supporting documents and inputs

2(h) *iii* – A summary of the issues raised by interested and affected parties and an indication of the manner in which the issues were incorporated or the reasons for not including them.



22.1 OBJECTIVES OF THE PUBLIC PARTICIPATION PROCESS

The public consultation process is requirements of the NEMA EIA Regulations (2014 as amended) GNR 982 Regulation 41. The Regulation aims at ensuring that all information pertaining to this Environmental Permitting Process is adequately circulated to all Interested and Affected Parties (I&APs) and further provides the I&APs with timeframes within which to provide feedback throughout the EIA process. This PPP thus aims at providing organisations and individuals with an opportunity to raise concerns and make comments and suggestions regarding the proposed Project.

The principles for the Scoping and EIA that determine communication with all I&APs at large are included in the principles of the National Environmental Management Act (NEMA) (Act 107 of 1998, as amended) and are further highlighted in the DEA&DP EIA Guideline and Information Document Series (March 2013) which states that: "Public participation process means a process by which potential interested and affected parties are given an opportunity to comment on, or raise issues relevant to an application."

Public participation is an essential and regulatory requirement for an environmental authorisation process and must be undertaken in terms of the Environmental Impact Assessment (EIA) Regulations GN R.982 (December 2014). Public participation is a process that is intended to lead to a joint effort by stakeholders, technical specialists, the authorities and the proponent/developer who work together to produce better decisions than if they had acted independently.

Internationally, the public consultation process complies with the Equator Principles (in particular Principles 5 and 6) and the IFC Performance Standards (PS) (specifically PSs 1, 2, 4, 5, 7 and 8). A Stakeholder Engagement Plan (SEP), provides a more comprehensive summary of the local regulatory requirements and international standards that were considered in the design of the public consultation process.

The public participation process is designed to provide sufficient and accessible information to Interested and Affected Parties (I&APs) in an objective manner.

During the Scoping Phase to enable them to:

- Understand the context of the EIA;
- Become informed and educated about the proposed project and its potential impacts;
- Raise issues of concern and suggestions for enhanced benefits;
- Verify that their comments, issues of concern and suggestions have been recorded;
- Assist in identifying reasonable alternatives; and
- Contribute relevant local information and traditional knowledge to the environmental assessment.

During the impact assessment phase to assist them to:

- Contribute relevant information and local and traditional knowledge to the environmental assessment;
- Verify that their issues and suggestions have been evaluated and considered in the environmental investigations and feedback has been provided;
- · Comment on the findings of the EIA; and



• Identify further issues of concern from the findings of the EIA.

During the decision-making phase:

 To advise I&APs of the outcome, i.e. the authority decision, and how the decision can be appealed.

22.2 STEPS TAKEN TO NOTIFY POTENTIALLY INTERESTED AND AFFECTED PARTIES

Identification of Stakeholders

After obtaining the relevant site information, the Landowners, Adjacent Landowners, Relevant Conservation Groups, and Competent and Commenting Authorities will be contacted to obtain owner/occupant details for directly adjacent erven as well as key stakeholders for this Project. In terms of the NEMA EIA Regulations (2014 as amended), notification of directly adjacent landowners and occupiers is required. The EAP is satisfied that the Public Participation Process will be consistent with the requirements of Regulations.

Communication with Stakeholders

In terms of the NEMA EIA Regulations (2014 as amended), potential Interested and Affected Parties (I&AP's) must be given 30 calendar days within which to register as an I&AP (initial notification) and provide comments. Further, registered I&AP's must be given an opportunity to comment on reports that will be submitted to the relevant authority

As such, and in accordance with the Public Participation Guidelines produced by the relevant authority, all I&APs have 30-days within which to register and provide comment on this Scoping Report. An I&APs database will be prepared and maintained as part of the PPP.

The EIA consultation period commences on 14 August 2023 and concludes on 12 September 2023. Thereafter all issues and concerns raised by the I&APs will be addressed in the Comments and Responses Report. This document and the Final EIA Report, will then be submitted to the Competent Authority in **September 2023.**

One PPP is being conducted for all six of the SOLAR PV PARK's that comprise the Soyuz Solar PV Park Cluster 1-6 development. One regional newspaper advert will be published in the NoordKaap Bulletin on **16 March 2023.** Six site notices were placed at highly visible locations across the Soyuz Solar PV Park Cluster 1-6 development footprint. Proof this is in Appendix C.

22.3 AUTHORITY CONSULTATION

The following Authorities have been consulted with on the Project as part of the Scoping Report Public Participation process:

- The Department of Forestry, Fisheries and the Environment
- Department of Mineral Resources and Energy
- Department of Water and Sanitation
- Northern Cape Department of Agriculture, Environmental Affairs, Rural Development and
 Land Reform
- Northern Cape Department of Economic Development and Tourism



- Northern Cape Department of Roads and Public Works
- Ngwao Boswa Kapa Bokone Provincial Heritage Authority
- Cape Nature
- Emthanjeni Local Municipality
- Air Traffic Navigation Services
- Co-Operative Governance & Traditional Affairs
- National Energy Regulator of South Africa
- South African Civil Aviation Authority
- South African Heritage Resources Agency
- South African Radio Astronomy Observatory
- South African Weather Services
- Agri NoordKaap
- Endangered Wildlife Trust
- Birdlife South Africa
- Wildlife and Environment Society of South Africa

22.4 PROOF OF NOTIFICATION

A copy of the contents of the site notices, adverts and notification letters is contained in Appendix C.

22.5 LIST OF REGISTERED INTERESTED AND AFFECTED PARTIES

The Comments and Responses Report will contain the details of all registered I&AP's and will be submitted with the Final Scoping Report to the Competent Authority.

22.6 SUMMARY OF ISSUES RAISED BY INTERESTED AND AFFECTED PARTIES

All issues raised by I&APs will be placed within the Comments and Responses Report and this will be submitted to the Competent Authority for a Decision once this statutory 30-day PPP has concluded.

22.7 SUMMARY OF APPLICATION AND PUBLIC PARTICIPATION PROCESS

ITEM	DATE	COMMENT
Submission of Application Form and supporting documents to DFFE.	17 March 2023	
Initial Specialist Studies (i.e. opinions) to inform Scoping Report	November 2022 to January 2023.	
Collation of the Scoping Report (SR)	February to March 2023	
Identification of interested and affected parties	January to March 2023	Erf ownership details obtained from landlord and local authority and Windeeds
Newspaper advert published in the Noordkaap	16 March 2023	Regional newspaper
Review of Scoping Report and Plan of Study for EIR by registered stakeholders	20 March to 21 April 2023	
Collation of the Scoping Report for Decision	April 2023	



ITEM	DATE	COMMENT
Submission of Scoping Report and Plan of Study (POS) for EIR to DFFE	April 2023	Submitted on 27 April 2023.
Approval of Scoping Report and POS for EIR	June 2023	Approved 12 June 2023
Collation of the Environmental Impact Report (EIR) and EMPr	June – July 2023	
Review of EIR Report by registered stakeholders	14 August to 12 September 2023	
Collation of the EIR Report for Decision	September 2023	
Submission of final EIA Report to DFFEE	September 2023	
Notification of registered stakeholders of the environmental authorisation decision	ТВА	

23 IMPACT ASSESSMENT METHODOLOGY

In accordance with **Appendix 2 Regulation 2(1)(g) (vi) of GN No. R. 326 of the NEMA EIA Regulations (2014 as amended)**, the following information is presented in this Section:

2(1)(g) vi – The methodology used in identifying and ranking the nature, significance, consequences, extent, duration and probability of potential environmental impacts and risks associated with the alternatives;

The EIA Phase assessment of the potential impacts has been based on extensive experience related to SOLAR PV PARK facilities and the environmental impact assessment process; and augmented by specialist assessment and input. The EIA Phase impact assessment will also be coupled with input and comment from stakeholders.

The types of potential impact (direct, indirect, and cumulative) have been considered along with the nature and magnitude (severe, moderate, and low), extent and location of the potential impacts.

Predictions have been made of the timing (construction, operation or decommissioning phase) and duration (short, long term, intermittent or continuous) of the potential impact. A prediction will also be made of the likelihood or probability of impacts occurring and an estimation of the significance of the potential impact (local, regional or global scale).

Mitigation measures have been identified that could be implemented to avoid or lessen the potential negative impacts and an evaluation of the predicted significance of residual impacts after mitigation, has been made. The assessment of the potential impacts will be carried out implementing a methodology that has been adapted from best practice guidelines disseminated from the Competent Authority (DFFE).

These impacts have been identified based on the following:

Inspection of the site and surroundings (current environmental conditions);



- Discussions with members of the project team;
- Discussions with relevant authorities (DFFE);
- Previous investigations in the area;
- Independent specialist studies;
- Issues and concerns raised during the public participation process; and
- Determining future changes to the environment because of the proposed activity.

The descriptors used to assess the impacts are described in **Table 49**.

Table 49: Definitions of the Impact Assessment Methodology

ITEM	DEFINITION
EXTENT	
Local	Extending only as far as the boundaries of the activity, limited to the site and its immediate surroundings
Regional	Impact on the broader region
National	Will have an impact on a national scale or across international borders
DURATION	
Short-term	0-5 years
Medium- Term	5-15 years
Long-Term	>15 years, where the impact will cease after the operational life of the activity
Permanent	Where mitigation, either by natural process or human intervention, will not occur in such a way or in such a time span that the impact can be considered transient.
MAGNITUDE OR	INTENSITY
Low	Where the receiving natural, cultural or social function/environment is negligibly affected or where the impact is so low that remedial action is not required.
Medium	Where the affected environment is altered, but not severely and the impact can be mitigated successfully and natural, cultural or social functions and processes can continue, albeit in a modified way.
High	Where natural, cultural or social functions or processes are substantially altered to a very large degree. If a negative impact then this could lead to unacceptable consequences for the cultural and/or social functions and/or irreplaceable loss of biodiversity to the extent that natural, cultural or social functions could temporarily or permanently cease.
PROBABILITY	
Improbable	Where the possibility of the impact materialising is very low, either because of design or historic experience
Probable	Where there is a distinct possibility that the impact will occur
Highly Probable	Where it is most likely that the impact will occur
Definite	Where the impact will undoubtedly occur, regardless of any prevention measures
SIGNIFICANCE	
Low	Where a potential impact will have a negligible effect on natural, cultural or social environments and the effect on the decision is negligible. This will not require special design considerations for the project
Medium	Where it would have, or there would be a moderate risk to natural, cultural or social environments and should influence the decision. The project will require modification or mitigation measures to be included in the design
High	Where it would have, or there would be a high risk of, a large effect on natural, cultural or social environments. These impacts should have a major influence on decision making.
Very High	Where it would have, or there would be a high risk of, an irreversible negative impact on biodiversity and irreplaceable loss of natural capital that could result in the project being environmentally unacceptable, even with mitigation. Alternatively, it could lead to a major positive effect. Impacts of this nature must be a central factor in decision making.



ITEM DEFINITION

STATUS OF IMPACT

Whether the impact is positive (a benefit), negative (a cost) or neutral (status quo maintained)

DEGREE OF CONFIDENCE IN PREDICTIONS

The degree of confidence in the predictions is based on the availability of information and specialist knowledge (e.g. low, medium or high)

MITIGATION

Mechanisms used to control, minimise and or eliminate negative impacts on the environment and to enhance project benefits Mitigation measures should be considered in terms of the following hierarchy: (1) avoidance, (2) minimisation, (3) restoration and (4) off-sets.

To comparatively rank the impacts, each impact has been assigned a score using the scoring system outlined in **Table 50**. This scoring system allows for a comparative, accountable assessment of the indicative cumulative positive or negative impacts of each aspect assessed.

Table 50: Scoring System for Impact Assessment Ratings

IMPACT PARAMETER		SCORE				
Extent (A)	Rating					
Local	1					
Regional	2					
National	3					
Duration (B)	Rating					
Short term	1					
Medium Term	2					
Long Term	3					
Permanent	4					
Probability (C)	Rating					
Improbable	1					
Probable	2					
Highly Probable	3					
Definite	4					
IMPACT PARAMETER	NEGATIVE IMPACT SCORE	POSITIVE IMPACT SCORE				
Magnitude/Intensity (D)	Rating	Rating				
Low	-1	1				
Medium	-2	2				
High	-3	3				
SIGNIFICANCE RATING (F) = (A*B*D+E)*C	Rating	Rating				
Low	0 to - 40	0 to 40				
Medium	- 41 to - 80	41 to 80				
High	- 81 to - 120	81 to 120				
Very High	> - 120	> 120				



The above significance bands have been determined through calculating a maximum potential score of 156 (e.g. positive or negative) using the above methodology. This was then subdivided into broad bands as indicated above to provide a comparative assessment of all impacts in relation to the maximum possible significance score. The overall status of the impact (after mitigation) for the preferred alternative is stated in each table below.

The potential impacts have been assessed in terms of the requirement to assess "positive and negative impacts that the proposed activity and alternatives will have on the environment and on the community that may be affected focusing on the geographical, physical, biological, social, economic, heritage and cultural aspects".

Only the 'Preferred Site and Preferred Layout Alternative' have been comparatively assessed against the 'No-Go Alternative.

24 POTENTIAL IMPACTS ASSOCIATED WITH THE ACTIVITY AND PREFERRED FOOTPRINT

In accordance with Appendix 1 Regulation 3(h)(vii and viii) and Regulation 3 (i) and (j)of GN No. R. 326 of the NEMA EIA Regulations (2014, as amended):

- **3(h) vii** Positive and negative impacts that the proposed activity and alternatives will have on the environment and on the community that may be affected focusing on the geographical, physical, biological, social, economic, heritage and cultural aspects
- 3(h) viii The possible mitigation measures that could be applied and level of residual risk,
- **Regulation 3(i)** A full description of the process undertaken to identify, assess and rank the impacts the activity will impose on the preferred location through the life of the activity, including-
 - **3(i) (i)** A description of all environmental issues and risks that were identified during the environmental impact assessment process; and
 - **3(i)** (ii) An assessment of the significance of each issue and risk and an indication of the extent to which the issue and risk could be avoided or addressed by the adoption of mitigation measures
- Regulation 3 (j) An assessment of each identified potentially significant impact and risk, including
 - 3(j) (i) Cumulative impacts;
 - 3(j) (ii) The nature, significance, and consequences of the impact and risk
 - 3(j) (iii) The extent and duration of the impact and risk
 - 3(j) (iv) The probability of the impact and risk occurring
 - 3(j) (v) The degree to which the impact and risk can be reversed
 - 3(j) (vi) The degree to which the impact and risk may cause irreplaceable loss of resources; and
 - 3(j) (vii) - The degree to which the impact and risk can be mitigated



The intention of this section is to raise awareness about **potential** impacts that are evident through the establishment and operation of the Project and associated infrastructure.

The **potential** impacts listed below have been assessed based on available information and through specialist recommendations, which have provided mitigation measures to ensure that the impacts associated with the activity are mitigation to acceptable levels.

Potential environmental impacts and issues that may be associated with the construction, operational and decommissioning phases of the proposed project (**Figure 70**) and a summary of these have been identified and are listed below. The applicability and degree and extent of these impacts are anticipated to vary depending on the lifecycle stage of the development.

As part of this Environmental Permitting Process, an EMPr has been compiled for the various project life cycle stages to ensure that these impacts are minimised and/or eliminated where practicable.




Figure 70: Project Life Cycle

The **potential** impacts listed have been anticipated based on available information and input from specialists. Please note that the descriptions below do not represent an impact assessment but the anticipated **scope** of impacts and will be further evaluated and assessed in the EIA Phase..

24.1 PLANNING AND DESIGN PHASE

The physical activities of the planning and design phase do not present any potential environmental impacts themselves. <u>However</u>, there are potential impacts that may occur during the construction and operating phase of the Soyuz 1 Solar PV Park that can be <u>avoided or mitigated in the planning</u> <u>and design phase</u> by ensuring that certain layout or technology measures are included in the designs



and technology choices. These potential impacts and the proposed mitigation measures (which must be considered for implementation in the planning and design phase) are presented as follows:

24.1.1 Potential Avifaunal Impacts

Habitat Loss

Clearing of natural vegetation for the construction and establishment of the SOLAR PV PARK and associated infrastructure will result in the loss, degradation, and fragmentation of foraging habitat for avifauna. Loss of breeding and/or mating display habitat (lekking sites) for SCC (specifically Ludwig's Bustard) or the loss of habitat for important bird congregations may also occur. Based on the impact assessment post-mitigation, this impact has been assessed as **low negative**.

IMPACT NATURE	Direct loss of avifaunal habita	•		STATUS	LOW	
IVII ACI IVATORE			NEGATIVE			
Impact Description	Clearing of natural vegetation for the construction and establishment of the solar PV facility and associated infrastructure will result in the loss, degradation and fragmentation of foraging habitat for avifauna. While it is possible that a lekking site of Ludwig's Bustard may have been overlooked, it is highly unlikely due to the flat nature of the terrain. Ludwig's Bustards typically seek elevated areas from which to be visible from great distances. Furthermore, the Soyuz SOLAR PV PARK Cluster does not support any globally, nationally, or regionally important congregations of waterfowl and / or migratory species.					
Impact Source(s)	Location and extent of develop	ment footprint.				
Receptor(s)	Ludwig's Bustard, Denham's B	ustard, Kori Bustaı	d, Karoo Korha	an and Secret	ary bird.	
PARAMETER	WITHOUT MITIGATION	SCORE	WITH MITIGA	ATION	SCORE	
EVIENT (A)	Preferred Alternative:	2	Preferred Alt	ernative:	1	
EXTENT (A)	No-Go Alternative:	0	No-Go Altern	ative:	0	
DUDATION (D)	Preferred Alternative:	1	Preferred Alt	ernative:	1	
DURATION (B)	No-Go Alternative:	5	No-Go Altern	ative:	5	
DDODARII ITV (C)	Preferred Alternative:	2	Preferred Alto	ernative:	1	
PROBABILITY (C)	No-Go Alternative:	0	No-Go Alternative:		0	
INTENSITY OR	Preferred Alternative:	-2	Preferred Alternative:		-1	
MAGNITUDE (D)	No-Go Alternative:	0	No-Go Alternative:		0	
SIGNIFICANCE RATING	Preferred Alternative:	-10	Preferred Alternative:		-3	
(F) = (A*B*D)*C	No-Go Alternative:	0	No-Go Altern	ative:	0	
CUMULATIVE IMPACTS	If the adjacent Soyuz WEF takes the necessary precautions to buffer the sensitive habitats for the receptor species and to prevent collisions of the receptor species with turbines and/or overhead powerlines (such as high rotor sweep heights, bird flight diverters on powerlines etc.), the receptor species should persist within the WEF cluster project boundary at ecologically viable population densities, limiting the potential for cumulative impacts to occur. The large area of the proposed Soyuz SOLAR PV PARK cluster and the relatively small area within this where solar panels will be constructed is expected to provide ample remaining habitat for the receptor species to persist. Therefore, the cumulative impacts to the receptor species are unlikely to be significant.					
CONFIDENCE	High					
MITIGATION MEASURES	 Use the SEI spatial layers to appropriately position all surface infrastructure to avoid areas considered important for avifauna to minimise loss of Medium-High sensitivity avifaunal habitat. Ensure that the BESS and non-solar panel infrastructure occur in Low SEI portions of the project area. Prioritise existing roads for access routes where practicable. 					



Collision and Electrocution

Mortality from collision and electrocution is a potential impact to avifauna from solar PV farms. This risk is likely to be highest in situations where PV panels and overhead powerlines electrical transmission infrastructure are placed closer to areas of higher habitat complexity and resource availability where bird abundances are higher (e.g. wetlands/rivers and rocky ridges). Based on the impact assessment post-mitigation, this impact has been assessed as **low negative**.

IMPACT NATURE	Direct mortality through collisi	ion and electrocution	on STATUS	LOW NEGATIVE		
Impact Description	Mortality from collision and electrocution is a potential impact to avifauna from solar PV farms. This risk is likely to be highest in situations where PV panels and electrical transmission infrastructure are placed closer to areas of higher habitat complexity and resource availability where bird abundances are higher (e.g. wetlands/rivers and rocky ridges). In addition, vehicle induced collisions (direct collisions with vehicles or vehicle induced flushes into fence infrastructure) can pose significant direct mortality risk, especially to large ground dwelling species. Several SCC are likely/known to occur in the region of the proposed development which have a wingspan large enough (>1.5 m) to bridge gaps between live and earthed components or between phases of powerlines. In addition, electrocution of birds within the substations/switching areas is also possible. This impact can be reduced through appropriate planning of the infrastructure layout based on the SEI evaluation.					
Impact Source(s)	Solar PV and electrical transmis	ssion infrastructure				
Receptor(s)	All birds but particularly water to weight ratios and in-flight m known to be present within the	nanoeuvrability. Ma				
PARAMETER	WITHOUT MITIGATION	SCORE	WITH MITIGATION	SCORE		
EXTENT (A)	Preferred Alternative:	1	Preferred Alternative:	1		
	No-Go Alternative:	1	No-Go Alternative:	1		
DURATION (B)	Preferred Alternative:	3	Preferred Alternative:	3		
	No-Go Alternative:	3	No-Go Alternative:	3		
PROBABILITY (C)	Preferred Alternative:	3	Preferred Alternative:	1		
	No-Go Alternative:	4	No-Go Alternative:	4		
INTENSITY OR	Preferred Alternative:	-3	Preferred Alternative:	-3		
MAGNITUDE (D)	No-Go Alternative:	+1	No-Go Alternative:	+1		
SIGNIFICANCE RATING	Preferred Alternative:	-27	Preferred Alternative:	-9		
(F) = (A*B*D)*C	No-Go Alternative:	12	No-Go Alternative:	12		
CUMULATIVE IMPACTS	Without appropriate mitigation, the cumulative impacts on the receptors most at risk (bustards) from collisions with powerlines will be marked. Even with typical mitigation such as bird flight diverters, collisions are not unavoidable and there is likely to be an appreciable cumulative impact on bustard species in the region.					
CONFIDENCE	High for PV Facility but Low for OHPL (without layout depicting grid connection routes and infrastructure)					
MITIGATION MEASURES	 The grid connection route alternatives have not yet been provided. It is recommended that wherever possible existing electrical transmission infrastructure is utilised or underground cabling is implemented. Where the creation of new transmission lines is necessary attempts should be made to minimise the route length to the closest existing substation and that the route be aligned with existing powerlines as far as possible. Additionally, the route should avoid or minimise wetland/riverine crossings. Install Eskom-approved bird flight diverters (flappers or coils) on new transmission lines (particularly the earth wire). This can help to increase the visibility of transmission lines especially the thinner earth line with which most collisions tend to be associated. If the transmission lines are long or if budget is constraining then 					



IMPACT NATURE	Direct mortality through collision and electrocution	STATUS	LOW NEGATIVE
	prioritise portions of the transmission lines the wetlands/riverine habitats or through High and Very High. Design of overhead electrical lines must consider poter species and pre-emptively avoid the likelihood of this by spans to avoid faecal "streamers" or large open wings of All power cables within the project area should be fouried in demarcated corridors. White strips or simply the exposed (lustrous) alumining the solar panels appear to help to increase visibility recommended as far as practically feasible. Installation of bird deterrent devices on and around sold line poles, pylons and / or monopoles as well as secur required to limit collision risk. The BESS must be covered in non-reflective surfaces and discharge and the (low) risk of veld fires as a result. In all areas where service roads intersect with semi nate is everywhere), all fences must be set back at least (string of every service road to allow for vulnerable species surfaces and korhaans to obtain adequate height after being Alternatively, the fences must be placed completely maximum of 3 metres buffer and marked with fence flaceollisions.	gh SEI habitat. Intial for electron increasing districted in short. Intial for electron increasing districted in short. Intial product of the short	cution by large ances between and preferably g the edges of birds and are n transmission fences, will be gainst thermal habitat (which from the edge storks, cranes wehicle traffic. e roads with a

Attraction to the Facility

Certain bird species (mainly commensal) are attracted to the infrastructure associated with SOLAR PV PARK as it can provide perches and nesting habitat as well as increased food source.

IMPACT NATURE	Direct mortality through collision and electrocution				LOW NEGATIVE	
Impact Description	Certain (mainly commensal species) are often attracted by the establishment of the SOLAR PV PARK and associated infrastructure as it presents additional resources in the form of perches, nesting habitat, shade and often food availability (increased rodents and weedy annual plants). This artificial increase in the abundance of some species has the effect of augmentation of the natural abundance and species composition of birds but more importantly places these opportunistic species and their predators at risk of collision and electrocution.					
Impact Source(s)	SOLAR PV PARK and associated					
Receptor(s)	Commensal and opportunistic	species but also t	heir predators			
PARAMETER	WITHOUT MITIGATION	SCORE	WITH MITIG	ATION	SCORE	
EXTENT (A)	Preferred Alternative:	1	Preferred Alt	ernative:	1	
EXTENT (A)	No-Go Alternative:	1	No-Go Altern	native:	1	
DURATION (B)	Preferred Alternative:	3	Preferred Alternative:		3	
2011111011 (2)	No-Go Alternative:	4	No-Go Altern	native:	4	
PROBABILITY (C)	Preferred Alternative:	2	Preferred Alternative:		1	
PROBABILITY (C)	No-Go Alternative:	4	No-Go Alterr	native:	4	
INTENSITY OR	Preferred Alternative:	-2	Preferred Alt	Preferred Alternative:		
MAGNITUDE (D)	No-Go Alternative:	+1	No-Go Alterr	native:	+1	
SIGNIFICANCE RATING	Preferred Alternative:	-12	Preferred Alt	ernative:	-3	
(F) = (A*B*D)*C	No-Go Alternative:	16	No-Go Alterr	native:	16	
CUMULATIVE IMPACTS	Expected to be low.					



IMPACT NATURE	Direct mortality through collision and electrocution	STATUS	LOW NEGATIVE
CONFIDENCE	Medium		
MITIGATION MEASURES	 Install bird deterrent devices around panels and on over perching and discourage nesting. 	erhead infrastr	ucture to limit



24.1.2 Potential Faunal Biodiversity Impacts

Loss of Faunal habitat and potential Species Diversity

Vegetation clearing for the establishment of the SOLAR PV PARK can cause habitat destruction and disturbance within the direct footprint area and the direct loss of faunal communities and possibly loss of species of conservation concern (SCC).

IMPACT NA	ATURE Imp	npact – Loss of faunal habitat and potential species diversity STATUS LOW NEGATIVE						
Potential poor planning of vegetation clearing for the proposed Soyuz 1 Solar PV Park, which will lead to faunal habitat loss, and a decrease in faunal diversity. Potential increased mortality rates of fauna, due to not having mitigations in place to lower the conflict caused by potential moving vehicle collisions and potential snaring / poaching within the proposed Soyuz 1 Solar PV Pois of the utmost importance that an AIP control and management plan be developed before construction of the proposed commence, as the possible spread of AIPs and habitat fragmentation may lead to lower habitat integrity as secondary impacts. Purplanning may lead to Loss of habitat connectivity and potential for increased faunal mortality rates as species become stuck in formula for increased faunal mortality rates as species become stuck in formula for increased faunal mortality rates as species become stuck in formula for increased faunal mortality rates as species become stuck in formula faunal habitat loss, and a decrease in faunal habitat loss, and a decrease in faunal diversity. Potential increased mortality rates of fauna, due to not having mitigations in place to lower the conflict caused by potential moving vehicle collisions and potential snaring / poaching within the proposed Soyuz 1 Solar PV Potential faunal mortality rates of faun						er the risk of human-wildlife PV Park and access road. It used Soyuz 1 Solar PV Park cts. Potential inappropriate		
Impact Sou	Potential failure to put in place suitable management measures to ensure that the Freshwater Ecosystem Habitat is not disturbed during construction activities; Potential failure to implement the required mitigation measures before and at the commencement of construction activities: Potential failure to implement the required mitigation measures before and at the commencement of the project activities; Potential failure to have a Rehabilitation Plan developed, and implemented, before the commencement of the project activities; Potential failure to implement an Alien and Invasive Plant (AIP) Management/Control Plan before construction activities commence; and reptiles through the perimeter fence line of the Soyuz 1 Solar PV Park to maintain a semblance of habitat connectivity. Receptor(s) Faunal habitat and species					ctivities: project activities; activities commence; and		
Habitat Unit	Driver / Activity	PARAMETER	WITHOUT MITIGATION	SCORE	WITH MITIGATION	SCORE		
		EXTENT (A)	Preferred Alternative:	2	Preferred Alternative:	1		
		DURATION (B)	Preferred Alternative:	4	Preferred Alternative:	2		
Upper Karoo	PV facility and	PROBABILITY (C)	Preferred Alternative:	4	Preferred Alternative:	3		
Habitat	associated infrastructure	INTENSITY OR MAGNITUDE (D)	Preferred Alternative:	-2	Preferred Alternative:	-2		
		SIGNIFICANCE RATING (F) = (A*B*D)*C	Preferred Alternative:	(-) Medium	Preferred Alternative:	(-) Low		
	EXTENT (A) Preferred 2 Preferred Alternative: Alternative:							
Upper Karoo Habitat &	Access road	DURATION (B)	Preferred Alternative:	3	Preferred Alternative:	2		
Modified Karoo		PROBABILITY (C)	Preferred	4	Preferred Alternative:	3		



Footslope			Alternative:			
		INTENSITY OR MAGNITUDE (D)	Preferred Alternative:	-2	Preferred Alternative:	-2
		SIGNIFICANCE RATING (F) = (A*B*D)*C	Preferred Alternative:	(-) Medium	Preferred Alternative:	(-) Low
Freshwater Ecosystem Habitat	Access road	EXTENT (A)	Preferred Alternative:	3	Preferred Alternative:	1
,		DURATION (B)	Preferred Alternative:	4	Preferred Alternative:	2
		PROBABILITY (C)	Preferred Alternative:	4	Preferred Alternative:	2
		INTENSITY OR MAGNITUDE (D)	Preferred Alternative:	-2	Preferred Alternative:	-2
		SIGNIFICANCE RATING (F) = (A*B*D)*C	Preferred Alternative:	(-) High	Preferred Alternative:	(-) Low
CUMULAT	IVE IMPACTS	energy facilities (wind and so lapsed or have been withdra renewable energy facilities, w extent and vegetation regrow	lar) within a 50 km radius of wn and six is still in the proce hich may alter the landscape th will still provide habitat for	the Soyuz16 Solar P ess. This indicates that character. Vegetation r common faunal spec	EEA, 2021) there are eighteen V Park, of which thirteen have at the larger region has been en clearing due to Soyuz 1 Solar I cies and no significant faunal had aliate area surrounding the Soy	been approved, three has armarked for a number of PV Park will be at a local abitat loss will present on a
COI	NFIDENCE	High				
 Where possible, and feasible, all planning of access roads should be kept to existing roads so to reduce natural habitat; Minimise loss of indigenous vegetation where possible through planning and adherence to suitable layouts; It is considered imperative that the development area be optimised and that all sensitive areas be (Freshwater Ecosystem Habitat). This is in line with the DFFE (2013) mitigation hierarchy that stipulates avoided first and foremost; Perimeter fences must be designed in such a way so as to allow for small faunal species movement in and Park. In this regard, the use of electric perimeter fencing is discouraged to ensure electrocution of speculiverts should be placed every 200m in the fence to allow for the movement of small species through the Design of infrastructure should be environmentally sound and all construction equipment to be utilised condition, and all possible precautions taken to prevent potential faunal collisions and mechanical spills at Prior to the commencement of construction activities, an authorised AIP Management/Control Plan implementation; 				avoided as far as possible high risk activities must be out of the Soyuz 1 Solar PV cies does not occur. Small e fence safely; d must be a good working nd/or leaks; n should be compiled for		
			sound environmental manage			J



Loss of Faunal SCC

IMPACT NA	TURE	Impact	– Loss of faunal SCC			STATUS	LOW NEGATIVE	
Impact Desc	ription	mortalit collision manage lower ha	rotential poor planning of vegetation clearing for the proposed Soyuz 1 Solar PV Park, which will lead to faunal SCC habitat loss. Potential increased nortality rates of faunal SCC, due to not having mitigations in place to lower the risk of human-wildlife conflict caused by potential moving vehicle ollisions and snaring / poaching within the proposed Soyuz 1 Solar PV Park and access road. It is of the utmost importance that a AIP control and nanagement plan be developed before construction of the proposed Soyuz 1 Solar PV Park commence, as the possible spread of AIPs may lead to lower habitat integrity as secondary impacts. Poor planning may lead to Loss of habitat connectivity and potential for increased faunal SCC mortality ates as species become stuck in fences.					
Impact Sou		0	Potential failure to have a Re Potential failure to implemen	habilitation Plan developed, an	d implemented, befo	ncement of construction activition re the commencement of the po ntrol Plan before construction a	roject activities; and	
Recepto			SCC habitat					
Habitat Unit	Driver / Act	ivity	PARAMETER	WITHOUT MITIGATION	SCORE	WITH MITIGATION	SCORE	
			EXTENT (A)	Preferred Alternative:	2	Preferred Alternative:	1	
			DURATION (B)	Preferred Alternative:	4	Preferred Alternative:	2	
Upper Karoo		and	PROBABILITY (C)	Preferred Alternative:	4	Preferred Alternative:	2	
Habitat			INTENSITY OR MAGNITUDE (D)	Preferred Alternative:	-2	Preferred Alternative:	-2	
			SIGNIFICANCE RATING (F) = (A*B*D)*C	Preferred Alternative:	(-) Medium	Preferred Alternative:	(-) Low	
			EXTENT (A)	Preferred Alternative:	2	Preferred Alternative:	1	
Hamar Karaa			DURATION (B)	Preferred Alternative:	3	Preferred Alternative:	2	
Upper Karoo Habitat &	Access roa	d	PROBABILITY (C)	Preferred Alternative:	4	Preferred Alternative:	2	
Modified Karoo Footslope			INTENSITY OR MAGNITUDE (D)	Preferred Alternative:	-2	Preferred Alternative:	-2	
			SIGNIFICANCE RATING (F) = (A*B*D)*C	Preferred Alternative:	(-) Medium	Preferred Alternative:	(-) Low	
			EXTENT (A)	Preferred Alternative:	3	Preferred Alternative:	1	
Freshwater			DURATION (B)	Preferred Alternative:	4	Preferred Alternative:	2	
Ecosystem Habitat	Access roa	d	PROBABILITY (C) INTENSITY OR	Preferred Alternative: Preferred Alternative:	4	Preferred Alternative: Preferred Alternative:	2	
			MAGNITUDE (D)	Preferred Alternative:	-2	Preferred Alternative:	-2	
			SIGNIFICANCE RATING (F) = (A*B*D)*C	Preferred Alternative:	(-) High	Preferred Alternative:	(-) Low	



CUMULATIVE IMPACTS	According to the South African Renewable Energy EIA Application Database (REEA, 2021) there are eighteen applications for renewable energy facilities (wind and solar) within a 50 km radius of the Soyuz 1 Solar PV Park, of which thirteen have been approved, three has lapsed or have been withdrawn and six is still in the process. This indicates that the larger region has been earmarked for several renewable energy
	facilities, which may alter the landscape character. Vegetation clearing due to Soyuz 1 Solar PV Park will be at a local
	extent and vegetation regrowth will still provide habitat for faunal SCC and no significant faunal SCC habitat loss will be present on a regional
	level. The current farming activities will still be present within the immediate area surrounding the Soyuz 1 Solar PV Park.
CONFIDENCE	High
	• Where possible, and feasible, all access roads should be kept to existing roads so to reduce fragmentation of existing natural habitat;
	• Footprint areas should be kept as small as possible. Site boundaries should be clearly demarcated so as to ensure that vegetation beyond the authorised footprint is not cleared;
	 Perimeter fences must be designed in such a way so as to allow for small faunal species movement in and out of the Soyuz 1 Solar PV Park. In this regard, the use of electric perimeter fencing is discouraged to ensure electrocution of species does not occur. Small culverts should be placed every 200m in the fence to allow for the movement of small species through the fence safely;
MITIGATION MEASURES	• A documented rescue and relocation plan of action must be in place prior to commencement of construction and operational activities so all personnel are aware of the requirements should a faunal SCC be encountered;
	 Prior to vegetation clearing activities, the site should be inspected for the presence of SCC, including burrowing scorpion burrows, and reptiles. If located, these species should be carefully rescued and relocated as per an approved rescue and relocation plan that must be developed;
	o Permits are to be obtained from DFFE and NCDENC prior to the relocation of any faunal SCC;
	 Prior to the commencement of construction activities, an authorised AIP Management/Control Plan should be compiled for implementation; and
	 Prior to the commencement of construction activities on site, a rehabilitation plan should be developed.



24.1.3 Potential Floral Biodiversity Impacts

Summary of the Floral Habitat and Diversity Impact Assessment of the Pre-Construction & Planning Phase of the proposed Soyuz 1 Solar PV Park

			 Loss of floral habitat and pot 	ential species diversity		STATUS	LOW NEGATIVE
Impact Desc	ription	environ favoura	•	cements of floral habitat and	diversity. Poor plann	n causing the spread of AIP's in ing of project footprint areas le	
Impact Sou	rce(s)		cential failure to implement the cential inadequate design and n	υ,			
Recepto	or(s)	Floral ha	abitat and species				
Habitat Unit	Driver / Act	ivity	PARAMETER	WITHOUT MITIGATION	SCORE	WITH MITIGATION	SCORE
			EXTENT (A)	Preferred Alternative:	2	Preferred Alternative:	2
			DURATION (B)	Preferred Alternative:	4	Preferred Alternative:	2
			PROBABILITY (C)	Preferred Alternative:	4	Preferred Alternative:	3
Upper Karoo Habitat	PV facility a associate infrastruct	d	INTENSITY OR MAGNITUDE (D)	Preferred Alternative:	-2	Preferred Alternative:	-2
	imastract	uic	SIGNIFICANCE RATING (F) = (A*B*D)*C	Preferred Alternative:	(-) Medium	Preferred Alternative:	(-) Low
			EXTENT (A)	Preferred Alternative:	2	Preferred Alternative:	1
Open Karoo veld			DURATION (B)	Preferred Alternative:	2	Preferred Alternative:	2
& Upper Karoo			PROBABILITY (C)	Preferred Alternative:	4	Preferred Alternative:	3
Footslope & Modified Karoo veld	Access roa	d	INTENSITY OR MAGNITUDE (D)	Preferred Alternative:	-2	Preferred Alternative:	-2
veia			SIGNIFICANCE RATING (F) = (A*B*D)*C	Preferred Alternative:	(-) Low	Preferred Alternative:	(-) Low
			EXTENT (A)	Preferred Alternative:	3	Preferred Alternative:	1
Freshwater			DURATION (B)	Preferred Alternative:	4	Preferred Alternative:	2
cosystem Habitat	Access roa	d	PROBABILITY (C)	Preferred Alternative:	4	Preferred Alternative:	2
,			INTENSITY OR MAGNITUDE (D)	Preferred Alternative:	-2	Preferred Alternative:	-2



	SIGNIFICANCE RATING (F) = (A*B*D)*C	Preferred Alternative:	(-) Medium	Preferred Alternative:	(-) Low		
CUMULATIVE IMPACTS	energy facilities (wind and so lapsed or have been withdraw energy facilities, which may	According to the South African Renewable Energy EIA Application Database (REEA, 2021) there are eighteen applications for renewable energy facilities (wind and solar) within a 50 km radius of the Soyuz 1 Solar PV Park, of which thirteen have been approved, three has lapsed or have been withdrawn and six is still in the process. This indicates that the larger region has been earmarked for several renewable energy facilities, which may alter the landscape character. Vegetation clearing due to Soyuz 1 Solar PV Park will be at a local extent and vegetation regrowth could possibly occur. The current farming activities will still be present within the immediate area surrounding the Soyuz 1 Solar PV Park.					
CONFIDENCE	High						
MITIGATION MEASURES	 incorporating the sensi Where possible, and fe natural habitat; Design of infrastructur working condition, and Prior to the commence for implementation; Prior to the commence 	tivity of the biodiversity repor asible, all planning of access re e should be environmentally all possible precautions taken tement of construction activ	t as well as other spe bads should be kept t sound and all const to prevent potential ities, an authorised on site, a rehabilitati	to existing roads so to reduce from the control of	agmentation of existing ed must be a good n should be compiled		

Summary of the Floral SCC Impact Assessment of the Pre-Construction & Planning Phase of the proposed Soyuz 1 Solar PV Park

IMPACT NA	ATURE	Impact -	mpact – Loss of floral SCC STATUS LOW N					
Unnecessary or unlawful destruction/removal of floral SCC and protected species leading to a decline in the numbers of species within the Soyuz 1 Solar PV Park. Poor planning of project footprint areas leading to a loss of favourable floral hab footprint, leading to a decline in floral diversity.								
Impact Sou	 Failure to undertake a walkdown of the finalised footprints, during which floral protected floral species are searched for and marked Potential failure to comply with national and regional legislation regarding permit applications for the potential removal, destruction relocation of floral SCC within footprint areas (depending on the outcome of the walkdown); and Potential inadequate design of stormwater management and erosion control, resulting in increased risk of erosion and loss of topso and outside of planned footprints 					oval, destruction, and/or		
Recepto	or(s)	Floral SC	CC habitat					
Habitat Unit	Driver / Act	ivity	PARAMETER	WITHOUT MITIGATION	SCORE	WITH MITIGATION	SCORE	
Upper Karoo			EXTENT (A)	Preferred Alternative:	2	Preferred Alternative:	1	
Habitat	PV facility	and	DURATION (B)	Preferred Alternative:	4	Preferred Alternative:	2	



	associated	PROBABILITY (C)	Preferred Alternative:	4	Preferred Alternative:	2
	infrastructure	INTENSITY OR MAGNITUDE (D)	Preferred Alternative:	-2	Preferred Alternative:	-2
		SIGNIFICANCE RATING (F) = (A*B*D)*C	Preferred Alternative:	(-) Medium	Preferred Alternative:	(-) Low
		EXTENT (A)	Preferred Alternative:	2	Preferred Alternative:	1
Open Karoo veld		DURATION (B)	Preferred Alternative:	3	Preferred Alternative:	2
& Upper Karoo		PROBABILITY (C)	Preferred Alternative:	4	Preferred Alternative:	2
Footslope & Modified Karoo veld	Access road	INTENSITY OR MAGNITUDE (D)	Preferred Alternative:	-2	Preferred Alternative:	-2
veid		SIGNIFICANCE RATING (F) = (A*B*D)*C	Preferred Alternative:	(-) Medium	Preferred Alternative:	(-) Low
		EXTENT (A)	Preferred Alternative:	2	Preferred Alternative:	1
		DURATION (B)	Preferred Alternative:	4	Preferred Alternative:	2
Freshwater		PROBABILITY (C)	Preferred Alternative:	4	Preferred Alternative:	2
Ecosystem Habitat	Access road	INTENSITY OR MAGNITUDE (D)	Preferred Alternative:	-2	Preferred Alternative:	-2
		SIGNIFICANCE RATING (F) = (A*B*D)*C	Preferred Alternative:	(-) Medium	Preferred Alternative:	(-) Low
CUMULA	ATIVE IMPACTS	energy facilities (wind and so lapsed or have been withdraw energy facilities, which may vegetation regrowth could po	olar) within a 50 km radius of wn and six is still in the process alter the landscape character.	the Soyuz 1 Solar P\ This indicates that the Vegetation clearing oral SCC habitat loss	EEA, 2021) there are eighteen a / Park, of which thirteen have le larger region has been earmal due to Soyuz 1 Solar PV Park w will be present on a regional lev Soyuz 1 Solar PV Park.	been approved, three has rked for several renewable fill be at a local extent and
СО	NFIDENCE	High				
MITIGATION MEASURES		footprint area must ta marked to determine t of rescue and relocatio application will be nec - Where provincially obtained to rer	the place before construction the number of individuals that on initiatives must be determinessary: y protected species will be improve, cut, or destroy the above.	activities commence will be impacted. Base ned, and a rescue and pacted, permits from e-mentioned protecte	te proposed activities will take party, where all anticipated floral Set on the outcome of the walkdown of the walkdown of the outcome of the walkdown	occ are searched for and own, the appropriateness red. The following permit of from the DFFE should be n clearing may take place.



24.1.4 Soil and Land Capability

IMPAC	T NATURE	Impact -	-Soil, land capability and agric	ultural potential.		STATUS	NEGATIVE
Impact	Description	Loss of L	and Capability				
•	Source(s)	• Pla	getation clearing and partial to acement of infrastructure on so ovement of Construction vehicl ural Resources	oil suitable for cultivation and g	razing; and		
Soil Impact	Driver / Activit		PARAMETER	WITHOUT MITIGATION	SCORE	WITH MITIGATION	SCORE
3011 III pact	Dilver y Activity	• 7	EXTENT (A)	Preferred Alternative:	3	Preferred Alternative:	2
	Potential poor planni	ng	DURATION (B)	Preferred Alternative:	4	Preferred Alternative:	2
Loss of Land	leading to placement		PROBABILITY (C)	Preferred Alternative:	4	Preferred Alternative:	3
Capability	stripped and stockpile outside the demarcal areas.		INTENSITY OR MAGNITUDE (D)	Preferred Alternative:	-2	Preferred Alternative:	-2
			SIGNIFICANCE RATING (F) = (A*B*D)*C	Preferred Alternative:	-96	Preferred Alternative:	-24
			EXTENT (A)	Preferred Alternative:	2	Preferred Alternative:	1
	Potential poor planni leading to placement	_	DURATION (B)	Preferred Alternative:	3	Preferred Alternative:	2
Soil Erosion	solar PV and associat		PROBABILITY (C)	Preferred Alternative:	4	Preferred Alternative:	3
		ential agricultural soils	INTENSITY OR MAGNITUDE (D)	Preferred Alternative:	-2	Preferred Alternative:	-2
	utilised for grazing.		SIGNIFICANCE RATING (F) = (A*B*D)*C	Preferred Alternative:	-48	Preferred Alternative:	-12
			EXTENT (A)	Preferred Alternative:	2	Preferred Alternative:	1
	Potential poor planni leading to spillage of	ng	DURATION (B)	Preferred Alternative:	3	Preferred Alternative:	2
Soil	petroleum hydrocarb	ons	PROBABILITY (C)	Preferred Alternative:	4	Preferred Alternative:	2
Contamination	on moderate potenti	al	INTENSITY OR MAGNITUDE (D)	Preferred Alternative:	-2	Preferred Alternative:	-2
	for grazing.		SIGNIFICANCE RATING (F) = (A*B*D)*C	Preferred Alternative:	-48	Preferred Alternative:	-8
Soil	Potential poor planni	ng	EXTENT (A)	Preferred Alternative:	1	Preferred Alternative:	1
Compaction	leading to placement		DURATION (B)	Preferred Alternative:	4	Preferred Alternative:	2
	solar pv and associated infrastructure on soils		PROBABILITY (C)	Preferred Alternative:	4	Preferred	2



susceptible to compaction.				Alternative:			
	INTENSITY OR MAGNITUDE (D)	Preferred Alternative:	-2	Preferred Alternative:	-2		
	SIGNIFICANCE RATING (F) = (A*B*D)*C	Preferred Alternative:	-32	Preferred Alternative:	-8		
CUMULATIVE IMPACTS	formation which collectively 14.2% of the study area invegrazing (Class VI) and have conditions are considered as is deemed not suitable for an management practices. The	The Soyuz 1 Solar PV Park and associated access road are dominated by shallow soils of Coega formation and to a lesser extent the Mispah formation which collectively account for approximately 97.9% of total study area investigated. The Ashkam/Clovelly soil forms account for 14.2% of the study area investigated along the access road route. Majority of the soils occurring within the study area are suitable for grazing (Class VI) and have a very Restricted agricultural Potential (Class L6). If the above-mentioned land capability and potential conditions are considered as well as occurring climatic conditions with limited rainfall (200 – 400 mm per annum) the development footprint is deemed not suitable for any large-scale agricultural cultivation in the absence of supplementary irrigation and other intensive management practices. The cumulative impact on the local and regional scale is considered medium to low without mitigation and low to very low with mitigatory measures in place as the dominant soils are not sensitive from a soil and land capability point of view.					
CONFIDENCE	High						
MITIGATION MEASURES	 Access road should be aligned to the existing road as far as practically possible to avoid further agricultural impact and unnecessary soil disturbance; Always strip a suitable time before the placement or construction of the solar PV facilities, to avoid soil loss and contaminat Construction vehicle movement should be limited to within the project perimeter fence to avoid unnecessary compaction of adjacent soils; Infrastructure footprint area should be clearly demarcated to avoid unnecessary disturbance of adjacent soils; Revegetate adjacent areas with an indigenous grass mix, to re-establish a protective cover, in order to minimise soil erosio and dust emissions; and 						



24.1.5 Potential Freshwater Impacts

Altered freshwater ecosystem habitat and ecological structure

Direct impacts could occur should the footprint of the Soyuz 1 Solar PV Park encroach on the delineated extent of the freshwater ecosystems that are located within the study area, thereby resulting in direct transformation or degradation of freshwater habitat.

IMPACT NATURE	Direct transformation of fresh	water habitat		STATUS	NEGATIVE				
Impact Description	delineated extent of the fresh the solar arrays encroach on boundaries, and in the instance	pirect impacts could occur should the footprint of the Soyuz 1 Solar PV Park encroach on the delineated extent of the freshwater ecosystems. This would materialise if the footprint of the solar arrays encroach on the three drainage lines that occur within the study area coundaries, and in the instance of the proposed access road crossing the drainage line in the astern part of its alignment. Indirect and cumulative impacts to the receiving freshwater nvironments could also occur.							
Impact Source(s)	Construction and operational		ty						
Receptor(s)	The on- and off-site aquatic en	vironment.							
PARAMETER	WITHOUT MITIGATION	SCORE	WITH MITIGA	TION	SCORE				
EXTENT (A)	Preferred Alternative:	1	Preferred Alte	ernative:	1				
EXTENT (A)	No-Go Alternative:	1	No-Go Alternative:		1				
DURATION (B)	Preferred Alternative:	4	Preferred Alternative:		4				
DOKATION (B)	No-Go Alternative:	4	No-Go Alternative:		4				
PROBABILITY (C)	Preferred Alternative:	2	Preferred Alternative:		1				
PROBABILITY (C)	No-Go Alternative:	1	No-Go Alterna	ative:	1				
INTENSITY OR	Preferred Alternative:	-2	Preferred Alte	ernative:	-1				
MAGNITUDE (D)	No-Go Alternative:	1	No-Go Alterna	ative:	1				
SIGNIFICANCE RATING	Preferred Alternative:	-4	Preferred Alte	ernative:	-3				
(F) = (A*B*D)*C	No-Go Alternative:	6	No-Go Alterna	ative:	6				
CUMULATIVE IMPACTS		There could be potential cumulative impacts due to the possible existence of other operations/activities in the region impacting on the same surface water resources.							
CONFIDENCE	Medium								
MITIGATION MEASURES	The construction footprint mu as described by this EIA as the			eated develop	ment footprint				

Altered surface water velocities

It is considered likely that the development of operational stormwater infrastructure will occur as part of the proposed development and may lead to loss of catchment yield from stormwater containment, thereby leading to altered aquatic vegetation community structure and diversity due to moisture stress and reduction in volume of water entering the freshwater environment, leading to reduced recharge.

IMPACT NATURE	Deterioration in surface water quality.	STATUS	LOW NEGATIVE
Impact Description	It is considered likely that the development of operational so occur as part of the proposed development and may lead to stormwater containment, thereby leading to altered aquatic veloned diversity due to moisture stress and reduction in volfreshwater environment, leading to reduced recharge.	loss of catchmogetation commi	ent yield from unity structure



IMPACT NATURE	Deterioration in surface wate	STATUS	LOW NEGATIVE				
Impact Source(s)	Stormwater management during the construction and decommissioning of the facility						
Receptor(s)	The on- and off-site aquatic environment.						
PARAMETER	WITHOUT MITIGATION	SCORE	WITH MITIGATION SCORE				
EXTENT (A)	Preferred Alternative:	1	Preferred Alternative:		1		
	No-Go Alternative:	No impact	No-Go Alternative:		No impact		
DURATION (B)	Preferred Alternative:	3	Preferred Alto	ernative:	3		
	No-Go Alternative:	No impact	No-Go Altern	ative:	No impact		
PROBABILITY (C)	Preferred Alternative:	2	Preferred Alte	ernative:	1		
PROBABILITY (C)	No-Go Alternative:	No impact	No-Go Altern	ative:	No impact		
INTENSITY OR	Preferred Alternative:	-1	Preferred Alto	ernative:	-1		
MAGNITUDE (D)	No-Go Alternative:	No impact	No-Go Altern	ative:	No impact		
SIGNIFICANCE RATING	Preferred Alternative:	-6	Preferred Alto	ernative:	-3		
(F) = (A*B*D)*C	No-Go Alternative:	0	No-Go Altern	ative:	0		
CUMULATIVE IMPACTS	There could be potential cumulative impacts due to the possible existence of other operations/activities in the region impacting on the same surface water resources.						
CONFIDENCE	Medium	Medium					
	The intensity of the impact will be reduced if stormwater generated from the operation components of the development, if not used for stormwater recycling purposes, discharged into the receiving freshwater environments in a manner that does not result scouring and erosion of freshwater ecosystems and alterations to freshwater ecosystehydrology. It is recommended that vegetation be retained in the parts of the site where clearing for facial panels is not required in order to improve infiltration of runoff and to trap surfarunoff during precipitation events;						
MITIGATION MEASURES	Stormwater infrastructure or principles of SUDS in order to pollutants that could pollute d gradual discharge of stormwa	o polish stormwa lowngradient fres	ter by trapping hwater ecosyste	sediments arems, and in or	nd by removing der to allow the		
	•As such the use of 'soft' engineering features such as bioswales that are vegetated visuitable vegetation that is tolerant of both wet and dry conditions is strongly recommended; •The use of stone pitching to reduce velocity of stormwater is strongly recommended; •The proposed stormwater infrastructure must also be incorporated into a suitable and supposed stormwater Management Plan (SWMP). Stormwater generated from the road surfaces in the catchments of the EDLs must be direct at intervals into the catchment areas rather than being channelled towards the cross points; •Design measures such as flow breakers to slow the velocity of stormwater must included in the design of the roads at the 2 EDL crossing points.				recommended. nmended; uitable and site- nust be directed ds the crossing		

24.1.6 Potential Noise Impact

There are several potential sources of noise generation associated with the construction phase of the Soyuz 1 Solar PV Park. The operational phase noise impacts have been assessed by the noise specialist.

IMPACT NATURE	Noise from the BESS activities			STATUS	LOW NEGATIVE	
Impact Description	Change in the prevailing ambient noise levels associated with the fully operational facility.					
Impact Source(s)	Extract and impelling ventilation fans					
Receptor(s)	Nearby farm house and employees					
PARAMETER	WITHOUT MITIGATION	SCORE	WITH MITIG	ATION	SCORE	



IMPACT NATURE	Noise from the BESS activities STAT			STATUS	LOW NEGATIVE
EVIENT (A)	Preferred Alternative:	1	Preferred Alt	ernative:	1
EXTENT (A)	No-Go Alternative:	1	No-Go Alterr	No-Go Alternative:	
DUDATION (B)	Preferred Alternative:	4	Preferred Alt	ernative:	4
DURATION (B)	No-Go Alternative:	4	No-Go Alterr	native:	4
	Preferred Alternative:	2	Preferred Alternative:		1
PROBABILITY (C)	No-Go Alternative:	3	No-Go Alternative:		2
INTENSITY OR	Preferred Alternative:	-2	Preferred Alternative:		-2
MAGNITUDE (D)	No-Go Alternative:	1	No-Go Alterr	No-Go Alternative:	
SIGNIFICANCE RATING	Preferred Alternative:	-24	Preferred Alt	Preferred Alternative:	
(F) = (A*B*D)*C	No-Go Alternative:	8	No-Go Alternative: 8		8
CUMULATIVE IMPACTS	The noise level change during the power generation activities has been modelled and is expected to be well below the nuisance threshold value of 7.0dBA.				
CONFIDENCE	High				
MITIGATION MEASURES	Ensure that there is a buffer zone between the BESS, central inverter and substation and the abutting farmhouses.				

24.1.7 Potential Visual Impacts

The development of the PV Solar Facility has the potential to alter the visual landscape and the sense of place in this area through the installation of infrastructure that will rise above ground level (industrial look) and is different to any existing infrastructure in the area (agricultural look)

IMPACT NATURE	Potential impact on the overall landscape, visual intrusion and exposure of the landscape			STATUS	LOW NEGATIVE	
Impact Description	 * Removal of vegetation leading to potential visual contrast, loss of visual intrusion on sensitive receptors. * Alteration of natural features, resulting in potential loss or alterations of natural vegetation (upper Karoo), leading to loss of visual quality and visual exposure. 					
Impact Source(s)	Operational phase infrastructur					
Receptor(s)	Farmhouses within 5 km of Soy	uz Solar Park 1 a	nd the Riet	poort Guest Ho	use	
PARAMETER	WITHOUT MITIGATION	SCORE	WITH MI	TIGATION	SCORE	
EXTENT (A)	Preferred Alternative:	1	Preferred Alternative:		1	
LATENT (A)	No-Go Alternative:	1	No-Go Alternative:		1	
DURATION (B)	Preferred Alternative:	3	Preferred Alternative:		3	
DONATION (B)	No-Go Alternative:	3	No-Go Alternative:		3	
PROBABILITY (C)	Preferred Alternative:	2	Preferred Alternative: 1			
PRODADIEIT (C)	No-Go Alternative:	2	No-Go Al	ternative:	2	
INTENSITY OR	Preferred Alternative:	-2	Preferred Alternative: -1			
MAGNITUDE (D)	No-Go Alternative:	1	No-Go Alternative: 1			
SIGNIFICANCE RATING	Preferred Alternative:	-12	Preferred Alternative:		-3	
(F) = (A*B*D)*C	No-Go Alternative:	6	No-Go Alternative: 6			
CUMULATIVE IMPACTS	Cumulative impacts can result from individually minor but collectively significant actions taking place over a period of time. Cumulative visual impacts may be: > Combined - where the PV arrays of several SOLAR PV PARKs are within the					



IMPACT NATURE	Potential impact on the overall landscape, visual intrusion	STATUS	LOW					
IVII ACI NATORE	and exposure of the landscape	SIAIOS	NEGATIVE					
	observer's arc view concurrently; Successive - where the observer has to turn his / h PV PARK's arrays; and Sequential - when the observer has to move to anot solar projects or different views of the same project travelling along a route). The cumulative impact of SOLAR PV PARKs on the landsc of: The distance between individual SOLAR PV PARKs; The distance over which the PV arrays are visible; The overall character of the landscape and its sensi The siting and design of the SOLAR PV PARKs thems The way in which the landscape is experienced.	ther viewpoint to t development ape and visual a tivity to the infr selves; and	o see the various (such as when menity is a product astructures;					
	project in conjunction Soyuz 2 – 6 Solar PV Parks and to renewable energy projects within a 50 km radius, as we facilities (wind and solar facilities) in the area, must be conhave the potential to cause large scale visual impact developments in close proximity to each other could sign visual character in the broader region. With the Britston	Cumulative visual impacts resulting from landscape modifications as a result of the proposed project in conjunction Soyuz 2 – 6 Solar PV Parks and the eleven approved applications of renewable energy projects within a 50 km radius, as well as any future renewable energy facilities (wind and solar facilities) in the area, must be considered. Renewable energy facilities have the potential to cause large scale visual impacts and the location of several such developments in close proximity to each other could significantly alter the sense of place and visual character in the broader region. With the Britstown Cluster PVs situated so far apart, the cumulative impact is considered sequential. Furthermore, with the very low viewer projects the supplication visual impacted is expected to be of low significance.						
CONFIDENCE	Medium							
MITIGATION MEASURES	 Direct loss of or damage to valuable natural vision ecosystems in the area should be actively avoided. As far as possible, existing roads are to be utilised purpose, to limit cumulative impacts from roads vegetation cleared for the purpose of the project. A transparent fence, such as a clear VU fence or in colour and located as close as possible and impeding visibility and ensure that it is visually possibility and ensure that it is visually possible. The use of highly reflective material for storage, avoided. Lighter tones attract an observer who viewer, therefore pure whites and bright colours. It must be ensured that all buildings / conting surroundings through the appropriate use of continuous to lower the visibility of the proposed infrastruct. The use of permanent signage and project continuous and visually unobtrusive; Recent studies indicated that an extra layer of a surface of the glass can further limit sunlight ref. Another design feature to limit glint and glare surface, reducing specular reflection (Sreenath extra layer of a possible mitigatory technique that can be emtilt and orientation angle of PV modules. These characteristics and hence the degree of glare impact. (SGHAT) can be used to check the glare potentia values. SGHAT has the capability to identify PV cand the design with maximum energy production 2019); 	ed; ad for construction, as well as to list; equally approve und the SOLAF leasing to obseive the should be avoidating and materiary; struction signs struction (Sreenatter is to roughen et. al., 2019); ployed is possible ananges can alter The Solar Glare all for the proposition figurations to some structions the solar Glare all for the proposition of the solar the solar Glare all for the proposition of the solar the solar Glare all for the proposition of the solar the solar Glare all for the proposition of the solar the solar Glare all for the proposition of the solar the solar Glare all for the proposition of the solar the solar Glare all for the propositions the solar the sol	on and maintenance mit the extent of the ed, should be muted a PV PARK, to avoid evers; ty facilities should be des recede from the ded; er structures fit its ial selection in order should be minimised enaterial on the outer h et. al., 2019); the protective glass ale adjustment in the the direction of solar Hazard Analysis Tool and PV system design that produce no glare					



Visual Impacts of Night-time Lighting

IMPACT NATURE	Potential impact of night-time lighting on the visual environment			STATUS	LOW NEGATIVE	
Impact Description Impact Source(s)	* Night time security lighting at the temporary construction camps, office area, workshop/store and plant area impacting the sensitive receptors in the area; * Night-time security lighting at the BESS, O&M Buildings and substation; and *Additional lighting that may be required during decommissioning phase.					
Receptor(s)	Light sources either temporarily Farmhouses within 5 km of Soy			poort Guest Ho	use	
PARAMETER	WITHOUT MITIGATION	SCORE		TIGATION		SCORE
	Preferred Alternative:	1	Preferred	l Alternative:		1
EXTENT (A)	No-Go Alternative:	1	No-Go Al	ternative:		1
	Preferred Alternative:	1	Preferred	Alternative:		1
DURATION (B)	No-Go Alternative:	3	No-Go Al	ternative:		3
	Preferred Alternative:	2	Preferred	l Alternative:		1
PROBABILITY (C)	No-Go Alternative:	2	No-Go Al	ternative:		2
INTENSITY OR	Preferred Alternative:	-2		l Alternative:		-1
MAGNITUDE (D)	No-Go Alternative:	1		ternative:		1
SIGNIFICANCE RATING	Preferred Alternative:	-4		l Alternative:		-1
(F) = (A*B*D)*C	No-Go Alternative:	6		ternative:		6
CUMULATIVE IMPACTS	project in conjunction Soyuz 2 – 6 Solar PV Parks and the eleven approved applications of renewable energy projects within a 50 km radius, as well as any future renewable energy facilities (wind and solar facilities) in the area, must be considered. Renewable energy facilities have the potential to cause large scale visual impacts and the location of several such developments in close proximity to each other could significantly alter the sense of place and visual character in the broader region. With the Britstown Cluster PVs situated so far apart, the cumulative impact is considered sequential. Furthermore, with the very low viewer incidence, the cumulative visual impacted is expected to be of low significance. The cumulative impact of additional traffic in the area on the local and regional roads as well as combined impacts from night-time lighting of the substations will affect the sense of place of the larger region. No cumulative impacts are anticipated from the proposed project and other future projects in the					wable energy ergy facilities several such e of place and d so far apart, y low viewer roads as well ense of place
CONFIDENCE	Medium					
MITIGATION MEASURES	 As far as possible, construction activities should be restricted to daylight hours, in order to limit the need of bright floodlighting and the potential for skyglow and to avoid the use of additional night- time lighting for security purposes; Night lighting of construction sites and camps, the BESS, substation and O&M Building should be minimised as far as possible, taking into consideration that due to safety requirements a certain level of lighting may be necessary; Where security lighting is used during the construction phase and operational phase, the following management measures should be implemented: Making use of motion detectors on security lighting, at the substation, BESS and O&M Building, ensures that the site will remain in relative darkness, until lighting is required for security and maintenance purposes; Placement of lights should consider the location of surrounding receptors and as far as possible be screened from view; The use of high light masts and high pole top security lighting should be avoided. Any high lighting masts should be covered to reduce glow; Up-lighting of structures must be avoided, with lighting installed at downward angles that provide precisely directed illumination beyond the immediate 					



IMPACT NATURE	Potential impact of night-time lighting on the visual environment	STATUS	LOW NEGATIVE
	surroundings of the infrastructure, thereby n Care should be taken when selecting lumina are chosen and that their location will reduc Minimum wattage light fixtures should be necessary to accomplish the light's purpose; The use of low-pressure sodium lamps, ye should be considered to reduce skyglow (BL)	ries to ensure e spill light and used, with th	that appropriate units I glare to a minimum; ne minimum intensity

24.1.8 Potential Heritage Impacts

IMPACT NATURE	Disturbance and/or destri	STATUS	LOW NEGATIVE				
Impact Description Impact Source(s)		Disturbance and/or destruction of archaeological sites and/or materials Activities associated with the construction and decommissioning of the SPV facility					
Receptor(s)	Known and potential arch	aeological sites	and/or materials				
PARAMETER	WITHOUT MITIGATION	SCORE	WITH MITIGATION	SCORE			
EXTENT (A)	Preferred Alternative:	1	Preferred Alternative:		1		
EXTENT (A)	No-Go Alternative:	0	No-Go Alternative:		0		
DURATION (B)	Preferred Alternative:	4	Preferred Alternative:		4		
DORATION (B)	No-Go Alternative:	0	No-Go Alternative:		0		
DDODADILITY (C)	Preferred Alternative:	3	Preferred Alternative:		2		
PROBABILITY (C)	No-Go Alternative:	0	No-Go Alternative:	rnative: 0			
INTENSITY OR	Preferred Alternative:	-2	Preferred Alternative:		1		
MAGNITUDE (D)	No-Go Alternative:	0	No-Go Alternative:	native: 0			
SIGNIFICANCE RATING	Preferred Alternative:	-24	Preferred Alternative:		8		
(F) = (A*B*D)*C	No-Go Alternative:	-0	No-Go Alternative:		+0		
CUMULATIVE IMPACTS	Cumulative impacts to archaeological resources are difficult to assess due to the variable distribution and quality of archaeological surveys ion the area. However, our cumulative knowledge of the archaeology of the Karoo suggests that the cumulative impact of the Soyuz SPV Cluster and other projects within a 30km on archaeological resources is likely to be low.						
CONFIDENCE	High						
MITIGATION MEASURES	 Avoid the engraved boulder (G012) through the implementation of a permanent 20 m nogo area or buffer around it. This buffer must be physically demarcated during construction and decommissioning. Avoid the cluster of sites adjacent to the access road between the Soyuz 1 and Soyuz 5 SPV parks (JG009-JG013 / G009) through the implementation of a permanent 20 m no-go area or buffer around it. 						

24.1.9 Potential Water Management Impacts

Potential water impacts as a result from improper water management practices on site during the operations of the PV facility related to cleaning of the PV panels. Washing of panels to remove dirt and dust may be undertaken on a biannual basis if other waterless options do not prove practicable. The water will be provided from boreholes and will estimated annual quantities required will be 6,050 m³. Based on the available information it is reasonable to suggest that the impact will potentially have a **low negative** impact if it is realised.



IMPACT NATURE	Water management impacts			STATUS	LOW NEGATIVE
Impact Description	Potential water impacts becau could impact negatively on the users rely for domestic use and	groundwater lev	els in the regio		•
Impact Source(s)	Operation of the Solar PV Park				
Receptor(s)	Immediate site and receiving e	nvironment			
PARAMETER	WITHOUT MITIGATION	SCORE	WITH MITIG	ATION	SCORE
EXTENT (A)	Preferred Alternative:	2	Preferred Alt	ernative:	1
LATERT (A)	No-Go Alternative:	0	No-Go Altern	ative:	0
DURATION (B)	Preferred Alternative:	4	Preferred Alt	ernative:	4
	No-Go Alternative:	0	No-Go Alternative:		0
DDODARILITY (C)	Preferred Alternative:	3	Preferred Alternative:		1
PROBABILITY (C)	No-Go Alternative:	0	No-Go Alternative:		0
INTENSITY OR	Preferred Alternative:	-2	Preferred Alternative:		-2
MAGNITUDE (D)	No-Go Alternative:	0	No-Go Altern	ative:	0
SIGNIFICANCE RATING (F)	Preferred Alternative:	-12	Preferred Alt	ernative:	-9
= (A*B*D)*C	No-Go Alternative:	0	No-Go Altern	ative:	0
CUMULATIVE IMPACTS	This impact could be cumulative groundwater for this use. How PV Parks will be approximately	vever the combin	ed groundwate		
CONFIDENCE	High				
MITIGATION MEASURES	During the planning and design cleaning systems to avoid hav systems. If groundwater is to has been obtained from the De cannot be guaranteed in an ari	ring to abstract g be abstracted, it partment of Wat	groundwater i.e can only be do er and Sanitati	e. such as w one once a W on. Such a W	aterless cleaning Vater Use Licence

24.2 POTENTIAL CONSTRUCTION IMPACTS

The potential social and environmental impacts associated with the construction and decommissioning phases for the 'Preferred Alternative' and 'No Go' alternative have been assessed as follows:

24.2.1 Potential Avifaunal Impacts

Habitat Loss

The potential clearing of additional area to accommodate the construction phase camp and laydown areas could result in the additional loss, degradation and fragmentation foraging habitat for avifauna beyond the planned development footprint. Based on the impact assessment post-mitigation, this impact has been assessed as **low negative**.



IMPACT NATURE	Direct loss of avifaunal habitat	ı		STATUS	LOW NEGATIVE		
Impact Description	Clearing of natural vegetation for the construction and establishment of the solar PV and associated infrastructure will result in the loss, degradation and fragmentation foraging habitat for avifauna. Optimal foraging habitat in and around drainage areas have been excluded from the development area. Loss of breeding and/or mating display habitat for SCC or the loss of habitat for important bird congregations may also occur. While it is possible that a lekking site of Ludwig's Bustard may have been overlooked, it is highly unlikely due to the flat nature of the terrain, as they seek elevated areas from which to be visible from great distances and these have been excluded from the development area. Furthermore, the Soyuz SOLAR PV PARK Cluster does not support any globally, nationally or regionally important congregations of waterfowl and / or migratory species.						
Impact Source(s)	Site clearing and preparation.						
Receptor(s)	Ludwig's Bustard, Denham's Bu	ıstard, Kori Busta	rd, Karoo Korha	an and Secreta	ry bird.		
PARAMETER	WITHOUT MITIGATION	SCORE	WITH MITIGA	ATION	SCORE		
EVIENT (A)	Preferred Alternative:	1	Preferred Alte	ernative:	1		
EXTENT (A)	No-Go Alternative:	1	No-Go Altern	ative:	1		
DUDATION (D)	Preferred Alternative:	4	Preferred Alte	ernative:	3		
DURATION (B)	No-Go Alternative:	4	No-Go Altern	ative:	4		
DD 0D 4 DU ITV (0)	Preferred Alternative:	4	Preferred Alte	ernative:	2		
PROBABILITY (C)	No-Go Alternative:	4	No-Go Alternative:		4		
INTENSITY OR	Preferred Alternative:	-2	Preferred Alternative:		-1		
MAGNITUDE (D)	No-Go Alternative:	+1	No-Go Altern	ative:	+1		
SIGNIFICANCE RATING	Preferred Alternative:	-32	Preferred Alte	ernative:	-6		
(F) = (A*B*D)*C	No-Go Alternative:	16	No-Go Altern	ative:	16		
CUMULATIVE IMPACTS	If the adjacent Soyuz WEF take for the receptor species and to overhead powerlines (such as etc.), the receptor species she cologically viable population occur. The large area of the prarea within this where solar remaining habitat for the recethe receptor species are unlike	prevent collisions high rotor sweep nould persist wit densities, limitir oposed Soyuz SO panels will be optor species to po	of the receptor heights, bird flowing the WEF constructed is ersist. Therefore	species with tu light diverters of cluster project I for cumulation uster and the re expected to p	or powerlines boundary at we impacts to elatively small provide ample		
CONFIDENCE	High						
MITIGATION MEASURES	 Limit the areas cleared for Do not implement a bard vegetation. Use the SEI spatial layer minimise loss of High set Demarcate such areas "Environmentally sensities." Ensure that the BESS and the project area. Rehabilitate all areas diservices. Prioritise existing roads Develop and implement 	e earth policy for rs to appropriatel nsitivity avifauna on the ground of ive areas - keep of ad non-solar pane sturbed immediat for access routes	y position all su I habitat. Juring construc- ut!". I infrastructure	solar panels, raurface infrastrution and sign occur in Low Suction.	cture so as to		



Disturbance and Displacement

Potential impact of the disturbance of birds and displacement effects on birds (and specifically SCC), during the construction of the proposed SOLAR PV PARK due to sensory effects such as dust, noise and anthropogenic activity. These effects may cause birds to relocate to alternative territories. The Avifaunal Specialist has advised that the sensory disturbance of avifauna during the construction phase is likely to occur. Based on the available information it is reasonable to suggest that this impact has a **low negative** impact.

IMPACT NATURE	Sensory disturbance		STATUS	LOWNEGATIVE				
Impact Description	Sensory disturbances to avifauna are inevitable but are unlikely to negatively impact upon nesting SCC and is mainly likely to be restricted to the construction phase. Although dust, noise and human activity during construction is unavoidable, much can be done to reduce the effect of these sensory disturbance impacts on avifauna. During operation, the residual impacts associated with sensory disturbance should be negligible.							
Impact Source(s)	Machinery, influx of people, no							
Receptor(s)	All avifauna, particularly large	terrestrial birds	and raptors					
PARAMETER	WITHOUT MITIGATION	SCORE	WITH MITIGATION	SCORE				
EXTENT (A)	Preferred Alternative:	1	Preferred Alternative:	1				
EXTENT (A)	No-Go Alternative:	1	No-Go Alternative:	1				
DURATION (B)	Preferred Alternative:	1	Preferred Alternative:	1				
DORATION (B)	No-Go Alternative:	4	No-Go Alternative:	4				
PROBABILITY (C)	Preferred Alternative:	3	Preferred Alternative:	2				
PROBABILITY (C)	No-Go Alternative:	4	No-Go Alternative:	4				
INTENSITY OR	Preferred Alternative:	-2	Preferred Alternative:	-1				
MAGNITUDE (D)	No-Go Alternative:	+2	No-Go Alternative:	+2				
SIGNIFICANCE RATING	Preferred Alternative:	-6	Preferred Alternative:	-2				
(F) = (A*B*D)*C	No-Go Alternative:	32	No-Go Alternative:	32				
CUMULATIVE IMPACTS	Disturbances to birds from th likely to be short lived and ver cumulative impact.		• • • • • • • • • • • • • • • • • • • •					
CONFIDENCE	High							
MITIGATION MEASURES	 Adopt temporal avoidal the high intensity ear September) to minimize lekking, courting, nesting Minimise light pollution Demarcate natural are access of personnel into Train staff and contract sensitive areas for these Introduce and enforce a 	rthmoving and e disturbance of g and fledging. and fit external as beyond the othese areas thrors on the impose species which seems and the species which seems and the seems are as the species which seems are species which se	building activities dur f avifauna during sensit lighting with downward surface infrastructure rough education and sign rtance of birds and other should be avoided.	ring winter (June to ive life stages such as diffecting hoods. footprint and restrict inposting.				



24.2.2 Potential Faunal Biodiversity Impacts

Based on the available information and input from the Biodiversity Scoping Assessment, the following impacts have been scoped and assessed:

Faunal Habitat Destruction and Species Diversity

Vegetation clearing and construction activities can cause habitat destruction and disturbance within the direct footprint area and the direct loss of floral and faunal communities and possibly loss of species of conservation concern (SCC).

IMPACT NA	ATURE	Impact -	- Loss of faunal habitat and po	tential species diversity		STATUS	LOW NEGATIVE		
Impact Desc	cription	species uncontr wildlife	The most significant impact will occur with the vegetation clearing for the proposed Soyuz 1 Solar PV Park, which will lead to faunal habitat loss, species displacement and a decrease in faunal diversity. Increased loss of habitat connectivity and ecological functioning due to unplanned and uncontrolled site clearing and removal of faunal habitat. Potential increased mortality rates of fauna, due to collision with moving vehicles, human-wildlife conflict (notably snakes) and potential snaring / poaching within the proposed Soyuz 1 Solar PV Park and along the access road. Possible spread of AIPs and habitat fragmentation may lead to lower habitat integrity as secondary impacts.						
Potential non-adherence to final approved layout plans; Increased human presence associated with the proposed development, contributing to: Potential hunting/trapping/removal/collection of faunal species; and Increased human activity will lead to the displacement and/or loss of faunal species; Potential uncontrolled and unplanned site clearing and the removal of faunal habitat; Potential dumping of excavated and construction material outside of designated areas; Potential that edge effects of the proposed activities are poorly managed; Possible increased fire frequency during construction activities; Increased risk of faunal collisions with construction vehicles; and Proliferation of AIP species that colonise disturbed areas.									
Recepto	, ,		abitat and species						
Habitat Unit	Driver / Act	ivity	PARAMETER	WITHOUT MITIGATION	SCORE	WITH MITIGATION	SCORE		
			EXTENT (A)	Preferred Alternative:	2	Preferred Alternative:	1		
			DURATION (B)	Preferred Alternative:	4	Preferred Alternative:	3		
Upper Karoo	PV facility	and	PROBABILITY (C)	Preferred Alternative:	4	Preferred Alternative:	3		
Habitat	associated infrastructure		INTENSITY OR MAGNITUDE (D)	Preferred Alternative:	-3	Preferred Alternative:	-2		
			SIGNIFICANCE RATING (F) = (A*B*D)*C	Preferred Alternative:	(-) High	Preferred Alternative:	(-) Low		
			EXTENT (A)	Preferred Alternative:	2	Preferred Alternative:	1		



		DURATION (B)	Preferred Alternative:	4	Preferred Alternative:	3	
Upper Karoo		PROBABILITY (C)	Preferred Alternative:	4	Preferred Alternative:	3	
Habitat & Modified Karoo Footslope	Access road	INTENSITY OR MAGNITUDE (D)	Preferred Alternative:	-2	Preferred Alternative:	-2	
rootsiepe		SIGNIFICANCE RATING (F) = (A*B*D)*C	Preferred Alternative:	(-) Medium	Preferred Alternative:	(-) Low	
Freshwater	Access road	EXTENT (A)	Preferred Alternative:	3	Preferred Alternative:	1	
Ecosystem Habitat		DURATION (B)	Preferred Alternative:	4	Preferred Alternative:	2	
		PROBABILITY (C)	Preferred Alternative:	4	Preferred Alternative:	2	
		INTENSITY OR MAGNITUDE (D)	Preferred Alternative:	-2	Preferred Alternative:	-2	
		SIGNIFICANCE RATING (F) = (A*B*D)*C	Preferred Alternative:	(-) High	Preferred Alternative:	(-) Low	
	IVE IMPACTS	energy facilities (wind and solar) within a 50 km radius of the Soyuz 1 Solar PV Park, of which thirteen have been approved, three has lapsed or have been withdrawn and six is still in the process. This indicates that the larger region has been earmarked for a number of renewable energy facilities, which may alter the landscape character. Vegetation clearing due to Soyuz 1 Solar PV Park will be at a local extent and vegetation regrowth will still provide habitat for common faunal species and no significant faunal habitat loss will present on a regional level. The current farming activities will still be present within the immediate area surrounding the Soyuz 1 Solar PV Park.					
COI	NFIDENCE	High					
Footprint areas should be kept as small as possible. Site boundaries should be clearly demarcated so as to ensure the beyond the authorised footprint is not cleared; No development should occur within the Freshwater Ecosystem Habitat or within the relevant zones of regulation around present within the proposed PV plant area. A corridor for the movement of fauna should be maintained within the profootprint; Construction equipment should be restricted to travelling only on designated roadways or within the intended developr to limit the ecological footprint of the development activities. Additional road construction should be limited to whan ecessary, and the footprint thereof kept to a minimum; Access road for construction should be gravel. Post construction and before operation of PV plant permeable paving is regard, the use of electric perimeter fencing is discouraged to ensure electrocution of species does not occur. Small culve placed every 200m in the fence to allow for the movement of small species through the fence safely; Care should be taken during the construction and before operation of the proposed development to limit edge effects to natural habitat. This can be achieved by: Demarcating all footprint areas during construction activities; No construction rubble or cleared alien invasive species are to be disposed of outside of demarcated areas, and she to a registered waste disposal facility;					ation around these features within the proposed project ded development footprint nited to what is absolutely ole paving is recommended out of the solar farm. In this are, Small culverts should be		



reseeded; and

- Manage the spread of AIP species, which may affect remaining natural habitat within surrounding areas.
- Should any lights be installed they should face downwards to reduce the abundance of insects attracted to the night lights, this prey source may attract insects to the project areas and may increase bat collisions or electrocutions. Furthermore increased lighting will impose upon the nights darkness altering invertebrate movement. Lights should not be LED or white light;
- If any spills occur, they should be immediately cleaned up to avoid soil contamination that can hinder floral rehabilitation later down the line and faunal recolonization. In the event of a breakdown, maintenance of vehicles must take place with care, and the collection of spillages should be practised preventing the ingress of hydrocarbons into the topsoil;
- No hunting/trapping or collecting of faunal species is allowed;
- No illicit fires must be allowed during the construction phase of the proposed development;
- A rehabilitation plan should be compiled by a suitable specialist. This rehabilitation plan should consider all development phases of
 the project indicating rehabilitation actions to be undertaken during, and once construction has been completed as well as ongoing
 rehabilitation during the operational phase of the project to ensure habitat for fauna is restored;
- Any natural areas beyond the development footprint, that have been affected by the construction activities, must be rehabilitated using indigenous plant species;
- Revegetation of disturbed areas should be carried out in order to restore habitat availability and minimise soil erosion and surface water runoff;
- When rehabilitating a footprint site, it is imperative that as far as possible the habitat that was present prior to disturbances is recreated, so that faunal species that were displaced by vegetation clearing activities are able to recolonize the rehabilitated area;
- Smaller species of invertebrates and reptiles are likely to be less mobile during colder periods, as such should any be observed in the
 footprint areas during clearing and operational activities, they are to be carefully and safely moved to an area of similar habitat outside
 of the disturbance footprint. Construction and Operational personnel are to be educated about these species and the need for their
 conservation. Harmless reptiles should be carefully relocated by a suitably nominated construction person. For larger venomous
 snakes, a suitable construction official should be contacted to affect the relocation of the species, should it not move off on its own;
- All faunal species rescued must be relocated to a suitable area, with similar habitat adjacent to the footprint area or within the property;
- Maintain habitat connectivity and corridors for species movement;
- Edge effect control needs to be implemented to ensure no further degradation and potential loss of faunal SCC outside of the proposed project footprint area. An on-site Environmental Control Officer (ECO) should monitor and mitigate any edge effects throughout the life of the operation;
- No additional habitat is to be disturbed outside of the approved footprints areas. Weekly (recommended) to monthly (minimum requirement) monitoring and recording of the footprint areas must be done during the construction phase by the ECO and photographic records kept special attention should also be paid to the potential increase and spread of AIPs;
- No dumping of waste on site should take place. As such it is advised that waste disposal containers and bins be provided during the
 construction phase for all dilapidates, rubble and general waste;
- At all times, ensure that sound environmental management is in place;
- It is recommended that after vegetation clearing during the construction phase, vegetation regrowth must be promoted while appropriately maintained so as not to create a safety or production risk, as this will create habitat for faunal species and will aid in preventing soil erosion.



Loss of Faunal Species of Concern

IMPACT NA	TURE	Impact – Loss of faunal SCC STATUS NEGATIVE						
Impact Desc	ription	The most significant impact will occur with the vegetation clearing for the proposed Soyuz 1 Solar PV Park, which will lead to faunal SCC habitat loss and displacement. Increased loss of habitat connectivity and ecological functioning due to unplanned and uncontrolled site clearing and removal of faunal SCC habitat. Potential increased mortality rates of faunal SCC, due to collision with moving vehicles, human-wildlife conflict (notably scorpions) and potential snaring / poaching within the proposed Soyuz 1 Solar PV Park and access road. Possible spread of AIPs and habitat fragmentation may lead to lower habitat integrity as secondary impacts.						
Impact Sou	rce(s)	 Increased human presence association Potential hunting/trapping/residence Increased human activity will Uncontrolled and unplanned site of Potential dumping of excavated are Potential that edge effects of the possible increased fire frequency of the possible						
Recepto	or(s)	Faunal SCC habitat						
Habitat Unit	Driver / Activity	PARAMETER	WITHOUT MITIGATION	SCORE	WITH MITIGATION	SCORE		
		EXTENT (A)	Preferred Alternative:	3	Preferred Alternative:	2		
		DURATION (B)	Preferred Alternative:	3	Preferred Alternative:	3		
Upper Karoo	PV facility and	PROBABILITY (C)	Preferred Alternative:	4	Preferred Alternative:	3		
Habitat	associated infrastructure	INTENSITY OR MAGNITUDE (D)	Preferred Alternative:	-3	Preferred Alternative:	-2		
		SIGNIFICANCE RATING (F) = (A*B*D)*C	Preferred Alternative:	(-) High	Preferred Alternative:	(-) Low		
		EXTENT (A)	Preferred Alternative:	3	Preferred Alternative:	2		
Upper Karoo		DURATION (B)	Preferred Alternative:	3	Preferred Alternative:	3		
Habitat &	Access road	PROBABILITY (C)	Preferred Alternative:	4	Preferred Alternative:	3		
Modified Karoo Footslope		INTENSITY OR MAGNITUDE (D)	Preferred Alternative:	-2	Preferred Alternative:	- 2		
		SIGNIFICANCE RATING (F) = (A*B*D)*C	Preferred Alternative:	(-) Medium	Preferred Alternative:	(-) Low		



Freshwater	Access road	EXTENT (A)	Preferred Alternative:	3	Preferred Alternative:	1
Ecosystem Habitat		DURATION (B)	Preferred Alternative:	3	Preferred Alternative:	3
		PROBABILITY (C)	Preferred Alternative:	4	Preferred Alternative:	3
		INTENSITY OR MAGNITUDE (D)	Preferred Alternative:	-3	Preferred Alternative:	-2
		SIGNIFICANCE RATING (F) = (A*B*D)*C	Preferred Alternative:	(-) High	Preferred Alternative:	(-) Low
CUMULATIV	E IMPACTS	According to the South African Re facilities (wind and solar) within a been withdrawn and six is still in facilities, which may alter the lan regrowth will still provide habitat factivities will still be present within	50 km radius of the Soyuz 1 state the process. This indicates the dscape character. Vegetation for faunal SCC and no signification	Solar PV Park, of whi hat the larger region clearing due to Soyu nt faunal SCC habitat	ch thirteen have been approved has been earmarked for a nur iz 1 Solar PV Park will be at a loss will be present on a regiona	d, three has lapsed or have mber of renewable energy ocal extent and vegetation
CONFI	DENCE	High				
MITIGATION	MEASURES	proposed development foot Perimeter fences must be de regard, the use of electric per placed every 200m in the ference of the Northern Cape Nature relocate such species must be described in the Northern Cape Nature relocate such species must be prior to vegetation clearing a located, these species shou outside of the footprint area survey should be undertaked vegetation clearance takes perimeter such as scorp the study site during construction of the study site during construction or reptiles should be scorpions, a suitably trained its own; A suitable rescue and relocation within the project areas in out to faunal SCC (if encountered in No unauthorised fires are to the Minimise loss of indigenous	print; esigned in such a way so as to erimeter fencing is discourage nce to allow for the movemer cies protected under the Nation Conservation Act (schedule 2 pe obtained from the DFFE or activities, it is recommended to be carefully excavated ensured and the carefully excavated ensured in summer where these aractical prices and reptiles are likely to action activities, they are to be carefully relocated by a nor official or specialist should be tion plan should be developed and not part of a rescue/rel be allowed on the site;	allow for small fauna d to ensure electrocult of small species through the following many to the encountered, con NCDENC; hat the site should be uring no harm to the UV lights is recommended and release more active the eless mobile during the ecarefully and safely ducated about these minated construction to contacted to affect the and overseen by a session during construction wed by personnel during cation plan);	Management: Biodiversity Act, 2 construction should be halted an e inspected for the presence of be specimens and relocated to sinded to aid in the collection of pe. Where this is not feasible, as	of the solar farm. In this Small culverts should be 2004 (Act No. 10 of 2004) d authorisation to currowing SCC scorpions. If imilar surrounding habitat botential scorpion SCC. The species are observed when culd any be observed in contact outside of the conservation. Harmless enomous snakes or could it not move off on ld SCC be identified in; ecially with regards



•	The development footprint is to be located outside the Freshwater Ecosystem Habitat or within the relevant zones of regulation around these features. Edge effect control needs to be implemented to ensure no further degradation and potential loss of faunal habitat and SCC outside of the footprint area. An on-site ECO should monitor and mitigate any edge effects throughout the operation; It is recommended that after vegetation clearing during the construction phase, vegetation regrowth must be promoted while appropriately maintained so as not to create a safety or production risk, as this will create habitat for faunal SCC and will aid in preventing soil erosion.
---	--

24.2.3 Potential Floral Biodiversity Impacts

Loss of Floral Habitat and Potential Species Diversity

IMPACT NA	ATURE Impact – Loss of floral habitat and potential species diversity STATUS LOW NEGATIVE						
Impact Desc	ription	The most significant impact will occur proliferation (also part of poorly mana; the surrounding floral individuals, altericonditions.	ged edge effects) and habitat fi	ragmentation. Dust g	enerated during construction ac	tivities accumulating on	
 Vegetation clearing and construction activities will lead to habitat destruction and disturbance within the direct footprint area Potential uncontrolled and unplanned site clearing and the removal of floral habitat; Potential dumping of excavated and construction material outside of designated areas; Potential that edge effects of the proposed activities are poorly managed; Declines in plant functioning leading to loss of floral species and habitat for optimal growth; and Proliferation of AIP species that colonise disturbed areas. 					otprint area;		
Recepto	or(s)	Floral habitat and species					
Habitat Unit	Driver / Activi	ty PARAMETER	WITHOUT MITIGATION	SCORE	WITH MITIGATION	SCORE	
		EXTENT (A)	Preferred Alternative:	2	Preferred Alternative:	2	
		DURATION (B)	Preferred Alternative:	4	Preferred Alternative:	3	
	DV 6 - 11th cond	PROBABILITY (C)	Preferred Alternative:	4	Preferred Alternative:	4	
Upper Karoo Habitat	PV facility and associated infrastructure	INTENSITY OR MAGNITUDE (D)	Preferred Alternative:	-2	Preferred Alternative:	-2	
	astractare	SIGNIFICANCE RATING (F) = (A*B*D)*C	Preferred Alternative:	(-) Medium	Preferred Alternative:	(-) Low	
Open Karoo veld	Access road	EXTENT (A)	Preferred Alternative:	2	Preferred Alternative:	1	



& Upper Karoo		DURATION (B)	Preferred Alternative:	3	Preferred Alternative:	3
Footslope & Modified Karoo		PROBABILITY (C)	Preferred Alternative:	4	Preferred Alternative:	4
veld		INTENSITY OR MAGNITUDE (D)	Preferred Alternative:	-2	Preferred Alternative:	-2
		SIGNIFICANCE RATING (F) = (A*B*D)*C	Preferred Alternative:	(-) Medium	Preferred Alternative:	(-) Low
		EXTENT (A)	Preferred Alternative:	2	Preferred Alternative:	2
	Access road	DURATION (B)	Preferred Alternative:	4	Preferred Alternative:	3
Forelessates		PROBABILITY (C)	Preferred Alternative:	4	Preferred Alternative:	4
Freshwater Ecosystem Habitat		INTENSITY OR MAGNITUDE (D)	Preferred Alternative:	-2	Preferred Alternative:	-2
		SIGNIFICANCE RATING (F) = (A*B*D)*C	Preferred Alternative:	(-) Medium	Preferred Alternative:	(-) Low
CUMULAT	IVE IMPACTS	According to the South Africar energy facilities (wind and sola or have been withdrawn and si facilities, which may alter the la regrowth could possibly occur. Park.	r) within a 50 km radius of the x is still in the process. This inc andscape character. Vegetatio	Soyuz 1 Solar PV Park, licates that the larger i on clearing due to Soyu	, of which thirteen have been a region has been earmarked for uz 1 Solar PV Park will be at a l	approved, three has lapsed r several renewable energy local extent and vegetation
CON	FIDENCE	High				



Footprint areas should be kept as small as possible. Site boundaries should be clearly demarcated so as to ensure that vegetation

No development should occur within the Freshwater Ecosystem Habitat or within the relevant zones of regulation around these features

Construction equipment should be restricted to travelling only on designated roadways or within the intended development footprint to limit the ecological footprint of the development activities. Additional road construction should be limited to what is absolutely

221101-01 – DRAFT ENVIRONMENTAL IMPACT ASSESSMENT REPORT FOR PUBLIC CONSULTATION FOR THE PROPOSED DEVELOPMENT OF SOYUZ 1 SOLAR PV PARK AND ASSOCIATED INFRASTRUCTURE NEAR BRITSTOWN, NORTHERN CAPE PROVINCE – AUGUST 2023

beyond the authorised footprint is not cleared;

present within the proposed PV plant area;

	to mine the ecological rootprine of the development delivities. Additional road construction should be inniced to what is absolutely
	necessary, and the footprint thereof kept to a minimum;
	 Access road for construction should be gravel. Post construction and before operation of PV plant permeable paving is recommended
	(e.g. grassblock) in areas where areas should be paved;
	• Care should be taken during the construction and before operation of the proposed development to limit edge effects to surrounding
	natural habitat. This can be achieved by:
	 Demarcating all footprint areas during construction activities;
	 No construction rubble or cleared alien invasive species are to be disposed of outside of demarcated areas, and should be taken to a registered waste disposal facility;
	 Suppress dust to mitigate the impact of dust on flora within a close proximity of construction activities;
	 All soil compacted BY construction activities (outside of the development footprint) should be ripped, profiled and reseeded;
	 Manage the spread of AIP species, which may affect remaining natural habitat within surrounding areas.
MITIGATION MEASURES	• If any spills occur, they should be immediately cleaned up to avoid soil contamination that can hinder floral rehabilitation later down the line. In the event of a breakdown, maintenance of vehicles must take place with care, and the collection of spillages should be practised preventing the ingress of hydrocarbons into the topsoil;
	• Any natural areas beyond the development footprint, that have been affected by the construction activities, must be rehabilitated using indigenous plant species;
	 Revegetation of disturbed areas should be carried out in order to restore habitat availability and minimise soil erosion and surface water runoff;
	• Edge effect control needs to be implemented to ensure no further degradation and potential loss of floral species outside of the proposed project footprint area. An on-site Environmental Control Officer (ECO) should monitor and mitigate any edge effects throughout the life of the operation;
	• No additional habitat is to be disturbed outside of the approved footprints areas. Weekly (recommended) to monthly (minimum requirement) monitoring and recording of the footprint areas must be done during the construction phase by the ECO and photographic records kept – special attention should also be paid to the potential increase and spread of AIPs;
	• No dumping of waste on site should take place. As such it is advised that waste disposal containers and bins be provided during the construction phase for all dilapidates, rubble and general waste;
	 At all times, ensure that sound environmental management is in place; and
	• It is recommended that after vegetation clearing during the construction phase, vegetation regrowth must be promoted while appropriately maintained so as not to create a safety or production risk, as this will create habitat for species and will aid in preventing soil erosion.



Loss of Floral Species of Conservation Concern

IMPACT N	ATURE	Impa	act – Loss of floral SCC			STATUS	LOW NEGATIVE		
Impact Des	scription	With flora	The most significant impact will occur with the vegetation clearing for the proposed Soyuz 1 Solar PV Park, which will lead to floral SCC habitat loss. Without the successful relocation of eligible floral SCC and monitoring of these species will result in a loss of SCC individuals. Long-term changes in floral structure, altered genetic fitness and potential loss of SCC and their habitat is also possible with severe habitat fragmentation. Without management of edge effects and AIP, floral SCC are likely to be displaced by other and non-indigenous species.						
Impact Source(s)			Non-adherence to final layout plan Potential failure to have successful AIP species that colonise disturbed Potential failure to monitor rescue the floral walkdown of the authori Overexploitation through the remopresence of construction workers Dumping of excavated and constru	y relocated eligible floral SCC I areas; and relocation initiatives (if a sed footprints); oval and/or collection of floral s on site; and	applicable) during the	construction phase of the proj	ect (pending outcome of		
Recep			a SCC habitat						
Habitat Unit	Driver / Activit	У	PARAMETER	WITHOUT MITIGATION	SCORE	WITH MITIGATION	SCORE		
			EXTENT (A)	Preferred Alternative:	2	Preferred Alternative:	2		
			DURATION (B)	Preferred Alternative:	4	Preferred Alternative:	3		
			PROBABILITY (C)	Preferred Alternative:	4	Preferred Alternative:	3		
Upper Karoo Habitat	PV facility an associated infrastructure		INTENSITY OR MAGNITUDE (D)	Preferred Alternative:	-3	Preferred Alternative:	-2		
	imirastructure		SIGNIFICANCE RATING (F) = (A*B*D)*C	Preferred Alternative:	(-) Medium	Preferred Alternative:	(-) Low		
			EXTENT (A)	Preferred Alternative:	2	Preferred Alternative:	2		
Open Karoo veld			DURATION (B)	Preferred Alternative:	3	Preferred Alternative:	2		
& Upper Karoo			PROBABILITY (C)	Preferred Alternative:	4	Preferred Alternative:	3		
Footslope & Modified Karoo veld	Access road		INTENSITY OR MAGNITUDE (D)	Preferred Alternative:	-2	Preferred Alternative:	-2		
veiu			SIGNIFICANCE RATING (F) = (A*B*D)*C	Preferred Alternative:	(-) Medium	Preferred Alternative:	(-) Low		
Freshwater			EXTENT (A)	Preferred Alternative:	2	Preferred Alternative:	2		
Ecosystem	Access road		DURATION (B)	Preferred Alternative:	4	Preferred Alternative:	2		
Habitat			PROBABILITY (C)	Preferred Alternative:	4	Preferred Alternative:	2		



		INTENSITY OR MAGNITUDE (D)	Preferred Alternative:	-2	Preferred Alternative:	-2	
		SIGNIFICANCE RATING (F) = (A*B*D)*C	Preferred Alternative:	(-) Medium	Preferred Alternative:	(-) Low	
CUMULATI	VE IMPACTS	According to the South African Renewable Energy EIA Application Database (REEA, 2021) there are eighteen applications for renewable energy facilities (wind and solar) within a 50 km radius of the Soyuz 1 Solar PV Park, of which thirteen have been approved, three has lapsed or have been withdrawn and six is still in the process. This indicates that the larger region has been earmarked for several renewable energy facilities which may alter the landscape character. Vegetation clearing due to Soyuz 1 Solar PV Park will be at a local extent and vegetation regrowth could possibly occur but a potential floral SCC habitat loss will be present on a regional level. The current farming activities will still be present within the immediate area surrounding the Soyuz 1 Solar PV Park.					
CONI	FIDENCE	High					
MITIGATIO	N MEASURES	ensure immediate actions ca No collection of floral SCC mu Edge effect control needs to outside of the proposed deve It is recommended that after	n be taken if it becomes evide ist be allowed by construction be implemented to prevent fu elopment footprint area; and vegetation clearing during the	nt that relocation is r personnel; irther degradation an e construction phase,	e) must be monitored during the not successful; d potential loss of floral SCC or vegetation regrowth must be pwill create habitat for floral SCC	protected floral species	



24.2.4 Potential Soil and Land Capability Impacts

IMPAC	CT NATURE	Impact –Soil, land capabili	ty and agricultural potential.			STATUS	NEGATIVE	
Impact	Description	Loss of Land Capability						
	et Source(s)	 Movement of Construction vehicles of good potential agricultural soils; Placement of infrastructure on soil suitable for cultivation and grazing; and Vegetation clearing and partial topsoil stripping as part of surface preparation. 						
Soil Impact		Agricultural Resources	PARAMETER	WITHOUT MITIGATION	SCORE	WITH MITIGATION	SCORE	
3011 III pace	Dillo	er y Activity	EXTENT (A)	Preferred Alternative:	2	Preferred Alternative:	2	
Loss of Land			DURATION (B)	Preferred Alternative:	4	Preferred Alternative:	3	
		avation and removal of soil	PROBABILITY (C)	Preferred Alternative:	4	Preferred Alternative:	3	
Capability	as a growth meur		INTENSITY OR MAGNITUDE (D)	Preferred Alternative:	-3	Preferred Alternative:	-2	
			SIGNIFICANCE RATING (F) = (A*B*D)*C	Preferred Alternative:	-96	Preferred Alternative:	-36	
		oval of vegetation, and	EXTENT (A)	Preferred Alternative:	2	Preferred Alternative:	1	
		pances to soils, leading to	DURATION (B)	Preferred Alternative:	4	Preferred Alternative:	3	
Soil Erosion		sed runoff, erosion, and consequent loss d capability in cleared areas and quent loss of soils utilised for grazing. tial frequent movement of earth moving	PROBABILITY (C)	Preferred Alternative:	3	Preferred Alternative:	3	
	subsequent loss of		INTENSITY OR MAGNITUDE (D)	Preferred Alternative:	-3	Preferred Alternative:	-2	
	machinery within leading to excessive	lose and exposed soils, ve erosion.	SIGNIFICANCE RATING (F) = (A*B*D)*C	Preferred Alternative:	-72	Preferred Alternative:	-18	
	6		EXTENT (A)	Preferred Alternative:	2	Preferred Alternative:	1	
		eum hydrocarbons during ne proposed solar facilities	DURATION (B)	Preferred Alternative:	4	Preferred Alternative:	2	
Soil Contamination	and the associated		PROBABILITY (C)	Preferred Alternative:	3	Preferred Alternative:	2	
	hazardous waste,	I of hazardous and non- including waste material eposits into the soil.	INTENSITY OR MAGNITUDE (D)	Preferred Alternative:	-3	Preferred Alternative:	-3	
			SIGNIFICANCE RATING (F) = (A*B*D)*C	Preferred Alternative:	-72	Preferred Alternative:	-12	
			EXTENT (A)	Preferred	1	Preferred Alternative:	1	



Soil	*Site clearing, removal of vegetation, and		Alternative:			
Compaction	associated disturbances to soils, leading to, increased runoff, soil compaction and	DURATION (B)	Preferred Alternative:	3	Preferred Alternative:	2
		PROBABILITY (C)	Preferred Alternative:	3	Preferred Alternative:	3
		INTENSITY OR MAGNITUDE (D)	Preferred Alternative:	-3	Preferred Alternative:	-2
		SIGNIFICANCE RATING (F) = (A*B*D)*C	Preferred Alternative:	- 2 7	Preferred Alternative:	-12
	CUMULATIVE IMPACTS	The Soyuz 1 Solar PV Park and associated access road are dominated by shallow soils of Coega formation and a lesser extent the Mispah formation which collectively account for approximately 97.9% of total study a investigated. The Ashkam/Clovelly soil forms account for 14.2% of the study area investigated along the acc road route. Majority of the soils occurring within the study area are suitable for grazing (Class VI) and have a v Restricted agricultural Potential (Class L6). If the above-mentioned land capability and potential conditions considered as well as occurring climatic conditions with limited rainfall (200 – 400 mm per annum) the developm footprint is deemed not suitable for any large-scale agricultural cultivation in the absence of supplement irrigation and other intensive management practices. The cumulative impact on the local and regional scale is considered medium to low without mitigation and low to very low with mitigatory measures in place as dominant soils are not sensitive from a soil and land capability point of view.				
	CONFIDENCE	High				



	 A spill prevention and emergency spill response plan, as well as dust suppression, and fire prevention plans should also be compiled to guide the construction works;
	 All disturbed areas adjacent to the proposed development areas should be re-vegetated with an indigenous grass mix, if necessary, to re-establish a protective cover, to minimise soil erosion and dust emission;
	 An emergency response contingency plan should be put in place to address clean-up measures should a spill and/or a leak occur, as well as preventative measures to prevent contamination; and
MITIGATION MEASURES	 Bare soils within the access roads can be regularly dampened with water to suppress dust during the construction phase, especially when strong wind conditions are predicted according to the local weather forecast;
WITIGATION WEASURES	 Burying of any waste including domestic waste, empty containers on the site should be strictly prohibited and all construction rubble waste must be removed to an approved disposal site;
	 Contamination prevention measures should be addressed in the Environmental Management Programme (EMP) for the proposed development, and this should be implemented, always made available and accessible to the contractors and construction crew conducting the works on site for reference;
	 Revegetate the disturbed soils with an indigenous grass mix, to re-establish a protective cover, in order to minimise soil erosion and dust emissions;
	 Temporary erosion control measures should be used to protect the disturbed soils during the construction phase until adequate vegetation has established;
	The footprint areas should be lightly ripped to alleviate compaction; and
	 The proposed Solar Photovoltaic (PV) Facilities development within the study area should aim to minimise the impact on soils with used for grazing activities;
	 The footprint areas should be lightly ripped to alleviate compaction; and The proposed Solar Photovoltaic (PV) Facilities development within the study area should aim to minimise



24.2.5 Potential Climate Change Impacts

Impact of Greenhouse gases produced during construction phase of the Soyuz 1 Solar PV Park

The release of GHG includes mainly CO_2 , CH_4 and N_2O . GHGs are those gaseous constituents of the atmosphere, both natural and anthropogenic, that absorb and emit radiation at specific wavelengths within the spectrum of thermal infrared radiation emitted by the Earth's surface, the atmosphere itself, and by clouds. This property causes the greenhouse effect.

IMPACT NATURE	Release of gaseous emissions	Release of gaseous emissions to atmosphere STATUS							
Impact Description	Gaseous pollutants released f the project.	aseous pollutants released from the combustion of fuel is the main source of GHGs from ne project.							
Impact Source(s)	Construction vehicles and deli	nstruction vehicles and delivery vehicles							
Receptor(s)	Construction phase employed sustainability of the facility.	ees, equipment a	and materials.	Integrity a	and operational				
PARAMETER	WITHOUT MITIGATION	SCORE	WITH MITIGA	ATION	SCORE				
EVTENT (A)	Preferred Alternative:	2	Preferred Alto	ernative:	2				
EXTENT (A)	No-Go Alternative:	No impact	No-Go Alternative:		No Impact				
DURATION (B)	Preferred Alternative:	1	Preferred Alternative:		1				
DURATION (B)	No-Go Alternative:	No impact	No-Go Alternative:		No impact				
DDODADUITY (C)	Preferred Alternative:	3	Preferred Alternative:		3				
PROBABILITY (C)	No-Go Alternative:	No impact	No-Go Alternative:		No impact				
INTENSITY OR	Preferred Alternative:	-1	Preferred Alternative:		-1				
MAGNITUDE (D)	No-Go Alternative:	No impact	No-Go Alternative:		No impact				
SIGNIFICANCE RATING	Preferred Alternative:	-6	Preferred Alto	ernative:	-6				
(F) = (A*B*D)*C	No-Go Alternative:	No impact	No-Go Altern	ative:	No impact				
CUMULATIVE IMPACTS	CUMULATIVE IMPACTS None anticipated.								
CONFIDENCE	High								
MITIGATION MEASURES	Ensure construction vehicles a	re regularly service	ced and mainta	ined.					

24.2.6 Potential Freshwater Impacts

Construction-phase impacts of the proposed access roads on the freshwater environment.

IMPACT NATURE	Impact of access road upgrading (likely widening) on freshwater ecosystem provisioning and resource quality STATUS LOW NEGATIVE					
Impact Description	 Removal of vegetation by construction vehicles leading to exposure and associated disturbances to soil and destruction of riparian vegetation; The movement of construction machinery, personnel and equipment at the EDL crossings which could damage riparian vegetation; Mixing and casting of concrete for construction purposes at the EDL crossings which could pollute the freshwater environment 					
Impact Source(s)	Construction equipment and co	onstruction workfo	orce			
Receptor(s)	Two Episodic Drainage Lines (EDL)— the EDL crossed by the Site 1-5 access road and the EDL crossed by the link road between the two Soyuz 1 Solar PV Park.					
PARAMETER	WITHOUT MITIGATION SCORE WITH MITIGATION SCORE					
EXTENT (A)	Preferred Alternative:	1	Preferred Alt	ernative:	1	



IMPACT NATURE	Impact of access road upg freshwater ecosystem provisi			STATUS	LOW NEGATIVE	
	No-Go Alternative:	No impact	No-Go Altern	native:	No impact	
DUDATION (D)	Preferred Alternative:	1	Preferred Alt	ernative:	1	
DURATION (B)	No-Go Alternative:	No impact	No-Go Alterr	native:	No impact	
	Preferred Alternative:	2	Preferred Alt	ernative:	1	
PROBABILITY (C)	No-Go Alternative:	No impact	No-Go Alterr	native:	No impact	
INTENSITY OR	Preferred Alternative:	-2	Preferred Alt	ernative:	-1	
MAGNITUDE (D)	No-Go Alternative:	No impact	No-Go Alterr	native:	No impact	
SIGNIFICANCE RATING	Preferred Alternative:	-4	Preferred Alt	-1		
(F) = (A*B*D)*C	No-Go Alternative:	0	No-Go Alterr	native:	0	
CUMULATIVE IMPACTS	continued threat due a variety of factors primarily related to landuse which, in the long term and cumulatively, may prove to be unsustainable. The predominant landuse and economic activity in the wider area is commercial livestock farming. This has resulted in degradation of freshwater features due to over-utilisation by livestock, as well as physical transformation of freshwater ecosystems, primarily in the form of impoundments that have been developed along most of the episodic drainage lines in the area. Such impoundments exert various types of impacts, including freshwater habitat transformation, hydrological impacts, as well as hydromorphological impacts. Other factors such as existing linear infrastructure (roads and railways) as well as climate change also exert impacts on the freshwater ecosystems in the wider area and in a Northern Cape Karoo context. The access roads at the crossing points do not follow the alignment of existing farm tracks, but the crossing points are both located near dam walls. In this respect the access roads could exert a cumulative impact on the respective EDLs crossed and the freshwater environment of the wider area. The correct design of the upgraded access road and implementation of the recommended mitigation measures would however significantly reduce or negate the potential for cumulative impacts to materialise.					
CONFIDENCE	Medium					
MITIGATION MEASURES	 All construction and potential impacts to east of the developm The construction foo to the approved connarrowed to only the width. This construction commencement of vegetation outside of the riparian zone (outen Construction Right of Walliam which is also able to contruction phase storm EDLs. In the case of the EDL I between Sites 1 and 5), the lit is recommended that the for a length of 50m either. If the existing farm access the north and not to the search of the provent damage to veges tormwater runoff into the search of the control of the search of the prevent damage to veges tormwater runoff into the search of the damage to veges tormwater runoff into the search of the damage to veges tormwater runoff into the search of the damage to veges tormwater runoff into the search of the damage to veges to the damage to veges to the search of the damage to veges to the search of the damage to veges to the damage to veges to the search of the damage to veges to the damage to veges to the search of the damage to veges to the search of the damage to veges to the search of the damage to veges the search of the damage to veges the search of the search of the search of the damage to veges the search of the s	downgradient depends of the road struction Right of existing the properties of the construction of the con	rainage lines (i. s a result of conds as they cross way. This Conseposed road and releasing to provide the riparian zero of the road cost point of the road cost points must be lines must be lines outside of the road cost points must be lines outside of the road cost points must be lines must be lines outside of the road cost points must be lines outside of the road cost points must be lines outside of the road cost points must be lines outside of the road cost points must be lines outside of the road cost points must be lines outside of the road cost points must be lines outside of the road cost points must be lines outside of the road cost points must be lines outside of the road cost points must be lines outside of the road cost points must be lines outside of the road cost points must be lines outside of the road cost points must be lines outside of the road cost points must be lines outside of the road cost points must be lines outside of the road cost points must be lines outside of the road cost points must be lines outside outside of the road cost points must be lines outside outsid	e. the two EDIstruction activates the two EDLs struction Right depends on either depends on the extraction are construction are construction. Construction. Construction. Construction. Construction. Construction. Construction. Construction. Construction.	L's to the north- ities. must be limited of Way must be side of the road deprior to the such damage to steed within the rier or material vicinity of the 2 nment (located ea be fenced off and signposted. It be widened to the delineated uction material es of Regulation	



IMPACT NATURE	Impact of access road upgrading (likely widening) on freshwater ecosystem provisioning and resource quality STATUS LOW NEGATIVE				
	• Construction phase stormwater controls must be implemented in the vicinity of the 2 EDLs.				
	 In the case of the EDL located to the south of the access road alignment (located between Sites 1 and 5), the following measures must be implemented: 				
	 It is recommended that the southern edge of the road construction area be fenced off for a length of 50m either side of the closest point of the road to the EDL and signposted. If the existing farm access road is required to be widened, the road must be widened to the north and not to the south towards the EDL. 				
	• Fresh concrete and cement mortar must not be mixed near the site boundaries (i.e. within the 100m Zone of Regulation) of the drainage lines;				

Construction-phase impacts of the proposed solar PV arrays and associated infrastructure on the freshwater environment.

IMPACT NATURE	Impact of the construction associated infrastructure provisioning and resource qua	on freshwater		STATUS	LOW NEGATIVE	
Impact Description	 Removal of vegetation in the solar PV development site footprint by construction vehicles that could lead to altered patterns of runoff and drainage in the landscape that could adversely affect freshwater ecosystems; Mixing and casting of concrete for construction purposes on the PV footprint development site which could pollute the freshwater environment; Containment loss of hazardous substances related to BESS batteries and substation transformer oils could lead to soil and water pollution impacts. 					
Impact Source(s)	Construction equipment and contain hazardous substances		orkforce; infra	astructure co	mponents that	
Receptor(s)	The five (5) EDLs in the area su	rrounding the dev	elopment site.			
PARAMETER	WITHOUT MITIGATION	SCORE	WITH MITIG	ATION	SCORE	
EVTENT (A)	Preferred Alternative:	1	Preferred Alternative:		1	
EXTENT (A)	No-Go Alternative:	No impact	No-Go Alternative:		No impact	
DURATION (B)	Preferred Alternative:	1	Preferred Alternative:		1	
	No-Go Alternative:	No impact	No-Go Alternative:		No impact	
DDOD A DILLITY (C)	Preferred Alternative:	2	Preferred Alternative:		1	
PROBABILITY (C)	No-Go Alternative:	No impact	No-Go Alternative:		No impact	
INTENSITY OR	Preferred Alternative:	-1	Preferred Alternative:		-1	
MAGNITUDE (D)	No-Go Alternative:	No impact	No-Go Alternative:		No impact	
SIGNIFICANCE RATING	Preferred Alternative:	-2	Preferred Alternative:		-1	
(F) = (A*B*D)*C	No-Go Alternative:	0	No-Go Altern	ative:	0	
CUMULATIVE IMPACTS	Freshwater ecosystems within the Karoo and the broader Northern Cape region Freshwater ecosystems within the Karoo and the broader Northern Cape region are under continued threat due a variety of factors primarily related to landuse which, in the long term and cumulatively, may prove to be unsustainable. The predominant landuse and economic activity in the wider area is commercial livestock farming. This has resulted in degradation of freshwater features due to over-utilisation by livestock, as well as physical transformation of freshwater ecosystems, primarily in the form of impoundments that have been developed along most of the episodic drainage lines in the area. Such impoundments exert various types of impacts, including freshwater habitat transformation, hydrological impacts, as well as hydromorphological impacts. Other factors such as existing linear infrastructure (roads and railways) as well as climate change also exert impacts on the freshwater ecosystems in					



IMPACT NATURE	Impact of the construction of the solar PV arrays and associated infrastructure on freshwater ecosystem provisioning and resource quality LOW NEGATIVE					
	the wider area and in a Northern Cape Karoo context. The development of the Soyuz 1 Solar PV Park will not directly impact any freshwater ecosystems in terms of the development of its solar arrays as no freshwater ecosystems are located within the proposed solar array footprint, however indirect impacts could occur. Such indirect impacts could result in the creation of a cumulative impact on the freshwater environment in the wider area if these indirect impacts resulted in a measurable impact on ecosystem provisioning or on the PES of any of the EDLs. The implementation of the recommended mitigation measures would however significantly reduce or negate the potential for cumulative impacts to materialise.					
CONFIDENCE	Medium					
	 The entire construction area (development site) must be fenced prior to the commencement of construction and vegetation clearing to ensure that no vehicle or other construction personnel access occurs off the site and within the 32m ZoR of the EDLs or into the EDLs themselves; All construction and site clearing must take place during the dry season to limit potential impacts to downgradient drainage lines (i.e. the two EDL's to the north-east of the development footprint) as a result of construction activities; 					
	 Areas which are to be cleared of vegetation including contractor laydown areas must remain as small as possible and it must be ensured as far as possible that vegetation clearing is focused to the proposed development footprint; 					
	Areas to be cleared of vegetation must be cleared in a controlled, phased manner.					
	 he following measures are recommended to mitigate against indirect impacts with regards to excavation and earthworks within the boundaries of the development site: A construction-phase stormwater control system must be implemented as part of the development and implementation of stormwater controls across all development phases. Temporary measures must be used to control construction phase stormwater - e.g. the use of berms, silt traps / silt curtains, along with the retention of natural vegetation where possible; 					
MITIGATION MEASURES	 During excavation activities, it must be ensured that stockpiles are not higher than 2 m in height and all exposed soil must be protected for the duration of the construction phase with a suitable geotextile (e.g. Geojute or hessian sheeting) to prevent erosion and sedimentation of the downgradient EDLs. Furthermore, measures must be undertaken to limit the time in which soil is exposed; Dust suppression measures must be implemented (such as spray watering on gravel roads) throughout the proposed development activities to prevent excessive dust which may adversely affect riparian vegetation within the EDLs. 					
	With regards to concrete mixing on site:					
	 Concrete and cement-related mortars can be toxic to aquatic life and other biota. Proper handling and disposal are considered imperative to minimise or eliminate discharge into the drainage lines. High alkalinity associated with cement can dramatically affect and contaminate both soil and ground water. The following recommendations must be adhered to: 					
	Fresh concrete and cement mortar must not be mixed near the site boundaries (i.e. within the 100m Zone of Regulation) of the drainage lines;					
	Mixing of cement should only be undertaken within the construction camp and may not be mixed on bare soils;					
	Mixing of concrete is also to be strictly undertaken within a lined, bound or bunded portable mixer. Consideration must be taken to use ready mix concrete;					
	 A batter board or other suitable platform/mixing tray is to be provided onto which any mixed concrete can be deposited whilst it awaits placing; A washout area must be designated outside of the confines of the 100m Zone of Regulation around the EDLs; 					
	Cement bags must be disposed of in the demarcated hazardous waste receptacles;					



IMPACT NATURE	Impact of the construction of the solar PV arrays and associated infrastructure on freshwater ecosystem provisioning and resource quality LOW NEGATIVE
	Concrete spillage outside of the demarcated area must be promptly removed and taken to a suitably licenced waste disposal site.
	It is recommended that vegetation be retained in the parts of the site where clearing for bi facial panels is not required in order to improve infiltration of runoff and to trap surface runoff during precipitation events;
	Stormwater infrastructure on the development site must be designed in line with the principles of SUDS in order to polish stormwater by trapping sediments and by removing pollutants that could pollute downgradient freshwater ecosystems, and in order to allow the gradual discharge of stormwater into the drainage lines following rainfall events.
	As such the use of 'soft' engineering features such as bioswales that are vegetated with suitable vegetation that is tolerant of both wet and dry conditions is strongly recommended.
	 The use of stone pitching to reduce velocity of stormwater is strongly recommended; The proposed stormwater infrastructure must also be incorporated into a suitable and site-specific Stormwater Management Plan (SWMP).

24.2.7 Potential Geotechnical and Soil Impacts

The primary concern associated with geotechnical works is increased soil erosion on site, due to the stripping of vegetation during the construction phase of the project. Removal of vegetation reduces infiltration, thereby increasing runoff yielding increased erosion. Further, compaction during earthworks reduces rainwater infiltration and increases surface runoff and increasing erosion. The construction of paved and/or hard-surfaced areas increases runoff and often localises discharge of stormwater, which may lead to increased erosion and consequently loss of topsoil. Disturbance of the soil may extend beyond the footprint of the structures should such conditions persist for long periods, e.g., more than 10 years.

IMPACT NATURE	Soil erosion, soil contamina	ation and soil destabili	isation	STATUS	LOW NEGATIVE			
Impact Description	The primary concern associated with geotechnical works is increased soil erosion on site, due to the stripping of vegetation during the construction phase of the project. Removal of vegetation reduces infiltration, thereby increasing runoff yielding increased erosion. Further, compaction during earthworks reduces rainwater infiltration and increases surface runoff and increasing erosion. The construction of paved and/or hard-surfaced areas increases runoff and often localises discharge of stormwater, which may lead to increased erosion and consequently loss of topsoil. Disturbance of the soil may extend beyond the footprint of the structures should such conditions persist for long periods, e.g., more than 10 years.							
Impact Source(s)	0	Stripping of vegetation during construction Machinery and earth-moving plant causing spills contaminating soils and soil compaction						
Receptor(s)	Soil, biota, and vegetation				_			
PARAMETER	WITHOUT MITIGATION	SCORE	WITH	MITIGATION	SCORE			
EVERIT (A)	Preferred Alternative:	1	Preferr	ed Alternative:	1			
EXTENT (A)	No-Go Alternative:	1	No-Go	Alternative:				
DUDATION (D)	Preferred Alternative:	1	Preferr	ed Alternative:	1			
DURATION (B)	No-Go Alternative:	4	No-Go	Alternative:	4			
DDODADU ITV (C)	Preferred Alternative:	2	Preferr	ed Alternative:	1			
PROBABILITY (C)	No-Go Alternative:	1	No-Go	Alternative:	1			



IMPACT NATURE	Soil erosion, soil contamination and soil destabilisation STATUS LOW NEGATION NEGATI							
INTENSITY OR MAGNITUDE (D)	Preferred Alternative:	-1	Preferr	ed Alternative:	1			
INTENSITY OR MAGNITUDE (D)	No-Go Alternative:	0	No-Go	Alternative:	0			
SIGNIFICANCE RATING	Preferred Alternative:	-2	Preferr	red Alternative:	1			
(F) = (A*B*D)*C	No-Go Alternative:	No impact	No-Go	Alternative:	No impact			
CUMULATIVE IMPACTS	Low							
CONFIDENCE	Medium	Medium						
MITIGATION MEASURES	 Do not prolong the following completion Only designated layor should be used. Where required, during surface runoff to app Appropriately design Implement erosion of mats. Vehicles should be word and parked within deed to Decommissioning photographics of the properties of	of the construction lown areas and according construction, terropriate areas. drainage for infrastruction measures, well maintained, par signated areas. ase - Land rehabilitag of any resultant vo	period, wess roads mporary d ructure an where appl ked over t tion to ne bids within	thether complete, within appropriations of roads. propriate, e.g. endrip trays/hard-state, in the soil, as well	or on hold. fate locations, should divert rosion control urfaced areas, i.e. removal of as removal of			

24.2.8 Potential Heritage Impacts

Palaeontology Impacts

Activities associated with the construction and decommissioning of the Soyuz 1 project may disturb or destroy fossil material within the Quaternary sediment that covers the site. However, the potential for fossils in these sediments is very variable and significance of impacts palaeontological resources would thus be **low negative**, but **very low negative** with the implementation of mitigation measures.

IMPACT NATURE	Disturbance and/or destruction of paleontological material during construction					LOW NEGATIVE
Impact Description	Direct disturbance and/o clearing activities.	r destruction	of paleontological	material I	because of	excavation and
Impact Source(s)	Activities associated with	the constructi	on and decommis	sioning of t	the SPV fac	ility
Receptor(s)	Potential palaeontologica	l material with	in the developme	nt footprin	ıt	
PARAMETER	WITHOUT MITIGATION	SCORE	WITH MITIGAT	ION	SCORE	
EXTENT (A)	Preferred Alternative:	1	Preferred Alter	Preferred Alternative:		1
EXTENT (A)	No-Go Alternative:	0	No-Go Alterna	tive:	0	
DURATION (B)	Preferred Alternative:	4	Preferred Alter	Preferred Alternative:		4
DOKATION (B)	No-Go Alternative:	0	No-Go Alterna	No-Go Alternative:		0
DDODADUITY (C)	Preferred Alternative:	1	Preferred Alter	native:		1
PROBABILITY (C)	No-Go Alternative:	0	No-Go Alterna	No-Go Alternative:		0
INTENSITY OR	Preferred Alternative:	-2	Preferred Alternative: 2		2	
MAGNITUDE (D)	No-Go Alternative:	0	No-Go Alterna	No-Go Alternative:		0
	Preferred Alternative:	-8	Preferred Alter	native:		8



IMPACT NATURE	Disturbance and/or destruction of paleontological material during construction			STATUS		LOW NEGATIVE
SIGNIFICANCE RATING (F) = (A*B*D)*C	No-Go Alternative:	-0	No-Go Alter	native:		+0
CUMULATIVE IMPACTS	Cumulative impacts to palaeontological resources are difficult to assess due to the variable distribution and preservation of fossil material. However, location of this project and others approved or built within a 30 km radius on areas either largely underlain by dolerite or Quaternary sediments suggests that a cumulative impact on palaeontological resources is not likely.					
CONFIDENCE	High					
MITIGATION MEASURES	 Implement a Fossil C Environmental Comp Report any chance fire a representative same 	oliance Officer t nds of palaeont	o monitor earth			vho must collect

Archaeology

Archaeological sites and/or materials may be affected during activities associated with the construction and decommissioning of the Project. Most of the archaeological material identified within the project footprint is of very low cultural significance, but the engraving at G012 has been graded 3A. The significance of impacts on the known archaeological would thus be low negative, but very low negative with the implementation of mitigation measures.

IMPACT NATURE	Disturbance and/or destrumaterials during construction	STATUS	LOW NEGATIVE				
Impact Description	Disturbance and/or destru	iction of archae	ological sites and/or mat	erials			
Impact Source(s)	Activities associated with t			of the SPV fac	cility		
Receptor(s)	Known and potential archa	aeological sites	and/or materials				
PARAMETER	WITHOUT MITIGATION	SCORE	WITH MITIGATION	SCORE			
EXTENT (A)	Preferred Alternative:	1	Preferred Alternative:		1		
LATENT (A)	No-Go Alternative:	0	No-Go Alternative:		0		
DURATION (B)	Preferred Alternative:	4	Preferred Alternative:		4		
DONATION (B)	No-Go Alternative:	0	No-Go Alternative:		0		
PROBABILITY (C)	Preferred Alternative:	3	Preferred Alternative:	2			
PROBABILITY (C)	No-Go Alternative:	0	No-Go Alternative:	0			
INTENSITY OR	Preferred Alternative:	-2	Preferred Alternative:		1		
MAGNITUDE (D)	No-Go Alternative:	0	No-Go Alternative:		0		
SIGNIFICANCE RATING	Preferred Alternative:	-24	Preferred Alternative:		8		
(F) = (A*B*D)*C	No-Go Alternative:	-0	No-Go Alternative:		+0		
CUMULATIVE IMPACTS	Cumulative impacts to archaeological resources are difficult to assess due to the variable distribution and quality of archaeological surveys ion the area. However, our cumulative knowledge of the archaeology of the Karoo suggests that the cumulative impact of the Soyuz SPV Cluster and other projects within a 30km on archaeological resources is likely to be low.						
CONFIDENCE	High						
MITIGATION MEASURES	Report any chance finds of	f archaeologica	material to SAHRA and/	or an archae	ologist.		



Graves or Burials

Human graves or burials could be impacted almost anywhere on the site, but the probability of this happening during activities earthworks associated with the construction and decommissioning of the Project is extremely low and the significance rating is thus **very low negative** both without and with the implementation of mitigation measures.

IMPACT NATURE	Disturbance and/or destruction of graves or burials during construction and decommissioning					VERY LOW NEGATIVE		
Impact Description	Physical disturbance and/o							
Impact Source(s)	Activities associated with t		n and decommission	ing of t	he SPV fa	acility		
Receptor(s)	Potential human graves or	burials						
PARAMETER	WITHOUT MITIGATION	SCORE	WITH MITIGATION		SCORE			
EXTENT (A)	Preferred Alternative:	1	Preferred Alternat	ive:		1		
LATENT (A)	No-Go Alternative:	0	No-Go Alternative:			0		
DURATION (B)	Preferred Alternative:	4	Preferred Alternat	ive:		4		
DONATION (b)	No-Go Alternative:	0	No-Go Alternative:			0		
PROBABILITY (C)	Preferred Alternative:	1	Preferred Alternat	Preferred Alternative:		ferred Alternative:		1
PROBABILITY (C)	No-Go Alternative:	0	No-Go Alternative:		0			
INTENSITY OR	Preferred Alternative:	-2	Preferred Alternative:		e: 1			
MAGNITUDE (D)	No-Go Alternative:	0	No-Go Alternative:	: 0		0		
SIGNIFICANCE RATING	Preferred Alternative:	-8	Preferred Alternati	ive:		4		
(F) = (A*B*D)*C	No-Go Alternative:	-0	No-Go Alternative:	:	+0			
CUMULATIVE IMPACTS	Most historical graveyards are associated with farm complexes, whether still occupied or not, and are thus generally avoided in the planning and construction of project such as the Soyuz 1 SPV park. Although unmarked burials can occur anywhere within the landscape, the pre-colonial inhabitants of the area often buried their dead along river courses which are invariably excluded from developments due to their other environmental sensitivity. Overall, therefore, it is likely that the cumulative impacts of this project and others in the vicinity on graves and burials will be very low.							
CONFIDENCE	High							
MITIGATION MEASURES	Cease work immediately in the immediate area if human remains are encountered. Leave remains in situ and make site safe. Report the finds to SAHRA and/or an archaeologist.							

Cultural Landscape

The cultural landscape is likely to be the heritage resource most affected by the construction of the SPV facility, but given that it is of low cultural significance, the potential impact is assessed to be **low negative**.

IMPACT NATURE	Alteration of the cultural SPV project	STATUS	LOW NEGATIVE					
Impact Description	Alteration of the cultural la	Alteration of the cultural landscape						
Impact Source(s)	Construction of the SPV fa	cility						
Receptor(s)	Landscape in and around t	he SPV facility						
PARAMETER	WITHOUT MITIGATION	SCORE	WITH MITIGATION	SCORE				



IMPACT NATURE	Alteration of the cultural SPV project	STATUS	LOW NEGATIVE				
EVIENT (A)	Preferred Alternative:	1	Preferred Alternative:		1		
EXTENT (A)	No-Go Alternative:	0	No-Go Alternative:		0		
DUDATION (D)	Preferred Alternative:	3	Preferred Alternative:		3		
DURATION (B)	No-Go Alternative:	0	No-Go Alternative:		0		
DDOD A DILITY (C)	Preferred Alternative:	3	Preferred Alternative:		3		
PROBABILITY (C)	No-Go Alternative:	0	No-Go Alternative:		0		
INTENSITY OR	Preferred Alternative:	-2	Preferred Alternative:		1		
MAGNITUDE (D)	No-Go Alternative:	0	No-Go Alternative:	0			
SIGNIFICANCE RATING	Preferred Alternative:	-18	Preferred Alternative:	9			
(F) = (A*B*D)*C	No-Go Alternative:	-0	No-Go Alternative:		0		
CUMULATIVE IMPACTS	Impacts on the cultural landscape could occur extensively if numerous projects are constructed close to one another and especially if these projects contain tall structural elements like turbines or powerlines. These impacts cannot be fully mitigated but the application of the recommendations of visual consultants would likely reduce the impacts from medium to low negative.						
CONFIDENCE	High						
MITIGATION MEASURES	Minimise disturbance foot not be needed during ope At decommissioning, reha	ration.					

24.2.9 Potential Noise Impact

Based on the available information, and the specialist noise it is reasonable to suggest that noise impacts are likely to be present during the construction phase of this Project.

Noise may be generated by the construction activities and the use of construction equipment such as Graders, TLB's, front end loaders, drilling equipment, generators and cranes. The use of this equipment will create an increase in noise levels in the immediate vicinity of the construction activities and in some cases at some distance from the activities.

IMPACT NATURE	Noise generated by construction equipment operation			STATUS	LOW NEGATIVE
Impact Description	Change in the prevailing ambie	nt noise levels in	the vicinity	of the constru	ction activities.
Impact Source(s)	Operation of construction vehice	cles and equipme	ent.		
Receptor(s)	Farm-houses in the vicinity of the	he SOLAR PV PAI	RK		
PARAMETER	WITHOUT MITIGATION	SCORE	WITH MIT	IGATION	SCORE
EVTENT (A)	Preferred Alternative:	1	Preferred	Alternative:	1
EXTENT (A)	No-Go Alternative:	1	No-Go Alternative:		1
DURATION (B)	Preferred Alternative:	2	Preferred Alternative:		2
DURATION (B)	No-Go Alternative:	2	No-Go Alternative:		2
PROBABILITY (C)	Preferred Alternative:	2	Preferred Alternative:		1
PROBABILITY (C)	No-Go Alternative:	3	No-Go Alt	ernative:	2
INTENSITY OR	Preferred Alternative:	-1	Preferred	Alternative:	-1
MAGNITUDE (D)	No-Go Alternative:	-2	No-Go Alternative:		-2
SIGNIFICANCE RATING	Preferred Alternative:	-4	Preferred Alternative:		-4
(F) = (A*B*D)*C	No-Go Alternative:	-12	No-Go Alt	ernative:	-8



IMPACT NATURE	Noise generated by construction equipment operation	STATUS	LOW NEGATIVE			
CUMULATIVE IMPACTS	The noise level increase during the daytime will be below the nuisance threshold value of 7.0dBA.					
CONFIDENCE	High					
MITIGATION MEASURES	Construction activities to take place during daytime only. Noise Management Plan to be included in EMPr and imple	mented.				

24.2.10 Potential Social Impacts

Based on the available information, it is reasonable to suggest that the following social impacts are likely to be prevalent during the construction phase of this Project.

Creation of Local Employment, Training and Business Opportunities

The construction phase of each PV SEFs will extend over a period of approximately 18 months and create in the region of 200 - 250 employment opportunities. Members from the local communities in the area, specifically Britstown and De Aar, would be able to qualify for most of the low skilled and semi-skilled employment opportunities. Most of these employment opportunities will accrue to Historically Disadvantaged (HD) members of the community. Based on information from similar projects the total wage bill will be in the region of R 25 million (2023 Rand values). A percentage of the wage bill will be spent in the local economy which will also create opportunities for local businesses in the local towns in the area.

IMPACT NATURE	Employment and business opportunities STATUS				MEDIUM POSITIVE			
Impact Description	Creation of employment and bu	Creation of employment and business opportunities during the construction phase						
Impact Source(s)	Construction and decommission	ning activities						
Receptor(s)	Local and regional community							
PARAMETER	WITHOUT MITIGATION	SCORE	WITH MI	TIGATION	SCORE			
EXTENT (A)	Preferred Alternative:	3	Preferred	d Alternative:	4			
EXTERT (A)	No-Go Alternative:	0	No-Go Al	ternative:	0			
DURATION (B)	Preferred Alternative:	2	Preferred	l Alternative:	2			
DONATION (B)	No-Go Alternative:	0	No-Go Al	ternative:	0			
PROBABILITY (C)	Preferred Alternative:	4	Preferred Alternative:		4			
PROBABILITY (C)	No-Go Alternative:	0	No-Go Al	0				
INTENSITY OR	Preferred Alternative:	6	Preferred Alternative:		Preferred Alternative:		8	
MAGNITUDE (D)	No-Go Alternative:	0	No-Go Al	ternative:	0			
SIGNIFICANCE RATING	Preferred Alternative:	44	Preferred Alternative:		54			
(F) = (A*B*D)*C	No-Go Alternative:	0	No-Go Al	ternative:	0			
CUMULATIVE IMPACTS	This impact is direct and consid	ered temporary.						
RESIDUAL IMPACTS	Improved pool of skills and exp	erience in the lo	cal area.					
CONFIDENCE	High							
CAN IMPACT BE ENHANCED	Yes							
ENHANCEMENT MEASURES	Employment							



IMPACT NATURE	Employment and business opportunities	STATUS	MEDIUM POSITIVE
	 Preparation and implementation of a Stakeholder I during the construction phase. Where reasonable and practical, the proponent shimplement a 'locals first' policy, especially for see However, due to the low skills levels in the area, most people from outside the area. Where feasible, efforts should be made to employ local Broad Based Black Economic Empowerment (BBBEE) Before the construction phase commences the representatives from the ELM to establish the exister such as database exists, it should be made available construction phase. The local authorities, community representatives, and affected party database should be informed of the fire the potential job opportunities for locals and the proponent intends following for the construction phase. Where feasible, training and skills development proging prior to the initiation of the construction phase. The recruitment selection process should seek to employment of women wherever possible. 	nould appoint lemi and low-slat skilled posts a sal contactors the criteria. The proponent are of a skills date to the contracted organisations and decision regares employment are of the project rammes for local	local contractors and killed job categories. re likely to be filled by nat are compliant with should meet with stabase for the area. If fors appointed for the on the interested and arding the project and procedures that the ct. als should be initiated
	The proponent should liaise with the ELM with regard local companies, specifically BBBEE companies, which (e.g. construction companies, catering companies, companies etc.) prior to the commencement of to contractors. These companies should be notified of the for project-related work. Where possible, the proponent should assist local submit the required tender forms and associated informs. The ELM, in conjunction with the local business section hospitality industry, should identify strategies aimed associated with the project.	qualify as pote waste collection he tender proche tender proc BBBEE comparormation.	ntial service providers n companies, security cess for construction less and invited to bid nies to complete and statives from the local

Impact of Construction Workers on Local Communities

The presence of construction workers poses a potential risk to family structures and social networks. While the presence of construction workers does not in itself constitute a social impact, the way construction workers conduct themselves can impact on local communities. The most significant negative impact is associated with the disruption of existing family structures and social networks. This risk is linked to potentially risky behaviour, mainly of male construction workers.

IMPACT NATURE	Social impact of construction workers			STATUS	MEDIUM NEGATIVE		
Impact Description	Potential social impacts due to particular structures and social networks.	Potential social impacts due to presence of construction workers and potential impacts on family structures and social networks.					
Impact Source(s)	Construction and decommissio	Construction and decommissioning activities					
Receptor(s)	Local and regional community	Local and regional community					
PARAMETER	WITHOUT MITIGATION	SCORE	WITH MI	TIGATION	SCORE		
EVTENT (A)	Preferred Alternative:	2	Preferred	l Alternative:	1		
EXTENT (A)	No-Go Alternative:	0	No-Go Al	ternative:	0		
DUDATION (D)	Preferred Alternative:	2	Preferred	l Alternative:	2		
DURATION (B)	No-Go Alternative:	0 No-Go Al		ternative:	0		



IMPACT NATURE	Social impact of construction workers		STATUS		DIUM GATIVE	
DDODARILITY (C)	Preferred Alternative:	3	Preferred	Alternative:		2
PROBABILITY (C)	No-Go Alternative:	0	No-Go Alternative: 0			0
INTENSITY OR	Preferred Alternative:	-6	Preferred	Alternative:		-4
MAGNITUDE (D)	No-Go Alternative:	0	No-Go Alt	ternative:		0
SIGNIFICANCE RATING	Preferred Alternative:	-30	Preferred	Alternative:		-21
(F) = (A*B*D)*C	No-Go Alternative:		No-Go Alt	ternative:		
Reversibility	No in the case of HIV and AIDs					
CUMULATIVE IMPACTS	This impact is direct and consid	ered temporary				
RESIDUAL IMPACTS	Impacts on family and community relations that may, in some cases, persist for a long period of time. Also, in cases where unplanned / unwanted pregnancies occur or members of the community are infected by an STD, specifically HIV and or AIDS, the impacts may be permanent and have long term to permanent cumulative impacts on the affected individuals and/or their families and the community.					
CONFIDENCE	High					
CAN IMPACT BE MITIGATED	Yes, to some degree. However,	the risk cannot I	oe eliminat	ed		
MITIGATION MEASURES	 Yes, to some degree. However, the risk cannot be eliminated Preparation and implementation of a Stakeholder Engagement Plan (SEP) prior to and during the construction phase. Preparation and implementation of a Community Health, Safety and Security Plan (CHSSP) prior to and during the construction phase. The SEP and CHSSP should include a Grievance Mechanism that enables stakeholders to report resolve incidents. Where possible, the proponent should make it a requirement for contractors to implement a 'locals first' policy for construction jobs, specifically for semi and low-skilled job categories. The proponent should consider the option of establishing a Monitoring Committee (MC) for the construction phase that representatives from local landowners, farming associations, and the local municipality. This MC should be established prior to commencement of the construction phase and form part of the SEP. The proponent and contractor should develop an agreement for construction workers. The agreement should identify which types of behaviour and activities are not acceptable. Construction workers in breach of the agreement should be subject to appropriate disciplinary action and/or dismissed. All dismissals must comply with the South African labour legislation. The agreement should be signed by the proponent and the contractors before the contractors move onto site. The agreement should form part of the CHSSP. The proponent and the contractor should implement an HIV/AIDS, COVID-19 and Tuberculosis (TB) awareness programme for all construction workers at the outset of the construction phase. The programmes should form part of the CHSSP. The contractor should provide transport for workers to and from the site daily. This will enable the contactor to effectively manage and monitor the movement of construction workers on and off the site. The contractor must ensure that all construction worker					



Influx of Job Seekers

Large construction projects tend to attract people to the area in the hope that they will secure a job, even if it is a temporary job. These job seekers can in turn become "economically stranded" in the area or decide to stay on irrespective of finding a job or not. The main areas of concern associated with the influx of job seekers include:

- Impacts on existing social networks and community structures.
- Competition for housing, specifically low-cost housing.
- Competition for scarce jobs.
- Increase in incidences of crime.

IMPACT NATURE	Influx of job seekers			STATUS	LOW	/ NEGATIVE
Impact Description	Potential social impacts because of influx of job seekers (migrant workers) to the area.					
Impact Source(s)	Construction and decommissioning activities					
Receptor(s)	Local and regional community					****
PARAMETER	WITHOUT MITIGATION	SCORE		TIGATION		SCORE
EXTENT (A)	Preferred Alternative:	2		l Alternative:	\rightarrow	1
	No-Go Alternative:	0		ternative:	\rightarrow	0
DURATION (B)	Preferred Alternative:	2		l Alternative:		2
	No-Go Alternative:	0		ternative:	\longrightarrow	0
PROBABILITY (C)	Preferred Alternative:	3		l Alternative:	\rightarrow	3
	No-Go Alternative:	0	No-Go Al	ternative:		0
INTENSITY OR	Preferred Alternative:	-2	Preferred	l Alternative:		-2
MAGNITUDE (D)	No-Go Alternative:	0	No-Go Al	ternative:		0
SIGNIFICANCE RATING	Preferred Alternative:	-18	Preferred	Alternative:		-15
(F) = (A*B*D)*C	No-Go Alternative:	0	No-Go Al	ternative:		0
Reversibility	No in the case of HIV and AIDs					
CUMULATIVE IMPACTS	This impact is direct and consid	ered temporary				
RESIDUAL IMPACTS	Impacts on family and commun time. Also, in cases where us community are infected by an Sand have long term to perman families and the community.	nplanned / unw STD, specifically I	anted preadly and or A	gnancies occur AIDS, the impac	or m	embers of the y be permanent
CONFIDENCE	LOW					
CAN IMPACT BE MITIGATED	Yes, to some degree. However,	the risk cannot I	oe eliminat	ed		
MITIGATION MEASURES	 Yes, to some degree. However, the risk cannot be eliminated It is impossible to stop people from coming to the area in search of employment. However, as indicated above, the proponent should ensure that the employment criteria favour residents from the area. In addition: Preparation and implementation of a Stakeholder Engagement Plan (SEP) prior to and during the construction phase. Preparation and implementation of a Community Health, Safety and Security Plan (CHSSP) prior to and during the construction phase. The proponent, in consultation with the ELM, should investigate the option of establishing a MC to monitor and identify potential problems that may arise due to the influx of job seekers to the area. The proponent should implement a "locals first" policy, specifically regarding unskilled and low skilled opportunities. The proponent should implement a policy that no employment will be available at the gate. 					



Risk to safety, livestock, and farm infrastructure

The presence on and movement of construction workers on and off the site poses a potential safety threat to local famers and farm workers in the vicinity of the site. In addition, farm infrastructure, such as fences and gates, may be damaged and stock losses may also result from gates being left open and/or fences being damaged, or stock theft linked either directly or indirectly to the presence of farm workers on the site.

IMPACT NATURE	Farm safety			STATUS	LOW NEGATIVE		
Impact Description Impact Source(s)	associated with the presence o	Potential risk to safety of farmers and farm workers, livestock and damage to farm infrastructure associated with the presence of construction workers on site Construction and decommissioning activities					
Receptor(s)	Local and regional community	ining decivities					
PARAMETER	WITHOUT MITIGATION	SCORE	WITH MIT	TIGATION	SCORE		
EVERALE (A)	Preferred Alternative:	3	Preferred	Alternative:	1		
EXTENT (A)	No-Go Alternative:	0	No-Go Alt	ternative:	0		
DUDATION (D)	Preferred Alternative:	2	Preferred	Alternative:	2		
DURATION (B)	No-Go Alternative:	0	No-Go Alt	ternative:	0		
DDODADUITY (C)	Preferred Alternative:	3	Preferred	Alternative:	3		
PROBABILITY (C)	No-Go Alternative:	0	No-Go Alt	ternative:	0		
INTENSITY OR	Preferred Alternative:	-6	Preferred	Alternative:	-4		
MAGNITUDE (D)	No-Go Alternative:	0	No-Go Alt	ternative:	0		
SIGNIFICANCE RATING	Preferred Alternative:	33	Preferred	Alternative:	24		
(F) = (A*B*D)*C	No-Go Alternative:	0	No-Go Alt	ternative:	0		
Reversibility	Yes, compensation paid for sto	ck losses and da	mage to farr	m infrastructur	re etc.		
CUMULATIVE IMPACTS	This impact is direct and consid	lered temporary	,				
RESIDUAL IMPACTS	No, provided losses are compe	nsated for.					
CONFIDENCE	LOW						
CAN IMPACT BE MITIGATED	Yes						
MITIGATION MEASURES	 All farm gates must be closed after passing through. Contractors appointed by the proponent should provide daily transport for low and semiskilled workers to and from the site. The proponent should consider the option of establishing a MF (see above) that includes local farmers and develop an agreement for construction workers. This committee should be established prior to commencement of the construction phase. This agreement should be signed by the proponent and the contractors before the contractors move onto site. The proponent should hold contractors liable for compensating farmers and communities in full for any stock losses and/or damage to farm infrastructure that can be linked to construction workers. This should be contained in the agreement to be signed between the proponent, the contractors, and neighbouring landowners. The agreement should also cover loses and costs associated with fires caused by construction workers or construction related activities (see below). The Environmental Management Plan (EMP) must outline procedures for managing and storing waste on site, specifically plastic waste that poses a threat to livestock if ingested. Contractors appointed by the proponent must ensure that all workers are informed at the outset of the construction phase of the conditions contained in theagreement, specifically 						



IMPACT NATURE	Farm safety	STATUS	LOW NEGATIVE
	 Contractors appointed by the proponent must ensur found guilty of stealing livestock and/or damaging for charged. This should be contained in the agreement. with South African labour legislation. It is recommended that no construction workers, excepermitted to stay over-night on the site. 	arm infrastructu All dismissals n	ure are dismissed and must be in accordance

Increased Risk of Grass Fires

The presence of construction workers and construction-related activities on the site poses an increased risk of grass fires that could, in turn pose, a threat to livestock, crops, wildlife and farm infrastructure. The potential risk of grass fires will be higher during the dry, windy winter months from May to October.

IMPACT NATURE	Fire damage			STATUS	LOW NEGATIVE			
Impact Description	Potential loss of livestock, crops and houses, damage to farm infrastructure and threat to human life associated with increased incidence of grass fires							
Impact Source(s)		Construction and decommissioning activities						
Receptor(s)	Local and regional community	CCORE	14/1 7 11 8 417	TICATION	CCORE			
PARAMETER	WITHOUT MITIGATION	SCORE		TIGATION	SCORE			
EXTENT (A)	Preferred Alternative:	4		Alternative:	2			
	No-Go Alternative:	0	No-Go Alt		0			
DURATION (B)	Preferred Alternative:	2	Preferred	Alternative:	2			
	No-Go Alternative:	0	No-Go Alt	ternative:	0			
PROBABILITY (C)	Preferred Alternative:	3	Preferred	Alternative:	3			
PROBABILITY (C)	No-Go Alternative:	0	No-Go Alt	ternative:	0			
INTENSITY OR	Preferred Alternative:	-6	Preferred	Alternative:	-4			
MAGNITUDE (D)	No-Go Alternative:	0	No-Go Alternative: 0		0			
SIGNIFICANCE RATING	Preferred Alternative:	36	Preferred	Alternative:	24			
(F) = (A*B*D)*C	No-Go Alternative:	0	No-Go Alt	ternative:	0			
Reversibility	Yes, compensation paid for sto	ck and crop loss	es etc.		·			
CUMULATIVE IMPACTS	This impact is direct and consid	dered temporary	,					
RESIDUAL IMPACTS	No, provided losses are compe	nsated for.						
CONFIDENCE	Low							
CAN IMPACT BE MITIGATED	Yes							
MITIGATION MEASURES	 Contractor should ensure that open fires on the site for cooking or heating are not allowed except in designated areas. Smoking on site should be confined to designated areas. Contractor should ensure that construction related activities that pose a potential fire risk, such as welding, are properly managed and are confined to areas where the risk of fires has been reduced. Measures to reduce the risk of fires include avoiding working in high wind conditions when the risk of fires is greater. In this regard special care should be taken during the high-risk dry, windy winter months. 							



IMPACT NATURE	Fire damage	STATUS	LOW NEGATIVE
	 Contractor should provide adequate fire-fighting of fighting vehicle. Contractor should provide fire-fighting training to seld No construction staff, except for security staff, to be at As per the conditions of the agreement, in the advent workers and or construction activities, the appoint farmers for any damage caused to their farms. The confire-fighting costs borne by farmers and local authority 	ected construction commodated of a fire being contractor should ntractor should	ion staff. on site overnight. aused by construction rs must compensate

Nuisance Impacts

Construction related activities, including the movement of heavy construction vehicles of and on the site, has the potential to create dust, noise and safety impacts and damage roads. The impacts will be largely local and can be effectively mitigated. The number of potentially sensitive social receptors, such as farmsteads, will also be low due to the sparse settlement patterns and small number of farmsteads in the area.

IMPACT NATURE	Nuisance impacts			STATUS	LOW NI	EGATIVE	
Impact Description	Potential noise, dust and safety impacts associated with construction related activities						
Impact Source(s)	Construction and decommissioning activities						
Receptor(s)	Local and regional community						
PARAMETER	WITHOUT MITIGATION	SCORE	WITH MI	TIGATION	SC	ORE	
EXTENT (A)	Preferred Alternative:	2	Preferred	d Alternative:	1		
EXTERT (A)	No-Go Alternative:	0	No-Go Al	ternative:	0		
DURATION (B)	Preferred Alternative:	2	Preferred	d Alternative:	2		
DONATION (B)	No-Go Alternative:	0	No-Go Al	ternative:	0		
DDODADILITY (C)	Preferred Alternative:	3	Preferred	l Alternative:	3		
PROBABILITY (C)	No-Go Alternative:	0	No-Go Al	ternative:	0		
INTENSITY OR	Preferred Alternative:	-6	Preferred	Preferred Alternative:			
MAGNITUDE (D)	No-Go Alternative:	0	No-Go Alternative: 0				
SIGNIFICANCE RATING	Preferred Alternative:	-30	Preferred Alternative:		-1	5	
(F) = (A*B*D)*C	No-Go Alternative:	0	No-Go Al	ternative:	0		
Reversibility	Yes, compensation paid for stoo	ck and crop losse	es etc.				
CUMULATIVE IMPACTS	This impact is direct and consid	ered temporary					
RESIDUAL IMPACTS	If damage to local farm roads is not repaired then this will affect the farming activities in the area and result in higher maintenance costs for vehicles of local farmers and other road users. The costs will be borne by road users who were no responsible for the damage.						
CONFIDENCE	HIGH						
CAN IMPACT BE MITIGATED	Yes						
MITIGATION MEASURES	The potential impacts associated with heavy vehicles can be effectively mitigated. The mitigation measures include: • The movement of construction vehicles on the site should be confined to agreed access road/s.						



IMPACT NATURE	Nuisance impacts STATUS LOW NEGATIVE
	 Establishment of a Grievance Mechanism that provides local farmers and other road users with an effective and efficient mechanism to address issues related to construction related impacts, including damage to local gravel farm roads. The movement of heavy vehicles associated with the construction phase should be timed to avoid times days of the week, such as weekends, when the volume of traffic travelling along the access roads may be higher.
	 Establishment of a Grievance Mechanism that provides local farmers and other road users with an effective and efficient mechanism to address issues related to construction related impacts, including damage to local gravel farm roads.
	 Dust suppression measures should be implemented, such as wetting on a regular basis and ensuring that vehicles used to transport sand and building materials are fitted with tarpaulins or covers.
	 All vehicles must be road worthy, and drivers must be qualified and made aware of the potential road safety issues and need for strict speed limits.

Impacts Associated with Loss of Farmland

The activities associated with the construction phase and establishment of the proposed project and associated infrastructure will result in the disturbance and loss of land available for grazing. The impact on farmland associated with the construction phase can be mitigated by minimising the footprint of the construction related activities and ensuring that disturbed areas are fully rehabilitated on completion of the construction phase.

IMPACT NATURE	Loss of farmland			STATUS	LOW NEGATIVE	
Impact Description	The activities associated with the construction phase, such as establishment of access roads and the construction camp, movement of heavy vehicles and preparation of foundations for the project etc. will damage farmlands and result in a loss of farmlands for grazing.					
Impact Source(s)	Construction and decommissio	ning activities				
Receptor(s)	Local and regional community					
PARAMETER	WITHOUT MITIGATION	SCORE	WITH MI	TIGATION	SCORE	
EXTENT (A)	Preferred Alternative:	1	Preferred	d Alternative:	1	
EXTENT (A)	No-Go Alternative:	0	No-Go Al	ternative:	0	
DURATION (B)	Preferred Alternative:	5	Preferred	d Alternative:	2	
DURATION (B)	No-Go Alternative:	0	No-Go Al	ternative:	0	
DDODARILITY (C)	Preferred Alternative:	3	Preferred Alternative:		4	
PROBABILITY (C)	No-Go Alternative:	0	No-Go Alternative:		0	
INTENSITY OR	Preferred Alternative:	6	Preferred	d Alternative:	2	
MAGNITUDE (D)	No-Go Alternative:	0	No-Go Al	ternative:	0	
SIGNIFICANCE RATING	Preferred Alternative:	-36	Preferred	d Alternative:	-20	
(F) = (A*B*D)*C	No-Go Alternative:	0	No-Go Al	ternative:	0	
Reversibility	Yes, disturbed areas can be reh	Yes, disturbed areas can be rehabilitated				
CUMULATIVE IMPACTS	This impact is direct and considered temporary					
RESIDUAL IMPACTS	Overall loss of farmland could affect the livelihoods of the affected farmers, their families, and the workers on the farms and their families. However, disturbed areas can be rehabilitated.					
CONFIDENCE	HIGH					



IMPACT NATURE	Loss of farmland	STATUS	LOW NEGATIVE
CAN IMPACT BE MITIGATED	Yes		
MITIGATION MEASURES	 The potential impacts associated with damage to, and mitigated. The aspects that should be covered include: An Environmental Control Officer (ECO) should be apphase. Existing internal roads should be used where possible roads should be rehabilitated on completion of the control of	pointed to more le. If new road onstruction phat activities (acce s, such as acce e end of the co should be incl pecifications for	nitor the construction s are required, these se. ss roads, construction ss roads on the site, nstruction phase. uded in the terms of or the rehabilitation

24.2.11 Potential Traffic Impacts

Increased traffic volumes

IMPACT NATURE	Increase in traffic volumes of network as a result of constru	STATUS	LOW NEGATIVE			
Impact Description	During the construction phase road network that will impact			n traffic volume	es on the surrounding	
Impact Source(s)	Construction activities					
Receptor(s)	General public/Road users					
PARAMETER	WITHOUT MITIGATION	SCORE	WITH MI	TIGATION	SCORE	
EVTENT (A)	Preferred Alternative:	1	Preferred	d Alternative:	1	
EXTENT (A)	No-Go Alternative:	1	No-Go Al	ternative:	1	
DUDATION (D)	Preferred Alternative:	1	Preferred	d Alternative:	1	
DURATION (B)	No-Go Alternative:	1	No-Go Al	No-Go Alternative:		
DDODADU ITV (C)	Preferred Alternative:	3	Preferred Alternative:		2	
PROBABILITY (C)	No-Go Alternative:	3	No-Go Al	ternative:	2	
INTENSITY OR	Preferred Alternative:	-1	Preferred	d Alternative:	-1	
MAGNITUDE (D)	No-Go Alternative:	-1	No-Go Al	ternative:	-1	
SIGNIFICANCE RATING	Preferred Alternative:	-3	Preferred	l Alternative:	-2	
(F) = (A*B*D)*C	No-Go Alternative:	-3	No-Go Al	ternative:	-2	
CUMULATIVE IMPACTS	This impact is direct and considered temporary					
CONFIDENCE	HIGH					
MITIGATION MEASURES	 Construction traffic should not be allowed on the public road network during the typical weekday a.m. and p.m. peak hours in built up areas. These measures will be included in the Traffic Management Plan 					



Impacts of truck traffic

IMPACT NATURE	Gravel loss and possible damages a result of additional to			LOW NEGATIVE		
Impact Description	During the construction phase there will be gravel loss and possible damage to the road layer works along Windpoort Road as a result of additional truck traffic and heavy load truck traffic delivering equipment to the site.					
Impact Source(s)	Construction activities					
Receptor(s)	General public/Road users					
PARAMETER	WITHOUT MITIGATION	SCORE	WITH MITIGATION	SCORE		
EVIENT (A)	Preferred Alternative:	1	Preferred Alternative:	1		
EXTENT (A)	No-Go Alternative:	1	No-Go Alternative:	1		
DUDATION (D)	Preferred Alternative:	1	Preferred Alternative:	1		
DURATION (B)	No-Go Alternative:	1	No-Go Alternative:	1		
DD OD ADULTY (C)	Preferred Alternative:	3	Preferred Alternative:	2		
PROBABILITY (C)	No-Go Alternative:	3	No-Go Alternative:	2		
INTENSITY OR	Preferred Alternative:	-2	Preferred Alternative:	-1		
MAGNITUDE (D)	No-Go Alternative:	-2	No-Go Alternative:	-1		
SIGNIFICANCE RATING	Preferred Alternative:	-6	Preferred Alternative:	-2		
(F) = (A*B*D)*C	No-Go Alternative:	-6	No-Go Alternative:	-2		
CUMULATIVE IMPACTS	This impact is direct and considered temporary					
CONFIDENCE	HIGH					
MITIGATION MEASURES	 Resurfacing of sections along Windpoort Road, where required and regular road maintenance i.e. grading of the road once every two weeks during the construction phase. The road can also be sprayed with water (grey water if available) once a day to limit dust pollution and gravel loss. 					

24.2.12 Potential Visual Impacts

Based on the available information and the visual impact scoping report, it is reasonable to suggest that the following visual impacts are likely to be prevalent during the construction phase of this Project.

The visual impact scoping report has identified the following potential visual impacts associated with the construction phase:

- Development activities such as vegetation clearing, vehicular movement, rubble dumping, and associated construction will lead to changes in the landscape character and sense of place, visual exposure and visibility;
- Excavation activities related to the development of foundations for the substations and solar panels, resulting in dust generation, leading to visual exposure and visibility.



IMPACT NATURE	Potential impact on the overall landscape, visual intrusion and exposure of the landscape			STATUS	LOW NEGATIVE
Impact Description	* Removal of vegetation leading to potential visual contrast, loss of visual intrusion on sensitive receptors. * Alteration of natural features, resulting in potential loss or alterations of natural vegetation (upper Karoo), leading to loss of visual quality and visual exposure.				
Impact Source(s)	Construction phase activities				
Receptor(s)	Farmhouses within 5 km of Soy	uz Solar Park 1 an	nd the Riet	poort Guest Ho	use
PARAMETER	WITHOUT MITIGATION	SCORE	WITH MIT	TIGATION	SCORE
EXTENT (A)	Preferred Alternative:	1	Preferred Alternative:		1
	No-Go Alternative:	1	No-Go Alternative: 1		
DURATION (B)	Preferred Alternative:	1	Preferred Alternative:		1
	No-Go Alternative:	3	No-Go Alternative:		3
PROBABILITY (C) INTENSITY OR MAGNITUDE (D)	Preferred Alternative:	2	Preferred Alternative:		1
	No-Go Alternative:	23	No-Go Alternative:		2
	Preferred Alternative:	-2	Preferred	Alternative:	-1
	No-Go Alternative:	1	No-Go Alt		1
	Preferred Alternative:	-4		Alternative:	-1
SIGNIFICANCE RATING (F) = (A*B*D)*C	No-Go Alternative:	6	No-Go Alt		6
CUMULATIVE IMPACTS	renewable energy projects within a 50 km radius, as well as any future renewable energy facilities (wind and solar facilities) in the area, must be considered. Renewable energy facilities have the potential to cause large scale visual impacts and the location of several such developments in close proximity to each other could significantly alter the sense of place and visual character in the broader region. With the Britstown Cluster PVs situated so far apart, the cumulative impact is considered sequential. Furthermore, with the very low viewer incidence, the cumulative visual impacted is expected to be of low significance.				
CONFIDENCE	Medium				
MITIGATION MEASURES	 All construction areas must be kept in a neat and orderly condition at all times; Construction boundaries should be clearly demarcated to minimise areas of surface disturbance; Site offices and temporary structures should be limited to single storey and situated at such a location so as to reduce visual intrusion; Any areas for temporary material storage and other potentially intrusive activities must be screened from view as far as possible; An efficient removal system of waste and rubble must be ensured during the construction phase; The duration of the construction phase should be reduced as far as possible through careful planning, to reduce the exposure of bare ground; The development footprint and disturbed areas associated with the construction phase of the project should be kept as small as possible, with as little indigenous vegetation being cleared as possible; The height of any temporary structures such as soil stockpiles should be kept as low as possible; Excavation and earthmoving activities are to be kept to a minimum and limited to foundation areas for substations and support structures of the PV panels; Direct loss of or damage to valuable natural visual resources such as the freshwater ecosystems in the area should be actively avoided; As far as possible, existing roads are to be utilised for construction and maintenance purpose, to limit cumulative impacts from roads, as well as to limit the extent of the vegetation cleared for the purpose of the project; 				



IMPACT NATURE	Potential impact on the overall landscape, visual intrusion and exposure of the landscape	STATUS	LOW NEGATIVE
	 A transparent fence, such as a clear VU fence or eq colour and located as close as possible around the visibility and ensure that it is visually pleasing to obse. Erosion, which may lead to high levels of visual the visual environment, must be prevented througe means of putting soil stabilisation measures in preconcurrent rehabilitation; During the construction phase all dirt and access road vegetation for construction purposes will require regular watering; Internal access roads must be suitably maintained to reduce the dust accumulation on the solar PV parallel cleaning thereof, it is recommended that the international vehicles speed is recommended: 40km/h for normal vehicles Concurrent/ progressive rehabilitation of temporary and revegetation, must be implemented as soon as protects the soil surface against erosion and instabilional indigenous and locally occurring plant species selected taking quick growth rates into consideration prevent soil erosion; and 	SOLAR PV PAR ervers; contrast and f shout the lifeting place where red ds, as well as one effective dust a limit erosion and in roads be surfate to limit dust created and 30km/h for the cleared areas, possible; should be left ty; ed for use in re-	wrther detract from the of the project by quired and through ther areas cleared of suppression such as and dust pollution. To the the more regular aced; the the more regular ready vehicles; including reshaping this in a condition that avegetation should be

Visual Impacts of Night-time Lighting

IMPACT NATURE	Potential impact of night-ti environment	STATUS	LOW NEGATIVE					
Impact Description	workshop/store and plant a * Night-time security lighting	* Night time security lighting at the temporary construction camps, office area, workshop/store and plant area impacting the sensitive receptors in the area; * Night-time security lighting at the BESS, O&M Buildings and substation; and *Additional lighting that may be required during decommissioning phase.						
Impact Source(s)	Light sources either tempora							
Receptor(s)	Farmhouses within 5 km of S	oyuz Solar Park	1 and the Rie	tpoort Guest F	louse			
PARAMETER	WITHOUT MITIGATION	SCORE	WITH M	ITIGATION	SCORE			
EXTENT (A)	Preferred Alternative:	1	Preferre	d Alternative:	1			
EXTENT (A)	No-Go Alternative:	1	No-Go A	lternative:	1			
DURATION (B)	Preferred Alternative:	1	Preferre	d Alternative:	1			
DURATION (B)	No-Go Alternative:	3	No-Go A	lternative:	3			
PROBABILITY (C)	Preferred Alternative:	2	Preferre	d Alternative:	1			
PROBABILITY (C)	No-Go Alternative:	2	No-Go A	Iternative:	2			
INTENSITY OR	Preferred Alternative:	-2	Preferre	d Alternative:	-1			
MAGNITUDE (D)	No-Go Alternative:	1	No-Go A	lternative:	1			
SIGNIFICANCE RATING	Preferred Alternative:	-4	Preferre	d Alternative:	-1			
(F) = (A*B*D)*C	No-Go Alternative:	6	No-Go A	lternative:	6			
CUMULATIVE IMPACTS	Cumulative visual impacts resulting from landscape modifications as a result of the proposed project in conjunction Soyuz 2 – 6 Solar PV Parks and the eleven approved applications of renewable energy projects within a 50 km radius, as well as any future renewable energy facilities (wind and solar facilities) in the area, must be considered. Renewable energy facilities							



	Potential impac	t of night-time lighting on the visual		LOW				
IMPACT NATURE	environment		STATUS	NEGATIVE				
	developments in visual character the cumulative incidence, the cumulative i as combined impof the larger regother future projection.	have the potential to cause large scale visual impacts and the location of several such developments in close proximity to each other could significantly alter the sense of place and visual character in the broader region. With the Britstown Cluster PVs situated so far apart, the cumulative impact is considered sequential. Furthermore, with the very low viewer incidence, the cumulative visual impacted is expected to be of low significance. The cumulative impact of additional traffic in the area on the local and regional roads as well as combined impacts from night-time lighting of the substations will affect the sense of place of the larger region. No cumulative impacts are anticipated from the proposed project and other future projects in the area which are of unacceptably high significance.						
CONFIDENCE	Medium							
MITIGATION MEASURES	to limit the n of additional Night lightin should be n requirement • Where s	eed of bright floodlighting and the poter night- time lighting for security purpose g of construction sites and camps, the inimised as far as possible, taking int is a certain level of lighting may be necestly ecurity lighting is used during the construction management measures should be Making use of motion detectors on second O&M Building, ensures that the suntil lighting is required for security and Placement of lights should consider thand as far as possible be screened from The use of high light masts and high avoided. Any high lighting masts should Up-lighting of structures must be addownward angles that provide precise immediate surroundings of the infrastructures spill and trespass; Care should be taken when selecting lounits are chosen and that their location minimum; Minimum wattage light fixtures should the considered to reduce skyglo should be considered to reduce skyglo	ntial for skyglowers; BESS, substation of consideration of consideration of samplemented: urity lighting, at site will remain and maintenance be location of sure in view; pole top securify does not consided, with early directed illustructure, thereby aminaries to easing will reduce spould be used, light's purpose; yellow LED lightiges.	n and to avoid the use n and O&M Building that due to safety and operational phase, the substation, BESS in relative darkness, purposes; purrounding receptors ty lighting should be reduce glow; lighting installed at mination beyond the minimising the light sure that appropriate ill light and glare to a with the minimum				

Potential Waste Management Impacts

Potential waste impacts as a result from improper waste management practices on site during the construction of the Soyuz 1 Solar PV Park. Based on the available information it is reasonable to suggest that the impact will potentially have a **low negative** impact provided waste management plan is designed and costed for before construction starts.

IMPACT NATURE	Waste management impacts	STATUS	LOW NEGATIVE
Impact Description	Potential waste impacts due to the construction. The construction wastes at large volumes that cannot be accoming regional. This could result in illegal disposal or treatment negatively on the local and regional environment.	modated for b	y the local or



IMPACT NATURE	Waste management impacts	STATUS	LOW NEGATIVE					
Impact Source(s)	Construction phase – packagii	onstruction phase – packaging waste						
Receptor(s)	Local and regional waste man	agement facilit	ties					
PARAMETER	WITHOUT MITIGATION	SCORE	WITH MITIG	ATION	SCORE			
EXTENT (A)	Preferred Alternative:	3	Preferred Al	ternative:	3			
EXTENT (A)	No-Go Alternative:	0	No-Go Alteri	native:	0			
DUBATION (B)	Preferred Alternative:	4	Preferred Al	ternative:	4			
DURATION (B)	No-Go Alternative:	0	No-Go Alteri	native:	0			
DDODARILITY (C)	Preferred Alternative:	4	Preferred Alt	ternative:	1			
PROBABILITY (C)	No-Go Alternative:	0	No-Go Alteri	native:	0			
INTENSITY OR	Preferred Alternative:	-3	Preferred Al	Preferred Alternative:				
MAGNITUDE (D)	No-Go Alternative:	0	No-Go Alteri	No-Go Alternative:				
SIGNIFICANCE RATING (F)	Preferred Alternative:	-144	Preferred Alt	Preferred Alternative:				
= (A*B*D)*C	No-Go Alternative:	0	No-Go Alteri	native:	0			
CUMULATIVE IMPACTS	This impact could be cumulati	ve.						
CONFIDENCE	Medium	Medium						
MITIGATION MEASURES	waste types to be generated a	Develop a detailed construction phase waste management plan that identifies all potential waste types to be generated and how they will be handled including the reuse, recycle before disposal. Ensure that the cost of handling waste is included into the tender requirements for the construction phase.;						

24.3 POTENTIAL OPERATIONS IMPACTS

24.3.1 Potential Avifaunal Impacts

Many of the potential avifauna impacts are associated with the completed facility structures and their location in association to sensitive landscapes. Addressing these potential impacts is undertaken during the design phase and these impacts are therefore assessed in the construction phase as all design requirements to mitigate against impacts should be finalised prior to construction.

Sensory Disturbance

Security lighting is an essential part of solar PV facilities. Security lighting can affect crepuscular and nocturnal behaviour of birds and may also affect nesting and feeding patterns or potential. Security lighting may cause certain species to relocate to alternative territories. In addition, lighting can blind some species to overhead structures and increase collisions with these structures at night.

IMPACT NATURE	Sensory disturbance	STATUS	NEGATIVE				
Impact Description	Sensory disturbance because collisions and mortality.	Sensory disturbance because of night-time security lighting and increase in potential collisions and mortality.					
Impact Source(s)	Night-time lighting						
Receptor(s)	Primarily crepuscular and noctu	urnal species					
PARAMETER	WITHOUT MITIGATION	SCORE	WITH MITIGATION SCOR		SCORE		
EXTENT (A)	Preferred Alternative:		Preferred Alternative:				
EXTENT (A)	No-Go Alternative:		No-Go Alternative:				
DUBATION (P)	Preferred Alternative:		Preferred	l Alternative:			
DURATION (B)	No-Go Alternative:		No-Go Alternative:				



IMPACT NATURE	Sensory disturbance		STATUS	NEGATIVE		
DDODARII ITV (C)	Preferred Alternative:	Preferred	d Alternative:			
PROBABILITY (C)	No-Go Alternative:	No-Go Al	Iternative:			
INTENSITY OR	Preferred Alternative:	Preferred	d Alternative:			
MAGNITUDE (D)	No-Go Alternative:	No-Go Al	No-Go Alternative:			
SIGNIFICANCE RATING	Preferred Alternative:	Preferred	Preferred Alternative:			
(F) = (A*B*D)*C	No-Go Alternative:	No-Go Al	Iternative:			
CUMULATIVE IMPACTS	This impact could be cumulative.	This impact could be cumulative.				
CONFIDENCE	High					
MITIGATION MEASURES	Minimise light pollution and fit external lighting with downward facing hoods.					

Chemical Use

The surfactants and/or dust suppressants and other chemicals that may be used to keep the PV panels clean may cause poisoning and or exacerbate habitat loss. However if the storage and use of these chemicals is properly controlled, the potential negative impact will be Low.

IMPACT NATURE	Ecotoxicity			STATUS	LOW	NEGATIVE	
Impact Description		The surfactants, dust suppressants and other chemicals that may be used to keep the PV panels clean may cause poisoning and or exacerbate habitat loss.					
Impact Source(s)	Chemicals.						
Receptor(s)	All avifauna						
PARAMETER	WITHOUT MITIGATION	SCORE	WITH MI	TIGATION	S	CORE	
EXTENT (A)	Preferred Alternative:	2	Preferred	d Alternative:		1	
EXTENT (A)	No-Go Alternative:	2	No-Go Al	ternative:		2	
DURATION (B)	Preferred Alternative:	3	Preferred	d Alternative:		3	
DURATION (B)	No-Go Alternative:	4	No-Go Alternative:			4	
DDODADILITY (C)	Preferred Alternative:	2	Preferred Alternative:			1	
PROBABILITY (C)	No-Go Alternative:	4	No-Go Al	ternative:		4	
INTENSITY OR	Preferred Alternative:	-2	Preferred Alternative:			-1	
MAGNITUDE (D)	No-Go Alternative:	+2	No-Go Al	ternative:		+2	
SIGNIFICANCE RATING	Preferred Alternative:	-24	Preferred Alternative:			-3	
(F) = (A*B*D)*C	No-Go Alternative:	64	No-Go Al	ternative:		64	
CUMULATIVE IMPACTS	The regular use of cleaning detergents by a large number of SOLAR PV PARKs in a region has the potential to adversely affect water quality of watercourses. The extent, regularity and intensity of this impact on a regional level in such an arid environment is difficult to assess and impacts of this nature from solar developments on avifauna are poorly studied. However, given the very limited occurrence of wetlands and drainage areas throughout the region as a whole, this is unlikely to be a major concern.						
CONFIDENCE	Medium						
MITIGATION MEASURES	 Avoid or minimise the us Where necessary ensure through runoff; Do not clean before an in 	that none of the	e cleaning v				



24.3.2 Potential Faunal Biodiversity Impacts

Loss of Faunal Habitat and Species Diversity

IMPACT NA	TURE	Impact -	- Loss of faunal habitat and po	tential species diversity		STATUS	LOW NEGATIVE
The most intense impact will occur with keeping the herbaceous material at a low height below the PV panels as activities for the proposed Soyuz 1 Solar PV Park, which will lead to faunal habitat loss. Potential ineffective rehabitation areas leading to vegetation succession and a possible reduction of faunal diversity over the long-term. Poorly in Management programme leading to the reintroduction and proliferation of AIP species within the proposed Soyuz Potential poor management and failure to monitor rehabilitation efforts, leading to: Output Landscapes being left fragmented, resulting in reduced migration capabilities of faunal species, isolated decrease in faunal diversity; Increased storm water run-off; Compacted soils limiting the re-establishment of natural vegetation; and Increased risk of erosion in areas left disturbed.					stential ineffective rehabilitati r the long-term. Poorly imple ithin the proposed Soyuz 1 So	on of exposed and impacted emented and monitored AIP olar PV Park and access road.	
 Increased risk of faunal collisions with vehicles; Altered species movement patterns and habitat utilisation in the local area; Uncontrolled cutting of vegetation below the PV panels; Long term impacts to faunal species assemblages of the footprint area, including lost opportunity to re-establish a semblance of fau and species activity in unison with the operation of the solar facility; Possible increased fire frequency during operational and maintenance activities; and Proliferation of AIP species that colonise disturbed areas. 					semblance of faunal habitat		
Habitat Unit	Driver / Act	ivity	PARAMETER	WITHOUT MITIGATION	SCORE	WITH MITIGATION	SCORE
	PV facility	and	EXTENT (A)	Preferred Alternative:	2	Preferred Alternative:	1
Upper Karoo	associate		DURATION (B)	Preferred Alternative:	3	Preferred Alternative:	3
Habitat	infrastruct	ure	PROBABILITY (C)	Preferred Alternative:	4	Preferred Alternative:	3
			INTENSITY OR MAGNITUDE (D)	Preferred Alternative:	-3	Preferred Alternative:	-2
			SIGNIFICANCE RATING (F) = (A*B*D)*C	Preferred Alternative:	(-) Medium	Preferred Alternative:	(-) Low
EXTENT (A) Preferred Alternative: 2 Preferred Alternative:						1	
Upper Karoo			DURATION (B)	Preferred Alternative:	3	Preferred Alternative:	3
Habitat &	Access roa	nd	PROBABILITY (C)	Preferred Alternative:	4	Preferred Alternative:	3



Modified Karoo Footslope		INTENSITY OR MAGNITUDE (D)	Preferred Alternative:	-2	Preferred Alternative:	-2
		SIGNIFICANCE RATING (F) = (A*B*D)*C	Preferred Alternative:	(-) Medium	Preferred Alternative:	(-) Low
		EXTENT (A)	Preferred Alternative:	2	Preferred Alternative:	1
Freshwater		DURATION (B)	Preferred Alternative:	3	Preferred Alternative:	3
Ecosystem	Access road	PROBABILITY (C)	Preferred Alternative:	4	Preferred Alternative:	3
Habitat		INTENSITY OR MAGNITUDE (D)	Preferred Alternative:	-2	Preferred Alternative:	-2
		SIGNIFICANCE RATING (F) = (A*B*D)*C	Preferred Alternative:	(-) Medium	Preferred Alternative:	(-) Low
CUMULAT	IVE IMPACTS	energy facilities (wind and sol or have been withdrawn and energy facilities, which may a extent and vegetation regrow	ar) within a 50 km radius of th six is still in the process. This Iter the landscape character. N vth will still provide habitat fo	e Soyuz 1 Solar PV Par indicates that the larg /egetation clearing du r common faunal spec	EEA, 2021) there are eighteen rk, of which thirteen have been ter region has been earmarked e to Soyuz 1 Solar PV Park will cies and no significant faunal has diate area surrounding the Soyu	approved, three has lapsed for a number of renewable be at a local abitat loss will present on a
CON	IFIDENCE	High				
MITIGATION MEASURES * All vehicles should be restricted to travelling only on designated roadways to limit the ecological footprint of the develop activities; * No hunting/trapping or collecting of faunal species is allowed; * Lights should face downwards to reduce the abundance of insects and any other fauna attracted to light. Invertebrates measure to the project areas and may increase bat collisions or electrocutions. Furthermore, increased lighting will impose uponights darkness altering invertebrate movement. Lights should not be LED or white light; * Ongoing alien and invasive plant monitoring and clearing/control should take place throughout the operational phase, and project perimeters should be regularly checked for AlP establishment to prevent spread into surrounding natural areas we alter the suitability of the habitat to faunal species; * Alien vegetation that is removed must not be allowed to lay on unprotected ground as seeds might disperse upon it. All collaboration plant material to be disposed of at a licensed waste facility, which comply with legal standards; * No illicit fires must be allowed; * Where bare soils are left exposed as a result of construction activities, they should be immediately rehabilitated. Rehability efforts should continue to be monitored throughout the operational phase, until natural processes will allow the ecologic functioning and biodiversity of the area to be re-instated; * Rehabilitation must proceed in accordance with the approved rehabilitation plan and must aim to achieve more than rehabit must ensure that the veld is restored, at least, to a point where natural processes can re-instate the environment to has the majority of the elements of biodiversity can be re-instated and supported; * Preserve, enhance, restore or replace faunal movement corridors and habitat, important the freshwater ecosystem habitated generated to the process of faunal SCC outside on the process of faunal SCC outside on the process of faunal SCC outside on the process of faunal S					vertebrates may attract will impose upon the nal phase, and the atural areas which may e upon it. All cleared ated. Rehabilitated w the ecological more than rehabilitation vironment to a state that system habitat;	



	 proposed project footprint area. An on-site Environmental Control Officer (ECO) should monitor and mitigate any edge effects throughout the life of the operation; No additional habitat is to be disturbed outside of the approved footprints areas. Bi-annual (minimum requirement) monitoring and recording of the footprint areas must be done during the operational and maintenance phase by the ECO and photographic records kept – special attention should also be paid to potential increase and spread of AIPs; Rehabilitation should only cease once a suitably qualified team of ecologists sign off that the rehabilitation and restoration is adequate; and It is recommended that vegetation regrowth during the Operational and Maintenance Phases must be promoted while appropriately maintained so as not to create a safety or production risk, as this will create habitat for faunal species and will aid in preventing soil erosion.
--	---

Loss of Faunal Species of Conservation Concern

IMPACT	NATURE	Impact	– Loss of faunal SCC			STATUS	LOW NEGATIVE	
Impact De	escription	The most significant impact will occur with keeping the herbaceous material at a low height below the PV panels as part of the ongoing maintenance activities for the proposed Soyuz 1 Solar PV Park, which will lead to faunal SCC habitat loss. Potential ineffective rehabilitation of exposed and impacted areas leading to vegetation succession and a possible reduction of faunal SCC habitat over the long-term. Poorly implemented and monitored AIP Management programme leading to the reintroduction and proliferation of AIP species within the proposed Soyuz 1 Solar PV Park and access road. Potential poor management and failure to monitor rehabilitation efforts, leading to: Landscapes being left fragmented, resulting in reduced migration capabilities of faunal SCC species, isolation of faunal SCC populations; Increased storm water run-off; Compacted soils limiting the re-establishment of natural vegetation; and Increased risk of erosion in areas left disturbed. 						
Impact So	 Impact Source(s) Altered faunal SCC movement patterns and habitat utilisation in the local area; Long term impacts to faunal SCC of the footprint area, including lost opportunity to re-establish a semblance of faunal SCC habitat and species activity in unison with the operation of the solar facility; and Possible increased fire frequency during operational and maintenance activities; and Proliferation of AIP species that colonise disturbed areas. 							
Habitat Unit	Driver / Activ	/itv	PARAMETER	WITHOUT MITIGATION	SCORE	MUTU MITICATION	CCORE	
			EXTENT (A)	Preferred Alternative:	SCORE 2	WITH MITIGATION Preferred Alternative:	SCORE 1	
			DURATION (B)	Preferred Alternative:	3	Preferred Alternative:	3	
	PV facility and		PROBABILITY (C)	Preferred Alternative:	4	Preferred Alternative:	3	



Upper Karoo Habitat	associated infrastructure	INTENSITY OR MAGNITUDE (D)	Preferred Alternative:	-3	Preferred Alternative:	-2
		SIGNIFICANCE RATING (F) = (A*B*D)*C	Preferred Alternative:	(-) Medium	Preferred Alternative:	(-) Low
		EXTENT (A)	Preferred Alternative:	2	Preferred Alternative:	1
Upper Karoo Habitat &	Access road	DURATION (B)	Preferred Alternative:	3	Preferred Alternative:	3
Modified Karoo Footslope	Access road	PROBABILITY (C)	Preferred Alternative:	4	Preferred Alternative:	3
		INTENSITY OR MAGNITUDE (D)	Preferred Alternative:	-2	Preferred Alternative:	-2
		SIGNIFICANCE RATING (F) = (A*B*D)*C	Preferred Alternative:	(-) Medium	Preferred Alternative:	(-) Low
		EXTENT (A)	Preferred Alternative:	2	Preferred Alternative:	1
		DURATION (B)	Preferred Alternative:	3	Preferred Alternative:	3
Freshwater		PROBABILITY (C)	Preferred Alternative:	4	Preferred Alternative:	3
Ecosystem Habitat	Access road	INTENSITY OR MAGNITUDE (D)	Preferred Alternative:	-3	Preferred Alternative:	-2
		SIGNIFICANCE RATING (F) = (A*B*D)*C	Preferred Alternative:	(-) High	Preferred Alternative:	(-) Low
	TIVE IMPACTS	energy facilities (wind and so or have been withdrawn and facilities, which may alter the extent and vegetation regrow	lar) within a 50 km radius of th six is still in the process. This ir e landscape character. Vegetal vth will still provide habitat for	e Soyuz 1 Solar PV Pa ndicates that the large tion clearing due to S faunal SCC and no sig	EEA, 2021) there are eighteen rk, of which thirteen have been er region has been earmarked fo oyuz 1 Solar PV Park will be at a nificant faunal SCC habitat loss vea surrounding the Soyuz 1 Sola	approved, three has lapsed r several renewable energy local vill be present on a regional
CONFIDENCE High						
phase, and the prareas which may Alien vegetation to plant material to All footprints sho			perimeters should be regular the suitability of the habitat to s removed must not be allowe sposed of at a licensed waste	ly checked for AIP est o faunal species; ed to lay on unprotect facility, which comply r pre-development co	cake place throughout the opera cablishment to prevent spread in ed ground as seeds might dispe of with legal standards; conditions as possible, with indig	nto surrounding natural



•	No collection or hunting of any fauna species is to be allowed by personnel, especially with regards to faunal SCC (if encountered and not part of a rescue/relocation plan);
•	Edge effect control needs to be implemented to prevent further degradation and potential loss of faunal SCC habitat outside of the proposed development footprint;
•	Where bare soils are left exposed as a result of construction activities, they should be immediately rehabilitated. Rehabilitated efforts should continue to be monitored throughout the operational phase, until natural processes will allow the ecological functioning and biodiversity of the area to be re-instated;
•	Rehabilitation must proceed in accordance with the approved rehabilitation plan and must aim to achieve more than rehabilitation but must ensure that the veld is restored, at least, to a point where natural processes can re-instate the environment to a state that has the majority of the elements of biodiversity can be re-instated and supported; Rehabilitation efforts must be implemented for a period of at least five years after decommissioning and closure;
•	It is recommended that vegetation regrowth during the Operational and Maintenance Phases must be promoted while appropriately maintained so as not to create a safety or production risk, as this will create habitat for faunal SCC and will aid in preventing soil erosion.

24.3.3 Potential Floral Biodiversity Impacts Loss of Floral Habitat and Diversity

IMPACT NA	TURE	Impact – Loss of floral habitat and pote	ential species diversity		STATUS	LOW NEGATIVE	
Impact Desc	The most intense impact will occur with keeping the herbaceous material at a low height below the PV panels as part of the ongoing mai activities for the proposed Soyuz 1 Solar PV Park, which will lead to floral habitat loss. Potential ineffective rehabilitation of exposed and areas leading to vegetation succession and a possible reduction of floral diversity over the long-term. Poorly implemented and moni Management programme leading to the reintroduction and proliferation of AIP species within the proposed Soyuz 1 Solar PV Park and acceptable poor management and failure to monitor rehabilitation efforts, leading to: - Landscapes being left fragmented and a decrease in floral diversity; - Increased storm water run-off; - Compacted soils limiting the re-establishment of natural vegetation; and - Increased risk of erosion in areas left disturbed.						
Impact Sou	 Barrier effects, i.e., dispersal corridors altered / impaired due to long-term fragmentation of the remaining natural habitat in the Soyuz 1 S PV Park and surrounds (no planned vegetated corridors between or underneath the PV panels, and no indication of planned rehabilitation properation); Possible increased fire frequency during operational and maintenance activities; and Proliferation of AIP species that colonise disturbed areas. 						
Recepto	or(s)	Floral habitat and species					
Habitat Unit	Driver / Acti	ivity PARAMETER	WITHOUT MITIGATION	SCORE	WITH MITIGATION	SCORE	



		EXTENT (A)	Preferred Alternative:	2	Preferred Alternative:	2
		DURATION (B)	Preferred Alternative:	4	Preferred Alternative:	3
		PROBABILITY (C)	Preferred Alternative:	4	Preferred Alternative:	2
Upper Karoo Habitat	PV facility and associated infrastructure	INTENSITY OR MAGNITUDE (D)	Preferred Alternative:	-3	Preferred Alternative:	-2
	iiiiastiucture	SIGNIFICANCE RATING (F) = (A*B*D)*C	Preferred Alternative:	(-) High	Preferred Alternative:	(-) Low
		EXTENT (A)	Preferred Alternative:	2	Preferred Alternative:	1
		DURATION (B)	Preferred Alternative:	3	Preferred Alternative:	2
Upper Karoo		PROBABILITY (C)	Preferred Alternative:	3	Preferred Alternative:	2
Habitat & Modified Karoo Footslope	Access road	INTENSITY OR MAGNITUDE (D)	Preferred Alternative:	-2	Preferred Alternative:	-1
		SIGNIFICANCE RATING (F) = (A*B*D)*C	Preferred Alternative:	(-) Medium	Preferred Alternative:	(-) Low
	Access road	EXTENT (A)	Preferred Alternative:	2	Preferred Alternative:	1
		DURATION (B)	Preferred Alternative:	4	Preferred Alternative:	3
		PROBABILITY (C)	Preferred Alternative:	3	Preferred Alternative:	2
Freshwater Ecosystem Habitat		INTENSITY OR MAGNITUDE (D)	Preferred Alternative:	-2	Preferred Alternative:	-2
		SIGNIFICANCE RATING (F) = (A*B*D)*C	Preferred Alternative:	(-) High	Preferred Alternative:	(-) Low
CUMULATIVE IMPACTS		energy facilities (wind and so or have been withdrawn and facilities, which may alter the regrowth could possibly occu Park.	lar) within a 50 km radius of th six is still in the process. This ir a landscape character. Vegetat	ne Soyuz 1 Solar PV Pandicates that the large tion clearing due to So	EEA, 2021) there are eighteen rk, of which thirteen have been er region has been earmarked for youz 1 Solar PV Park will be at a within the immediate area surro	approved, three has lapsed or several renewable energy local extent and vegetation
COI	NFIDENCE	High				



	 All vehicles should be restricted to travelling only on designated roadways to limit the ecological footprint of the development activities; Ongoing alien and invasive plant monitoring and clearing/control should take place throughout the operational phase, and the project
	perimeters should be regularly checked for AIP establishment to prevent spread into surrounding natural areas which may alter the suitability of the habitat to indigenous floral species;
	 Alien vegetation that is removed must not be allowed to lay on unprotected ground as seeds might disperse upon it. All cleared plant material to be disposed of at a licensed waste facility, which comply with legal standards;
	No illicit fires must be allowed;
MITIGATION MEASURES	 Where bare soils are left exposed as a result of construction activities, they should be immediately rehabilitated. Rehabilitated efforts should continue to be monitored throughout the operational phase, until natural processes will allow the ecological functioning and biodiversity of the area to be re-instated;
	 Monitor the Freshwater Habitat to ensure that floral communities are not degraded;
	 Edge effects arising from the operational and maintenance activities of the proposed development, such as erosion and AIP proliferation, which may affect adjacent natural areas, need to be strictly managed. Specific mention in this regard is made of Category 1b AIP species (as listed in the NEMBA Alien species lists, 2020), in line with the NEMBA Alien and Invasive Species Regulations (2020); and
	• It is recommended that vegetation regrowth during the Operational and Maintenance Phases must be promoted while appropriately maintained so as not to create a safety or production risk, as this will create habitat for floral species and will aid in preventing soil erosion.

Loss of Floral Species of Conservation Concern

ss of Floral Species of Conservation Concern									
IMPACT NA	TURE	Impact -	- Loss of floral SCC			STATUS	LOW NEGATIVE		
Impact Desc	ription	activities areas le Manage	s for the proposed Soyuz 1 Solar ading to vegetation succession ment programme leading to th I poor management and failure Landscapes being left fragme Increased storm water run-of Compacted soils limiting the	It impact will occur with keeping the herbaceous material at a low height below the PV panels as part of the ongoing maintenance opposed Soyuz 1 Solar PV Park, which will lead to floral SCC habitat loss. Potential ineffective rehabilitation of exposed and impacted egetation succession and a possible reduction of floral SCC habitat over the long-term. Poorly implemented and monitored AIP ramme leading to the reintroduction and proliferation of AIP species within the proposed Soyuz 1 Solar PV Park and access road. In agament and failure to monitor rehabilitation efforts, leading to: Description being left fragmented and a decrease in floral diversity; Ed storm water run-off; Ed soils limiting the re-establishment of natural vegetation; Ed risk of erosion in areas left disturbed.					
Impact Sou	rce(s)	 Potential failure to monitor rescue and relocation initiatives (if applicable) during the operation and maintenance phase of the project (pending outcome of the floral walkdown of the authorised footprints); and Potential poorly implemented and monitored AIP Management programme leading to the reintroduction and proliferation of AIP species both within the footprint areas as well as beyond the footprint areas. 							
Recepto	or(s)	Floral SC	Floral SCC habitat						
Habitat Unit	Driver / Act	Activity PARAMETER WITHOUT MITIGATION SCORE WITH MITIGATION SCORE							
Upper Karoo		EXTENT (A) Preferred Alternative: 2 Preferred Alternative: 1							



Habitat		DURATION (B)	Preferred Alternative:	3	Preferred Alternative:	2		
	PV facility and associated	PROBABILITY (C)	Preferred Alternative:	4	Preferred Alternative:	2		
	infrastructure	INTENSITY OR MAGNITUDE (D)	Preferred Alternative:	-3	Preferred Alternative:	-1		
		SIGNIFICANCE RATING (F) = (A*B*D)*C	Preferred Alternative:	(-) Medium	Preferred Alternative:	(-) Low		
		EXTENT (A)	Preferred Alternative:	2	Preferred Alternative:	1		
		DURATION (B)	Preferred Alternative:	3	Preferred Alternative:	2		
Upper Karoo		PROBABILITY (C)	Preferred Alternative:	4	Preferred Alternative:	2		
Habitat & Modified Karoo	Access road	INTENSITY OR MAGNITUDE (D)	Preferred Alternative:	-2	Preferred Alternative:	-1		
Footslope		SIGNIFICANCE RATING (F) = (A*B*D)*C	Preferred Alternative:	(-) Medium	Preferred Alternative:	(-) Low		
	Access road	EXTENT (A)	Preferred Alternative:	2	Preferred Alternative:	1		
	Access road	DURATION (B)	Preferred Alternative:	4	Preferred Alternative:	3		
Freshwater		PROBABILITY (C)	Preferred Alternative:	4	Preferred Alternative:	3		
Ecosystem Habitat		INTENSITY OR MAGNITUDE (D)	Preferred Alternative:	-2	Preferred Alternative:	-1		
		SIGNIFICANCE RATING (F) = (A*B*D)*C	Preferred Alternative:	(-) Medium	Preferred Alternative:	(-) Low		
CUMULATI	CUMULATIVE IMPACTS		According to the South African Renewable Energy EIA Application Database (REEA, 2021) there are eighteen applications for renewable energy facilities (wind and solar) within a 50 km radius of the Soyuz 1 Solar PV Park, of which thirteen have been approved, three has lapsed or have been withdrawn and six is still in the process. This indicates that the larger region has been earmarked for several renewable energy facilities, which may alter the landscape character. Vegetation clearing due to Soyuz 1 Solar PV Park will be at a local extent and vegetation regrowth could possibly occur but a potential floral SCC habitat loss will be present on a regional level. The current farming activities will still be present within the immediate area surrounding the Soyuz 1 Solar PV Park.					
CON	NFIDENCE	High						
MITIGATION MEASURES		 AIP management must continue throughout the operation of the proposed project to ensure that AIPs don't spread into adjacent natural areas where floral SCC numbers (and habitat) may be displaced; Monitoring of relocation success should continue for at least three years after the completion of the construction phase, or until it is evident that the species have established self-sustaining populations; Where feasible, rescued SCC must be used in the landscaping and rehabilitation activities for any remaining natural habitat that do not form part of the planned footprints; and Collection of floral SCC and protected flora by operational and maintenance teams must be prohibited. 						



24.3.4 Potential Soil and Land Capability Impacts

IMPAC	TNATURE	Impact –Soil, land capabili	ty and agricultural potential.	STATUS	NEGATIVE		
Impact	Description	Loss of Land Capability	'				
Impac	mpact Source(s) Movement of maintenance equipment and vehicles of good potential agricultural soils.						
Re	ceptor(s)	Agricultural Resources					
Soil Impact	Drive	er / Activity	PARAMETER	WITHOUT MITIGATION	SCORE	WITH MITIGATION	SCORE
The state of the s			EXTENT (A)	Preferred Alternative:	1	Preferred Alternative:	1
		DURATION (B)	Preferred Alternative:	4	Preferred Alternative:	3	
	ces of soils, resulting in risk	PROBABILITY (C)	Preferred Alternative:	2	Preferred Alternative:	2	
Capability	of reduced soil quali	ty.	INTENSITY OR MAGNITUDE (D)	Preferred Alternative:	-3	Preferred Alternative:	-2
			SIGNIFICANCE RATING (F) = (A*B*D)*C	Preferred Alternative:	-24	Preferred Alternative:	-12
*Frequent disturbar Soil Erosion maintenance of the		EXTENT (A)	Preferred Alternative:	1	Preferred Alternative:	1	
	*Eroquont disturban	cas of sails during tha	DURATION (B)	Preferred Alternative:	4	Preferred Alternative:	3
	· · · · · · · · · · · · · · · · · · ·	solar PV, resulting in risk of	PROBABILITY (C)	Preferred Alternative:	2	Preferred Alternative:	1
	erosion.	, °	INTENSITY OR MAGNITUDE (D)	Preferred Alternative:	-3	Preferred Alternative:	-2
			SIGNIFICANCE RATING (F) = (A*B*D)*C	Preferred Alternative:	-24	Preferred Alternative:	-6
			EXTENT (A)	Preferred Alternative:	2	Preferred Alternative:	1
		arbons chemicals into the	DURATION (B)	Preferred Alternative:	4	Preferred Alternative:	2
Soil		nce equipment, leading to	PROBABILITY (C)	Preferred Alternative:	2	Preferred Alternative:	2
Contamination	contamination of gro	chemical status as well as ound water.	INTENSITY OR MAGNITUDE (D)	Preferred Alternative:	-2	Preferred Alternative:	-2
			SIGNIFICANCE RATING (F) = (A*B*D)*C	Preferred Alternative:	-32	Preferred Alternative:	-8
Soil		ces of soils during the solar PV, resulting in risk of	EXTENT (A)	Preferred Alternative:	1	Preferred Alternative:	1
Compaction	compaction.	solar PV, resulting in risk of	DURATION (B)	Preferred Alternative:	3	Preferred Alternative:	2



	PROBABILITY (C)	Preferred Alternative:	3	Preferred Alternative:	3	
	INTENSITY OR MAGNITUDE (D)	Preferred Alternative:	-3	Preferred Alternative:	-2	
	SIGNIFICANCE RATING (F) = (A*B*D)*C	Preferred Alternative:	-27	Preferred Alternative:	-12	
CUMULATIVE IMPACTS	The Soyuz 1 Solar PV Park and associated access road are dominated by shallow soils of Coega formation and a lesser extent the Mispah formation which collectively account for approximately 97.9% of total study are investigated. The Ashkam/Clovelly soil forms account for 14.2% of the study area investigated along the acceroad route. Majority of the soils occurring within the study area are suitable for grazing (Class VI) and have a verticated agricultural Potential (Class L6). If the above-mentioned land capability and potential conditions a considered as well as occurring climatic conditions with limited rainfall (200 – 400 mm per annum) the development footprint is deemed not suitable for any large-scale agricultural cultivation in the absence of supplemental irrigation and other intensive management practices. The cumulative impact on the local and regional scale considered medium to low without mitigation and low to very low with mitigatory measures in place as the dominant soils are not sensitive from a soil and land capability point of view.					
CONFIDENCE	High					
MITIGATION MEASURES	 mix to limit poten Maintenance vehi commencement c Maintenance vehi minimise soil com The solar panels s 	djacent to the footprint are tial soil erosion. It is should be checked for information of maintenance activities; it is should stick to demarc paction on adjacent soils; a hould be cleaned with clear ise the likelihood of potenti	leakages of ated road a nd n water and	hydrocarbons prior to s far as practically possi use of chemicals should	ble to	



24.3.5 Potential Climate Change Impacts

Renewable Energy Goals

Based on the available information, it is reasonable to suggest that establishment of the proposed SOLAR PV PARK will have an impact during operations phase on the contribution to renewable energy goals of South Africa. The establishment of additional renewable energy facilities is considered significant considering the renewable energy targets set by South Africa. An additional 240MW, improves the capacity available to South African's, in a sustainable and environmentally responsible manner. Based on the available information it is reasonable to suggest that the impact will potentially have a **high positive** impact.

IMPACT NATURE	Contribution to renewable e	South Africa	STATUS	HIGH POSITIVE					
Impact Description	The establishment of addition	The establishment of additional renewable energy facilities is considered significant.							
Impact Source(s)	Operation of SOLAR PV PARK	and associated	infrastructure.						
Receptor(s)	Local, provincial and national	community							
PARAMETER	WITHOUT MITIGATION	SCORE	WITH MITIG	ATION	SCORE				
EVTENT (A)	Preferred Alternative:	3	Preferred Alt	ernative:	3				
EXTENT (A)	No-Go Alternative:	3	No-Go Alterr	native:	3				
DUDATION /B\	Preferred Alternative:	3	Preferred Alt	Preferred Alternative:					
DURATION (B)	No-Go Alternative:	2	No-Go Alterr	No-Go Alternative:					
DDOD A DILITY (C)	Preferred Alternative:	3	Preferred Alt	Preferred Alternative:					
PROBABILITY (C)	No-Go Alternative:	3	No-Go Alterr	No-Go Alternative:					
INTENSITY OR	Preferred Alternative:	3	Preferred Alt	Preferred Alternative: 3					
MAGNITUDE (D)	No-Go Alternative:	-2	No-Go Alterr	native:	-2				
SIGNIFICANCE RATING (F)	Preferred Alternative:	81	Preferred Alt	ernative:	81				
= (A*B*D)*C	No-Go Alternative:	-36	No-Go Alterr	native:	-36				
CUMULATIVE IMPACTS	This impact is considered cumulative. The 'No Go' option is a direct opportunity loss for South Africa to increase renewable energy.								
CONFIDENCE	High								
MITIGATION MEASURES	None required								

Contribution to Greenhouse Gas Reduction

Based on the available information, it is reasonable to suggest that establishment of the proposed SOLAR PV PARK will have an impact during operations phase on the Contribution to Greenhouse Gas (GHG) Reduction Facilities for South Africa.

IMPACT NATURE	Contribution to Greenhouse Gas Reduction in South Africa			STATUS	MEDIUM POSITIVE		
Impact Description	The establishment of additional renewable energy facilities is considered significant in light of South Africa's commitments to GHG reduction.						
Impact Source(s)	Operation of SOLAR PV PARK and associated infrastructure.						
Receptor(s)	Local, provincial and national co	ommunity					
PARAMETER	WITHOUT MITIGATION	SCORE	WITH MITIG	ATION	SCORE		
EXTENT (A)	Preferred Alternative:	3	Preferred Alt	ernative:	3		



IMPACT NATURE	Contribution to Greenhouse G	STATUS	MEDIUM POSITIVE				
	No-Go Alternative:	3	No-Go Altern	native:	3		
DUDATION (D)	Preferred Alternative:	3	Preferred Alt	ernative:	3		
DURATION (B)	No-Go Alternative:	3	No-Go Altern	native:	3		
PROBABILITY (C)	Preferred Alternative:	3	Preferred Alt	ernative:	3		
	No-Go Alternative:	3	No-Go Alternative: 3		3		
INTENSITY OR	Preferred Alternative:	3	Preferred Alternative:		3		
MAGNITUDE (D)	No-Go Alternative:	-3	No-Go Alternative:		-3		
SIGNIFICANCE RATING (F)	Preferred Alternative:	81	Preferred Alternative: 81		81		
= (A*B*D)*C	No-Go Alternative:	-81	No-Go Alterr	native:	-81		
CUMULATIVE IMPACTS	Cumulatively, assuming the hybrid facility replaces generative capacity from other fossil fuel sources, the facility could lower South Africa's GHG emissions from the Energy sector since the PV arrays and BESS provide renewable energy at a lower carbon dioxide equivalent (CO ₂ -e)1 emission per unit electricity.						
CONFIDENCE	High						
MITIGATION MEASURES	None required						

24.3.6 Potential Freshwater Impacts

Most of the potential impacts to surface water resources are associated with the completed facility structures and their location in association to aquatic environments associated with the development site. Addressing these potential impacts is undertaken during the design phase and these impacts are therefore assessed in the construction phase as all design requirements to mitigate against impacts should be finalised prior to construction. However, operational activities do have the potential to cause contamination of surface water if not properly managed.

Operational-phase impacts of the proposed access roads on the freshwater environment

IMPACT NATURE	Operational Phase Impacts operational maintenance of freshwater ecosystem provision	the access roads	in terms of STATU	LOW NEGATIVE		
Impact Description	 Stormwater related impacts – scouring and erosion of the riparian zone and channel of drainage lines if stormwater management and discharge is not properly designed; Potential pollution of receiving freshwater ecosystems (EDLs) if the road surface (assuming it is unsurfaced) is not properly maintained and if erosion develops; Damage to riparian vegetation due to road maintenance activities. 					
Impact Source(s)	Vehicle use of access and site re					
Receptor(s)	Two EDLs – the EDL crossed by between the two Soyuz 1 Solar		ss road and the EDL cro	ssed by the link road		
PARAMETER	WITHOUT MITIGATION	SCORE	WITH MITIGATION	SCORE		
EVIENT (A)	Preferred Alternative:	1	Preferred Alternative	2: 1		
EXTENT (A)	No-Go Alternative:	No impact	No-Go Alternative:	No impact		
DUDATION (D)	Preferred Alternative:	3	Preferred Alternative	2: 3		
DURATION (B)	No-Go Alternative:	No impact	No-Go Alternative:	No impact		
DD OD A DU ITY (C)	Preferred Alternative:	2	Preferred Alternative	2: 1		
PROBABILITY (C)	No-Go Alternative:	No impact	No-Go Alternative:	No impact		



IMPACT NATURE	Operational Phase Impacts operational maintenance of freshwater ecosystem provision	the access roads	in terms of STATUS	LOW NEGATIVE		
INTENSITY OR	Preferred Alternative:	-2	Preferred Alternative:	-1		
MAGNITUDE (D)	No-Go Alternative:	No impact	No-Go Alternative:	No impact		
SIGNIFICANCE RATING (F)	Preferred Alternative:	-12	Preferred Alternative:	-3		
= (A*B*D)*C	No-Go Alternative:	0	No-Go Alternative:	0		
CUMULATIVE IMPACTS	Freshwater ecosystems within the Karoo and the broader Northern Cape region are under continued threat due a variety of factors primarily related to landuse which, in the long term and cumulatively, may prove to be unsustainable. The predominant landuse and economic activity in the wider area is commercial livestock farming. This has resulted in degradation of freshwater features due to over-utilisation by livestock, as well as physical transformation of freshwater ecosystems, primarily in the form of impoundments that have been developed along most of the episodic drainage lines in the area. Such impoundments exert various types of impacts, including freshwater habitat transformation, hydrological impacts, as well as hydromorphological impacts. Other factors such as existing linear infrastructure (roads and railways) as well as climate change also exert impacts on the freshwater ecosystems in the wider area and in a Northern Cape Karoo context. The access roads at the crossing points do not follow the alignment of existing farm tracks, but the crossing points are both located near dam walls. In this respect the access roads could exert a cumulative impact on the respective EDLs crossed and the freshwater environment of the wider area. The correct design of the upgraded access road and implementation of the recommended mitigation measures would however significantly reduce or negate the potential for cumulative impacts to materialise.					
CONFIDENCE	Medium					
MITIGATION MEASURES	 Stormwater will naturally catchments of the EDLs tov Stormwater generated from directed at intervals into the crossing points; Design stormwater must be included. Road maintenance activities roads; If unsurfaced, the surface such erosion / rilling remede 	wards the crossing om the road surfate catchment area measures such a led in the design cas must be confined of the roads must	g points; aces in the catchments of the roads at the 2 EDL creed to the developed footpring of the catchments.	he EDLs must be illed towards the the velocity of ossing points. int of the access		

Operational-phase impacts of the proposed solar PV arrays and associated infrastructure on the freshwater environment.

IMPACT NATURE	Impact of the solar PV arrays on freshwater ecosystem prov	STATUS	LOW NEGATIVE			
Impact Description	 Permanent removal of vegetation in the solar array footprint by that could lead to altered patterns of runoff and drainage in the landscape that could adversely affect downgradient freshwater ecosystems; Containment loss of hazardous substances related to BESS batteries and substation transformer oils could lead to soil and water pollution impacts. 					
Impact Source(s)	Solar PV development site; infr	astructure compo	nents that con	tain hazardous	substances.	
Receptor(s)	The five (5) EDLs in the area sur	rounding the dev	elopment site.			
PARAMETER	WITHOUT MITIGATION	SCORE	WITH MITIG	ATION	SCORE	
EVITAIT (A)	Preferred Alternative:	1	Preferred Alt	d Alternative: 1		
EXTENT (A)	No-Go Alternative: No impact No-Go Alternative: No					
DURATION (B)	Preferred Alternative:	3	Preferred Alt	ernative:	3	



IMPACT NATURE	Impact of the solar PV arrays on freshwater ecosystem prov		I SIAIIIS	LOW NEGATIVE	
	No-Go Alternative:	No impact	No-Go Alternative:	No impact	
DDOD ADULTY (C)	Preferred Alternative:	2	Preferred Alternative:	1	
PROBABILITY (C)	No-Go Alternative:	No impact	No-Go Alternative:	No impact	
INTENSITY OR	Preferred Alternative:	1	Preferred Alternative:	-1	
MAGNITUDE (D)	No-Go Alternative:	No impact	No-Go Alternative:	No impact	
SIGNIFICANCE RATING (F)	Preferred Alternative:	-6	Preferred Alternative:	-3	
= (A*B*D)*C	No-Go Alternative:	0	No-Go Alternative:	0	
CUMULATIVE IMPACTS	Freshwater ecosystems within the Karoo and the broader Northern Cape region are under continued threat due a variety of factors primarily related to landuse which, in the long term and cumulatively, may prove to be unsustainable. The predominant landuse and economic activity in the wider area is commercial livestock farming. This has resulted in degradation of freshwater features due to over-utilisation by livestock, as well as physical transformation of freshwater ecosystems, primarily in the form of impoundments that have been developed along most of the episodic drainage lines in the area. Such impoundments exert various types of impacts, including freshwater habitat transformation, hydrological impacts, as well as hydromorphological impacts. Other factors such as existing linear infrastructure (roads and railways) as well as climate change also exert impacts on the freshwater ecosystems in the wider area and in a Northern Cape Karoo context. The development of the Soyuz 1 Solar PV Park will not directly impact any freshwater ecosystems in terms of the development of its solar arrays as no freshwater ecosystems are located within the proposed solar array footprint, however indirect impacts could occur. Such indirect impacts could result in the creation of a cumulative impact on the freshwater environment in the wider area if these indirect impacts resulted in a measurable impact on ecosystem provisioning or on the PES of any of the EDLs. The implementation of the recommended mitigation measures would however significantly reduce or negate the potential for cumulative impacts to materialise				
CONFIDENCE	Medium				
MITIGATION MEASURES	 Maintenance activities must be confined to the developed footprint of the solar energy facility which must be fenced off to prevent accidental access into the adjacent freshwater ecosystems (riparian zones); The intervening areas between the southern, western and eastern site boundaries and the EDLs must be kept free of any development and effectively retained as buffer zones to assist in preventing indirect impacts from occurring; Components of infrastructure that contain pollutants – i.e. substation transformers and batteries in the BESS component must be properly maintained and checked for leaks. All such components that could leak pollutants, or which could result in soil or water pollution must be designed to be placed on an impervious surface that would be able to hold the full volume of any pollutants. 				

24.3.7 Potential Noise Impact

IMPACT NATURE	Noise from the BESS activities			STATUS	LOW NEGATIVE		
Impact Description	Change in the prevailing ambie	Change in the prevailing ambient noise levels associated with the fully operational facility.					
Impact Source(s)	Extract and impelling ventilatio	n fans					
Receptor(s)	Nearby farm house and employ	yees					
PARAMETER	WITHOUT MITIGATION	SCORE	WITH MITIG	ATION	SCORE		
EXTENT (A)	Preferred Alternative:	-1	Preferred Alt	ernative:	-1		



IMPACT NATURE	Noise from the BESS activities					LOW NEGATIVE
	No-Go Alternative:	1	No-Go Alterr	native:	1	
DURATION (B)	Preferred Alternative:	-4	Preferred Alt	ernative:	-4	1
DURATION (B)	No-Go Alternative:	4	No-Go Alterr	native:	4	
DDOD A DILITY (C)	Preferred Alternative:	-2	Preferred Alt	ernative:	-1	
PROBABILITY (C)	No-Go Alternative:	3	No-Go Alternative:			
INTENSITY OR	Preferred Alternative:	-1	Preferred Alternative:		-1	L
MAGNITUDE (D)	No-Go Alternative:	1	No-Go Alternative:		1	
SIGNIFICANCE RATING	Preferred Alternative:	-8	Preferred Alternative:		-8	3
(F) = (A*B*D)*C	No-Go Alternative:	24	No-Go Alternative:		10	6
CUMULATIVE IMPACTS	The noise level change during expected to be well below the				mo	odelled and is
CONFIDENCE	High					
MITIGATION MEASURES	Conduct annal environmenta fully operational Soyuz 1 Sola receptors. Implement the Noise Manage	r PV Park remain	s insignificant/			

24.3.8 Potential Social Impacts

Improve Energy Security and support renewable energy sector

The primary goal of the proposed project is to improve energy security in South Africa by generating additional energy. The proposed SEF also reduces the carbon footprint associated with energy generation. The project should therefore be viewed within the context of the South Africa's current reliance on coal powered energy to meet most of its energy needs, and secondly, within the context of the success of the REIPPPP.

IMPACT NATURE	Energy security			STATUS	HIGH	H POSITIVE
Impact Description	Development of infrastructure	to improve ener	gy security	and support the	e rene	wable sector
Impact Source(s)	Operational of the SOLAR PV P.	ARK				
Receptor(s)	Local, provincial and regional c	ommunities				
PARAMETER	WITHOUT MITIGATION	SCORE	WITH MI	TIGATION		SCORE
CVTCNT (A)	Preferred Alternative:	4	Preferred	l Alternative:		5
EXTENT (A)	No-Go Alternative:	0	No-Go Al	ternative:		0
DURATION (B)	Preferred Alternative:	4	Preferred Alternative:			4
DOKATION (B)	No-Go Alternative:	0	No-Go Alternative:			0
DDODADILITY (C)	Preferred Alternative:	4	Preferred Alternative:			5
PROBABILITY (C)	No-Go Alternative:	0	No-Go Al	ternative:		0
INTENSITY OR	Preferred Alternative:	8	Preferred	l Alternative:		8
MAGNITUDE (D)	No-Go Alternative:	0	No-Go Al	ternative:		0
SIGNIFICANCE RATING	Preferred Alternative:	64	Preferred	d Alternative:		85
(F) = (A*B*D)*C	No-Go Alternative:	0	No-Go Alternative: 0			0
CUMULATIVE IMPACTS	This impact is cumulative					



IMPACT NATURE	Energy security	STATUS	HIGH POSITIVE			
RESIDUAL IMPACTS	Overall reduction in CO_2 emission, reduction in water consumption for energy generation, contribution to establishing an economically viable commercial renewables generation sector in the Northern Cape and South Africa.					
CONFIDENCE	High					
CAN IMPACT BE ENHANCED	Yes					
	Should the project be approved, the applicant should:					
ENHANCEMENT MEASURES	 Implement a skills development and training program number of employment opportunities for local comm Maximise opportunities for local content, procurement 	unity members				

Creation of Employment Opportunities

Each SOLAR PV PARK will create in the region of 40-50 employment opportunities during the operational phase, of which 70% will be unskilled, 25% semi-skilled 25%, and 5% skilled 5%. Most of the unskilled and low skilled workers will be local HDI residents of Britstown and De Aar. Based on similar projects the annual operating budget will be in the region of R 30 million (2023 Rand values), including wages.

IMPACT NATURE	Employment opportunities and social upliftment STATUS MEDIUM POSITI						
Impact Description	Creation of employment and b	Creation of employment and business opportunities associated with the operational phase					
Impact Source(s)	Operation of the SOLAR PV PA	RK					
Receptor(s)	Local communities	1					
PARAMETER	WITHOUT MITIGATION	SCORE	WITH MI	TIGATION	SCORE		
EXTENT (A)	Preferred Alternative:	1	Preferred	l Alternative:	2		
EXTENT (A)	No-Go Alternative:	0	No-Go Al	ternative:	0		
DURATION (B)	Preferred Alternative:	4	Preferred	l Alternative:	4		
DORATION (B)	No-Go Alternative:	0	No-Go Al	ternative:	0		
PROBABILITY (C)	Preferred Alternative:	4	Preferred	4			
PROBABILITY (C)	No-Go Alternative:	0	No-Go Al	0			
INTENSITY OR	Preferred Alternative:	2	Preferred Alternative:		4		
MAGNITUDE (D)	No-Go Alternative:	0	No-Go Al	ternative:	0		
SIGNIFICANCE RATING	Preferred Alternative:	28	Preferred	d Alternative:	40		
(F) = (A*B*D)*C	No-Go Alternative:	0	No-Go Al	ternative:	0		
CUMULATIVE IMPACTS	This impact is cumulative						
RESIDUAL IMPACTS	Creation of permanent employ the local community and creat area		•				
CONFIDENCE	High						
CAN IMPACT BE ENHANCED	Yes						
ENHANCEMENT MEASURES	The enhancement measures list enhance local employment and apply to the operational phase	d business oppor		•			

Generate Income for affected landowner



The proponent will enter into rental agreements with the affected landowners for the use of the land for the establishment of the proposed PV SEFs. In terms of the rental agreement the affected landowner will be paid an annual amount dependent upon the area affected. The additional income will reduce the risk to his livelihoods posed by droughts and fluctuating market prices for sheep and farming inputs, such as fuel, feed etc. Given the low carrying capacity of the veld the additional income represents a significant benefit for the affected landowner.

IMPACT NATURE	Income generation for landowner STATUS HIGH POSITI				HIGH POSITIVE			
Impact Description	farmer(s) and reduces the risks	The generation of additional income represents a significant benefit for the local affected farmer(s) and reduces the risks to their livelihoods posed by droughts and fluctuating market prices for sheep and farming inputs, such as feed etc.						
Impact Source(s)	Operational of the SOLAR PV P.	ARK						
Receptor(s)	Local communities							
PARAMETER	WITHOUT MITIGATION	SCORE	WITH MI	TIGATION	SCORE			
EXTENT (A)	Preferred Alternative:	1	Preferred	l Alternative:	3			
EXTERT (A)	No-Go Alternative:	0	No-Go Al	ternative:	0			
DURATION (B)	Preferred Alternative:	4	Preferred	d Alternative:	4			
DURATION (B)	No-Go Alternative:	0	No-Go Al	ternative:	0			
DDODADILITY (C)	Preferred Alternative:	3	Preferred	5				
PROBABILITY (C)	No-Go Alternative:	0	No-Go Alternative:		0			
INTENSITY OR	Preferred Alternative:	4	Preferred Alternative:		6			
MAGNITUDE (D)	No-Go Alternative:	0	No-Go Al	ternative:	0			
SIGNIFICANCE RATING	Preferred Alternative:	27	Preferred	l Alternative:	65			
(F) = (A*B*D)*C	No-Go Alternative:	0	No-Go Al	ternative:	0			
CUMULATIVE IMPACTS	This impact is cumulative							
RESIDUAL IMPACTS	Support for local agricultural se	ector and farming	g					
CONFIDENCE	High							
CAN IMPACT BE ENHANCED	Yes	Yes						
ENHANCEMENT MEASURES	Implement agreements with af	fected landowne	ers.					

Socio-economic development impacts

The REIPPPP has been designed not only to procure energy but has also been structured to contribute to the broader national development objectives of job creation, social upliftment and broadening of economic ownership. Socio-economic development (SED) contributions are an important focus of the REIPPPP and are aimed at ensuring that local communities benefit directly from the investments attracted into the area. These contributions are linked to Community Trusts and accrue over the project operation life and, in so doing, create an opportunity to generate a steady revenue stream over an extended period. This revenue can be used to fund development initiatives in the area and support the local community. The long-term duration of the revenue stream also allows local municipalities and communities to undertake long term planning for the area. The revenue from the proposed SEF can be used to support several social and economic initiatives in the area, including:



- Creation of jobs.
- Education.
- Support for and provision of basic services.
- School feeding schemes.
- Training and skills development.
- Support for SMME's.

IMPACT NATURE	Improve socio-economic devel	opment		STATUS	HIGH POSITIVE		
Impact Description	Benefits associated with support for local community's form SED contributions						
Impact Source(s)	Operation of the SOLAR PV PARK						
Receptor(s)	Local communities						
PARAMETER	WITHOUT MITIGATION	SCORE	WITH MI	TIGATION	SCORE		
EXTENT (A)	Preferred Alternative:	2	Preferred	d Alternative:	3		
EXTENT (A)	No-Go Alternative:	0	No-Go Al	ternative:	0		
DURATION (B)	Preferred Alternative:	4	Preferred	d Alternative:	4		
DONATION (B)	No-Go Alternative:	0	No-Go Al	ternative:	0		
DDODARILITY (C)	Preferred Alternative:	3	Preferred	d Alternative:	5		
PROBABILITY (C)	No-Go Alternative:	0	No-Go Al	ternative:	0		
INTENSITY OR	Preferred Alternative:	4	Preferred Alternative: 6				
MAGNITUDE (D)	No-Go Alternative:	0	No-Go Al	0			
SIGNIFICANCE RATING	Preferred Alternative:	30	Preferred Alternative:		65		
(F) = (A*B*D)*C	No-Go Alternative:		No-Go Al	ternative:			
CUMULATIVE IMPACTS	This impact is cumulative						
RESIDUAL IMPACTS	Promotion of social and econor the community	mic developmen	t and impro	ovement in the	overall well-being of		
CONFIDENCE	High						
CAN IMPACT BE ENHANCED	Yes						
ENHANCEMENT MEASURES	To maximise the benefits and minimise the potential for corruption and misappropriation of funds the following measures should be implemented: The proponents should liaise with the ELM to identify projects that can be supported by SED contributions. Clear criteria for identifying and funding community projects and initiatives in the area should be identified. The criteria should be aimed at maximising the benefits for the community as a whole and not individuals within the community. Strict financial management controls, including annual audits, should be instituted to manage the SED contributions.						

Visual Impact and Sense of place

The proposed PV SEF has the potential to impact on the areas existing rural sense of place. The findings of the Visual Impact Assessment (VIA) (Scientific Aquatic Services, June 2023) note that with the Rietpoort Guest House being the only receptor within a 5 km radius, the impact is based on the view of the Rietpoort Guest House, which is located at a lower elevation, as such the proposed visual impact associated with the Soyuz 1 Solar PV Park is considered low.



In terms of potential nighttime lighting, the VIA notes that this is also expected to be low and will be limited to a local area. The security lights associated with the BESS, Substation and O&M Buildings may potentially contribute somewhat to the effects of skyglow and artificial lighting in the region. This can however be easily mitigated by installing security lighting no higher than 5 meters above the ground and through appropriate planning of illumination direction.

IMPACT NATURE	Visual impact and sense of place STATUS LOW NEGAT				LOW NEGATIVE			
Impact Description	Visual façade of facility may alt	Visual façade of facility may alter the sense of place of the area						
Impact Source(s)	Operation of the SOLAR PV PAR	RK						
Receptor(s)	Local communities							
PARAMETER	WITHOUT MITIGATION	SCORE	WITH MI	TIGATION	SCORE			
EXTENT (A)	Preferred Alternative:	1	Preferred	l Alternative:	1			
EXTERT (A)	No-Go Alternative:	0	No-Go Al	ternative:	0			
DURATION (B)	Preferred Alternative:	4	Preferred	l Alternative:	4			
DORATION (B)	No-Go Alternative:	0	No-Go Al	ternative:	0			
PROBABILITY (C)	Preferred Alternative:	3	Preferred	l Alternative:	3			
PROBABILITY (C)	No-Go Alternative:	0	No-Go Alternative: 0					
INTENSITY OR	Preferred Alternative:	-4	Preferred Alternative:		-4			
MAGNITUDE (D)	No-Go Alternative:	0	No-Go Al	ternative:	0			
SIGNIFICANCE RATING	Preferred Alternative:	-27	Preferred	l Alternative:	-27			
(F) = (A*B*D)*C	No-Go Alternative:	0	No-Go Al	ternative:	0			
CUMULATIVE IMPACTS	This impact is cumulative							
RESIDUAL IMPACTS	Potential impact on current rur	al sense of place	·.					
CONFIDENCE	High							
CAN IMPACT BE MITIGATED	Yes							
MITIGATION MEASURES	The recommendations contained	ed in the VIA sho	ould be impl	lemented.				

Potential impact on property values

The potential visual impacts associated with the proposed SOLAR PV PARKs have the potential to impact on property values. Based on the results of a literature review undertaken for wind farms the potential impact on property values in rural areas is likely to be limited. The findings are also likely to be relevant to SOLAR PV PARKs.

IMPACT NATURE	Impact on property values			STATUS	LOW NEGATIVE	
Impact Description	Potential impact of the SEF on	Potential impact of the SEF on property values				
Impact Source(s)	Operational of the SOLAR PV PA	Operational of the SOLAR PV PARK				
Receptor(s)	Local communities					
PARAMETER	WITHOUT MITIGATION	SCORE WITH MIT		TIGATION	SCORE	
EVIENT (A)	Preferred Alternative:	2	Preferred Alternative:		1	
EXTENT (A)	No-Go Alternative:	0	No-Go Alternative:		0	
DURATION (B)	Preferred Alternative:	4	Preferred	l Alternative:	4	



IMPACT NATURE	Impact on property values			STATUS	LOV	V NEGATIVE
	No-Go Alternative:	0	No-Go Al	ternative:	0	
DDOD A DILITY (C)	Preferred Alternative:	3	Preferred	l Alternative:		3
PROBABILITY (C)	No-Go Alternative:	0	No-Go Al	ternative:		0
INTENSITY OR	Preferred Alternative:	-2	Preferred	l Alternative:		-2
MAGNITUDE (D)	No-Go Alternative:	0	No-Go Al	No-Go Alternative:		0
SIGNIFICANCE RATING	Preferred Alternative:	-24	Preferred Alternative:		-21	
(F) = (A*B*D)*C	No-Go Alternative:	0	No-Go Alternative:			0
CUMULATIVE IMPACTS	This impact is cumulative					
RESIDUAL IMPACTS	Linked to visual impact on sense of place.					
CONFIDENCE	High					
CAN IMPACT BE MITIGATED	Yes					
MITIGATION MEASURES	The recommendations contained in the VIA should be implemented.					

Potential Tourism Impacts

The potential visual impacts associated with the proposed SOLAR PV PARK has the potential to impact on tourism facilities and tourism in the area. Based on the findings of the literature review there is limited evidence to suggest that the proposed SOLAR PV PARK would impact on the tourism in the PKSDM and ELM at a local and regional level. The potential impact on local tourism facilities in the vicinity of the sites will be confirmed during the Assessment Phase.

IMPACT NATURE	Impact on tourism operations			STATUS	LOW NEGATIVE			
Impact Description	Potential impact of the SOLAR	Potential impact of the SOLAR PV PARK on local tourism						
Impact Source(s)	Operation of the SOLAR PV PA	RK						
Receptor(s)	Local communities							
PARAMETER	WITHOUT MITIGATION	SCORE	WITH MI	TIGATION	SCORE			
EXTENT (A)	Preferred Alternative:	2	Preferred	d Alternative:	1			
EXTENT (A)	No-Go Alternative:	0	No-Go Al	ternative:	0			
DURATION (B)	Preferred Alternative:	4	Preferred Alternative:		4			
DOKATION (B)	No-Go Alternative:	0	No-Go Alternative:		0			
DDOD A DILITY (C)	Preferred Alternative:	3	Preferred Alternative:		3			
PROBABILITY (C)	No-Go Alternative:	0	No-Go Alternative:		0			
INTENSITY OR	Preferred Alternative:	-2	Preferred Alternative:		-2			
MAGNITUDE (D)	No-Go Alternative:	0	No-Go Alternative:		0			
SIGNIFICANCE RATING	Preferred Alternative:	-24	Preferred	d Alternative:	-21			
(F) = (A*B*D)*C	No-Go Alternative:	0	No-Go Al	0				
CUMULATIVE IMPACTS	This impact is cumulative							
RESIDUAL IMPACTS	Linked to visual impact on sense of place.							



IMPACT NATURE	Impact on tourism operations	STATUS	LOW NEGATIVE		
CONFIDENCE	High				
CAN IMPACT BE MITIGATED	Y es				
MITIGATION MEASURES	The recommendations contained in the VIA should be implemented.				

24.3.9 Potential Traffic Impact

The operational phase of this project is not expected to generate significant traffic volumes. The typical day-to-day activities will probably only be service vehicles undertaking general maintenance at the site.

IMPACT NATURE	Increase in traffic volumes on the surrounding road network during the operational phase.			STATUS	LOW NEGATIVE		
Impact Description	During the operational phase there will be a slight increase in traffic volumes on the surrounding road network that might impact on the general road users and result in gravel loss along Windpoort Road.						
Impact Source(s)	Operational activities traffic						
Receptor(s)	General public/Road users				<u> </u>		
PARAMETER	WITHOUT MITIGATION	SCORE	WITH MI	TIGATION	SCORE		
EXTENT (A)	Preferred Alternative:	1	Preferred Alternative: No-Go Alternative:		1		
EXTENT (A)	No-Go Alternative:	1			1		
DURATION (B)	Preferred Alternative:	1	Preferred	l Alternative:	1		
DORATION (B)	No-Go Alternative:	1	No-Go Alternative:		1		
DDODADULTY (C)	Preferred Alternative:	3	Preferred Alternative:		2		
PROBABILITY (C)	No-Go Alternative:	3	No-Go Al	ternative:	2		
INTENSITY OR	Preferred Alternative:	-1	Preferred	d Alternative:	-1		
MAGNITUDE (D)	No-Go Alternative:	-1	No-Go Al	ternative:	-1		
SIGNIFICANCE RATING	Preferred Alternative:	-3	Preferred	d Alternative:	-2		
(F) = (A*B*D)*C	No-Go Alternative:	-3	No-Go Alternative:		-2		
CUMULATIVE IMPACTS	Low						
CONFIDENCE	High						
MITIGATION MEASURES	Routine road maintenance by the relevant Roads Authority.						

24.3.10 Potential Visual Impacts

The potential visual impacts are associated with the completed facility structures and their location in association to sensitive receptors. Addressing these potential impacts is undertaken during the design phase and these impacts are therefore assessed in the planning and design section of this report. However, the impacts of night-time lighting are assessed.

Visual Impacts of Night-time Lighting



IMPACT NATURE	Potential impact of night-time lighting on the visual environment		visual	STATUS	LOW NEGATIVE	
Impact Description	* Night time security lighting at the temporary construction camps, office area, workshop/store and plant area impacting the sensitive receptors in the area; * Night-time security lighting at the BESS, O&M Buildings and substation; and *Additional lighting that may be required during decommissioning phase.					
Impact Source(s)	Light sources either temporarily	or permanently	installed.			
Receptor(s)	Farmhouses within 5 km of Soy	uz Solar Park 1 a	nd the Riet	poort Guest Ho	use	
PARAMETER	WITHOUT MITIGATION	SCORE	WITH MI	TIGATION	SCORE	
EXTENT (A)	Preferred Alternative:	1	Preferred	Alternative:	1	
EXTENT (A)	No-Go Alternative:	1	No-Go Alt	ternative:	1	
DUDATION (B)	Preferred Alternative:	3	Preferred	Alternative:	3	
DURATION (B)	No-Go Alternative:	3	No-Go Alt	ternative:	3	
	Preferred Alternative:	2	Preferred	Alternative:	1	
PROBABILITY (C)	No-Go Alternative:	2	No-Go Alt	ternative:	2	
INTENSITY OR	Preferred Alternative:	-2	Preferred	Alternative:	-1	
MAGNITUDE (D)	No-Go Alternative:	1	No-Go Alt		1	
	Preferred Alternative:	-12		Alternative:	-3	
SIGNIFICANCE RATING (F) = (A*B*D)*C						
(1) - (A D D) C	No-Go Alternative: Cumulative visual impacts res	6	No-Go Alt		6	
CUMULATIVE IMPACTS	renewable energy projects within a 50 km radius, as well as any future renewable energy facilities (wind and solar facilities) in the area, must be considered. Renewable energy facilities have the potential to cause large scale visual impacts and the location of several such developments in close proximity to each other could significantly alter the sense of place and visual character in the broader region. With the Britstown Cluster PVs situated so far apart, the cumulative impact is considered sequential. Furthermore, with the very low viewer incidence, the cumulative visual impacted is expected to be of low significance. The cumulative impact of additional traffic in the area on the local and regional roads as well as combined impacts from night-time lighting of the substations will affect the sense of place of the larger region. No cumulative impacts are anticipated from the proposed project and other future projects in the area which are of unacceptably high significance.					
CONFIDENCE	Medium					
MITIGATION MEASURES	 It must be ensured that routine maintenance and cleaning of PV modules, especially after a rainfall event, should occur during the daylight hours, to reduce the potential of night lighting and potential temporary contribution to skyglow; Where security lighting is used during the construction phase and operational phase, the following management measures should be implemented: Making use of motion detectors on security lighting, at the substation, BESS and O&M Building, ensures that the site will remain in relative darkness, until lighting is required for security and maintenance purposes; Placement of lights should consider the location of surrounding receptors and as far as possible be screened from view; The use of high light masts and high pole top security lighting should be avoided. Any high lighting masts should be covered to reduce glow; Up-lighting of structures must be avoided, with lighting installed at downward angles that provide precisely directed illumination beyond the immediate surroundings of the infrastructure, thereby minimising the light spill and trespass; Care should be taken when selecting luminaries to ensure that appropriate units are chosen and that their location will reduce spill light and glare to a minimum; Minimum wattage light fixtures should be used, with the minimum intensity necessary to accomplish the light's purpose; 					



IMPACT NATURE	Potential impact of night-time lighting on the visual environment		STATUS	LOW NEGATIVE	
	0	The use of low-pressure sodium lamps, yellow LED lighting, or an equivalent sho be considered to reduce skyglow (BLM, 2013).			

Potential Waste Management Impacts

Potential waste impacts as a result from improper waste management practices on site during the the operational phase of the Soyuz 1 Solar PV Park. Based on the available information it is reasonable to suggest that the impact will potentially have a **low negative** impact provided waste management plan is designed and costed for before construction starts.

IMPACT NATURE	Waste management impacts	STATUS	LOW NEGATIVE				
Impact Description	Potential waste impacts due to the operations. General wastes can be handled by the local municipal waste management services. However, the disposal of Damaged BESS baterries and PV panels will require specific waste management which is unlikely to be available in the local or regional area. This could result in illegal disposal or treatment of these waste types which will impact negatively on the local and regional environment.						
Impact Source(s)	Operational phase – damaged	BESS batteries ar	nd PV panels				
Receptor(s)	Local and regional waste mana	gement facilities					
PARAMETER	WITHOUT MITIGATION	SCORE	WITH MITIG	ATION	SCORE		
EVIENT (A)	Preferred Alternative:	3	Preferred Alt	ernative:	3		
EXTENT (A)	No-Go Alternative:	0	No-Go Alternative:		0		
DUDATION (D)	Preferred Alternative:	4	Preferred Alternative:		4		
DURATION (B)	No-Go Alternative:	0	No-Go Alternative:		0		
DDODADILITY (C)	Preferred Alternative:	4	Preferred Alternative:		1		
PROBABILITY (C)	No-Go Alternative:	0	No-Go Altern	ative:	0		
INTENSITY OR	Preferred Alternative:	-2	Preferred Alt	ernative:	-1		
MAGNITUDE (D)	No-Go Alternative:	0	No-Go Altern	ative:	0		
SIGNIFICANCE RATING (F)	Preferred Alternative:	-72	Preferred Alt	ernative:	-36		
= (A*B*D)*C	No-Go Alternative:	0	No-Go Altern	ative:	0		
CUMULATIVE IMPACTS	This impact could be cumulative.						
CONFIDENCE	Medium						
MITIGATION MEASURES	Develop a detailed operational waste management plan that identifies all potential waste types to be generated and how they will be handled including the reuse, recycle before disposal. Ensure that the cost of handling waste is included in the annual operational budget of the solar PV facility.						

24.4 DECOMISSIONING PHASE IMPACTS

Certain generic decommissioning phase impacts related to the deconstruction of the SOLAR PV PARK such as vehicle operation, materials/waste storage etc are very similar as the construction phase activities. In addition, at the time of decommissioning, the Soyaus 1 Solar PV Park will require environmental authorisation following a Basic Assessment process. This process will identify the specific environmental impacts potentially associated with decommissioning at that time.



However, the intention of the assessment of potential decommissioning phase impacts at this EIA phase is to determine if the decommissioning phase is likely to generate environmental impacts that could be considered fatal flaws post-operation.

Management of PV Solar Panel and BESS Battery Waste

Currently there is very limited potential worldwide regarding the recycling of used of discarded PV solar panels and there is currently no system for managing PV solar panel waste in South Africa. As the number of solar SOLAR PV PARK's in this region increase, there is a potential for this waste stream to inundate a region which does not have the required waste management skills and infrastructure.

IMPACT NATURE	Handling of Solar PV panel wa	STATUS	LOW NEGATIVE				
Impact Description	As the number of solar SOLAR PV PARK's in this region increase, there is a potential for this waste stream to inundate a region which does not have the required waste management skills.						
Impact Source(s)	Decommissioning of the Solar						
Receptor(s)	Immediate site, natural envirus facilities	ronment, local,	regional and	national was	te management		
PARAMETER	WITHOUT MITIGATION	SCORE	WITH MITIG	ATION	SCORE		
EVERIT (A)	Preferred Alternative:	3	Preferred Alt	ernative:	3		
EXTENT (A)	No-Go Alternative:	No Impact	No-Go Alterr	native:	No Impact		
DURATION (B)	Preferred Alternative:	2	Preferred Alternative:		1		
DURATION (B)	No-Go Alternative:	No Impact	No-Go Alternative:		No Impact		
DDODADUITY (C)	Preferred Alternative:	4	Preferred Alternative:		1		
PROBABILITY (C)	No-Go Alternative:	No Impact	No-Go Alternative:		No Impact		
INTENSITY OR	Preferred Alternative:	-3	Preferred Alternative:		-1		
MAGNITUDE (D)	No-Go Alternative:	No Impact	No-Go Alterr	native:	No Impact		
SIGNIFICANCE RATING (F)	Preferred Alternative:	-72	Preferred Alt	ernative:	-3		
= (A*B*D)*C	No-Go Alternative:	No impact	No-Go Alterr	native:	No impact		
CUMULATIVE IMPACTS	This impact will be cumulative.						
CONFIDENCE	Low						
MITIGATION MEASURES	Develop a detailed decommissioning waste management plan that identifies all potential waste types to be generated and how they will be handled including the reuse, recycle before disposal. Ensure that the cost of handling waste is included in the decommissioning costing budget of the solar PV facility.						

24.5 CUMULATIVE IMPACTS

The EIA Regulations (as amended in 2017) determine that cumulative impacts, "in relation to an activity, means the past, current and reasonably foreseeable future impact of an activity, considered together with the impact of activities associated with that activity, that in itself may not be significant, but may become significant when added to the existing and reasonably foreseeable impacts eventuating from similar or diverse activities." Cumulative impacts can be incremental, interactive, sequential or synergistic.



The specialists were required to assess the potential cumulative environmental impacts of the proposed development and operation of the Soyuz 1 Solar PV Park. The findings of the specialists regarding the potential cumulative impacts of this proposed development are addressed under each specialist section in Section 23 of this EIA Report. The cumulative impacts as discussed by the specialists are summarised in this section.

24.5.1 Geographical Area of Evaluation

The geographic area of evaluation is the spatial boundary in which the cumulative effects analysis was undertaken. The spatial boundary evaluated for the cumulative environmental impact assessment generally includes an area of a 30 km radius surrounding the preferred development site for the proposed Soyuz 1 Solar PV Park (**Figure 71**).




Figure 71: Cumulative Impact Assessment Geographical Evalution boundary with location of known regional renewable energy projects

24.5.2 Temporal Evaluation Boundary

A temporal boundary is the timeframe during which the cumulative environmental impacts may be expected to occur and in this assessment is the anticipated lifespan of the proposed project (inclusive of the construction phase) which has been provided as 25 years.

24.5.3 Other Renewable Energy Projects

There are 7 known Solar PV Facilities and two known Wind Energy Farms within a 30 km radius of the proposed Soyuz SOLAR PV PARK Cluster (Figure 71). In addition, the evaluation has included all the proposed Solar PV Parks that form part of the proposed Soyuz Solar PV Cluster as well as the



proposed Soyuz Wind Energy Cluster. The area of land that is or will be subjected to a degree of transformation by the renewable energy projects in the region is presented in **Table 51**.

Table 51: Cumulative impact from renewable energy developments in the region.

Elements	Area (ha)	Proportion of total area
Total area of 30 km buffer surrounding (and including) the proposed		
Soyuz SOLAR PV PARK cluster.	498350.2	100.0%
Total area of known renewable energy developments within a 30 km		
buffer surrounding the proposed Soyuz SOLAR PV PARK cluster.	122528.8	24.6%
Total area of known WIND energy developments within a 30 km buffer		
surrounding the proposed Soyuz SOLAR PV PARK cluster.	116111.8	23.3%
Total area of known PV energy developments within a 30 km buffer		
surrounding the proposed Soyuz SOLAR PV PARK cluster.	6417.0	1.3%
Total area of the proposed Soyuz SOLAR PV PARK cluster.	3134.9	0.6%

24.5.4 Avifauna Specialist

Assuming that the total areas represented by the renewable energy developments shown in **Figure 71** will be transformed (worst case scenario), **Table 51**.

Table 51 shows that the maximum transformed area from renewable energy development boundaries within a 30 km radius of the proposed development cluster currently amounts to 24.6% of the total land area. The proposed Soyuz Solar PV Park Cluster itself only represents 0.6% of the 30 km radius area, indicating an insignificant proportion of transformation in the regional. The proposed Soyuz 1 Solar PV Park will result in 0.03% transformation of the greater area. The proposed development footprint plans have ensured that sensitive habitats are avoided while the implementation of the avifaunal mitigation measures will ensure that the most sensitive habitats remain undisturbed in the region.

Even with the best mitigation measures applied there are still cumulative negative impacts expected to bustard species in the region due to their propensity for collision with overhead powerlines which cannot be completely mitigated with current measures such as bird flight diverters. Some cumulative impact to these species is therefore expected in the region from the renewable energy developments but it is not possible to accurately calculate the magnitude of this impact at this stage. Additional research at a national level is required to assess these impacts appropriately and develop mitigation solutions that are more effective than those currently available.

Given the small additional land area that will be taken up by the proposed Soyuz SOLAR PV PARK Cluster, which is only due to facilities 2,3 and 6 as facilities 1, 4 & 5 fall within the boundaries of the Soyuz WEF cluster (**Figure 71**), an additional maximum of 1705 ha of land transformation is expected which cannot be considered as significant in the region.



24.5.5 Terrestrial Biodiversity Specialist

Fauna

Based on the general landscape and habitat within the Soyuz Solar PV Cluster project area, the preferred site for the development of the Soyuz 1 PV Solar Park has the potential to host a moderately low to intermediate assemblage of fauna and potentially four (4) SCC with one (1) SCC, Orycteropus afer (Aardvark, P) confirmed. Three (3) SCC have foraging and breeding habitat within the preferred site and as such, the development will result in the loss of breeding or foraging habitat for these species. One mammal SCC may lose breeding habitat within the project areas because of the development of the Soyuz Solar PV Cluster. While this SCC potentially breed within the project area it is not considered an important breeding locality for these species and the development is not likely to result in changes to breeding productivity, however, reductions in abundance within the project areas are likely. As a result of the extent of the Soyuz Solar PV Cluster development area and other approved projects area, faunal dispersal corridors are likely to be impacted. However, the preferred development footprints within each of the Solar PV Parks that will form the Soyuz Solar PV Park Cluster have avoided disturbance of the delineated Freshwater Ecosystem Habitats which will assist in maintaining these faunal dispersal corridors. In addition, mitigation measures recommend that connectivity from these freshwater ecosystem habitats to the greater environment be maintained as far as possible by only installing perimeter fences where necessary, having culverts in the border fence line or other mechanisms to improve connectivity. Animals may avoid the area during the construction phase due to increased and consistent human activity but will return to the area during the operational phase which will be devoid of consistent human activity.

The proposed activities will lead to the loss of faunal habitat within the development footprints and to a reduction in the abundance of fauna and a potential for local reductions in SCC presence. This will lead to the displacement of faunal species currently inhabiting these areas, driving them out into the surrounding vegetated areas, leading to increased competition for territories and breeding sites. Moreover, there is likely to be a knock-on dispersal effect, leading to increased resource competition and possible increased mortality rates as the carrying capacity is impacted, resulting in a decreased species abundance, decreased breeding potential and possible further loss of species diversity in the region.

However, as for avifauna assessment given above, the small additional land area that will be taken up by the proposed Soyuz SOLAR PV PARK Cluster, which is only due to facilities 2,3 and 6 as facilities 1, 4 & 5 fall within the boundaries of the Soyuz WEF cluster (**Figure 71**), an additional maximum of 1705 ha of land transformation is expected which cannot be considered as significant in the region. Provided the mitigation measures recommended are applied, the cumulative negative impact to fauna will be low.

Flora

For the assessment of potential cumulative impacts to vegetation and plant species associated with Soyuz 1 Solar Park, consideration was given to past, present, and future (known) projects and natural drivers that affect these aspects. Three areas of concern were identified for Soyuz 1 Solar Park:

Habitat fragmentation;



- Spread of AIPs and bush encroachment; and
- Additional (known) planned projects in the area.

The proposed project could further impact on the floral habitat and diversity as well as floral SCC through fragmentation of habitat within the landscape. That being said, the landscape surrounding Soyuz 1 Solar Park is already significantly fragmented and much thereof either is actively grazed. The cumulative impact from additional fragmentation to the landscape is not anticipated to be significant in the long-term.

As for avifauna assessment above, given the small additional land area that will be taken up by the proposed Soyuz SOLAR PV PARK Cluster, which is only due to facilities 2,3 and 6 as facilities 1, 4 & 5 fall within the boundaries of the Soyuz WEF cluster (**Figure 71**), an additional maximum of 1705 ha of land transformation is expected which cannot be considered as significant in the region. Provided the mitigation measures recommended are applied, the cumulative negative impact to flora will be low.

24.5.6 Climate Change Specialist

Assuming the Soyuz 1 Solar PCV Park replaces generative capacity from other fossil fuel sources, the cumulative downstream impact from the proposed Soyuz Solar PV Cluster could lower South Africa's GHG emissions from the Energy sector by 4% since the Solar PV Parks will have a lower emission per unit compared with the Eskom which is largely dependent on coal fired power stations. The cumulative impact significance on climate change could therefore be positive, although the loss of vegetation for the duration of the project (30 years) should be accounted for and will reduce the positive impacts unless it can be offset with crop developments or forestation.

24.5.7 Freshwater Ecological Specialist

Freshwater ecosystems within the Karoo and the broader Northern Cape region are under continued threat due a variety of factors primarily related to landuses which, in the long term, may prove to be unsustainable. The predominant landuse and economic activity in the wider area related to the proposed Soyuz Solar PV Cluster is commercial livestock farming. This has resulted in degradation of freshwater features due to over-utilisation by livestock, as well a physical transformation of freshwater ecosystems, primarily in the form of impoundments that have been developed along most of the episodic drainage lines in the area. Such impoundments exert various types of impacts, including freshwater habitat transformation, hydrological impacts, as well as hydromorphological impacts. Other factors such as existing linear infrastructure (roads and railways) as well as climate change also exert impacts on the freshwater ecosystems in the wider area and in a Northern Cape Karoo context.

The development of the Soyuz 1 Solar PV Park will not directly impact any freshwater ecosystems in terms of the development footprint as no freshwater ecosystems are located within the proposed preferred development footprint. However, indirect impacts could result in the creation of a cumulative impact on the freshwater environment in the wider area if these indirect impacts resulted in a measurable impact on ecosystem provisioning or on the PES of any of the episodic drainage lines (EDLs). The implementation of the recommended mitigation measures would however significantly reduce or negate the potential for indirect cumulative impacts to materialise.



The access roads at the crossing points do not follow the alignment of existing farm tracks, but the crossing points are both located near dam walls. In this respect the access roads could exert a cumulative impact on the respective EDLs crossed and the freshwater environment of the wider area. The correct design of the upgraded access road and implementation of the recommended mitigation measures would however significantly reduce or negate the potential for cumulative impacts to materialise.

24.5.8 Heritage Specialist

The local and wider area within which the preferred Soyuz 1 Solar PV Park development site located is a remote and evolving agricultural landscape which has undergone use and incremental alteration into its current form during the last two centuries.

The widespread but relatively thin spread of archaeological sites and material within the Soyuz 1-6 Solar PV cluster and in the wider region suggests that while impacts to the heritage resources across the area are possible, they are unlikely to be cumulatively significant.

Although the region is generally palaeontologically sensitive, the occurrence of fossils within the relevant rock strata and the Quaternary sediments which cover much of the area is not consistent. Bamford (2023a) states that while impacts to the resource across the area are possible, the mixed nature of the regional geology, and the low level of surface and near surface exposure of fossil-bearing rocks where they do occur, means that cumulative impacts on palaeontological resources are <u>not likely</u>.

Archaeological material and sites are potentially at risk from cumulative impacts, given their widespread occurrence and exposure across the area. Multiple human activities in the landscape, of which the construction of the proposed Soyuz 1-6 Solar PV Parks, can erode the integrity of these resources through physical damage or destruction. At an individual project level these impacts may not appear to be significant, but the cumulative effects of multiple developments on archaeological resources can be high. The implementation of measures at individual project level can, however mitigate and reduce cumulative impacts.

For the cultural landscape, the renewable energy facilities shown as approved in the vicinity of the Soyuz 1 SPV park on South African Renewable Energy EIA Application Database (REEA, 2021) indicates that the region has been earmarked for renewable energy facilities, which may alter the landscape character which will add to the cumulative effects of modern development on the cultural landscape.

24.5.9 Noise Specialist

The Noise Impact Assessment has confirmed that a cumulative noise increase of significantly less than 7 dbA for all phases of the proposed Soyuz 1 Solar PV Park development and operation can be expected. As there are no other noise sources within impactable distance, the cumulative noise impact is expected to be negligible during the construction phase and non-existent during the operational phase.

24.5.10 Social Specialist - Cumulative Impact on Sense of Place

The potential cumulative impacts on the area's sense of place will be largely linked to potential visual impacts. In this regard the Scottish Natural Heritage (2005) describes a range of potential cumulative



landscape impacts associated with wind farms on landscapes. These issues are also likely to be relevant to solar facilities and associated infrastructure. The relevant issues identified by Scottish Natural Heritage study include:

- Combined visibility (whether two or more wind farms will be visible from one location).
- Sequential visibility (e.g. the effect of seeing two or more wind farms along a single journey, e.g. road or walking trail).
- The visual compatibility of different wind farms in the same vicinity.
- Perceived or actual change in land use across a character type or region.
- Loss of a characteristic element (e.g. viewing type or feature) across a character type caused by developments across that character type.

The guidelines note that cumulative impacts need to be considered in relation to dynamic as well as static viewpoints. The experience of driving along a tourist road, for example, needs to be considered as a dynamic sequence of views and visual impacts, not just as the cumulative impact of several developments on one location. The viewer may only see one renewable energy facility and the associated infrastructure at a time, but if each successive stretch of the road is dominated by views of renewable energy facilities, then that can be argued to be a cumulative visual impact.

The potential impact of the proposed individual Soyuz Solar PV Parks on the region's sense of place is likely to be limited. This was confirmed during interviews with affected landowners. This is confirmed by the findings of the Visual Impact Assessment which concluded that the cumulative visual impact of the Soyuz Solar PV Cluster is expected to be of low significance.

24.5.11 Social Specialist - Cumulative Impact on Local Services and Accommodation

The establishment of several Solar PV Parks and other renewable energy facilities (REFs) has the potential to place pressure on local services and accommodation, specifically during the construction phase. The objective will be to source as many low and semi-skilled workers for the construction phase from the ELM. This will reduce the pressure on local services and accommodation and the nearby town of Britstown and De Aar. The potential impact should also be viewed within the context of the potential positive cumulative impacts for the local economy associated with the establishment of the proposed facility and associated renewable energy projects in the ELM. These benefits will create opportunities for investment in the ELM, including the opportunity to up-grade and expand existing services and the construction of new houses.

Socio-economic development (SED) contributions also represent an important focus of the REIPPPP and is aimed at ensuring that the build programme secures sustainable value for the country and enables local communities to benefit directly from the investments attracted into the area. The proposed Soyuz Solar PV Parks will be required to contribute a percentage of projected revenues accrued over the 20-year period to SED. This will provide revenue that can be used by the PKSDM to invest in up-grading local services where required. In should also be noted that it is the function of national, provincial, and local government to address the needs created by development and provide the required services. The additional demand for services and accommodation created by the establishment of development renewable energy projects should therefore be addressed in the Integrated Development Planning process undertaken by the ELM.



24.5.12 Social Specialist - Cumulative Impact on Local Economy

In addition to the potential negative impacts, the establishment of renewable energy facilities and associated infrastructure, including the proposed Soyuz Solar PV Parks, will also create several socioeconomic opportunities for the ELM. The positive cumulative opportunities include creation of employment, skills development and training opportunities, and downstream business opportunities.

The review of the REIPPPP (December 2021) indicates that to date (across BW1-4) a total contribution of R22.8 billion has been committed to SED initiatives. Assuming an even, annual revenue spread, the average contribution per year would be R1.1 billion. Of the total commitment, R18.5 billion is specifically allocated for local communities where the IPPs operate. With every new IPP on the grid, revenues and the respective SED contributions will increase. The potential cumulative benefits for the local and regional economy are therefore associated with both the construction and operational phase of renewable energy projects and associated infrastructure and extend over a period of 20-25 years. However, steps must be taken to maximise employment opportunities for members from the local communities in the area and support skills development and training programmes.

24.5.13 Soil, Land Use & Land Capability Specialist

The study area is largely dominated by soils of Coega formation which account for 97% of the study area which are shallow in nature and thus of restricted potential due to the limited choice of crops to cultivate. Also, these soils require intense management to be cultivated, such as ripping of subsoil layers, which may further increase input cost.

The climatic conditions of the area which is associated with limited rainfall, and the absence of irrigation schemes, renders the study area unsuitable for any large-scale crop cultivation. Some areas used for grazing will potentially be impacted, which will ultimately impact on the local and regional livestock production. Although agricultural studies under the CARA Act 1983 prioritise crop-based agriculture, it is imperative that land with grazing capability is also conserved where feasible. The cumulative impact on the local and regional scale is considered medium to low without mitigation and low to very low with mitigatory measures in place as the dominant soils are not sensitive from a soil and land capability point of view.

24.5.14 Traffic Specialist

It has been assumed that all proposed and/or approved renewable energy projects within a 30 km radius of the proposed Soyuz 1 Solar PV development site will be constructed simultaneously. The construction and decommissioning phases of these projects are the only significant traffic generators. These are short term phases and the impacts on the surrounding road network is temporary. Even if all these projects are constructed and decommissioned simultaneously, the road authority will evaluate the applications for heavy loads associated with these projects and liaise with the developers to ensure that loads on the public roads are staggered to ensure that the traffic impact is acceptable.

24.5.15 Visual Specialist

Cumulative impacts can result from individually minor but collectively significant actions taking place over time. Cumulative visual impacts may be:

• Combined - where the PV arrays of several Solar PV Parks are within the observer's arc



view concurrently;

- Successive where the observer must turn his / her head to see the various SOLAR PV PARK's arrays; and
- Sequential when the observer must move to another viewpoint to see the various solar projects or different views of the same project development (such as when travelling along a route).

The cumulative impact of Solar PV Parks on the landscape and visual amenity is a product of:

- The distance between individual solar PV parks;
- The distance over which the PV arrays are visible;
- The overall character of the landscape and its sensitivity to the infrastructures;
- The siting and design of the solar PV parks themselves; and
- The way in which the landscape is experienced.

Cumulative visual impacts resulting from landscape modifications because of the proposed Soyuz Solar OV Park in conjunction with the Soyuz Solar PV Cluster and the eleven approved applications of renewable energy projects within a 50 km radius, as well as any future renewable energy facilities (wind and solar facilities) in the area, must be considered. Renewable energy facilities have the potential to cause large scale visual impacts and the location of several such developments near each other could significantly alter the sense of place and visual character in the broader region. With the Soyuz Solar PV Cluster solar parks situated so far apart, the cumulative impact is considered sequential and therefore low. Furthermore, with the very low viewer incidence, the cumulative visual impact is expected to be of low significance. Furthermore, the limited lighting required for a Solar PV Parks will not significantly increase sky glow, even when considering all proposed renewable energy projects within a 50 km radius. No negative cumulative visual impacts are anticipated from the proposed project and other future projects in the area which are of unacceptably high significance.

25 ENVIRONMENTAL IMPACT ASSESSMENT SUMMARY FOR THE PREFERRED ALTERNATIVE

Based on the information presented in this report and the assessment of identified impacts as presented in the impact section (Section 24) of this report, the key potential impacts (post-mitigation) and the key recommended mitigation measures are summarised in this section.



25.1.1 Impacts to be Mitigated During the Planning and Design Phase

		Plann	ing and Design Phase	
Aspect	Impact	Pre-Mitigation Significance	Post-mitigation Significance	Summary of Mitigation Measures
Avifauna	Direct loss of avifaunal habitat	Low Negative	Low Negative	• Ensure the development is confined to the preferred site layout as assessed by the avifauna specialist ad presented in this EIA Report.
	Attraction to the facility	Low Negative	Low Negative	 All power cables within the project area should be fully insulated and preferably buried in demarcated corridors. Install white strips or expose (lustrous) aluminium frames along the edges of the solar panels to increase visibility and deter birds. Installation of bird deterrent devices on and around solar panels and on transmission line poles, pylons and / or monopoles as well as security/boundary fences to reduce collision risk. The BESS must be covered in non-reflective surfaces and protected against thermal discharge. In areas where service roads intersect with semi natural or natural habitat, fences must be set back 75 metres from the edge of the road to allow for vulnerable species such as bustards, storks, cranes and korhaans to obtain adequate height after being flushed by vehicle traffic. Alternatively, the fences must be placed completely adjacent to the roads with a maximum of 3 metres buffer and marked with fence flappers to reduce flush related collisions.
Terrestrial Fauna	Loss of habitat and potential species diversity	Medium to High Negative	Low Negative	 Ensure the development is confined to the preferred site layout as assessed by the terrestrial fauna specialist ad presented in this EIA Report. Access roads should be kept to existing roads so to reduce fragmentation of existing natural habitat. Perimeter fences must be designed to allow for small faunal species movement in and out of the Soyuz 1 Solar PV Park. The use of electric perimeter fencing is discouraged. Small culverts should be placed every 200m in the fence to allow for the movement of small species through the fence.



		Planni	ing and Design Phase	
Aspect	Impact	Pre-Mitigation	Post-mitigation	Summary of Mitigation Measures
		Significance	Significance	
	Loss of faunal Species of Conservation Concern	Medium to High Negative	Low Negative	 Ensure the development is confined to the preferred site layout as assessed by the terrestrial fauna specialist ad presented in this EIA Report. Perimeter fences must be designed to allow for small faunal species movement in and out of the Soyuz 1 Solar PV Park. The use of electric perimeter fencing is discouraged. Small culverts should be placed every 200m in the fence to allow for the movement of small species through the fence. A documented rescue and relocation plan of action must be in place prior to commencement of construction and operational activities so all personnel are aware of the requirements should a faunal SCC be encountered. Prior to vegetation clearing activities, the site should be inspected for the presence of SCC, including burrowing scorpion burrows, and reptiles. If located, these species should be carefully rescued and relocated as per an approved rescue and relocation plan that must be developed.
Terrestrial Flora	Loss of floral habitat and potential species diversity	Low to medium Negative	Low Negative	 Ensure the development is confined to the preferred site layout as assessed by the terrestrial fauna specialist ad presented in this EIA Report. Minimise loss of indigenous vegetation and natural habitat where possible through adequate planning and, where necessary, by incorporating the sensitivity of the biodiversity report as well as other specialist studies; Where possible, and feasible, all planning of access roads should be kept to existing roads so to reduce fragmentation of existing natural habitat; Design of infrastructure should be environmentally sound and all construction equipment to be utilised must be in a good working condition, and all possible precautions taken to prevent potential mechanical spills and/or leaks;



		Plann	ing and Design Phase	
Aspect	Impact	Pre-Mitigation	Post-mitigation	Summary of Mitigation Measures
		Significance	Significance	 Prior to the commencement of construction activities, an authorised AIP Management/Control Plan should be compiled for implementation; Prior to the commencement of construction activities on site, a rehabilitation plan should be developed; and At all times, ensure that sound environmental management is in place during the planning phase
	Loss of Floral Species of Conservation Concern	Medium Negative	Low Negative	 Ensure the development is confined to the preferred site layout as assessed by the terrestrial flora specialist ad presented in this EIA Report. Floral SCC (i.e., protected flora) are associated with the habitat in which the proposed activities will take place. A walkdown of the footprint area must take place before construction activities commence, where all anticipated floral SCC are searched for and marked to determine the number of individuals that will be impacted. Based on the outcome of the walkdown, the appropriateness of rescue and relocation initiatives must be determined, and a rescue and relocation plan may be required. The following permit application will be necessary:
Soil and Land Capability	Loss of land capability – agriculture	High Negative	Low Negative	 Ensure the development is confined to the preferred site layout as assessed by the soil and land capability specialist and presented in this EIA Report. Access road should be aligned to the existing road routing to avoid further agricultural impact and unnecessary soil disturbance.



		Plann	ning and Design Phase	
Aspect	Impact	Pre-Mitigation Significance	Post-mitigation Significance	Summary of Mitigation Measures
Surface Water	Direct transformation of freshwater habitat	Low Negative	Low Negative	 Ensure the development is confined to the preferred site layout as assessed by the aquatic specialist and presented in this EIA Report. This layout delineates the episodic drainage lines and the associated buffer. Ensure the access road is aligned to the existing road routing
	Altered surface water velocities	Low Negative	Low Negative	 Vegetation be retained in the parts of the development site where clearing for PV and associated infrastructure is not required in order to improve infiltration of runoff and to trap surface runoff during precipitation events; Stormwater infrastructure on the development site must be designed in line with the principles of SUDS to polish stormwater by trapping sediments and by removing pollutants that could pollute downgradient freshwater ecosystems, and in order to allow the gradual discharge of stormwater into the drainage lines following rainfall events. As such the use of 'soft' engineering features such as bioswales that are vegetated with suitable vegetation that is tolerant of both wet and dry conditions is strongly recommended. The use of stone pitching to reduce velocity of stormwater is strongly recommended. The proposed stormwater infrastructure must also be incorporated into a suitable and site-specific Stormwater Management Plan (SWMP). Stormwater generated from the road surfaces in the catchments of the EDLs must be directed at intervals into the catchment areas rather than being channelled towards the crossing points. Design measures such as flow breakers to slow the velocity of stormwater must be included in the design of the roads at the 2 EDL crossing points.
Environmental Noise	Noise from the BESS activities	Low Negative	Low Negative	Ensure that there is a buffer zone between the BESS, central inverter and substation and the closest farmhouse/tourism facility.



		Plann	ing and Design Phase	2
Aspect	Impact	Pre-Mitigation Significance	Post-mitigation Significance	Summary of Mitigation Measures
Visual	Impact on the overall landscape, visual intrusion and exposure of the landscape	Low Negative	Low Negative	 Ensure the development is confined to the preferred site layout as assessed by the aquatic specialist and presented in this EIA Report. This layout delineates the episodic drainage lines and the associated buffer. Use existing access road. A transparent fence, such as a clear VU fence or equally approved, should be muted in colour and located as close as possible to the development boundary of the Solar Park to avoid impeding visibility and ensure that it is visually pleasing to observers. Implement accepted technologies to reduce glint and glare from the PV panels.
	Visual impacts of night-time lighting	Low Negative	Low Negative	 Night lighting of construction sites and camps, the BESS, substation and O&M Building should be minimised as far as possible, taking into consideration that due to safety requirements a certain level of lighting may be necessary.
Heritage	Disturbance and/or destruction of archaeological sites and/or materials	Low Negative	Low Negative	 Ensure the development is confined to the preferred site layout as assessed by the heritage specialist and presented as the preferred layout alternative in this EIA Report. Avoid the engraved boulder (G012) through the implementation of a permanent 20 m no-go area or buffer around it. This buffer must be physically demarcated during construction and decommissioning. Avoid the cluster of sites adjacent to the access road between the Soyuz 1 and Soyuz 5 SPV parks (JG009-JG013 / G009) through the implementation of a permanent 20 m no-go area or buffer around it.
Water Management	Excessive use of natural water (groundwater) for the washing of solar PV panels in a water deficit region.	High negative	Low Negative	 Investigate panel cleaning options prior to finalising the design of the Soyuz 1 Solar PV Park and where possible implement 'waterless' alternatives. If borehole water is to be considered, then a WUL must be applied for and the necessary geohydrological assessments undertaken to ensure the aquifer can provide the required quantities without affecting other users water rights.



25.1.2 Impacts and Mitigation Measures during Construction Phase

Aspect	Impact	Pre-Mitigation Significance	Post-mitigation Significance	Summary of Mitigation Measures
Avifauna	Direct loss of avifaunal habitat	Low Negative	Low Negative	 Ensure the construction activities are confined within the development footprint as presented in this EIA Report (preferred site layout). Limit the areas cleared for construction purposes (e.g. laydown areas). Do not implement a bare earth policy for construction of solar panels, rather mow the vegetation. Demarcate sensitive areas and allocated buffers as 'no go' areas. Rehabilitate all areas disturbed immediately after construction. Prioritise existing roads for access routes. Develop and implement an Alien and Invasive Plant Control Plan.
	Disturbance and displacement	Low Negative	Low Negative	 Adopt temporal avoidance strategies. Attempt, as far as possible to conduct most of the high intensity earthmoving and building activities during winter (June to September) to minimize disturbance of avifauna during sensitive life stages such as lekking, courting, nesting and fledging. Minimise light pollution and fit external lighting with downward facing hoods. Demarcate natural areas beyond the surface infrastructure footprint and restrict access of personnel into these areas through education and signposting. Train staff and contractors on the importance of birds and other biodiversity and the sensitive areas for these species which should be avoided. Introduce and enforce a speed limit (40 km/h)



		Co	onstruction Phase	
Aspect	Impact	Pre-Mitigation	Post-mitigation	Summary of Mitigation Measures
		Significance	Significance	
Fauna	Loss of faunal habitat and potential species diversity	Medium — High Negative	Low Negative	 Ensure the construction activities are confined within the development footprint as presented in this EIA Report (preferred site layout). Limit the areas cleared for construction purposes (e.g. laydown areas). Demarcate sensitive areas and allocated buffers as 'no go' areas. Prioritise existing roads for access routes. Smaller species of invertebrates and reptiles are likely to be less mobile during colder periods, as such should any be observed in the footprint areas during clearing and operational activities, they are to be carefully and safely moved to an area of similar habitat outside of the disturbance footprint. Maintain habitat connectivity and corridors for species movement; Edge effect control needs to be implemented to ensure no further degradation and potential loss of faunal SCC outside of the proposed project footprint area. It is recommended that after vegetation clearing during the construction phase, vegetation regrowth must be promoted while appropriately maintained so as not to create a safety or production risk, as this will create habitat for faunal species and will aid in preventing soil erosion.
	Loss of Faunal SCC	Medium to High Negative	Low Negative	 Ensure the construction activities are confined within the development footprint as presented in this EIA Report (preferred site layout). Should any other faunal species protected under the National Environmental Management: Biodiversity Act, 2004 (Act No. 10 of 2004) or the Northern Cape Nature Conservation Act (schedule 1) be encountered, construction should be halted and authorisation to relocate such species must be obtained from the DFFE or NCDENC; Prior to vegetation clearing activities, it is recommended that the site should be inspected for the presence of burrowing SCC scorpions. If located, these species should be carefully excavated



		Co	nstruction Phase	
Aspect	Impact	Pre-Mitigation Significance	Post-mitigation Significance	Summary of Mitigation Measures
				ensuring no harm to the specimens and relocated to similar surrounding habitat outside of the footprint area. A night-time survey utilising UV lights is recommended to aid in the collection of potential scorpion SCC. The survey should be undertaken in summer where these arachnids are more active. Where this is not feasible, as species are observed when vegetation clearance takes place, they are to be appropriately rescued and relocated; • A suitable rescue and relocation plan should be developed and overseen by a suitably qualified specialist should SCC be identified within the project areas in order to ensure that species loss during construction activities is kept to a minimum
Flora	Loss of floral habitat and potential species diversity	Medium Negative	Low Negative	 Ensure the construction activities are confined within the development footprint as presented in this EIA Report (preferred site layout). Footprint areas should be kept as small as possible. Site boundaries should be clearly demarcated so as to ensure that vegetation beyond the authorised footprint is not cleared; No development should occur within the Freshwater Ecosystem Habitat or within the relevant zones of regulation around these features present within the proposed PV plant area; Construction equipment should be restricted to travelling only on designated roadways or within the intended development footprint to limit the ecological footprint of the development activities. Additional road construction should be limited to what is absolutely necessary, and the footprint thereof kept to a minimum; Access road for construction should be gravel. Post construction and before operation of PV plant permeable paving is recommended (e.g., grassblock) in areas where areas should be paved; Care should be taken during the construction and before operation of the proposed development to limit edge effects to surrounding natural habitat. This can be achieved by:



	Co	onstruction Phase	
Aspect Impact	Pre-Mitigation Significance	Post-mitigation Significance	Summary of Mitigation Measures
			 Demarcating all footprint areas during construction activities; No construction rubble or cleared alien invasive species are to be disposed of outside of demarcated areas, and should be taken to a registered waste disposal facility; Suppress dust to mitigate the impact of dust on flora within a close proximity of construction activities; All soil compacted as a result of construction activities (outside of the development footprint) should be ripped, profiled and reseeded; Manage the spread of AIP species, which may affect remaining natural habitat within surrounding areas. If any spills occur, they should be immediately cleaned up to avoid soil contamination that can hinder floral rehabilitation later down the line. In the event of a breakdown, maintenance of vehicles must take place with care, and the collection of spillages should be practised preventing the ingress of hydrocarbons into the topsoil; Any natural areas beyond the development footprint, which have been affected by the construction activities, must be rehabilitated using indigenous plant species; Revegetation of disturbed areas should be carried out in order to restore habitat availability and minimise soil erosion and surface water runoff; Edge effect control needs to be implemented to ensure no further degradation and potential loss of floral species outside of the proposed project footprint area. An on-site Environmental Control Officer (ECO) should monitor and mitigate any edge effects throughout the life of the operation; No additional habitat is to be disturbed outside of the approved footprints areas. Weekly (recommended) to monthly (minimum requirement) monitoring and recording of the footprint areas must be done during the construction phase by the ECO and photographic records kept – special attention should also be paid



		Co	onstruction Phase	
Aspect	Impact	Pre-Mitigation Significance	Post-mitigation Significance	Summary of Mitigation Measures
	Loss of Floral Species of	Medium Negative	Low Negative	 to the potential increase and spread of AIPs; No dumping of waste on site should take place. As such it is advised that waste disposal containers and bins be provided during the construction phase for all dilapidates, rubble and general waste; At all times, ensure that sound environmental management is in place; and It is recommended that after vegetation clearing during the construction phase, vegetation regrowth must be promoted while appropriately maintained so as not to create a safety or production risk, as this will create habitat for species and will aid in preventing soil erosion. Ensure the construction activities are confined within the
	Conservation Concern			 development footprint as presented in this EIA Report (preferred site layout). The relocation success of floral SCC or protected floral species (where applicable) must be monitored during the construction phase to ensure immediate actions can be taken if it becomes evident that relocation is not successful; No collection of floral SCC must be allowed by construction personnel; Edge effect control needs to be implemented to prevent further degradation and potential loss of floral SCC or protected floral species outside of the proposed development footprint area; and It is recommended that after vegetation clearing during the construction phase, vegetation regrowth must be promoted while appropriately maintained so as not to create a safety or production risk, as this will create habitat for floral SCC and will aid in preventing soil erosion.
Soil and Land Capability	Loss of land capability – agriculture	High Negative	Low Negative	 Ensure the construction activities are confined within the development footprint as presented in this EIA Report (preferred site layout). Revegetate the disturbed soils with an indigenous grass mix, to re-



		Co	onstruction Phase	
Aspect	Impact	Pre-Mitigation Significance	Post-mitigation Significance	Summary of Mitigation Measures
				 establish a protective cover, in order to minimise soil erosion and dust emissions; Temporary erosion control measures should be used to protect the disturbed soils during the construction phase until adequate vegetation has established; The footprint areas should be lightly ripped to alleviate compaction;
	Soil erosion	Medium Negative	Low Negative	 Always strip a suitable time before the placement or construction of the solar PV facilities, to avoid soil loss and contamination. Infrastructure footprint area should be clearly demarcated to avoid unnecessary disturbance of adjacent soils; Temporary erosion control measures should be used to protect the disturbed soils during the construction phase until adequate vegetation has established Revegetate adjacent areas with an indigenous grass mix, to reestablish a protective cover, in order to minimise soil erosion and dust emissions; and
	Soil Compaction	Low Negative	Low Negative	 Construction vehicle movement should be limited to within the project perimeter fence to avoid unnecessary compaction of adjacent soils
	Soil Contamination	Medium Negative	Low Negative	 A spill prevention and emergency spill response plan, as well as dust suppression, and fire prevention plans should also be compiled to guide the construction works;
Surface Water	Access Road upgrading – direct impacts	Low Negative	Low Negative	 All construction and site clearing must take place during the dry season to limit potential impacts to downgradient drainage lines (i.e. the two EDL's to the north-east of the development footprint) as a result of construction activities. The construction footprint of the roads as they cross the two EDLs must be limited to the approved construction Right of Way. This Construction Right of Way must be narrowed to only the width of the proposed road and 2m on either side of the road width. This construction right of way must be clearly demarcated prior to the commencement of any vegetation clearing to prevent any



		Co	onstruction Phase	
Aspect	Impact	Pre-Mitigation	Post-mitigation	Summary of Mitigation Measures
		Significance	Significance	
				 such damage to vegetation outside of the construction Right of Way. Construction phase stormwater controls must be implemented in the vicinity of the 2 EDLs. In the case of the EDL located to the south of the access road alignment (located between Sites 1 and 5), the following measures must be implemented: It is recommended that the southern edge of the road construction area be fenced off for a length of 50m either side of the closest point of the road to the EDL and signposted. If the existing farm access road is required to be widened, the road must be widened to the north and not to the south towards the EDL. No laydown areas at the EDL crossing points must be located within the delineated riparian areas to avoid any damage to riparian vegetation. Construction material laydown areas must also ideally be located outside of the respective Zones of Regulation to prevent damage to vegetation in the catchments of the EDLs that could lead to altered stormwater runoff into the EDLs; Construction phase stormwater controls must be implemented in the vicinity of the 2 EDLs. In the case of the EDL located to the south of the access road alignment (located between Sites 1 and 5), the following measures must be implemented: It is recommended that the southern edge of the road construction area be fenced off for a length of 50m either side of the closest point of the road to the EDL and signposted. If the existing farm access road is required to be widened, the road must be widened to the north and not to the south towards the EDL.



		C	onstruction Phase	
Aspect	Impact	Pre-Mitigation	Post-mitigation	Summary of Mitigation Measures
		Significance	Significance	
	Impact on freshwater ecosystem	Low Negative	Low Negative	 Fresh concrete and cement mortar must not be mixed near the site boundaries (i.e. within the 100m Zone of Regulation) of the drainage lines; Ensure the construction activities are confined within the
	provisioning and resource quality			 development footprint as presented in this EIA Report (preferred site layout). prior to the commencement of construction and vegetation clearing to ensure that no vehicle or other construction personnel
				 access occurs off the site and within the 32m ZoR of the EDLs or into the EDLs themselves; All construction and site clearing must take place during the dry
				season to limit potential impacts to downgradient drainage lines (i.e. the two EDL's to the north-east of the development footprint) as a result of construction activities;
				 A construction-phase stormwater control system must be implemented as part of the development and implementation of stormwater controls across all development phases. Temporary measures must be used to control construction phase stormwater e.g. the use of berms, silt traps / silt curtains, along with the retention of natural vegetation where possible;
				 Dust suppression measures must be implemented (such as spray watering on gravel roads) throughout the proposed development activities to prevent excessive dust which may adversely affect riparian vegetation within the EDLs.
				 Fresh concrete and cement mortar must not be mixed near the site boundaries (i.e. within the 100m Zone of Regulation) of the drainage lines; Stormwater infrastructure on the development site must be
				designed in line with the principles of SUDS in order to polish stormwater by trapping sediments and by removing pollutants that could pollute downgradient freshwater ecosystems, and in
				order to allow the gradual discharge of stormwater into the drainage lines following rainfall events.



		Co	onstruction Phase	
Aspect	Impact	Pre-Mitigation Significance	Post-mitigation Significance	Summary of Mitigation Measures
Geotech and Soil	Soil erosion, soil contamination and soil destabilisation	Low Negative	Low Positive	 Ensure the construction activities are confined within the development footprint as presented in this EIA Report (preferred site layout). rehabilitate any disturbed areas following completion of the construction period, whether complete or on hold.
Environmental Noise	Noise generated by construction equipment operation	Low Negative	Low Negative	 Construction activities to take place during daytime only. Noise Management Plan to be included in EMPr and implemented.
Visual	Visual impacts of night-time lighting	Low Negative	Low Negative	Ensure night-time lighting is limited.
Heritage	Disturbance and/or destruction of paleontological material during construction	Low Negative	Low Positive	 Implement a Fossil Chance Find Protocol. Environmental Compliance Officer to monitor earthworks for fossils. Report any chance finds of palaeontological material to a palaeontologist who must collect a representative sample.
	Disturbance and/or destruction of archaeological sites and/or materials during construction and decommissioning	Low Negative	Low Positive	Report any chance finds of archaeological material to SAHRA and/or an archaeologist.
	Disturbance and/or destruction of graves or burials during construction and decommissioning	Low Negative	Low Positive	 Cease work immediately in the immediate area if human remains are encountered. Leave remains in situ and make site safe. Report the finds to SAHRA and/or an archaeologist.
	Alteration of the cultural landscape due to the presence of the SPV project	Low Negative	Low Positive	Minimise disturbance footprint during construction and rehabilitate all disturbed areas that will not be needed during operation.
Social	Employment and business opportunities	Medium Positive	Medium Positive	 Employment Preparation and implementation of a Stakeholder Engagement Plan (SEP) prior to and during the construction phase. Where reasonable and practical, the proponent should appoint local contractors and implement a 'locals first' policy, especially for semi and low-skilled job categories. However, due to the low skills



		Co	onstruction Phase	
Aspect	Impact	Pre-Mitigation	Post-mitigation	Summary of Mitigation Measures
		Significance	Significance	
		Significance	Significance	levels in the area, most skilled posts are likely to be filled by people from outside the area. Where feasible, efforts should be made to employ local contactors that are compliant with Broad Based Black Economic Empowerment (BBBEE) criteria. Before the construction phase commences the proponent should meet with representatives from the ELM to establish the existence of a skills database for the area. If such as database exists, it should be made available to the contractors appointed for the construction phase. The local authorities, community representatives, and organisations on the interested and affected party database should be informed of the final decision regarding the project and the potential job opportunities for locals and the employment procedures that the proponent intends following for the construction phase of the project. Where feasible, training and skills development programmes for locals should be initiated prior to the initiation of the construction phase. The recruitment selection process should seek to promote gender equality and the employment of women wherever possible. Business The proponent should liaise with the ELM with regards the establishment of a database of local companies, specifically BBBEE companies, which qualify as potential service providers (e.g. construction companies, catering companies, waste collection companies, security companies etc.) prior to the commencement of the tender process for construction contractors. These companies should be notified of the tender process and invited to bid for project-related work.



		C	onstruction Phase	
Aspect	Impact	Pre-Mitigation	Post-mitigation	Summary of Mitigation Measures
		Significance	Significance	
				 Where possible, the proponent should assist local BBBEE companies to complete and submit the required tender forms and associated information. The ELM, in conjunction with the local business sector and representatives from the local hospitality industry, should identify strategies aimed at maximising the potential benefits associated with the project.
	Social impact of construction workers	Low Negative	Low Negative	 Preparation and implementation of a Community Health, Safety and Security Plan (CHSSP) prior to and during the construction phase. The SEP and CHSSP should include a Grievance Mechanism that enables stakeholders to report resolve incidents. Where possible, the proponent should make it a requirement for contractors to implement a 'locals first' policy for construction jobs, specifically for semi and low-skilled job categories.
	Influx of job seekers	Low Negative	Low Negative	 Preparation and implementation of a Stakeholder Engagement Plan (SEP) prior to and during the construction phase. Preparation and implementation of a Community Health, Safety and Security Plan (CHSSP) prior to and during the construction phase. The proponent should implement a "locals first" policy, specifically regarding unskilled and low skilled opportunities.
	Farm safety	Low Negative	Low Negative	 The proponent should consider the option of establishing a MF (see above) that includes local farmers and develop an agreement for construction workers. This committee should be established prior to commencement of the construction phase. This agreement should be signed by the proponent and the contractors before the contractors move onto site. The proponent should hold contractors liable for compensating farmers and communities in full for any stock losses and/or damage to farm infrastructure that can be linked to construction workers.



		Co	onstruction Phase	
Aspect	Impact	Pre-Mitigation Significance	Post-mitigation Significance	Summary of Mitigation Measures
	Grass fires Nuisance impacts	Low Negative Low Negative	Low Negative Low Negative	 Develop a construction phase fire management plan Establishment of a Grievance Mechanism that provides local farmers and other road users with an effective and efficient
				 mechanism to address issues related to construction related impacts, including damage to local gravel farm roads. The movement of heavy vehicles associated with the construction phase should be timed to avoid times days of the week, such as weekends, when the volume of traffic travelling along the access roads may be higher.
	Loss of farmland	Low Negative	Low Negative	 Ensure the construction activities are confined within the development footprint as presented in this EIA Report (preferred site layout).
Traffic	Increase in traffic volumes on the surrounding road network because of construction traffic	Low Negative	Low Negative	 Construction traffic should not be allowed on the public road network during the typical weekday a.m. and p.m. peak hours in built up areas. These measures will be included in the Traffic Management Plan
	Gravel loss and possible damage to the road layer works. because of additional truck traffic during the construction phase.	Low Negative	Low Negative	 Resurfacing of sections along Windpoort Road, where required and regular road maintenance i.e. grading of the road once every two weeks during the construction phase. The road can also be sprayed with a dust suppressant as required to limit dust pollution and gravel loss.
Waste Management	Handling of hazardous waste including damaged PV panels and BESS batteries	Handling of solar PV waste panels and BESS waste batteries	Medium Negative	Construction waste management plan to be developed and implemented and to include how these wastes will be handled.
	Handling of packaging waste	Very High Negative	Low Negative	Develop a detailed construction phase waste management plan that identifies all potential waste types to be generated and how they will be handled including the reuse, recycle before disposal. Ensure that the cost of handling waste is included into the tender requirements for the construction phase.;



25.1.3 Operational Phase Impacts

		O	perational Phase	
Aspect	Impact	Pre-Mitigation Significance	Post-mitigation Significance	Summary of Mitigation Measures
Avifauna	Sensory disturbance – night- time lighting	Low Negative	Low Negative	Minimise light pollution and fit external lighting with downward facing hoods.
	Chemical use	Low Negative	Low Negative	 Avoid or minimise the use of chemical surfactants and dust suppressants on site; and Where necessary ensure that none of the cleaning water enters nearby watercourses through runoff; Do not clean before an imminent rainstorm.
Fauna	Loss of faunal habitat and potential species diversity	Medium Negative	Low Negative	Lights should face downwards to reduce the abundance of insects and any other fauna attracted to light.
	Loss of Faunal SCC	Medium Negative	Low Negative	Preserve, enhance, restore or replace faunal movement corridors and habitat, important the freshwater ecosystem habitat;
				 Vegetation regrowth during the Operational and Maintenance Phases must be promoted while appropriately maintained so as not to create a safety or production risk, as this will create habitat for faunal species and will aid in preventing soil erosion.
				 Rehabilitation should only cease once a suitably qualified team of ecologists sign off that the rehabilitation and restoration is adequate; Ongoing alien and invasive plant monitoring and clearing/control should take place throughout the operational phase, and the project perimeters should be regularly checked
				for AIP establishment to prevent spread into surrounding natural areas which may alter the suitability of the habitat to faunal species;



		Or	perational Phase	
Aspect	Impact	Pre-Mitigation Significance	Post-mitigation Significance	Summary of Mitigation Measures
				 Alien vegetation that is removed must not be allowed to lay on unprotected ground as seeds might disperse upon it. All cleared plant material to be disposed of at a licensed waste facility, which comply with legal standards;
Flora	Loss of floral habitat and potential species diversity Loss of Floral Species of Conservation Concern	Medium to High Negative Medium Negative	Low Negative Low Negative	 All vehicles should be restricted to travelling only on designated roadways to limit the ecological footprint of the development activities; Ongoing AIP monitoring and clearing/control should take place throughout the operational phase, and the project perimeters should be regularly checked for AIP establishment to prevent spread into surrounding natural areas which may alter the suitability of the habitat to indigenous floral species; Alien vegetation that is removed must not be allowed to lay on unprotected ground as seeds might disperse upon it. All cleared plant material to be disposed of at a licensed waste facility, which comply with legal standards; No illicit fires must be allowed; Where bare soils are left exposed by construction activities, they should be immediately rehabilitated. Rehabilitated efforts should continue to be monitored throughout the operational phase, until natural processes will allow the ecological functioning and biodiversity of the area to be re-instated; Monitor the Freshwater Habitat to ensure that floral communities are not degraded; Edge effects arising from the operational and maintenance activities of the proposed development, such as erosion and AIP proliferation, which may affect adjacent natural areas, need to be
				strictly managed. Specific mention in this regard is made of Category 1b AIP species (as listed in the NEMBA Alien species lists, 2020), in line with the NEMBA Alien and Invasive Species Regulations (2020); and



		O	perational Phase	
Aspect	Impact	Pre-Mitigation Significance	Post-mitigation Significance	Summary of Mitigation Measures
				 It is recommended that vegetation regrowth during the Operational and Maintenance Phases must be promoted while appropriately maintained so as not to create a safety or production risk, as this will create habitat for floral species and will aid in preventing soil erosion.
Soil and Land Capability	Loss of land capability – agriculture	High Negative	Low Negative	Maintenance vehicles should be checked for leakages of hydrocarbons prior to commencement of maintenance
	Soil erosion	Medium Negative	Low Negative	 activities; Maintenance vehicles should stick to demarcated road as far as practically possible to minimise soil compaction on
	Soil Compaction	Low Negative	Low Negative	adjacent soils; and
	Soil Contamination	Medium Negative	Low Negative	 The solar panels should be cleaned with clean water and use of chemicals should be avoided to minimise the likelihood of potential soil contamination.
Surface Water	Stormwater design and operational maintenance of the access roads in terms of freshwater ecosystem provisioning and resource quality	Low Negative	Low Negative	 Stormwater will naturally flow from the portions of the roads in the immediate catchments of the EDLs towards the crossing points; Stormwater generated from the road surfaces in the catchments of the EDLs must be directed at intervals into the catchment areas rather than being channelled towards the crossing points; • Design measures such as flow breakers to slow the velocity of stormwater must be included in the design of the roads at the 2 EDL crossing points. Road maintenance activities must be confined to the developed footprint of the access roads; If unsurfaced, the surface of the roads must be regularly checked for erosion and any such erosion / rilling remediated.
	Impact of the solar PV arrays and associated infrastructure on freshwater ecosystem	Low Negative	Low Negative	Maintenance activities must be confined to the developed footprint of the solar energy facility which must be fenced off to prevent accidental access into the adjacent freshwater ecosystems (riparian zones).



	Operational Phase				
Aspect	Impact	Pre-Mitigation Significance	Post-mitigation Significance	Summary of Mitigation Measures	
	provisioning and resource quality			The intervening areas between the southern, western and eastern site boundaries and the EDLs must be kept free of any development and effectively retained as buffer zones to assist in preventing indirect impacts from occurring.	
				• Components of infrastructure that contain pollutants — i.e. substation transformers and batteries in the BESS component must be properly maintained and checked for leaks. All such components that could leak pollutants, or which could result in soil or water pollution must be designed to be placed on an impervious surface that would be able to hold the full volume of any pollutants.	
Environmental Noise	Noise generated by fully operational facility	Low Negative	Low Negative	Implement noise management plan	
Visual	Potential impact of night- time lighting on the visual environment	Low Negative	Low Negative	As per planning phase recommendations	
Social	Energy Security and support renewable energy sector	Medium Positive	Medium Positive	Implement a skills development and training programme aimed at maximizing the number of employment opportunities for local community members.	
				Maximise opportunities for local content, procurement, and community shareholding.	
	Employment opportunities and social upliftment	Low Positive	Low Positive	Enhance local employment opportunities	
	Income generation for landowner	Low Positive	High Positive	Implement agreements with affected landowners	
	Improve socio-economic development	Low Positive	High Positive	 The proponents should liaise with the ELM to identify projects that can be supported by SED contributions. Clear criteria for identifying and funding community projects and initiatives in the area should be identified. The criteria should be 	



	Operational Phase					
Aspect	Impact	Pre-Mitigation Significance	Post-mitigation Significance	Summary of Mitigation Measures		
				 aimed at maximising the benefits for the community as a whole and not individuals within the community. Strict financial management controls, including annual audits, should be instituted to manage the SED contributions. 		
Traffic	Increase in traffic volumes on the surrounding road network as a result of construction traffic	Low Negative	Low Negative	Routine road maintenance by the relevant Roads Authority.		
Climate Change	Contribution to renewable energy goals of South Africa	High Positive	High Positive	None required		
	Contribution to Greenhouse Gas Reduction in South Africa	High Positive	High Positive			
Waste Management	Handling of damaged solar PV waste panels and BESS waste batteries	Medium Negative	Low Negative	Develop a detailed operational waste management plan that identifies all potential waste types to be generated and how they will be handled including the reuse, recycle before disposal. Ensure that the cost of handling waste is included in the annual operational budget of the solar PV facility.		

25.1.4 Decommissioning Phase Impacts

	Decommissioning Phase				
Aspect	Impact	Pre-Mitigation Significance	Post-mitigation Significance	Summary of Mitigation Measures	
Waste Management	Handling of solar PV waste panels and BESS waste batteries	Medium Negative	Low Negative	• At the time of decommissioning develop a detailed decommissioning waste management plan that identifies all potential waste types to be generated and how they will be handled including the reuse, recycle before disposal. Ensure that	



	the cost of handling waste is included in the decommissioning
	costing budget of the solar PV facility.

The specialists have confirmed that all potential negative impacts can be avoided or mitigated to ensure that the impacts remain of low significance. The specialists have also confirmed that the potential negative cumulative impacts to the region can also be mitigated.

Based on consideration of the information contained in this EIA Report and the environmental impact assessment undertaken on the proposed development of the Soyuz 1 Solar PV Park on the preferred site and according to the preferred site layout, the following is relevant:

- The EIA phase has not identified any environmental or social "fatal flaws".
- The specialist have confirmed that the proposed development is environmentally and socially acceptable provided the specified mitigation measures are implemented.
- The proposed development is not expected to have any significant negative impacts on the receiving environment.
- The potential to cause negative cumulative impacts is negligible to low.
- All the recommendations by the specialists are acceptable and have been included in the EMPr.



25.1.5 No Go Alternative

The impacts of the "No Go" alternative have been assessed by the Specialists as 'no impacts' to 'low' negative impacts. However, the No Go in the context of this project implies that the development and operation of the Soyuz 1 Solar PV Park will not go ahead and the following benefits will **not be realised**:

26 ASSUMPTIONS AND LIMITATIONS

In accordance with Appendix 1 Regulation 3(o) of GN No. R. 326 of the NEMA EIA Regulations (2014, as amended):

A description of any assumptions, uncertainties and gaps in knowledge which relate to the assessment and mitigation measures proposed;

Based on the available information assessed during the EIA Phase, it is reasonable to suggest that the following assumptions and limitations have been used throughout this Report.

- That the information provided by the Specialists, Applicant and Developer are true and correct.
- That this is EIA Phase Impact Assessment and that Specialists have identified potential impacts in accordance with the requirements of Appendix II to the best of their ability.

27 ENVIRONMENTAL IMPACT STATEMENT AND EAP OPINION

In accordance with Appendix 1 Regulation 3(I) of GN No. R. 326 of the NEMA EIA Regulations (2017 as amended):

An environmental impact statement which contains:

3(I) i – A summary of the key findings of the environmental impact assessment;

3(I) ii – A map at an appropriate scale which superimposes the proposed activity and its associated structures and infrastructure on the environmental sensitivities of the preferred site indicating any areas that should be avoided, including buffers; and

3(I) iii - A summary of the positive and negative impacts and risks of the proposed activity and identified alternatives.

This Environmental Impact Statement provides an overview of the findings of the EIA.

Soyuz 1 Solar PV Park (Pty) Ltd proposes the development of the Soyuz 1 Solar PV Park and associated infrastructure ("the Project"), near Britstown, Northern Cape Province. The Project will be located on Portion 3 of Farm 145. The Soyuz 1 Solar PV Park will have a generating capacity of up to 240MW and Battery Energy Storage Systems (BESS) of 1000MWh. Bi-facial, single axis trackers will be utilised for the PV panels. An on-site substation with a capacity of 240MVA, will enable the connection of a 132kV Overhead Powerline. The final interconnection solution will be dependent on the requirements of Eskom, which are still to be defined. The purpose of the facility is to generate clean electricity from a renewable energy source (i.e., solar radiation) to contribute to the national energy grid and/or any private off takers.



The following key negative social and environmental impacts have been identified:

- Loss of terrestrial and aquatic biodiversity due to the potential for the development to encroach physically into these sensitive environments.
- Impact on the mating behaviours (lekking) of a Species of Conservation Concern (Ludwig's Bustard) due the potential location of the solar PV park in areas where these activities could occur.
- Negative social impacts on family life due to the potential ingress of migrant workers.

Based on consideration of the information contained in this Draft EIA Report and the impact assessment undertaken with specialist input, the following is relevant:

- The proposed site is environmentally and socially suitable for the development and operation of the Soyuz 1 Solar PV Park.
- The proposed development and operation of the Soyuz 1 Solar PV Park is not expected to have any significant direct negative social or environmental impacts on the receiving environment that cannot be avoided or suitably mitigated.
- The proposed development and operation of the Soyuz 1 Solar PV Park is not expected to have any significant cumulative negative social or environmental impacts on the receiving environment that cannot be avoided or suitably mitigated.

The following key **positive** social and environmental impacts have been identified:

- Creation of local employment and business opportunities
- Economic and technical support to the local agricultural community
- Positive contribution towards the South African renewable energy goals
- Contribution to reduction of greenhouse gas at a national and global scale
- Improved local and regional energy supply security

The need and desirability assessment has confirmed the following:

- National Need and Desirability: The development of Soyuz 1 Solar PV Park in South Africa is a desirable and necessary strategy for meeting the energy needs of the country. This development can enhance energy security, contribute to the electricity supply, mitigate climate change, support economic development, improve energy affordability, promote environmental sustainability, and support social development.
- Regional Need and Desirability: the development of the Soyuz 1 Solar PV Park in the Northern Cape province of South Africa is a desirable and necessary strategy for meeting the energy needs of the region. A solar PV Park can enhance the electricity supply, contribute to economic development, improve energy affordability, promote environmental sustainability, support



social development, contribute to meeting national renewable energy targets, and take advantage of the abundant solar resources available in the region.

Local Need and Desirability: The proposed Soyuz 1 Solar PV Park is highly desirable due to its unique site-specific benefits. The area offers ample open space that is suitable for solar facility development, along with an amply high solar resource to generate renewable energy. The proposed facility is earmarked for an area where environmental sensitivities to such a development are low, ensuring that it is a responsible and sustainable project that will have nominal negative impacts on the surrounding environment but significantly contribute to socio-economic development by locally and regionally. The facility will create employment opportunities for the local community, providing a much-needed boost to the local economy. In addition, the skills development that will be provided to employees and contractors involved in the construction and operation of the facility will have a lasting impact on the community.

In conclusion, the proposed Soyuz 1 Solar PV Park near Britstown is highly desirable due to its many benefits, including renewable energy generation, employment opportunities, skills development, and responsible environmental stewardship.

The EAP therefore recommends that the proposed development and operation of the Soyuz 1 Solar PV Park, as per the preferred site layout presented in this EIA and on the preferred development site (Portion 3 of Farm 145) near Britstown in the Northern Cape, should be authorised by the competent authority.

28 OATH OF EAP UNDERTAKING ASSESSMENT

In accordance with **Appendix 1 Regulation 3(r) of GN No. R. 326 of the NEMA EIA Regulations (2014, as amended)**, the following information is presented in Section 16.

R3(r) – An undertaking under oath of affirmation by the EAP in relation to:

R3(r) (i) – The correctness of the information provided in the reports

R3(r) (ii) - The inclusion of comments and inputs from stakeholders and I&APs

R3(r) (iii) – The inclusion of inputs and recommendations form the specialist reports where relevant; and

R3(r) (iv) – Any information provided by the EAP to interested and affected parties and any responses by the EAP to comments or inputs made by interested or affected parties.

Natasha Williams (the appointed EAP), on behalf of Terramanzi Group (Pty) Ltd ("TMG"), the consulting firm appointed to undertake the environmental permitting process as detailed in this report, hereby declares that the EAP and the firm have no conflicts of interest related to the work of this Report. Specifically, the EAP and the firm declare that they have no personal financial interests in the property and/or activity being assessed in this report, and that they have no personal or financial



connections to the relevant property owners, developers, planners, financiers or consultants of the property or activity, other than fair remuneration for professional services rendered for this Report to the Competent Authority. The EAP and the firm declare that the opinions expressed in this Report are independent and a true reflection of the professional expertise exercised.

Please do not hesitate to contact us should you require any clarification or additional information.

Yours Faithfully,

Natasha Williams

Senior Environmental Consultant (EAPASA)
On behalf of the Terramanzi Group (Pty) Ltd