



- GENERAL NOTES**
1. All work shall comply with the requirements of SANS 10400 and SANS 10400-1.
 2. The contractor shall ensure that all concrete is cast and cured in accordance with the requirements of SANS 10400-1.
 3. The contractor shall ensure that all steelwork is fabricated and erected in accordance with the requirements of SANS 10400-1.
 4. The contractor shall ensure that all electrical and plumbing work is installed in accordance with the requirements of SANS 10400-1.
 5. The contractor shall ensure that all fire protection work is installed in accordance with the requirements of SANS 10400-1.
 6. The contractor shall ensure that all safety work is installed in accordance with the requirements of SANS 10400-1.
 7. The contractor shall ensure that all other work is installed in accordance with the requirements of SANS 10400-1.
 8. The contractor shall ensure that all work is completed in accordance with the requirements of SANS 10400-1.
- MINOR NOTES**
1. Refer to the drawings for the location and specification of all work.
 2. Refer to the drawings for the location and specification of all work.
 3. Refer to the drawings for the location and specification of all work.
 4. Refer to the drawings for the location and specification of all work.
 5. Refer to the drawings for the location and specification of all work.
 6. Refer to the drawings for the location and specification of all work.
 7. Refer to the drawings for the location and specification of all work.
 8. Refer to the drawings for the location and specification of all work.
 9. Refer to the drawings for the location and specification of all work.
 10. Refer to the drawings for the location and specification of all work.
- FINISHES AND MATERIALS**
- CONCRETE: 25 MPa (min) - 20 MPa (max) - 20 MPa (min) - 20 MPa (max)
- STEEL: S275 (min) - S275 (max) - S275 (min) - S275 (max)
- PAINT: RAL 7035 (min) - RAL 7035 (max) - RAL 7035 (min) - RAL 7035 (max)
- GLASS: 6mm (min) - 6mm (max) - 6mm (min) - 6mm (max)
- ROOFING: 100mm (min) - 100mm (max) - 100mm (min) - 100mm (max)
- WALLING: 100mm (min) - 100mm (max) - 100mm (min) - 100mm (max)
- FLOORING: 100mm (min) - 100mm (max) - 100mm (min) - 100mm (max)
- CEILING: 100mm (min) - 100mm (max) - 100mm (min) - 100mm (max)
- DOORS: 100mm (min) - 100mm (max) - 100mm (min) - 100mm (max)
- WINDOWS: 100mm (min) - 100mm (max) - 100mm (min) - 100mm (max)
- STAIRS: 100mm (min) - 100mm (max) - 100mm (min) - 100mm (max)
- ELEVATORS: 100mm (min) - 100mm (max) - 100mm (min) - 100mm (max)
- MECHANICAL: 100mm (min) - 100mm (max) - 100mm (min) - 100mm (max)
- ELECTRICAL: 100mm (min) - 100mm (max) - 100mm (min) - 100mm (max)
- PLUMBING: 100mm (min) - 100mm (max) - 100mm (min) - 100mm (max)
- FINISHES: 100mm (min) - 100mm (max) - 100mm (min) - 100mm (max)

- FINISHES AND MATERIALS**
- CONCRETE: 25 MPa (min) - 20 MPa (max) - 20 MPa (min) - 20 MPa (max)
- STEEL: S275 (min) - S275 (max) - S275 (min) - S275 (max)
- PAINT: RAL 7035 (min) - RAL 7035 (max) - RAL 7035 (min) - RAL 7035 (max)
- GLASS: 6mm (min) - 6mm (max) - 6mm (min) - 6mm (max)
- ROOFING: 100mm (min) - 100mm (max) - 100mm (min) - 100mm (max)
- WALLING: 100mm (min) - 100mm (max) - 100mm (min) - 100mm (max)
- FLOORING: 100mm (min) - 100mm (max) - 100mm (min) - 100mm (max)
- CEILING: 100mm (min) - 100mm (max) - 100mm (min) - 100mm (max)
- DOORS: 100mm (min) - 100mm (max) - 100mm (min) - 100mm (max)
- WINDOWS: 100mm (min) - 100mm (max) - 100mm (min) - 100mm (max)
- STAIRS: 100mm (min) - 100mm (max) - 100mm (min) - 100mm (max)
- ELEVATORS: 100mm (min) - 100mm (max) - 100mm (min) - 100mm (max)
- MECHANICAL: 100mm (min) - 100mm (max) - 100mm (min) - 100mm (max)
- ELECTRICAL: 100mm (min) - 100mm (max) - 100mm (min) - 100mm (max)
- PLUMBING: 100mm (min) - 100mm (max) - 100mm (min) - 100mm (max)
- FINISHES: 100mm (min) - 100mm (max) - 100mm (min) - 100mm (max)

