

) 053 963 1081 018 011 1925 072 998 6008 ■ 087 231 7021
info@milnex-sa.co.za

Botha street 4
SCHWEIZER-RENEKE

Waterberry Street,
Waterberry Square,
1st floor, Office 7
POTCHEFSTROOM

C/o Welgevonden & Memorial Street, Roylglen Office Park KIMBERLEY

www.milnex-sa.co.za

ENVIRONMENTAL IMPACT ASSESSMENT REPORT & ENVIRONMENTAL MANAGEMENT PROGRAMME REPORT FOR:

The proposed Prospecting Right application for the prospecting of Diamonds (Alluvial, General & in Kimberlite), combined with a Waste Licence Application, near Groblershoop on a certain portion of the Remaining Extent of the farm Zonderhuis 402, a certain portion of the Remaining Extent of the farm Onder Plaats 401, a certain portion of the Remaining Extent of Portion 1, a certain portion of Portion 6 (portion of portion 4), a certain portion of Portion 7 (portion of portion 4) and certain portion of Portion 9 (portion of portion 4) of the farm Namakwari 656, Registration Division: Gordonia and Kenhardt, Northern Cape Province.

NAME OF APPLICANT	Johan Smit
PREPARED BY	Milnex CC
TEL NO	(018) 011 1925
FAX NO	087 231 7021
POSTAL ADDRESS:	P.O. Box 1086, Schweizer-Reneke, 2780
PHYSICAL ADDRESS:	4 Botha Street, Schweizer-Reneke, 2780
SAMRAD REF NUMBER:	NC30/5/1/1/2/12359PR

Milnex CC: EIA373 –EIR & EMPr - The proposed Prospecting Right application for the prospecting of Diamonds (Alluvial, General & in Kimberlite), combined with a Waste Licence Application, near Groblershoop on a certain portion of the Remaining Extent of the farm Zonderhuis 402, a certain portion of the Remaining Extent of the farm Onder Plaats 401, a certain portion of the Remaining Extent of Portion 1, a certain portion of (portion 6), a certain portion of Portion 7 (portion of portion 4) and certain portion of Portion 9 (portion 4) of the farm Namakwari 656, Registration Division: Gordonia and Kenhardt, Northern Cape Province.

DISCLAIMER

This report has been compiled by Milnex CC, using information provided by **Johan Smit** the client as well as third parties, which information has been presumed to be correct. While Milnex CC have made every endeavour to supply accurate information, and exercised all care, skill and diligence in the drafting of this report, errors and omissions may occur. Accordingly, Milnex CC does not warrant the accuracy or completeness of the materials in this report. Milnex CC does not accept any liability for any loss or damage which may directly or indirectly result from any advice, opinion, information, representation or omission, whether negligent or otherwise, contained in this report. Milnex CC does not accept any liability for any loss or damage, whether direct, indirect or consequential, arising out of circumstances beyond the control of Milnex CC, including the use and interpretation of this report by the client, its officials or their representatives or agents. This document contains information proprietary to Milnex CC and as such should be treated as confidential unless specifically identified as a public document by law. Milnex CC owns all copyright and all other intellectual property rights in this report. The document may not be copied, reproduced in whole or in part, or used for any manner without prior written consent from Milnex CC. Copyright is specifically reserved in terms of the Copyright Act 98 of 1987 including amendments thereto. By viewing this disclaimer and by accepting this document, you acknowledge that you have read and accepted these Terms of Use and undertake to keep the information contained herein confidential and not to do any act or allow any act which is in breach of these Terms of Use.

Milnex CC: EIA373 –EIR & EMPr - The proposed Prospecting Right application for the prospecting of Diamonds (Alluvial, General & in Kimberlite), combined with a Waste Licence Application, near Groblershoop on a certain portion of the Remaining Extent of the farm Zonderhuis 402, a certain portion of the Remaining Extent of the farm Onder Plaats 401, a certain portion of the Remaining Extent of Portion 1, a certain portion of (portion of portion 4), a certain portion of Portion 7 (portion of portion 4) and certain portion of Portion 9 (portion of portion 4) of the farm Namakwari 656, Registration Division: Gordonia and Kenhardt, Northern Cape Province.

IMPORTANT NOTICE

In terms of the Mineral and Petroleum Resources Development Act (Act 28 of 2002 as amended), the Minister must grant a prospecting or mining right if among others the mining "will not result in unacceptable pollution, ecological degradation or damage to the environment".

Unless an Environmental Authorisation can be granted following the evaluation of an Environmental Impact Assessment and an Environmental Management Programme report in terms of the National Environmental Management Act (Act 107 of 1998) (NEMA), it cannot be concluded that the said activities will not result in unacceptable pollution, ecological degradation or damage to the environment.

In terms of section 16(3)(b) of the EIA Regulations, 2014, any report submitted as part of an application must be prepared in a format that may be determined by the Competent Authority and in terms of section 17 (1) (c) the competent Authority must check whether the application has taken into account any minimum requirements applicable or instructions or guidance provided by the competent authority to the submission of applications.

It is therefore an instruction that the prescribed reports required in respect of applications for an environmental authorisation for listed activities triggered by an application for a right or permit are submitted in the exact format of, and provide all the information required in terms of, this template. Furthermore, please be advised that failure to submit the information required in the format provided in this template will be regarded as a failure to meet the requirements of the Regulation and will lead to the Environmental Authorisation being refused.

It is furthermore an instruction that the Environmental Assessment Practitioner must process and interpret his/her research and analysis and use the findings thereof to compile the information required herein. (Unprocessed supporting information may be attached as appendices). The EAP must ensure that the information required is placed correctly in the relevant sections of the Report, in the order, and under the provided headings as set out below, and ensure that the report is not cluttered with uninterpreted information and that it unambiguously represents the interpretation of the applicant.

ENVIRONMENTAL IMPACT ASSESSMENT PROCESS

- (1) The environmental impact assessment process must be undertaken in line with the approved plan of study for environmental impact assessment.
- (2) The environmental impacts, mitigation and closure outcomes as well as the residual risks of the proposed activity must be set out in the environmental impact assessment report.

OBJECTIVE OF THE ENVIRONMENTAL IMPACT ASSESSMENT PROCESS

- 2. The objective of the environmental impact assessment process is to, through a consultative process-
- (a) determine the policy and legislative context within which the activity is located and document how the proposed activity complies with and responds to the policy and legislative context;
- (b) describe the need and desirability of the proposed activity, including the need and desirability of the activity in the context of the preferred location;
- (c) identify the location of the development footprint within the preferred site based on an impact and risk assessment process inclusive of cumulative impacts and a ranking process of all the identified development footprint alternatives focusing on the geographical, physical, biological, social, economic, heritage and cultural aspects of the environment;
- (d) determine the--
- (i) nature, significance, consequence, extent, duration and probability of the impacts occurring to inform identified preferred alternatives; and
- (ii) degree to which these impacts-
- (aa) can be reversed;
- (bb) may cause irreplaceable loss of resources, and
- (cc) can be avoided, managed or mitigated;
- (e) identify the most ideal location for the activity within the preferred site based on the lowest level of environmental sensitivity identified during the assessment;
- (f) identify, assess, and rank the impacts the activity will impose on the preferred location through the life of the activity;
- (g) identify suitable measures to avoid, manage or mitigate identified impacts; and
- (h) identify residual risks that need to be managed and monitored.

SCOPE OF ASSESSMENT AND CONTENT OF ENVIRONMENTAL IMPACT ASSESSMENT REPORTS

- 3. Contact Person and correspondence address
 - A. Details of:
 - i) The EAP who prepared the report
 - ii) Expertise of the EAP

Name of Practitioner	Qualifications	Contact details
	Honours Degree in Environmental	Tel No.: (018) 011 1925
Lizanne Esterhuizen	Science (refer to Appendix 1)	Fax No. : (053) 963 2009
	Science (reier to Appendix 1)	e-mail address: lizanne@milnex-sa.co.za
	Master's Degree in Environmental	Tel No.: (018) 011 1925
Percy Sehaole Pr.Sci.Nat	Science (refer to Appendix 1)	Fax No. : (053) 963 2009
	Science (refer to Appendix 1)	e-mail address: percy@milnex-sa.co.za
	Master's Degree in Environmental	Tel No.: (018) 011 1925
Danie Labuschagne	Management and Geography (refer to	Fax No. : (053) 963 2009
	Appendix 1)	e-mail address: danie@milnex-sa.co.za

Summary of the EAP's past experience. (Attach the EAP's curriculum vitae as Appendix 2)

Milnex CC was contracted by **Johan Smit** as the independent environmental consultant to undertake the Scoping and EIA process for a Prospecting Right application for the prospecting of Diamonds (Alluvial, General & in Kimberlite), combined with a Waste Licence Application, near Groblershoop on a certain portion of the Remaining Extent of the farm Zonderhuis 402, a certain portion of the Remaining Extent of Portion 1, a certain portion of Portion 6 (portion of portion 4), a certain portion of Portion 7 (portion of portion 4) and certain portion of Portion 9 (portion of portion 4) of the farm Namakwari 656, Registration Division: Gordonia and Kenhardt, Northern Cape Province. The property is located approximately 37km North of Groblershoop in the Northern Cape Province.

Milnex CC is a specialist environmental consultancy with extensive experience in the mining industry which provides a holistic environmental management service, including environmental assessment and planning to ensure compliance with relevant environmental legislation. Milnex CC benefits from the pooled resources, diverse skills and experience in the environmental and mining field held by its team that has been actively involved in undertaking environmental studies for a wide variety of mining related projects throughout South Africa. The Milnex CC team has considerable experience in environmental impact assessment and environmental management, especially in the mining industry.

Danie Labuschagne, Percy Sehaole & Lizanne Esterhuizen have experience consulting in the environmental field. Their key focus is on environmental assessment, advice and management and ensuring compliance to legislation and guidelines. They are currently involved in undertaking EIAs for several projects across the country (refer to **Appendix 2** for CV)

B. **DESCRIPTION OF THE PROPERTY.**

Farm Name:	A certain portion of the remaining extent of the farm Zonderhuis 402 Registration division: Kenhardt Title deed: T4289/2005		
	Certain portion of the remaining extent of the farm Onder Plaats 401 Registration division: Kenhardt Title deed: T4304/2005		
	Certain portion of the remaining extent of portion 1 of the farm Namakwari 656 Registration division: Kenhardt Title deed: T2299/2017		
	4) Certain portion of portion 6 (portion of portion 4) of the farm Namakwari 656 Registration division: Gordonia Title deed: T2585/2010		
	5) Certain portion of portion 7 (portion of portion 4) of the farm Namakwari 656 Registration division: Gordonia Title deed: T2299/2017		
	6) Certain portion of portion 9 (portion of portion 4) of the farm Namakwari 656 Registration division: Gordonia Title deed: T2299/2017		
Application area (Ha)	8854.1269 hectares		
District Municipality	ZF Mgcawu District Municipality		
Local Municipality	Dawid Kruiper Local Municipality		
	!Kheis Local Municipality		
Magisterial district:	Kenhardt & Gordonia		
Distance and direction from	The property is located approximately 37km North of Groblershoop in the Northern Cape		
nearest town	Province.		
21 digit Surveyor General Code for			
each farm portion	2) C0280000000040100000		
	3) C0280000000065600000		
	4) C0280000000065600006		
	5) C0280000000065600007		
	6) C0280000000065600009		
Minerals Applied for	Diamonds (Alluvial, General & in Kimberlite)		

iii. Farm co-ordinates

iii. I ariii co-ordinates			
Farm			
1)	A certain portion of the remaining extent of the fare	m Zonderhuis 402	
2)	Certain portion of the remaining extent of the farm	Onder Plaats 401	
3)	Certain portion of the remaining extent of portion 1	of the farm Namakwari 656	
4)	4) Certain portion of portion 6 (portion of portion 4) of the farm Namakwari 656		
5)	5) Certain portion of portion 7 (portion of portion 4) of the farm Namakwari 656		
6) Certain portion of portion 9 (portion of portion 4) of the farm Namakwari 656			
	Longitude Latitude		
21° 47' 19.307"" E		28° 25' 8.643"" S	
21° 51' 46.055"" E 28° 32' 24.360"" S			

Milnex CC: EIA373 –EIR & EMPr - The proposed Prospecting Right application for the prospecting of Diamonds (Alluvial, General & in Kimberlite), combined with a Waste Licence Application, near Groblershoop on a certain portion of the Remaining Extent of the farm Zonderhuis 402, a certain portion of the Remaining Extent of the farm Onder Plaats 401, a certain portion of the Remaining Extent of Portion 1, a certain portion of Portion 6 (portion of portion 4), a certain portion of Portion 7 (portion of portion 4) and certain portion of Portion 9 (portion of portion 4) of the farm Namakwari 656, Registration Division: Gordonia and Kenhardt, Northern Cape Province.

21° 48' 52.681"" E	28° 36' 7.404"" S
21° 48' 39.287"" E	28° 34' 16.421"" S
21° 47' 46.992"" E	28° 33' 7.866"" S
21° 47' 24.578"" E	28° 33' 22.582"" S
21° 47' 14.354"" E	28° 32' 58.918"" S
21° 47' 9.622"" E	28° 32' 56.227"" S
21° 47' 24.800"" E	28° 32' 40.181"" S
21° 46' 55.413"" E	28° 32' 0.098"" S
21° 47' 29.618"" E	28° 30' 40.169"" S
21° 47' 12.935"" E	28° 30' 17.139"" S
21° 46' 20.875"" E	28° 30' 17.396"" S
21° 45' 46.582"" E	28° 30' 52.734"" S
21° 45' 19.563"" E	28° 30' 13.512"" S

C. LOCALITY MAP

(show nearest town, scale not smaller than 1:250000 attached as Appendix 3).

A Locality map is attached in **Appendix 3** and on figure 1 below.




Figure 1: Locality Map

Milnex CC: EIA373 –EIR & EMPr - The proposed Prospecting Right application for the prospecting of Diamonds (Alluvial, General & in Kimberlite), combined with a Waste Licence Application, near Groblershoop on a certain portion of the Remaining Extent of the farm Zonderhuis 402, a certain portion of the Remaining Extent of the farm Onder Plaats 401, a certain portion of the Remaining Extent of Portion 1, a certain portion of Portion 6 (portion of portion 4), a certain portion of Portion 7 (portion of portion 4) and certain portion of Portion 9 (portion of portion 4) of the farm Namakwari 656, Registration Division: Gordonia and Kenhardt, Northern Cape Province.




Figure 2: Site Plan

D. DESCRIPTION OF THE SCOPE OF THE PROPOSED OVERALL ACTIVITY.

i) LISTED AND SPECIFIED ACTIVITIES

Description of the overall activity.
(Indicate Mining Right, Mining
Permit, Prospecting right, Bulk
Sampling, Production Right,
Exploration Right,
Reconnaissance permit,
Technical co-operation permit,
Additional listed activity)

- 1) Listing Notice GNR 325, Activity 15:"The clearance of an area of 20 hectares or more, of indigenous vegetation."
- 2) Listing Notice GNR 325, Activity 19: "The removal and disposal of minerals contemplated in terms of section 20 of the Mineral and Petroleum Resources Development Act, 2002 (Act No. 28 of 2002), including
 - a associated infrastructure, structures and earthworks, directly related to prospecting of a mineral resource or
 - b [including activities for which an exemption has been issued in terms of section 106 of the Mineral and Petroleum Resources Development Act, 2002 (Act No. 28 of 2002)] the primary processing of a mineral resource including winning, extraction, classifying, concentrating, crushing, screening or washing;
- 3) Listing Notice GNR 327, Activity 20: "Any activity including the operation of that activity which requires a prospecting right in terms of section 16 of the Mineral and Petroleum Resources Development Act, 2002 (Act No. 28 of 2002), including
 - a associated infrastructure, structures and earthworks, directly related to prospecting of a mineral resource; or [including activities for which an exemption has been

Milnex CC: EIA373 –EIR & EMPr - The proposed Prospecting Right application for the prospecting of Diamonds (Alluvial, General & in Kimberlite), combined with a Waste Licence Application, near Groblershoop on a certain portion of the Remaining Extent of the farm Zonderhuis 402, a certain portion of the Remaining Extent of the farm Onder Plaats 401, a certain portion of the Remaining Extent of Portion 1, a certain portion of (portion of portion 4), a certain portion of Portion 7 (portion of portion 4) and certain portion of Portion 9 (portion of portion 4) of the farm Namakwari 656, Registration Division: Gordonia and Kenhardt, Northern Cape Province.

- issued in terms of section 106 of the Mineral and Petroleum Resources Development Act, 2002 (Act No. 28 of 2002)]
- the primary processing of a petroleum resource including winning, extraction, classifying, concentrating or water removal; –

Prospecting right with bulk samples for the mining of **Diamonds (Alluvial, General & in Kimberlite)** including associated infrastructure, structure and earthworks.

4) NEM:WA 59 of 2008

Residue stockpiles or residue deposits

Category A: (15) The establishment or reclamation of a residue stockpile or residue deposit resulting from activities which require a prospecting right or mining permit, in terms of the Mineral and Petroleum Resources Development Act, 2002 (Act No. 28 of 2002).

(E.g. For prospecting - drill site, site camp, ablution facility, accommodation, equipment storage, sample storage, site office, access route etcetc E.g. for mining,- excavations, blasting, stockpiles, discard dumps or dams, Loading, hauling and transport, Water supply dams and boreholes, accommodation, offices, ablution, stores, workshops, processing plant, storm water control, berms, roads, pipelines, power lines, conveyors, etcetc)	Aerial extent of the Activity Ha or m ²	LISTED ACTIVITY (Mark with an X where applicable or affected).	APPLICABLE LISTING NOTICE (GNR 324, GNR 325 or GNR 326)	WASTE MANAGEMENT AUTHORISATION (Indicate whether an authorisation is required in terms of the Waste Management Act) (Mark with an X)
Prospecting: BULK SAMPLING: 8854.1269 Ha – 3m x 2m x 4m (100 pits), 30m x 30m x 5m (35 trenches) Listing Notice GNR 325, Activity 19: "The removal and disposal of minerals contemplated in terms of section 20 of the Mineral and Petroleum Resources Development Act, 2002 (Act No. 28 of 2002), including— (a) associated infrastructure, structures and earthworks, directly related to prospecting of a mineral resource [,]; or (b) [including activities for which an exemption has been issued in terms of section 106 of the Mineral and Petroleum Resources Development Act, 2002 (Act No. 28 of 2002)] the primary processing of a mineral resource including winning, extraction, classifying, concentrating, crushing, screening or washing	8854.1269 Ha Total hectares to be disturbed	X	Listing Notice GNR 325, Activity 19:	
Clearance of indigenous vegetation: BULK SAMPLING: 8854.1269 Ha – 3m x 2m x 4m (100 pits), 30m x 30m x 5m (35 trenches) Listing Notice GNR 325, Activity 15: "The clearance of an area of 20 hectares or more, of indigenous vegetation." – Random indigenous vegetation clearance over a 8854.1269 hectares area.	8854.1269 Ha Total hectares to be disturbed Concurrent backfilling will take place in order to rehabilitate.	X	Listing Notice GNR 325, Activity 15	-
Prospecting Right: BULK SAMPLING: 8854.1269 Ha – 3m x 2m x 4m (100 pits), 30m x 30m x 5m (35 trenches) 2 x 16 feet washing pan with 207 900 tons to be washed, conveyors, screens, etc.	8854.1269 Ha Total hectares to be disturbed	X	Listing Notice GNR 327, Activity 20:	

Listing Notice GNR 327, Activity 20: "Any activity including the operation of that activity which requires a prospecting right in terms of section 16 of the Mineral and Petroleum Resources Development Act, 2002 (Act No. 28 of 2002), including—		
(a) associated infrastructure, structures and earthworks, directly related to prospecting of a mineral resource; or [including activities for which an exemption has been issued in terms of section 106 of the Mineral and Petroleum		
Resources Development Act, 2002 (Act No. 28 of 2002)]		
(b) the primary processing of a petroleum resource including winning, extraction, classifying, concentrating or water		
removal		
Residue stockpiles or residue deposits: The establishment or reclamation of a residue stockpile or residue deposit resulting from activities which require a prospecting right or mining permit, in terms of the Mineral and Petroleum	NEM:WA 59 of 2008	
Resources Development Act, 2002 (Act No. 28 of 2002).	Category A: (15)	

ii) DESCRIPTION OF THE ASSOCIATED STRUCTURES AND INFRASTRUCTURE RELATED TO THE DEVELOPMENT

(Describe Methodology or technology to be employed, and for a linear activity, a description of the route of the activity

Johan Smit has embarked on a process for applying for a Prospecting Right application for the prospecting of Diamonds (Alluvial, General & in Kimberlite), combined with a Waste Licence Application, near Groblershoop on a certain portion of the Remaining Extent of the farm Zonderhuis 402, a certain portion of the Remaining Extent of the farm Onder Plaats 401, a certain portion of the Remaining Extent of Portion 1, a certain portion of Portion 6 (portion of portion 4), a certain portion of Portion 7 (portion of portion 4) and certain portion of Portion 9 (portion of portion 4) of the farm Namakwari 656, Registration Division: Gordonia and Kenhardt, Northern Cape Province. This proposed area is preferred due to the site's possible mineral resources. Johan Smit requires a prospecting right in terms of NEMA and the Mineral and Petroleum Resources Development Act to mine Diamonds (Alluvial, General & in Kimberlite) within Dawid Kruiper Local Municipality and !Kheis Local Municipality, Northern Cape Province (refer to a locality map attached in Appendix 3).

DESCRIPTION OF PLANNED NON-INVASIVE ACTIVITIES:

(These activities do not disturb the land where prospecting will take place e.g. aerial photography, desktop studies, aeromagnetic surveys, etc)

PHASE 1: Site Visit

The applicant will appoint Pierre de Jager as the project geologist to conduct the site visit. A formal site visit will be done within 90 days after the prospecting right has been executed. It is foreseen that more than one site visit will be conducted on the farms.

The purpose of the site visit is to assist the applicant to be familiar with the environment and with the assessment of the topography and the general geology before invasive prospecting activities. During this process the applicant will also review all documentation that has been received in relation to the geology of the area.

PHASE 2: Desktop Studies

Desktop studies will be undertaken after a site investigation is done to determine the target areas including the identification of any infrastructure to be build and any potential problems that may need to be addressed.

This phase involves reviewing the literature surveys, interpretation of aerial photographs, satellite images and ground validation of targets. A preliminary analysis of the environment will be obtained which will improve the project's efficiency and cost by providing a clearer understanding of the challenges may be encountered. Compilation of the results of analysis will be done by the geologist after the finalization of the desktop studies.

PHASE 5: Consolidation & Interpretation

The prospecting activities will be conducted to determine an inferred diamond resource and an indicated diamond resource. An inferred diamond resource has a lower level of confidence then that applying to an indicated diamond resource. The inferred resource indication will be where the geological and or grade continuity could not be confidently interpreted. It cannot be assumed that an inferred resource will necessarily be upgraded to an indicated resource. Such a resource is normally also not sufficient to enable an evaluation of economic viability.

To obtain an indicated resource the confidence level of information obtained from the prospecting will have to be sufficient for the information to be applied to mine design, mine planning to enable an evaluation of economic viability.

The project geologist, Pierre de Jager, will monitor the program and consolidate and process the data and amend the program depending on the results received after each phase of prospecting. The DMR will be updated of any amendments made. This will be a continuous process throughout the prospecting work program.

Each physical phase of prospecting will be followed by desktop studies involving interpretation and modeling of all data gathered. These studies will determine the manner in which the work programme is to be proceeded with in terms of the activity, quantity, resources, expenditure and duration.

A GIS data base will be constructed capturing all the exploration data. All data will be consolidated and processed to determine the diamond bearing resource on the property.

DESCRIPTION OF PLANNED INVASIVE ACTIVITIES:

(These activities result in land disturbances e.g. sampling, drilling, bulk sampling, etc)

PHASE 3: Pitting

A trial pit / test pit or inspection pit investigation is a highly effective way of obtaining data on the sub surface soil and rock conditions which underlie a prospecting sight. It allows for the various soils and rock types to be locked, the soil to be sampled and a preliminary assessment to be made.

Pits will be dug, locked, sampled and backfilled. To dig the pits the applicant will make use of the systems of Pierre de Jager, the appointed project geologist.

The applicant will at the end of the pitting process have locked the pits with the following information:

- A description of the soil and rock types from ground level to the base of the pits;
- Record of rock head depth and refusal depth, a list of where the samples will be taken, a record of where ground water seepage will be recorded;
- A general note of the geology and conditions in the vicinity of the test pits
- Pitting will be done within the period of 24 months once the prospecting right has been granted.

Calculations

It is planned that 100 pits will be dug (it may be less depending on the results) at an extent of 3m (length) x 2m (breath) x 4m (depth).

- (100 pits / 24 months) x 12 months = 50 pits dug per year
- Total area to be disturbed per year = 50 pits x (3m x 2m) / 10 000 = 0.03 Ha disturbed per year
- Total area disturbed for 24 months = 100 pits x (3m x 2m) / 10 000 = 0.06 Ha disturbed

PHASE 4: Trenches

Due to nature of the alluvial diamond deposit, samples are not taken for assay as would be normal practice to evaluate hard rock precious or base-metal prospects. The diamond distribution pattern grade of alluvial diamonds is also of such a nature that there is no repeatability of sample results, even from adjacent samples.

Bulk samples will have to be taken to determine the average sample grade. By taking of the bulk samples, the applicant foresees to determine the grade of the diamond deposits as the number of carats contained in 100 tons (cpht) of gravel and to determine the average diamond sizes.

During these activities the applicant will then find out the size and value distribution of trenches. Diamond distribution patterns of alluvial deposits varies to such a nature that there is no repeatability of sample results even from adjacent samples.

Alluvial diamond deposits can only be sampled through bulk sampling comprising thousands of cubic meters of gravel. Given the extent of the area and the grades expected to be very low, the applicant will have to process bulk samples of approximately 207 900 tonnes.

The appointed geologist will advise where the samples will be taken. Bulk samples will not be taken along a systematic grid as in the case of drilling.

As the anticipated mining plan for the properties will be based on high volumes (low grades), the bulk samples will have to address average recovery.

As indicated, the bulk sampling exercise has to be conducted to determine the grades (cpht), the diamond size distribution and thereafter to sell the diamonds to determine the diamond values.

The plant/ bulk sampling technique will be that of a typical South African alluvial diamond mining operation. The method is a strip mining process with oversize material and tailings recovered from the plant will be used as backfill material prior to final rehabilitation. Gravels are excavated, loaded and transported to the treatment facility using dump trucks.

The bulk sampling operation will be conducted using a fleet of conventional open pit mining equipment compromising of dump trucks supported by appropriate excavators and front-end- loaders. All equipment is planned to be diesel driven.

Before excavation commences vegetation will be cleared from the proposed bulk sampling block. These will be done as per environmental regulations. Top soil will then be removed and stored separately for later used for rehabilitation.

The bulk samples will be made in the form of box cuts the dimensions of these individual box cuts will on average be 30m long x 30m wide. It is estimated that the bulk samples will be 5 m in depth.

Gravel will be removed by excavators and will be loaded directly into dump trucks. Ore will be hauled to the screening plant. The material will be screened where after the screened material will be moved to the processing plant where the gravel will be processed. Concentrate will be moved to the sorting plant were the concentrate will be sorted.

It is estimated that pitting and trenching will take approximately 48 months.

Calculations

It is planned that 35 trenches will be dug (it may be less depending on the results) at an extent of 30m (length) x 30m (breath) x 5m (depth).

- (35 trenches / 24 months) x 12 months = 17.5 trenches dug per year
- Total area to be disturbed per year = 17.5 trenches x (30m x 30m) / 10 000 = 1.58 Ha disturbed per year
- Total area disturbed for 24 months = 35 trenches x (30m x 30m) / 10 000 = 3.15 Ha disturbed

Portable Water Supply

Additional water requirements related to the portable water supply for employees and workers will be supplied.

Water uses:

In case that any of the water uses under section 21 a-k of the NWA are triggered, a Water Use Licence Application (WULA) will need to be lodged with the department of Water & Sanitation (DWS).

Table 1: Water Use Pan Size specifications for Alluvial Diamond Mining (DWS NC & FS, 2001).

Pan size	Water/hour (m³)	Water/day(m³)	Gravel/hour (tons)	Gravel/day (ton)
16	17	170	60	600

Since 2 x 16 feet washing pans will be used, the amount of water for the pans will be 34 000 L/hour from which 30% is re-used.

Ablution

Chemical toilets shall be used, no french drains and pits shall be permitted.

Storage of dangerous goods

During the prospecting activities, limited quantities of diesel and fuel, oil and lubricants will be stored on site. These goods should be placed in a bunded area one and a half times the volume of the total amount of goods to be stored. Less than 30m³ of dangerous goods will be stored and handled on site.

Prospecting activities and phases

Please find the Prospecting Work Programme attached as **Appendix 8**.

List of equipment

List of equipment		
1 x 400 Kva John Deere Generator	2 x 856 Lui Gong Front End Loaders	
1 x 500 Kva Volvo Generator	2 x 16ft Washing pans	
1 x 933 Lui Gong Excavators	2 x Bell Dumper	

B. Policy and Legislative Context

APPLICABLE LEGISLATION AND GUIDELINES USED TO COMPILE THE REPORT (a description of the policy and legislative context within which the development is proposed including an identification of all legislation, policies, plans, guidelines, spatial tools, municipal development planning frameworks and instruments that are applicable to this activity and are to be considered in the assessment process);	REFERENCE WHERE APPLIED
The Constitution of South Africa (Act No. 108 of 1996)	-
The National Environmental Management Act (Act No. 107 of 1998)	S24(1) of NEMA S28(1) of NEMA
The National Water Act (Act No. 36 of 1998)	S21 (a)(b) of NWA
The National Water Act (Act No. 36 of 1998) GN704 – Regulation on use of water for mining and related activities aimed at the protection of water resources.	
Management: Air Quality Act (Act No. 39 of 2004)	S21
The National Heritage Resources Act (Act No. 25 of 1999)	-
Conservation of Agricultural Resources Act (Act No. 85 of 1983)	-
Mineral and Petroleum Resources Development Act (Act No. 28 of 2002)	-
National Infrastructure Plan	-
National Forests Acts, Act 84 of 1998	Chap 3 (Part 1) 1998 S12(1) S15(1)
National Veld & Forest Fires Act (Act 101 of 1998)	
Mine, Health and Safety Act 29 of 1996	
National Environmental Management: Waste Act 59 of 2008	
National Environmental Management: Biodiversity Act 10 of 2004	
ZF Mgcawu District Municipality Integrated Development Plan (IDP)	-
Dawid Kruiper Local Municipality Integrated Development Plan (IDP)	-
!Kheis Local Municipality Integrated Development Plan (IDP)	

Policy and Legislative Context

APPLICABLE LEGISLATION AND GUIDELINES USED TO COMPILE THE REPORT (a description of the policy and legislative context within which the development is proposed including an identification of all legislation, policies, plans, guidelines, spatial tools, municipal development planning frameworks and instruments that are applicable to this activity and are to be considered in the assessment process	REFERENCE WHERE APPLIED	HOW DOES THIS DEVELOPMENT COMPLIY WITH AND RESPOND TO THE LEGISLATION AND POLICY CONTEXT. (E.g. In terms of the National Water Act a Water Use License has/ has not been applied for)
The Constitution of South Africa (Act No. 108 of 1996)		The Constitution is the supreme law of the Republic and all law and conduct must be consistent with the Constitution. The Chapter on the Bill of Rights contains a number of provisions, which are relevant to securing the protection of the environment. Section 24 states that "everyone has the right to (a) an environment that is not harmful to their health or well-being and (b) to have the environment protected, for the benefit of present and future generations, through reasonable legislative and other measures that – (i) prevent pollution and ecological degradation; (ii) promote conservation; and (iii) secure ecologically sustainable development and use of natural resources while promoting justifiable economic and social development. The Constitution therefore, compels government to give effect to the people's environmental right and places government under a legal duty to act as a responsible custodian of the countries environment. It compels government to pass legislation and use other measures to protect the environment, to prevent pollution and ecological degradation, promote conservation and secure sustainable development.
The National Environmental Management Act (Act No. 107 of 1998)	S24(1) of NEMA S28(1) of NEMA	NEMA provides for co-operative governance by establishing principles and procedures for decision-makers on matters affecting the environment. An important function of the Act is to serve as an enabling Act for the promulgation of legislation to effectively address integrated environmental management. Some of the principles in the Act are accountability; affordability; cradle to grave management; equity; integration; open information; polluter pays; subsidiary; waste avoidance and minimisation; co-operative governance; sustainable development; and environmental protection and justice. The mandate for EIA lays with the National Environmental Management Act (107 of 1998) and the EIA Regulations No. 982, 983, 984, and 985 promulgated in terms of Section 24 of NEMA. The EIA Regulations determine that an Environmental Authorisation is required for certain listed activities, which might have a detrimental effect on the environment. This EIA was triggered by activity 21, 24(ii) and 27 listed in Regulation R983, which requires a 'basic assessment process.'
The National Water Act (Act No. 36 of 1998)	S21	Sustainability and equity are identified as central guiding principles in the protection, use, development, conservation, management and control of water resources. The intention of the Act is to promote the

		equitable access to water and the sustainable use of water, redress past racial and gender discrimination, and facilitate economic and social development. The Act provides the rights of access to basic water supply and sanitation, and environmentally, it provides for the protection of aquatic and associated ecosystems, the reduction and prevention of pollution and degradation of water resources. As this Act is founded on the principle that National Government has overall responsibility for and authority over water resource management, including the equitable allocation and beneficial use of water in the public interest, a person can only be entitled to use water if the use is permissible under the Act. Chapter 4 of the Act lays the basis for regulating water use.
Management: Air Quality Act (Act No. 39 of 2004)	S21	The object of this Act is to protect the environment by providing reasonable measures for the protection and enhancement of the quality of air in the Republic; the prevention of air pollution and ecological degradation; and securing ecologically sustainable development while promoting justifiable economic and social development. Regulations No. R248 (of 31 March 2010) promulgated in terms of Section 21(1) (a) of the National Environmental Management Act: Air Quality Act (39 of 2004) determine that an Atmospheric Emission License (AEL) is required for certain listed activities, which result in atmospheric emissions which have or may have a detrimental effect on the environment. The Regulation also sets out the minimum emission standards for the listed activities. It is not envisaged that an Atmospheric Emission License will be required for the proposed development.
The National Heritage Resources Act (Act No. 25 of 1999)		The Act aims to introduce an integrated and interactive system for the management of the heritage resources, to promote good government at all levels, and empower civil society to nurture and conserve heritage resources so that they may be bequeathed to future generations and to lay down principles for governing heritage resources management throughout the Republic. It also aims to establish the South African Heritage Resources Agency together with its Council to co-ordinate and promote the management of heritage resources, to set norms and maintain essential national standards and to protect heritage resources, to provide for the protection and management of conservation-worthy places and areas by local authorities, and to provide for matters connected therewith. The Act protects and manages certain categories of heritage resources in South Africa. For the purposes of the Heritage Resources Act, a "heritage resource" includes any place or object of cultural significance. In this regard the Act makes provision for a person undertaking an activity listed in Section 28 of the Act

	to notify the resources authority. The resources authority may request that a heritage impact assessment be conducted if there is reason to believe that heritage resources will be affected.
Conservation of Agricultural Resources Act (Act No. 85 of 1983)	The objective of the Act is to provide for control over the utilization of the natural agricultural resources of the Republic in order to promote the conservation of the soil, the water sources and the vegetation and the combating of weeds and invader plants; and for matters connected therewith.
	Consent may be required from the Department of Agriculture in order to confirm that the proposed development is not located on high potential agricultural land.
Mineral and Petroleum Resources Development Act (Act No. 28 of 2002)	The Minerals and Petroleum Resources Development Act identifies the state as the official custodian of South Africa's Mineral and Petroleum Resources. Therefore all activities relating to the reconnaissance, prospecting rights, mining rights, mining permits and retention permits are regulated by the State.
	A mining permit application has been lodge with the Department of Mineral Resources
National Infrastructure Plan	The National Government adopted a National Infrastructure Plan in 2012. With the plan they aim to transform the South African economic landscape while simultaneously creating significant numbers of new jobs, and strengthening the delivery of basic services.
	Government will over the three years from 2013/14 invest R827 billion in building and upgrading existing infrastructure.
	These investments will improve access by South Africans to healthcare facilities, schools, water, sanitation, housing and electrification. On the other hand, investments in the construction of ports, roads, railway systems, electricity plants, hospitals, schools and dams will contribute to faster economic growth.
	This mining activity will indirectly contribute to the growing of the South African economy by supplying SANRAL with material to build and upgrade road infrastructure.
National Forest Act 84 of 1998	The protection, sustainable management and use of forests and trees within South Africa are provided for under the National Forests Act (Act 84 of 1998).
	Prohibition on destruction of trees in natural forests
	(1) No person may -

	(a) cut, disturb, damage or destroy any indigenous tree in a natural forest; or
	(b) possess, collect, remove, transport, export, purchase, sell, donate or in any other manner acquire or dispose of any tree, or any forest product derived from a tree contemplated in paragraph (a), except in terms of-
	(i) a licence issued under subsection (4) or section 23; or
	(ii) an exemption from the provisions of this subsection published by the Minister in the Gazette on the advice of the Council.
National Environmental Management: Protected Areas Act 57 of 2003	
	This Act provides for the protection and conservation of ecologically viable areas representative of South Africa's biological diversity and its natural landscapes and seascapes. It also seeks to provide for the
	sustainable utilization of protected areas and to promote participation of local communities in the
	management of protected areas.

Milnex CC: EIA373 –EIR & EMPr - The proposed Prospecting Right application for the prospecting of Diamonds (Alluvial, General & in Kimberlite), combined with a Waste Licence Application, near Groblershoop on a certain portion of the Remaining Extent of the farm Zonderhuis 402, a certain portion of the Remaining Extent of the farm Onder Plaats 401, a certain portion of the Remaining Extent of Portion 1, a certain portion of Portion 6 (portion of portion 4), a certain portion of Portion 7 (portion of portion 4) and certain portion of Portion 9 (portion 4) of the farm Namakwari 656, Registration Division: Gordonia and Kenhardt, Northern Cape Province.

E. NEED AND DESIRABILITY OF THE PROPOSED ACTIVITIES.

(Motivate the need and desirability of the proposed development including the need and desirability of the activity in the context of the preferred location).

Mining has played a vital role in the economy of South Africa for over 100 years. In 2015 the mining industry contributed R286 billion towards South African Gross Domestic Product (GDP) representing 7.1% of overall GDP. Mining is a significant contributor to employment in the nation, with 457 698 individuals directly employed by the sector in 2015. This represents just over 3% of all employed nationally. Diamond mining has 17 885 direct employees.

Diamonds, arguably the ultimate luxury mineral, comprise an intricate lattice of carbon atoms, a crystalline structure that makes them harder than any other form in nature. This characteristic makes diamonds not only popular in jewellery, but also desirable in high-tech cutting, grinding and polishing tools (Chamber of Mines, South Africa, 12:2016).

Prospecting rights, mining rights and mining permit have been applied for in the vicinity of the proposed area, around Windsorton. According to the Chamber of Mines the country's diamond sector is far from reaching the end of its life even though diamond mining has been taking place in South Africa for almost a century and a half. The primary sources of all of South Africa's diamonds are kimberlites in ancient, vertically dipping volcanic pipes most of which were located in the vicinity of the city of Kimberley and which were initially amenable to open-cast.

Economic growth - South Africa's total reserves remain some of the world's most valuable, with an estimated worth of R20.3-trillion. Overall, the country is estimated to have the world's fifth-largest mining sector in terms of GDP value.

It has the world's largest reserves of manganese and platinum group metals (PGMs), according to the US Geological Survey, and among the largest reserves of gold, diamonds, chromite ore and vanadium.

With South Africa's economy built on gold and diamond mining, the sector is an important foreign exchange earner, with gold accounting for more than one-third of exports. In 2009, the country's diamond industry was the fourth largest in the world.

Mining is a cornerstone of the economy, making a significant contribution to economic activity, job creation and foreign exchange earnings. Mining and its related industries are critical to South Africa's socio-economic development.

F. Motivation for the preferred development footprint within the approved site including a full description of the process followed to reach the proposed development footprint within the approved site.

NB!! – This section is about the determination of the specific site layout and the location of infrastructure and activities on site, having taken into consideration the issues raised by interested and affected parties, and the consideration of alternatives to the initially proposed site layout.

Location of the site

The location of the site is preferred due to the presence of shallow diamond. Access will be obtained from a gravel road off the N10 or N14.

Preferred activity

The prospecting of Diamonds (Alluvial, General & in Kimberlite) is one of the preferred activity for the site. The shallow diamond deposits make the site ideal for alluvial diamond mining. The mine will provide significantly more job opportunities than what is providing currently.

The predominant land uses identified on the day of the site visit consists mainly of commercial agricultural crop production to the west of the study site, along the Orange River (**Figure 14**). The study site and its surrounding areas on the east, north and south are largely natural with Low Shrubland dominating.

G. A FULL DESCRIPTION OF THE PROCESS FOLLOWED TO REACH THE PROPOSED DEVELOPMENT FOOTPRINT WITHIN THE APPROVED SITE, INCLUDING:

i. details of the development footprint alternatives considered;

Consideration of alternatives

The DEAT 2006 guidelines on 'assessment of alternatives and impacts' proposes the consideration of four types of alternatives namely, the no-go, site, activity, and technology alternatives. It is however, important to note that the regulation and guidelines specifically state that only 'feasible' and 'reasonable' alternatives should be explored. It also recognizes that the consideration of alternatives is an iterative process of feedback between the developer, the EAP and Interested and affected parties, which in some instances culminates in a single preferred project proposal. The following sections explore each type of alternative in relation to the proposed activity.

• Location alternatives

This alternative asks the question, if there is not, from an environmental perspective, a more suitable location for the proposed activity. It is expected that the diamonds (Alluvial, General & in Kimberlite) been deposited on the proposed area and therefore the applicant would like to commence with their prospecting activities.

Land capability is the combination of soil suitability and climate factors. The site and surroundings have a land capability classification, on the 8 category scale, of Class 7 & Class 8.

Refer to Land capability map attached as Appendix 5 & figure 3 below.




Figure 3: Land capability

Activity alternatives

The environmental impact assessment process also needs to consider if the development of a diamonds (Alluvial, General & in Kimberlite) mine would be the most appropriate land use for the particular site.

Prospecting of other commodities – From the surface and desktop assessment there are no indications that there are other commodities to be mined on the site, except diamonds (Alluvial, General & in Kimberlite).

If the proposed prospecting right is not granted the proposed area will still be used for livestock / game grazing.

The predominant land uses identified on the day of the site visit consists mainly of commercial agricultural crop production to the west of the study site, along the Orange River (**Figure 14**). The study site and its surrounding areas on the east, north and south are largely natural with Low Shrubland dominating.

From google earth images the following is visible: farmsteads, small area disturbed by digging and kraals. FM Safaris is on the proposed site and Namakwari Safaris is close to the proposed site.

FM Safaris is a member of the following associations: Safari Club International, Professional Hunter Association of South Africa, Northern Cape Hunters' Association, Wildlife Ranching South Africa, South African Gun Association and Kalahari Hunters Association

• Design and layout alternatives

Design alternatives were considered throughout the planning and design phase (i.e. where is the diamond bearing gravel located?). In this regard discussions on the design were held between the EAP and the developer. The layout follows the limitations of the site and aspects such as, roads, site offices and workshop area as well as fencing—refer **Appendix 3**.

Operational alternatives

Due to the nature of the prospecting activities, no permanent services in terms of water supply, electricity, or sewerage services are required.

The activities will commence with a site investigation and desktop studies, which will comprise of non-invasive techniques. This manner of survey will ensure that the applicant can clearly delineate areas which are suitable for further investigation and no unnecessary surface disturbance will be undertaken.

Based on the outcome of the desktop studies and site investigation, pits will be dug by an excavator for the purpose of soil sampling. If gravel is found, the applicant will determine the composition and quality of the gravel.

The applicant will proceed with this way of prospecting by means of the open cast/trenching method, simultaneously or after pitting depending on the information obtained from the earlier work done. The trenches will be dug to remove and wash the gravel. It will be washed by a 10-18 feet washing pan to determine diamond proceeds per 100 tons of gravel.

All data will be consolidated and processed to determine the diamond bearing resources on the property. This will be a continuous process throughout the prospecting work programme.

No feasible alternatives to the pitting and trenching method currently exist. Impacts associated with the prospecting operations will be managed through the implementation of a management plan, developed as part of the application for authorisation.

No-go alternative

This alternative considers the option of 'do nothing' and maintaining the status quo. The description provided in section H of this report could be considered the baseline conditions (status quo) to persist should the no-go alternative be preferred. The site is currently zoned for agricultural land uses. Should the proposed activity not proceed, the site will remain unchanged and will continue to be used for livestock grazing and other farming activities.

Technology alternatives

In terms of the technologies proposed, these have been chosen based on the long term success of their prospecting history. The prospecting activities proposed in the Prospecting Works Programme (**Appendix 9**) is dependent on the preceding phase as previously discussed, therefore no alternatives are indicated, but rather a phased approach of trusted prospecting techniques.

The preferred technology for the proposed mining activity, will be to remove the diamond bearing gravel with an excavator, depositing it in the 10 – 18 feet rotary pan(s) to be washed and sorted. Please find the Prospecting Work Programme attached as **Appendix 9**.

Pros & Cons of the alternative Dense Media Separation (DMS)

Advantages	Disadvantages
DMS plants is used mostly for kimberlite deposits	10 times more expensive than Rotary pan
	Water consumption is high
	Operating costs are expensive

In a Dense Media Separation (DMS) plant, powdered ferrosilicon (an alloy of iron and silicone) is suspended in water to form a fluid near the density of diamond (3.52 g/cm3), to which the diamond bearing material is added to begin the separation process of the heavier minerals from the lighter material. Additional separation of the denser material occurs by centrifuge in "cyclones" that swirl the mixture at low and high speeds, forcing the diamonds and other dense minerals to the walls and then out the bottom of the cyclone. Waste water rises at the center of the cyclones and is sucked out and screened to remove waste particles. The DMS process results in a concentrate that generally weighs less than one percent of the original material fed into the plant at the beginning of the process.

Pros & Cons of the alternative Rotary Pan Plants

Advantages	Disadvantages
More cost effective	The industry perception that Rotary Pan Plants yield poorer diamond recoveries
Readily available	
Generate more work opportunities	
Consume less water	
Rotary Pan Plants are most often used when mining	
alluvial deposits	

In a Rotary Pan plant, crushed ore, when mining kimberlite, or alluvial gravel and soil is mixed with water to create a liquid slurry called "puddle" which has a density in the 1.3 to 1.5 g/cm3 range. The mix is stirred in the pan by angled rotating "teeth". The heavier minerals, or "concentrate", settle to the bottom and are pushed toward an extraction point, while lighter waste remains suspended and overflows out of the centre of the pan as a separate stream of material. The concentrate, representing just a small percentage of the original kimberlite ore or alluvial gravels, is drawn off for final recovery of the diamonds.

Both methods are in actual fact used for bulk material reduction and require a further process for the final diamond recovery however, for this project the Rotary Pan will be used.

When it comes to dust suppression two main methods were considered, namely molasses stillage and the wetting (water) of roads. The table below provides a short summary of the advantages and disadvantages of each.

Water	Molasses stillage	
More cost effective	Much more expensive	
Could lead to the depleting of water resources	Requires less water	
No damage (only if used excessively)	The product may be toxic to aquatic organisms. (As this product could have physical effects on aquatic organisms for e.g. floating, osmotic damage)	
No harm to humans or animals(Only a high quantity	Not Hazardous or toxic.	
will have harm to humans or animals)	Could cause irritation to eyes, skin or when ingested and inhaled.	
Non-flammable	Non-flammable	
Eye-wash fountains not needed	Eye-wash fountains in the work place are strongly recommended	
	Working procedures should be designed to minimize worker	
	exposure to this product.	
Basic storing methods	Storing methods are a bit more complicated. Should be stored in	
	a plastic, plastic lined or stainless steel, tight closed containers	
	between 5 and 40 degrees Centigrade.	

Considering the above mentioned information, water will be used for dust suppression purposes.

ii. Details of the Public Participation Process Followed

Describe the process undertaken to consult interested and affected parties including public meetings and one on one consultation. NB the affected parties must be specifically consulted regardless of whether or not they attended public meetings. (Information to be provided to affected parties must include sufficient detail of the intended operation to enable them to assess what impact the activities will have on them or on the use of their land.

Advertisement and Notices

Newspaper advertisement

The advertisement was placed in English in the local newspaper (**Gemsbok**) to notifying the public of the EIA process and requesting Interested and Affected Parties (I&APs) to register with and submit their comments to Milnex CC. I&APs were given the opportunity to raise comments within 30 days of the advertisement. Proof of advert are attached in **Appendix 6**.

Site notices

Site notices were placed (as anticipated on the coordinates below) on site & nearby areas in English to inform surrounding communities and immediately adjacent landowners of the proposed development. I&APs will be given the opportunity to raise comments. Photographic evidence of the site notices will be included in **Appendix 6**.



Figure 4: Site notices

<u>Direct notification and circulation of Scoping Report to identified I&APs</u>

Identified I&APs, including key stakeholders representing various sectors, are directly informed of the proposed development and the availability of the Scoping Report via registered post on **7 May 2019** and were requested to submit comments by **7 June 2019**. A copy of the report is also available at the Milnex offices in Schweizer-Reneke, 4 Botha Street, Schweizer-Reneke and Potchefstroom (Waterberry Street, Waterberry Square, 1st floor, Office 5B, Potchefstroom), between 7:30AM and 5PM, Monday to Friday. For a complete list of stakeholder details and for proof of registered post see **Appendix 6**. The consultees included:

<u>Direct notification of surrounding landowners and occupiers</u>

Written notices and the availability of the Scoping Report are also provided to all surrounding landowners and occupiers on **7 May 2019** The surrounding landowners were given the opportunity to raise comments by **7 June 2019**. For a list of surrounding landowners see **Appendix 6**.

Stakeholders	Landowners	Surrounding Landowner
Northern Cape Department of Environmental Affairs and Nature Conservation (DENC)	National Government of The Republic of South Africa: Department of Rural Development and Land Reform:	FM Safaris Pty Ltd
	Me. Cynthia Nkoane	
DMR Department of Mineral Resources, Northern Cape. (DMR)	FM Safaris Pty Ltd	Jacobus Coenraad Liebenberg
The Department of Water & Sanitation (DWS)	Arlo Investment Holdings Pty Ltd	Familie Nel Eiendomme CC
NC Department of Agriculture, Forestry and Fisheries (DAFF)	Tirisano Trust	Arlo Inestment Holdings Pty Ltd
Northern Cape Department of Agriculture, Land Reform & Rural Development		Swemkuil Boerdery Pty Ltd
Department of Roads and Public Works (DRPW)		South African National Roads Agency Ltd

Northern Cape Department of Rural Development & Land Reform	
Municipal Manager at the ZF Mgcawu District Municipality	
WESSA (National Office)	
Municipal Manager at the !Kheis Local Municipality	
Local Councilor at the !Kheis Local Municipality	
Municipal Manager at the Dawid Kruiper Local Municipality	
Local Councilor at the Dawid Kruiper Local Municipality	

2. Consultation

The Public Meeting is scheduled for **21 May 2019** at 15:30pm–16:30pm in Grootdrink on the N10 at the Gariep turn-off, approximately 43km from Groblershoop in the Northern Cape. The coordinates and directions of the public meeting follows below.

Coordinates

28°33'51.92"S

21°45'1.88"E

Directions to Public Meeting

• The public meeting will be held in Grootdrink on the N10 at the Gariep turn-off, approximately 43km from Groblershoop in the Northern Cape.



Figure 5: Directions to the public meeting

The public meeting is an opportunity to share information regarding the proposed development and provide I&APs with an opportunity to raise any issues and provide comments. The following key stakeholders and surrounding land owners were also directly informed of the public meeting via registered post **7 May 2019**:

Table 1: List of Stakeholders, Landowners, & surrounding landowners

Stakeholders	Landowners	Surrounding Landowner
Northern Cape Department of Environmental Affairs and Nature Conservation (DENC)	National Government of The Republic of South Africa: Department of Rural Development and Land Reform: Me. Cynthia Nkoane	FM Safaris Pty Ltd
DMR Department of Mineral Resources, Northern Cape. (DMR)	FM Safaris Pty Ltd	Jacobus Coenraad Liebenberg
The Department of Water & Sanitation (DWS)	Arlo Investment Holdings Pty Ltd	Familie Nel Eiendomme CC
NC Department of Agriculture, Forestry and Fisheries (DAFF)	Tirisano Trust	Arlo Inestment Holdings Pty Ltd
Northern Cape Department of Agriculture, Land Reform & Rural Development		Swemkuil Boerdery Pty Ltd
Department of Roads and Public Works (DRPW)		South African National Roads Agency Ltd
Northern Cape Department of Rural Development & Land Reform		
Municipal Manager at the ZF Mgcawu District Municipality		
WESSA (National Office)		
Municipal Manager at the !Kheis Local Municipality		
Local Councilor at the !Kheis Local Municipality		
Municipal Manager at the Dawid Kruiper Local Municipality		
Local Councilor at the Dawid Kruiper Local Municipality		

Public Meeting

NB: The interested and affected parties were given an opportunity to register via site notice, press advert and letters.

A public meeting was scheduled for 21 May 2019 at 15:30pm-16:30pm in Grootdrink on the N10 at the Gariep turn-off, approximately 43km from Groblershoop in the Northern Cape.

On the way to the public meeting Mr. Mandi Sibanyoni from Milnex CC had a car accident. A chevron from a truck's trailer fell off and hit the Milnex CC vehicle where two wheels got badly damaged. This resulted in the car being stranded and him not being able to attend the public meeting. Please see **Appendix 6** for the Affidavit with photos.

On the day of the public meeting, Milnex CC received no phone calls, emails or any communication from I&APs who might have waited at the public meeting location.

<u>Direct notification and circulation of EIR & EMPr to identified I&APs</u>

Identified I&APs, including key stakeholders representing various sectors, are directly informed of the proposed development and the availability of the EIR & EMPr via registered post on **31 July 2019** and were requested to submit comments by **2 September 2019**. A copy of the report is also available at the Milnex offices in Schweizer-Reneke, 4 Botha Street, Schweizer-Reneke and Potchefstroom (Waterberry Street, Waterberry Square, 1st floor, Office 5B, Potchefstroom), between

7:30AM and 5PM, Monday to Friday. For a complete list of stakeholder details and for proof of registered post see **Appendix** 6. The consultees included:

Stakeholders	Landowners	Surrounding Landowner
Northern Cape Department of Environmental Affairs and Nature Conservation (DENC)	FM Safaris Pty Ltd	FM Safaris Pty Ltd
DMR Department of Mineral Resources, Northern Cape. (DMR)	Arlo Investment Holdings Pty Ltd: Max Kurt Loots (Active director)	Jacobus Coenraad Liebenberg
The Department of Water & Sanitation (DWS)	Tirisano Trust	Familie Nel Eiendomme CC
NC Department of Agriculture, Forestry and Fisheries (DAFF)		Arlo Inestment Holdings Pty Ltd
Northern Cape Department of Agriculture, Land Reform & Rural Development		Swemkuil Boerdery Pty Ltd
Department of Roads and Public Works (DRPW)		Helena van der Westhuizen
Northern Cape Department of Rural Development & Land Reform		National Government of The Republic of South Africa: Department of Rural Development and Land Reform: Me. Cynthia Nkoane
Municipal Manager at the ZF Mgcawu District Municipality		South African National Roads Agency Ltd
WESSA (National Office)		
South African National Roads Agency Ltd		
Municipal Manager at the !Kheis Local Municipality		
Local Councilor at the !Kheis Local Municipality		
Municipal Manager at the Dawid Kruiper Local Municipality		
Local Councilor at the Dawid Kruiper Local Municipality		

Second direct notification and circulation of EIR & EMPr to identified I&APs and inform them of the second public meeting.

Identified I&APs, including key stakeholders representing various sectors, are directly informed of the proposed development and the availability of the EIR & EMPr via registered post on **29 October 2019** and were requested to submit comments by **28 November 2019**. A copy of the report is also available at the Milnex offices in Schweizer-Reneke, 4 Botha Street, Schweizer-Reneke and Potchefstroom (Waterberry Street, Waterberry Square, 1st floor, Office 5B, Potchefstroom), between 7:30AM and 5PM, Monday to Friday. For a complete list of stakeholder details and for proof of registered post see **Appendix 6**. The consultees included the landowners, stakeholders and surrounding landowners mentioned in the table above.

Second Public Meeting scheduled

The Public Meeting is scheduled for **21 November 2019** at **14:00–15:00**. The Public meeting will be held in Grootdrink on the N10 at the Gariep turn-off, approximately 43km from Groblershoop in the Northern Cape. The coordinates and directions of the public meeting follows below.

Coordinates

28°33'51.92"S

21°45'1.88"E

Directions to Public Meeting

• The public meeting will be held in Grootdrink on the N10 at the Gariep turn-off, approximately 43km from Groblershoop in the Northern Cape.

Public Meeting

Please note that the stakeholders & interested and affected parties were informed about the proposed project with the use of press advertisement and registered letters.

Milnex representatives Ms. Lizanne Esterhuizen and the applicant attended the meeting however no I&AP attended the meeting.

Attached as **Appendix 6** is the attendance register for the meeting.

Issues Raised by Interested and Affected Parties

Comments received during this period are attached as comment & response report as well as populated in the table of summary of issues raised.

iii. SUMMARY OF ISSUES RAISED BY I&APS

(Complete the table summarising comments and issues raised, and reaction to those responses)

All comment will be included in the final EIR&EMPr

Interested and Affected Parties List the names of persons consulted in this column, and Mark with an X where those who must be consulted were in fact consulted.		Issues raised	EAPs response to issues as mandated by the applicant	Section and paragraph reference in this report where the issue and or
Organisation	Contact person			response where incorporated
Landowner				
Zonderhuis RE/402 Onder Plaats RE/401	FM Safaris Pty Ltd	Email received 25/11/2019 and states the following: I'm emailing you on behalf of FM Safaris (Farms; Onderplaats, Zonderhuis). We have received notice of application for prospecting rights and environmental impact assessments on FM Safaris which includes the Farms Onderplaats and Zonderhuis. I had a telephone conversation with someone that told me the diamond mine on Namakwari will maybe reopen and that this will have no Impact on FM Safaris. Can you guys please confirm what the plan/situation is and if FM Safaris will be affected in any way? We need all the necessary information soon possible. Waiting to hear from you.	Email sent 03/12/2019 with Draft EIR Report and Request for comments letter attached, states the following: With reference to yesterday's telephonic conversation between yourself and Mr. Werner Broodryk from our office. Please find attached the draft Environmental Impact Assessment & Environmental Management Programme document (EIR&EMPr) and the comments and response form in the letter. We invite you to send us comments on or before the 7th of January 2020.	
Namakwari 1/656; 9/656 & 7/656;	Arlo Investment Holdings Pty Ltd			
Namakwari 6/656	Tirisano Trust			

Milnex CC: EIA373 – EIR & EMPr - The proposed Prospecting Right application for the prospecting of Diamonds (Alluvial, General & in Kimberlite), combined with a Waste Licence Application, near Groblershoop on a certain portion of the Remaining Extent of the farm Zonderhuis 402, a certain portion of the Remaining Extent of the farm Onder Plaats 401, a certain portion of Po

Surrounding Landowners			
Zwartkop RE/403	FM Safaris Pty Ltd		
Onder Plaats 5/401	Jacobus Coenraad Liebenberg		
Onder Plaats 3/401	Familie Nel Eiendomme CC		
Namakwari 10/656	Arlo Inestment Holdings Pty Ltd		
Zwemkuil RE/397	Swemkuil Boerdery Pty Ltd		
Zonderhuis 2/402	South African National Roads Agency Ltd		
Boegoebergnedersetting RE/48	National Government of The Republic of South Africa: Department of Rural Development and Land Reform: Me. Cynthia Nkoane		
Namakwari 5/656	Tirisano Trust		
The Municipality in which jurisdiction the	development is located		
Dawid Kruiper Local Municipality	Municipal Manager: Mr Elias Ntoba		
!Kheis Local Municipality	Municipal Manager Mr TF Leeuw (Acting)		
Municipal councilor of the ward in which t	he site is located		
Dawid Kruiper Local Municipality	Ward 9 Councillor		
!Kheis Local Municipality	Ward 2 Councillor		

Milnex CC: EIA373 –EIR & EMPr - The proposed Prospecting Right application for the prospecting of Diamonds (Alluvial, General & in Kimberlite), combined with a Waste Licence Application, near Groblershoop on a certain portion of the Remaining Extent of the farm Zonderhuis 402, a certain portion of the Remaining Extent of the farm Onder Plaats 401, a certain portion of Portion 9 (portion of portion 4), a certain portion of Portion 7 (portion of portion 4) and certain portion of Portion 9 (portion of portion 4) of the farm Namakwari 656, Registration Division: Gordonia and Kenhardt, Northern Cape Province.

Organs of state having jurisdiction			
Northern Cape Department of			
Environmental Affairs and Nature	Mrs. Doreen Werth		
Conservation (DENC)			
			Proof of submitting letter dated 26/08/2019 to amend EA
			application with amended EA application attached on
			28/08/2019.
	To whom it may concern		
			The amendment was to exclude a certain portion of the
			Remaining Extent of the farm Boegoeberg Nedersetting
			48 from the application.
		Letter dated 28/08/2019 states the application has been accepted.	
		0	
		a) Notify and consult with the landowner, lawful occupier	
	Tumelo Sedupane	and any I&AP and include the result of the consultation	
		in the environmental report.	
		b) Lodge an application in terms of National Water Act.	
		No.36 of 1998 with the Department of Water Affairs with	
DMR Department of Mineral		immediate effect.	
Resources, Northern Cape. (DMR)		Email received on 02/09/2019 with letter attached dated 12/07/2019. The letter states the following:	Email sent 12/09/2019 states the following:
		12/07/2010. The lotter states the following.	With reference to the acceptance of the final Scoping
		The FSR and plan of study for EIA received by the Department on	Report letter dated 12/07/2019 received on the
		the 6th of March 2018 refer.	02/09/2019, please see email below.
		Comment 3	Please note that you mention the Vaal River in your
		In addition, the following must be done:	comments, however, the proposed area is near the
	Kgaudi Shapo	a) Geo-hydrological Impact Assessment study	Orange River. There is also mention that we need to
	Ngadul Shapo	b) Wetland study (on salt Pan)	conduct a wetland study on the salt pan. May you please
		c) Final recommendation of SAHRA	indicate where is the salt pan on the proposed area, as
		d) Fauna and Flora study e) Details of the future land use for the site and	there was no salt pan identified in the final Scoping
		e) Details of the future land use for the site and infrastructure after decommissioning.	Report.
		f) Should a Water Use License be required, proof of	The final EIR&EMPr needs to be submitted to DMR on
		application for a license needs to be submitted.	the 28th of September 2019. However we only received
		g) Possible impacts and effects of the development of the	the above mentioned letter with comments via email
		Vaal River must be assessed.	from the DMR on the 2nd of September 2019. As a

Milnex CC: EIA373 –EIR & EMPr - The proposed Prospecting Right application for the prospecting of Diamonds (Alluvial, General & in Kimberlite), combined with a Waste Licence Application, near Groblershoop on a certain portion of the Remaining Extent of the farm Onder Plaats 401, a certain portion of the Remaining Extent of Portion 1, a certain portion of Portion 6 (portion of portion 4), a certain portion of Portion 7 (portion of portion 4) and certain portion of Portion 9 (portion of portion 4) of the farm Namakwari 656, Registration Division: Gordonia and Kenhardt, Northern Cape Province.

	h) Information on services required on the site, e.g. sewage refuse removal, water and electricity. Who will supply these services and has an agreement and confirmation of capacity been obtained? i) A construction and operational phase EMP to include mitigation and monitoring measures. Comment 4 Please ensure that surrounding communities are given the opportunity to participate on the public participation process and the draft EIR is provided to the community representative for commenting purpose. Comment 5 Please ensure that comments from all relevant stakeholders are submitted to the department with the EIAR. This include but is not limited to PHRA and/or SAHRA, Provincial Environmental Department, DAFF, DWS, the local municipality, Local community structures (e.g. Traditional Leaders, Ward Councillor's SANCO, CPA). Proof of correspondence wit the various stakeholders must be included in the EIAR. Should you be unable to obtain comments, proof of the attempts that were made to obtain comments should be submitted to the Department. Comments 6 In case where you will also use the proof of correspondence of the registered postage, please include the results of the postage which shows when and who collected the mail. Comment 9 Should an application for EA be subjected to any permits or authorisations in terms of the provisions of any SEMAs, proof of	result, we will not be able to complete the requested specialist studies before the 28th of September 2019. We suggest that our timeframe be extended by 52day (we lost 52 days from the date the acceptance letter was signed to the day the letter was received) in order to submit the final EIR&EMPr, since the above mentioned issue happened through no fault of our own. We believe that this extension cannot be seen as a formal timeframe extension request. Please note that the final EIR&EMPr will therefore be submitted on the 19th of November 2019. We hope you find the above in order.	
	such application will be required.		
	Email received on 13/09/2019 stats the following:		
	As you indicated that you proposed area is near the Orange River then Possible impacts and effects of the development on the commercial agriculture crop production to the west and Orange	Email sent 16/09/2019 states:	
	River must be assessed. However, the Wetland study can be ignored if the is no wetlands in you proposed area.	Thank you for your response.	

Milnex CC: EIA373 –EIR & EMPr - The proposed Prospecting Right application for the prospecting of Diamonds (Alluvial, General & in Kimberlite), combined with a Waste Licence Application, near Groblershoop on a certain portion of the Remaining Extent of the farm Zonderhuis 402, a certain portion of the Remaining Extent of the farm Onder Plaats 401, a certain portion of Portion 9 (portion of portion 4) and certain portion of Portion 9 (portion of portion 4) of the farm Namakwari 656, Registration Division: Gordonia and Kenhardt, Northern Cape Province.

		For the issue of extension to submit EIR/EMPR you must submit on the 19th November 2019.		
	Reabetswe Molefe	Email received 20/09/2019 with acceptance letter attached dated 18/09/2019. The letter states the following: Comment 2 a) Notify and consult with the landowner, lawful occupier and any I&AP and include the result of the consultation in the environmental report. b) Lodge an application in terms of National Water Act. No.36 of 1998 with the Department of Water Affairs with immediate effect.		
	Kgaudi Shapo		Email sent 14/10/2019 with letter attached requesting for timeframes extension attached. The letter states the following: We herewith request an extension in the timeframes until 10th of January 2020 for submitting the final Environmental Impact Assessment Report and Environmental Management Programme (EIR&EMPr) on the Prospecting Right application for NC30/5/1/1/2/12359PR, which is due on the 19th of November 2019. Email sent 22/10/2019 follows up on email sent on the 14th of October 2019. Attached to the email is the request for timeframe extension letter.	
The Department of Water & Sanitation (DWS)	Mr. G. van Dyk			
NC Department of Agriculture, Forestry and Fisheries (DAFF)	To whom it may concern			
	Chief forester Mrs J. Mans			
	Mr. Harm Vorster			
Department of Roads and Public Works (DRPW)	HOD: Ms. Ruth Palm Mr Tshiamo Pitso			

Milnex CC: EIA373 –EIR & EMPr - The proposed Prospecting Right application for the prospecting of Diamonds (Alluvial, General & in Kimberlite), combined with a Waste Licence Application, near Groblershoop on a certain portion of the Remaining Extent of the farm Zonderhuis 402, a certain portion of the Remaining Extent of the farm Onder Plaats 401, a certain portion of the Remaining Extent of Portion 1, a certain portion of Portion 6 (portion of portion 4), a certain portion of Portion 7 (portion of portion 4) and certain portion of Portion 9 (portion of portion 4) of the farm Namakwari 656, Registration Division: Gordonia and Kenhardt, Northern Cape Province.

Northern Cape Department of Rural Development & Land Reform,		Fax received on 19/05/2019 with the Milnex CC comments and response form attached which states that the properties are not owned by the DRDLR. There are therefore no inputs/comments.		
			Email sent 29/05/2019 is proof of land claims consultation.	
	Nqabisa Mkalipi	Email received 04/07/2019 with letter attached dated 05/06/2019 states the following:		
		Department confirms that as at the date of this letter no land claims appear on our database in respect of the Property. This includes the database for claims lodged by 31 December 1998 and those lodged between 1 July 2014 and 27 July 2016 in terms of the Restitution of Land Rights Amendment Act, 2014	Email sent 03/07/2019 follows up on the enquiry.	
Other-				
ZF Mgcawu District Municipality	Municipal Manager: Mr Gilbert Lategan (Acting Municipal Manager and Director: Planning and Development)			
WESSA (National Office)	To whom it may concern			
I&AP	South African National Roads Agency Ltd			
I&AP	Amanda Coetzee	Email received 08/08/2019 ask that the map be emailed as telephonically discussed.	Email sent 08/08/2019 with requested map attached.	

Milnex CC: EIA373 –EIR & EMPr - The proposed Prospecting Right application for the prospecting of Diamonds (Alluvial, General & in Kimberlite), combined with a Waste Licence Application, near Groblershoop on a certain portion of the Remaining Extent of the farm Onder Plaats 401, a certain portion of the Remaining Extent of Portion 1, a certain portion of portion 4), a certain portion of Portion 7 (portion of portion 4) and certain portion of Portion 9 (portion of portion 4) of the farm Namakwari 656, Registration Division: Gordonia and Kenhardt, Northern Cape Province.

iv. THE ENVIRONMENTAL ATTRIBUTES ASSOCIATED WITH THE SITES

Baseline Environment

The baseline environment is described with specific reference to geotechnical conditions, ecological habitat and landscape features, Soil, land capability and agricultural potential, climate and the visual landscape.

Protected species

It is noted that protected tree species under the National Forests Act No. 84 of 1998 are listed in Table 4.9. In terms of a part of section 51(1) of Act No. 84 of 1998, no person may cut, disturb, damage or destroy any protected tree or possess, collect, remove, transport, export, purchase, sell, donate or in any other manner acquire or dispose of any protected tree, except under a license granted by the Minister.

In cases where the trees will need to be cut, disturbed, damaged or destroyed or possessed, collected, removed, transported, exported, purchased, sold or donated a flora permit will be applied for.

(a) Type of environment affected by the proposed activity.

(its current geographical, physical, biological, socio- economic, and cultural character).

Geology and Soils

Kheis Terrane (Mle - Metabasalt, felsic lava, Greenschist, conglomerate & ferruginous schist)

Classification


The Leerkrans Formation of the Wilgenhoutsdrif Group is a succession of highly sheared metasedimentary and metavolcanic rocks separating the western margin of the Archean Kaapvaal Craton from the polydeformed and highly metamorphosed Proterozoic Namaqua Sector of the Namaqua-Natal Province. Highly chloritised and epidotised metabasalts from the Lower Basalt are typically flow-banded, massive, vesicular or amygdaloidal, and have primitive tholeiitic, MORB-like geochemical characteristics.

The Upper Basalt and Mixed Zone of the Leerkrans Formation are comprised of basaltic lavas showing similar geochemical features to the Lower Basalt. The metavolcanic rocks of the Leerkrans Formation overlap in age with the oldest units of the ~1.3 to ~1.23 Ga Areachap Group, the polydeformed and highly metamorphosed remnants of a volcanic arc that separates the western margin of the Kaapvaal Craton from the Namaqua Sector. The Leerkrans Formation likely represents the remnants of a related back-arc basin to the volcanic arc which was accreted onto the western margin of the craton

Land capability and agricultural potential

Climate and water availability

Groblershoop normally receives about 108mm of rain per year, with most rainfall occuring mainly during autumn. The chart below (lower left) shows the average rainfall values for Groblershoop per month. It receives the lowest rainfall (0mm) in June and the highest (32mm) in March. The monthly distribution of average daily maximum temperatures (centre chart below) shows that the average midday temperatures for Groblershoop range from 19°C in June to 33°C in January. The region is the coldest during July when the mercury drops to 2°C on average during the night. Consult the chart below (lower right) for an indication of the monthly variation of average minimum daily temperatures (SAExplorer, 2017).



Description of the socio-economic environment

Socio-economic conditions

Dawid Kruiper Local Municipality

This information was sourced from Statistics South Africa Regional office in Upington. The statistics indicates that population Dawid Kruiper Municipality's 107 162 in 2016. This reflects an overall population growth of 1.82% between 2011 up to 2016. The unemployment rate decreases significantly from 34% in 2001 to 22.1% in 2011.and there was a huge decline in the youth unemployment rate too from 42.3% in 2001 to 29% in 2011 but the youth unemployment rate is still very high in comparison with the overall unemployment rate of the municipality. Although about 44.7% of the Dawid Kruiper population are between 14 and 35 years old, youths remains relatively marginalised. All municipal services except sewerage increased since 2001 with electricity for lighting increased from 91.1% in 2011 to 94% in 2016 within the Khara Hais area and 69 % within the Mier Area, respectively.

The Municipality's economy is rather centred on the trade and retail sector, due to its strong tourism sector, leaving the local economy fairly vulnerable for any significant changes in this industry. It is, therefore, important that the Municipality seeks to further diversify its economy into other sectors. Furthermore, the manufacturing sector of the municipality is one of the lowest performing sectors of the local economy. This sector has the potential to generate significant growth for the region, and Dawid Kruiper Municipality is experiencing a lack of manufacturing activities. As a result much in the municipality has to be sourced from outside of the municipal boundaries, resulting in money flowing out of the local economy.

Agricultural activities take up portions of land abutting the Orange River in the Municipality. The Agricultural sector is important to the local economy and therefore represents an emerging strength for the Municipality, which creates further opportunities for expansion, as well as the development of linkages with other sectors of the economy, creating further opportunities for job creation. The White Paper on Agriculture (1995) highlights the fact that existing and emerging farmers and agri-businesses in the area should be supported, and the Northern Cape's AAPSS and PGDS state that new technologies should be investigated where applicable to maximise production outputs.

In terms of economic indicators, the Municipality also enjoys comparative advantages in all of the economic sectors, except mining, compared to the District. The Municipality should therefore capitalise on these advantages to further strengthen its position in the District. Furthermore, the fastest growing sectors in the Municipality were those of the agriculture, electricity and water, and mining sectors. The current growth occurring in these sectors should be exploited to ensure the creation of new job opportunities for local people.

!Kheis Local Municipality

Population: !Kheis Municipality has a total population of approximately 16 637 according to the community survey by the census of 2011. !Kheis Local Municipality is divided into four wards, as well as surrounding farms. According to the 2011 community survey census, the racial distribution of the population in !Kheis were; 1144 Black Africans, 14 200 Coloured, 901 White and 167 Indian.

Economy: Agriculture is the economic sector. The commercial farms' concentration is on the vineyards, while the emerging farmers concentrate on sheep and goat farming. Provincial Government and Landbank are involved to capacitate these farms in sustainable farming and bookkeeping practices. Agriculture is marketed local, national and internationally. Grapes, cotton, corn, wheat, tomatoes, peanuts, musk melons and pumpkins and cultivated under irrigation from the Orange River. Major development

projects planned within the municipal area are poised to continue to have positive impact on its economy over the next 10 to 15 years. Despite the positive outlook the Municipality is still faced with high levels of unemployment and poverty, little or on diversification in the economy and a declining resource base.

Challenges: Social Services have a full-fledged office running in the area and services are also provided by an NGO, Child and Family Care. Two Social Workers is currently not sufficient enough for a large area which needs to be serviced. Teenage pregnancy, alcohol abuse and HIV/AIDS have become a serious social issue. Measures need to be put in place to curb the increased incidence of these issues.

General social problems included:

- Statutory work with Juvenile offenders
- Marriage problems
- Counselling of molested children
- Parental guidance groups for foster parents
- Family violence Vulnerable Groups (women, children and old age) abuse
- Removal of children
- Therapy, e.g. Spelling therapy
- Counselling for raped women

The communities are far from each other and without proper transport and a vehicle; proper social services can thus not be rendered.

Ecological habitat and landscape features

According to the Watercourse Delineation and Ecological Impact Assessment Report (please see Appendix 12):

The proposed site for prospecting falls within two recognised Biomes, namely the Nama-Karoo and the Savanna (Mucina & Rutherford 2006). Biomes are further divided into bioregions, which are spatial terrestrial units possessing similar biotic and physical features, and processes at a regional scale. The study sites overlap with four (4) different vegetation types (Figure 5). Table 9 below provides an overview of the vegetation types associated with the study site. The western boundary of the study site is adjacent to the Upper Gariep Alluvial Vegetation, which is classed Vulnerable, however it does not overlap.

See Appendix 7 & Figure 6 for the Ecological desktop study done.

See Appendix 12 for the vegetation map

Table 9: Vegetation types and their ecological importance

Vegetation Type	Biome	Bioregion	Conservation Status	Endemic Species
Bushmanland Arid	Nama-Karoo	Bushmanland	Least Concern	Biogeographically Important
Grassland (NKb 3)			21% Target	Taxon: (Bushmanland endemic)
()			0.4% Protected	Tridentea dwequensis
				Endemic Taxa: Dinteranthus pole-evansii Larryleachia dinteri L. marlothii Ruschia kenhardtensis Lotononis oligocephala Nemesia maxii
Lower Gariep Broken	Nama-Karoo	Bushmanland	Least Concern	Endemic Taxon:
Veld (NKb 1)			21% Target	Ruschia pungens
veia (ivita 2)			3.9% Protected	
Kalahari Karroid	Nama-Karoo	Bushmanland	Least Concern	Biogeographically Important
Shrubland (NKb 5)			21% Target	Taxon:
, ,			0.1% Protected	(Southwestern distribution limit)
				Dinebra retroflexa
Gordonia Duneveld	Savanna	Kalahari	Least Concern	Biogeographically Important
(SVkd 1)		Duneveld	16% Target	Taxa:
,			14.2% Protected	(Kalahari endemics):
				Acacia haematoxylon (d)
				Stipagrostis amabilis (d)
				Anthephora argentea
				Megaloprotachne albescens
				Helichrysum Arenicola
				Kohautia ramosissima
				Neuradopsis austro-africana





Figure 6: Vegetation types associated with the study site (Mucina & Rutherford 2006/2018).



According to the Watercourse Delineation and Ecological Impact Assessment Report (please see Appendix 12):

During the Desktop study, a list of potential flora and fauna species occurring in the area were compiled and included in this section of the document for the affected quarter degree grid cells, however, it does not mean that these do occur on-site.

4.1 Floral Assessment

The field survey conducted in December 2019, took place before the rain season and conditions on site were extremely dry. Therefore, species identification was limited, and reliance was made on previous vegetation assessments in the adjacent area as well as desktop knowledge of the floral species occurring in the general area (Table 13). A list of flora observed on site was compiled and their protection status indicated where relevant (Table 14). If a species is a known Alien and Invasive Species, this was also indicated.

4.1.1 Desktop Terrestrial Vegetation

According to Mucina & Rutherford (2006), four (4) vegetation types are present on the study site namely the Bushmanland Arid Grassland (NKb 3) vegetation, Gordonia Duneveld (SVkd 1), Lower Gariep Broken Veld (NKb 1) and Kalahari Karroid Shrubland (NKb 5). The expected species to occur within each vegetation type is listed in Table 13

Table 13: Flora species expected to occur according to Mucina and Rutherford (2006)

<u> </u>	. , ,		
Bushmanland Arid Grassland (NKb 3)	Gordonia Duneveld (SVkd 1)	Lower Gariep Broken Veld (NKb 1)	Kalahari Karroid Shrubland (NKb 5)
Important Taxa (WWestern and	Important Taxa	Important Taxa (WWestern or	Important Taxa
Eastern regions of the unit only)	Small Tree: Acacia mellifera subsp.	EEastern part of this unit only)	Small Trees: Acacia mellifera subsp.
Graminoids: Aristida adscensionis (d),	detinens (d)	Succulent Trees: Aloe dichotoma var.	detinens (d), Parkinsonia africana (d),
A. congesta (d), Enneapogon		dichotoma.	Boscia foetida subsp. foetida.
desvauxii (d), Eragrostis nindensis (d),	Tall Shrubs: Grewia flava (d),		
Schmidtia kalahariensis (d),	Rhigozum trichotomum (d). Low	Small Trees: Acacia mellifera subsp.	Tall Shrub: Rhigozum trichotomum
Stipagrostis ciliata (d), S. obtusa (d),	Shrubs: Aptosimum albomarginatum,	detinens (d), Commiphora	(d).
Cenchrus ciliaris, Enneapogon scaber,	Monechma incanum, Requienia	gracilifrondosa ^w , Ficus cordata,	
Eragrostis annulata ^E , E. porosa ^E , E.	sphaerosperma.	Pappea capensis ^w , Rhus populifolia ^w ,	Epiphytic Semiparasitic Shrub:
procumbens, Panicum lanipes ^E ,		Ziziphus mucronata subsp.	Tapinanthus oleifolius.
Setaria verticillata ^E , Sporobolus	Succulent Shrubs: Lycium	mucronata.	
nervosus, Stipagrostis brevifolia ^W , S.	bosciifolium, L. pumilum, Talinum		Low Shrubs: Hermannia spinosa (d),
uniplumis, Tragus berteronianus, T.	caffrum.	Tall Shrubs: Rhigozum trichotomum	Limeum aethiopicum (d),
racemosus ^E .		(d), Adenolobus garipensis ^w ,	Phaeoptilum spinosum (d), Aizoon
	Graminoids: Schmidtia kalahariensis	Antherothamnus pearsonii ^W , Cadaba	schellenbergii, Aptosimum
Small Trees: Acacia mellifera subsp.	(d), Brachiaria glomerata, Bulbostylis	aphylla, Caesalpinia bracteata,	albomarginatum, A. lineare, A.
detinens ^E , Boscia foetida subsp.	hispidula, Centropodia glauca,	Ehretia rigida subsp. rigida, Nymania	marlothii, A. spinescens, Barleria
foetida.	Eragrostis lehmanniana, Stipagrostis	capensis, Rhigozum obovatum [€] , Rhus	rigida, Hermannia modesta,
	ciliata, S. obtusa, S. uniplumis.	burchellii.	Indigofera heterotricha,
Tall Shrubs: Lycium cinereum (d),			Leucosphaera bainesii, Monechma
Rhigozum trichotomum (d), Cadaba	Herbs: Hermbstaedtia fleckii (d),	Epiphytic Semiparasitic Shrub:	genistifolium subsp. genistifolium,
aphylla, Parkinsonia africana.	Acanthosicyos naudinianus,	Tapinanthus oleifolius.	Phyllanthus maderaspatensis,
	Hermannia tomentosa, Limeum		Polygala seminuda, Ptycholobium
Low Shrubs: Aptosimum spinescens	arenicolum, L. argute-carinatum,	Succulent Shrubs: Ceraria	biflorum subsp. biflorum, Sericocoma
(d), Hermannia spinosa (d), Pentzia	Oxygonum dregeanum subsp.	namaquensis, Cryptolepis decidua ^w ,	avolans, Solanum capense, Tephrosia
spinescens (d), Aizoon asbestinum ^E , A.	canescens var. canescens, Sericorema	Euphorbia avasmontana, E.	dregeana.
schellenbergii [€] , Aptosimum	remotiflora, Sesamum triphyllum,	gregaria ^w , Kleinia longiflora, Lycium	
elongatum, A. lineare ^E , A. marlothii ^E ,	Tribulus zeyheri.	bosciifolium, Zygophyllum	Herbs: Dicoma capensis (d),
Barleria rigida, Berkheya annectens,	Biogeographically Important Taxa	dregeanum.	Chamaesyce inaequilatera (d),
Blepharis mitrata, Eriocephalus	(Kalahari endemics)		Amaranthus praetermissus, Barleria
ambiguus, E. spinescens, Limeum	process contained	Woody Succulent Climber:	lichtensteiniana, Chamaesyce
aethiopicum, Lophiocarpus poly-		Sarcostemma viminale	glanduligera. Chascanum garipense,

stachyus, Monechma incanum, M. spartioides, Pentzia pinnatisecta, Phaeoptilum spinosum^E, Polygala seminuda, Pteronia leucoclada, P. mucronata, P. sordida, Rosenia humilis, Senecio niveus, Sericocoma avolans, Solanum capense, Talinum arnotii^E, Tetragonia arbuscula, Zygophyllum microphyllum.

Succulent Shrubs: Kleinia longiflora, Lycium bosciifolium, Salsola tuberculata, S. glabrescens.

Herbs:

Acanthopsis hoffmannseggiana, Aizoon Amaranthus canariense. Barleria praetermissus, lichtensteiniana^E, Chamaesyce inaeauilatera. Dicoma capensis. Indigastrum argyraeum, Lotononis platycarpa, Sesamum capense, Tribulus pterophorus, T. terrestris, Vahlia capensis.

Succulent Herbs:

Gisekia pharnacioides^E, Psilocaulon coriarium, Trianthema parvifolia.

Geophytic Herb: Moraea venenata.

<u>Biogeographically Important Taxon</u> (<u>Bushmanland endemic</u>)

Succulent Herb:

Tridentea dweauensis.

Tall Shrub:

Acacia haematoxylon (d).

Graminoids:

Stipagrostis amabilis (d), Anthephora argentea, Megaloprotachne albescens.

Herbs:

Helichrysum arenicola, Kohautia ramosissima, Neuradopsis austro-africana

Low Shrubs: Blepharis mitrata (d), Aizoon schellenberaii. Aptosimum albomarginatum, A. lineare, A. marlothii, Barleria rigida, Berkheya spinosissima subsp. namaensis. Dyerophytum africanum, Hermannia spinosa, H. vestita, Hibiscus elliottiae, Indigofera heterotricha, Limeum aethiopicum. Lophiocarpus polystachyus, Monechma spartioides, Phaeoptilum spinosum, Phyllanthus maderaspatensis, Polygala seminuda, Ptvcholobium biflorum subsp. biflorum, Sericocoma avolans, Solanum Stachys capense. burchelliana. Talinum arnotii, Tetragonia arbuscula, Zygophyllum rigidum.

Semiparasitic Shrub: Thesium lineatum.

Graminoids: Aristida adscensionis (d). Enneapogon desvauxii (d), E. scaber Eragrostis nindensis Stipagrostis obtusa (d), S. uniplumis (d), Aristida congesta, A. engleri, Cenchrus ciliaris, Digitaria eriantha, Enneapogon cenchroides, Eragrostis annulata, E. lehmanniana, E. porosa, Schmidtia kalahariensis. Setaria verticillata, Sporobolus fimbriatus^E, Stipagrostis anomala, S. ciliata, Traaus berteronianus. Triraphis ramosissima^W.

Cleome angustifolia subsp. diandra, Cucumis africanus, Geigeria ornativa, Hermannia abrotanoides. Indiaastrum aravraeum, Indiaofera alternans. I. auricoma. Kohautia cynanchica. Limeum argute-Mollugo carinatum, cerviana, Monsonia umbellata. Sesamum capense. Tribulus cristatus. T. pterophorus, T. terrestris.

Succulent Herbs: Gisekia africana, G. pharnacioides, Trianthema parvifolia.

Graminoids: Aristida adscensionis (d), Enneapogon desvauxii (d), E. scaber (d), Stipagrostis obtusa (d), Aristida congesta, Enneapogon cenchroides, Eragrostis annulata, E. homomalla, E. porosa, Schmidtia kalahariensis, Stipagrostis anomala, S. ciliata, S. hochstetteriana, S. uniplumis, Tragus berteronianus, T. racemosus.

Biogeographically Important Taxon (Southwestern distribution limit) Graminoid: Dinebra retroflexa.

Endemic Taxa	Herbs: Forsskaolea candida (d),
Succulent Shrubs: Dinteranthus pole-	Acanthopsis hoffmannseggiana,
evansii, Larryleachia dinteri, L.	Barleria lichtensteiniana,
marlothii, Ruschia kenhardtensis.	Chamaesyce glanduligera,
	Chascanum garipense, Cleome
Herbs: Lotononis oligocephala,	angustifolia subsp. diandra, Codon
Nemesia maxii.	royenii, Dicoma capensis, Garuleum
	schinzii ^E , Rogeria longiflora, Sesamum
	capense, Tribulus zeyheri,
	Trichodesma africanum.
	Succulent Herbs: Orbea lutea subsp.
	lutea, Stapelia flavopurpurea.
	Endemic Taxon
	Succulent Shrub: Ruschia pungens.

According to the Watercourse Delineation and Ecological Impact Assessment Report (please see Appendix 12):

4.1.2 Plant species observed on site

During the site assessment, the area was in extreme drought, therefore species identification was limited. It is recommended that a follow-up study be conducted after the rain season to effectively establish a species list for the area. The vegetation that could be identified at the time of the site visit is listed in Table 14 below.

Table 14: Dominant plant species observed on the study site.

	Terrestrial Communities	
Trees / Shrubs	Grasses / Reeds / Bulrushes	Forbs
Asparagus glaucus	Aristida congesta	-
^P Boscia albitrunca	Cynodon dactylon	
Boscia foetida	Hyparrhenia hirta	
*Prosopis glandulosa	Themeda triandra	
Searsia lancea		
Vachellia karroo		
Vachellia tortilis		
^P Vachellia erioloba		
	Riparian and Wetland System	
Trees / Shrubs	Grasses / Reeds / Bulrushes	Forbs
Diospyros lycioides	Chloris virgata	*Atriplex semibaccata
Lycium hirsutum	Cyperus margaritaceus	*Bidens bipinnata
*Prosopis glandulosa	Cyperus longus	*Chenopodium album
Searsia lancea	Cyperus bellus	*Conyza bonariensis
*Salix babylonica	*Cyperus sexangularis	*Datura ferox
Salix mucronata	Cynodon dactylon	*Salsola kali
Vachellia karroo	Enneapogon cenchroides	*Schkuhria pinnata
Ziziphus mucronata	Eragrostis echinochloidea	Senecio hastatus
Olea africana	Eragrostis lehmanniana	*Tagetes minuta
	Hyparrhenia hirta	*Xanthium strumarium
	*Paspalum dilatatum	
	Phragmites australis	
	Setaria sphacelata	
	Sporobolus fimbriatus	
	Tragus koelerioides	
	Schoenoplectus muricinux	
	Scirpoides inanis	

P - Protected Species

Threatened Ecosystems

Ecosystem threat status outlines the degree to which ecosystems are still intact or alternatively losing vital aspects of their structure, function and composition, on which their ability to provide ecosystem services ultimately depends (Driver *et al.* 2011). Datasets have been developed by SANBI (2016) in order to outline threatened ecosystems, with the primary objective of limiting the rate of ecosystem extinctions. Four established categories group these ecosystems namely: Critically Endangered (CR), Endangered (EN), Vulnerable (VU) and Protected.

The Endangered Lower Gariep Alluvial vegetation occurs along the western boundary of the study site (Figure 7).

According to the Watercourse Delineation and Ecological Impact Assessment Report (please see Appendix 12):

^{* -} Alien and Invasive Species

The Endangered classed Lower Gariep Alluvial Vegetation Ecosystem was identified adjacent to the study site on the western boundary (Figure 6). The Lower Gariep Alluvial Ecosystem is described by the National List of Threatened Terrestrial Ecosystems (2011) as being "Endangered". The conservation target for the area is 31% and only approximately 5.8% is statutorily conserved. The vegetation type is relatively impacted (Mucina & Rutherford, 2006).

Protected Areas

According to the Watercourse Delineation and Ecological Impact Assessment Report (please see Appendix 12):

Formally protected areas are protected either by national or provincial legislation. Based on the SANBI (2010) Protected Areas Map (Figure 6 of specialist study) and the Northern Cape Biodiversity Sector Plan (2016), the study site does not overlap with any formally Protected Area. Therefore, the location of the study site is not expected to have an impact on any formally protected areas.





Figure 7: Protected areas and Threatened Ecosystems near the study area.



Specialist map: Figure 6: Threatened Ecosystems associated with the study site and surrounds. (Please see Appendix 12)

Critical Biodiversity Area

Critical Biodiversity Areas (CBAs) are terrestrial and aquatic areas of high biodiversity value that need to be conserved and maintained in a natural or near-natural state to ensure the continued existence and functioning of species and ecosystems and the delivery of ecosystem services (MTPA, 2014). According to the National Environmental Management Act (NEMA) (Act no. 107 of 1998) certain activities have strict guidelines or are prohibited within CBAs and ESAs. Refer to the listed activities under the NEMA: Environmental Impact Assessment Regulations of 2014 (GNR 982) as promulgated in terms of the National Environmental Management Act (Act 107 of 1998) (NEMA) [as amended] for a comprehensive breakdown. The following terms are used to categorise the various land used types according to their biodiversity and environmental importance:

- Critical Biodiversity Area One (CBA1);
- Critical Biodiversity Area Two (CBA2);
- Ecological Support Area (ESA);
- Other Natural Areas (ONA); and
- Protected Area (PA).

Based on the desktop information (**Figure 8**), most of the study site overlaps with CBA2s and other Natural Areas. Small sections of CBA1 are visible on the western boundary of the study site.

According to the Watercourse Delineation and Ecological Impact Assessment Report (please see **Appendix 12**): Based on the desktop information (Figure 7 of specialist study), most of the study site overlaps with CBA2 and other Natural Area. The western boundary where the Orange River passes the study site is classed as CBA1.





Figure 8: Critical Biodiversity Areas (CBAs) associated with the study site.



Specialist map: Figure 7: The Critical Biodiversity Areas associated with the study site according to the Northern Cape Critical Biodiversity Area Database (2016). (Please see **Appendix 12**)

Biodiversity Priority Areas for Mining

The Mining and Biodiversity Guideline was developed in 2013 for the purpose of mainstreaming biodiversity management practices into the mining sector (DEA, DMR, Chamber of Mines, SAMBF & SANBI 2013). This Guideline provides explicit direction in terms of where mining-related impacts are legally prohibited, where biodiversity priority areas may present high risks for mining projects, and where biodiversity may limit the potential for mining. The Guideline distinguishes between four categories of biodiversity priority areas in relation to their importance from a biodiversity and ecosystem service perspective as well as the implications for mining in these areas (**Table 2**).

Table 1: Four categories of biodiversity priority areas in relation to their biodiversity importance and implications for mining.

Category	Biodiversity Priority Areas	Risks for Mining	Implications for Mining
A. Legally Protected	Protected areas (including National Parks, Nature Reserves, World Heritage Sites, Protected Environments, Nature Reserves) Areas declared under Section 49 of the Mineral and Petroleum Resources Development Act (No. 28 of 2002)	Mining Prohibited	Mining projects cannot commence as mining is legally prohibited. Although mining is prohibited in Protected Areas, it may be allowed in Protected Environments if both the Minister of Mineral Resources and Minister of Environmental Affairs approve it. In cases where mining activities were conducted lawfully in protected areas before Section 48 of the Protected Areas Act (No. 57 of 2003) came into effect, the Minister of Environmental Affairs may, after consulting with the Minister of Mineral Resources, allow such mining activities to continue, subject to prescribed conditions that reduce environmental impacts.
B. Highest Biodiversity Importance	 Critically endangered and endangered ecosystems Critical Biodiversity Areas (or equivalent areas) from provincial spatial biodiversity plans River and wetland Freshwater Ecosystem Priority Areas (FEPAs) and a 1km buffer around these FEPAs Ramsar Sites 	Highest Risk for Mining	Environmental screening, environmental impact assessment (EIA) and their associated biodiversity specialist studies should focus on confirming the presence and significance of these biodiversity features, and to provide site-specific basis on which to apply the mitigation hierarchy to inform regulatory decision-making for mining, water use licences, and environmental authorisations. If they are confirmed, the likelihood of a fatal flaw for new mining projects is very high because of the significance of the biodiversity features in these areas and the associated ecosystem services. These areas are viewed as necessary to ensure protection of biodiversity, environmental sustainability, and human well-being. An EIA should include the strategic assessment of optimum, sustainable land use for an area and will determine the significance of the impact on biodiversity. This assessment should fully consider the environmental sensitivity of the area, the overall environmental and socio-economic costs and benefits of mining, as well as the potential strategic importance of the minerals to the country. Authorisations may well not be granted. If granted, the authorisation may set limits on allowed activities and impacts and may specify biodiversity offsets that would be written into licence agreements and/or authorisations.

C. High Biodiversity Importance	 Protected area buffers (including buffers around National Parks, World Heritage Sites* and Nature Reserves) Transfrontier Conservation Areas (remaining areas outside of formally proclaimed protected areas) Other identified priorities from provincial spatial biodiversity plans High water yield areas Coastal Protection Zone Estuarine functional zone *Note that the status of buffer areas of World Heritage Sites is subject to a current intragovernmental process 	High Risk for Mining	These areas are important for conserving biodiversity, for supporting or buffering other biodiversity priority areas, and for maintaining important ecosystem services for communities or the country. An EIA should include an assessment of optimum, sustainable land use for an area and will determine the significance of the impact on biodiversity. Mining options may be limited in these areas, and limitations for mining projects are possible. Authorisations may set limits and specify biodiversity offsets that would be written into licence agreements and/or authorisations.
D. Moderate Biodiversity Importance	 Ecological support areas Vulnerable ecosystems Focus areas for protected area expansion (land-based and offshore protection) 	Moderate Risk for Mining	These areas are of moderate biodiversity value. EIAs and their associated specialist studies should focus on confirming the presence and significance of these biodiversity features, identifying features (e.g. threatened (land-based and offshore protection) species) not included in the existing datasets, and on providing site-specific information to guide the application of the mitigation hierarchy. Authorisations may set limits and specify biodiversity offsets that would be written into licence agreements and/or authorisations.

According to the Watercourse Delineation and Ecological Impact Assessment Report (please see **Appendix 12**): Based on Figure 8 (Specialist study), west of the boundary of the study site overlaps with Category B, Highest Risk for Mining and Category C, High Risk for Mining. The unnamed tributary traversing the study site overlaps with Category B, Highest Risk for Mining and therefore has highest biodiversity importance. Rigorous evaluation of the biodiversity content of applications is required, as well as the application of the mitigation hierarchy to reduce impacts on biodiversity in these areas. Therefore, the general area has highest biodiversity importance.





Figure 9: Biodiversity priority areas, in accordance with the Mining of Biodiversity Guidelines, associated with the study site.



Specialist map: Figure 8: The study site according to the Mining and Biodiversity Guidelines (2013). (Please see Appendix 12)

Ecoregion Characteristics

According to the Watercourse Delineation and Ecological Impact Assessment Report (please see Appendix 12):

The study site falls within the Nama Karoo Ecoregion according to the delineation provided by Dallas (2005) (Figure 10 of specialist study). Ecological regions (Ecoregions) are regions within which there is relative similarity in the mosaic of ecosystems and ecosystem components (biotic and abiotic, aquatic and terrestrial) (Kleynhans et al. 2005). The topography of the Nama Karoo Ecoregion is diverse, however dominated by plains with a moderate to high relief and lowlands, hills and mountains with moderate to high relief. Perennial rivers that traverse this region are the Riet and Orange. Rivers draining extensive parts of the region, such as the Hartbees, are seasonal. The drainage density is generally low, but medium to high in some parts.

Table 11: Attributes of the Nama Karoo (26) Ecoregion (Kleynhans et al. 2005)

Ecoregion Characteristics				
Dominant primary terrain	Plains Moderate Relief;			
morphology	Lowlands; Hills and Mountains; Moderate and High Relief;			
Dominant primary vegetation types	Bushmanland Nama Karoo			
Altitude (m a.m.s.l)	300-1700, 1700-1900 (limited)			
MAP (mm)	0 to 500			
Coefficient of Variation (% of MAP)	30 to >40			
Rainfall concentration index	15 to >65			
Rainfall seasonality	Late to very late summer to Winter			
Mean annual temp. (°C)	12 to 20			
Winter temperature (July)	10 to 22			
Summer temperature (Feb)	26 to >32			
Median annual simulated runoff	<5 to 60			



Specialist map: Figure 10: Ecoregions associated with the study area. (Please see Appendix 12)

Surface Hydrology and Aquatic Classification


According to the Watercourse Delineation and Ecological Impact Assessment Report (please see Appendix 12):

Quaternary Catchments and Associated Watercourses

The study site mainly falls within the D73D Quaternary Catchment, with a small portion of the northern region falling within D73E (Figure 11 of specialist study), and forms part of the Orange Water Management Area (WMA) (DWS 2016). The Orange river passes the study site in the West, which is classed as Moderately Modified.

Table 12: Summary of the Aquatic Classification

Ecological Status of the Sub-Quaternary Reach (SQR) (DWS, 2014)				
Sub-Quaternary Reach (SQR)	D73D-03158 Orange			
Length of SQR	14.26 km			
PES Category	D – Largely Modified			
Mean Ecological Importance (EI) Class	Moderate			
Mean Ecological Sensitivity (ES) Class	High			
Stream Order	6.0			
Default Ecological Category (EC)	В			
National Freshw	ater Ecosystem Priority Area (NFEPA) (2011) Database			
NFEPA Rivers	Yes, Orange			
FEPA Code	2			
NFEPA Wetlands	None.			
River Classification				
Strahler Stream Order of Rivers	6 th Order			
Riparian Area Classification	Perennial			



Specialist map: Figure 11: The Orange River is situated in Quaternary Catchment D73D and D73E, and forms part of the Orange Water Management Area. (Please see **Appendix 12**)

Wetland Areas

In terms of Section 1 of the National Water Act (No. 36 of 1998) (NWA), wetlands are legally defined as: "land which is transitional between terrestrial and aquatic systems where the water table is usually at or near the surface, or the land is periodically covered with shallow water, and which land in normal circumstances supports or would support vegetation typically adapted to life in saturated soil" (NWA 1998).

Wetlands are defined by the presence of unique soils and vegetation that do not occur in terrestrial and purely aquatic environments (Edwards *et al.* 2018). Wetland soils are referred to as hydric soils that develop under anaerobic conditions (condition where oxygen is virtually absent from the soil). Wetlands are also typically characterized by relatively large and dense stands of plants sticking out of shallow water or wet soil. Plants adapted to such waterlogged conditions are referred to as hydrophytes. Wetlands are distinct from true aquatic ecosystems like river ecosystems, which are characterized by fast flowing water within channels, and lake ecosystems, that are flooded to great depth; both of which are not primarily characterized by the occurrence of hydric soils and hydrophytes.

A wide variety of wetland types are present in South Africa, and can be classified into six broad types, namely floodplain wetlands, unchannelled valley bottom wetlands, channelled valley bottom wetlands, seeps, depressions and wetland flats. Owing to the large variations in climate and topography across South Africa, vegetation and habitat associated with these wetland types vary tremendously from subtropical reed beds and tall swamp forests to arid salt pans, which all support unique and varied animal life.

Figure 10 illustrates all wetland types associated with the study site.

According to the Watercourse Delineation and Ecological Impact Assessment Report (please see **Appendix 12**): Figure 12 (specialist study) illustrates all NFEPA wetland types associated with the study site. According to the NFEPA classification, the Orange river is classed as a Floodplain Wetland in the vicinity of the study site. The wetland vegetation is classified as Kalahari Duneveld and Nama Karoo Bushmanland.




Figure 10: Wetland types located within or near the study site.





Figure 11: The study site is situated within the Kalahari Duneveld and the Nama Karoo Bushmanland wetland vegetation type.



Specialist map: Figure 12: NFEPA Wetland classification of the study area and surrounding environment. (Please see **Appendix 12**)

River Ecosystem

According to **Figure 12**, the status of the Orange River traversing the boundary of the study site to the west, is classed Moderately Modified (Class C), as well as the unnamed tributary traversing the site in the southern regions of the site.




Figure 12: Ecosystem status of the rivers occurring in close proximity to the study site.

Important Bird and Biodiversity Areas

Important Bird and Biodiversity Areas (IBAs) are a network of sites that are significant for the long-term viability of naturally occurring bird populations (Birdlife 2019). Many sites are also important for other forms of biodiversity; therefore, the conservation of Important Bird & Biodiversity Areas ensures the survival of a correspondingly large number of other animals and plants.

No IBAs were identified within the vicinity of the study site (Figure 13).

According to the Watercourse Delineation and Ecological Impact Assessment Report (please see **Appendix 12**): No Important Bird and Biodiversity Areas (IBAs) were identified within the vicinity of the study site (Birdlife 2019);




Figure 13: Important Bird and Biodiversity Areas associated with the study site.

According to the Watercourse Delineation and Ecological Impact Assessment Report (please see Appendix 12):

Riparian Habitat Description and System Characterisation

One Perennial Riparian area (the Orange River), one non-perennial, unnamed tributary, and several ephemeral drainage areas were recorded on the study site. The Orange River is classed as a Perennial River, which has continual surface water flow. Some sections of the site are natural, especially in areas where game farming takes place. Grazing pastures were observed, along with small scale mining practices, abstracting water from the Orange River. Numerous ephemeral drainage lines were identified and receive and retain enough water to support riparian characteristics throughout the year. The watercourse features identified during the site visit can be divided into three Hydrogeomorphic Units (HGM units) (Table 18).

Table 18: Characterisation of the riparian features of the study area

Feature	Level 1: System	Level 2: Regional Setting	Level 3: Landscape Unit	Level 4: Hydrogeomorphic (HGM) Unit
Orange River	Inland System: An aquatic ecosystem with no existing connection to the ocean.	Ecoregion: Nama Karoo NFEPA WetVeg Group: Nama Karoo Bushmanland and Kalahari Duneveld	Plain	River: Lowland river with active channel & riparian zone
Unnamed Tributary		Ecoregion: Nama Karoo	Plain	Stream: Lowland river with active channel &

		NFEPA	WetVeg		riparian zone
		Group:			
		Nama	Karoo		
		Bushman	land and		
		Kalahari I	Duneveld		
		Ecoregio	n:		
		Nama Ka	roo		
					Drainage Line:
Ephemeral Drainage		NFEPA	WetVeg	Law bill slaves	Lowland river with
Lines		Group:		Low hill slopes	active channel &
		Nama	Karoo		riparian zone
		Bushman	land and		
		Kalahari I	Duneveld		

Watercourse Integrity and Functional Assessment

The Quick Habitat Integrity (QHI) Assessment and Riparian Vegetation Response Assessment Index (VEGRAI) scores calculated for the Orange River and surrounding area is summarised in **Table 19** and **Table 20** overleaf. The watercourses were grouped on account of the similar surrounding vegetation and impacts, and their scores calculated accordingly. The QHI score obtained for the watercourses are as follow:

- Perennial Orange River: C Moderately Modified. A loss and change of natural habitat and biota have occurred but the basic ecosystem functions are still predominantly unchanged.
- Ephemeral Unnamed Tributary: C Moderately Modified. A loss and change of natural habitat and biota have occurred but the basic ecosystem functions are still predominantly unchanged.
- Ephemeral Drainage Lines: B Largely natural with few modifications. A small change in natural habitats and biota may have taken place but the ecosystem functions are essentially unchanged.

The VEGRAI score calculated for the riparian areas on the study site, were as follow:

- Perennial Orange River: D Largely Modified, indicating that a large loss of natural habitat, biota and basic ecosystem functions has occurred.
- Ephemeral Unnamed Tributary and Drainage Lines: C/D Moderately Modified to Largely Modified. Some modifications have occurred. Large loss of natural habitat, biota and basic ecosystem functions has occurred.

Riparian Delineation and Buffer Zone Determination

The study site is located directly west of a section of the perennial riparian Orange River. An unnamed tributary traverses the site in the south. Numerous ephemeral drainage features were also identified within the surrounding area of the study site. First (1st), second (2nd), third (3rd) and fourth (4th) order streams were lumped as ephemeral drainage lines

Calculated buffer zones were based on Low-risk mining operations for the watercourse, and were calculated as follows (**Figure 15, 16 and 17**):

- Perennial Orange River: 100 m (Operational Phase)
- Ephemeral Unnamed Tributary and 5th Order Streams: 100 m (Operational Phase)
- Ephemeral Drainage Lines: 35 m (Operational Phase)


The buffer zone identified in this report serves to highlight an ecologically sensitive area in which activities should be conducted with this sensitivity in mind. However, the proposed prospecting will possibly take place within the watercourses and therefore the buffer zones will then not be implemented.

Summary of Results


The results recorded for the watercourses potentially affected by the prospecting operations are summarised in **Table 22** below.

Table 22: Summary of the results


Classification	Scientific Buffer	QHI	VEGRAI	REC
Perennial Orange River	100 m	С	D	D
Ephemeral Unnamed Tributary	100 m	С	C/D	С
Ephemeral Drainage Lines	35 m	В	C/D	С



Specialist map: Figure 12: Figure 15: Watercourse Assessment and Riparian Delineation of the resources associated with the study site. (Please see **Appendix 12**)



Specialist map: Figure 12: Figure 16: Watercourse Assessment and Riparian Delineation of the resources associated with the study site – Northern section of the site. (Please see **Appendix 12**)



Specialist map: Figure 12: Figure 17: Watercourse Assessment and Riparian Delineation of the resources associated with the study site – Southern section of the site. (Please see **Appendix 12**)

Faunal Assessment

According to the Watercourse Delineation and Ecological Impact Assessment Report (please see Appendix 12):

Avifauna

A complete list of potential avifaunal species occurring in the relevant degree cells is listed in **Appendix A**. None of the species are listed or protected under the Threatened and Protected Species list (ToPS, 2013) which is enforceable under the National Environmental Management: Biodiversity Act, 2004. However, FM Safaris forms part of the application area and the following protected species, not listed in Appendix A, have been reported on the site:

- Khori Bustard (Ardeotis kori)
- Ludwig`s Bustard (Neotis Iudwigii)
- Martial Eagle (Polemaetus bellicosus)

Mammals

Table 15 below lists all the mammal species possibly occurring on the proposed site according to the Animal Demography Unit (2019) alongside the designated statuses of those species in the South African Red list of Mammals (2012) and the Threatened or Protected Species (ToPS) List (NEMBA, 10 of 2004). Several species possibly occurring on site are protected under NEMBA (See species in bold). At the time of the site survey only African Ground Squirrel were observed on site. FM Safaris is a Game Ranch which allows the hunting of several introduced mammal species with the relevant permits necessary. Several species not listed in **Table 15** have been reported on the site, these include:

- Cape Fox (Vulpes chama)
- Caracal (Caracal caracal)
- Small Spotted Genet (Genetta genetta) Protected
- Several exotic bovine species

Although not listed in the Table below, there is a possibility of the Critically Endangered Riverine Rabbit (Bunolagus monticularis) occurring on site, as this species inhabits dense riparian growth along the seasonal rivers in the Nama-Karoo shrubland (Skinner & Chimimba 2005).

Table 15: List of Mammals Possibly Occurring on Site (ADU, 2019)

Milnex CC: EIA373 –EIR & EMPr - The proposed Prospecting Right application for the prospecting of Diamonds (Alluvial, General & in Kimberlite), combined with a Waste Licence Application, near Groblershoop on a certain portion of the Remaining Extent of the farm Zonderhuis 402, a certain portion of the Remaining Extent of the farm Onder Plaats 401, a certain portion of the Remaining Extent of Portion 1, a certain portion 6 (portion of portion 4), a certain portion of Portion 7 (portion of portion 4) and certain portion of Portion 9 (portion of portion 4) of the farm Namakwari 656, Registration Division: Gordonia and Kenhardt, Northern Cape Province.

Family	Scientific Name	Common Name	Red List Category	ToPS
Bathyergidae	Cryptomys hottentotus	Southern African Mole-rat	Least Concern (2016)	
Bovidae	Aepyceros melampus	Impala	Least Concern	
Bovidae	Alcelaphus buselaphus caama	Red Hartebeest	Least Concern (2008)	
Bovidae	Antidorcas marsupialis	Springbok	Least Concern (2016)	
Bovidae	Connochaetes gnou	Black Wildebeest	Least Concern (2016)	Protected
Bovidae	Connochaetes taurinus	Blue Wildebeest	Least Concern (ver 3.1, 2017)	
Bovidae	Connochaetes taurinus taurinus		Least Concern (2016)	
Bovidae	Damaliscus pygargus phillipsi	Blesbok	Least Concern (2016)	
Bovidae	Oryx gazella	Gemsbok	Least Concern (2016)	
Bovidae	Sylvicapra grimmia	Bush Duiker	Least Concern (2016)	
Canidae	Otocyon megalotis	Bat-eared Fox	Least Concern (2016)	
Cercopithecidae	Chlorocebus pygerythrus	Vervet Monkey	Least Concern (2016)	
Erinaceidae	Atelerix frontalis	Southern African Hedgehog	Near Threatened (2016)	Protected
Felidae	Felis catus	Domestic Cat	Introduced	
Felidae	Felis nigripes	Black-footed Cat	Vulnerable (2016)	Protected
Felidae	Panthera leo	Lion	Least Concern (2016)	Protected
Felidae	Panthera pardus	Leopard	Vulnerable (2016)	Protected
Herpestidae	Cynictis penicillata	Yellow Mongoose	Least Concern (2016)	
Herpestidae	Herpestes pulverulentus	Cape Gray Mongoose	Least Concern (2016)	
Herpestidae	Suricata suricatta	Meerkat	Least Concern (2016)	
Hyaenidae	Proteles cristata	Aardwolf	Least Concern (2016)	
Hystricidae	Hystrix africaeaustralis	Cape Porcupine	Least Concern	
Leporidae	Lepus capensis	Cape Hare	Least Concern	
Leporidae	Lepus saxatilis	Scrub Hare	Least Concern	
Macroscelididae	Elephantulus intufi	Bushveld Elephant Shrew	Least Concern (2016)	
Macroscelididae	Macroscelides proboscideus	Short-eared Elephant Shrew	Least Concern (2016)	
Manidae	Smutsia temminckii	Ground Pangolin	Vulnerable (2016)	Protected

Molossidae	Tadarida aegyptiaca	Egyptian Free-tailed Bat	Least Concern (2016)	
			, ,	
Muridae	Aethomys namaquensis	Namaqua Rock Mouse	Least Concern	
Muridae	Desmodillus auricularis	Cape Short-tailed Gerbil	Least Concern (2016)	
Muridae	Gerbilliscus sp.	Gerbils		
Muridae	Gerbilliscus brantsii	Highveld Gerbil	Least Concern (2016)	
Muridae	Gerbilliscus paeba	Paeba Hairy-footed Gerbil	Least Concern (2016)	
Muridae	Gerbilliscus vallinus	Brush-tailed Hairy-footed Gerbil	Least Concern (2016)	
Muridae	Mastomys coucha	Southern African Mastomys	Least Concern (2016)	
Muridae	Otomys unisulcatus	Karoo Bush Rat	Least Concern (2016)	
Muridae	Rhabdomys pumilio	Xeric Four-striped Grass Rat	Least Concern (2016)	
Mustelidae	Ictonyx striatus	Striped Polecat	Least Concern (2016)	
Mustelidae	Mellivora capensis	Honey Badger	Least Concern (2016)	Protected
Nesomyidae	Malacothrix typica	Large-eared African Desert Mouse	Least Concern (2016)	
Orycteropodidae	Orycteropus afer	Aardvark	Least Concern (2016)	
Pedetidae	Pedetes capensis	South African Spring Hare	Least Concern (2016)	
Procaviidae	Procavia capensis	Cape Rock Hyrax	Least Concern (2016)	
Sciuridae	Xerus inauris	South African Ground Squirrel	Least Concern	
Soricidae	Crocidura cyanea	Reddish-gray Musk Shrew	Least Concern (2016)	
Vespertilionidae	Neoromicia capensis	Cape Serotine	Least Concern (2016)	

Herpetofauna

The local occurrences of reptiles and amphibians (collectively known as Herpetofauna) are closely dependent on broadly defined habitat types, terrestrial, arboreal (tree-living), rupiculous (rock dwelling) and wetland-associated vegetation cover. **Table 16** lists all species of Amphibian and **Table 17** list all species of Reptile which could possibly occur on the study site. All Amphibian species are of Least Concern (LC), and no Red Listed or protected reptile species are known to occur on site.

Table 16: List of Amphibians possibly occurring on site (ADU, 2019; IUCN, 2019).

Family	Scientific Name	Common Name	Red List Category	ToPS
Bufonidae	Sclerophrys capensis	Raucous Toad	Least Concern	-
Bufonidae	Sclerophrys gutturalis	Guttural Toad	Least Concern	-
Bufonidae	Sclerophrys poweri	Power's Toad	Least Concern	-
Hyperoliidae	Kassina senegalensis	Bubbling Kassina	Least Concern	-
Pipidae	Xenopus laevis	Common Platanna	Least Concern	-
Pyxicephalidae	Amietia delalandii	Delalande's River Frog	Least Concern (2017)	-
Pyxicephalidae	Amietia fuscigula	Cape River Frog	Least Concern (2017)	-
Pyxicephalidae	Cacosternum boettgeri	Common Caco	Least Concern (2013)	-
Pyxicephalidae	Tomopterna sp.	-	-	-
Pyxicephalidae	Tomopterna cryptotis	Tremelo Sand Frog	Least Concern	-

Table 17: List of Reptiles possibly occurring on site (ADU, 2019; IUCN, 2019).

Family	Scientific Name	Common Name	Red List Category
Agamidae	Agama aculeata aculeata	Common Ground Agama	Least Concern (SARCA 2014)
Agamidae	Agama anchietae	Anchieta's Agama	Least Concern (SARCA 2014)
Agamidae	Agama atra	Southern Rock Agama	Least Concern (SARCA 2014)
Colubridae	Dasypeltis scabra	Rhombic Egg-eater	Least Concern (SARCA 2014)
Colubridae	Philothamnus semivariegatus	Spotted Bush Snake	Least Concern (SARCA 2014)
Colubridae	Telescopus beetzii	Beetz's Tiger Snake	Least Concern (SARCA 2014)
Cordylidae	Karusasaurus polyzonus	Karoo Girdled Lizard	Least Concern (SARCA 2014)
Elapidae	Naja nigricincta woodi	Black Spitting Cobra	Least Concern (SARCA 2014)
Elapidae	Naja nivea	Cape Cobra	Least Concern (SARCA 2014)
Gekkonidae	Chondrodactylus sp.	-	-
Gekkonidae	Chondrodactylus angulifer angulifer	Common Giant Ground Gecko	Least Concern (SARCA 2014)
Gekkonidae	Chondrodactylus bibronii	Bibron's Gecko	Least Concern (SARCA 2014)
Gekkonidae	Lygodactylus bradfieldi	Bradfield's Dwarf Gecko	Least Concern (SARCA 2014)
Gekkonidae	Pachydactylus capensis	Cape Gecko	Least Concern (SARCA 2014)
Gekkonidae	Pachydactylus latirostris	Quartz Gecko	Least Concern (SARCA 2014)
Gekkonidae	Pachydactylus purcelli	Purcell's Gecko	Least Concern (SARCA 2014)

Milnex CC: EIA373 –EIR & EMPr - The proposed Prospecting Right application for the prospecting of Diamonds (Alluvial, General & in Kimberlite), combined with a Waste Licence Application, near Groblershoop on a certain portion of the Remaining Extent of the farm Zonderhuis 402, a certain portion of the Remaining Extent of the farm Onder Plaats 401, a certain portion of the Remaining Extent of Portion 1, a certain portion 6 (portion of portion 4), a certain portion of Portion 7 (portion of portion 4) and certain portion of Portion 9 (portion of portion 4) of the farm Namakwari 656, Registration Division: Gordonia and Kenhardt, Northern Cape Province.

Gekkonidae	Pachydactylus rugosus	Common Rough Gecko	Least Concern (SARCA 2014)
Gekkonidae	Pachydactylus wahlbergii furcifer	Striped Ground Gecko	Least Concern (SARCA 2014)
Gekkonidae	Ptenopus garrulus maculatus	Spotted Barking Gecko	Least Concern (SARCA 2014)
Gerrhosauridae	Cordylosaurus subtessellatus	Dwarf Plated Lizard	Least Concern (SARCA 2014)
Lacertidae	Heliobolus lugubris	Bushveld Lizard	Least Concern (SARCA 2014)
Lacertidae	Nucras tessellata	Western Sandveld Lizard	Least Concern (SARCA 2014)
Lacertidae	Pedioplanis inornata	Plain Sand Lizard	Least Concern (SARCA 2014)
Lacertidae	Pedioplanis lineoocellata lineoocellata	Spotted Sand Lizard	Least Concern (SARCA 2014)
Lacertidae	Pedioplanis namaquensis	Namaqua Sand Lizard	Least Concern (SARCA 2014)
Lamprophiidae	Boaedon capensis	Brown House Snake	Least Concern (SARCA 2014)
Lamprophiidae	Lycophidion capense capense	Cape Wolf Snake	Least Concern (SARCA 2014)
Lamprophiidae	Prosymna bivittata	Two-striped Shovel-snout	Least Concern (SARCA 2014)
Lamprophiidae	Prosymna sundevallii	Sundevall's Shovel-snout	Least Concern (SARCA 2014)
Lamprophiidae	Psammophis sp.	-	-
Lamprophiidae	Psammophis notostictus	Karoo Sand Snake	Least Concern (SARCA 2014)
Lamprophiidae	Psammophis trinasalis	Fork-marked Sand Snake	Least Concern (SARCA 2014)
Lamprophiidae	Pseudaspis cana	Mole Snake	Least Concern (SARCA 2014)
Lamprophiidae	Xenocalamus bicolor bicolor	Bicoloured Quill-snouted Snake	Least Concern (SARCA 2014)
Scincidae	Acontias kgalagadi kgalagadi	Striped Blind Legless Skink	Least Concern (SARCA 2014)
Scincidae	Acontias lineatus	Striped Dwarf Legless Skink	Least Concern (SARCA 2014)
Scincidae	Trachylepis occidentalis	Western Three-striped Skink	Least Concern (SARCA 2014)
Scincidae	Trachylepis sparsa	Karasburg Tree Skink	Least Concern (SARCA 2014)
Scincidae	Trachylepis spilogaster	Kalahari Tree Skink	Least Concern (SARCA 2014)
Scincidae	Trachylepis sulcata sulcata	Western Rock Skink	Least Concern (SARCA 2014)
Scincidae	Trachylepis variegata	Variegated Skink	Least Concern (SARCA 2014)
Testudinidae	Psammobates oculifer	Serrated Tent Tortoise	Least Concern (SARCA 2014)
Testudinidae	Psammobates tentorius verroxii	Verrox's Tent Tortoise	-
Testudinidae	Stigmochelys pardalis	Leopard Tortoise	Least Concern (SARCA 2014)
Typhlopidae	Rhinotyphlops lalandei	Delalande's Beaked Blind Snake	Least Concern (SARCA 2014)

	Varanidae	Varanus albigularis albigularis	Rock Monitor	Least Concern (SARCA 2014)
I	Varanidae	Varanus niloticus	Water Monitor	Least Concern (SARCA 2014)
ı	Viperidae	Bitis arietans arietans	Puff Adder	Least Concern (SARCA 2014)

Cultural and heritage aspects

According to the Phase 1 Cultural Heritage Impact Assessment conducted by J A van Schalkwyk (D Litt et Phil), during the physical survey, the following sites, features and objects of cultural significance were identified in the study area:

7.1 Stone Age

NHRA Category Archaeological resources - Section 35

Change finds:

Stone Age lithics are found only as low-density surface scatters, which is confirmed by similar findings in the larger region by other researchers (Dreyer 2014, 2015; Morris 2014, 2018; van der Walt 2015; van Schalkwyk 2018).

Stone Age artefacts, mostly dating to the Middle Stone Age occur in small numbers in parts of the study area. Even on the pebble plains closer to the river, where source material is readily available, the density of artefacts is less than 1/2m2, diminishing to 1/10m2 on the ridges and outcrops to nothing in the sandy regions. The tools are mostly made from banded iron stone (jaspelite), although some quartzite and hardened shale flakes were also noted. Cores, flakes and tools are found. The tools are very rough and informal and only a few that can be described as typical, i.e. blades and scrapers, were identified.

 The low density of the lithic scatters is, on archaeological grounds, viewed to be of low sensitivity and require no further action.




Figure 10. The type of area where lithics are found and some examples

7.2 Iron Age

No sites, features or objects of cultural significance dating to the Iron Age were identified in the study area.

7.3 Historic period

NHRA Category	Structures older than 60 years - Section 34

7.3.1: Old farmstead (S 28,56526; E 21,83176) – referred to on the map as Sterkstroom.

Consists of a main house and some outbuildings. All is now in ruins. The main house can be classified as a Karoo style structure, typical of what is found all over the countryside as well is in many towns.

O Due to the state of conservation and the fact that these structures do not show any interesting or unique architectural features, they ares viewed to have little significance and no further action is required (also see Morris 2014)





Figure 11. The Sterkstroom farmstead

Reasoned opinion as to whether the proposed activity should be authorised:

• From a heritage point of view, it is recommended that the proposed development be allowed to continue on acceptance of the conditions proposed below.

(b) Description of the current land uses.

The predominant land uses identified on the day of the site visit consists mainly of commercial agricultural crop production to the west of the study site, along the Orange River (**Figure 14**). The study site and its surrounding areas on the east, north and south are largely natural with Low Shrubland dominating.





Figure 14: Current Land Use associated with the study site and surrounding areas.

According to the Watercourse Delineation and Ecological Impact Assessment Report (please see **Appendix 12**): The study site is situated along the Orange River and several ephemeral drainage lines occurring on site, including an unnamed tributary in the south (Figure 4 of the specialist study). Some of the arable land is used for crop production under pivot irrigation along the Orange River. The natural veld is dominated by low shrubland and grassland. Game farming takes place on site, along with cattle farming and small-scale mining activities.



Specialist map: Figure 4: Current Land Use associated with the study site and surrounding areas. (Please see Appendix 12)

IMPACTS AND RISKS IDENTIFIED INCLUDING THE NATURE, SIGNIFICANCE, CONSEQUENCE, EXTENT, DURATION AND PROBABILITY OF THE IMPACTS, INCLUDING THE DEGREE TO WHICH THESE IMPACTS

Significance of potential impacts

The following sections present the outcome of the significance rating exercise. The results suggest that almost none of the key issues identified as part of the EIR process had a negative high environmental significance. Instead the overall score indicate a low environmental significance score.

INITIAL CLEARANCE AND SITE PREPARATION PHASE

Direct impacts: During this phase minor negative impacts are foreseen over the short term. The latter refers to a period of weeks. The site preparation may result in the loss or fragmentation of indigenous natural fauna and flora, loss or fragmentation of habitats, soil erosion, hydrology, and temporary noise disturbance, generation of waste, visual intrusions, increase in heavy vehicle traffic, and risk to safety, livestock and farm infrastructure, and increased risk of veld fires. The abovementioned impacts are discussed in more detail below:

Loss or fragmentation of indigenous natural fauna and flora:

According to the Watercourse Delineation and Ecological Impact Assessment Report (please see **Appendix 12**): The study sites overlap with four (4) different vegetation types, namely Bushmanland Arid Grassland (NKb 3), Lower Gariep Broken Veld (NKb 1), Kalahari Karroid Shrubland (NKb 5) and Gordonia Duneveld (SVkd 1). All are classed as Least Concern (Mucina & Rutherford, 2006/2018); According to the Northern Cape Biodiversity Sector Plan (2016), most of the study site is classified as other Natural Areas, with some sections of classed as Critical Biodiversity Area 2, which are terrestrial and aquatic areas of the landscape that need to be maintained in a natural or near-natural state in order to ensure the continued existence and functioning of species and ecosystems and the delivery of ecosystem services;

Loss or fragmentation of indigenous natural fauna and flora	Pre-mitigation impact rating	Post mitigation impact rating
Status (positive or negative)	Negative	Negative
Extent	Site (1)	Site (1)
Probability	Definite (4)	Definite (4)
Duration	Medium term (2)	Medium term (2)
Magnitude	High (3)	Medium (2)
Reversibility	Partly reversible (2)	Partly reversible (2)
Irreplaceable loss of resources	Significant loss of resource (3)	Marginal loss of resource (2)
Cumulative impact	Medium cumulative impacts (3),	
Significance	Negative Medium (45)	Negative low (28)
Can impacts be mitigated?	If the development is approved, contractors must ensure that mammalian species are disturbed, trapped, hunted or killed. If development is approved, every effort should be made to confine footprint to the blocks allocated for the development and have the lepossible edge effects on the surrounding area. The EMPr also provinumerous mitigation measures – refer to section (f) of the EMPr.	
	should be effectively mitigated. T include:	with damage to and loss of farmland the aspects that should be covered do ff prior to commencement of

 The footprint associated with the construction related activities (access roads, construction platforms, workshop etc.) should be confined to the fenced off area and minimised where possible; An Environmental Control Officer (ECO) should be appointed to monitor the establishment phase of the construction phase; All areas disturbed by construction related activities, such as access roads on the site, construction platforms, workshop area etc., should be rehabilitated at the end of the construction phase; The implementation of a rehabilitation programme should be included in the terms of reference for the contractor/s appointed. Specifications for the rehabilitation are provided throughout the EMPr – section (f) of the EMPr.
• The implementation of the Rehabilitation Programme should be monitored by the ECO.

Loss or fragmentation of habitats –

According to the Watercourse Delineation and Ecological Impact Assessment Report (please see **Appendix 12**): Numerous ephemeral drainage lines were identified and receive and retain enough water to support riparian characteristics throughout the year.

However according to the Watercourse Integrity and Functional Assessment in the Ecological Impact Assessment Report: the Ephemeral Unnamed Tributary falls within category C - Moderately Modified. A loss and change of natural habitat and biota have occurred but the basic ecosystem functions are still predominantly unchanged and the Ephemeral Drainage Lines falls within category B - Largely natural with few modifications. A small change in natural habitats and biota may have taken place but the ecosystem functions are essentially unchanged. According to the VEGRAI score calculated for the riparian areas on the study site, in the Ecological Impact Assessment Report::the Ephemeral Unnamed Tributary and Drainage Lines: falls within category C/D – Moderately Modified to Largely Modified. Some modifications have occurred. Large loss of natural habitat, biota and basic ecosystem functions has occurred.

Loss or fragmentation of habitats	Pre-mitigation impact rating	Post mitigation impact rating	
Status (positive or negative)	Negative	Negative	
Extent	Local (2)	Local (2)	
Probability	Definite (4)	Definite (4)	
Duration	Medium term (2)	Medium term (2)	
Magnitude	High (3)	Medium (2)	
Reversibility	Partly reversible (2)	Partly reversible (2)	
Irreplaceable loss of resources	Marginal loss of resource (2)	Marginal loss of resource (2)	
Cumulative impact	Medium cumulative impacts (3).	Medium cumulative impacts (3).	
Significance	Negative Medium (30)	Negative Medium (30)	
Can impacts be mitigated?	Exotic and invasive plant species	Exotic and invasive plant species should not be allowed to establish,	
	if the development is approved. Where exotic and invasive plant		
	species are found at the site continuous eradication should take		
	place. If the development is approved, every effort should be made		
	to confine the footprint to the blocks allocated for development -		
	section (f) of the EMPr also provides numerous mitigation measures		
	related to fauna and flora.		

Loss of topsoil – Topsoil may be lost due to poor topsoil management (burial, erosion, etc.) during construction related soil
profile disturbance (levelling, excavations, disposal of spoils from excavations etc.) The effect will be the loss of soil fertility on
disturbed areas after rehabilitation. This will result in grazing and cultivation potential being lost.

Milnex CC: EIA373 –EIR & EMPr - The proposed Prospecting Right application for the prospecting of Diamonds (Alluvial, General & in Kimberlite), combined with a Waste Licence Application, near Groblershoop on a certain portion of the Remaining Extent of the farm Onder Plaats 401, a certain portion of the Remaining Extent of Portion 1, a certain portion of Portion of Portion of Portion of Portion of Portion 9 (portion of portion 4) and certain portion of Portion 9 (portion of portion 4) of the farm Namakwari 656, Registration Division: Gordonia and Kenhardt, Northern Cape Province.

Loss of topsoil	Pre-mitigation impact rating	Post mitigation impact rating
Status (positive or negative)	Negative	Negative
Geographical extent	Site (1)	Site (1)
Probability	Probable (3)	Unlikely (1)
Duration	Long term (2)	Medium term (2)
Magnitude	High (3)	Medium (2)
Reversibility	Partly reversible (2)	Partly reversible (2)
Irreplaceable loss of resources	Significant (3)	Marginal (2)
Cumulative impact	Medium cumulative impact (3).
Significance	Negative Medium (42)	Negative low (22)
Can impacts be mitigated?	The following mitigation or may a lift an activity will mechan way, then any available the entire surface and rehabilitation. Topsoil stockpiles must through erosion by estable Dispose of all subsurfat they will not impact on ue. During rehabilitation, the spread over the entire diese Erosion must be control areas. Establish an effective record be soil is disturbed for construsional included in environs should be included in environs should include all the records expected by Record the GPS coording. Record the GPS coording expected by Record the GPS coording expected. Record the date of topsof expected by Record the date of topsof expected by Record the date of the stockpiled. Record the date of the date of toperational expected activities at the Photograph the area activities. Record date and depth of the Photograph the area on an annual basis thereafted and evaluate progress of the stockpiles.	anagement measures are provided: nically disturb below surface in any topsoil should first be stripped from stockpiled for re-spreading during at the conserved against losses olishing vegetation cover on them. at stockpiled topsoil must be evenly sturbed land. at stockpiled topsoil must be evenly sturbed surface. Iteld where necessary on top soiled at seeping system for each area where actional purposes. These records animental performance reports, and below. at the soft each area. bil stripping. at dinates of where the topsoil is at cessation of constructional (or the particular site. and completion of rehabilitation and on the respreading of topsoil. and completion of rehabilitation and on the to show vegetation establishment

<u>Soil erosion</u> – Soil erosion due to alteration of the land surface run-off characteristics. Alteration of run-off characteristics may
be caused by construction related land surface disturbance, vegetation removal and the establishment of roads. Erosion will
cause loss and deterioration of soil resources. This will result in grazing and cultivation potential being lost.

Milnex CC: EIA373 –EIR & EMPr - The proposed Prospecting Right application for the prospecting of Diamonds (Alluvial, General & in Kimberlite), combined with a Waste Licence Application, near Groblershoop on a certain portion of the Remaining Extent of the farm Onder Plaats 401, a certain portion of the Remaining Extent of Portion 1, a certain portion of Portion of Portion of Portion of Portion 9 (portion of portion 4) of the farm Namakwari 656, Registration Division: Gordonia and Kenhardt, Northern Cape Province.

Soil erosion	Pre-mitigation	Post mitigation		
	impact rating	impact rating		
Status (positive or negative)	Negative	Negative		
Geographical extent	Site (1)	Site (1)		
Probability	Probable (3)	Unlikely (1)		
Duration	Long term (2)	Medium term (2)		
Magnitude	High (3)	Medium (2)		
Reversibility	Partly reversible (2)	Partly reversible (2)		
Irreplaceable loss of resources	Significant (3)	Marginal (2)		
Cumulative impact	Medium cumulative impact (3).	Medium cumulative impact (3).		
Significance	Negative Medium (42) Negative low (22)			
Can impacts be mitigated?	The following mitigation or management measures are provided:			
	Implement an effective system of run-off control, where it is required,			
	that collects and safely dissemina	tes run-off water from all hardened		
	surfaces and prevents potential down slope erosion.			
	Include periodical site inspection in environmental performance reporting that inspects the effectiveness of the run-off control system and specifically records the occurrence any erosion on site			
	or downstream – refer to section (f) of the EMPr.			

<u>Temporary noise disturbance</u> - Preparation activities will result in the generation of noise over a period of months. Sources of
noise are likely to include vehicles, the use of machinery such as back actors and people working on the site. The noise impact
may be significant since there is a game farm on the proposed area and the noise may have a negative effect on the game as
well as hunting on the game farm.

Temporary noise disturbance	Pre-mitigation impact rating	Post mitigation impact rating
Status (positive or negative)	Negative	Negative
Extent	Local (2)	Local (2)
Probability	Definite (4)	Probable (3)
Duration	Short term (1)	Short term (1)
Magnitude	High (3)	High (3)
Reversibility	Completely reversible (1)	Completely reversible (1)
Irreplaceable loss of resources	Marginal loss of resource (2)	Marginal loss of resource (2)
Cumulative impact	The impact would result in medium cumulative effects (3).	
Significance	Negative medium (39)	Negative medium (36)
Can impacts be mitigated?	Yes, management actions related to noise pollution are included in section (f) of the EMPr.	

Generation of waste - general waste, construction waste, sewage and grey water - The workers on site are likely to generate
general waste such as food wastes, packaging, bottles, etc. Construction waste is likely to consist of packaging, scrap metals,
waste cement, etc If any). The applicant will need to ensure that general and construction waste is appropriately disposed of
i.e. taken to the nearest licensed landfill. Sufficient ablution facilities will have to be provided, in the form of portable/VIP toilets.
No pit latrines, French drain systems or soak away systems shall be allowed.

Generation of waste	Pre-mitigation impact rating	Post mitigation impact rating
Status (positive or negative)	Negative	Negative
Extent	Local/district (2)	Local/district (2)
Probability	Definite (4)	Definite (4)
Duration	Short term (1)	Short term (1)

Magnitude	High (3)	Low (1)	
Reversibility	Partly reversible (2)	Partly reversible (2)	
Irreplaceable loss of resources	Marginal loss of resource (2)	No loss of resource (1)	
Cumulative impact	space could result in signific become unstable or unavailat	Medium cumulative impact (3) - An additional demand for landfill space could result in significant cumulative impacts if services become unstable or unavailable, which in turn would negatively impact on the local community.	
Significance	Negative medium (42)	Negative low (13)	
Can impacts be mitigated?	·	that all management actions and in section (f) of the EMPr are	

Impacts on heritage objects –

According to the Phase 1 Cultural Heritage Impact Assessment conducted by J A van Schalkwyk (D Litt et Phil), during the physical survey, the following sites, features and objects of cultural significance were identified in the study area:

7.1 Change finds Stone Age artefacts:

Stone Age artefacts, mostly dating to the Middle Stone Age occur in small numbers in parts of the study area. Even on the pebble plains closer to the river, where source material is readily available, the density of artefacts is less than 1/2m2, diminishing to 1/10m2 on the ridges and outcrops to nothing in the sandy regions. The tools are mostly made from banded iron stone (jaspelite), although some quartzite and hardened shale flakes were also noted. Cores, flakes and tools are found. The tools are very rough and informal and only a few that can be described as typical, i.e. blades and scrapers, were identified.

o 7.3.1: Old farmstead – referred to on the map as Sterkstroom.

Consists of a main house and some outbuildings. All is now in ruins. The main house can be classified as a Karoo style structure, typical of what is found all over the countryside as well is in many towns.

According to the Phase 1 Cultural Heritage Impact Assessment the Impact analysis of cultural heritage resources under threat of the proposed development, is based on the present understanding of the development and its significance is calculated and presented below:

	IDENTIFIED HERITAGE RESOURCE: Chance find archaeological material – 7.1				
Nature: Ch	Nature: Chance find Stone Age material: These features are rated to have low significance due to their low numbers as well				
as the fact	that the area has alread	y extensively be	en disturbed due to	be surface material.	
			Without mitiga	tion	With mitigation
Extent			Local area		Local area
Duration			Permanent		Permanent
Intensity			Minor		Minor
Probability			Improbable		Improbable
Significance	9		Low (20)		Low (20)
Status (pos	itive or negative)		Negative		Neutral
Reversibility		Non-reversible		Non-reversible	
Irreplaceable loss of resources?		Yes		No	
Can impacts be mitigated		Yes	Yes		
Mitigation:	Avoidance of site		·		
Cumulative	impact: Limited loss of	șimilar features	in the larger landsca	pe.	
Site No.	Site type	NHRA category	Field rating	Impact rating: Before/After mitigation	Proposed mitigation (Refer to definitions in Section 12.3)
7.1	Chance find Stone Age tools	Section 35	Low significance Grade 4-C	20 20	(5) No further action required.

	IDENTIFIED HERITAGE RESOURCE: Sterkstroom farmstead – 7.3.1				
Nature: These features are rated to have low significance due to ruined status and lack of outstanding built qualities.					
			Without mitigat	ion	With mitigation
Extent			Local area		Local area
Duration			Permanent		Permanent
Intensity			Minor		Minor
Probability			Improbable		Improbable
Significance	2		Low (20)		Low (20)
Status (pos	itive or negative)		Negative		Neutral
Reversibilit	у		Non-reversible		Non-reversible
Irreplaceable loss of resources?		Yes		No	
Can impacts be mitigated		Yes			
Mitigation:	Avoidance of site		•		
Cumulative	impact: Limited loss of	similar features	in the larger landscap	e.	
Site No.	Site type	NHRA category	Field rating	Impact rating: Before/After mitigation	Proposed mitigation (Refer to definitions in Section 12.3)
7.3.1	Farmstead	Section 35	Low significance Grade 4-C	20 20	(5) No further action required.

Impacts on heritage objects	Pre-mitigation impact rating	Post mitigation impact rating	
Status (positive or negative)	Negative	Negative	
Extent	Local (2)	Local (2)	
Probability	Possible (2)	Possible (2)	
Duration	Permanent (4)	Permanent (4)	
Magnitude	Medium (2)	Low (1)	
Reversibility	Irreversible (4)	Irreversible (4)	
Irreplaceable loss of resources	Significant loss of resource (3)	Marginal loss of resource (2)	
Cumulative impact	Low cumulative impact (2). Should these impacts occur, there may		
	be a cumulative impact on the pre	servation of heritage objects in the	
	area.		
Significance	Negative medium (34)	Negative low (16)	
Can impacts be mitigated?	If archaeological sites or graves are exposed during construction		
	work, it should immediately be reported to a heritage practitioner so		
	that an investigation and evaluation of the finds can be made. Also		
	refer to section (f) of the EMPr.		

Indirect impacts: The nuisance aspects generally associated with the installation of infrastructure or ground preparation will also be applicable to this development, which relates primarily to the increase in vehicle traffic associated with prospecting practices, the influx of job seekers to the area, risk to safety, livestock and farm infrastructure, and increased risk of veld fires.

• Increase in vehicle traffic – The movement of heavy vehicles during the clearance of vegetation and topsoil has the potential to damage local farm roads and create dust and safety impacts for other road users in the area. Access will be obtained from a gravel road off the N10 or N14. While the volume of traffic along this road is medium, the movement of heavy vehicles along this road is likely to damage the road surface and impact on other road users. The contractor should be required to ensure that damage to the road is repaired periodically. The movement of additional heavy vehicle traffic is will add significantly to the current traffic load on the road. The impact on the gravel road off the N10 or N14 is therefore likely to be medium.

Increase in vehicle traffic	Pre-mitigation impact rating	Post mitigation impact rating
Status (positive or negative)	Negative	Negative
Extent	Local (2)	Local (2)
Probability	Probable (3)	Possible (2)

Milnex CC: EIA373 –EIR & EMPr - The proposed Prospecting Right application for the prospecting of Diamonds (Alluvial, General & in Kimberlite), combined with a Waste Licence Application, near Groblershoop on a certain portion of the Remaining Extent of the farm Onder Plaats 401, a certain portion of the Remaining Extent of Portion 1, a certain portion of Portion of Portion of Portion of Portion 9 (portion of portion 4) of the farm Namakwari 656, Registration Division: Gordonia and Kenhardt, Northern Cape Province.

Short term (1)	Short term (1)
High (3)	Medium (2)
Completely reversible (1)	Completely reversible (1)
Marginal loss of resource (2)	No loss of resource (1)
Medium cumulative impact (3).	If damage to roads is not repaired
_	activities in the area and result in
higher maintenance costs for v	vehicles of local farmers and other
road users. The costs will be	borne by road users who were no
responsible for the damage.	
Negative medium impacts (36	Negative low (20)
The potential impacts associate effectively mitigated. The mitigated. The mitigated are construction on the grave of the costs associated with contractor; Dust suppression measure vehicles such as wetting and ensuring that vehicles materials are fitted with the contractor of the potential of t	ated with heavy vehicles can be tion measures include: ensure that damage caused by I road off the N10 or N14 is repaired. In the repair must be borne by the res must be implemented for heavy of gravel roads on a regular basis a used to transport sand and building
	High (3) Completely reversible (1) Marginal loss of resource (2) Medium cumulative impact (3). then this will affect the farming higher maintenance costs for voad users. The costs will be responsible for the damage. Negative medium impacts (36) The potential impacts associal effectively mitigated. The mitigated. The mitigated. The costs associated with construction on the grave. The costs associated with contractor; Dust suppression measure vehicles such as wetting and ensuring that vehicles materials are fitted with the All vehicles must be roadand made aware of the potential for strict speed limits.

Risk to safety, livestock and farm infrastructure - The presence on and movement of workers on and off the site poses a potential safety threat to local famer's and farm workers in the vicinity of the site threat. In addition, farm infrastructure, such as fences and gates, may be damaged and stock losses may also result from gates being left open and/or fences being damaged or stock theft linked either directly or indirectly to the presence of farm workers on the site.

Risk to safety, livestock and farm infrastructure	Pre-mitigation impact rating	Post mitigation impact rating	
Status (positive or negative)	Negative	Negative	
Extent	Local (2)	Local (2)	
Probability	Definite (4)	Possible (2)	
Duration	Medium term (2)	Medium term (2)	
Magnitude	High (3)	Medium (2)	
Reversibility	Partly reversible (2)	Completely reversible (1)	
Irreplaceable loss of resources	Significant loss of resource (3)	Marginal resource (2)	
Cumulative impact	Low cumulative effects (2), provide	d losses are compensated for.	
Significance	Negative medium (45)	Negative low (22)	
Can impacts be mitigated?	Key mitigation measures include:		
	 Johan Smit should enter into an agreement with the local farmers in the area whereby damages to farm property etc. during the construction phase will be compensated for. The agreement should be signed before the construction phase commences; The construction area should be fenced off prior to the commencement of the construction phase. The movement of 		

- construction workers on the site should be confined to the fenced off area;
- Contractors appointed by Johan Smit should provide daily transport for low and semi-skilled workers to and from the site. This would reduce the potential risk of trespassing on the remainder of the farm and adjacent properties;
- Johan Smit should hold contractors liable for compensating farmers
 in full for any stock losses and/or damage to farm infrastructure that
 can be linked to construction workers. This should be contained in
 the Code of Conduct to be signed between the proponent, the
 contractors and neighbouring landowners. The agreement should
 also cover loses and costs associated with fires caused by
 construction workers or construction related activities (see below);
- The Environmental Management Programme (EMPr) should outline procedures for managing and storing waste on site, specifically plastic waste that poses a threat to livestock if ingested;
- Contractors appointed Johan Smit must ensure that all workers are informed at the outset of the construction phase of the conditions contained on the Code of Conduct, specifically consequences of stock theft and trespassing on adjacent farms.
- Contractors appointed by Johan Smit must ensure that construction workers who are found guilty of trespassing, stealing livestock and/or damaging farm infrastructure are dismissed and charged. This should be contained in the Code of Conduct. All dismissals must be in accordance with South African labour legislation;
- The housing of construction workers on the site should be strictly limited to security personnel (if any).
- Increased risk of veld fires The presence of construction workers and construction-related activities on the site poses an increased risk of grass fires that could in turn pose a threat to livestock, crops, wildlife and farmsteads in the area. In the process, farm infrastructure may also be damaged or destroyed and human lives threatened. The potential risk of grass fires was heightened by the windy conditions in the area, especially during the dry, windy winter months from May to October. In terms of potential mitigation measures, a fire-break should be constructed around the perimeter of the site prior to the commencement of the construction phase. In addition, fire-fighting equipment should be provided on site during the construction phase.

Increased risk of veld fires	Pre-mitigation impact rating	Post mitigation impact rating	
Status (positive or negative)	Negative	Negative	
Extent	Region (3)	Local (2)	
Probability	Probable (3)	Possible (2)	
Duration	Medium term (2)	Short term (1)	
Magnitude	Very High (4)	Low (1)	
Reversibility	Completely reversible (1)	Completely reversible (1)	
Irreplaceable loss of resources	Significant loss of resource (3)	No loss of resource (1)	
Cumulative impact	Negligible cumulative effects (1), provide	ded losses are compensated for.	
Significance	Negative high (52)	Negative low (8)	
Can impacts be mitigated?	The mitigation measures include:	•	
	A fire-break should be constructed.	d around the perimeter of the site	
	prior to the commencement of the construction phase;		
	Contractor should ensure that open fires on the site for cooking of the s		
	heating are not allowed except in designated areas;		

Milnex CC: EIA373 –EIR & EMPr - The proposed Prospecting Right application for the prospecting of Diamonds (Alluvial, General & in Kimberlite), combined with a Waste Licence Application, near Groblershoop on a certain portion of the Remaining Extent of the farm Onder Plaats 401, a certain portion of the Remaining Extent of Portion 1, a certain portion of Portion of Portion of Portion of Portion 9 (portion of portion 4) of the farm Namakwari 656, Registration Division: Gordonia and Kenhardt, Northern Cape Province.

- Contractor to ensure that construction related activities that pose a
 potential fire risk, such as welding, are properly managed and are
 confined to areas where the risk of fires has been reduced.
 Measures to reduce the risk of fires include avoiding working in
 high wind conditions when the risk of fires is greater. In this regard
 special care should be taken during the high risk dry, windy winter
 months;
- Contractor to provide adequate firefighting equipment on-site, including a fire fighting vehicle;
- Contractor to provide fire-fighting training to selected construction staff:
- No construction staff, with the exception of security staff, to be accommodated on site over night;
- As per the conditions of the Code of Conduct, in the advent of a
 fire being caused by construction workers and or construction
 activities, the appointed contractors must compensate farmers for
 any damage caused to their farms. The contractor should also
 compensate the firefighting costs borne by farmers and local
 authorities.

OPERATIONAL PHASE

Direct impacts: During the operational phase the study area will serve as an prospecting area and the impacts are generally associated with soil erosion, change in land use, impacts associated with the, increase in storm water runoff, increased consumption of water, visual intrusion, the generation of general waste, leakage of hazardous materials, and the change in the sense of place. The operational phase will also have a direct positive impact through the provision of permanent employment opportunities and facilitating a positive economic growth. The abovementioned impacts are discussed in more detail below:

 <u>Soil erosion</u> – The largest risk factor for soil erosion will be during the operational phase when the prospecting activity ensues, and soil is left bare until rehabilitation is initiated. Erosion will be localised within the site. This will ultimately lead to the irretrievable commitment of this resource. The measurable effect of reducing erosion by utilizing mitigation measures may reduce possible erosion significantly.

Soil erosion	Pre-mitigation impact rating Post mitigation impact i	
Status (positive or negative)	Negative	Negative
Extent	Local/Regional (2)	Local/Regional (2)
Probability	Definite (4)	Unlikely (1)
Duration	Long term (3)	Long term (3)
Magnitude	High (3)	Medium (2)
Reversibility	Partly reversible (2)	Partly reversible (2)
Irreplaceable loss of resources	Significant loss of resource (3)	Marginal loss of resource (2)
Cumulative impact	Medium cumulative impact (3). S	Should these impacts occur, there
	will be a cumulative impact on the	ne air and water resources in the
	study area in terms of pollution.	
Significance	Negative High (51)	Negative Low (26)
Can impacts be mitigated?	Yes, to avoid soil erosion it will be a good practice to not remove all	
	the vegetation at once but to only clear the area as it becomes	
	necessary and to implement concurrent rehabilitation.	
	Also refer to section (f) of the EMPr.	

Change in land-use – The use of the area for the operation of the prospecting activity will result in the area not being used for livestock / game grazing dependent on where the prospecting activities will occur. According to the Watercourse Delineation and Ecological Impact Assessment Report (please see Appendix 12): The dominant land use in the area is crop farming and water abstraction from the Orange River. Some housing and several access roads are present on the study site, including fenced off areas used for game farming. FM Safaris is also situated on site and specialises in game farming. Old diamond diggings were observed. Some roads and fences were observed traversing the drainage lines on site. Prospecting area needs to be fenced off.

Change in land use	Pre-mitigation impact rating	Post mitigation impact rating	
Status (positive or negative)	Negative	Negative	
Extent	Local (2)	Local (2)	
Probability	Probable (3)	Probable (3)	
Duration	Long term (3)	Long term (3)	
Magnitude	High (3)	High (3)	
Reversibility	Barely reversible (3)	Partly reversible (2)	
Irreplaceable loss of resources	Significant loss of resource (3)	Marginal loss of resource (2)	
Cumulative impact	Medium cumulative impacts (3)	Medium cumulative impacts (3).	
Significance	Negative high (51)	Negative medium (45)	
Can impacts be mitigated?	rehabilitate the area once decommissioned. The fund show during the operational phase of establishment of a Rehabilitation in the mining sector where many sector where many decompositions are sector where many sector where se	The proponent should establish a Rehabilitation Fund to be used to rehabilitate the area once the proposed facility has been decommissioned. The fund should be funded by revenue generated during the operational phase of the project. The motivation for the establishment of a Rehabilitation Fund is based on the experience in the mining sector where many mines on closure have not set aside sufficient funds for closure and decommissioning.	
	Also refer to section (f) of the E	MPr.	

Generation of alternative land use income – Income generated through the diamond mine will provide the farming enterprise with
increased cash flow and rural livelihood, and thereby improve the financial sustainability of farming on site.

Generation of alternative land use income	Pre-mitigation impact rating	Post mitigation impact rating
Status (positive or negative)	Positive	Positive
Geographical extent	Site (1)	Site (1)
Probability	Definite (4)	Definite (4)
Duration	Medium term (2)	Medium term (2)
Magnitude	Medium (2)	Medium (2)
Reversibility	Completely reversible (1)	Completely reversible (1)
Irreplaceable loss of resources	No loss of resources (1)	No loss of resources (1)
Cumulative impact	Medium cumulative impact (3).	
Significance	Positive Low (24)	Positive Low (24)
Can impacts be mitigated?	No mitigation required.	•

Increase in storm water runoff – The development will potentially result in an increase in storm water run-off that needs to be
managed to prevent soil erosion, especially where vegetation will be cleared. Not all the vegetation should be removed at once.
Only the specific trench being excavated at the specific time should be cleared

Increase in storm water runoff	Pre-mitigation impact rating	Post mitigation impact rating
Status (positive or negative)	Negative	Negative
Extent	Local (2)	Local (2)
Probability	Probable (3)	Unlikely (1)
Duration	Long term (3)	Medium term (3)

Milnex CC: EIA373 –EIR & EMPr - The proposed Prospecting Right application for the prospecting of Diamonds (Alluvial, General & in Kimberlite), combined with a Waste Licence Application, near Groblershoop on a certain portion of the Remaining Extent of the farm Onder Plaats 401, a certain portion of the Remaining Extent of Portion 1, a certain portion of Portion of Portion of Portion of Portion 9 (portion of portion 4) of the farm Namakwari 656, Registration Division: Gordonia and Kenhardt, Northern Cape Province.

Magnitude	High (3)	Low (1)
Reversibility	Partly reversible (2)	Partly reversible (2)
Irreplaceable loss of resources	Significant loss of resource (3)	Marginal loss of resource (2)
Cumulative impact	Medium cumulative impact (3) - Shou	ld these impacts occur, there will be
	cumulative impacts on the wider area	
Significance	Negative medium (48)	Negative low (13)
Can impacts be mitigated?	Yes. It is therefore important that all	management actions and mitigation
	measures included in section (f) of th	e EMPr. are implemented to ensure
	that these impacts do not occur	
	The cut-off trenches and silt fences will be installed where necessary as to control runoff storm water by attenuating it and control the movement of sediment on the premises.	
	These structures will be monitored on a regular basis. It is suggested that it be monitored on a weekly basis during the rainy season, and after	
	possible rain events during the dry season.	
	If these practices is found to be insufficient for the control of storm water and sedimentation, other alternatives should immediately be investigated and implemented.	

<u>Increased consumption of water</u> - Since 2 x 16 feet washing pans will be used, the amount of water for the pans will be 34 000 L/hour from which 30% is re-used.

Increased consumption of water	Pre-mitigation impact rating	Post mitigation impact rating
Status (positive or negative)	Negative	Negative
Extent	Region (3)	Region (3)
Probability	Definite (4)	Definite (4)
Duration	Long term (3)	Long term (3)
Magnitude	High (3)	Medium (2)
Reversibility	Irreversible (4)	Irreversible (4)
Irreplaceable loss of resources	Significant loss of resources (3)	Marginal loss of resources (2)
Cumulative impact	High cumulative impacts (4) - An additional demand on water sources could result in a significant cumulative impact with regards to the availability of water.	
Significance	Negative medium (63)	Negative medium (40)
Can impacts be mitigated?	Yes, management actions and mit use of water are included in section	·

Generation of waste – Approximately 15 Workers will be present on site from 6:00 – 18:00, Monday to Saturday. Sources of
general waste will be waste food, packaging, paper, etc. General waste will be stored on the site and removed on a weekly basis
by a contractor.

Generation of waste	Pre-mitigation impact rating	Post mitigation impact rating
Status (positive or negative)	Negative	Negative
Extent	Local (2)	Local (2)
Probability	Definite (4)	Definite (4)
Duration	Long term (3)	Long term (3)
Magnitude	Medium (2)	Low (1)
Reversibility	Partly reversible (2)	Partly reversible (2)

Milnex CC: EIA373 –EIR & EMPr - The proposed Prospecting Right application for the prospecting of Diamonds (Alluvial, General & in Kimberlite), combined with a Waste Licence Application, near Groblershoop on a certain portion of the Remaining Extent of the farm Zonderhuis 402, a certain portion of the Remaining Extent of the farm Onder Plaats 401, a certain portion of the Remaining Extent of Portion 1, a certain portion of Portion 6 (portion of portion 4), a certain portion of Portion 7 (portion of portion 4) and certain portion of Portion 9 (portion of portion 4) of the farm Namakwari 656, Registration Division: Gordonia and Kenhardt, Northern Cape Province.

Irreplaceable loss of resources	Marginal loss of resource (1)	No loss of resource (1)
Cumulative impact	Medium cumulative impact (3) - An additional demand for landfill	
	space could result in significant cumulative impacts with regards to	
	the availability of landfill space.	
Significance	Negative medium (30)	Negative low (15)
Can impacts be mitigated?	Yes, management actions related to waste management are included in section (f) of the EMPr.	

<u>Leakage of hazardous materials</u> - The proposed prospecting activity will make use of machinery that use fuel and oil. Leakage of
these oils and fuel can contaminate water supplies and must be prevented by constructing oil and diesel permeable bunds to
ensure that any spills are suitably attenuated and not released into the environment.

Leakage of hazardous materials	Pre-mitigation impact rating	Post mitigation impact rating	
Status (positive or negative)	Negative	Negative	
Extent	Local (2)	Local (2)	
Probability	Possible (2)	Unlikely (1)	
Duration	Long term (3)	Short term (1)	
Magnitude	High (3)	Medium (2)	
Reversibility	Partly reversible (2)	Partly reversible (2)	
Irreplaceable loss of resources	Marginal loss of resource (2)	Marginal loss of resource (2)	
Cumulative impact	The impact would result in neglig	ible to no cumulative effects (1)	
Significance	Negative medium (36)	Negative low (18)	
Can impacts be mitigated?	Yes. It is therefore important t	hat all management actions and	
	mitigation measures included	mitigation measures included in the section (f) of EMPr are	
	implemented to ensure that these	implemented to ensure that these impacts do not occur.	

<u>Noise disturbance</u> – Prospecting activities will result in the generation of noise over a period of 3-5 years. Sources of noise are
likely to include vehicles, the use of machinery such as backactors, rotary pans and people working on the site. The noise impact
may be significant since there is a game farm on the proposed area and the noise may have a negative effect on the game as well
as hunting on the game farm.

Temporary noise disturbance	Pre-mitigation impact	Post mitigation impact
Temporary noise disturbance	rating	rating
Status (positive or negative)	Negative	Negative
Extent	Local (2)	Local (2)
Probability	Definite (4)	Probable (3)
Duration	Short term (1)	Short term (1)
Magnitude	Medium (2)	Medium (2)
Reversibility	Completely reversible (1)	Completely reversible (1)
Irreplaceable loss of resources	Marginal loss of resource (2)	Marginal loss of resource (2)
Cumulative impact	The impact would result in medium cumulative effects (3).	
Significance	Negative low (26)	Negative low (24)
Can impacts be mitigated?	Yes, management actions related to noise pollution are included	
	in section (f) of the EMPr.	

Indirect impacts: The operational phase will have an indirect negative impact through the change in the sense of place and an indirect positive impact through the provision of additional electrical infrastructure.

<u>Potential impact on tourism</u> – The impact of the proposed prospecting of diamond on the areas sense of place with mitigation is
likely to be medium to high. FM Safaris is on the proposed site and Namakwari Safaris is close to the proposed site. The
prospecting activities may have negative impacts on the tourist facilities on and near the proposed area.

Milnex CC: EIA373 –EIR & EMPr - The proposed Prospecting Right application for the prospecting of Diamonds (Alluvial, General & in Kimberlite), combined with a Waste Licence Application, near Groblershoop on a certain portion of the Remaining Extent of the farm Onder Plaats 401, a certain portion of the Remaining Extent of Portion 1, a certain portion of Portion of Portion of Portion of Portion 9 (portion of portion 4) of the farm Namakwari 656, Registration Division: Gordonia and Kenhardt, Northern Cape Province.

Potential impacts on tourism	Pre-mitigation impact	Post mitigation impact
1 otential impacts on tourism	rating	rating
Status (positive or negative)	Negative	Negative
Extent	Local (2)	Local (2)
Probability	Probable (3)	Probable (3)
Duration	Medium term (2)	Medium term (2)
Magnitude	High (3)	Medium (2)
Reversibility	Completely reversible (1)	Completely reversible (1)
Irreplaceable loss of resources	N/A	N/A
Cumulative impact	Medium cumulative impact (3)
Significance	Negativemedium (33)	Negative low (22)
Can impacts be mitigated?	Yes. It is therefore important that all management actions and	
	mitigation measures included in the section (f) of EMPr are	
	implemented to ensure that these impacts do not occur.	

DECOMMISIONING PHASE (MINE CLOSURE AND REHABILITATION)

Direct impacts: Typically, the major social impacts associated with the decommissioning phase are linked to the loss of jobs and associated income. This has implications for the households who are directly affected, the communities within which they live. If infrastructures are removed after a 3/5 year period, the site will be returned to its natural state. Therefore the physical environment will benefit from the closure of the prospecting area.

Rehabilitation of the physical environment – The physical environment will benefit from the closure of the prospecting area since
the site will be restored to its natural state.

Rehabilitation of the physical environment	Pre-mitigation impact rating	Post mitigation impact rating
Status (positive or negative)	Positive	Positive
Extent	Local (2)	Local (2)
Probability	Definite (4)	Definite (4)
Duration	Long term (3)	Long term (3)
Magnitude	High (3)	High (3)
Reversibility	N/A	N/A
Irreplaceable loss of resources	N/A	N/A
Cumulative impact	The impact would result in negligible to no cumulative effects (1)	
Significance	Positive medium (30)	Positive medium (30)
Can impacts be mitigated?	No mitigation measures required.	

Loss of employment - Given the relatively large number of people employed during the operational phase, the
decommissioning of the facility has the potential to have a negative social impact on the local community.

Loss of employment	Pre-mitigation impact rating	Post mitigation impact rating
Status (positive or negative)	Negative	Negative
Extent	Local (2)	Local (2)
Probability	Possible (2)	Probable (3)
Duration	Medium term (2)	Short term (1)
Magnitude	High (3)	Medium (2)
Reversibility	Partly reversible (2)	Partly reversible (2)
Irreplaceable loss of resources	No loss of resource (1)	No loss of resource (1)
Cumulative impact	The impact would result in negligible to no cumulative effects (1)	

Significance	Negative medium (30)	Negative low (20)
Can impacts be mitigated?	The following mitigation me	asures are recommended:
		structure associated with the proposed smantled and transported off-site on
		tablish an Environmental Rehabilitation
	rehabilitation of disturb	the costs of decommissioning and ped areas.

Indirect impacts: No indirect impacts are anticipated from the decommissioning phase of the proposed development.

vi. METHODOLOGY USED IN DETERMINING AND RANKING THE NATURE, SIGNIFICANCE, CONSEQUENCES, EXTENT, DURATION AND PROBABILITY OF POTENTIAL ENVIRONMENTAL IMPACTS AND RISKS

Method of environmental assessment

The environmental assessment aims to identify the various possible environmental impacts that could results from the proposed development. Different impacts need to be evaluated in terms of its significance and in doing so highlight the most critical issues to be addressed.

Significance is determined through a synthesis of impact characteristics which include context and intensity of an impact. Context refers to the geographical scale i.e. site, local, national or global whereas intensity is defined by the severity of the impact e.g. the magnitude of deviation from background conditions, the size of the area affected, the duration of the impact and the overall probability of occurrence. Significance is calculated as shown in the Table below.

Significance is an indication of the importance of the impact in terms of both physical extent and time scale, and therefore indicates the level of mitigation required. The total number of points scored for each impact indicates the level of significance of the impact.

Impact Rating System

Impact assessment must take account of the nature, scale and duration of impacts on the environment whether such impacts are positive or negative. Each impact is also assessed according to the following project phases:

- Construction
- Operation
- Decommissioning

Where necessary, the proposal for mitigation or optimisation of an impact should be detailed. A brief discussion of the impact and the rationale behind the assessment of its significance should also be included. The rating system is applied to the potential impacts on the receiving environment and includes an objective evaluation of the mitigation of the impact. In assessing the significance of each impact the following criteria is used:

Table: The rating system

NATURE

Include a brief description of the impact of environmental parameter being assessed in the context of the project. This criterion includes a brief written statement of the environmental aspect being impacted upon by a particular action or activity.

GEOGRAPHICAL EXTENT

This is	s defined as the area over which the ir	npact will be experienced.
1	Site	The impact will only affect the site.
2	Local/district	Will affect the local area or district.
3	Province/region	Will affect the entire province or region.
4	International and National	Will affect the entire country.
		PROBABILITY
This o	describes the chance of occurrence of	an impact.
1	Unlikely	The chance of the impact occurring is extremely low (Less than a 25% chance of occurrence).
2	Possible	The impact may occur (Between a 25% to 50% chance of occurrence).
3	Probable	The impact will likely occur (Between a 50% to 75% chance of occurrence).
4	Definite	Impact will certainly occur (Greater than a 75% chance of occurrence).
		DURATION
This	describes the duration of the impacts. I	Duration indicates the lifetime of the impact as a result of the proposed activity.
1	Short term	The impact will either disappear with mitigation or will be mitigated through natural processes in a span shorter than the construction phase $(0-1)$ years), or the impact will last for the period of a relatively short construction period and a limited recovery time after construction, thereafter it will be entirely negated $(0-2)$ years).
2	Medium term	The impact will continue or last for some time after the construction phase but will be mitigated by direct human action or by natural processes thereafter (2 – 10 years).
3	Long term	The impact and its effects will continue or last for the entire operational life of the development, but will be mitigated by direct human action or by natural processes thereafter (10 – 30 years).
4	Permanent	The only class of impact that will be non-transitory. Mitigation either by man or natural process will not occur in such a way or such a time span that the impact can be considered indefinite.
		INTENSITY/ MAGNITUDE
Descr	ibes the severity of an impact.	
1	Low	Impact affects the quality, use and integrity of the system/component in a way that is barely perceptible.
2	Medium	Impact alters the quality, use and integrity of the system/component but system/component still continues to function in a moderately modified way and maintains general integrity (some impact on integrity).
3	High	Impact affects the continued viability of the system/ component and the quality, use, integrity and functionality of the system or component is severely impaired and may temporarily cease. High costs of rehabilitation and remediation.
4	Very high	Impact affects the continued viability of the system/component and the quality, use, integrity and functionality of the system or component permanently ceases and is irreversibly impaired. Rehabilitation and

		remediation often impossible. If possible rehabilitation and remediation often
		unfeasible due to extremely high costs of rehabilitation and remediation. REVERSIBILITY
This des	cribes the degree to which an impact ca	n be successfully reversed upon completion of the proposed activity.
1	Completely reversible	The impact is reversible with implementation of minor mitigation measures.
2	Partly reversible	The impact is partly reversible but more intense mitigation measures are required.
3	Barely reversible	The impact is unlikely to be reversed even with intense mitigation measures.
4	Irreversible	The impact is irreversible and no mitigation measures exist.
	IRREPL	ACEABLE LOSS OF RESOURCES
This des	cribes the degree to which resources wil	ll be irreplaceably lost as a result of a proposed activity.
1	No loss of resource	The impact will not result in the loss of any resources.
2	Marginal loss of resource	The impact will result in marginal loss of resources.
3	Significant loss of resources	The impact will result in significant loss of resources.
4	Complete loss of resources	The impact is result in a complete loss of all resources.
		CUMULATIVE EFFECT
may bec	ome significant if added to other existin	cts. A cumulative impact is an effect which in itself may not be significant but g or potential impacts emanating from other similar or diverse activities as a
	the project activity in question.	The important and a sold in a sold in the state of the st
1	Negligible cumulative impact	The impact would result in negligible to no cumulative effects.
2	Low cumulative impact	The impact would result in insignificant cumulative effects.
3	Medium cumulative impact	The impact would result in minor cumulative effects.
4	High cumulative impact	The impact would result in significant cumulative effects
		SIGNIFICANCE
impact ir of the sig	n terms of both physical extent and time gnificance of an impact uses the following	of impact characteristics. Significance is an indication of the importance of the scale, and therefore indicates the level of mitigation required. The calculation g formula: lity + duration + cumulative effect) x magnitude/intensity.
	•	be a non-weighted value. By multiplying this value with the magnitude/intensity, ristic which can be measured and assigned a significance rating.
Points	Impact significance rating	Description
6 to 28	Negative low impact	The anticipated impact will have negligible negative effects and will require little to no mitigation.
6 to 28	Positive low impact	The anticipated impact will have minor positive effects.
	1	

29 to 50	Negative medium impact	The anticipated impact will have moderate negative effects and will require moderate mitigation measures.
29 to 50	Positive medium impact	The anticipated impact will have moderate positive effects.
51 to 73	Negative high impact	The anticipated impact will have significant effects and will require significant mitigation measures to achieve an acceptable level of impact.
51 to 73	Positive high impact	The anticipated impact will have significant positive effects.
74 to 96	Negative very high impact	The anticipated impact will have highly significant effects and are unlikely to be able to be mitigated adequately. These impacts could be considered "fatal flaws".
74 to 96	Positive very high impact	The anticipated impact will have highly significant positive effects.

vii. THE POSITIVE AND NEGATIVE IMPACTS THAT THE PROPOSED ACTIVITY (IN TERMS OF THE INITIAL SITE LAYOUT) AND ALTERNATIVES WILL HAVE ON THE ENVIRONMENT AND THE COMMUNITY THAT MAY BE AFFECTED.

(Provide a discussion in terms of advantages and disadvantages of the initial site layout compared to alternative layout options to accommodate concerns raised by affected parties)

- Increased ambient noise levels resulting from geophysic surveys site fly-overs and increased traffic movement during all
 prospecting phases.
- Potential water and soil pollution impacts resulting from hydrocarbon spills and soil erosion which may impact on environmental resources utilized by communities, landowners and other stakeholders.
- Potential water and soil pollution impacts resulting from hydrocarbon spills and soil erosion which may impact on ecosystem functioning.
- Increased vehicle activity with in the area resulting in the possible destruction and disturbance of fauna and flora.
- Poor access control to farms which may impact on cattle movement, breeding and grazing practices.
- Influx of persons (job seekers) to site as a result of increased activity and the possible resultant increase in opportunistic crime.
- Potential visual impacts caused by prospecting activities.
- Prospecting will be undertaken by specialist sub contractors and it is not anticipated that employment opportunities for local and / or regional communities will result from the prospecting activities.

viii. THE POSSIBLE MITIGATION MEASURES THAT COULD BE APPLIED AND THE LEVEL OF RISK.

(With regard to the issues and concerns raised by affected parties provide a list of the issues raised and an assessment/ discussion of the mitigations or site layout alternatives available to accommodate or address their concerns, together with an assessment of the impacts or risks associated with the mitigation or alternatives considered).

No adverse environmental or social impacts associated with the prospecting activity have been identified through the Scoping & EIR process. Mitigation measures as set out in the Environmental Management Programme (EMPr) attached in Part B must be implemented in order to minimise any potential impacts.

All comments received during the review period of the Scoping and EIR report, as well as response provided is captured and recorded within the Comments and Response Report and will be attached in the final EIR.

ix. MOTIVATION WHERE NO ALTERNATIVE SITES WERE CONSIDERED.

This alternative asks the question, if there is not, from an environmental perspective, a more suitable location for the proposed activity. The proposed area; a certain portion of the Remaining Extent of the farm Zonderhuis 402, a certain portion of the Remaining Extent of the farm Onder Plaats 401, a certain portion of the Remaining Extent of Portion 1, a certain portion of Portion 6 (portion of portion 4), a certain portion of Portion 7 (portion of portion 4) and certain portion of Portion 9 (portion of portion 4) of the farm Namakwari 656, Registration Division: Gordonia and Kenhardt, Northern Cape

Province, is preferred due to the sites underlying diamond bearing gravel, therefore there will be no other alternative (i.e. to facilitate the movement of machinery, equipment, infrastructure).

x. STATEMENT MOTIVATING THE ALTERNATIVE DEVELOPMENT LOCATION WITHIN THE OVERALL SITE. (Provide a statement motivating the final site layout that is proposed)

Design alternatives were considered throughout the planning and design phase (i.e. where is the rock bed located?). In this regard discussions on the design were held between the EAP and the developer. The layout follows the limitations of the site and aspects such as, roads, site offices and workshop area as well as fencing.

- H. FULL DESCRIPTION OF THE PROCESS UNDERTAKEN TO IDENTIFY, ASSESS AND RANK THE IMPACTS AND RISKS THE ACTIVITY WILL IMPOSE ON THE PREFERRED SITE (IN RESPECT OF THE FINAL SITE LAYOUT PLAN) THROUGH THE LIFE OF THE ACTIVITY.
 - i. A description of all environmental issues and risks that are identified during the environmental impact assessment process

Process for the identification of key issues

The methodology for the identification of key issues aims, as far as possible, to provide a user-friendly analysis of information to allow for easy interpretation.

- <u>Checklist</u>: The checklist consists of a list of structured questions related to the environmental parameters and specific human actions. They assist in ordering thinking, data collection, presentation and alert against the omission of possible impacts.
- Matrix: The matrix analysis provides a holistic indication of the relationship and interaction between the various activities, development phases and the impact thereof on the environment. The method aims at providing a first order cause and effect relationship between the environment and the proposed activity. The matrix is designed to indicate the relationship between the different stressors and receptors which leads to specific impacts. The matrix also indicates the specialist studies, which will be submitted as part of the Environmental Impact Report in order to address the potentially most significant impacts.

Checklist analysis

The table below provides a checklist, which is designed to stimulate thought regarding possible consequences of specific actions and so assist scoping of key issues. It consists of a list of structured questions related to the environmental parameters and specific human actions. They assist in ordering thinking, data collection, presentation and alert against the omission of possible impacts. The table highlights certain issues, which are further analysed in matrix format.

Table: Environmental checklist

Question	Yes	No	Un- sure	Description
1. Are any of the following located on the site earmark	ed for the	developi	ment?	
I. A river, stream, dam or wetland	×			According to the Watercourse Delineation and Ecological Impact Assessment Report (please see Appendix 12): Numerous ephemeral drainage lines were identified on the proposed area.

II. A conservation or open space area		×		According to the Watercourse Delineation and Ecological Impact Assessment Report (please see Appendix 12): the study site does not overlap with any formally Protected Area
III. An area that is of cultural importance		×		According to the Phase 1 Cultural Heritage Impact Assessment conducted by J A van Schalkwyk (D Litt et Phil), from a heritage point of view, it is recommended that the proposed development be allowed to continue on acceptance of the conditions proposed below.
IV. Site of geological significance			×	
V. Areas of outstanding natural beauty		×		
VI. Highly productive agricultural land		×		According to the Baseline Ecological Desktop Assessment (Appendix 7) the study site and its surrounding areas on the east, north and south are largely natural with Low Shrubland dominating.
VII. Floodplain		×		
VIII. Indigenous forest		×		
IX. Grass land	×			According to the Watercourse Delineation and Ecological Impact Assessment Report (please see Appendix 12): four (4) vegetation types are present on the study site namely the Bushmanland Arid Grassland (NKb 3) vegetation, Gordonia Duneveld (SVkd 1), Lower Gariep Broken Veld (NKb 1) and Kalahari Karroid Shrubland (NKb 5).
X. Bird nesting sites			×	According to the Watercourse Delineation and Ecological Impact Assessment Report (please see Appendix 12): No Important Bird and Biodiversity Areas (IBAs) were identified within the vicinity of the study site (Birdlife 2019);
XI. Red data species			×	
XII. Tourist resort	×			FM Safaris is on the proposed site and Namakwari Safaris is close to the proposed site.
2. Will the project potentially result in potential?				
I. Removal of people		×		None.
II. Visual Impacts	×			The visual impact will be managed, but there are tourist facilities on the proposed area.
III. Noise pollution	×			The noise impact may be significant since there are tourist facilities on the proposed area.
IV. Construction of an access road		×		None. Access will be obtained from a gravel road off the N10 or N14.
V. Risk to human or valuable ecosystems due to explosion/fire/ discharge of waste into water or air.		×		None.

Milnex CC: EIA373 –EIR & EMPr - The proposed Prospecting Right application for the prospecting of Diamonds (Alluvial, General & in Kimberlite), combined with a Waste Licence Application, near Groblershoop on a certain portion of the Remaining Extent of the farm Onder Plaats 401, a certain portion of the Remaining Extent of Portion 1, a certain portion of Portion of Portion of Portion of Portion 9 (portion of portion 4) of the farm Namakwari 656, Registration Division: Gordonia and Kenhardt, Northern Cape Province.

VI. Accumulation of large workforce (>50 manual workers) into the site.		×		Approximately 15 employment opportunities will be created during the construction and operational phase of the project.
VII. Utilisation of significant volumes of local raw materials such as water, wood etc.	×			2 x 16 feet washing pan which utilise approximately 34 000 L per hour each from which 30% is re-used.
VIII. Job creation	×			Approximately 15 employment opportunities will be created during the construction and operational phase of the project.
IX. Traffic generation		×		None
X. Soil erosion	×			Only areas earmarked for prospecting will be cleared. The prospecting will be phased and the topsoil stockpiled separately. Concurrent rehabilitation will take place. Erosion control measures must be implemented.
XI. Installation of additional bulk telecommunication transmission lines or facilities		×		None.
3. Is the proposed project located near the following	<u> </u> g?			
I. A river, stream, dam or wetland	×			The Orange River is near the proposed portions.
II. A conservation or open space area		×		None
III. An area that is of cultural importance			×	
IV. A site of geological significance			×	
V. An area of outstanding natural beauty			×	
VI. Highly productive agricultural land	×			On the western side of the site, along the Orange River there are central pivot irrigation systems and farmlands.
VII. A tourist resort	×			FM Safaris is on the proposed site. Namakwari Safaris and Duin-in-die-Weg Guest Farm are close to the proposed site.
VIII. A formal or informal settlement		×		

Matrix analysis

The matrix describes the relevant listed activities, the aspects of the development that will apply to the specific listed activity, a description of the environmental issues and potential impacts, the significance and magnitude of the potential impacts, and the mitigation of the potential impacts. The matrix also highlights areas of particular concern, which requires more in depth assessment. Each cell is evaluated individually in terms of the nature of the impact, duration and its significance – should no mitigation measures be applied. This is important since many impacts would not be considered insignificant if proper mitigation measures were implemented. The matrix also provides an indication if mitigation measures are available.

In order to conceptualise the different impacts the matrix specify the following:

• **Stressor**: Indicates the aspect of the proposed activity, which initiates and cause impacts on elements of the environment.

• **Receptor**: Highlights the recipient and most important components of the environment affected by the stressor.

• Impacts: Indicates the net result of the cause-effect between the stressor and receptor.

Mitigation: Impacts need to be mitigated to minimise the effect on the environment.

I. AN ASSESSMENT OF EACH IDENTIFIED POTENTIALLY SIGNIFICANT IMPACT AND RISK

LISTED ACTIVITY	ASPECTS OF THE DEVELOPMENT			POTENTIAL IMPACTS		NCE AND M TENTIAL IM		MITIGATION OF POTENTIAL IMPACTS	SPECIALIST STUDIES /
(The Stressor)	/ACTIVITY		Receptors Impact description		Minor	Major	Duration	Possible Mitigation	INFORMATION
				CONSTRUCTION PHASE					
<u>Listing Notice GNR 325, Activity</u> <u>15</u> :"The clearance of an area of 20 hectares or more, of indigenous vegetation."	Areas earmarked for prospecting will need to be		Fauna & Flora	 Loss or fragmentation of indigenous natural vegetation. Loss of sensitive species. Loss or fragmentation of habitats. 		-	L	Yes	-
			Air	 Air pollution due to the increase of traffic of construction vehicles. 		-	М	Yes	-
		ONMENT	Soil	 Soil degradation, including erosion. Loss of topsoil. Disturbance of soils and existing land use (soil compaction). 	-		S	Yes	-
		BIOPHYSICAL ENVIRONMENT	Geology	 It is not foreseen that the removal of indigenous vegetation will impact on the geology or vice versa. 	-		S	Yes	-
		BIOPHYSI	Existing services infrastructure	 Generation of waste that need to be accommodated at a licensed landfill site. Generation of sewage that need to be accommodated by the local sewage plant. 		-	S	Yes	-
			Ground water	Pollution due to construction vehicles.	-		S	Yes	-
			Surface water	 Increase in storm water run-off. Pollution of water sources due to soil erosion. Destruction of watercourses (pans/dams/streams). 	-		S	Yes	-
		ENT	Local unemployment rate	Job creation.Business opportunities.Skills development.		+	S	Yes	-
		SOCIAL/ECONOMIC ENVIRONMENT	Visual landscape	 Potential visual impact on residents of farmsteads and motorists in close proximity to proposed facility. 		-	L	Yes	-
		IAL/ECONOMI	Traffic volumes	Increase in construction vehicles.	-		S	Yes	-
		loos	Health & Safety	Air/dust pollution.Road safety.Increased risk of veld fires.		-	S	Yes	-

			Noise levels	•	The generation of noise as a result of construction vehicles, the use of machinery such as drills, excavators, rotary pans, dumper trucks and people working on the site.		-	L	Yes	-						
			Tourism industry	•	Tourism facility in close proximity to the site the construction activities will not have a major impact on tourism in the area.			L	Yes	-						
			Heritage resources	•	Removal or destruction of archaeological and/or paleontological sites. Removal or destruction of buildings, structures, places and equipment of cultural significance. Removal or destruction of graves, cemeteries and burial grounds.	-	-	S	Yes	-						
Listing Notice GNR 325, Activity 15:"The clearance of an area of 20 hectares or more, of indigenous vegetation."	Site clearing and preparation Areas earmarked for prospecting will need to be cleared, topsoil will be stockpiled separately. This will inevitably result in the removal of indigenous		Fauna & Flora	•	Loss or fragmentation of indigenous natural vegetation. Loss of sensitive species. Loss or fragmentation of habitats.		-	L	Yes	-						
	vegetation located on the site.		Air quality	•	Air pollution due to the increase of traffic.		-	М	Yes	-						
		ONMENT	ONMENT	CONMENT	CONMENT	RONMENT	RONMENT	RONMENT	Soil	•	Soil degradation, including erosion. Disturbance of soils and existing land use (soil compaction). Loss of agricultural potential (medium significance relative to agricultural potential of the site).	-		М	Yes	-
		BIOPHYSICAL ENVIRONMENT	Geology	•	It is not foreseen that the removal of indigenous vegetation will impact on the geology or vice versa.	N/A	N/A	N/A	N/A	-						
		BIOPH	Existing services infrastructure	•	Generation of waste that need to be accommodated at a licensed landfill site. Generation of sewage that need to be accommodated by the local sewage plant.	-		М	Yes	-						
			Ground water	•	Pollution due to construction vehicles.	-		S	Yes	-						
			Surface water	•	Increase in storm water run-off. Pollution of water sources due to soil erosion. Destruction of watercourses (pans/dams/streams).	-		М	Yes	-						
		RONMENT	Local unemployment rate		Job creation. Skills development.		+	S	N/A	-						
		SOCIAL/ECONOMIC ENVIRONMENT	Visual landscape	•	Potential visual impact on residents of farmsteads and motorists in close proximity to proposed facility.		-	М	Yes	-						
		SOCIAL/ECC	Traffic volumes	•	Increase in construction vehicles.	-		S	Yes	-						

			Health & Safety	Air/dust pollution.Road safety.		-	S	Yes	-
			Noise levels	The generation of noise as a result of construction vehicles, and people working on the site.			M	Yes	-
			Tourism industry	 Tourism facility in close proximity to the site the construction activities will not have a major impact on tourism in the area. 			L	Yes	-
			Heritage resources	 paleontological sites. Removal or destruction of buildings, structures, places and equipment of cultural significance. Removal or destruction of graves, cemeteries and burial grounds. 	-		L	N/A	-
				OPERATIONAL PHASE					
Listing Notice GNR 325, Activity 19: "The removal and disposal of minerals contemplated in terms of	The key components of the proposed project are described below:		Fauna & Flora	 Fragmentation of habitats. Establishment and spread of declared weeds and alien invader plants (operations). 		-	L	Yes	-
section 20 of the Mineral and Petroleum Resource4s Development Act (Act No. 28 of	Supporting Infrastructure - A control facility with basic services such as water and		Air quality	 Air pollution due to the mining activity, crusher plant and transport of the gravel to the designated areas. 	N/A	N/A	N/A	N/A	-
2002), including associated infrastructure, structures and earthworks, directly related to prospecting of a mineral resource, including activities for which an	electricity will be constructed on the site and will have an approximate footprint 50m² or less. Other supporting infrastructure includes a site office and workshop area.		Soil	 Soil degradation, including erosion. Disturbance of soils and existing land use (soil compaction). Loss of agricultural potential (medium significance relative to agricultural potential of the site). 	-		L	Yes	-
exemption has been issued in terms of section 106 of the Mineral and Petroleum Resources Development Act, 2002 (Act No. 28 of 2002)" Listing Notice GNR 327, Activity 20: "Any activity including the operation of that activity which requires a prospecting right in terms of section 16 of the Mineral and Petroleum	 Roads – Access will be obtained from a gravel road off the N10 or N14, to the portions. Fencing - For health, safety and security reasons, the facility will be required to be fenced off from the surrounding farm. 	BIOPHYSICAL ENVIRONMENT	Geology	 Collapsible soil. Seepage (shallow water table). Active soil (high soil heave). Erodible soil. The presence of undermined ground. Instability due to soluble rock. Steep slopes or areas of unstable natural slopes. Areas subject to seismic activity. Areas subject to flooding. 			S	Yes	-
Resources Development Act, 2002 (Act No. 28 of 2002), including— (a) associated infrastructure, structures and earthworks, directly related to prospecting of a mineral resource; or [including activities for which an exemption has been issued		BIOF	Existing services infrastructure	 Generation of waste that need to be accommodated at a licensed landfill site. Generation of sewage that need to be accommodated by the municipal sewerage system and the local sewage plant. Increased consumption of water. Approximately 34 000 L per hour 			L	Yes	-
in terms of section 106 of the Mineral and Petroleum Resources Development Act, 2002 (Act No. 28			Ground water	 Leakage of hazardous materials. The machinery on site require oils and fuel to function. Leakage of these oils and fuels can contaminate water supplies. 	-		L	Yes	-
of 2002)] (b) the primary processing of a petroleum resource including			Surface water	 Increase in storm water runoff. The development will potentially result in an increase in storm water run-off that needs to be managed to prevent soil erosion. Destruction of watercourses (pans/dams/streams). 	-		L	Yes	-

winning, extraction, classifying, concentrating or water removal			•	Leakage of hazardous materials. The machinery on site require oils and fuel to function. Leakage of these oils and fuels can contaminate water supplies.					
NEM:WA 59 of 2008, Category A: (15), Residue stockpiles or residue deposits: The		Local unemployment rate		Job creation. Skills development.		+	L	Yes	-
establishment or reclamation of a residue stockpile or residue deposit resulting from activities which require a prospecting right or mining permit, in terms of the Mineral and Petroleum Resources Development Act, 2002 (Act No. 28 of 2002).	MENT	Visual landscape	•	The proposed portions are used for livestock / game grazing which will still take place simultaneously with the prospecting activity, however this depends on the location of the activity.		-	L	Yes	-
	SOCIAL/ECONOMIC ENVIRONMENT	Traffic volumes	•	Increase in vehicles collecting gravel for distribution.	-		S	Yes	-
	CONOMIC	Health & Safety		Air/dust pollution. Road safety.		-	S	Yes	-
	SOCIAL/EC	Noise levels	•	The proposed development will result in noise pollution during the operational phase.		-	L	Yes	-
		Tourism industry	٠	Tourism facility in close proximity to the site the construction activities will not have a major impact on tourism in the area.		-	L	Yes	-
		Heritage resources	•		-		L	N/A	-
			DECO	MMISSIONING PHASE					
- <u>Mine closure</u> During the mine closure the Mine and its associated		Fauna & Flora		Re-vegetation of exposed soil surfaces to ensure no erosion in these areas.	+		L	Yes	-
infrastructure will be dismantled. Rehabilitation of biophysical environment		Air quality	•	Air pollution due to the increase of traffic of construction vehicles.	-		S	Yes	-
The biophysical environment will be rehabilitated.	MENT	Soil	•	Backfilling of all voids Placing of topsoil on backfill		+	L	Yes	-
	ENVIRONMENT	Geology	•	It is not foreseen that the decommissioning phase will impact on the geology of the site or vice versa.	N/A	N/A	N/A	N/A	-
	BIOPHYSICAL EN	Existing services infrastructure	•	Generation of waste that need to be accommodated at the local landfill site. Generation of sewage that need to be accommodated by the municipal sewerage system and the local sewage plant. Increase in construction vehicles.	-		S	Yes	-
		Ground water	•	Pollution due to construction vehicles.	-		S	Yes	-
		Surface water	•	Increase in storm water run-off. Pollution of water sources due to soil erosion. Destruction of watercourses (pans/dams/streams).	-		S	Yes	-
	MIC	Local unemployment rate	•	Loss of employment.		-	L	Yes	-
	SOCIAL/ECONOMIC ENVIRONMENT	Visual landscape	•	Potential visual impact on visual receptors in close proximity to proposed facility.	-		S	Yes	-
	SOCIAL/E	Traffic volumes	•		-		S	Yes	-
		Health & Safety		Air/dust pollution. Road safety.	-			Yes	-

Milnex CC: EIA373 — EIR & EMPr - The proposed Prospecting Right application for the Plaats 401, a certain portion of the Remaining Extent of Portion 1, a certain portion of the Remaining Extent of the farm Zonderhuis 402, a certain portion of the Remaining Extent of the farm Zonderhuis 402, a certain portion of the Remaining Extent of the farm Onder Plaats 401, a certain portion of the Remaining Extent of the farm Onder Plaats 401, a certain portion of the Remaining Extent of the farm Northern Cape Province of Portion 7 (portion of portion 4), a certain portion of Portion 7 (portion of portion 4) and certain portion of Portion 9 (portion of portion 4) of the farm Northern Cape Province.

	 Increased crime levels. The presence of mine workers on the site may increase security risks associated with an increase in crime levels as a result of influx of people in the rural area. 					
Noise levels	 The generation of noise as a result of construction vehicles, the use of machinery and people working on the site. 		-	S	Yes	-
Tourism industry	 Tourism facility in close proximity to the site the decommissioning activities will not have a major impact on tourism in the area. 		-	M	Yes	-
Heritage resources	 It is not foreseen that the decommissioning phase will impact on any heritage resources. 	-		L		-

(N/A) No impact (+) Positive Impact (-) Negative Impact (S) Short Term (M) Medium Term (L) Long Term

J. SUMMARY OF THE KEY FINDINGS OF THE ENVIRONMENTAL IMPACT ASSESSMENT

(This summary must be completed if any specialist reports informed the impact assessment and final site layout process and must be in the following tabular form):-

LIST OF STUDIES UNDERTAKEN	RECOMMENDATIONS OF SPECIALIST REPORTS	SPECIALIST RECOMMENDATIONS THAT HAVE BEEN INCLUDED IN THE EIA REPORT (Mark with an X where applicable)	REFERENCE TO APPLICABLE SECTION OF REPORT WHERE SPECIALIST RECOMMENDATIONS HAVE BEEN INCLUDED.
Phase 1 Cultural Heritage Impact Assessment, conducted by J A van Schalkwyk	Conclusions and Recommendations This report describes the methodology used, the limitations encountered, the heritage features that were identified and the recommendations and mitigation measures proposed relevant to this. It should be noted that the implementation of the mitigation measures is subject to SAHRA/PHRA's approval. The cultural landscape qualities of the region are made up of a pre-colonial element consisting of Stone Age and a much later colonial (farmer) component, which eventually gave rise to an urban component which manifest in a number of small towns and an intensive farming industry. Identified sites During the physical survey, the following sites, features or objects of cultural significance were identified. • 7.1 Change finds Stone Age artefacts: Stone Age artefacts, mostly dating to the Middle Stone Age occur in small numbers in parts of the study area. Even on the pebble plains closer to the river, where source material is readily available, the density of artefacts is less than 1/2m², diminishing to 1/10m² on the ridges and outcrops to nothing in the sandy regions. The tools are mostly made from banded iron stone (jaspelite), although some quartzite and hardened shale flakes were also noted. Cores, flakes and tools are found. The tools are very rough and informal and only a few that can be described as typical, i.e. blades and scrapers, were identified.	X	p101-103, 117-119

• 7.3.1: Old farmstead – referred to on the map as Sterkstroom.

Consists of a main house and some outbuildings. All is now in ruins. The main house can be classified as a Karoo style structure, typical of what is found all over the countryside as well is in many towns.

Impact assessment and proposed mitigation measures

Impact analysis of cultural heritage resources under threat of the proposed development, is based on the present understanding of the development:

	IDENTIFIED HERITAGE RESOURCE: Chance find archaeological material – 7.1				
Site No.	Site type	NHRA category	Field rating	Impact rating: Before/After mitigation	Proposed mitigation (Refer to definitions in Section 12.3)
7.1	Chance find Stone Age tools	Section 35	Low significance Grade 4-C	20 20	(5) No further action required.

IDENTIFIED HERITAGE RESOURCE: Sterkstroom farmstead – 7.3.1					
Site No.	Site type	NHRA category	Field rating	Impact rating: Before/After mitigation	Proposed mitigation (Refer to definitions in Section 12.3)
7.3.1	Farmstead	Section 36	Low significance Grade 4-C	20 20	(5) No further action required.

Legal requirements

The legal requirements related to heritage specifically are specified in Section 3 of this report. For this proposed project, the assessment has determined that no sites, features or objects of heritage significance occur in the study area. If heritage features are identified during construction, as stated in the management recommendation, these finds would have to be assessed by a specialist, after which a decision will be made regarding the application for relevant permits.

Reasoned opinion as to whether the proposed activity should be authorised:

 From a heritage point of view, it is recommended that the proposed development be allowed to continue on acceptance of the conditions proposed below.

Conditions for inclusion in the environmental authorisation:

	The Delegantelegical Constitute May (CALIDIC) indicate that most of the region
	The Palaeontological Sensitivity Map (SAHRIS) indicate that most of the region has a graduante associativity of feedly pressing to be fewed and the refers a declarate.
	has a moderate sensitivity of fossil remains to be found and therefore a desktop
	study is required.
	Should archaeological sites or graves be exposed in other areas during
	construction work, it must immediately be reported to a heritage practitioner so
	that an investigation and evaluation of the finds can be made.
	Conclusion and Recommendations
	Based on the findings of this investigation, the following conclusions were made:
	The study area is located on farm portions Zonderhuis 402, Onder Plaats 401 and
	Namakwari 656, located south east of Upington in the Northern Cape Province;
	Eighteen (18) boreholes (BB-BH1 – BH18) were located on the remaining extent
	of Boegoebergnedersetting 48 during the hydrocensus conducted on the 4th
	December 2019. Eight (8) boreholes were located on the farm Namakwari 656,
	while one borehole was located on Onder Plaats 401 (OP-BH1) and Zonderhuis
	402 (ZH-BH1), respectively;
	Groundwater levels measured in assessible boreholes ranged between 3.93 and
	25.88mbgl.;
	Groundwater samples were collected from NK-BH1, OP-BH1 and ZH-BH1 and
	submitted to an accredited laboratory for inorganic analysis. Nitrate detected in
Baseline Hydrogeological	NKBH1 exceeded the SANS standard;
Investigation compiled by	Water are proposed to be abstracted from the Orange River for the use at the
Marietjie Kruger from Milnex CC.	mining operations. Based on the laboratory analysis, no major constituents of
	concern were identified;
	In terms of the prescribed classification procedure, the soil sample classify as
	· · · · · · · · · · · · · · · · · · ·
	Type 3 waste, based on the solid concentrations of arsenic and barium;
	Based on the groundwater level map as well as on-site observations, no
	groundwater inflow is expected to occur within the mine excavations.
	Recommendations
	The following recommendations are made based on the findings of this investigation:
	 Based on the nitrate concentration detected in NK-BH1, consumption is not recommended;
	Given the low likelihood for the tailings material to impact on the groundwater, it
	is recommended that motivation is provided for a Type 4 Classification;

	 Groundwater Monitoring should be undertaken in accordance with SANS and DWS requirements in line with the recommended schedule. Three (3) boreholes are recommended to be monitored; and An annual compliance report should be compiled and submitted to the authorities for evaluation and comment. The monitoring network should be updated annually, and this report should be submitted annually.
Watercourse Delineation and Ecological Impact Assessment Report compiled by Liezl Landman a Terrestrial and Aquatic Ecologist from Milnex CC	7 and Gradounia (14 to 6), 20 and Grand Total (14 to 1), Transition Transition

- Three species of avifauna potentially occurring on site, is listed and protected under the
 Threatened and Protected Species list (ToPS, 2013) which is enforceable under the
 National Environmental Management: Biodiversity Act, 2004, namely Ludwig's Bustard
 (Neotis ludwigii), Khori Bustard (Ardeotis kori)and Martial Eagle (Polemaetus
 bellicosus).
- Several mammal species possibly occurring on site are protected under NEMBA.
 Although not listed in the species list, there is a possibility of the Critically Endangered Riverine Rabbit (*Bunolagus monticularis*) occurring on site.
- All Amphibian species are of Least Concern (LC).
- No Red Listed or protected reptile species are known to occur on site.

Results of the Wetland Assessment:

Following the results of the site assessment, one Perennial Riparian area (the Orange River), one non-perennial, unnamed tributary and several ephemeral drainage areas were recorded on the study site. The Orange River is classed as a Perennial River, which has continual surface water flow. The identified ephemeral tributary and ephemeral drainage lines receive and retain enough water to support riparian characteristics throughout the year.

The ecological integrity of the Orange River system and the unnamed tributary are inferred as Moderately Modified, where a loss and change of natural habitat and biota have occurred but the basic ecosystem functions are still predominantly unchanged. The Ephemeral Drainage Lines are classed as Largely Natural with few modifications. The loss of ecological integrity within the riparian zone may be attributed to irrigations practices along the Orange River and the subsequent influx of alien and invasive species. The results are summarised in the table below:

Classification	Scientific Buffer	QНІ	VEGRAI	REC
Perennial Orange River	100 m	С	D	D
Ephemeral Unnamed Tributary	100 m	С	C/D	С
Ephemeral Drainage Lines	35 m	В	C/D	С

The proposed prospecting will most likely take place within the watercourses and therefore the buffer zones will possibly not be implemented. Various potential impacts are associated with the proposed prospecting activities and are discussed in the impact assessment scores derived according to the amended EIA Regulations (2017).

Milnex CC: EIA373 –EIR & EMPr - The proposed Prospecting Right application for the prospecting of Diamonds (Alluvial, General & in Kimberlite), combined with a Waste Licence Application, near Groblershoop on a certain portion of the Remaining Extent of the farm Zonderhuis 402, a certain portion of the Remaining Extent of the farm Onder Plaats 401, a certain portion of Por

	Critical Biodiversity Area Two (CBA2)
	Some sections of the study site fall within a CBA2. CBAs are
Northern Cape Critical Biodiversity Areas (2016)	areas that are irreplaceable for meeting biodiversity targets.
	There are no other options for conserving the ecosystems,
	species or ecological processes in these areas.
	The unnamed tributary traversing the study site overlaps with
Mining and Biodiversity Guidelines (2013)	Category B, Highest Risk for Mining and therefore has highest
	biodiversity importance.
	Most of the impacts associated with the proposed prospecting
	range from Medium-Low to High prior to mitigation taking
NEMA Impact Assessment	place. With mitigation fully implemented, the significance of
	most impacts can be reduced to Very Low, Low, Medium-Low
	or Medium-High.
DWS Risk Assessment	All aspects of the proposed prospecting activities fall within
DWS RISK Assessment	the Medium risk category.
Mitigation Measures	Refer to Section 6.4
Does the Specialist support the Application?	Yes

It is imperative that an effective management plan is implemented to ensure that all mitigation measures discussed in the report are adhered to. Therefore, the proposed prospecting operations can be considered from an ecological conservation point of view. It is, however, essential that all mitigation measures provided in this report as well as general good practice, are strictly adhered to. During the construction, operational and rehabilitation phases all recommendations made and concerns raised in this document should be taken into consideration. A good closure and rehabilitation plan should be in place to rehabilitate the habitat for faunal and floral species and active alien and invasive vegetation removal should take place in accordance with an Alien Invasive Vegetation Management Plan.

K. ENVIRONMENTAL IMPACT STATEMENT

A. This section provides a summary of the assessment and conclusions drawn from the proposed prospecting area. In doing so, it draws on the information gathered as part of the environmental impact assessment process and the knowledge gained by the environmental consultant during the course of the process and presents an informed opinion on the environmental impacts associated with the proposed project. The following conclusions can be drawn for the proposed prospecting activity:

> Potential impacts on biodiversity:

According to the Watercourse Delineation and Ecological Impact Assessment Report (please see Appendix 12): The proposed prospecting operations can be considered from an ecological conservation point of view. It is, however, essential that all mitigation measures provided in this report as well as general good practice, are strictly adhered to.

FM Safaris is on the proposed site and Namakwari Safaris is close to the proposed site. The prospecting activities may have negative impacts on the tourist facilities on and near the proposed area.

> Potential impact on heritage resources: According to the Phase 1 Cultural Heritage Impact Assessment conducted by J A van Schalkwyk (D Litt et Phil), from a heritage point of view, it is recommended that the proposed development be allowed to continue on acceptance of the conditions proposed below.

The Palaeontological Sensitivity Map (SAHRIS) indicate that most of the region has a moderate sensitivity of fossil remains to be found and therefore a desktop study is required. Should archaeological sites or graves be exposed in other areas during construction work, it must immediately be reported to a heritage practitioner so that an investigation and evaluation of the finds can be made.

> Potential impact on palaeontological finds. In the event that fossil remains are discovered during any phase of construction, either on the surface or unearthed by fresh excavations, the ECO in charge of these developments ought to be alerted immediately. These discoveries ought to be protected (preferably in situ) and the ECO must report to SAHRA so that appropriate mitigation (e.g. recording, collection) can be carry out by a professional palaeontologist.

According to the Phase 1 Cultural Heritage Impact Assessment conducted by J A van Schalkwyk (D Litt et Phil), the Palaeontological Sensitivity Map (SAHRIS) indicate that most of the region has a moderate sensitivity of fossil remains to be found and therefore a desktop study is required.

Potential in groundwater amounts:

According to the Baseline Hydrogeological Investigation conducted by Milnex CC:

- The study area is located on farm portions Zonderhuis 402, Onder Plaats 401 and Namakwari 656, located south east of Upington in the Northern Cape Province;
- Eighteen (18) boreholes (BB-BH1 BH18) were located on the remaining extent of Boegoebergnedersetting 48 during the hydrocensus conducted on the 4th December 2019. Eight (8) boreholes were located on the farm Namakwari 656, while one borehole was located on Onder Plaats 401 (OP-BH1) and Zonderhuis 402 (ZH-BH1), respectively;
- o Groundwater levels measured in assessible boreholes ranged between 3.93 and 25.88mbgl.;
- Groundwater samples were collected from NK-BH1, OP-BH1 and ZH-BH1 and submitted to an accredited laboratory for inorganic analysis. Nitrate detected in NKBH1 exceeded the SANS standard;
- Water are proposed to be abstracted from the Orange River for the use at the mining operations. Based on the laboratory analysis, no major constituents of concern were identified;
- In terms of the prescribed classification procedure, the soil sample classify as Type 3 waste, based on the solid concentrations of arsenic and barium;
- Based on the groundwater level map as well as on-site observations, no groundwater inflow is expected to occur within the mine excavations.

- Potential impacts on land use: The farms are currently utilised for livestock / game grazing. The activity which will be subject to concurrent rehabilitation may have significant impact on the land use and might change the sense of place of the area.
- Potential social impacts: The presence of construction workers poses a potential risk to family structures and social networks. While the presence of construction workers does not in itself constitute a social impact, the manner in which construction workers conduct themselves can impact on local communities. The most significant negative impact is associated with the disruption of existing family structures and social networks.
- Potential negative impacts: (noise, dust, soil degradation, storm water, traffic, health and safety) associated with the operation of the facility are expected to be of medium high impact, of medium terms and site specific. These can be mitigated or negated through the implementation of practical and appropriate mitigation measures.

FM Safaris is on the proposed site and Namakwari Safaris is close to the proposed site. The prospecting activities may have negative impacts on the tourist facilities on and near the proposed area.

> Positive impacts: The mining of Diamonds (Alluvial, General & in Kimberlite) will have socio-economic benefit in some areas and negative impacts in others.

All possible negative impacts and risks that have been identified in this report can be effectively mitigated and managed by implementing the migratory measures as set out in the Environmental Management Programme (EMPr) attached in Part B.

B. Final Site Map

Provide a map at an appropriate scale which superimposes the proposed overall activity and its associated structures and infrastructure on the environmental sensitivities of the preferred site indicating any areas that should be avoided, including buffers.

Refer to Site layout Map attached in Appendix 4.

C.Summary of the positive and negative implications and risks of the proposed activity and identified alternatives

There are regional socio economic benefits due to the Diamonds (Alluvial, General & in Kimberlite) being prospected in the Northern Cape Province and greater knowledge is gained on the mineralogy of South Africa. All possible negative impacts and risks that have been identified in this report can be effectively mitigated and managed by implementing the mitigation measures as set out in the Environmental Management Programme (EMPr) attached in Part B. No significantly adverse social or environmental impacts are anticipated.

L. PROPOSED IMPACT MANAGEMENT OBJECTIVES AND THE IMPACT MANAGEMENT OUTCOMES FOR INCLUSION IN THE EMPR

Based on the assessment and where applicable the recommendations from specialist reports, the recording of proposed impact management objectives, and the impact management outcomes for the development for inclusion in the EMPr as well as for inclusion as conditions of authorisation.

Management objectives include:

- Ensure that the prospecting activity does not cause pollution to the environment or harm to persons.
- Minimise production of waste.
- All prospecting activities must be conducted in a manner that minimises noise impact, litter, environmental degradation and health hazards i.e. injuries.
- The mine must be kept neat and tidy during waste handling to prevent unsightliness and accidents.

Expected outcomes include:

- Minimum impacts on the environment as a result of alluvial diamond prospecting.
- Compliance with legislative requirements.
- Mine is neat and tidy and well managed.

M. FINAL PROPOSED ALTERNATIVES.

(Provide an explanation for the final layout of the infrastructure and activities on the overall site as shown on the final site map together with the reasons why they are the final proposed alternatives which respond to the impact management measures, avoidance, and mitigation measures identified through the assessment)

This alternative asks the question, if there is not, from an environmental perspective, a more suitable location for the proposed activity. The proposed area near Groblershoop on a certain portion of the Remaining Extent of the farm Zonderhuis 402, a certain portion of the Remaining Extent of Portion 1, a certain portion of Portion 6 (portion of portion 4), a certain portion of Portion 7 (portion of portion 4) and certain portion of Portion 9 (portion of portion 4) of the farm Namakwari 656, Registration Division: Gordonia and Kenhardt, Northern Cape Province, is preferred due to the sites underlying Diamonds (Alluvial, General & in Kimberlite) bearing gravel, therefore there will be no other alternative (i.e. to facilitate the movement of machinery, equipment, infrastructure).

N. ASPECTS FOR INCLUSION AS CONDITIONS OF AUTHORISATION.

Any aspects which have not formed part of the EMPr that must be made conditions of the Environmental Authorisation

- The operational activities and relevant rehabilitation of disturbed areas should be monitored against the improved EMPr and all other relevant environmental legislation.
- > A copy of the EMP should be made available onsite at all times.
- Implementation of the proposed mitigation measures set out in the EMPr.
- O. DESCRIPTION OF ANY ASSUMPTIONS, UNCERTAINTIES AND GAPS IN KNOWLEDGE. (Which relate to the assessment and mitigation measures proposed)

The uncertainties in results are mostly related to the availability of information, time available to gather the relevant information as well as the sometimes subjective nature of the assessment methodology. In terms of addressing the key issues the EAP is satisfied and that there are no major gaps in knowledge and that specialist studies were conducted. Thus, there are specialist reports to provide sufficient information to conduct the significance rating and provide the environmental authority with sufficient information to make an informed decision.

P. REASONED OPINION AS TO WHETHER THE PROPOSED ACTIVITY SHOULD OR SHOULD NOT BE AUTHORISED

Reasons why the activity should be authorized or not.

Based on the outcomes of other diamond mines in the area, the possibility to encounter further Diamond Reserves were identified

The option of not approving the activities will result in a significant loss to valuable diamond deposits being exploited. And all economic benefits will be lost.

However, approving the prospecting activities may have a negative effect on tourist facilities in the area.

Q. CONDITIONS THAT MUST BE INCLUDED IN THE AUTHORISATION

- > The operational activities and relevant rehabilitation of disturbed areas should be monitored against the improved EMPr and all other relevant environmental legislation.
- A copy of the EMP should be made available onsite at all times.
- > Implementation of the proposed mitigation measures set out in the EMPr.

The EMPr should be binding on all managers and contractors operating/utilizing the site. **Period for which the Environmental Authorisation is required.**

For a minimum of 5 years.

R. UNDERTAKING

Confirm that the undertaking required to meet the requirements of this section is provided at the end of the EMPr and is applicable to both the Basic assessment report and the Environmental Management Programme report.

The undertaking required to meet the requirements of this section is provided at the end of the EMPr and is applicable to both the Environmental Impact Assessment report and the Environmental Management Programme report.

010 E11111011	
I, Lizanne E	sterhuizen (EAP) herewith confirms
A.	the correctness of the information provided in the reports
В.	the inclusion of comments and inputs from stakeholders and I&APs ;
C.	the inclusion of inputs and recommendations from the specialist reports where relevant; 🖂 and
D.	the acceptability of the project in relation to the finding of the assessment and level of mitigation proposed;
Signature of the	environmental assessment practitioner:
Milnex CC – Envi	ronmental Consultants
Name of compan	y:
9-01-2020	
Date:	

S. FINANCIAL PROVISION

State the amount that is required to both manage and rehabilitate the environment in respect of rehabilitation.

	CALCULATION OF THE QUANTUM						
plicant: aluators:	Johan Smit Milnex CC				Ref No.: Date:	NC30/5/1/1/2 10/01/2020	2/12359PR
			Α	В	С	D	E=A*B*C*D
No.	Description	Unit	Quantity	Master Rate	_	Weighting factor 1	Amount (Rands)
1	Dismantling of processing plant and related structures (including overland conveyors and powerlines)	m3	1800	14,05	1	1	25290
2 (A)	Demolition of steel buildings and structures	m2	0	195,76	1	1	0
2(B)	Demolition of reinforced concrete buildings and structures	m2	0	288,49	1	1	0
3	Rehabilitation of access roads	m2	1000	35,03	1	1	35030
4 (A)	Demolition and rehabilitation of electrified railway lines	m	0	340,01	1	1	0
4 (A)	Demolition and rehabilitation of non-electrified railway lines	m	0	185,46	1	1	0
5	Demolition of housing and/or administration facilities	m2	0	391,53	1	1	0
6	Opencast rehabilitation including final voids and ramps	ha	0,805	205242,16	0,52	1	85914,36818
7	Sealing of shafts adits and inclines	m3	0	105,09	1	1	0
8 (A)	Rehabilitation of overburden and spoils	ha	0,1	136828,1	1	1	13682,81
8 (B)	Rehabilitation of processing waste deposits and evaporation ponds (non-polluting potential)	ha	0,05	170416,93	1	1	8520,8465
8(C)	Rehabilitation of processing waste deposits and evaporation ponds (polluting potential)	ha	0	494971,55	1	1	0
9	Rehabilitation of subsided areas	ha	0,05	114572,93	1	1	5728.6465
10	General surface rehabilitation	ha	0,1	108390,94	1	1	10839,094
11	River diversions	ha	0	108390,94	1	1	0
12	Fencing	m	0	123,64	1	1	0
13	Water management	ha	0	41213,28	1	1	0
14	2 to 3 years of maintenance and aftercare	ha	0,34	14424,65	1	1	4904,381
15 (A)	Specialist study	Sum	0			1	0
15 (B)	Specialist study	Sum				1	0
			•	•	Sub Tot	al 1	189910,1462
1	Preliminary and General		22789	,21754	weighting factor 2		22789,21754
2	Contingencies		1899		91,01462		18991,01462
	J		l		Subtota	al 2	231690,38
					\/AT/44	=0/)	
					VAT (1	070)	34753,56
					Grand T	otal	266444

It is planned that 100 pits will be dug (it may be less depending on the results) at an extent of 3m (length) x 2m (breath) x 4m (depth).

- (100 pits / 24 months) x 12 months = 50 pits dug per year
- Total area to be disturbed per year = 50 pits x (3m x 2m) / 10 000 = 0.03 Ha disturbed per year
- Total area disturbed for 24 months = 100 pits x (3m x 2m) / 10 000 = 0.06 Ha disturbed

It is planned that 35 trenches will be dug (it may be less depending on the results) at an extent of 30m (length) x 30m (breath) x 5m (depth).

- (35 trenches / 24 months) x 12 months = 17.5 trenches dug per year
- Total area to be disturbed per year = 17.5 trenches x (30m x 30m) / 10 000 = 1.58 Ha disturbed per year
- Total area disturbed for 24 months = 35 trenches x (30m x 30m) / 10 000 = 3.15 Ha disturbed

The total area to be disturbed in one year is 0.03 + 1.58 Ha = 1.61ha

Concurrent backfilling will take place in order to rehabilitate. Please see the explanation below how concurrent rehabilitation is carried out:

Topsoil will be removed from trench no.1, where after it will be stored separately on the proposed area. Stored topsoil will be kept separate from overburden. Stored topsoil will be adequately protected from being eroded or blown away.

The exposed diamondiferous gravel of trench no.1 and no.2 will then be removed. The diamondiferous gravel will be sorted by means of a screen and all material larger than for example 100mm will be separated from the rest. This material will be used in the

backfilling stage. Screened material for example smaller than 100mm will be fed into a wet rotary screen and then directly onto the washing pans.

As prospecting activities progress from trench no.2 towards the following trench no.3, backfilling and rehabilitation of trench no.1 will commence. The coarse gravel sifted at the screen, tailings from the pans and fine concrete will be transported back into open trench no.1. During this process of backfilling, variation in the dumping sequence of different sized materials will be followed to ensure better compaction and stability of the reclaimed gravel. This will ensure that voids surrounding the coarse gravel will be filled up with finer sediments. Compaction will be achieved through heavy vehicles during backfilling stage. This prospecting sequence will be utilised for the final rehabilitation of the last actively prospected trench.

Since concurrent backfilling will take place in order to rehabilitate, the total area to be disturbed per year will be less than the above calculation. Because of the aforementioned the total area to disturbed is divided by two. Please see calculation below:

1.61ha / 2 = 0.805ha.

A. Explain how the aforesaid amount was derived.

The closure cost estimate provided above is aligned with the Guideline Document for the Evaluation of Quantum of Closure related Financial Provision Provided by a Mine, by the DMR (January, 2005). The amount was calculated by Milnex CC.

B. Confirm that this amount can be provided for from operating expenditure. (Confirm that the amount, is anticipated to be an operating cost and is provided for as such in the Mining work programme, Financial and Technical Competence Report or Prospecting Work Programme as the case may be).

Financial Guarantee

The financial guarantee for the rehabilitation for land disturbed by **Johan Smit** will be submitted

Rehabilitation Fund

Johan Smit will also make provision for rehabilitation during closure by establishing a rehabilitation trust.

T. DEVIATIONS FROM THE APPROVED SCOPING REPORT AND PLAN OF STUDY.

A. Deviations from the methodology used in determining the significance of potential environmental impacts and risks.

None of the methodologies approved for the scoping report were deviated

B. Motivation for the deviation.

Not applicable

- U. OTHER INFORMATION REQUIRED BY THE COMPETENT AUTHORITY
- V. COMPLIANCE WITH THE PROVISIONS OF SECTIONS 24(4)(A) AND (B) READ WITH SECTION 24 (3) (A) AND (7) OF THE NATIONAL ENVIRONMENTAL MANAGEMENT ACT (ACT 107 OF 1998). THE EIA REPORT MUST INCLUDE THE:
- 1. Impact on the socio-economic conditions of any directly affected person. (Provide the results of Investigation, assessment, and evaluation of the impact of the mining, bulk sampling or alluvial diamond prospecting on any directly affected person including the landowner, lawful occupier, or, where applicable, potential beneficiaries of any land restitution claim,

attach the investigation report as **Appendix 2.19.1** and confirm that the applicable mitigation is reflected in 2.5.3; 2.11.6.and 2.12.herein).

The diamonds alluvial prospecting will not impact directly on any socio-economic aspects. Indirect socio-economic benefits are expected to be associated with the creation of employment.

2. Impact on any national estate referred to in section 3(2) of the National Heritage Resources Act. (Provide the results of Investigation, assessment, and evaluation of the impact of the mining, bulk sampling or alluvial diamond prospecting on any national estate referred to in section 3(2) of the National Heritage Resources Act, 1999 (Act No. 25 of 1999) with the exception of the national estate contemplated in section 3(2)(i)(vi) and (vii) of that Act, attach the investigation report as **Appendix 2.19.2** and confirm that the applicable mitigation is reflected in 2.5.3; 2.11.6.and 2.12.herein).

According to the Phase 1 Cultural Heritage Impact Assessment conducted by J A van Schalkwyk (D Litt et Phil):

Identified sites

During the physical survey, the following sites, features or objects of cultural significance were identified.

7.1 Change finds Stone Age artefacts:

Stone Age artefacts, mostly dating to the Middle Stone Age occur in small numbers in parts of the study area. Even on the pebble plains closer to the river, where source material is readily available, the density of artefacts is less than $1/2m^2$, diminishing to $1/10m^2$ on the ridges and outcrops to nothing in the sandy regions. The tools are mostly made from banded iron stone (jaspelite), although some quartzite and hardened shale flakes were also noted. Cores, flakes and tools are found. The tools are very rough and informal and only a few that can be described as typical, i.e. blades and scrapers, were identified.

7.3.1: Old farmstead – referred to on the map as Sterkstroom.

Consists of a main house and some outbuildings. All is now in ruins. The main house can be classified as a Karoo style structure, typical of what is found all over the countryside as well is in many towns.

Reasoned opinion as to whether the proposed activity should be authorised:

 From a heritage point of view, it is recommended that the proposed development be allowed to continue on acceptance of the conditions proposed below.

Other matters required in terms of sections 24(4)(a) and (b) of the Act.

(the EAP managing the application must provide the competent authority with detailed, written proof of an investigation as required by section 24(4)(b)(i) of the Act and motivation if no reasonable or feasible alternatives, as contemplated in sub-regulation 22(2)(h), exist. The EAP must attach such motivation as **Appendix 4**).

A certain portion of the Remaining Extent of the farm Zonderhuis 402, a certain portion of the Remaining Extent of the farm Onder Plaats 401, a certain portion of the Remaining Extent of Portion 1, a certain portion of Portion 6 (portion of portion 4), a certain portion of Portion 7 (portion of portion 4) and certain portion of Portion 9 (portion of portion 4) of the farm Namakwari 656, Registration Division: Gordonia and Kenhardt, Northern Cape Province, is preferred due to the sites underlying geology and the shallowness of the diamond bearing gravel to the surface as well as site access (i.e. to facilitate the movement of machinery, equipment, infrastructure and people). The specific site has been chosen for its mineral resources thus making an alternative site selection null and void.

PART B ENVIRONMENTAL MANAGEMENT PROGRAMME REPORT

1) ENVIRONMENTAL MANAGEMENT PROGRAMME

Name of Practitioner Qualifications		Contact details		
	Honours Degree in Environmental	Tel No.: (018) 011 1925		
Lizanne Esterhuizen	Science (refer to Appendix 1)	Fax No. : (053) 963 2009		
	Science (refer to Appendix 1)	e-mail address: <u>lizanne@milnex-sa.co.za</u>		
	Master's Degree in Environmental	Tel No.: (018) 011 1925		
Percy Sehaole Pr.Sci.Nat	1	Fax No. : (053) 963 2009		
	Science (refer to Appendix 1)	e-mail address: percy@milnex-sa.co.za		
	Master's Degree in Environmental	Tel No.: (018) 011 1925		
Danie Labuschagne	Management and Geography (refer	Fax No. : (053) 963 2009		
	to Appendix 1)	e-mail address: danie@milnex-sa.co.za		

It is hereby confirmed that the requirements for the provision of the details and expertise of the EAP are contained in Part A, section 1(a) as required. The Curriculum Vitae for the responsible EAP is contained in **Appendix 1 and 2**.

B. DESCRIPTION OF THE ASPECTS OF THE ACTIVITY (Confirm that the requirement to describe the aspects of the activity that are covered by the draft environmental management programme is already included in PART A, section (1)(h) herein as required).

It is hereby confirmed that the requirements to describe the aspects of the activity that are required by the EMP is already included in Part A, section 1(h).

C.COMPOSITE MAP

(Provide a map (Attached as an Appendix) at an appropriate scale which superimposes the proposed activity, its associated structures, and infrastructure on the environmental sensitivities of the preferred site, indicating any areas that any areas that should be avoided, including buffers)

Refer to Locality Map, attached as in Appendix 4.

D. DESCRIPTION OF IMPACT MANAGEMENT OBJECTIVES INCLUDING MANAGEMENT STATEMENTS

i) **Determination of closure objectives.** (ensure that the closure objectives are informed by the type of environment described in 2.4 herein)

Closure objectives for the alluvial diamond mine will aim to ensure that the residual post-closure impacts be minimized and be acceptable to relevant parties. To achieve these closure objectives, the following will be implemented:

- All prospecting related infrastructure, foundations and concrete areas will be decommissioned, removed from the site and appropriately disposed of. Reclaimable structures such as metal, electrical installations or equipment will be sold for re-use or as scrap.
- All disturbed areas within the site not already vegetated will be re-vegetated with appropriate indigenous, ecologically adapted species appropriate to the area and the final land use as soon as possible after operation ceases. Progress of vegetation growth/establishment, stability and drainage/erosion will be monitored and, in the event of adverse trends being identified, corrective measures will be implemented.
- Vegetation monitoring will consider, inter alia, the establishment of perennial ground cover and infestation by alien invasive plant species. The encroachment of indigenous vegetation into the area will be used as an indication of a stable, selfsustaining vegetation cover with little risk of retrogressing to a situation where are and water pollution may occur.

- Final landforms must be resilient to perturbation and also be self-sustaining to obviate/limit further/ongoing interventions and maintenance by **Johan Smit.** The remaining impacts be of an acceptable nature with minimal deterioration over time.
- The final outcome of the mine site rehabilitation would be productive systems, where required sustaining either cattle or wildlife
- Environmental and human quality of life, including health and safety requirements in general, would not be compromised;
 and
- Closure is achieved in an efficient and cost-effective manner as possible and with minimum socioeconomic changes.

The above goal is underpinned by more specific objectives listed below.

1. Upfront planning/development

To provide overall guidance and direction to closure planning and/or the implementation of progressive closure measures over the remaining over the prospecting life.

2. Physical stability

To ensure that surface infrastructure and prospecting residue and/or disturbances that are present at processing plant decommissioning will be removed and/or stabilised in a manner that these will not compromise post-closure land use and be sustainable long-term landforms.

- Closure, removal and disposal of all surface infrastructure that has no beneficial post-closure use.
- Shaping and vegetating the remaining earth embankments, trenches, etc. to stabilise slopes and integrate with surrounding topography.

3. Environmental quality

To ensure that local environmental quality is not adversely affected by possible physical effects arising from prospecting operations and the prospecting site after closure. This will be achieved by:

- Avoiding and/or limiting the following during prospecting operations which could result in adverse effects that could not be readily addressed and/or mitigated at mine closure.
 - Dust fall-out areas surrounding the prospecting site.
- Wash-off and/or mobilisation of chemically contaminated soils and sediments from the prospecting site that could have long term adverse effects on local aquatic health and/or other water uses.
- Possible shallow groundwater contamination adversely affecting the quality of the local water resource and its beneficial use.
 - Limiting the potential for dust generation on the rehabilitated prospecting site that could cause nuisance and/or health effects to surrounding landowners:
 - Limiting the possible adverse water quality and quantity effects arising from the rehabilitated prospecting site to ensure that long term beneficial use of local resources is not compromised;
 - Conducting soil clean-up/remediation to ensure that the planned land use could be implemented and maintained;

4. Health and safety

To limit the possible health and safety treats due to terrain hazards to humans and animals utilizing the rehabilitated prospecting site after closure by:

- Demonstrating through upfront soil testing that any resultant inorganic and organic pollution present on the site is acceptable;
- Removal of potential contaminants such as hydrocarbons and chemicals off site;
- Shaping of embankments and trenches to safe slopes and reintegrating of these into surrounding topography.
- Ensuring that the environmental quality as reflected above is achieved.

5. Land capability / land use

To ensure that the required land capability to achieve and support the planned land use can be achieved over the prospecting site by:

- Clean-up and reclamation of contaminated soil areas in order not to compromise the above land use planning earmarked for implementation;
- To ensure that the overall rehabilitated prospecting site is free draining
- Transferring prospecting related surface infrastructure to third parties for beneficial use after closure.

6. Aesthetic quality

To ensure that the rehabilitated prospecting site will display, at a minimum, an acceptable aesthetic appearance that would not compromise the planned land use by leaving behind:

- A prospecting area that is properly cleared-up with no fugitive/scattered waste piles
- Rehabilitated prospecting area that is free draining and disturbed areas that are suitably vegetated.
- Rehabilitated prospecting residues that are suitably landscaped, blending with the surrounding environment as far as possible.
- Shaped and rehabilitated terrace and hard stand areas, roughly emulating the local natural surface topography.

7. Landscape viability

To create a landscape that is self-sustaining and over time will evolve/converge to the desired ecosystem structure, function and composition by:

- Conducing surface profiling, with associated material movement optimisation, to obtain a landscape resembling the natural landscapes to support the succession trajectory towards a climax ecological system.
- Establishing woody patches and create "rough and loose" areas for pioneer specie establishment around the respective patches.
- Establishing pioneer species as follows:
- Collected and prepared seeds for broad casting;
- Seedlings grown on on-site nursery;
- Cuttings collected from surrounding veld areas;
- Conducting rehabilitation monitoring and corrective action as required.

8. Biodiversity

To encourage, where appropriate, the re-establishment of native vegetation on the rehabilitated mine site such the terrestrial biodiversity is largely re-instated over time, by:

- Stabilising disturbed areas to prevent erosion in the short- to medium term until a suitable vegetation cover has established;
- Establishing viable self-sustaining vegetation communities of local fauna, as far as possible.

9. Groundwater

Recommendations according to the Baseline Hydrogeological Investigation:

- Based on the nitrate concentration detected in NK-BH1, consumption is not recommended;
- Given the low likelihood for the tailings material to impact on the groundwater, it is recommended that motivation is provided for a Type 4 Classification;
- Groundwater Monitoring should be undertaken in accordance with SANS and DWS requirements in line with the recommended schedule. Three (3) boreholes are recommended to be monitored (Please see specialist study, Appendix 12, for boreholes); and
- An annual compliance report should be compiled and submitted to the authorities for evaluation and comment. The
 monitoring network should be updated annually, and this report should be submitted annually.

Provide a rehabilitation plan that describes and shows the scale and aerial extent of the main mining activities, including the anticipated mining area at the time of closure.

The Rehabilitation & Closure Plan is attached as Appendix 8.

Calculate and state the quantum of the financial provision required to manage and rehabilitate the environment in accordance with the applicable guideline.

olicant: lluators:	Johan Smit Milnex CC				Ref No.: Date:	NC30/5/1/1/2/12359PR 10/01/2020	
No.	Description	Unit	A Quantity	B Master	C Multiplication		E=A*B*C*D
				Rate	factor	factor 1	(Rands)
1	Dismantling of processing plant and related structures (including overland conveyors and powerlines)	m3	1800	14,05	1	1	25290
2 (A)	Demolition of steel buildings and structures	m2	0	195,76	1	1	0
2(B)	Demolition of reinforced concrete buildings and structures	m2	0	288,49	1	1	0
3	Rehabilitation of access roads	m2	1000	35,03	1	1	35030
4 (A)	Demolition and rehabilitation of electrified railw ay lines	m	0	340,01	1	1	0
4 (A)	Demolition and rehabilitation of non-electrified railw ay lines	m	0	185,46	1	1	0
5	Demolition of housing and/or administration facilities	m2	0	391,53	1	1	0
6	Opencast rehabilitation including final voids and ramps	ha	0,805	205242,16	0,52	1	85914,3681
7	Sealing of shafts adits and inclines	m3	0	105,09	1	1	0
8 (A)	Rehabilitation of overburden and spoils	ha	0,1	136828,1	1	1	13682,81
8 (B)	Rehabilitation of processing waste deposits and evaporation ponds (non-polluting potential)		0,05	170416,93	1	1	8520,8465
8(C)	Rehabilitation of processing waste deposits and evaporation ponds (polluting potential)	ha	0	494971,55	1	1	0
9	Rehabilitation of subsided areas	ha	0,05	114572,93	1	1	5728,6465
10	General surface rehabilitation	ha	0,1	108390,94	1	1	10839,094
11	River diversions	ha	0	108390,94	1	1	0
12	Fencing	m	0	123,64	1	1	0
13	Water management	ha	0	41213,28	1	1	0
14	2 to 3 years of maintenance and aftercare	ha	0,34	14424,65	1	1	4904,381
15 (A)	Specialist study	Sum	0			1	0
15 (B)	Specialist study	Sum				1	0
					Sub Tot	al 1	189910,146
1	Preliminary and General		22789,21754		weighting factor 2		22789,2175
2	Continuencia		1000	1 91.01462		40004 04 40	
2	Contingencies			1898	91,01462 Subtota	al 2	18991,0146 231690.38
					Subtota	21 Z	231090,38
					VAT (15	5%)	34753,56
					Grand T		

It is planned that 100 pits will be dug (it may be less depending on the results) at an extent of 3m (length) x 2m (breath) x 4m (depth).

- (100 pits / 24 months) x 12 months = 50 pits dug per year
- Total area to be disturbed per year = 50 pits x (3m x 2m) / 10 000 = 0.03 Ha disturbed per year
- Total area disturbed for 24 months = 100 pits x (3m x 2m) / 10 000 = 0.06 Ha disturbed

It is planned that 35 trenches will be dug (it may be less depending on the results) at an extent of 30m (length) x 30m (breath) x 5m (depth).

- (35 trenches / 24 months) x 12 months = 17.5 trenches dug per year
- Total area to be disturbed per year = 17.5 trenches x (30m x 30m) / 10 000 = 1.58 Ha disturbed per year
- Total area disturbed for 24 months = 35 trenches x (30m x 30m) / 10 000 = 3.15 Ha disturbed

The total area to be disturbed in one year is 0.03 + 1.58 Ha = 1.61ha

Concurrent backfilling will take place in order to rehabilitate. Please see the explanation below how concurrent rehabilitation is carried out:

Topsoil will be removed from trench no.1, where after it will be stored separately on the proposed area. Stored topsoil will be kept separate from overburden. Stored topsoil will be adequately protected from being eroded or blown away.

The exposed diamondiferous gravel of trench no.1 and no.2 will then be removed. The diamondiferous gravel will be sorted by means of a screen and all material larger than for example 100mm will be separated from the rest. This material will be used in

the backfilling stage. Screened material for example smaller than 100mm will be fed into a wet rotary screen and then directly onto the washing pans.

As prospecting activities progress from trench no.2 towards the following trench no.3, backfilling and rehabilitation of trench no.1 will commence. The coarse gravel sifted at the screen, tailings from the pans and fine concrete will be transported back into open trench no.1. During this process of backfilling, variation in the dumping sequence of different sized materials will be followed to ensure better compaction and stability of the reclaimed gravel. This will ensure that voids surrounding the coarse gravel will be filled up with finer sediments. Compaction will be achieved through heavy vehicles during backfilling stage. This prospecting sequence will be utilised for the final rehabilitation of the last actively prospected trench.

Since concurrent backfilling will take place in order to rehabilitate, the total area to be disturbed per year will be less than the above calculation. Because of the aforementioned the total area to disturbed is divided by two. Please see calculation below:

1.61ha / 2 = 0.805ha.

a. Confirm that the financial provision will be provided as determined.

Financial Guarantee

The financial guarantee for the rehabilitation for land disturbed Johan Smit will be submitted

Rehabilitation Fund

Johan Smit will also make provision for rehabilitation during closure by establishing a rehabilitation trust.

E. IMPACTS TO BE MITIGATED IN THEIR RESPECTIVE PHASES

Measures to rehabilitate the environment affected by the undertaking of any listed activity

IZE AND SCALE M	MITIGATION MEASURES	COMPLIANCE WITH	TIME PERIOD FOR IMPLEMENTATION
f disturbance		STANDARDS	
olumes, tonnages			Describe the time period when the measures
nd hectares or m²) (c	describe how each of the recommendations in		in the environmental management programme
he	erein will remedy the cause of pollution or	(A description of how each	must be implemented Measures must be
de	legradation and migration of pollutants)	of the recommendations	implemented when required.
		herein will comply with any	With regard to Rehabilitation specifically this
		•	must take place at the earliest opportunity.
		=	.With regard to Rehabilitation, therefore state
		•	either:
		,	Upon cessation of the individual activity
		Authorities)	Or.
			Upon the cessation of mining, bulk sampling
			or alluvial diamond prospecting as the case
			may be.
054.4000 11. 0 4	0.1	0	D. C.
			Duration of operations on the prospecting activities.
, , ,	•		activities.
,		NEIVIA	
enches)			
3			
3.	,		
4			
"	·		
5.			
	•		
	areas where these risks are more prevalent.		
· 500m 1.	Planning of access routes to the site for	Compliance with Duty of	Duration of operations on the prospecting
	construction/prospecting purposes shall be	Care as detailed within	activities.
	done in conjunction with the Contractor and	NEMA	
ol nd 35 2r On en	Jumes, tonnages (hectares or m²) (hectar	(describe how each of the recommendations in herein will remedy the cause of pollution or degradation and migration of pollutants) 1. Site clearing must take place in a phased manner, as and when required. 2. Areas which are not to be prospected on within two months must not be cleared to reduce erosion risks. 3. The area to be cleared must be clearly demarcated and this footprint strictly maintained. 4. Spoil that is removed from the site must be removed to an approved spoil site or a licensed landfill site. 5. The necessary silt fences and erosion control measures must be implemented in areas where these risks are more prevalent. 1. Planning of access routes to the site for construction/prospecting purposes shall be	Inductor (describe how each of the recommendations in herein will remedy the cause of pollution or degradation and migration of pollutants) 1. Site clearing must take place in a phased manner, as and when required. 2. Areas which are not to be prospected on within two months must not be cleared to reduce erosion risks. 3. The area to be cleared must be clearly demarcated and this footprint strictly maintained. 4. Spoil that is removed from the site must be removed to an approved spoil site or a licensed landfill site. 5. The necessary silt fences and erosion control measures must be implemented in areas where these risks are more prevalent. 1. Planning of access routes to the site for construction/prospecting purposes shall be

(construction and operation phase) the Landowner. All agreements reached should be documented and no verbal agreements should be made. The Contractor shall clearly mark all access	
agreements should be made. The	
Contractor shall clearly mark all access	
roads. Roads not to be used shall be	
marked with a "NO ENTRY for prospecting	
vehicles" sign.	
2. Construction routes and required access	
roads must be clearly defined.	
3. Damping down of the un-surfaced roads	
must be implemented to reduce dust and	
nuisance.	
4. Soils compacted by construction /	
prospecting activities shall be deep ripped	
to loosen compacted layers and re-graded	
to even running levels.	
5. The contractor must ensure that damage	
caused by related traffic to the gravel	
access road off the N10 or N14 is repaired	
continuously. The costs associated with the	
repair must be borne by the contractor;	
6. Dust suppression measures must be	
implemented for heavy vehicles such as	
wetting of gravel roads on a regular basis	
and ensuring that vehicles used to transport	
the gravel are fitted with tarpaulins or	
covers;	
7. All vehicles must be road-worthy and	
drivers must be qualified and made aware	
of the potential road safety issues and need	
for strict speed limits.	
Prospecting of Diamonds (Alluvial, Pitting and 8854.1269 Ha – 3m 1. The Contractor should, prior to the Compliance with Duty of Duration of operations on the mi	ne
General & in Kimberlite) – Soils and trenching phase- x 2m x 4m (100 pits), commencement of earthworks determine Care as detailed within	
geology (construction and 30m x 30m x 5m (35) the average depth of topsoil (If topsoil NEMA	
operation phase) trenches) exists), and agree on this with the ECO. The	

	r the prospecting of Diamonds (Alluvial, General & in Kimberlite), combined with a Waste Licence Application, near Groblershoop on a certain portion of the Remaining Extent of the farm Zonderhuis 402, a tion of the Remaining Extent of Portion 1, a certain portion of Portion 6 (portion of portion 4), a certain portion of Portion 7 (portion of portion 4) and certain portion of Portion 9 (portion of portion 4) of the farm vince.
certain portion of the Remaining Extent of the farm Onder Plaats 401, a certa	tion of the Remaining Extent of Portion 1, a certain portion of Portion 6 (portion 4), a certain portion of Portion 7 (portion of portion 4) and certain portion of Portion 9 (portion 4) of the farm
	covered either by vegetation or geofabric, depending on the duration of the project. Stockpiles may further be protected by the construction of berms, trenches or low brick walls around their bases. 6. Stockpiles should be kept clear of weeds
	and alien vegetation growth by regular weeding. 7. Where contamination of soil is expected, analysis must be done prior to disposal of soil to determine the appropriate disposal route. Proof from an approved waste disposal site where contaminated soils are
	dumped if and when a spillage/leakage occurs should be attained and given to the project manager. 8. The impact on the geology will be permanent. There is no mitigation measure.

Milnex CC: EIA373 –EIR & EMPr - The proposed Prospecting Right application for the prospecting of Diamonds (Alluvial, General & in Kimberlite), combined with a Waste Licence Application, near Groblershoop on a certain portion of the Remaining Extent of the farm Zonderhuis 402, a certain portion of the Remaining Extent of the farm Onder Plaats 401, a certain portion of Por

Prospecting (Alluvial, General & in	Pitting and	8854.1269 Ha – 3m	1.	The prospecting activities must aim to	Compliance with Duty of	Duration of operations on the prospecting
Kimberlite) – excavations	trenching phase-	x 2m x 4m (100 pits),		adhere to the relevant noise regulations and	Care as detailed within	area
	(construction and	30m x 30m x 5m (35		limit noise to within standard working hours	NEMA	
	operation phase)	trenches)		in order to reduce disturbance of dwellings		
				in close proximity to the development.		
			2.	Mine, pans, workshops and other noisy		
				fixed facilities should be located well away		
				from noise sensitive areas. Once the		
				proposed final layouts are made available		
				by the Contractor(s), the sites must be		
				evaluated in detail and specific measures		
				designed in to the system.		
			3.	Truck traffic should be routed away from		
				noise sensitive areas, where possible.		
			4.	Noise levels must be kept within acceptable		
				limits.		
			5.	Noisy operations should be combined so		
				that they occur where possible at the same		
				time.		
			6.	Mine workers to wear necessary ear		
				protection gear.		
			7.	Noisy activities to take place during		
				allocated hours.		
			8.	Noise from labourers must be controlled.		
			9.	Noise suppression measures must be		
				applied to all equipment. Equipment must		
				be kept in good working order and where		
				appropriate fitted with silencers which are		
				kept in good working order. Should the		
				vehicles or equipment not be in good		
				working order, the Contractor may be		
				instructed to remove the offending vehicle		
				or machinery from the site.		
			10.	The Contractor must take measures to		
				discourage labourers from loitering in the		
				area and causing noise disturbance. Where		

Watercourse Delineation and Ecological	Impact Assessment F	Report: Impact and Miti	possible labour shall be transported to and from the site by the Contractor or his Sub-Contractors by the Contractors own transport. 11. Implementation of enclosure and cladding of processing plants. 12. Applying regular and thorough maintenance schedules to equipment and processes. An increase in noise emission levels very often is a sign of the imminent mechanical failure of a machine.		
Alteration of the flow regime of the watercourse	Construction, Operational & Decommissioning:	8854.1269 Ha – 3m x 2m x 4m (100 pits),	 Any activities that take place within 32 meters of a wetland or watercourse or the 1:100 year flood lines will require authorisation in terms of the relevant regulations of NEMA, however as far as possible infrastructure should be placed outside of buffer lines. Demarcate the watercourse areas and buffer zones to limit disturbance, clearly mark these areas as no-go areas. Where construction occurs in the demarcated watercourse and buffer areas, additional precautions should be implemented to minimise watercourse loss. No stockpiling should take place within a watercourse or the calculated buffers. All stockpiles must be protected from erosion, stored on flat areas where run-off will be minimised, and be surrounded by bunds. Erosion and sedimentation into channels must be minimised through the effective stabilisation and the re-vegetation of any disturbed stream banks. 	Compliance with Duty of Care as detailed within NEMA	Construction, Operational & Decommissioning:

Milnex CC: EIA373 –EIR & EMPr - The proposed Prospecting Right application for the prospecting of Diamonds (Alluvial, General & in Kimberlite), combined with a Waste Licence Application, near Groblershoop on a certain portion of the Remaining Extent of the farm Zonderhuis 402, a certain portion of the Remaining Extent of the farm Onder Plaats 401, a certain portion of Por

Ensure that erosion management and
sediment controls are strictly implemented from
the beginning of site clearing activities.
All areas should be re-sloped and top-
soiled where necessary and reseeded with
indigenous grasses to stabilise the loose
material.
Monitor the occurrence of erosion
during the rainy season and take immediate
corrective action where needed.
A sensitivity map has been developed
for the study area, indicating the drainage lines
and riparian systems, and their relevant buffer
zones. It is recommended that this sensitivity
map be considered during all phases of the
development and with special mentioning of the
planning of infrastructure, in order to aid in the
conservation of and minimise impact on the
riparian and aquatic habitat and resources within
the study site.
Any areas where bank failure is
observed, due to the prospecting impacts,
should be immediately repaired.
As far as possible the existing road
network should be utilised, minimising the need
to develop new access routes resulting in an
increased impact on the local environment.
Operational phase activities should
not take place within watercourses or buffer
zones.
The duration of impacts on the
drainage line should be minimised as far as
possible by ensuring that the duration of time in
which flow alteration and sedimentation will take
place is minimised.
piaco la minimoca.

			AP III III III		
			Alien and invasive vegetation control		
			should take place throughout all phases to		
			prevent loss of floral habitat.		
			All rehabilitation activities should		
			occur in the dry season.		
			Rehabilitation of disturbed areas as a		
			result of construction must be implemented		
			immediately upon completion of construction.		
Changing the physical structure within a	Construction,	30m x 30m x 5m (35	Other than approved and authorized	Compliance with Duty of	Construction, Operational &
water resource (habitat)	Operational &	trenches)	structures, no other development or	Care as detailed within	Decommissioning:
	Decommissioning:	,	maintenance infrastructure is allowed within the	NEMA	
			delineated watercourse and riparian areas or		
			their associated buffer zones.		
			Alien and invasive vegetation control		
			should take place throughout all phases to		
			prevent loss of floral habitat.		
			Monitor the occurrence of erosion		
			during the rainy season and take immediate		
			corrective action where needed.		
			No stockpiling should take place		
			within a watercourse or the calculated buffers.		
			All stockpiles must be protected from		
			erosion, stored on flat areas where run-off will be		
			minimised, and be surrounded by bunds.		
			Bi-annual biomonitoring of aquatic		
			macro-invertebrates and diatoms within the		
			riverine systems is essential.		
			All maintenance within watercourses		
			must be restricted to the dry season.		
			Maintenance activities should not		
			impact on rehabilitated or naturally vegetated		
			areas.		
			Rehabilitation should limit		
			fragmentation and isolation of sections of the		
			non-perennial drainage line systems.		

Alteration of the amount of sediment	Construction,	8854.1269 Ha – 3m	The duration of impacts on the riverine and drainage line systems should be minimised as far as possible by ensuring that the duration of time in which flow alteration and sedimentation will take place is minimised. Rehabilitation must ensure that riparian structure and function are reinstated in such a way as to ensure the ongoing functionality of the larger riparian systems at premining levels. All rehabilitation activities should occur in the dry season. Buffer zones should be maintained, in	Compliance with Duty of	Construction, Operational &
entering the water resource and associated change in turbidity	Operational & Decommissioning:	x 2m x 4m (100 pits),	order to minimise sedimentation of the downstream areas. No stockpiling should take place within a watercourse or the calculated buffers. Ensure that erosion management and sediment controls are strictly implemented from the beginning of site clearing activities. All areas should be re-sloped and topsoiled where necessary and reseeded with indigenous grasses to stabilise the loose material. All stockpiles must be protected from erosion, stored on flat areas where run-off will be minimised, and be surrounded by bunds. Erosion and sedimentation into channels must be minimised through the effective stabilisation and the re-vegetation of any disturbed stream banks. As far as possible the existing road network should be utilised, minimising the need to develop new access routes resulting in an increased impact on the local environment.	Care as detailed within NEMA	Decommissioning:

			Erosion control measures, such as		
			berms, must be implemented to manage runoff		
			from roads to prevent erosion and pollution.		
			Silt screens should be used where		
			necessary. Rehabilitation of disturbed areas as a		
			result of construction must be implemented		
			immediately upon completion of construction.		
			Rehabilitation must ensure that		
			riparian structure and function are reinstated in		
			such a way as to ensure the ongoing		
			functionality of the larger riparian systems at pre-		
			mining levels.		
			All rehabilitation activities should		
			occur in the dry season.		
			The duration of impacts on the riverine		
			and drainage line systems should be minimised		
			as far as possible by ensuring that the duration		
			of time in which flow alteration and		
			sedimentation will take place is minimised;		
			Maintain flood capacity, particularly in		
			areas with significant flood hazards.		
Alteration of water quality	Construction,	30m x 30m x 5m (35	All vehicles must be regularly	Compliance with Duty of	Construction, Operational &
, ,	Operational &	trenches)	inspected for leaks.	Care as detailed within	Decommissioning:
	Decommissioning:	,	Re-fuelling must take place on a	NEMA	Ŭ
			sealed surface area to prevent hydrocarbon		
			pollution.		
			All spills should be cleaned up		
			immediately and disposed of.		
			Spill kits should be readily available		
			and easily accessible throughout the site.		
			All chemicals must be stored safely on		
			site, outside the buffer areas and surrounded by		
			bunds. Chemical storage containers must be		
			regularly inspected for early leak detection.		
			regularly inspected for early leak detection.		

			Littering must be prevented by effective site management and the provision of bins. Provision of adequate sanitation facilities located outside of the delineated buffer zones. An emergency spill procedure should be developed and implemented. No stockpiling should take place within a watercourse. All stockpiles must be protected from erosion, stored on flat areas where run-off will be		
		0054 4000 11 0	minimised, and be surrounded by bunds. • Stockpiles must be located away from river channels and drainage lines. • Erosion and sedimentation into channels must be minimised through the effective stabilisation and the re-vegetation of any disturbed riverbanks.		
Loss of terrestrial habitat	Construction, Operational & Decommissioning:	8854.1269 Ha – 3m x 2m x 4m (100 pits),	 Areas that are stripped during construction and operation should be revegetated with indigenous vegetation. It is recommended that areas to be developed be specifically demarcated so that during the construction phase, only the demarcated areas be impacted upon (including fencing off the defined project area) and preventing movement of workers into natural areas. The duration of the prospecting should be minimized to as short term as possible, in order to reduce the period of disturbance on fauna and flora. 	Compliance with Duty of Care as detailed within NEMA	Construction, Operational & Decommissioning:
			Areas of indigenous vegetation should under no circumstances be fragmented or		

			disturbed for used as an area for dumping of		
			waste.		
			As far as possible the existing road		
			network should be utilised, minimising the need		
			to develop new access routes resulting in an		
			increased impact on the local environment.		
			All staff and visitors to the site must		
			undergo an induction process and must be		
			made aware of the sensitive nature of the		
			environment and floral species which occur		
			there.		
			The area must be re-vegetated with		
			plant and grass species which are endemic to		
			the exact vegetation types.		
			Rehabilitation measures that are		
			implemented must be continually monitored for		
			a minimum period of four years to ensure that		
			proper succession has occurred and that there		
			is no erosion occurring.		
			An alien invasive vegetation		
			management plan should be developed and		
			implemented.		
			Alien and invasive vegetation control		
			should take place throughout all phases to		
Long of Assorbin Dieta	Otime-time	20 20 5 /25	prevent loss of floral habitat.	Oiiith D. t. of	Construction Operational 9
Loss of Aquatic Biota	Construction,	30m x 30m x 5m (35	Bi-annual biomonitoring of aquatic	Compliance with Duty of	Construction, Operational &
	Operational &	trenches)	macro-invertebrates and diatoms within the	Care as detailed within	Decommissioning:
	Decommissioning:		riverine systems is essential. • Refer to Mitigation Measures	NEMA	
			regarding water quality and sedimentation as		
			listed above.		
Loss of Terrestrial Fauna	Construction,	8854.1269 Ha – 3m	Site clearing to take place in a phased	Compliance with Duty of	Construction, Operational &
LOSS OF TEFFESHIALT AUTIA	Operational &	x 2m x 4m (100 pits),	manner (where possible) to allow for any faunal	Care as detailed within	Decommissioning:
	Decommissioning:	7 2111 X 7111 (100 pits),	species present to move away from the study	NEMA	Boommissioning.
	Decommissioning.		site to the surrounding open space areas.	14-141/1	
			one to the surrounding open space dreas.		

Milnex CC: EIA373 - EIR & EMPr - The proposed Prospecting Right application for the prospecting of Diamonds (Alluvial, General & in Kimberlite), combined with a Waste Licence Application, near Groblershoop on a certain portion of the Remaining Extent of the farm Zonderhuis 402, a certain portion of the Remaining Extent of the farm Onder Plaats 401, a certain portion of the Remaining Extent of Portion 1, a certain portion of portion 4), a certain portion of Portion 7 (portion of portion of portion of portion of Portion 1) of the farm Namakwari 656, Registration Division: Gordonia and Kenhardt, Northern Cape Province. Prior and during vegetation clearance any larger fauna species noted should be given the opportunity to move away from the construction machinery. Fauna species such as frogs and reptiles that have not moved away should be carefully and safely removed to a suitable location beyond the extent of the development footprint by a suitably qualified ECO trained in the handling and relocation of animals. Fencing should be erected around the project area to prevent workers and members of the public from entering the surrounding environments. This fence should have small openings to allow wildlife to pass through. Waste management must be a priority and all waste must be collected and stored adequately. It is recommended that all waste be removed from site on a weekly basis to prevent rodents and pests entering the site. Should any sensitive or Red Data animal or bird species be encountered during the construction, operation and decommissioning activities, these should be relocated to natural areas in the vicinity. Any sensitive fauna that are inadvertently killed during earthmoving operations should be preserved as museum voucher specimens. No hunting, trapping or killing of fauna are allowed. Any lizards, snakes or monitors encountered should be allowed to escape to a

best policy if encountered. Snakes should not be

General avoidance of snakes is the

suitable habitat away from disturbance.

	1		I	T	
			intentionally harmed or killed and allowed free movement away from the area. Trenches and deep excavations should not be left open for extended periods of time as fauna may fall in and become trapped in them. Trenches which are exposed should contain soil ramps allowing fauna to escape the trench. Noise must be kept to an absolute minimum at night to minimise all possible disturbances to amphibian species and		
			nocturnal mammals.		
Loss of Terrestrial Flora	Construction, Operational & Decommissioning:	30m x 30m x 5m (35 trenches)	Areas that are stripped during construction and operation should be revegetated with indigenous vegetation as soon as possible. This will also reduce the likelihood of encroachment by alien invasive plant species. Protected trees and plants shall not be removed or damaged without prior approval, permits or licenses from the relevant authority, this is especially applicable to the Protected Witgat (Boscia albitrunca) and Camel Thorn Tree (Vachellia erioloba), which were present on site.	Compliance with Duty of Care as detailed within NEMA	Construction, Operational & Decommissioning:
Introduction and spread of alien vegetation	Construction, Operational & Decommissioning:	8854.1269 Ha – 3m x 2m x 4m (100 pits),	 Proliferation of alien and invasive species is expected within any disturbed areas particularly as there are some alien and invasive species present within the study site. These species should be eradicated and controlled to prevent further spread beyond. An alien invasive vegetation management plan should be developed and implemented. Alien and invasive vegetation control should take place throughout all phases to prevent loss of floral habitat. 	Compliance with Duty of Care as detailed within NEMA	Construction, Operational & Decommissioning:

Namakwari 656, Registration Division: Gordonia and Kenhardt, Northern Ca	tain portion of the Remaining Extent of Portion 1, a certain portion of Portion 6 (portion of portion 4), a certain portion of Portion 7 (portion of portion 4) and certain portion of Portio ape Province.	n 9 (portion of portion 4) of the farm
	Footprint areas should be kept as small as possible when removing alien plant species. No vehicles should be allowed to drive through designated sensitive drainage lines and riparian areas during the eradication of alien and weed species. All alien vegetation in the riparian zone should be removed upon completion of prospecting activities and reseeded with indigenous grasses as specified by a suitably qualified specialist (ecologist).	

Milnex CC: EIA373 -EIR & EMPr - The proposed Prospecting Right application for the prospecting of Diamonds (Alluvial, General & in Kimberlite), combined with a Waste Licence Application, near Groblershoop on a certain portion of the Remaining Extent of the farm Zonderhuis 402, a

IMPACT MANAGEMENT OUTCOMES

(A description of impact management outcomes, identifying the standard of impact management required for the aspects contemplated in paragraph ();

ACTIVITY	POTENTIAL	ASPECTS	PHASE	MITIGATION	STANDARD TO BE
(whether listed or not listed). (E.g. Excavations, blasting, stockpiles,	IMPACT	AFFECTED	In which impact is anticipated	ТҮРЕ	ACHIEVED
discard dumps or dams, Loading, hauling and transport, Water supply dams and boreholes, accommodation, offices, ablution, stores, workshops, processing plant, storm water control, berms, roads, pipelines, power lines, conveyors, etcetcetc.).	(e.g. dust, noise, drainage surface disturbance, fly rock, surface water contamination, groundwater contamination, air pollution etcetc)		(e.g. Construction, commissioning, operational Decommissioning, closure, post-closure)	(modify, remedy, control, or stop) through (e.g. noise control measures, storm-water control, dust control, rehabilitation, design measures, blasting controls, avoidance, relocation, alternative activity etc. etc) E.g. • Modify through alternative method. • Control through noise control • Control through management and monitoring • Remedy through rehabilitation.	(Impact avoided, noise levels, dust levels, rehabilitation standards, end use objectives) etc.
Clearance of vegetation	Loss or fragmentation of habitats	Fauna & flora	Pitting and trenching phase-(construction and operation phase)	1. Vegetation removal must be limited to the prospecting area. 2. Vegetation to be removed as it becomes necessary rather than removal of all vegetation throughout the site in one step. 3. No vegetation to be used for firewood. 4. Exotic and invasive plant species should not be allowed to establish, if the development is approved. Rehabilitation	Minimisation of impacts to acceptable limits
				All damaged areas shall be rehabilitated upon completion of the contract.	

6. Re-vegetation of the disturbed site is aimed at
approximating as near as possible the natural
vegetative conditions prevailing prior to
construction.
7. All natural areas impacted during
construction/prospecting must be rehabilitated
with locally indigenous grasses typical of the
representative botanical unit.
8. Rehabilitation must take place in a phased
approach as soon as possible.
Rehabilitation process must make use of species
indigenous to the area. Seeds from surrounding
seed banks can be used for re-seeding.
10. Rehabilitation must be executed in such a manner
that surface run-off will not cause erosion of
disturbed areas.
11. Planting of indigenous tree species in areas not to
be cultivated or built on must be encouraged.
Demarcation of prospecting area
12. All plants not interfering with prospecting
operations shall be left undisturbed clearly marked
and indicated on the site plan.
13. The prospecting area must be well demarcated
and no construction/prospecting activities must be
allowed outside of this demarcated footprint.
14. Vegetation removal must be phased in order to
reduce impact of construction/prospecting.
15. Site office and laydown areas must be clearly
demarcated and no encroachment must occur
beyond demarcated areas.
16. Strict and regular auditing of the prospecting
process to ensure containment of the prospecting

Milnex CC: EIA373 - EIR & EMPr - The proposed Prospecting Right application for the prospecting of Diamonds (Alluvial, General & in Kimberlite), combined with a Waste Licence Application, near Groblershoop on a certain portion of the Remaining Extent of the farm Zonderhuis 402, a

that may be kept on site during

Namakwari 656, Registration Division: Gordonia and Kenhardt, Northern Cape Province. construction/prospecting. Spillage can result in a loss of soil functionality thus limiting the reestablishment of flora. **Utilisation of resources** 18. Gathering of firewood, fruit, muti plants, or any other natural material onsite or in areas adjacent to the site is prohibited unless with prior approval of the ECO. **Exotic vegetation** 19. Alien vegetation on the site will need to be controlled. 20. The Contractor should be responsible for implementing a programme of weed control (particularly in areas where soil has been disturbed); and grassing of any remaining stockpiles to prevent weed invasion. 21. The spread of exotic species occurring throughout the site should be controlled. Herbicides 22. Herbicide use shall only be allowed according to contract specifications. The application shall be according to set specifications and under supervision of a qualified technician. The possibility of leaching into the surrounding environment shall be properly investigated and only environmentally friendly herbicides shall be used. 23. The use of pesticides and herbicides on the site must be discouraged as these impact on important pollinator species of indigenous vegetation. Fauna

Milnex CC: EIA373 –EIR & EMPr - The proposed Prospecting Right application for the prospecting of Diamonds (Alluvial, General & in Kimberlite), combined with a Waste Licence Application, near Groblershoop on a certain portion of the Remaining Extent of the farm Zonderhuis 402, a certain portion of the Remaining Extent of the farm Onder Plaats 401, a certain portion of Portion 1, a certain portion of Portion 6 (portion of portion 7), a certain portion of Portion 7 (portion of portion 4), and certain portion of Portion 9 (portion of portion 4) and certain portion of Portion 9 (portion of portion 4).

Milnex CC: EIA373 –EIR & EMPr - The proposed Prospecting Right application for the prospecting of Diamonds (Alluvial, General & in Kimberlite), combined with a Waste Licence Application, near Groblershoop on a certain portion of the Remaining Extent of the farm Zonderhuis 402, a certain portion of the Remaining Extent of the farm Onder Plaats 401, a certain portion of Por

				 24. Rehabilitation to be undertaken as soon as possible after the prospecting activities have been completed. 25. No trapping or snaring to fauna on the construction/prospecting site should be allowed. 26. No faunal species must be disturbed, trapped, hunted or killed by maintenance staff during any routine maintenance at the development.
Prospecting (Alluvial, General & in Kimberlite) – excavations	Loss of topsoil	Soil	Pitting and trenching phase-(construction and operation phase)	 The Contractor should, prior to the commencement of earthworks determine the average depth of topsoil, and agree on this with the ECO. The full depth of topsoil should be stripped from areas affected by construction and related activities prior to the commencement of major earthworks. This should include the building footprints, working areas and storage areas. Topsoil must be reused where possible to rehabilitate disturbed areas. Care must be taken not to mix topsoil and subsoil during stripping. The topsoil must be conserved on site in and around the pit/trench area. Subsoil and overburden in the prospecting area should be stockpiled separately to be returned for backfilling in the correct soil horizon order. If stockpiles are exposed to windy conditions or heavy rain, they should be covered either by vegetation or geofabric, depending on the duration of the project. Stockpiles may further be protected by the construction of berms or low brick walls around their bases. Stockpiles should be kept clear of weeds and alien vegetation growth by regular weeding. Where contamination of soil is expected, analysis must be done prior to disposal route. Proof from an

			approved waste disposal site where contaminated soils are dumped if and when a spillage/leakage occurs should be attained and given to the project manager. Establish an effective record keeping system for each area where soil is disturbed for prospecting purposes. These records should be included in environmental performance reports, and should include all the records below. Record the GPS coordinates of each area. Record the date of topsoil stripping. Record the GPS coordinates of where the topsoil is stockpiled. Record the date of cessation prospecting activities at the particular site. Photograph the area on cessation of prospecting activities. Record date and depth of re-spreading of topsoil. Photograph the area on completion of rehabilitation and on an annual basis thereafter to show vegetation establishment and evaluate progress of restoration over time.	
Erosion	Soil Air Water	Pitting and trenching phase-(construction and operation phase)	 An effective system of run-off control should be implemented, where it is required, that collects and safely disseminates run-off water from all hardened surfaces and prevents potential down slope erosion. Periodical site inspection should be included in environmental performance reporting that inspects the effectiveness of the run-off control system and specifically records the occurrence of any erosion on site or downstream. Wind screening and stormwater control should be undertaken to prevent soil loss from the site. 	Minimisation of impacts to acceptable limits

	4. The use of silt fences and sand bags must be
	implemented in areas that are susceptible to
	erosion.
	5. Other erosion control measures that can be
	implemented are as follows:
	○ Brush packing with cleared vegetation
	o Mulch or chip packing
	 Planting of vegetation
	 Hydroseeding/hand sowing
	6. Sensitive areas need to be identified prior to
	construction/prospecting so that the necessary
	precautions can be implemented.
	7. All erosion control mechanisms need to be
	regularly maintained.
	8. Seeding of topsoil and subsoil stockpiles to
	prevent wind and water erosion of soil surfaces.
	9. Retention of vegetation where possible to avoid
	soil erosion.
	10. Vegetation clearance should be phased to ensure
	that the minimum area of soil is exposed to
	potential erosion at any one time.
	11. Re-vegetation of disturbed surfaces should occur
	immediately after construction/prospecting
	activities are completed. This should be done
	through seeding with indigenous grasses.
	12. No impediment to the natural water flow other than
	approved erosion control works is permitted.
	13. To prevent stormwater damage, the increase in
	stormwater run-off resulting from
	construction/prospecting activities must be
	estimated and the drainage system assessed
	accordingly.
	14. Stockpiles not used in three (3) months after
	stripping must be seeded or backfilled to prevent
	dust and erosion.
L	1 1 222.000

Air Pollution	Air	Pitting and trenching	Dust control	Minimisation of impacts to
		phase-(construction	Wheel washing and damping down of un-surfaced	acceptable limits
		and operation phase)	and un-vegetated areas.	
			Retention of vegetation where possible will reduce	
			dust travel.	
			3. Clearing activities must only be done during	
			agreed working times and permitting weather	
			conditions to avoid drifting of sand and dust into	
			neighbouring areas.	
			4. Damping down of all exposed soil surfaces with a	
			water bowser or sprinklers when necessary to	
			reduce dust.	
			5. The Contractor shall be responsible for dust	
			control on site to ensure no nuisance is caused to	
			the neighbouring communities.	
			6. A speed limit of 30km/h must not be exceeded on	
			site.	
			7. Any complaints or claims emanating from the lack	
			of dust control shall be attended to immediately by	
			the Contractor.	
			Any dirt roads that are utilised by the workers must be regularly maintained to ensure that dust levels	
			be regularly maintained to ensure that dust levels are controlled.	
			are controlled.	
			Odour control	
			9. Regular servicing of vehicles in order to limit	
			gaseous emissions.	
			10. Regular servicing of onsite toilets to avoid	
			potential odours.	
			Rehabilitation	
			11. The Contractor should commence rehabilitation of	
			exposed soil surfaces as soon as practical after	
			completion of earthworks.	
			completion of cartinworks.	
			Fire prevention	
1	<u> </u>	125	k	<u> </u>

		 12. No open fires shall be allowed on site under any circumstance. All cooking shall be done in demarcated areas that are safe and cannot cause runaway fires. 13. The Contractor shall have operational fire-fighting equipment available on site at all times. The level of firefighting equipment must be assessed and evaluated through a typical risk assessment process.
 Noise	Pitting and trenching	The prospecting activities must aim to adhere to Minimisation of impacts to
	phase-(construction	the relevant noise regulations and limit noise to acceptable limits
	and operation phase)	within standard working hours in order to reduce disturbance of dwellings in close proximity to the
		development.
		2. Mine, crushers, workshops and other noisy fixed
		facilities should be located well away from noise
		sensitive areas. Once the proposed final layouts
		are made available by the Contractor(s), the sites
		must be evaluated in detail and specific measures
		designed in to the system. 3. Truck traffic should be routed away from noise
		sensitive areas, where possible.
		Noise levels must be kept within acceptable limits.
		5. Noisy operations should be combined so that they
		occur where possible at the same time.
		6. Mine workers to wear necessary ear protection
		gear.
		7. Noisy activities to take place during allocated hours.
		Noise from labourers must be controlled.
		Noise suppression measures must be applied to
		all equipment. Equipment must be kept in good
		working order and where appropriate fitted with
		silencers which are kept in good working order.
		Should the vehicles or equipment not be in good
		working order, the Contractor may be instructed to

	Impact on potential cultural and heritage artefacts	Heritage	Pitting and trenching phase-(construction and operation phase)	remove the offending vehicle or machinery from the site. 10. The Contractor must take measures to discourage labourers from loitering in the area and causing noise disturbance. Where possible labour shall be transported to and from the site by the Contractor or his Sub-Contractors by the Contractors own transport. 11. Implementation of enclosure and cladding of processing plants. 12. Applying regular and thorough maintenance schedules to equipment and processes. An increase in noise emission levels very often is a sign of the imminent mechanical failure of a machine. 1. Any finds must be reported to the nearest National Monuments office to comply with the National Heritage Resources Act (Act No 25 of 1999) and to DEA. 2. Local museums as well as the South African Heritage Resource Agency (SAHRA) should be informed if any artefacts are uncovered in the affected area. 3. The Contractor must ensure that his workforce is aware of the necessity of reporting any possible historical or archaeological finds to the ECO so that appropriate action can be taken. 4. Any discovered artefacts shall not be removed under any circumstances. Any destruction of a site can only be allowed once a permit is obtained and the site has been mapped and noted. Permits shall be obtained from the SAHRA should the proposed site affect any world heritage sites or if any heritage sites are to be destroyed or altered. The following shall apply according to the HIA specialist:	Minimisation of impacts to acceptable limits
--	---	----------	--	--	--

	5. Known sites should be clearly marked in order that they can be avoided during construction activities.6. The contractors and workers should be notified that archaeological sites might be exposed during the construction activities.	
	Should any heritage artefacts be exposed during excavation, work on the area where the artefacts were	
	discovered, shall cease immediately and the Environmental Control Officer shall be notified as soon	
	as possible;	
	8. All discoveries shall be reported immediately to a	
	heritage practitioner so that an investigation and evaluation of the finds can be made. Acting upon advice	
	from these specialists, the Environmental Control	
	Officer will advise the necessary actions to be taken;	
	9. Under no circumstances shall any artefacts be removed, destroyed or interfered with by anyone on the	
	site; and	
	10. Contractors and workers shall be advised of the	
	penalties associated with the unlawful removal of cultural, historical, archaeological or palaeontological	
	artefacts, as set out in the National Heritage Resources	
	Act (Act No. 25 of 1999), Section 51. (1).	
	According to the HIA specialist the following must be in place:	
	11. A person or entity, e.g. the Environmental Control	
	Officer, should be tasked to take responsibility for the heritage sites and should be held accountable for any	
	damage.	
	12. Known sites should be located and isolated, e.g. by	
	fencing them off. All construction workers should be	
	informed that these are no-go areas, unless accompanied by the individual or persons representing	
	accompanied by the individual or persons representing	

the Environmental Control Officer as identified above.

			13. In areas where the vegetation is threatening the heritage sites, e.g. growing trees pushing walls over, it should be removed, but only after permission for the methods proposed has been granted by SAHRA. A heritage official should be part of the team executing these measures.	
Waste management	Pollution	Pitting and trenching phase-(construction and operation phase)	 Refuse bins must be placed at strategic positions to ensure that litter does not accumulate within the construction site. The Contractor shall supply waste collection bins where such is not available and all solid waste collected shall be disposed of at registered/licensed landfill. Good housekeeping practices should be implemented to regularly maintain the litter and rubble situation on the construction site. If possible and feasible, all waste generated on site must be separated into glass, plastic, paper, metal and wood and recycled. An independent contractor can be appointed to conduct this recycling. Littering by the employees of the Contractor shall not be allowed under any circumstances. The ECO shall monitor the neatness of the work sites as well as the Contractor campsite. Skip waste containers should be maintained on site. These should be kept covered and arrangements made for them to be collected regularly. All waste must be removed from the site and transported to a landfill site promptly to ensure that it does not attract vermin or produce odours. Where a registered waste site is not available close to the construction site, the Contractor shall 	Minimisation of impacts to acceptable limits

certain portion of the Remaining Extent of the farm Onder Plaats 401, a certain portion of Portion 1, a certain portion of portion 4), a certain portion of Portion 7 (portion of portion of portion of portion of Portion 1), a certain portion of Portion 1, a certain portion of Portion 1, a certain portion of Portion 1), a certain portion of Portion 1, a certain portion of Portion 1, a certain portion of Portion 1, a certain portion of Portion 1), a certain portion of Portion 1, a certain po Namakwari 656, Registration Division: Gordonia and Kenhardt, Northern Cape Province. provide a method statement with regard to waste management. 9. A certificate of disposal shall be obtained by the Contractor and kept on file, if relevant. 10. Under no circumstances may solid waste be burnt on site. 11. All waste must be removed promptly to ensure that it does not attract vermin or produce odours. Hazardous waste 12. All waste hazardous materials must be carefully stored as advised by the ECO, and then disposed of offsite at a licensed landfill site, where practical. Incineration may be used where relevant. 13. Contaminants to be stored safely to avoid spillage. 14. Machinery must be properly maintained to keep oil leaks in check. 15. All necessary precaution measures shall be taken to prevent soil or surface water pollution from hazardous materials used during construction and any spills shall immediately be cleaned up and all affected areas rehabilitated. Sanitation 16. The Contractor shall install mobile chemical toilets on the site. 17. Staff shall be sensitised to the fact that they should use these facilities at all times. No indiscriminate sanitary activities on site shall be allowed. 18. Toilets shall be serviced regularly and the ECO shall inspect toilets regularly. 19. Toilets should be no closer than 50m or above the 1:100 year flood line from any natural or manmade water bodies or drainage lines or alternatively

Milnex CC: EIA373 - EIR & EMPr - The proposed Prospecting Right application for the prospecting of Diamonds (Alluvial, General & in Kimberlite), combined with a Waste Licence Application, near Groblershoop on a certain portion of the Remaining Extent of the farm Zonderhuis 402, a

located in a place approved of by the Engineer.

Milnex CC: EIA373 - EIR & EMPr - The proposed Prospecting Right application for the prospecting of Diamonds (Alluvial, General & in Kimberlite), combined with a Waste Licence Application, near Groblershoop on a certain portion of the Remaining Extent of the farm Zonderhuis 402, a certain portion of the Remaining Extent of the farm Onder Plaats 401, a certain portion of Portion 1, a certain portion of Portion 4), a certain portion of Portion 7 (portion of portion of Portion 7) (portion of portion 4), a certain portion of Portion 7) (portion of Portion 1), a certain portion portion 2), a certain portion 1), a cert Namakwari 656, Registration Division: Gordonia and Kenhardt, Northern Cape Province. 20. Under no circumstances may open areas, neighbours fences or the surrounding bush be used as a toilet facility. 21. The construction of "Long Drop" toilets is forbidden, but rather toilets connected to the sewage treatment plant. 22. Potable water must be provided for all construction staff. Remedial actions 23. Depending on the nature and extent of the spill, contaminated soil must be either excavated or treated on-site. 24. Excavation of contaminated soil must involve careful removal of soil using appropriate tools/machinery to storage containers until treated or disposed of at a licensed hazardous landfill site. 25. The ECO must determine the precise method of treatment for polluted soil. This could involve the application of soil absorbent materials as well as oil-digestive powders to the contaminated soil. 26. If a spill occurs on an impermeable surface such as cement or concrete, the surface spill must be contained using oil absorbent material. 27. If necessary, oil absorbent sheets or pads must be attached to leaky machinery or infrastructure. 28. Materials used for the remediation of petrochemical spills must be used according to product specifications and guidance for use. 29. Contaminated remediation materials must be carefully removed from the area of the spill so as to prevent further release of petrochemicals to the

environment, and stored in adequate containers

until appropriate disposal.

Water Use and Quality	Water pollution	Water	Pitting and trenching	Water Use
			phase-(construction	Develop a sustainable water supply management
			and operation phase)	plan to minimise the impact to natural systems by
			and operation pridocy	managing water use, avoiding depletion of
				aquifers and minimising impacts to water users.
				Water must be reused, recycled or treated where
				possible.
				posoisio.
				Water Quality
				3. The quality and quantity of effluent streams
				discharged to the environment including
				stormwater should be managed and treated to
				meet applicable effluent discharge guidelines.
				4. Discharge to surface water should not result in
				contaminant concentrations in excess of local
				ambient water quality criteria outside a
				scientifically established mixing zone.
				5. Efficient oil and grease traps or sumps should be
				installed and maintained at refueling facilities,
				workshops, fuel storage depots, and containment
				areas and spill kits should be available with
				emergency response plans.
				Stormwater
				6. The site must be managed in order to prevent
				pollution of drains, downstream watercourses or
				groundwater, due to suspended solids and silt or
				chemical pollutants.
				7. Silt fences should be used to prevent any soil
				entering the stormwater drains.
				8. Temporary cut off drains and berms may be
				required to capture stormwater and promote
				infiltration.
				9. Promote a water saving mind set with
				construction/prospecting workers in order to
				Contractor ensure less water wastage.
			1.40	

Namakwari 656, Registration Division: Gordonia and Kenhardt, Northern Cape Province. 10. Hazardous substances must be stored at least 40m from any water bodies on site to avoid pollution. 11. The installation of the stormwater system must take place as soon as possible to attenuate stormwater from the construction phase as well as the operation phase. 12. Earth, stone and rubble is to be properly disposed of, or utilized on site so as not to obstruct natural water path ways over the site. i.e. these materials must not be placed in stormwater channels, drainage lines or rivers. 13. There should be a periodic checking of the site's drainage system to ensure that the water flow is unobstructed. 14. If a batching plant is necessary, run-off should be managed effectively to avoid contamination of other areas of the site. Untreated runoff from the batch plant must not be allowed to get into the storm water system or nearby streams, rivers or erosion channels or dongas. 15. The cut-off trenches and silt fences will be installed where necessary as to control runoff storm water by attenuating it and control the movement of sediment on the premises. 16. These structures will be monitored on a regular basis. It is suggested that it be monitored on a weekly basis during the rainy season, and after possible rain events during the dry season. 17. If these practices is found to be insufficient for the control of storm water and sedimentation, other alternatives should immediately be investigated and implemented. **Groundwater resource protection**

Milnex CC: EIA373 –EIR & EMPr - The proposed Prospecting Right application for the prospecting of Diamonds (Alluvial, General & in Kimberlite), combined with a Waste Licence Application, near Groblershoop on a certain portion of the Remaining Extent of the farm Donder Plaats 401, a certain portion of Portion 1, a certain portion of Portion 4), a certain portion of Portion of Portion of Portion of Portion of Portion 1, a certain portion 1, a cer

Namakwari 656, Registration Division: Gordonia and Kenhardt, Northern Cape Province. 18. Process solution storage ponds and other impoundments designed to hold non fresh water or non-treated process effluents should be lined and be equipped with sufficient wells to enable monitoring of water levels and quality. Recommendations according Baseline Hydrogeological Investigation: 19. Based on the nitrate concentration detected in NK-BH1, consumption is not recommended; 20. Given the low likelihood for the tailings material to impact on the groundwater, it is recommended that motivation is provided for a Type 4 Classification: 21. Groundwater Monitoring should be undertaken in accordance with SANS and DWS requirements in line with the recommended schedule. Three (3) boreholes are recommended to be monitored (Please see specialist study, Appendix 12, for boreholes); and 22. An annual compliance report should be compiled and submitted to the authorities for evaluation and comment. The monitoring network should be updated annually, and this report should be submitted annually. Sanitation 23. Adequate sanitary facilities and ablutions must be provided for construction workers (1 toilet per every 15 workers). 24. The facilities must be regularly serviced to reduce the risk of surface or groundwater pollution. Concrete mixing

Milnex CC: EIA373 –EIR & EMPr - The proposed Prospecting Right application for the prospecting of Diamonds (Alluvial, General & in Kimberlite), combined with a Waste Licence Application, near Groblershoop on a certain portion of the Remaining Extent of the farm Zonderhuis 402, a certain portion of the Remaining Extent of the farm Onder Plaats 401, a certain portion of Portion 1, a certain portion of Portion 6 (portion of portion 7), a certain portion of Portion 7 (portion of portion 4), and certain portion of Portion 9 (portion of portion 4) and certain portion of Portion 9 (portion of portion 4).

Milnex CC: EIA373 -EIR & EMPr - The proposed Prospecting Right application for the prospecting of Diamonds (Alluvial, General & in Kimberlite), combined with a Waste Licence Application, near Groblershoop on a certain portion of the Remaining	Extent of the farm Zonderhuis 402, a
certain portion of the Remaining Extent of the farm Onder Plaats 401, a certain portion of the Remaining Extent of Portion 1, a certain portion of (portion of portion 4), a certain portion of Portion 7 (portion of portion 4) and certain portion of Portion 1, a certain portion 1, a cer	on 9 (portion of portion 4) of the farm
Namakwari 656 Registration Division: Gordonia and Kenhardt Northern Cane Province	

Watercourse Delineation and Ecological Imp	act Assessment Reno	rt: Impact and Mitigat	on measures	 25. Concrete contaminated water must not enter soil or any natural drainage system as this disturbs the natural acidity of the soil and affects plant growth. Public areas 26. Food preparation areas should be provided with adequate washing facilities and food refuse should be stored in sealed refuse bins which should be removed from site on a regular basis. 27. The Contractor should take steps to ensure that littering by construction/prospecting workers does not occur and persons should be employed on site to collect litter from the site and immediate surroundings, including litter accumulating at fence lines. 28. No washing or servicing of vehicles on site. 	
Excavations, Pitting, Trenching, Rehabilitation	Alteration of the flow regime of the watercourse	watercourse	Construction, Operational & Decommissioning	 Any activities that take place within 32 meters of a wetland or watercourse or the 1:100 year flood lines will require authorisation in terms of the relevant regulations of NEMA, however as far as possible infrastructure should be placed outside of buffer lines. Demarcate the watercourse areas and buffer zones to limit disturbance, clearly mark these areas as nogo areas. Where construction occurs in the demarcated watercourse and buffer areas, additional precautions should be implemented to minimise watercourse loss. No stockpiling should take place within a watercourse or the calculated buffers. All stockpiles must be protected from erosion, stored on flat areas where run-off will be minimised, and be surrounded by bunds. Erosion and sedimentation into channels must be minimised through the effective stabilisation and the revegetation of any disturbed stream banks. 	Minimisation of impacts to acceptable limits

	Ensure that erosion management and sediment
	controls are strictly implemented from the beginning of site
	clearing activities.
	All areas should be re-sloped and top-soiled
	where necessary and reseeded with indigenous grasses to
	stabilise the loose material.
	Monitor the occurrence of erosion during the rainy
	season and take immediate corrective action where needed.
	A sensitivity map has been developed for the
	study area, indicating the drainage lines and riparian
	systems, and their relevant buffer zones. It is recommended
	that this sensitivity map be considered during all phases of
	the development and with special mentioning of the planning
	of infrastructure, in order to aid in the conservation of and
	minimise impact on the riparian and aquatic habitat and
	resources within the study site.
	Any areas where bank failure is observed, due to
	the prospecting impacts, should be immediately repaired.
	As far as possible the existing road network
	should be utilised, minimising the need to develop new
	access routes resulting in an increased impact on the local
	environment.
	Operational phase activities should not take place
	within watercourses or buffer zones.
	The duration of impacts on the drainage line
	should be minimised as far as possible by ensuring that the
	duration of time in which flow alteration and sedimentation
	will take place is minimised.
	Alien and invasive vegetation control should take
	place throughout all phases to prevent loss of floral habitat.
	All rehabilitation activities should occur in the dry
	season.
	Rehabilitation of disturbed areas as a result of
	construction must be implemented immediately upon
	completion of construction.
 1	

Excavations, Pitting, Trenching, Rehabilitation	Changing the	structure within a	Construction,	Other than approved and authorized structures,	Minimisation of impacts to
, 3,	physical structure	water resource	Operational &	no other development or maintenance infrastructure is	acceptable limits
	within a water	(habitat)	Decommissioning	allowed within the delineated watercourse and riparian	'
	resource (habitat)			areas or their associated buffer zones.	
	(,			Alien and invasive vegetation control should take	
				place throughout all phases to prevent loss of floral habitat.	
				Monitor the occurrence of erosion during the rainy	
				season and take immediate corrective action where needed.	
				No stockpiling should take place within a	
				watercourse or the calculated buffers.	
				All stockpiles must be protected from erosion,	
				stored on flat areas where run-off will be minimised, and be	
				surrounded by bunds.	
				Bi-annual biomonitoring of aquatic macro-	
				invertebrates and diatoms within the riverine systems is	
				essential.	
				All maintenance within watercourses must be	
				restricted to the dry season.	
				Maintenance activities should not impact on	
				rehabilitated or naturally vegetated areas.	
				Rehabilitation should limit fragmentation and	
				isolation of sections of the non-perennial drainage line	
				systems.	
				The duration of impacts on the riverine and	
				drainage line systems should be minimised as far as	
				possible by ensuring that the duration of time in which flow	
				alteration and sedimentation will take place is minimised.	
				Rehabilitation must ensure that riparian structure	
				and function are reinstated in such a way as to ensure the	
				ongoing functionality of the larger riparian systems at pre-	
				mining levels.	
				All rehabilitation activities should occur in the dry	
				season.	
Excavations, Pitting, Trenching, Rehabilitation	Alteration of the	water resource and	Construction,	Buffer zones should be maintained, in order to	Minimisation of impacts to
	amount of sediment	turbidity	Operational &	minimise sedimentation of the downstream areas.	acceptable limits
	entering the water		Decommissioning		

resource and	No stockpiling should take place within a	
associated change	watercourse or the calculated buffers.	
in turbidity	Ensure that erosion management and sediment	
·	controls are strictly implemented from the beginning of site	
	clearing activities.	
	All areas should be re-sloped and top-soiled	
	where necessary and reseeded with indigenous grasses to	
	stabilise the loose material.	
	All stockpiles must be protected from erosion,	
	stored on flat areas where run-off will be minimised, and be	
	surrounded by bunds.	
	Erosion and sedimentation into channels must be	
	minimised through the effective stabilisation and the re-	
	vegetation of any disturbed stream banks.	
	As far as possible the existing road network	
	should be utilised, minimising the need to develop new	
	access routes resulting in an increased impact on the local	
	environment.	
	Erosion control measures, such as berms, must	
	be implemented to manage runoff from roads to prevent	
	erosion and pollution.	
	Silt screens should be used where necessary.	
	Rehabilitation of disturbed areas as a result of	
	construction must be implemented immediately upon	
	completion of construction.	
	Rehabilitation must ensure that riparian structure	
	and function are reinstated in such a way as to ensure the	
	ongoing functionality of the larger riparian systems at pre-	
	mining levels.	
	All rehabilitation activities should occur in the dry	
	season.	
	The duration of impacts on the riverine and	
	drainage line systems should be minimised as far as	
	possible by ensuring that the duration of time in which flow	
	alteration and sedimentation will take place is minimised;	
<u>'</u>		

				Maintain flood capacity, particularly in areas with	
				significant flood hazards.	
Excavations, Pitting, Trenching, Rehabilitation	Alteration of water	water quality	Construction,	All vehicles must be regularly inspected for leaks.	Minimisation of impacts to
	quality		Operational &	Re-fuelling must take place on a sealed surface	acceptable limits
			Decommissioning	area to prevent hydrocarbon pollution.	
				All spills should be cleaned up immediately and	
				disposed of.	
				Spill kits should be readily available and easily	
				accessible throughout the site.	
				All chemicals must be stored safely on site,	
				outside the buffer areas and surrounded by bunds. Chemical	
				storage containers must be regularly inspected for early leak	
				detection.	
				Littering must be prevented by effective site	
				management and the provision of bins.	
				Provision of adequate sanitation facilities located	
				outside of the delineated buffer zones.	
				An emergency spill procedure should be	
				developed and implemented.	
				No stockpiling should take place within a	
				watercourse.	
				All stockpiles must be protected from erosion,	
				stored on flat areas where run-off will be minimised, and be	
				surrounded by bunds.	
				Stockpiles must be located away from river channels and drainage lines.	
				channels and drainage lines.	
				Erosion and sedimentation into channels must be principled through the effective stabilization and the re- principle through	
				minimised through the effective stabilisation and the re-	
				vegetation of any disturbed riverbanks.	
Excavations, Pitting, Trenching, Rehabilitation	Loss of terrestrial	terrestrial habitat	Construction,	Areas that are stripped during construction and	Minimisation of impacts to
	habitat		Operational &	operation should be re-vegetated with indigenous	acceptable limits
			Decommissioning	vegetation.	
				It is recommended that areas to be developed be	
				specifically demarcated so that during the construction	
				phase, only the demarcated areas be impacted upon	

				(including fencing off the defined project area) and preventing movement of workers into natural areas.	
				The duration of the prospecting should be	
				minimized to as short term as possible, in order to reduce	
				the period of disturbance on fauna and flora.	
				Areas of indigenous vegetation should under no	
				circumstances be fragmented or disturbed for used as an	
				area for dumping of waste.	
				As far as possible the existing road network	
				should be utilised, minimising the need to develop new	
				access routes resulting in an increased impact on the local	
				environment.	
				All staff and visitors to the site must undergo an	
				induction process and must be made aware of the sensitive	
				nature of the environment and floral species which occur	
				there.	
				The area must be re-vegetated with plant and	
				grass species which are endemic to the exact vegetation	
				types.	
				Rehabilitation measures that are implemented	
				must be continually monitored for a minimum period of four	
				years to ensure that proper succession has occurred and	
				that there is no erosion occurring.	
				An alien invasive vegetation management plan	
				should be developed and implemented.	
				Alien and invasive vegetation control should take	
				place throughout all phases to prevent loss of floral habitat.	
Excavations, Pitting, Trenching, Rehabilitation	Loss of Aquatic	Aquatic Biota	Construction,	Bi-annual biomonitoring of aquatic macro-	Minimisation of impacts to
	Biota	1 190000 21000	Operational &	invertebrates and diatoms within the riverine systems is	acceptable limits
			Decommissioning	essential.	
			2 555111110515111119	Refer to Mitigation Measures regarding water	
				quality and sedimentation as listed above.	
Excavations, Pitting, Trenching, Rehabilitation	Loss of Terrestrial	Terrestrial Fauna	Construction,	Site clearing to take place in a phased manner	Minimisation of impacts to
Exouvations, Fitting, Fronting, Noriabilitation	Fauna	Torrostriai i auria	Operational &	(where possible) to allow for any faunal species present to	acceptable limits
	i dullu		Decommissioning	move away from the study site to the surrounding open	acceptable illille
			Decominissioning		
			150	space areas.	

	Prior and during vegetation	on clearance any larger
	fauna species noted should be g	ven the opportunity to
	move away from the construction m	achinery.
	Fauna species such as	frogs and reptiles that
	have not moved away should b	e carefully and safely
	removed to a suitable location be	
	development footprint by a suitably	qualified ECO trained in
	the handling and relocation of anima	lls.
	Fencing should be erected	around the project area
	to prevent workers and members of	the public from entering
	the surrounding environments. This	ence should have small
	openings to allow wildlife to pass the	ough.
	Waste management must	-
	waste must be collected and st	• •
	recommended that all waste be re	emoved from site on a
	weekly basis to prevent rodents and	pests entering the site.
	Should any sensitive or F	led Data animal or bird
	species be encountered during the	construction, operation
	and decommissioning activities, the	se should be relocated
	to natural areas in the vicinity. Any	sensitive fauna that are
	inadvertently killed during earthmovi	ng operations should be
	preserved as museum voucher spe-	cimens.
	No hunting, trapping o	killing of fauna are
	allowed.	
	Any lizards, snakes or	monitors encountered
	should be allowed to escape to a su	table habitat away from
	disturbance.	
	General avoidance of sna	kes is the best policy if
	encountered. Snakes should not be	intentionally harmed or
	killed and allowed free movement a	way from the area.
	Trenches and deep excav	
	open for extended periods of time a	s fauna may fall in and
	become trapped in them. Trench	es which are exposed
	should contain soil ramps allowing	g fauna to escape the
	trench.	

Excavations, Pitting, Trenching, Rehabilitation	Loss of Terrestrial Flora	Terrestrial Flora	Construction, Operational & Decommissioning	Noise must be kept to an absolute minimum at night to minimise all possible disturbances to amphibian species and nocturnal mammals. Areas that are stripped during construction and operation should be re-vegetated with indigenous vegetation as soon as possible. This will also reduce the likelihood of encroachment by alien invasive plant species. Protected trees and plants shall not be removed or damaged without prior approval, permits or licenses from the relevant authority, this is especially applicable to the Protected Witgat (Boscia albitrunca) and Camel Thorn Tree (Vachellia erioloba), which were present on site.	Minimisation of impacts to acceptable limits
Excavations, Pitting, Trenching, Rehabilitation	Introduction and spread of alien vegetation	Indigenous flora	Construction, Operational & Decommissioning	 Proliferation of alien and invasive species is expected within any disturbed areas particularly as there are some alien and invasive species present within the study site. These species should be eradicated and controlled to prevent further spread beyond. An alien invasive vegetation management plan should be developed and implemented. Alien and invasive vegetation control should take place throughout all phases to prevent loss of floral habitat. Footprint areas should be kept as small as possible when removing alien plant species. No vehicles should be allowed to drive through designated sensitive drainage lines and riparian areas during the eradication of alien and weed species. All alien vegetation in the riparian zone should be removed upon completion of prospecting activities and reseeded with indigenous grasses as specified by a suitably qualified specialist (ecologist). 	Minimisation of impacts to acceptable limits

IMPACT MANAGEMENT ACTIONS

(A description of impact management actions, identifying the manner in which the impact management objectives and outcomes contemplated in paragraphs (c) and (d) will be achieved).

ACTIVITY	POTENTIAL IMPACT	MITIGATION	TIME PERIOD FOR	COMPLIANCE WITH STANDARDS
	FOILNIIAL IMFACI			COMPLIANCE WITH STANDARDS
Whether listed or not listed. (E.g. Excavations, blasting, stockpiles, discard dumps or dams, Loading, hauling and transport, Water supply dams and boreholes, accommodation, offices, ablution, stores, workshops, processing plant, storm water control, berms, roads, pipelines, power lines, conveyors, etcetc).	(e.g. dust, noise, drainage surface disturbance, fly rock, surface water contamination, groundwater contamination, air pollution etcetc)	(modify, remedy, control, or stop) through (e.g. noise control measures, storm-water control, dust control, rehabilitation, design measures, blasting controls, avoidance, relocation, alternative activity etc. etc) E.g. • Modify through alternative method. • Control through noise control • Control through management and monitoring Remedy through rehabilitation	IMPLEMENTATION Describe the time period when the measures in the environmental management programme must be implemented Measures must be implemented when required. With regard to Rehabilitation specifically this must take place at the earliest opportunity. With regard to Rehabilitation, therefore state either: Upon cessation of the individual activity or. Upon the cessation of mining, bulk sampling or alluvial diamond prospecting as the case may be.	(A description of how each of the recommendations in 2.11.6 read with 2.12 and 2.15.2 herein will comply with any prescribed environmental management standards or practices that have been identified by Competent Authorities)
Clearance of vegetation	Loss or fragmentation of habitats	Vegetation Vegetation removal must be limited to the prospecting site. Vegetation to be removed as it becomes necessary rather than removal of all vegetation throughout the site in one step. No vegetation to be used for firewood. Exotic and invasive plant species should not be allowed to establish, if the development is approved. Rehabilitation	Duration of operation	The implementation of the recommended mitigation measures will result in the minimisation of impacts to acceptable standards, thereby ensuring compliance with NEMA and Duty of Care as prescribed by NEMA.

5. All damaged areas shall be rehabilitated upon
completion of the contract.
6. Re-vegetation of the disturbed site is aimed at
approximating as near as possible the natural
vegetative conditions prevailing prior to
construction.
7. All natural areas impacted during
construction/prospecting must be rehabilitated
with locally indigenous grasses typical of the
representative botanical unit.
8. Rehabilitation must take place in a phased
approach as soon as possible.
9. Rehabilitation process must make use of species
indigenous to the area. Seeds from surrounding
seed banks can be used for re-seeding.
10. Rehabilitation must be executed in such a manner
that surface run-off will not cause erosion of
disturbed areas.
11. Planting of indigenous tree species in areas not to
be cultivated or built on must be encouraged.
Demarcation of prospecting area
12. All plants not interfering with prospecting
operations shall be left undisturbed clearly marked
and indicated on the site plan.
13. The prospecting area must be well demarcated
and no construction activities must be allowed
outside of this demarcated footprint.
14. Vegetation removal must be phased in order to
reduce impact of construction/prospecting.
15. Site office and laydown areas must be clearly
demarcated and no encroachment must occur
beyond demarcated areas.
16. Strict and regular auditing of the prospecting
process to ensure containment of the prospecting
and laydown areas.

17. Soils must be kept free of petrochemical solutions that may be kept on site during construction/prospecting. Spillage can result in a loss of soil functionality thus limiting the reestablishment of flora. Utilisation of resources 18. Gathering of firewood, fruit, muti plants, or any other natural material onsite or in areas adjacent to the site is prohibited unless with prior approval of the ECO. **Exotic vegetation** 19. Alien vegetation on the site will need to be controlled. 20. The Contractor should be responsible for implementing a programme of weed control (particularly in areas where soil has been disturbed); and grassing of any remaining stockpiles to prevent weed invasion. 21. The spread of exotic species occurring throughout the site should be controlled. Herbicides 22. Herbicide use shall only be allowed according to contract specifications. The application shall be according to set specifications and under supervision of a qualified technician. The possibility of leaching into the surrounding environment shall be properly investigated and only environmentally friendly herbicides shall be used. 23. The use of pesticides and herbicides on the site must be discouraged as these impact on important pollinator species of indigenous vegetation.

26. No faunal species must be disturbed, trapped, hunted or killed by maintenance staff during any routine maintenance at the development. Prospecting of Diamonds (Alluvial, General & in Kimberlite) – excavations 1. The Contractor should, prior to the commencement of earthworks determine the average depth of topsoil, and agree on this with the ECO. The full depth of topsoil should be stripped from areas affected by construction/prospecting and related activities 26. No faunal species must be disturbed, trapped, hunted or killed by maintenance staff during any routine maintenance at the development. The implementation of recommended mitigation me will result in the minimisal impacts to acceptable state thereby ensuring compliance of the commencement of earthworks determine the average depth of topsoil should be stripped from areas affected by construction/prospecting and related activities NEMA and Duty of Care as presented.		Fauna 24. Rehabilitation to be undertaken as soon as possible after prospecting has been completed. 25. No trapping or snaring to fauna on the construction/prospecting site should be allowed.		
General & in Kimberlite) – excavations commencement of earthworks determine the average depth of topsoil, and agree on this with the ECO. The full depth of topsoil should be stripped from areas affected by construction/prospecting and related activities recommended mitigation medium vill result in the minimisation medium vill result vill		26. No faunal species must be disturbed, trapped, hunted or killed by maintenance staff during any routine maintenance at the development.		
This should include the building footprints, working areas and storage areas. Topsoil must be reused where possible to rehabilitate disturbed areas. 2. Care must be taken not to mix topsoil and subsoil during stripping. 3. The topsoil must be conserved on site in and around the pit/trench area. 4. Subsoil and overburden in the prospecting area should be stockpiled separately to be returned for backfilling in the correct soil horizon order. 5. If stockpiles are exposed to windy conditions or heavy rain, they should be covered either by vegetation or geofabric, depending on the duration of the project. Stockpiles may further be protected by the construction of berms or low brick walls around their bases. 6. Stockpiles should be kept clear of weeds and alien vegetation growth by regular weeding. 7. Where contamination of soil is expected, analysis must be done prior to disposal of soil to determine	 Loss of topsoil	 The Contractor should, prior to the commencement of earthworks determine the average depth of topsoil, and agree on this with the ECO. The full depth of topsoil should be stripped from areas affected by construction/prospecting and related activities prior to the commencement of major earthworks. This should include the building footprints, working areas and storage areas. Topsoil must be reused where possible to rehabilitate disturbed areas. Care must be taken not to mix topsoil and subsoil during stripping. The topsoil must be conserved on site in and around the pit/trench area. Subsoil and overburden in the prospecting area should be stockpiled separately to be returned for backfilling in the correct soil horizon order. If stockpiles are exposed to windy conditions or heavy rain, they should be covered either by vegetation or geofabric, depending on the duration of the project. Stockpiles may further be protected by the construction of berms or low brick walls around their bases. Stockpiles should be kept clear of weeds and alien vegetation growth by regular weeding. Where contamination of soil is expected, analysis 	Duration of operation	The implementation of the recommended mitigation measures will result in the minimisation of impacts to acceptable standards, thereby ensuring compliance with NEMA and Duty of Care as prescribed by NEMA.

	approved waste disposal site where contaminated		
	soils are dumped if and when a spillage/leakage		
	occurs should be attained and given to the project		
	manager.		
	, and the second		
	Establish an effective record keeping system for each area		
	where soil is disturbed for prospecting purposes. These		
	records should be included in environmental performance		
	reports, and should include all the records below.		
	Record the GPS coordinates of each area.		
	 Record the date of topsoil stripping. 		
	Record the GPS coordinates of where the topsoil		
	is stockpiled.		
	Record the date of cessation prospecting		
	activities at the particular site.		
	Photograph the area on cessation of prospecting		
	activities.		
	Record date and depth of re-spreading of topsoil.		
	Photograph the area on completion of		
	rehabilitation and on an annual basis thereafter		
	to show vegetation establishment and evaluate		
	progress of restoration over time.		
Erosion	An effective system of run-off control should be	Duration of operation	The implementation of the
	implemented, where it is required, that collects	- 5.5000.	recommended mitigation measures
	and safely disseminates run-off water from all		will result in the minimisation of
	hardened surfaces and prevents potential down		impacts to acceptable standards,
	slope erosion.		thereby ensuring compliance with
	Periodical site inspection should be included in		NEMA and Duty of Care as prescribed
	environmental performance reporting that		by NEMA.
	inspects the effectiveness of the run-off control		*
	system and specifically records the occurrence of		
	any erosion on site or downstream.		
	Wind screening and stormwater control should be		
	undertaken to prevent soil loss from the site.		

1. The use of all favors and sand have much be
4. The use of silt fences and sand bags must be
implemented in areas that are susceptible to
erosion.
5. Other erosion control measures that can be
implemented are as follows:
o Brush packing with cleared vegetation
 Mulch or chip packing
 Planting of vegetation
Hydroseeding/hand sowing
6. Sensitive areas need to be identified prior to
construction/prospecting so that the necessary
precautions can be implemented.
7. All erosion control mechanisms need to be
regularly maintained.
8. Seeding of topsoil and subsoil stockpiles to
prevent wind and water erosion of soil surfaces.
9. Retention of vegetation where possible to avoid
soil erosion.
10. Vegetation clearance should be phased to ensure
that the minimum area of soil is exposed to
potential erosion at any one time.
11. Re-vegetation of disturbed surfaces should occur
immediately after construction/prospecting
activities are completed. This should be done
through seeding with indigenous grasses.
12. No impediment to the natural water flow other than
approved erosion control works is permitted.
13. To prevent stormwater damage, the increase in
stormwater run-off resulting from
construction/prospecting activities must be
estimated and the drainage system assessed
accordingly. A drainage plan must be submitted to
the Engineer for approval and must include the
location and design criteria of any temporary
stream crossings.

	 Stockpiles not used in three (3) months after stripping must be seeded/backfilled to prevent dust and erosion. 		
Air Pollution	 Dust control 14. Wheel washing and damping down of un-surfaced and un-vegetated areas. 15. Retention of vegetation where possible will reduce dust travel. 16. Clearing activities must only be done during agreed working times and permitting weather conditions to avoid drifting of sand and dust into neighbouring areas. 17. Damping down of all exposed soil surfaces with a water bowser or sprinklers when necessary to reduce dust. 18. The Contractor shall be responsible for dust control on site to ensure no nuisance is caused to the neighbouring communities. 19. A speed limit of 30km/h must not be exceeded on site. 20. Any complaints or claims emanating from the lack of dust control shall be attended to immediately by the Contractor. 21. Any dirt roads that are utilised by the workers must be regularly maintained to ensure that dust levels are controlled. 	Duration of operation	The implementation of the recommended mitigation measures will result in the minimisation of impacts to acceptable standards, thereby ensuring compliance with NEMA and Duty of Care as prescribed by NEMA.
	Odour control 22. Regular servicing of vehicles in order to limit gaseous emissions. 23. Regular servicing of onsite toilets to avoid potential odours.		
	Rehabilitation		

	24	The Contractor should commence rehabilitation of		
	24.			
		exposed soil surfaces as soon as practical after		
		completion of earthworks.		
	Fire pre			
	25.	No open fires shall be allowed on site under any		
		circumstance. All cooking shall be done in		
		demarcated areas that are safe and cannot cause		
		runaway fires.		
	26.	The Contractor shall have operational fire-fighting		
		equipment available on site at all times. The level		
		of firefighting equipment must be assessed and		
		evaluated through a typical risk assessment		
		process.		
Noise	1	•	Duration of anaration	The implementation of the
Noise	1.	The prospecting activities must aim to adhere to	Duration of operation	•
		the relevant noise regulations and limit noise to		recommended mitigation measures
		within standard working hours in order to reduce		will result in the minimisation of
		disturbance of dwellings in close proximity to the		impacts to acceptable standards,
		development.		thereby ensuring compliance with
	2.	Pans, power plants, crushers, workshops and		NEMA and Duty of Care as prescribed
		other noisy fixed facilities should be located well		by NEMA.
		away from noise sensitive areas. Once the		
		proposed final layouts are made available by the		
		Contractor(s), the sites must be evaluated in detail		
		and specific measures designed in to the system.		
	3.	Truck traffic should be routed away from noise		
		sensitive areas, where possible.		
	4.	Noise levels must be kept within acceptable limits.		
	5.	Noisy operations should be combined so that they		
	5.	occur where possible at the same time.		
	_	•		
	6.	Mine workers to wear necessary ear protection		
		gear.		
	7.	Noisy activities to take place during allocated		
		hours.		
	8.	Noise from labourers must be controlled.		

1		1
	Noise suppression measures must be applied to all equipment. Equipment must be kept in good	
	working order and where appropriate fitted with	
	silencers which are kept in good working order.	
	Should the vehicles or equipment not be in good	
	working order, the Contractor may be instructed to	
	remove the offending vehicle or machinery from	
	the site.	
	10. The Contractor must take measures to discourage	
	labourers from loitering in the area and causing	
	noise disturbance. Where possible labour shall be	
	transported to and from the site by the Contractor	
	or his Sub-Contractors by the Contractors own	
	transport.	
	11. Implementation of enclosure and cladding of	
	processing plants.	
	12. Applying regular and thorough maintenance	
	schedules to equipment and processes. An	
	increase in noise emission levels very often is a	
	sign of the imminent mechanical failure of a	
	machine.	
Impact on potential	Any finds must be reported to the nearest National Duration of operation	The implementation of the
cultural and heritage	Monuments office to comply with the National Heritage	recommended mitigation measures
artefacts	Resources Act (Act No 25 of 1999) and to DEA.	will result in the minimisation of
	Local museums as well as the South African Heritage	impacts to acceptable standards,
	Resource Agency (SAHRA) should be informed if any	thereby ensuring compliance with
	artefacts are uncovered in the affected area.	NEMA and Duty of Care as prescribed
	The Contractor must ensure that his workforce is aware	by NEMA.
	of the necessity of reporting any possible historical or	
	archaeological finds to the ECO so that appropriate	
	action can be taken.	
	4. Any discovered artefacts shall not be removed under	
	any circumstances. Any destruction of a site can only be	
	allowed once a permit is obtained and the site has been	
	mapped and noted. Permits shall be obtained from the	
	SAHRA should the proposed site affect any world	

havitage sites out from havitage sites are to be destroyed
heritage sites or if any heritage sites are to be destroyed
or altered.
The following shall apply according to the HIA specialist:
E. Kraum aites about de alegative and authorite de the co
5. Known sites should be clearly marked in order that they
can be avoided during construction activities.
6. The contractors and workers should be notified that
archaeological sites might be exposed during the
construction activities.
7. Should any heritage artefacts be exposed during
excavation, work on the area where the artefacts were
discovered, shall cease immediately and the
Environmental Control Officer shall be notified as soon
as possible;
8. All discoveries shall be reported immediately to a
heritage practitioner so that an investigation and
evaluation of the finds can be made. Acting upon advice
from these specialists, the Environmental Control
Officer will advise the necessary actions to be taken;
9. Under no circumstances shall any artefacts be
removed, destroyed or interfered with by anyone on the
site; and
10. Contractors and workers shall be advised of the
penalties associated with the unlawful removal of
cultural, historical, archaeological or palaeontological
artefacts, as set out in the National Heritage Resources
Act (Act No. 25 of 1999), Section 51. (1).
According to the HIA specialist the following must be in
place:
11. A person or entity, e.g. the Environmental Control
Officer, should be tasked to take responsibility for the
heritage sites and should be held accountable for any
damage.
 ·

	 12. Known sites should be located and isolated, e.g. by fencing them off. All construction workers should be informed that these are no-go areas, unless accompanied by the individual or persons representing the Environmental Control Officer as identified above. 13. In areas where the vegetation is threatening the heritage sites, e.g. growing trees pushing walls over, it should be removed, but only after permission for the 		
Wests Management	methods proposed has been granted by SAHRA. A heritage official should be part of the team executing these measures.	Duration of an austica	The implementation of the
Waste Management	 Refuse bins must be placed at strategic positions to ensure that litter does not accumulate within the construction/prospecting site. The Contractor shall supply waste collection bins where such is not available and all solid waste collected shall be disposed of at registered/licensed landfill. Good housekeeping practices should be implemented to regularly maintain the litter and rubble situation on the construction/prospecting site. If possible and feasible, all waste generated on site must be separated into glass, plastic, paper, metal and wood and recycled. An independent contractor can be appointed to conduct this recycling. Littering by the employees of the Contractor shall not be allowed under any circumstances. The ECO shall monitor the neatness of the work sites as well as the Contractor campsite. Skip waste containers should be maintained on site. These should be kept covered and arrangements made for them to be collected regularly. 	Duration of operation	The implementation of the recommended mitigation measures will result in the minimisation of impacts to acceptable standards, thereby ensuring compliance with NEMA and Duty of Care as prescribed by NEMA.

	7. All waste must be removed from the site and
	transported to a landfill site promptly to ensure that
	it does not attract vermin or produce odours.
	8. Where a registered waste site is not available
	close to the construction/prospecting site, the
	Contractor shall provide a method statement with
	regard to waste management.
	9. A certificate of disposal shall be obtained by the
	Contractor and kept on file, if relevant.
	10. Under no circumstances may solid waste be burnt
	on site.
	11. All waste must be removed promptly to ensure
	that it does not attract vermin or produce odours.
н	azardous waste
	12. All waste hazardous materials must be carefully
	stored as advised by the ECO, and then disposed
	of offsite at a licensed landfill site, where practical.
	Incineration may be used where relevant.
	13. Contaminants to be stored safely to avoid spillage.
	14. Machinery must be properly maintained to keep oil
	leaks in check.
	15. All necessary precaution measures shall be taken
	to prevent soil or surface water pollution from
	hazardous materials used during
	construction/prospecting and any spills shall
	immediately be cleaned up and all affected areas
	rehabilitated.
s	anitation
	16. The Contractor shall install mobile chemical toilets
	on the site.
	17. Staff shall be sensitised to the fact that they should
	use these facilities at all times. No indiscriminate
	sanitary activities on site shall be allowed.

	18. Toilets shall be serviced regularly and the ECO
	shall inspect toilets regularly.
	19. Toilets should be no closer than 50m or above the
	1:100 year flood line from any natural or manmade
	water bodies or drainage lines or alternatively
	located in a place approved of by the Engineer.
	20. Under no circumstances may open areas,
	neighbours fences or the surrounding bush be
	used as a toilet facility.
	21. The construction of "Long Drop" toilets is
	forbidden, but rather toilets connected to the
	sewage treatment plant.
	22. Potable water must be provided for all
	construction staff.
	Remedial actions
	23. Depending on the nature and extent of the spill,
	contaminated soil must be either excavated or
	treated on-site.
	24. Excavation of contaminated soil must involve
	careful removal of soil using appropriate
	tools/machinery to storage containers until treated
	or disposed of at a licensed hazardous landfill site.
	25. The ECO must determine the precise method of
	treatment for polluted soil. This could involve the
	application of soil absorbent materials as well as
	oil-digestive powders to the contaminated soil.
	26. If a spill occurs on an impermeable surface such
	as cement or concrete, the surface spill must be
	contained using oil absorbent material.
	27. If necessary, oil absorbent sheets or pads must be
	attached to leaky machinery or infrastructure.
	28. Materials used for the remediation of
	petrochemical spills must be used according to
	product specifications and guidance for use.
1	

Water Use and Quality	Water pollution	29. Contaminated remediation materials must be carefully removed from the area of the spill so as to prevent further release of petrochemicals to the environment and stored in adequate containers until appropriate disposal. Water Use 1. Develop a sustainable water supply management plan to minimise the impact to natural systems by managing water use, avoiding depletion of aquifers and minimising impacts to water users. 2. Water must be reused, recycled or treated where possible.
		 Water Quality 3. The quality and quantity of effluent streams discharged to the environment including stormwater should be managed and treated to meet applicable effluent discharge guidelines. 4. Discharge to surface water should not result in contaminant concentrations in excess of local ambient water quality criteria outside a scientifically established mixing zone. 5. Efficient oil and grease traps or sumps should be installed and maintained at refueling facilities, workshops, fuel storage depots, and containment areas and spill kits should be available with emergency response plans.
		Stormwater 6. The site must be managed in order to prevent pollution of drains, downstream watercourses or groundwater, due to suspended solids and silt or chemical pollutants. 7. Silt fences should be used to prevent any soil entering the stormwater drains.

I	O T
	8. Temporary cut off drains and berms may be
	required to capture stormwater and promote
	infiltration.
	9. Promote a water saving mind set with
	construction/prospecting workers in order to
	Contractor ensure less water wastage.
	10. Hazardous substances must be stored at least
	20m from any water bodies on site to avoid
	pollution.
	11. The installation of the stormwater system must
	take place as soon as possible to attenuate
	stormwater from the construction phase as well as
	the operation phase.
	12. Earth, stone and rubble is to be properly disposed
	of, or utilized on site so as not to obstruct natural
	water path ways over the site. i.e. these materials
	must not be placed in stormwater channels,
	drainage lines or rivers.
	13. There should be a periodic checking of the site's
	drainage system to ensure that the water flow is
	unobstructed.
	14. If a batching plant is necessary, run-off should be
	managed effectively to avoid contamination of
	other areas of the site. Untreated runoff from the
	batch plant must not be allowed to get into the
	storm water system or nearby streams, rivers or
	erosion channels or dongas.
	15. The cut-off trenches and silt fences will be
	installed where necessary as to control runoff
	storm water by attenuating it and control the
	movement of sediment on the premises.
	16. These structures will be monitored on a regular
	basis. It is suggested that it be monitored on a
	weekly basis during the rainy season, and after
	possible rain events during the dry season.
<u> </u>	1 3,

certain portion of the Remaining Extent of	 17. If these practices is found to be insufficient for the control of storm water and sedimentation, other alternatives should immediately be investigated and implemented. Groundwater resource protection 18. Process solution storage ponds and other impoundments designed to hold non fresh water or un-treated process effluents should be lined and be equipped with sufficient wells to enable monitoring of water levels and quality. Recommendations according to the Baseline Hydrogeological Investigation: 19. Based on the nitrate concentration detected in NK-BH1, consumption is not recommended; 20. Given the low likelihood for the tailings material to impact on the groundwater, it is recommended 	
	or un-treated process effluents should be lined	
	·	
	monitoring of water levels and quality.	
	3	
	nydrogeological investigation:	
	•	
	•	
	that motivation is provided for a Type 4	
	Classification; 21. Groundwater Monitoring should be undertaken in	
	accordance with SANS and DWS requirements in	
	line with the recommended schedule. Three (3)	
	boreholes are recommended to be monitored	
	(Please see specialist study, Appendix 12, for	
	boreholes); and	
	22. An annual compliance report should be compiled	
	and submitted to the authorities for evaluation and	
	comment. The monitoring network should be	
	updated annually, and this report should be	
	submitted annually.	
	Consideration	
	Sanitation	

Milnex CC: EIA373 -EIR & EMPr	The proposed Prospecting Right application for the prospecting of Diamonds (Alluvial, General & in Kimberlite), combined with a Waste Licence Application, near Groblershoop on a certain portion of the Remaining Extent of the farm Zonderhuis 402,	, a
certain portion of the Remaining E	ent of the farm Onder Plaats 401, a certain portion of the Remaining Extent of Portion 1, a certain portion of Portion 6 (portion 4), a certain portion of Portion 7 (portion of portion 4) and certain portion of Portion 9 (portion 9) from 4) of the far	m
Namakwari 656, Registration Divi	n: Gordonia and Kenhardt. Northern Cape Province.	

		23. Adequate sanitary facilities and ablutions must be		
		provided for construction workers (1 toilet per		
		every 15 workers).		
		24. The facilities must be regularly serviced to reduce		
		the risk of surface or groundwater pollution.		
		9 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -		
		Concrete mixing		
		25. Concrete contaminated water must not enter soil		
		or any natural drainage system as this disturbs the		
		natural acidity of the soil and affects plant growth.		
		у стания дости		
		Public areas		
		26. Food preparation areas should be provided with		
		adequate washing facilities and food refuse		
		should be stored in sealed refuse bins which		
		should be removed from site on a regular basis.		
		27. The Contractor should take steps to ensure that		
		littering by construction workers does not occur		
		and persons should be employed on site to collect		
		litter from the site and immediate surroundings,		
		including litter accumulating at fence lines.		
		28. No washing or servicing of vehicles on site.		
Watercourse Delineation and Ecological	Impact Assessment Report	: Impact and Mitigation measures		
Construction:	Alteration of the flow	Any activities that take place within 32 meters of a	Duration of operation	The implementation of the
 Infrastructure development 	regime of the watercourse	wetland or watercourse or the 1:100 year flood lines will		recommended mitigation measures
within watercourses		require authorisation in terms of the relevant regulations of		will result in the minimisation of
 Removal and disturbance of 		NEMA, however as far as possible infrastructure should be		impacts to acceptable standards,
watercourse habitat and		placed outside of buffer lines.		thereby ensuring compliance with
vegetation		Demarcate the watercourse areas and buffer		NEMA and Duty of Care as prescribed
 Habitat fragmentation 		zones to limit disturbance, clearly mark these areas as no-		by NEMA.
 Impoundments within the 		go areas.		
watercourse		Where construction occurs in the demarcated		
 Lack of adequate rehabilitation 		watercourse and buffer areas, additional precautions should		
resulting in colonization by		be implemented to minimise watercourse loss.		
invasive plants		No stockpiling should take place within a		
		watercourse or the calculated buffers.		
		160	1	

Operational:

- Excavation from the watercourses
- Clearing of vegetation
- Vehicles driving in and through watercourses

Decommissioning:

- Damage to vegetated areas
- Ineffective rehabilitation measures
- Vehicles driving in and through watercourses

- All stockpiles must be protected from erosion, stored on flat areas where run-off will be minimised, and be surrounded by bunds.
- Erosion and sedimentation into channels must be minimised through the effective stabilisation and the revegetation of any disturbed stream banks.
- Ensure that erosion management and sediment controls are strictly implemented from the beginning of site clearing activities.
- All areas should be re-sloped and top-soiled where necessary and reseeded with indigenous grasses to stabilise the loose material.
- Monitor the occurrence of erosion during the rainy season and take immediate corrective action where needed.
- A sensitivity map has been developed for the study area, indicating the drainage lines and riparian systems, and their relevant buffer zones. It is recommended that this sensitivity map be considered during all phases of the development and with special mentioning of the planning of infrastructure, in order to aid in the conservation of and minimise impact on the riparian and aquatic habitat and resources within the study site.
- Any areas where bank failure is observed, due to the prospecting impacts, should be immediately repaired.
- As far as possible the existing road network should be utilised, minimising the need to develop new access routes resulting in an increased impact on the local environment.
- Operational phase activities should not take place within watercourses or buffer zones.
- The duration of impacts on the drainage line should be minimised as far as possible by ensuring that the duration of time in which flow alteration and sedimentation will take place is minimised.
- Alien and invasive vegetation control should take place throughout all phases to prevent loss of floral habitat.

		All rehabilitation activities should occur in the dry		
		season.		
		Rehabilitation of disturbed areas as a result of		
		construction must be implemented immediately upon		
		completion of construction.		
Construction:	Changing the physical	Other than approved and authorized structures,	Duration of operation	The implementation of the
Infrastructure development within	structure within a water	no other development or maintenance infrastructure is		recommended mitigation measures
watercourses	resource (habitat)	allowed within the delineated watercourse and riparian		will result in the minimisation of
 Loss of vegetation 		areas or their associated buffer zones.		impacts to acceptable standards,
Flow alteration		Alien and invasive vegetation control should take		thereby ensuring compliance with
• Erosion		place throughout all phases to prevent loss of floral habitat.		NEMA and Duty of Care as prescribed
		Monitor the occurrence of erosion during the rainy		by NEMA.
Operational:		season and take immediate corrective action where needed.		
Excavation from the watercourses		No stockpiling should take place within a		
leading to degraded river channels.		watercourse or the calculated buffers.		
Removal of substrate within drainage		All stockpiles must be protected from erosion,		
lines and streams		stored on flat areas where run-off will be minimised, and be		
Clearing of vegetation – vegetation		surrounded by bunds.		
loss		Bi-annual biomonitoring of aquatic macro-		
Loss of biodiversity		invertebrates and diatoms within the riverine systems is		
Alteration and/or loss of hydrological		essential.		
flow classes		All maintenance within watercourses must be		
 Vehicles driving in and through 		restricted to the dry season.		
watercourses		Maintenance activities should not impact on		
		rehabilitated or naturally vegetated areas.		
Decommissioning:		Rehabilitation should limit fragmentation and		
Damage to vegetated areas		isolation of sections of the non-perennial drainage line		
Ineffective rehabilitation measures		systems.		
Vehicles driving in and through		The duration of impacts on the riverine and		
watercourses		drainage line systems should be minimised as far as		
		possible by ensuring that the duration of time in which flow		
		alteration and sedimentation will take place is minimised.		
		Rehabilitation must ensure that riparian structure		
		and function are reinstated in such a way as to ensure the		
		ongoing functionality of the larger riparian systems at pre-		
		mining levels.		
<u> </u>	1	171		

			All rehabilitation activities should occur in the dry		
			season.		
Constru	iction:	Alteration of the amount	Buffer zones should be maintained, in order to	Duration of operation	The implementation of the
•	Vegetation clearance causing	of sediment entering the	minimise sedimentation of the downstream areas.	,	recommended mitigation measures
	sedimentation	water resource and	No stockpiling should take place within a		will result in the minimisation of
•	Earthworks activities	associated change in	watercourse or the calculated buffers.		impacts to acceptable standards,
•	Disturbance of soil surface and	turbidity	Ensure that erosion management and sediment		thereby ensuring compliance with
	runoff characteristics		controls are strictly implemented from the beginning of site		NEMA and Duty of Care as prescribed
•	Erosion		clearing activities.		by NEMA.
			All areas should be re-sloped and top-soiled		
Operati	onal:		where necessary and reseeded with indigenous grasses to		
•	Excavation from the		stabilise the loose material.		
	watercourses leading to		All stockpiles must be protected from erosion,		
	degraded river channels.		stored on flat areas where run-off will be minimised, and be		
•	Removal of substrate within		surrounded by bunds.		
	drainage lines and streams		Erosion and sedimentation into channels must be		
•	Clearing of vegetation –		minimised through the effective stabilisation and the re-		
	vegetation loss		vegetation of any disturbed stream banks.		
•	Loss of biodiversity		As far as possible the existing road network		
•	Alteration and/or loss of		should be utilised, minimising the need to develop new		
	hydrological flow classes		access routes resulting in an increased impact on the local		
•	Vehicles driving in and through		environment.		
	watercourses		Erosion control measures, such as berms, must		
			be implemented to manage runoff from roads to prevent		
Decomi	<u>nissioning:</u>		erosion and pollution.		
•	Damage to vegetated areas		Silt screens should be used where necessary.		
•	Ineffective rehabilitation		Rehabilitation of disturbed areas as a result of		
	measures		construction must be implemented immediately upon		
•	Vehicles driving in and through		completion of construction.		
	watercourses		Rehabilitation must ensure that riparian structure		
			and function are reinstated in such a way as to ensure the		
			ongoing functionality of the larger riparian systems at pre-		
			mining levels.		
			All rehabilitation activities should occur in the dry		
			season.		

	I	T	1	
		The duration of impacts on the riverine and		
		drainage line systems should be minimised as far as		
		possible by ensuring that the duration of time in which flow		
		alteration and sedimentation will take place is minimised;		
		Maintain flood capacity, particularly in areas with		
		significant flood hazards.		
Construction:	Alteration of water quality	All vehicles must be regularly inspected for leaks.	Duration of operation	The implementation of the
 Runoff from road surfaces 		Re-fuelling must take place on a sealed surface		recommended mitigation measures
Discharge of sewage		area to prevent hydrocarbon pollution.		will result in the minimisation of
Discharge of solvents,		All spills should be cleaned up immediately and		impacts to acceptable standards,
chemicals and hydrocarbons		disposed of.		thereby ensuring compliance with
		Spill kits should be readily available and easily		NEMA and Duty of Care as prescribed
Operational:		accessible throughout the site.		by NEMA.
Maintenance of vehicles and		All chemicals must be stored safely on site,		
machinery		outside the buffer areas and surrounded by bunds. Chemical		
Runoff from road surfaces		storage containers must be regularly inspected for early leak		
Discharge of sewage		detection.		
Discharge of solvents,		Littering must be prevented by effective site		
chemicals and hydrocarbons		management and the provision of bins.		
Excavation from the		Provision of adequate sanitation facilities located		
watercourses and the release		outside of the delineated buffer zones.		
of nutrients and pollutants from		An emergency spill procedure should be		
disturbed soils		developed and implemented.		
Removal of substrate within		No stockpiling should take place within a		
drainage lines and streams		watercourse.		
dramage intes and streams		All stockpiles must be protected from erosion,		
Decommissioning:		stored on flat areas where run-off will be minimised, and be		
Damage to vegetated areas		surrounded by bunds.		
Ineffective rehabilitation		Stockpiles must be located away from river		
measures		channels and drainage lines.		
Vehicles driving in and through		Erosion and sedimentation into channels must be		
watercourses		minimised through the effective stabilisation and the re-		
watercourses		vegetation of any disturbed riverbanks.		
Construction	Loss of terrestrial habitat	Areas that are stripped during construction and	Duration of operation	The implementation of the
Construction:	LOSS OF TELLESTING HADICAL	1	Duration of operation	·
Clearing of vegetation –		operation should be re-vegetated with indigenous		recommended mitigation measures
vegetation loss		vegetation.		will result in the minimisation of

• It is recommended that areas to be developed be impacts to acceptable	etandarde
' I I I I I I I I I I I I I I I I I I I	-
Operational: specifically demarcated so that during the construction thereby ensuring compared to the construction the construction thereby ensuring compared to the construction the constructio	
 Removal of substrate within phase, only the demarcated areas be impacted upon NEMA and Duty of Care at the control of the control of	s prescribed
watercourses (including fencing off the defined project area) and by NEMA.	
Clearing of vegetation during	
prospecting operations • The duration of the prospecting should be	
minimized to as short term as possible, in order to reduce	
Decommissioning: the period of disturbance on fauna and flora.	
Damage to vegetated areas Areas of indigenous vegetation should under no	
• Ineffective rehabilitation circumstances be fragmented or disturbed for used as an	
measures area for dumping of waste.	
Vehicles driving in and through As far as possible the existing road network	
watercourses should be utilised, minimising the need to develop new	
access routes resulting in an increased impact on the local	
environment.	
All staff and visitors to the site must undergo an	
induction process and must be made aware of the sensitive	
nature of the environment and floral species which occur	
there.	
The area must be re-vegetated with plant and	
grass species which are endemic to the exact vegetation	
types.	
Rehabilitation measures that are implemented	
must be continually monitored for a minimum period of four	
years to ensure that proper succession has occurred and	
that there is no erosion occurring.	
An alien invasive vegetation management plan	
should be developed and implemented.	
Alien and invasive vegetation control should take	
place throughout all phases to prevent loss of floral habitat.	
Construction: Loss of Aquatic Biota • Bi-annual biomonitoring of aquatic macro- Duration of operation The implementation	of the
• Runoff from road surfaces invertebrates and diatoms within the riverine systems is recommended mitigation	n measures
Sedimentation	
Discharge of sewage Refer to Mitigation Measures regarding water impacts to acceptable	standards,
Discharge of solvents, quality and sedimentation as listed above. thereby ensuring comparison.	
chemicals and hydrocarbons	

			NEMA and Duty of Care as prescribed
Operational:			•
Maintenance of vehicles and machinery Runoff from road surfaces Discharge of sewage Discharge of solvents, chemicals and hydrocarbons Excavation from the watercourses and the release of nutrients and pollutants from disturbed soils Removal of substrate within			by NEMA.
drainage lines and streams			
Sedimentation	20		
Construction and Operational: Loss of Terrestrial Fauna	Site clearing to take place in a phased manner	Duration of operation	The implementation of the
Vegetation loss and	(where possible) to allow for any faunal species present to		recommended mitigation measures
disturbance – clearing of	move away from the study site to the surrounding open		will result in the minimisation of
vegetation	space areas.		impacts to acceptable standards,
Excessive noise disturbances	Prior and during vegetation clearance any larger		thereby ensuring compliance with
Illegal hunting	fauna species noted should be given the opportunity to		NEMA and Duty of Care as prescribed
Habitat fragmentation	move away from the construction machinery.		by NEMA.
destruction	Fauna species such as frogs and reptiles that		
Vehicles driving through natural	have not moved away should be carefully and safely		
vegetated areas	removed to a suitable location beyond the extent of the		
	development footprint by a suitably qualified ECO trained in		
	the handling and relocation of animals.		
	Fencing should be erected around the project area		
	to prevent workers and members of the public from entering		
	the surrounding environments. This fence should have small		
	openings to allow wildlife to pass through.		
	Waste management must be a priority and all		
	waste must be collected and stored adequately. It is		
	recommended that all waste be removed from site on a		
	weekly basis to prevent rodents and pests entering the site.		

	I			
		Should any sensitive or Red Data animal or bird		
		species be encountered during the construction, operation		
		and decommissioning activities, these should be relocated		
		to natural areas in the vicinity. Any sensitive fauna that are		
		inadvertently killed during earthmoving operations should be		
		preserved as museum voucher specimens.		
		No hunting, trapping or killing of fauna are		
		allowed.		
		Any lizards, snakes or monitors encountered		
		should be allowed to escape to a suitable habitat away from		
		disturbance.		
		General avoidance of snakes is the best policy if		
		encountered. Snakes should not be intentionally harmed or		
		killed and allowed free movement away from the area.		
		Trenches and deep excavations should not be left		
		open for extended periods of time as fauna may fall in and		
		become trapped in them. Trenches which are exposed		
		should contain soil ramps allowing fauna to escape the		
		trench.		
		Noise must be kept to an absolute minimum at		
		night to minimise all possible disturbances to amphibian		
		species and nocturnal mammals.		
Construction and Operational:	Loss of Terrestrial Flora	Areas that are stripped during construction and	Duration of operation	The implementation of the
Vegetation clearance		operation should be re-vegetated with indigenous vegetation		recommended mitigation measures
Vehicles driving through natural		as soon as possible. This will also reduce the likelihood of		will result in the minimisation of
vegetated areas		encroachment by alien invasive plant species.		impacts to acceptable standards,
Habitat fragmentation and		Protected trees and plants shall not be removed		thereby ensuring compliance with
destruction		or damaged without prior approval, permits or licenses from		NEMA and Duty of Care as prescribed
		the relevant authority, this is especially applicable to the		by NEMA.
		Protected Witgat (Boscia albitrunca) and Camel Thorn Tree		,
		(Vachellia erioloba), which were present on site.		
Construction:	Introduction and spread of	Proliferation of alien and invasive species is	Duration of operation	The implementation of the
Clearing of vegetation	alien vegetation	expected within any disturbed areas particularly as there are	·	recommended mitigation measures
		some alien and invasive species present within the study		will result in the minimisation of
Operational:		site. These species should be eradicated and controlled to		impacts to acceptable standards,
		prevent further spread beyond.		thereby ensuring compliance with
		1 7 7 7 7 7	l .	, J

Removal of substrate within	An alien invasive vegetation management plan	NEMA and Duty of Care as prescribed
watercourses	should be developed and implemented.	by NEMA.
Clearing of vegetation during	Alien and invasive vegetation control should take	
prospecting operations	place throughout all phases to prevent loss of floral habitat.	
Vehicles driving in and through	Footprint areas should be kept as small as	
watercourses	possible when removing alien plant species.	
	No vehicles should be allowed to drive through	
Decommissioning:	designated sensitive drainage lines and riparian areas	
Damage to vegetated areas	during the eradication of alien and weed species.	
Ineffective rehabilitation	All alien vegetation in the riparian zone should be	
measures	removed upon completion of prospecting activities and	
Vehicles driving in and through	reseeded with indigenous grasses as specified by a suitably	
watercourses	qualified specialist (ecologist).	

Mechanisms for monitoring compliance with and performance assessment against the environmental management programme and reporting thereon, including

- F. Monitoring of Impact Management Actions
- **G.Monitoring and reporting frequency**
- H. Responsible persons
- I. Time period for implementing impact management actions
- J. Mechanism for monitoring compliance

K.

SOURCE ACTIVITY	IMPACTS REQUIRING MONITORING PROGRAMMES	FUNCTIONAL REQUIREMENTS FOR MONITORING	ROLES AND RESPONSIBILITIES (FOR THE EXECUTION OF THE MONITORING PROGRAMMES)	MONITORING AND REPORTING FREQUENCY and TIME PERIODS FOR IMPLEMENTING IMPACT MANAGEMENT ACTIONS
Clearance of vegetation	Loss or fragmentation of habitats	 Conduct regular internal audits Conduct regular external audits 	 Environmental Manager Suitable qualified environmental auditor 	Monitoring should be undertaken for duration of operations. Internal audits should be undertaken at least every 6 months. External audits should be undertaken by a suitably qualified auditor on an annual basis. Reports should be made available to the competent authority if required.
Prospecting of Diamonds (Alluvial, General & in Kimberlite) – excavations	Loss of topsoil Erosion Air Pollution Noise Impact on potential cultural and heritage artefacts	 Conduct regular internal audits Conduct regular external audits 	 Environmental Manager Suitable qualified environmental auditor 	Monitoring should be undertaken for duration of operations. Internal audits should be undertaken at least every 6 months. External audits should be undertaken by a suitably qualified auditor on an annual basis. Reports should be made available to the competent authority if required.
Waste management	Pollution	 Conduct regular internal audits Conduct regular external audits 	 Environmental Manager Suitable qualified environmental auditor 	Monitoring should be undertaken for duration of operations. Internal audits should be undertaken at least every 6 months. External audits should be undertaken by a suitably qualified

				auditor on an annual basis. Reports should be made available to the competent authority if required.
Water Use and Quality	Water pollution	 Conduct regular internal audits Conduct regular external audits Groundwater Monitoring should be undertaken in accordance with SANS and DWS requirements in line with the recommended schedule. Three (3) boreholes are recommended to be monitored (Please see specialist study, Appendix 12, for boreholes); and An annual compliance report should be compiled and submitted to the authorities for evaluation and comment. The monitoring network should be updated annually, and this report should be submitted annually. 	 Environmental Manager Suitable qualified environmental auditor 	Monitoring should be undertaken for duration of operations. Internal audits should be undertaken at least every 6 months. External audits should be undertaken by a suitably qualified auditor on an annual basis. Reports should be made available to the competent authority if required.

L. INDICATE THE FREQUENCY OF THE SUBMISSION OF THE PERFORMANCE ASSESSMENT REPORT.

External audits should be undertaken by a suitably qualified auditor on an annual basis. Reports should be made available to the Competent Authority if required.

M. ENVIRONMENTAL AWARENESS PLAN

1. Manner in which the applicant intends to inform his or her employees of any environmental risk which may result from their work.

Johan Smit will implement an Environmental Awareness Plan which will include various mechanisms for informing employees of environmental risks resulting from their work, including:

- Induction training for full –time staff and contractors;
- In-house training sessions to be held with relevant employees;
- On the job training regarding environmental issues
- Training and skills development

The above measures will be implemented through an Environmental Communication Strategy to be implemented.

See the attached appendix 12 for the Awareness plan

2. Manner in which risks will be dealt with in order to avoid pollution or the degradation of the environment.

Johan Smit will implement an incident reporting and reporting procedure in order to identify risks timeously and implement actions to avoid or minimise environmental impacts.

N. Specific information required by the Competent Authority
(Among others, Confirm that the financial provision will be reviewed annually).

No specific information requirements have been detailed by the Competent Authority.

*******END OF THE REPORT*******