

ALL OPENINGS MUST BE MEASURED ON SITE PRIOR TO ORDERING  QUANTITIES:  LEVEL:  QUANTITY:  1  REFER TO PLAN FOR WALL TYPE. CONFIRM THAT YOU ARE IN POSESSION OF THE LATEST REVISION OF THIS SCHEDULE.  POD 1  REFER TO PLAN FOR WALL TYPE. CONFIRM THAT YOU ARE IN POSESSION OF THE LATEST REVISION OF THIS SCHEDULE.  POD 2  900  900  900  900  F SG  WIN NUMBER:  WINDOW TYPE:  Custom Aluminum window. Top hung opening windows with bottom fix pane thickness at structural portions.  FRAME:  MATERIAL:  6063T6 Aluminium Alloy, 2mm minimum thickness at structural portions.  FINISH:  Powder Coat Finish  COLOUR:  Charcoal or equally approved by architect.  GLAZING:  TYPE:  Single Low E Tinted 6.38mm Thick laminated safety glass.  IRONMONGERY:  As per manufacturer specification.  GLAZED AREA:  1.08 m²  OPENABLE AREA  0.54 m²	ALL ODEN	INCC MUST BE	MEASURER	U CITE DD	IOD TO		10	
TOTAL:  1				N SITE PR	IUK IU (	OKDEKIN	NG	
TOTAL:  O1  REFER TO PLAN FOR WALL TYPE. CONFIRM THAT YOU ARE IN POSESSION OF THE LATEST REVISION OF THIS SCHEDULE.  900  900  900  SG  SG  WIN NUMBER:  WINDOW TYPE:  Custom Aluminum window. Top hung opening windows with bottom fix pane FRAME:  MATERIAL:  6063T6 Aluminium Alloy, 2mm minimum thickness at structural portions.  FINISH:  Powder Coat Finish  COLOUR:  Charcoal or equally approved by architect.  GLAZING:  TYPE:  Single Low E Tinted 6.38mm Thick laminated safety glass.  IRONMONGERY:  As per manufacturer specification.  GLAZED AREA:  1.08 m²  OPENABLE AREA  0.54 m²	QUANTITIES:	LEVEL :	GF					
TOTAL:  O1 THAT YOU ARE IN POSESSION OF THE LATEST REVISION OF THIS SCHEDULE.  900  F SG  F SG  WIN NUMBER:  WIN NUMBER:  WINDOW TYPE:  Custom Aluminum window.Top hung opening windows with bottom fix pane thickness at structural portions.  FINISH:  Powder Coat Finish  COLOUR:  Charcoal or equally approved by architect.  GLAZING:  TYPE:  Single Low E Tinted 6.38mm Thick laminated safety glass.  IRONMONGERY:  As per manufacturer specification.  GLAZED AREA:  1.08 m²  OPENABLE AREA  0.54 m²		QUANTITY:	1					
ELEVATION:  WIN NUMBER:  VINDOW TYPE:  Custom Aluminum window.Top hung opening windows with bottom fix pane  FRAME:  MATERIAL:  6063T6 Aluminium Alloy, 2mm minimum thickness at structural portions.  FINISH:  Powder Coat Finish  COLOUR:  Charcoal or equally approved by architect.  GLAZING:  TYPE:  Single Low E Tinted 6.38mm Thick laminated safety glass.  IRONMONGERY:  As per manufacturer specification.  GLAZED AREA:  1.08 m²  OPENABLE AREA  0.54 m²	TOTAL:	01	THAT YOU ARE IN POSESSION OF THE					
ELEVATION:  WIN NUMBER:  WINDOW TYPE:  Custom Aluminum window.Top hung opening windows with bottom fix pane  FRAME:  MATERIAL:  6063T6 Aluminium Alloy, 2mm minimum thickness at structural portions.  FINISH:  Powder Coat Finish  COLOUR:  Charcoal or equally approved by architect.  TYPE:  Single Low E Tinted 6.38mm Thick laminated safety glass.  IRONMONGERY:  As per manufacturer specification.  GLAZED AREA:  1.08 m²  OPENABLE AREA  0.54 m²				†	_	<del>-</del>	_	
ELEVATION:  WIN NUMBER:  WINDOW TYPE:  Custom Aluminum window.Top hung opening windows with bottom fix panel  FRAME:  MATERIAL:  6063T6 Aluminium Alloy, 2mm minimum thickness at structural portions.  FINISH:  Powder Coat Finish  COLOUR:  Charcoal or equally approved by architect.  TYPE:  Single Low E Tinted 6.38mm Thick laminated safety glass.  IRONMONGERY:  As per manufacturer specification.  GLAZED AREA:  1.08 m²  OPENABLE AREA  0.54 m²					1190	2100		
WIN NUMBER:  WINDOW TYPE:  Custom Aluminum window.Top hung opening windows with bottom fix panel  FRAME:  MATERIAL:  6063T6 Aluminium Alloy, 2mm minimum thickness at structural portions.  FINISH:  Powder Coat Finish  COLOUR:  Charcoal or equally approved by architect.  GLAZING:  TYPE:  Single Low E Tinted 6.38mm Thick laminated safety glass.  IRONMONGERY:  As per manufacturer specification.  GLAZED AREA:  1.08 m²  OPENABLE AREA  0.54 m²	ELEVATION:				910		_	
FRAME:  MATERIAL: 6063T6 Aluminium Alloy, 2mm minimum thickness at structural portions.  FINISH: Powder Coat Finish  COLOUR: Charcoal or equally approved by architect.  GLAZING: TYPE: Single Low E Tinted 6.38mm Thick laminated safety glass.  IRONMONGERY: As per manufacturer specification.  GLAZED AREA: 1.08 m² OPENABLE AREA 0.54 m²	WIN NUMBER:	24						
thickness at structural portions.  FINISH: Powder Coat Finish  COLOUR: Charcoal or equally approved by architect.  GLAZING: TYPE: Single Low E Tinted 6.38mm Thick laminated safety glass.  IRONMONGERY: As per manufacturer specification.  GLAZED AREA: 1.08 m² OPENABLE AREA 0.54 m²	WINDOW TYPE:	Custom Alum	n Aluminum window.Top hung opening windows with bottom fix panel					
COLOUR: Charcoal or equally approved by architect.  GLAZING: TYPE: Single Low E Tinted 6.38mm Thick laminated safety glass.  IRONMONGERY: As per manufacturer specification.  GLAZED AREA: 1.08 m <sup>2</sup> OPENABLE AREA 0.54 m <sup>2</sup>	FRAME:	MATERIAL:	6063T6 Aluminium Alloy, 2mm minimum thickness at structural portions.					
GLAZING: TYPE: Single Low E Tinted 6.38mm Thick laminated safety glass.  IRONMONGERY: As per manufacturer specification.  GLAZED AREA: 1.08 m <sup>2</sup> OPENABLE AREA 0.54 m <sup>2</sup>		FINISH:	Powder Coat	Finish				
IRONMONGERY: As per manufacturer specification.  GLAZED AREA: 1.08 m <sup>2</sup> OPENABLE AREA 0.54 m <sup>2</sup>		COLOUR:	Charcoal or e	qually appr	oved by	architect.		
GLAZED AREA: 1.08 m <sup>2</sup> OPENABLE AREA 0.54 m <sup>2</sup>	GLAZING:	TYPE:	· · · · ·					
GLAZED AREA: 1.08 m <sup>2</sup> OPENABLE AREA 0.54 m <sup>2</sup>	IRONMONGERY:	As per manuf						
0.2.0.22.0.2.		1.08 m <sup>2</sup>		OPEN	ABLE /	AREA	(	).54 m <sup>2</sup>
	NOTES:							

Window Schedule

1:50

	RELAXAT	ION		
Namo	Address	ID No	Telf/Cell No	Signature
Name	- Ile a Arranie	77071900370	88 083 659 144	
SHEHWARZ ABURL	36 MOUNTAIN VIEW AVENUE	660331 5052 08		guet 1
SHEHMARZ ABMAL YOGENDEXN CHOTH	40 MOUNTAIN YIEW AVANUE			
Name	Address	I.D. No.	Tel/Cell	Signature
Wisnu A	SI MOUNT myrus Com	No 1268081	6180880463	Se
INDEASEN CHETTY	49 NowTOW Vew Aug	78 419 SIZ4 089	083 789 2830	Solo,
	47 MOUTAN JIEN AUDILE	6905265137087	083777 4804	

Relaxation of the Front Building line from 3m to 0m

imple	implementation							
and report any discrepancies to the Architect.  5. Any discrepancies MUST be reported to the ARCHITECT immediately prior to any commencement of work. The author will not be responsible for work carried out without the ARCHITECT's consent as well as deviations from the approved plans.  6. Any plans removed from ARCHITECT'S office without his prior authorization will be deemed unchecked and thereafter invalid.  7. The attention of the owner is drawn to the fact that changes to the plan and/or specifications after official approval are likely to invalidate that approval.  8. The no construction is to be carried out on site prior to approval of submissions from relevant authorities.								
		DECORIDE ON	REV					
<b>1</b> 0.	DATE	DESCRIPTION	BY:					

Lance Arthur Joseph Engelbrecht

38 Mountain View Avenue. Morningside. R/38 of

Addition and Alteration to Engelbrecht

Window Schedule

Yanelsi Aurora Fonseca Nunez SACAP NUMBER: PSAT24751232

**AURORA** 

CLIMATIC ZONE:

01/08/22

1:50

REVISION:

SCALE:

Architectural

\_\_\_\_and Family\_\_\_ Site Description

ERF 230. Springfield

Family's House

Working Drawing:

Aproved By

H-4

YF

PROJECT No.

AAD22006
DRAWING No.:
AAD22006-4

BUILDING CLASSIFICATION:

A1
Checked:

YF

1. All boundaries, dimensions and levels are

2. Partial Service: Any discrepancies with site

is to be advised to the Architect and direction

to be sought before the implementation of the

4. For the purpose of coordination, all relevant

on site before construction and any

to be checked

discrepancies are to be

reported to the Architect

3. Do not scale this drawing.

must check this information prior to

or other information

or approval is