



12 August 2013

Attention: Ms Herman Alberts

Fedsure Building South Tower
315 Pretorius Street
Pretoria
0001

Tel: 012 310 3427
Number of Pages: 2

SEF REF NO.: 505220
GDARD Ref NO: GAUT 002/13-14/E0116

Dear Ms Alberts

BASIC ASSESSMENT (BA) AND WATER USE LICENSE APPLICATION (WULA) PROCESSES FOR THE PROPOSED INGONYAMA ROAD LINK EXTENSION AND THE ASSOCIATED 60M BRIDGE CROSSING IN DIEPSLOOT, GAUTENG PROVINCE

Johannesburg Development Agency (JDA) proposes to construct a 0.7 ≈ 1 km of the Ingonyama Road Link Extension and the associated 60 m bridge crossing which has been identified as an activity street connecting development nodes in Diepsloot. The project aims at enhancing efficient movement and opportunities for economic development in the area. The proposed road is a major access and connector road traversing through Diepsloot, stretching from the north and south of the Diepsloot Township located within the jurisdiction of the City of Johannesburg Metropolitan Municipality (CoJ), Gauteng Province.

In terms of Government Notice (GN) No. R.543 of National Environmental Management Act, 1998 (Act No.107 of 1998), as amended (NEMA), read with GN No. R.544 (Listing Notice No. 1: Activities 9, 11 and 18) and GN No. R.546 (Listing No. 3: Activity 16) of NEMA, a Basic Assessment (BA) Environmental Process is required in order to obtain an Environmental Authorisation (EA) from the Gauteng Department of Agriculture and Rural Development (GDARD) for the above mentioned project.

PRETORIA
HEAD OFFICE
PO BOX 74785
LYNNWOOD RIDGE
0040

TEL +27 12 349 1307
FAX +27 12 349 1229

In terms of Section 21 (c), (f) and (i) of the National Water Act, 1998 (Act No. 36 of 1998) (NWA), the proposed Ingonyama Road Link Extension and the associated 60m long bridge will also require a Water Use License (WUL) for impeding or diverting the flow of water in a watercourse; discharging waste or water containing waste into the water resource through a pipe, canal, sewer, sea outfall or other conduit; and altering the beds, banks, course or characteristics of a watercourse.

KWAZULU-NATAL
PO BOX 227
PAVILION
3611

TEL +27 31 266 1277
FAX +27 31 266 6880

The JDA thus appointed Strategic Environmental Focus (Pty) Ltd (SEF), as independent environmental assessment practitioners, to facilitate the BA and Water Use License Application (WULA) Processes for the proposed development.

CAPE REGION
PO BOX 1330
DURBANVILLE
7551

TEL +27 21 979 3822
FAX +27 21 979 3830

www.sefsa.co.za
sef@sefsa.co.za

Interested and affected parties (I&APs) have an opportunity to **comment on the Draft Basic Assessment Report (BAR)** by providing issues of concern and/or suggestions for enhanced benefits and/or alternatives and to ensure that the GDARD has sufficient information to make a decision.

*Herewith, please find included a **Hard Copy** of the Draft BAR and associated Appendices for the above project for your review and comment from **Monday, 12 August 2013 to Sunday, 22 September 2013***

The comments are due **on or before Sunday, 22 September 2013.**

Meanwhile, should you have any questions, or would like to obtain more information, please feel free to contact Mr. Mandla Zuma, at Tel: (012) 349 1307, Fax: (012) 349 1229 or **E-mail: mandla@sefsa.co.za**.

We look forward to receiving your comments!

Yours sincerely

** Electronically signed*

Mr. Mandla Zuma
For Strategic Environmental Focus

** An original signed copy can be made available on request.*