

🖂 info@milnex-sa.co.za 🖉 www.milnex-sa.co.za

# ENVIRONMENTAL IMPACT ASSESSMENT REPORT & ENVIRONMENTAL MANAGEMENT PROGRAMME REPORT FOR:

The proposed Prospecting Right combined with a Waste Licence application to prospect for Diamonds Alluvial (DA), Diamonds General (D), Diamonds in Kimberlite (DK) & Diamonds (DIA) near Douglas on the Remaining Extent of the farm De Hoek 2, the Remaining Extent of the farm Marktsdrift 3, Portion 1 of the farm Roode Kop 5, Registration Division: Hopetown, Northern Cape province.

NAME OF APPLICANT	Kimswa Mining (Pty) Ltd
PREPARED BY	Milnex CC
TEL NO	(018) 011 1925
FAX NO	087 231 7021
POSTAL ADDRESS:	P.O. Box 1086, Schweizer-Reneke, 2780
PHYSICAL ADDRESS:	4 Botha Street, Schweizer-Reneke, 2780
REFERENCE NUMBER:	NC30/5/1/1/2/13176PR

	Contents JECT INFORMATION	4
	RONMENTAL IMPACT ASSESSMENT PROCESS	
	ECTIVE OF THE ENVIRONMENTAL IMPACT ASSESSMENT PROCESS	
	PE OF ASSESSMENT AND CONTENT OF ENVIRONMENTAL IMPACT ASSESSMENT REPORTS	
A.	CONTACT PERSON AND CORRESPONDENCE ADDRESS	
B.	DESCRIPTION OF THE PROPERTY	8
C.	LOCALITY MAP	10
D.	DESCRIPTION OF THE SCOPE OF THE PROPOSED OVERALL ACTIVITY	11
E.	POLICY AND LEGISLATIVE CONTEXT	18
F.	NEED AND DESIRABILITY OF THE PROPOSED ACTIVITIES	26
G.	A MOTIVATION FOR THE PREFERRED DEVELOPMENT FOOTPRINT.	26
H. FOOT	A FULL DESCRIPTION OF THE PROCESS FOLLOWED TO REACH THE PROPOSED DEVELOPMENT	27
i)	Details of the development footprint alternatives considered;	27
ii)	Details of the Public Participation Process Followed	
iii)	Summary of Issues Raised by I&APs	34
iv)	the environmental attributes associated with the development footprint alternatives focusing on the geographical, physical, biological, social, economic, heritage and cultural aspects;	
v)	The impacts and risks identified including the nature, significance, consequence, extent, duration and probability the impacts, including the degree to which these impacts—	
vi)	the methodology used in determining and ranking the nature, significance, consequences, extent, duration and probability of potential environmental impacts and risks;	60
vii)	positive and negative impacts that the proposed activity and alternatives will have on the environment and on the community that may be affected focusing on the geographical, physical, biological, social, economic, heritage and cultural aspects;	d
viii)	the possible mitigation measures that cou <mark>ld be</mark> applied and level of residual risk;	64
ix)	if no alternative development [location] footprints for the activity were investigated, the motivation for not consider such; and	-
x)	a concluding statement indicating the location of the preferred alternative development [location] footprint within t approved site as contemplated in the accepted scoping report;	
	A FULL DESCRIPTION OF THE PROCESS UNDERTAKEN TO IDENTIFY, ASSESS AND RANK THE IMPACTS ACTIVITY AND ASSOCIATED STRUCTURES AND INFRASTRUCTURE WILL IMPOSE ON THE PREFERRED ATION] DEVELOPMENT FOOTPRINT ON THE APPROVED SITE	
J.	AN ASSESSMENT OF EACH IDENTIFIED POTENTIALLY SIGNIFICANT IMPACT AND RISK, INCLUDING	
K.	SUMMARY OF THE FINDINGS AND RECOMMENDATIONS OF ANY SPECIALIST REPORT	88
L.	AN ENVIRONMENTAL IMPACT STATEMENT WHICH CONTAINS-	91
М.	PROPOSED IMPACT MANAGEMENT OBJECTIVES AND THE IMPACT MANAGEMENT OUTCOMES FOR	
INCLU	JSION IN THE EMPR	
N.	FINAL PROPOSED ALTERNATIVES	
О.	ASPECTS FOR INCLUSION AS CONDITIONS OF AUTHORISATION.	95

P.	DESCRIPTION OF ANY ASSUMPTIONS, UNCERTAINTIES AND GAPS IN KNOWLEDGE	95
Q. AUTHC	REASONED OPINION AS TO WHETHER THE PROPOSED ACTIVITY SHOULD OR SHOULD NOT BE DRISED	95
R.	PERIOD FOR WHICH THE ENVIRONMENTAL AUTHORISATION IS REQUIRED	
S.	AN UNDERTAKING UNDER OATH OR AFFIRMATION BY THE EAP IN RELATION TO:	96
Т.	FINANCIAL PROVISION	97
U.	DEVIATIONS FROM THE APPROVED SCOPING REPORT AND PLAN OF STUDY.	98
V.	ANY SPECIFIC INFORMATION THAT MAY BE REQUIRED BY THE COMPETENT AUTHORITY; AND	98
W.	COMPLIANCE WITH THE PROVISIONS OF SECTIONS 24(4)(A) AND (B) OF THE ACT	98
ENVIR		.101
A.	DETAILS OF-	.101
В.	DESCRIPTION OF THE ASPECTS OF THE ACTIVITY	.101
C.	COMPOSITE MAP	.101
AS IDE	A DESCRIPTION OF THE IMPACT MANAGEMENT [OBJECTIVES] OUTCOMES, INCLUDING MANAGEMENT MENTS, IDENTIFYING THE IMPACTS AND RISKS THAT NEED TO BE AVOIDED, MANAGED AND MITIGATED NTIFIED THROUGH THE ENVIRONMENTAL IMPACT ASSESSMENT PROCESS FOR ALL PHASES OF THE OPMENT INCLUDING—	D
E. ASPEC	A DESCRIPTION AND IDENTIFICATION OF IMPACT MANAGEMENT OUTCOMES REQUIRED FOR THE TS CONTEMPLATED IN PARAGRAPH (D);]	103
F. THE IM	A DESCRIPTION OF PROPOSED IMPACT MANAGEMENT ACTIONS, IDENTIFYING THE MANNER IN WHICH IPACT MANAGEMENT [OBJECTIVES AND] OUTCOMES CONTEMPLATED IN PARAGRAPH (D) [AND (E)] WIL HIEVED, AND MUST, WHERE APPLICABLE, INCLUDE ACTIONS TO —	H .L
G.	MONITORING OF IMPACT MANAGEMENT ACTIONS	146
Н.	MONITORING AND REPORTING FREQUENCY	
I.	RESPONSIBLE PERSONS	146
J.	TIME PERIOD FOR IMPLEMENTING IMPACT MANAGEMENT ACTIONS	146
K.	MECHANISM FOR MONITORING COMPLIANCE	146
L. Regul	A PROGRAM FOR REPORTING ON COMPLIANCE, TAKING INTO ACCOUNT THE REQUIREMENTS AS BY A	
М.	AN ENVIRONMENTAL AWARENESS PLAN DESCRIBING THE MANNER IN WHICH-	.147
N.	SPECIFIC INFORMATION REQUIRED BY THE COMPETENT AUTHORITY	.147

#### LIST OF APPENDIXES

APPENDIX 1	EAP QUALIFICATIONS
APPENDIX 2	EAP CURRICULUM VITAE
APPENDIX 3	LOCALITY MAP
APPENDIX 4	SITE PLAN
APPENDIX 5	LAND CAPABILITY MAP
APPENDIX 6	PUBLIC PARTICIPATION
APPENDIX 6.1	I&AP LIST
APPENDIX 6.2	CORRESPONDENCE
APPENDIX 6.3	COMMENTS
APPENDIX 6.4	PRESS ADVERT
APPENDIX 6.5	SITE NOTICES
APPENDIX 7	SCREENING REPORT & SENSITIVITY MAPS
APPENDIX 8	PLATES
APPENDIX 9	PROSPECTING WORK PROGRAMME
APPENDIX 10	REHABILITATIONS AND CLOSURE PLAN
APPENDIX 11	MANAGEMENT PLAN

# PROJECT INFORMATION

Project Name:	Environmental Impact Assessment for the Prospecting Right combined with a Waste Licence application to prospect for Diamonds Alluvial (DA), Diamonds General (D), Diamonds in Kimberlite (DK) & Diamonds (DIA) near Douglas on the Remaining Extent of the farm De Hoek 2, the Remaining Extent of the farm Marktsdrift 3, Portion 1 of the farm Roode Kop 5, Registration Division: Hopetown, Northern Cape province.
Report Title:	EIR & EMPr
Prepared By:	Milnex CC
Date:	25/11/2022
	QUALITY CONTROL:
Name:	Report Author:       Report Reviewer:         Lizanne Esterhuizen       N/A         Honours Degree in Environmental Science       N/A
Signature:	
	DISCLAIMER:
	Copyright Milnex CC: All Rights Reserved.

This document contains information proprietary to Milnex CC and as such should be treated as confidential unless specifically identified as a public document by law. Milnex CC owns all copyright and all other intellectual property rights in this report. The document may not be copied, reproduced in whole or in part, or used for any manner without prior written consent from Milnex CC. Copyright is specifically reserved in terms of the Copyright Act 98 of 1987 including amendments thereto. By viewing this disclaimer and by accepting this document, you acknowledge that you have read and accepted these Terms of Use and undertake to keep the information contained herein confidential and not to do any act or allow any act which is in breach of these Terms of Use.

# The DFFE screening tool was used in compiling this document

The Public Participation Process (PPP) must follow Regulation 41 of NEMA EIA Regulations; thus, the process needs to be transparent. However, due to the Protection of Personal Information Act (POPI Act) which commenced on 01 July 2021, Stakeholders, Landowners, surrounding landowners and registered I&AP' addresses, contact details and comments will not be included in any draft report to be circulated. All this information will form part of the final report to be submitted to the Competent Authority only.

Should you be identified as a Stakeholder, Landowner, Surrounding landowner and you do not wish to receive any further communique from Milnex CC regarding the application in question, you may request in writing that your details be removed from the Milnex CC database for this application.

# IMPORTANT NOTICE

In terms of the Mineral and Petroleum Resources Development Act (Act 28 of 2002 as amended), the Minister must grant a prospecting or mining right if among others the mining "will not result in unacceptable pollution, ecological degradation or damage to the environment".

Unless an Environmental Authorisation can be granted following the evaluation of an Environmental Impact Assessment and an Environmental Management Programme report in terms of the National Environmental Management Act (Act 107 of 1998) (NEMA), it cannot be concluded that the said activities will not result in unacceptable pollution, ecological degradation or damage to the environment.

In terms of section 16(3)(b) of the EIA Regulations, 2014, any report submitted as part of an application must be prepared in a format that may be determined by the Competent Authority and in terms of section 17 (1) (c) the competent Authority must check whether the application has taken into account any minimum requirements applicable or instructions or guidance provided by the competent authority to the submission of applications.

It is therefore an instruction that the prescribed reports required in respect of applications for an environmental authorisation for listed activities triggered by an application for a right or permit are submitted in the exact format of, and provide all the information required in terms of, this template. Furthermore please be advised that failure to submit the information required in the format provided in this template will be regarded as a failure to meet the requirements of the Regulation and will lead to the Environmental Authorisation being refused.

It is furthermore an instruction that the Environmental Assessment Practitioner must process and interpret his/her research and analysis and use the findings thereof to compile the information required herein. (Unprocessed supporting information may be attached as appendices). The EAP must ensure that the information required is placed correctly in the relevant sections of the Report, in the order, and under the provided headings as set out below, and ensure that the report is not cluttered with un-interpreted information and that it unambiguously represents the interpretation of the applicant.

# ENVIRONMENTAL IMPACT ASSESSMENT PROCESS

(1) The environmental impact assessment process must be undertaken in line with the approved plan of study for environmental impact assessment.

(2) The environmental impacts, mitigation and closure outcomes as well as the residual risks of the proposed activity must be set out in the environmental impact assessment report.

# **OBJECTIVE OF THE ENVIRONMENTAL IMPACT ASSESSMENT PROCESS**

2. The objective of the environmental impact assessment process is to, through a consultative process-

(a) determine the policy and legislative context within which the activity is located and document how the proposed activity complies with and responds to the policy and legislative context;

(b) describe the need and desirability of the proposed activity, including the need and desirability of the activity in the context of the preferred location;

(c) identify the location of the development footprint within the preferred site based on an impact and risk assessment process inclusive of cumulative impacts and a ranking process of all the identified development footprint alternatives focusing on the geographical, physical, biological, social, economic, heritage and cultural aspects of the environment;
 (d) determine the--

(i) nature, significance, consequence, extent, duration and probability of the impacts occurring to inform identified preferred alternatives; and

(ii) degree to which these impacts-

- (aa) can be reversed;
- (bb) may cause irreplaceable loss of resources, and
- (cc) can be avoided, managed or mitigated;

(e) identify the most ideal location for the activity within the preferred site based on the lowest level of environmental sensitivity identified during the assessment;

(f) identify, assess, and rank the impacts the activity will impose on the preferred location through the life of the activity;

- (g) identify suitable measures to avoid, manage or mitigate identified impacts; and
- (h) identify residual risks that need to be managed and monitored.

# SCOPE OF ASSESSMENT AND CONTENT OF ENVIRONMENTAL IMPACT ASSESSMENT REPORTS

# A. CONTACT PERSON AND CORRESPONDENCE ADDRESS

# a) Details of:

- i) The EAP who prepared the report
- ii) Expertise of the EAP

Name of Practitioner	Qualifications		Contact details			
	Honours Degree in Environmental Science (refer to <b>Appendix 1</b> )		Tel No.: (018) 011 1925			
Lizanne Esterhuizen			Fax No. : (053) 963 2009			
			e-mail address: lizanne@milnex-sa.co.za			
	Master's Degree in Environmental		Tel No.: (018) 011 1925			
Christiaan Baron	Management (M.ENV.MAN)		Fax No.: (053) 963 2009			
	(refer to Appendix 1)		e-mail address: <u>christiaan@milnex-sa.co.za</u>			
	Honours Degree in Environmental		Tel No.: (018) 011 1925			
Andile Grant Nxumalo	•		Fax No. : (053) 963 2009			
	Science (refer to <b>Appendix 1</b> )		e-mail address: andile.grant@milnex-sa.co.za			

# Summary of the EAP's past experience. (Attach the EAP's curriculum vitae as Appendix 2)

Milnex CC was contracted by **Kimswa Mining (Pty) Ltd** as the independent environmental consultant to undertake the Scoping and EIA process for the Prospecting Right combined with a Waste Licence application to prospect for Diamonds Alluvial (DA), Diamonds General (D), Diamonds in Kimberlite (DK) & Diamonds (DIA) near Douglas on the Remaining Extent of the farm De Hoek 2, the Remaining Extent of the farm Marktsdrift 3, Portion 1 of the farm Roode Kop 5, Registration Division: Hopetown, Northern Cape province. The property is located approximately 10km Southwest of Douglas in the Northern Cape Province. Milnex CC does not have any interest in secondary developments that may arise out of the authorisation of the proposed project.

Milnex CC is a specialist environmental consultancy with extensive experience in the mining industry which provides a holistic environmental management service, including environmental assessment and planning to ensure compliance with relevant environmental legislation. Milnex CC benefits from the pooled resources, diverse skills and experience in the environmental and mining field held by its team that has been actively involved in undertaking environmental studies for a wide variety of mining related projects throughout South Africa. The Milnex CC team has considerable experience in environmental impact assessment and environmental management, especially in the mining industry.

Milnex CC have experience consulting in the environmental field. Their key focus is on environmental assessment, advice and management and ensuring compliance to legislation and guidelines. They are currently involved in undertaking EIAs for several projects across the country (refer to **Appendix 2** for CV).

# B. DESCRIPTION OF THE PROPERTY

Farm Name:	<ol> <li>The remaining extent of the farm De Hoek 2 Registration Division: Hopetown Extent: 744.8688 hectares</li> </ol>					
	<ol> <li>The remaining extent of the farm Marktsdrift 3 Registration Division: Hopetown RD Extent: 1825.3115 hectares</li> </ol>					
	<ol> <li>Portion 1 of the farm Roode Kop 5 Registration Division: Hopetown RD Extent: 1639.2181 hectares</li> </ol>					
Application area (Ha)	4209.3984 hectares					
Magisterial district:	Pixley Ka Seme District Municipality					
	Thembelihle Local Municipality					
Registration division:	Hopetown					
Distance and direction	This area lies south of the Vaal-Orange Confluence. Douglas is the nearest town to the prospecting					
from nearest town	site. The capital of the Northern Cape Kimberley is about 100 km to the east in the Northern Cape					
	Province.					
21 digit Surveyor General	1) C03300000000000000000					
Code for each farm	2) C03300000000000000000					
portion	3) C033000000000000000000000000000000000					
Minerals applied for	Diamonds Alluvial (DA)					
	Diamonds General (D)					
	Diamonds in Kimberlite (DK)					
	Diamonds (DIA)					
Locality map	Attach a locality map at a scale not smaller than 1:250000 and attach as Appendix 2					

# iii. Farm co-ordinates

	Farms	Longitude	Latitude	Longitude	Latitude
		29° 5' 12.905" S	23° <mark>39</mark> ' 35.745" E	29° 9' 6.365" S	23° 41' 21.121" E
		29° 5' 25.485" S	23° 39' 57.104" E	29° 9' 12.572" S	23° 41' 18.675" E
		29° 5' 45.542" S	23° 40' 35.900" E	29° 9' 17.862" S	23° 41' 19.263" E
		29° 5' 58.851" S	23° 40' 54.635" E	29° 9' 23.864" S	23° 41' 22.082" E
		29° 6' 10.190" S	23° 41' 13.807" E	29° 9' 27.926" S	23° 41' 26.464" E
		29° 6' 17.468" S	23° 41' 28.600" E	29° 9' 37.918" S	23° 41' 30.663" E
		29° 6' 21.014" S	23° 41' 39.004" E	29° 9' 40.314" S	23° 41' 34.345" E
		29° 6' 19.973" S	23° 41' 50.675" E	29° 9' 41.463" S	23° 41' 41.072" E
		29° 6' 19.208" S	23° 42' 0.086" E	29° 9' 42.256" S	23° 41' 46.682" E
1)	The remaining extent of the farm De Hoek 2	29° 6' 19.724" S	23° 42' 7.955" E	29° 9' 45.017" S	23° 41' 51.856" E
	Registration Division: Hopetown	29° 6' 2 <mark>0.605</mark> " S	23° 42' 9.373" E	29° 9' 49.399" S	23° 41' 55.853" E
	Extent: 744.8688 hectares	29° 6' 2 <mark>3.15</mark> 3" S	23° 42' 13.481" E	29° 9' 57.084" S	23° 42' 0.124" E
2)	The remaining extent of the form Marktadrift 2	29° 6' 30.126" S	23° 42' 15.519" E	29° 10' 6.253" S	23° 42' 4.505" E
2)	The remaining extent of the farm Marktsdrift 3 Registration Division: Hopetown RD	29° 6' 36.396" S	23° 42' 15.701" E	29° 10' 7.423" S	23° 42' 5.065" E
	Extent: 1825.3115 hectares	29° 6' 41.000" S	23° 42' 15. <mark>184</mark> " E	29° 10' 19.337" S	23° 42' 10.333" E
		29° 6' 46.548" S	23° 42' 12.761" E	29° 10' 33.448" S	23° 42' 17.559" E
3)	Portion 1 of the farm Roode Kop 5	29° 7' 3.147" S	23° 42' 3.612" E	29° 10' 47.690" S	23° 41' 43.327" E
,	Registration Division: Hopetown RD	29° 7' 8.375" S	23° 42' 1.574" E	29° 12' 13.370" S	23° 38' 17.212" E
	Extent: 1639.2181 hectares	29° 7' 17.316" S	23° 42' 3.175" E	29° 10' 31.116" S	23° 38' 34.289" E
		29° 7' 22.273" S	23° 42' 5.503" E	29° 9' 56.470" S	23° 38' 40.073" E
		29° 7' 26.319" S	23° 42' 7.404" E	29° 9' 53.206" S	23° 38' 40.617" E
		29° 7' 38.384" S	23° 42' 5.155" E	29° 9' 46.629" S	23° 38' 41.716" E
		2 <mark>9° 7' 4</mark> 7.779" S	23° 41' 58.105" E	29° 8' 17.490" S	23° 38' 57.432" E
		2 <mark>9° 8' 1</mark> .020" S	23° 41' 46.429" E	29° 8' 12.705" S	23° 39' 0.986" E
		<mark>29° 8'</mark> 9.043" S	23° 41' 37.168" E	29° 8' 14.012" S	23° 39' 8.487" E
		29° 8' 13.914" S	23° 41' 34.012" E	29° 8' 4.511" S	23° 39' 10.207" E
		29° 8' 19.773" S	23° 41' 30.826" E	29° 7' 12.997" S	23° 39' 17.005" E
		29° 8' 42.722" S	23° 41' 25.234" E	29° 6' 14.824" S	23° 39' 24.508" E

# C. LOCALITY MAP

(show nearest town, scale not smaller than 1:250000 attached as Appendix 3).

A Locality map is attached in Appendix 3 and on figure 1 below.




Figure 2: Site Plan

# D. DESCRIPTION OF THE SCOPE OF THE PROPOSED OVERALL ACTIVITY.

# i) LISTED AND SPECIFIED ACTIVITIES

Description of the overall activity. (Indicate Mining Right, Mining Permit, Prospecting right, Bulk Sampling, Production Right, Exploration Right, Reconnaissance permit, Technical co-operation permit, Additional listed activity)	<ol> <li>Listing Notice 1, (GNR 327), Activity 9: "The development of infrastructure exceeding 1 000 meters in length for the bulk transportation of water or storm water – (i) with an internal diameter of 0,36 metres or more: or (ii) with a peak throughput of 120 litres per second or more"</li> <li>Listing Notice 1, (GNR 327), Activity 19: The infilling or depositing of any material of more than 10 cubic metres into, or the dredging, excavation, removal or moving of soil, sand, shells, shell grit, pebbles or rock of more than 10 cubic metres from a watercourse;</li> <li>Listing Notice 1 (GNR 327), Activity 20 (Amended GNR 517: 2021): "Any activity including the operation of that activity which requires a prospecting right in terms of</li> </ol>
	section 16 of the Mineral and Petroleum Resources Development Act, as well as any other applicable activity as contained in this Listing Notice or in Listing Notice 3 of 2014, required to exercise the prospecting right"
	<ul> <li>4) Listing Notice 2 (GNR 325), Activity 15:" The clearance of an area of 20 hectares or more of indigenous vegetation, excluding where such clearance of indigenous vegetation is required for-         <ul> <li>(i) the undertaking of a linear activity; or</li> <li>(ii) maintenance purposes undertaken in accordance with a maintenance management plan."</li> </ul> </li> </ul>
	5) Listing Notice 2 (GNR 325), Activity 19 (Amended GNR 517: 2021): "The removal and disposal of minerals which requires permission contemplated in terms of section 20 of the Mineral and Petroleum Resources Development Act, as well as any other applicable activity as contained in this Listing Notice, Listing Notice 1 of 2014 or in Listing Notice 3 of 2014, required to exercise the permission.
	6) Listing Notice 3 (GNR 324), Activity 4: The development of a road wider than 4 metres with a reserve less than 13,5 metres. (g) Northern Cape (ii) Outside urban areas; (ee) Critical Biodiversity areas as identified in systematic biodiversity plans adopted by the competent authority
	7) Listing Notice 3 (GNR 324), Activity 12: "The clearance of an area of 300 square metres or more of indigenous vegetation except where such clearance of indigenous vegetation is required for maintenance purposes undertaken in accordance with a maintenance management plan. (g) Northern Cape (ii) Critical Biodiversity Areas as identified in biodiversity plans ".
	8) NEM:WA 59 of 2008: Residue stockpiles or residue deposits, Category A: (15) The establishment or reclamation of a residue stockpile or residue deposit resulting from activities which require a prospecting right or mining permit, in terms of the Mineral and Petroleum Resources Development Act, 2002 (Act No. 28 of 2002).
	Prospecting right with bulk samples for the prospecting of <b>Diamonds Alluvial (DA)</b> , <b>Diamonds General (D)</b> , <b>Diamonds in Kimberlite &amp; Diamonds (DIA)</b> including associated infrastructure, structure and earthworks.

<ul> <li>NAME OF ACTIVITY</li> <li>(E.g. For prospecting - drill site, site camp, ablution facility, accommodation, equipment storage, sample storage, site office, access route etcetc</li> <li>E.g. for mining,- excavations, blasting, stockpiles, discard dumps or dams, Loading, hauling and transport, Water supply dams and boreholes, accommodation, offices, ablution, stores, workshops, processing plant, storm water control, berms, roads, pipelines, power lines, conveyors, etcetc)</li> </ul>	Aerial extent of the Activity Ha or m²	LISTED ACTIVITY (Mark with an X where applicable or affected).	APPLICABLE LISTING NOTICE (GNR 324, GNR 325 or GNR 326)	WASTE MANAGEMENT AUTHORISATION (Indicate whether an authorisation is required in terms of the Waste Management Act) (Mark with an X)
Prospecting: <u>BULK SAMPLING: 576 000 tonnes</u> 4209.3984 <u>Ha</u> Pits: 250 pits, with dimensions of 4m x 4m x 5m each. Trenches: 80 trenches with dimensions of 40m x 50m x 5m each. Listing Notice 1, (GNR 327), Activity 9 "The development of infrastructure exceeding 1 000 meters in length for the bulk transportation of water or storm water – (i) with an internal diameter of 0,36 metres or more: or (ii) with a peak throughput of 120 litres per second or more"	Random indigenous vegetation clearance of over a 4209.3984 hectares area. Concurrent backfilling will take place in order to rehabilitate	X	Listing Notice 1, (GNR327), Activity 9	-
Prospecting: <u>BULK SAMPLING: 576 000 tonnes</u> 4209.3984 Ha         Pits: 250 pits, with dimensions of 4m x 4m x 5m each.         Trenches: 80 trenches with dimensions of 40m x 50m x 5m each         Listing Notice 1, (GNR327), Activity 19: The infilling or depositing of any material of more than 10 cubic metres into, or the dredging, excavation, removal or moving of soil, sand, shells, shell grit, pebbles or rock of more than 10 cubic metres from a watercourse;	Random indigenous vegetation clearance of over a 4209.3984 hectares area. Concurrent backfilling will take place in order to rehabilitate	X	Listing Notice 1, (GNR327), Activity 19	-

Prospecting Right:				
BULK SAMPLING: 576 000 tonnes4209.3984 HaPits: 250 pits, with dimensions of 4m x 4m x 5m each.Trenches: 80 trenches with dimensions of 40m x 50m x 5m eachListing Notice 1 (GNR 327), Activity 20 (Amended GNR 517: 2021): "Any activity including the operation of that activity which requires a prospecting right in terms of section 16 of the Mineral and Petroleum Resources Development Act, as well as any other applicable activity as contained in this Listing Notice or in Listing Notice 3 of 2014, required to exercise the prospecting right"	Random indigenous vegetation clearance of over a 4209.3984 hectares area. Concurrent backfilling will take place in order to rehabilitate	X	Listing Notice 1 (GNR 327), Activity 20 (Amended GNR 517: 2021)	-
Clearance of indigenous vegetation: <u>BULK SAMPLING: 576 000 tonnes</u> 4209.3984 Ha Pits: 250 pits, with dimensions of 4m x 4m x 5m each. Trenches: 80 trenches with dimensions of 40m x 50m x 5m each Listing Notice 2 (GNR 325), Activity 15:" The clearance of an area of 20 hectares or more of indigenous vegetation, excluding where such clearance of indigenous vegetation is required for- (i) the undertaking of a linear activity; or (ii) maintenance purposes undertaken in accordance with a maintenance management plan."	Random indigenous vegetation clearance of over a 4209.3984 hectares area. Concurrent backfilling will take place in order to rehabilitate	X	Listing Notice 2 (GNR 325), Activity 15	
Prospecting: <u>BULK SAMPLING: 576 000 tonnes</u> 4209.3984 Ha         Pits: 250 pits, with dimensions of 4m x 4m x 5m each.         Trenches: 80 trenches with dimensions of 40m x 50m x 5m each         Listing Notice 2 (GNR 325), Activity 19 (Amended GNR 517: 2021): "The removal and disposal of minerals which requires permission contemplated in terms of section 20 of the Mineral and Petroleum Resources Development Act, as well as any other applicable activity as contained in this Listing Notice, Listing Notice 1 of 2014 or in Listing Notice 3 of 2014, required to exercise the permission."	Random indigenous vegetation clearance of over a 4209.3984 hectares area. Concurrent backfilling will take place in order to rehabilitate	X	Listing Notice 2 (GNR 325), Activity 19 (Amended GNR 517: 2021)	

Possible road <u>BULK SAMPLING: 576 000 tonnes</u> 4209.3984 Ha         Pits: 250 pits, with dimensions of 4m x 4m x 5m each.         Trenches: 80 trenches with dimensions of 40m x 50m x 5m each         Listing Notice 3 (GNR 324), Activity 4: The development of a road wider than 4 metres with a reserve less than 13,5 metres. (g) Northern Cape (ii) Outside urban areas; (ee) Critical Biodiversity areas as identified in systematic biodiversity plans adopted by the competent authority	Random indigenous vegetation clearance of over a 4209.3984 hectares area. Concurrent backfilling will take place in order to rehabilitate	X	Listing Notice 3 (GNR 324), Activity 4 (g)(ii)(ee)	-
Clearance of indigenous vegetation: <u>BULK SAMPLING: 576 000 tonnes</u> 4209.3984 Ha Pits: 250 pits, with dimensions of 4m x 4m x 5m each. Trenches: 80 trenches with dimensions of 40m x 50m x 5m each Listing Notice 3 (GNR 324), Activity 12: "The clearance of an area of 300 square metres or more of indigenous vegetation except where such clearance of indigenous vegetation is required for maintenance purposes undertaken in accordance with a maintenance management plan. (g) Northern Cape (ii) Critical Biodiversity Areas as identified in biodiversity plans ".	Random indigenous vegetation clearance of over a 4209.3984 hectares area. Concurrent backfilling will take place in order to rehabilitate	x	Listing Notice 3 (GNR 324), Activity 12 (g)(ii)	
<b>NEM:WA 59 of 2008: Residue stockpiles or residue deposits, Category A: (15)</b> The establishment or reclamation of a residue stockpile or residue deposit resulting from activities which require a prospecting right or mining permit, in terms of the Mineral and Petroleum Resources Development Act, 2002 (Act No. 28 of 2002).		-	NEM:WA 59 of 2008 Category A: (15)	x

# ii) DESCRIPTION OF THE ASSOCIATED STRUCTURES AND INFRASTRUCTURE RELATED TO THE DEVELOPMENT

(Describe Methodology or technology to be employed, and for a linear activity, a description of the route of the activity

**Kimswa Mining (Pty) Ltd** has embarked on a process for applying for a Prospecting Right combined with a Waste Licence application to prospect for Diamonds Alluvial (DA), Diamonds General (D), Diamonds in Kimberlite (DK) & Diamonds (DIA) near Douglas on the Remaining Extent of the farm De Hoek 2, the Remaining Extent of the farm Marktsdrift 3, Portion 1 of the farm Roode Kop 5, Registration Division: Hopetown, Northern Cape province.

These farms/portions are preferred due to the sites expected mineral resources. **Kimswa Mining (Pty) Ltd** requires a prospecting right in terms of NEMA and the Mineral and Petroleum Resources Development Act to mine Diamonds Alluvial (DA), Diamonds General (D), Diamonds in Kimberlite (DK) & Diamonds (DIA) within the Thembelihle Local Municipality in the Northern Cape province (refer to a locality map attached in **Appendix 3**).

# A DESCRIPTION OF HOW THE MINERAL RESOURCE AND MINERAL DISTRIBUTION OF THE PROSPECTING AREA WILL BE DETERMINED

### Phase 1 – Site Visits

The applicant will appoint Hunter Kennedy as the project geologist to conduct the site visit. A formal site visit will be done within 90 days after the prospecting right has been executed. It is foreseen that more than one site visit will be conducted on the farms.

The purpose of the site visit is to assist the applicant to be familiar with the environment and with the assessment of the topography and the general geology before invasive prospecting activities. During this process the applicant will also review all documentation.

### Phase 2 – Desktop Studies

Desktop studies will be undertaken after a site investigation is done to determine the target areas including the identification of any infrastructure to be build and any potential problems that may need to be addressed.

This phase involves reviewing the literature surveys, interpretation of aerial photographs, satellite images and ground validation of targets. A preliminary analysis of the environment will be obtained which will improve the project's efficiency and cost by providing a clearer understanding of the challenges may be encountered. Compilation of the results of analysis will be done by the geologist after the finalization of the desktop studies.

### Phase 3 – Pitting

A trial pit / test pit or inspection pit investigation is a highly effective way of obtaining data on the sub surface soil and rock conditions which underlie a prospecting sight. It allows for the various soils and rock types to be locked, the soil to be sampled and a preliminary assessment to be made.

Pits will be dug, locked, sampled and backfilled. To dig the pits the applicant will make use of the systems of Hunter Kennedy, the appointed project geologist.

The applicant will at the end of the pitting process have locked the pits with the following information:

- A description of the soil and rock types from ground level to the base of the pits;
- Record of rock head depth and refusal depth, a list of where the samples will be taken, a record of where ground water seepage will be recorded;
- A general note of the geology and conditions in the vicinity of the test pits
- Pitting will be done within the period of 24 months once the prospecting right has been granted.

### Calculations

It is planned that 250 pits will be dug (it may be less depending on the results) at an extent of 4m (length) x 4m (width) x 5m (depth).

Timeframe: 24 months (month 7 - 30)			
Pits per year	250 pits / 2 years =	125 pits dug per year	
Total area to be disturbed per year:	125 pits x (4m x 4m) / 10 000 =	0.2 Ha disturbed per year	
Total area disturbed for 24 months	250 pits x (4m x 4m) / 10 000 =	0.4 Ha disturbed	

#### Phase 4 – Trenches

Due to nature of the alluvial diamond deposit, samples are not taken for assay as would be normal practice to evaluate hard rock precious or base-metal prospects. The diamond distribution pattern grade of alluvial diamonds is also of such a nature that there is no repeatability of sample results, even from adjacent samples.

Bulk samples will have to be taken to determine the average sample grade. By taking of the bulk samples, the applicant foresees to determine the grade of the diamond deposits as the number of carats contained in 100 tons (cpht) of gravel and to determine the average diamond sizes.

During these activities the applicant will then find out the size and value distribution of trenches. Diamond distribution patterns of alluvial deposits varies to such a nature that there is no repeatability of sample results even from adjacent samples.

Alluvial diamond deposits can only be sampled through bulk sampling comprising thousands of cubic meters of gravel. Given the extent of the area and the grades

expected to be very low, the applicant will have to process bulk samples of approximately 576 000 tonnes.

The appointed geologist will advise where the samples will be taken. Bulk samples will not be taken along a systematic grid as in the case of drilling.

As the anticipated mining plan for the properties will be based on high volumes (low grades), the bulk samples will have to address average recovery.

As indicated, the bulk sampling exercise has to be conducted to determine the grades (cpht), the diamond size distribution and thereafter to sell the diamonds to determine the diamond values.

The plant/ bulk sampling technique will be that of a typical South African alluvial diamond mining operation. The method is a strip mining process with oversize material and tailings

recovered from the plant will be used as backfill material prior to final rehabilitation. Gravels are excavated, loaded and transported to the treatment facility using dump trucks.

The bulk sampling operation will be conducted using a fleet of conventional open pit mining equipment compromising of dump trucks supported by appropriate excavators and front-end-loaders. All equipment is planned to be diesel driven.

Before excavation commences vegetation will be cleared from the proposed bulk sampling block. These will be done as per environmental regulations. Top soil will then be removed and stored separately for later used for rehabilitation.

The bulk samples will be made in the form of box cuts the dimensions of these individual box cuts will on average be 40m long x 50m wide.

It is estimated that the bulk samples will be 5m in depth.

Gravel will be removed by excavators and will be loaded directly into dump trucks. Ore will be hauled to the screening plant. The material will be screened where after the screened material will be moved to the processing plant where the gravel

will be processed. Concentrate will be moved to the sorting plant were the concentrate will be sorted.

It is estimated that pitting and trenching will take approximately 48 months.

#### Calculations

It is planned that 80 trenches will be dug at an extent of 40m (length) x 50m (width) x 5m (depth).

Timeframe: 24 months (month 31 - 54)		
Trenches per year	80 trenches / 2 years =	40 trenches dug per year
Total area to be disturbed per year:	40 trenches x (40m x 50m) / 10 000 =	8 Ha disturbed per year
Total area disturbed for 24 months	80 trenches x (40m x 50m) / 10 000 =	16 Ha disturbed

## Phase 5 – Consolidation and Interpretation of Results Data

The prospecting activities will be conducted to determine an inferred diamond resource and an indicated diamond resource. An inferred diamond resource has a lower level of confidence then that applying to an indicated diamond resource. The inferred resource indication will be where the geological and or grade continuity could not be confidently interpreted. It cannot be assumed that an inferred resource will necessarily be upgraded to an indicated resource. Such a resource is normally also not sufficient to enable an evaluation of economic viability.

To obtain an indicated resource the confidence level of information obtained from the prospecting will have to be sufficient for the information to be applied to mine design, mine planning to enable an evaluation of economic viability.

The project geologist, Hunter Kennedy, will monitor the program and consolidate and process the data and amend the program depending on the results received after each phase of prospecting. The DMR will be updated of any amendments made. This will be a continuous process throughout the prospecting work program.

Each physical phase of prospecting will be followed by desktop studies involving interpretation and modeling of all data gathered. These studies will determine the manner in which the work programme is to be proceeded with in terms of the activity, quantity, resources, expenditure and duration.

A GIS data base will be constructed capturing all the exploration data. All data will be consolidated and processed to determine the diamond bearing resource on the property.

### Prospecting activities and phases

Please find the Prospecting Work Programme attached as Appendix 9.

### Water uses:

Water uses under section 21 a-k of the NWA may be triggered, thus a Water Use Licence Application (WULA) will needed in cases there will be encroachment. When needed a WULA will be lodged with the department of Water & Sanitation (DWS).

Table 1: Water Use Pan Size specifications for Alluvial Diamond Mining (DWS NC & FS, 2001).

Pan size	Water/hour (m <sup>3</sup> )	Water/day(m <sup>3</sup> )	Gravel/hour (tons)	Gravel/day (ton)
16	17	170	60	600

Since 1 x 16 feet washing pan will be used, the amount of water for the pans will be 17 000 L/hour from which 30% is re-used.

### Dust suppression

Unacceptable levels of dust fallout can be determined by implementing dust management by monitoring compliance with the requirements of the National Dust Control Regulations for an activity, in terms of nuisance or disturbance.

The National Framework for Air Quality Management in the Republic of South Africa (the National Framework), as published under Government Notice No. 1144 of 26 October 2018, underpins NEM:AQA by providing national norms and standards for air quality management to ensure compliance with legislation. The National Framework serves as the country's AQMP.

Section 32 of the NEM:AQA makes provision for the Minister or the MEC to prescribe measures for the control of dust in specific places or areas, or by specified machinery or in specific instances. While dust generally does not pose a health risk, it may be regarded as a nuisance. It is the responsibility of the owner of the dust generating activity to take reasonable measures to limit the nuisance factor.

With respect to this, the Minister has published in the gazette the regulations for the control of dust in 2013 (Notice 827, Government Gazette No. 36974). These regulations provide requirements for measures for the control of dust, which includes the requirements for monitoring, dust management plan development and implementation and reporting.

According to dust levels set out by the National Dust Control Regulations 2013 (GNR. 827). The limits have the following threshold Section 3. Dustfall standard

Table 1. Acceptable dust fall rates

Restriction Areas	Dustfall rate (D) (mg/m2/day, 30- day average)	Permitted frequency of exceeding dust fall rate
Residential Area	D < 600	Two within a year, not sequential months
Non-residential Area	600 < D < 1200	Two within a year, not sequential months

# Ablution

Chemical toilets shall be used, no french drains and pits shall be permitted.

# Storage of dangerous goods

During the prospecting activities, limited quantities of diesel and fuel, oil and lubricants will be stored on site. These goods should be placed in a bunded area one and a half times the volume of the total amount of goods to be stored.

# <u>Road</u>

Access will be obtained from existing gravel roads off the R357.

# List of equipment's & infrastructure

- List of equipment
- 1 x 16 feet Washing pan + Conveyor
- 1 x Excavator
- 1 x Front-end Loader
- 1 x Dumper
- 1 x Sortex
- 1 x Power plant

# E. POLICY AND LEGISLATIVE CONTEXT

(a description of the policy and legislative context within which the development is located and an explanation of how the proposed development complies with and responds to the legislation and policy context;)

Title of legislation, policy or guideline:	Administoring authority:	Promulgation Date:
National Environmental Management Act No. 107 of 1998 as amended.	Administering authority: Department of Environmental Affairs	27 November 1998
Constitution of South Africa Act 108 of 1996	National	18 December 1996
The National Heritage Resources Act (Act No. 25 of 1999)	SAHRA	1999
Mineral and Petroleum Resources Development Act (Act No. 28 of 2002)	Department of Mineral Resources & Energy (DMRE)	2002
Mineral and Petroleum Resources Development Regulations, 2014.	Department of Mineral Resources & Energy (DMRE)	
National Infrastructure Plan	National	
National Environmental Management: Biodiversity Act No. 10 of 2004	Department of Environmental Affairs	7 June 2004
National Environmental Management Waste Act, 2008 (Act No. 59 of 2008)	National & Provincial	1 July 2009
National Environmental Management: Waste Act, 2008 (Act No. 59 Of 2008). Regulations regarding the Planning & Management of Residue Stockpiles & Residue Deposits from a Prospecting, Mining, Exploration or Production Operation		
EIA regulations under NEMA	Department of Environmental Affairs	14 December 2014
Conservation of Agricultural Resources Act, 1983 (Act No. 43 of 1983)	Department of Agriculture Forestry and Fisheries	1 June 1984

National Environmental Management Air Quality Act, 2004 (Act No. 39 of 2004).	National and Provincial	11 September 2004
National Water Act, 1998 (Act No. 36 of 1998).	National	20 August 1998
National Forest Act (Act 84 of 1998) (NFA)	National	30 October 1998
National Veld & Forest Fires Act (Act 101 of 1998)	National	27 November 1998
National Environmental Management: Protected Areas Act 57 of 2003		
Hazardous Substances Act (No. 15 of 1979)		
Subdivision of Agricultural Land Act (No. 70 of 1970)		
Occupational Health and Safety Act (No. 85 of 1993)		
Mine Health and Safety Act (No. 29 of 1996)		
Government Notice Regulation 704 of 1999		
Pixley Ka Seme District Municipality Integrated Development Plan (IDP)	Municipal	
Thembelihle Local Municipality Integrated Development Plan (IDP)	Municipal	

# Policy and Legislative Context

Title of legislation, policy or guideline:	Reference where applied	How does this development comply with and respond to the legislation and policy context.
Constitution of South Africa Act 108 of 1996	Section 24	The Constitution is the supreme law of the Republic and all law and conduct must be consistent with the Constitution. The Chapter on the Bill of Rights contains a number of provisions, which are relevant to securing the protection of the environment. Section 24 of the Constitution of the Republic of South Africa (Act 108 of 1996) states the following: "Everyone has the right – (a) to an environment that is not harmful to their health or well-being; and (b) to have the environment protected, for the benefit of present and future generations, through reasonable legislative and other measures that – i) prevent pollution and ecological degradation; ii) promote conservation; and iii) secure ecologically sustainable development and use of natural resources while promoting justifiable economic and social development." The Constitution therefore, compels government to give effect to the people's environmental right and places government under a legal duty to act as a responsible custodian of the countries environment. It compels government to pass legislation and use other measures to protect the environment, to prevent pollution and ecological degradation, promote conservation and secure sustainable development.
National Environmental Management Act No. 107 of 1998 as amended.	S24(1) of NEMA S28(1) of NEMA	NEMA provides for co-operative governance by establishing principles and procedures for decision-makers on matters affecting the environment. An important function of the Act is to serve as an enabling Act for the promulgation of legislation to effectively address integrated environmental management. Some of the principles in the Act are accountability; affordability; cradle to grave management; equity; integration; open information; polluter pays; subsidiary; waste avoidance and minimisation; co-operative governance; sustainable development; and environmental protection and justice. The mandate for EIA lays with the National Environmental Management Act (107 of 1998) and the EIA Regulations No. 326, 327, 325, and 324 promulgated in terms of Section 24 of NEMA. The EIA Regulations determine that an Environmental Authorisation is required for certain listed activities, which might have a detrimental effect on the environment.
EIA regulations as amended under NEMA	Listing notice 1 Listing notice 2 Listing Notice 3	The National Environmental Management Act107 of 1998 (NEMA), as amended, makes provision for the identification and assessment of activities that are potentially detrimental to the environment. These activities are detailed in Listing Notice 1 (as amended by GNR 327 of 7 April 2017), Listing Notice 2 (as amended by GNR325 of 7 April 2017) and Listing Notice 3 (as amended by GNR324 of 7 April 2017). Undertaking activities specified in the Listing Notices are only allowed once Environmental Authorisation has been obtained from the competent authority. Such Environmental Authorisation will only be considered once there has been compliance with the EIA Regulations, 2014. The Environmental Authorisation which may be granted subject to conditions.

Mineral and Petroleum Resources Development Act (Act No. 28 of 2002)	Section 10, 16, 22, 27 and 48	The Minerals and Petroleum Resources Development Act identifies the state as the official custodian of South Africa's Mineral and Petroleum Resources. Therefore, all activities relating to the reconnaissance, prospecting rights, mining rights, mining permits and retention permits are regulated by the State. One of the objectives of the Act is to give effect to section 24 of the Constitution by ensuring that the nation's mineral and petroleum resources are developed in an orderly and ecologically sustainable manner while promoting justifiable social and economic development.
Mineral and Petroleum Resources Development Regulations, 2014.	Regulations 3, 5, 10 and 14	MPRDA Regulations prescribe how an application for a permit or right must be lodged.
The National Heritage Resources Act (Act No. 25 of 1999)	Section 35 Section 38	The National Heritage Resources Act (Act No 25 of 1999, Section 35) protects South Africa's unique and non-renewable archaeological and palaeontological heritage sites. These sites may not be disturbed without a permit from the relevant heritage resources authority. Section 38 of the NHRA provides guidelines for Cultural Resources Management and proposed developments:
National Environmental Management Waste Act, 2008 (Act No. 59 of 2008)	Category A Category B Category C	Section 24S of NEMA deals with the management of residue stockpiles and residue deposits and provides that Residue stockpiles and residue deposits must be deposited and managed in accordance with the provisions of the National Environmental Management: Waste Act, 2008 (Act No. 59 of 2008), on any site demarcated for that purpose in the environmental management plan or environmental management programme in question. The management of residue stockpiles and residue deposits must be done in accordance with any conditions set out and any identified measures in the environmental authorisation issued in terms of NEMA, an environmental management programme and a waste management licence issued in terms of NEMA (Regulation 3(2)). The National Environmental Management: Waste Act, 2008 (Act No. 59 of 2008) (NEM:WA) regulates waste management in all aspects and created a list of waste management activities that have, or are likely to have, a detrimental effect on the environment, which requires an impact assessment and licensing process. Activities listed in Category A require a Basic Assessment process, activities listed in Category C must comply with the relevant requirements or standards, in order for competent authorities to consider an application in terms of NEMA.
National Environmental Management: Biodiversity Act No. 10 of 2004	Chapter 4 Chapter 5	The National Environmental Management: Biodiversity Act, 2004 (Act No. 10 of 2004) (NEMBA) is part of a suite of legislation falling under NEMA. The Act provides for the management and conservation of South Africa's biodiversity within the framework of the National Environmental Management Act, 1998; the protection of species and ecosystems that warrant protection; the fair and equitable sharing of benefits arising from bioprospecting involving indigenous biological resources; the establishment and functions of a South African National Biodiversity Institute; and for matters connected therewith (SANBI). Chapter 4 of NEMBA deals with threatened and protected ecosystems and species to ensure the maintenance of their ecological integrity, their survival in the wild, the utilisation of biodiversity is managed in an ecologically sustainable way and to regulate international trade in specimens of endangered species. Chapter 5 of NEMA deals with species and organisms posing potential threats to biodiversity. The purpose of this chapter is to prevent the introduction and spread of alien species and invasive species, also to manage, control and eradicate alien species and invasive species

National Environmental Management Air Quality Act, 2004 (Act No. 39 of 2004).	Section 21	The object of this Act is to protect the environment by providing reasonable measures for the protection and enhancement of the quality of air in the Republic; the prevention of air pollution and ecological degradation; and securing ecologically sustainable development while promoting justifiable economic and social development. Regulations No. R248 (of 31 March 2010) promulgated in terms of Section 21(1) (a) of the National Environmental Management Act: Air Quality Act (39 of 2004) determine that an Atmospheric Emission License (AEL) is required for certain listed activities, which result in atmospheric emissions which have or may have a detrimental effect on the environment. The Regulation also sets out the minimum emission standards for the listed activities. It is not envisaged that an Atmospheric Emission License will be required for the proposed development.
National Water Act, 1998 (Act No. 36 of 1998).	Section 21	Sustainability and equity are identified as central guiding principles in the protection, use, development, conservation, management and control of water resources. The intention of the Act is to promote the equitable access to water and the sustainable use of water, redress past racial and gender discrimination, and facilitate economic and social development. The Act provides the rights of access to basic water supply and sanitation, and environmentally, it provides for the protection of aquatic and associated ecosystems, the reduction and prevention of pollution and degradation of water resources. As this Act is founded on the principle that National Government has overall responsibility for and authority over water resource management, including the equitable allocation and beneficial use of water in the public interest, a person can only be entitled to use water if the use is permissible under the Act. Chapter 4 of the Act lays the basis for regulating water use.
National Forest Act (Act 84 of 1998) (NFA)	Regulation 7	The protection, sustainable management and use of forests and trees within South Africa are provided for under the National Forests Act (Act 84 of 1998). Regulation 7 from the Act states the following: Prohibition on destruction of trees in natural forests. (1) No person may - (a) cut, disturb, damage or destroy any indigenous tree in a natural forest; or (b) possess, collect, remove, transport, export, purchase, sell, donate or in any other manner acquire or dispose of any tree, or any forest product derived from a tree contemplated in paragraph (a), except in terms of- (i) a licence issued under subsection (4) or section 23; or (ii) an exemption from the provisions of this subsection published by the Minister in the Gazette on the advice of the Council.
National Veld & Forest Fires Act (Act 101 of 1998)	Regulation 13 Chapter 5	The purpose of the Act is to prevent and combat veld, forest and mountain fires throughout the Republic and provides for a variety of institutions, methods and practices for achieving the purpose. Regulations 13 provides the requirement for firebreaks. Chapter 5 places a duty on all owners to acquire equipment and have available personnel to fight fires.

Conservation of Agricultural Resources Act (Act No. 85 of 1983)	The purpose of the Act is to provide for control over the utilization of the natural agricultural resources of the Republic in order to promote the conservation of the soil, the water sources and the vegetation and the combating of weeds and invader plants; and for matters connected therewith. The objects of this Act are to provide for the conservation of the natural agricultural resources of the Republic by the maintenance of the production potential of land, by the combating and prevention of erosion and weakening or destruction of the water sources, and by the protection of the vegetation and the combating of weeds and invader plants.
National Infrastructure Plan	<ul> <li>The National Government adopted a National Infrastructure Plan in 2012. With the plan they aim to transform the South African economic landscape while simultaneously creating significant numbers of new jobs, and strengthening the delivery of basic services.</li> <li>Government will over the three years from 2013/14 invest R827 billion in building and upgrading existing infrastructure.</li> <li>These investments will improve access by South Africans to healthcare facilities, schools, water, sanitation, housing and electrification. On the other hand, investments in the construction of ports, roads, railway systems, electricity plants, hospitals, schools and dams will contribute to faster economic growth.</li> <li>This mining activity will indirectly contribute to the growing of the South African economy by supplying SANRAL with material to build and upgrade road infrastructure.</li> </ul>
District Municipality Integrated Development Plan (IDP)	The IDP and SDFs of the relevant municipalities was examined and relevant information was included in the EIA report.
Local Municipality Integrated Development Plan (IDP)	The IDP and SDFs of the relevant municipalities was examined and relevant information was included in the EIA report.
National Environmental Management: Protected Areas Act 57 of 2003	This Act provides for the protection and conservation of ecologically viable areas representative of South Africa's biological diversity and its natural landscapes and seascapes. It also seeks to provide for the sustainable utilization of protected areas and to promote participation of local communities in the management of protected areas.
National Environmental Management: Waste Act, 2008 (Act No. 59 Of 2008) Regulations regarding the Planning & Management of Residue Stockpiles & Residue Deposits from a Prospecting, Mining, Exploration or Production Operation	The purpose of these Regulations is to regulate the planning and management of residue stockpiles and residue deposits from a prospecting, mining, exploration or production operation.
Hazardous Substances Act (No. 15 of 1979)	The object of the Act is inter alia to 'provide for the control of substances which may cause injury or ill health to, or death of, human beings by reason of their toxic, corrosive, irritant, strongly sensitising or flammable nature or the generation of pressure thereby in certain circumstances; for the control of electronic products; for the division of such substances or products into groups in relation to the degree of danger; for the prohibition and control of such substances.'

	In terms of the Act, substances are divided into schedules, based on their relative degree of toxicity, and the Act provides for the control of importation, manufacture, sale, use, operation, application, modification, disposal and dumping of substances in each schedule.
Subdivision of Agricultural Land Act (No. 70 of 1970)	This Act regulates the subdivision of agricultural land and its use for purposes other than agriculture. The Directorate of Resource Conservation is responsible for the enforcement thereof. Investigations are done by the Provincial Department in support of the execution of the Act. The Act also deals with aspects associated with rezoning land.
Occupational Health and Safety Act (No. 85 of 1993)	The Occupational Health and Safety Act (No. 85 of 1993) (OHSA) provides a legislative framework for the provision of reasonably healthy and safe conditions in the workplace. It also places extensive legal duties on employees and users of machinery and makes major inroads on employers' and employees' common law rights. The OHSA is applicable and states that any person involved with construction, upgrades or developments for use at work or on any premises shall ensure as far as reasonably practicable that nothing about the manner in which it is installed, erected or constructed makes it unsafe or creates a risk to health when properly used
Mine Health and Safety Act (No. 29 of 1996)	<ul> <li>The Mine Health and Safety Act (No. 29 of 1996) (MHSA) aims to protect and promote the health and safety of employees and persons that may be affected by the activities at a mine and outlines both the rights and responsibilities of an employer, as well as the obligations of employees working thereat.</li> <li>The following principles are considered applicable to the Proposed Project and are detailed below: <ul> <li>The primary responsibility for ensuring a health and safe working environment in the mining site is placed on the mine owner. The Act sets out in detail the steps that employers must take to identify, assess records and control health and safety hazards in the mine;</li> <li>The right of workers to participate in health and safety decisions, the right to receive health and safety information, the right to training and the right to withdraw from the workplace in face of danger;</li> <li>The Act requires the establishment of institutions to promote a culture of health and safety and develop policy, legislation and regulations; and</li> <li>The responsibility for enforcing MHSA lies with the Mine Health and Safety Inspectorate. The Inspectorate's powers are recast and include the power to impose administrative fines upon employers who contravene the MHSA.</li> </ul> </li> <li>The Act also contains innovative approaches to the investigation of accidents, diseases and other occurrences that threaten health and safety.</li> </ul>
Government Notice Regulation 704 of 1999	<ul> <li>GNR.704 of 1999 under the NWA provides regulations on the use of water for mining and related activities aimed at the protection of water resources (requirements for clean and dirty water separation). GNR.704 requires inter alia the following: <ul> <li>Separation of clean (unpolluted) water from dirty water;</li> <li>Collection and confinement of the water arising within any dirty area into a dirty water system;</li> <li>Design, construction, maintenance and operation of the clean water and dirty water systems so that it is not likely for either system to spill into the other more than once in 50 years;</li> <li>Design, construction, maintenance and operation of any dam that forms part of a dirty water system to have a minimum freeboard of 0.8m above full supply level, unless otherwise specified in terms of Chapter 12 of the Act; and</li> <li>Design, construction, and maintenance of all water systems in such a manner as to guarantee the serviceability of such conveyances for flows up to and including those arising as a result of the maximum flood with an average period of recurrence of once in 50 years.</li> </ul> </li> </ul>

GNR.704 also stipulates that no person in control of a mine or activity may:
Locate or place any residue deposit, dam, reservoir, together with any associated structure or any other facility within the 1:100 year flood line or
within a horizontal distance of 100 m from any watercourse or estuary, borehole or well, excluding boreholes or wells drilled specifically to monitor
the pollution of groundwater, or on water-logged ground, or on ground likely to become water-logged, undermined, unstable or cracked;
Place or dispose of any residue or substance which causes or is likely to cause pollution of a water resource, in the workings of any underground
or opencast mine excavation, prospecting diggings, pit or any other excavation; or
Use any area or locate any sanitary convenience, fuel depots, reservoir or depots for any substance which causes or is likely to cause pollution of
a water resource within the 1:50 year flood line of any watercourse or estuary.

# F. NEED AND DESIRABILITY OF THE PROPOSED ACTIVITIES.

(a motivation for the need and desirability for the proposed development, including the need and desirability of the activity in the context of the preferred [location] development footprint within the approved site as contemplated in the accepted scoping report;).

Economic activity in modern-day South Africa has been centered on mining activities, their ancillary services and supplies. The country's stock exchange in Johannesburg was established in 1887, a decade after the first diamonds were discovered on the banks of the Orange River, and almost simultaneously with the gold rush on the world-famous Witwatersrand.

In many ways, South Africa's political, social and economic landscape has been dominated by mining, given that, for so many years, the sector has been the mainstay of the South African economy. Although gold, diamonds, platinum and coal are the most well-known among the minerals and metals mined, South Africa also hosts chrome, vanadium, titanium and a number of other lesser minerals.

In 2018 the mining sector contributed R351 billion to the South African gross domestic product (GDP). A total of 456,438 people were employed in the mining sector in 2018. Each person employed in the mining sector has up to nine indirect dependents. The mining sector has, for many years, attracted valuable foreign direct investment to South Africa. (Mineral Council, 2021)

Diamonds, arguably the ultimate luxury mineral, comprise an intricate lattice of carbon atoms, a crystalline structure that makes them harder than any other form in nature. This characteristic makes diamonds not only popular in jewellery, but also desirable in high-tech cutting, grinding and polishing tools (Chamber of Mines, South Africa, 12:2016).

According to the Chamber of Mines the country's diamond sector is far from reaching the end of its life even though diamond mining has been taking place in South Africa for almost a century and a half. The primary sources of all of South Africa's diamonds are kimberlites in ancient, vertically dipping volcanic pipes most of which were located in the vicinity of the city of Kimberley and which were initially amenable to open-cast.

Economic growth - South Africa's total reserves remain some of the world's most valuable, with an estimated worth of R20.3trillion. Overall, the country is estimated to have the world's fifth-largest mining sector in terms of GDP value.

With South Africa's economy built on gold and diamond mining, the sector is an important foreign exchange earner, with gold accounting for more than one-third of exports. In 2009, the country's diamond industry was the fourth largest in the world.

Mining is a cornerstone of the economy, making a significant contribution to economic activity, job creation and foreign exchange earnings. Mining and its related industries are critical to South Africa's socio-economic development.

# G. A MOTIVATION FOR THE PREFERRED DEVELOPMENT FOOTPRINT

(-within the approved site as contemplated in the accepted scoping report;)

NB!! – This section is about the determination of the specific site layout and the location of infrastructure and activities on site, having taken into consideration the issues raised by interested and affected parties, and the consideration of alternatives to the initially proposed site layout.

### Location of the site

The location of the site is preferred due to the possibility of shallow diamond. There are various operational alluvial diamond mines adjacent to these properties on which applications for prospecting rights have been lodged. In house information exist which substantiate the reasons for this application.

As discussed in the previous section, based on outcomes of previous studies in the vicinity of the proposed site, the possibility to encounter volumes of Diamonds Alluvial (DA), Diamonds General (D), Diamonds in Kimberlite (DK) & Diamonds (DIA) near Douglas on the Remaining Extent of the farm De Hoek 2, the Remaining Extent of the farm Marktsdrift 3, Portion 1 of the farm Roode Kop 5, Registration Division: Hopetown, Northern Cape province, was identified.

According to the map below (**Figure 20** and **Figure 21**), the proposed area is largely natural, water bodies, cultivation and Urban Build up. The natural vegetation according to the land use map consists mostly of Grassland, Low shrubland, Thicket/Dense bush and Woodland/Open Bush. The map also shows there are mines.

From google earth (Figure 22) the area looks mostly natural, there are some central pivot irrigation systems for the cultivation of crops and areas disturbed by mining activities.

If applicable a Water Use License Application will be launched for conducting prospecting operations. All infrastructure will be temporary and/or mobile.

# Preferred activity

The prospecting of Diamonds Alluvial (DA), Diamonds General (D), Diamonds in Kimberlite (DK) & Diamonds (DIA) is the optimum preferred activity for the site. The shallow diamond deposits make the site ideal for alluvial diamond mining. There are various operational alluvial diamond mines around the proposed area. In house information exist which substantiate the reasons for this application.

According to the map below (**Figure 20** and **Figure 21**), the proposed area is largely natural, water bodies, cultivation and Urban Build up. The natural vegetation according to the land use map consists mostly of Grassland, Low shrubland, Thicket/Dense bush and Woodland/Open Bush. The map also shows there are mines.

From google earth (Figure 22) the area looks mostly natural, there are some central pivot irrigation systems for the cultivation of crops and areas disturbed by mining activities.

If applicable a Water Use License Application will be launched for conducting prospecting operations. All infrastructure will be temporary and/or mobile.

#### Technology

In terms of the technologies proposed, these have been chosen based on the long term success of their prospecting history. The prospecting activities proposed in the Prospecting Works Programme (**Appendix 9**) is dependent on the preceding phase as previously discussed, therefore no alternatives are indicated, but rather a phased approach of trusted prospecting techniques.

H. A FULL DESCRIPTION OF THE PROCESS FOLLOWED TO REACH THE PROPOSED DEVELOPMENT FOOTPRINT

(-within the approved site as contemplated in the accepted scoping report, including:)

### i) Details of the development footprint alternatives considered;

#### Consideration of alternatives

The DEAT 2006 guidelines on 'assessment of alternatives and impacts' proposes the consideration of four types of alternatives namely, the no-go, site, activity, and technology alternatives. It is however, important to note that the regulation and guidelines specifically state that only 'feasible' and 'reasonable' alternatives should be explored. It also recognizes that the consideration of alternatives is an iterative process of feedback between the developer, the EAP and Interested and affected parties, which in some instances culminates in a single preferred project proposal. The following sections explore each type of alternative in relation to the proposed activity.

### Location alternatives

This alternative asks the question, if there is not, from an environmental perspective, a more suitable location for the proposed activity. It is expected that the Diamonds Alluvial (DA), Diamonds General (D), Diamonds in Kimberlite (DK) & Diamonds (DIA) been deposited on this farm and therefore the applicant would like to commence with their prospecting activities. There are various operational alluvial diamond mines around the proposed area. In house information exist which substantiate the reasons for this application.

According to the map below (**Figure 20** and **Figure 21**), the proposed area is largely natural, water bodies, cultivation and Urban Build up. The natural vegetation according to the land use map consists mostly of Grassland, Low shrubland, Thicket/Dense bush and Woodland/Open Bush. The map also shows there are mines.

From google earth (Figure 22) the area looks mostly natural, there are some central pivot irrigation systems for the cultivation of crops and areas disturbed by mining activities.

If applicable a Water Use License Application will be launched for conducting prospecting operations. All infrastructure will be temporary and/or mobile.

#### Land capability

The proposed area falls within Land in Class 7 (vii). (refer to Land capability map on figure 6 and attached as Appendix 5).

According to an article on the Grain SA website by Garry Paterson from ARC-Institute for Soil, Climate and Water on the Grain SA website, agriculture rests on three pillars where natural resources are concerned. These are the soil (comprising the growth medium for the plant), the climate conditions (which supply the plant with sufficient water and heat) and the terrain (enabling the crop to be physically planted, to grow and to be harvested sustainably).

The concept of land capability combines the three natural resource elements or factors listed above (soil, climate and terrain) and uses set parameters to determine a specific class for a given area. The basis of the land capability assessment in South Africa is the well-known Land Type Survey, which is a country-wide inventory of natural resources, i.e. soil pattern, macroclimate and terrain type, carried out between 1972 and 2002 by the ARC-Institute for Soil, Climate and Water.

Each unique land type is allocated to one of eight land capability classes. These classes are based on the original USDA land capability system, whereby Classes I and II comprise areas with little or no limitations to rainfed agriculture, Classes III and IV comprise those areas which are still considered arable, but with moderate to severe restrictions. Classes V to VIII comprise non-arable land with increasingly serious restrictions, either in terms of restricted soil, steep terrain, rockiness and/or an unfavourable climatic regime. (Garry Paterson, ARC-Institute for Soil, Climate and Water, November 2014.)

### <u>Activity alternatives</u>

The environmental impact assessment process also needs to consider if the development of a mine would be the most appropriate land use for the particular site.

Prospecting of other commodities: from the surface and desktop assessment indicates that there are no indications that there are other commodities to be mined on the site, except Diamonds Alluvial (DA), Diamonds General (D), Diamonds in Kimberlite (DK) & Diamonds (DIA).

According to the map below (**Figure 20** and **Figure 21**), the proposed area is largely natural, water bodies, cultivation and Urban Build up. The natural vegetation according to the land use map consists mostly of Grassland, Low shrubland, Thicket/Dense bush and Woodland/Open Bush. The map also shows there are mines.

From google earth (Figure 22) the area looks mostly natural, there are some central pivot irrigation systems for the cultivation of crops and areas disturbed by mining activities.

#### <u>Design and layout alternatives</u>

The location of the activities will be determined based on the location of the prospecting activities, which will only be determined during phase 1 of the Prospecting Work Programme (see **Appendix 9** for the PWP).

The layout follows the limitations of the site and aspects such as, roads, site offices and workshop area.

According to the map below (Figure 20 and Figure 21), the proposed area is largely natural, water bodies, cultivation and Urban Build up. The natural vegetation according to the land use map consists mostly of Grassland, Low shrubland, Thicket/Dense bush and Woodland/Open Bush. The map also shows there are mines.

From google earth (Figure 22) the area looks mostly natural, there are some central pivot irrigation systems for the cultivation of crops and areas disturbed by mining activities.

### Operational alternatives

Due to the nature of the prospecting activities, no permanent services in terms of water supply, electricity, or sewerage services are required.

Pits will be dug by an excavator for the purpose of soil sampling. If gravel is found, the applicant will determine the composition and quality of the gravel.

The applicant will proceed with this way of prospecting by means of the open cast/trenching method, simultaneously or after pitting depending on the information obtained from the earlier work done. The trenches will be dug to remove and process the gravel. Gravel will be removed by excavators and will be loaded directly into dump trucks. Ore will be hauled to the screening plant. The material will be screened where after the screened material will be moved to the processing plant where the gravel will be processed. Concentrate will be moved to the sorting plant where the concentrate will be sorted.

All data will be consolidated and processed to determine the diamond bearing resources on the property. This will be a continuous process throughout the prospecting work programme.

No feasible alternatives to the pitting and trenching method currently exists. Impacts associated with the prospecting operations will be managed through the implementation of a management plan, developed as part of the application for authorisation.

### <u>No-go alternative</u>

This alternative considers the option of 'do nothing' and maintaining the status quo. The description provided in section H of this report could be considered the baseline conditions (status quo) to persist should the no-go alternative be preferred. The site is currently zoned for agricultural land uses. Should the proposed activity not proceed, the site will remain unchanged.

### <u>Technology alternatives</u>

In terms of the technologies proposed, these have been chosen based on the long-term success of their prospecting history. The prospecting activities proposed in the Prospecting Works Programme (**Appendix 9**) is dependent on the preceding phase as previously discussed, therefore no alternatives are indicated, but rather a phased approach of trusted prospecting techniques.

The preferred technology for the proposed prospecting activity, will be to remove the diamond bearing gravel with an excavator, depositing it in the 10 - 18 feet rotary pan(s) to be washed and sorted. Please find the Prospecting Work Programme attached as **Appendix 9**.

### Dense Media Separation (DMS)

Pros & Cons of the alternative Dense Media Separation (DMS)

Advantages	Disadvantages
DMS plants is used mostly for kimberlite deposits	10 times more expensive than Rotary pan
	Water consumption is high
	Operating costs are expensive

In a Dense Media Separation (DMS) plant, powdered ferrosilicon (an alloy of iron and silicone) is suspended in water to form a fluid near the density of diamond (3.52 g/cm3), to which the diamond bearing material is added to begin the separation process of the heavier minerals from the lighter material. Additional separation of the denser material occurs by centrifuge in "cyclones" that swirl the mixture at low and high speeds, forcing the diamonds and other dense minerals to the walls and then out the bottom of the cyclone. Waste water rises at the center of the cyclones and is sucked out and screened to remove waste particles. The DMS process results in a concentrate that generally weighs less than one percent of the original material fed into the plant at the beginning of the process.

# **Rotary Pan Plants**

Pros & Cons of the alternative Rotary Pan Plants

Advantages	Disadvantages
More cost effective	The industry perception that Rotary Pan Plants yield poorer diamond recoveries
Readily available	
Generate more work opportunities	
Consume less water	
Rotary Pan Plants are most often used when mining alluvial deposits	

In a Rotary Pan plant, crushed ore, when mining kimberlite, or alluvial gravel and soil is mixed with water to create a liquid slurry called "puddle" which has a density in the 1.3 to 1.5 g/cm3 range. The mix is stirred in the pan by angled rotating "teeth". The heavier minerals, or "concentrate", settle to the bottom and are pushed toward an extraction point, while lighter waste remains suspended and overflows out of the centre of the pan as a separate stream of material. The concentrate, representing just a small percentage of the original kimberlite ore or alluvial gravels, is drawn off for final recovery of the diamonds.

Both methods are in actual fact used for bulk material reduction and require a further process for the final diamond recovery however, for this project the Rotary Pan will be used.

### **Dust Suppression**

When it comes to dust suppression two main methods were considered, namely molasses stillage and the wetting (water) of roads. The table below provides a short summary of the advantages and disadvantages of each.

Water	Molasses stillage		
More cost effective	Muc <mark>h mo</mark> re expensiv <mark>e</mark>		
Could lead to the depleting of water resources	Requires less water		
No damage (only if used excessively)	The product may be toxic to aquatic organisms. (As this product could have physical effects on aquatic organisms for e.g. floating, osmotic damage)		
No harm to humans or animals (Only a high quantity will have harm to humans or animals)	Not Hazardous or toxic. Could cause irritation to eyes, skin or when ingested and inhaled.		
Non-flammable	Non-flammable		
Eye-wash fountains not needed	Eye-wash fountains in the work place are strongly recommended		
	Working procedures should be designed to minimize worker exposure to this product.		
Basic storing methods	Storing methods are a bit more complicated. Should be stored in a plastic, plastic lined or stainless steel, tight closed containers between 5 and 40 degrees Centigrade.		

Considering the above mentioned information, water will be used for dust suppression purposes.

# ii) Details of the Public Participation Process Followed

Describe the process undertaken to consult interested and affected parties including public meetings and one on one consultation. NB the affected parties must be specifically consulted regardless of whether or not they attended public meetings. (Information to be provided to affected parties must include sufficient detail of the intended operation to enable them to assess what impact the activities will have on them or on the use of their land.

The Public Participation Process (PPP) must follow Regulation 41 of NEMA EIA Regulations; thus, the process needs to be transparent. However, due to the Protection of Personal Information Act (POPI Act) which commenced on 01 July 2021, Stakeholders, Landowners, surrounding landowners and registered I&AP' addresses, contact details and comments will not be included in any draft report to be circulated. All this information will form part of the final report to be submitted to the Competent Authority only.

Should you be identified as a Stakeholder, Landowner, Surrounding landowner and you do not wish to receive any further communique from Milnex CC regarding the application in question, you may request in writing that your details be removed from the Milnex CC database for this application.

#### Newspaper advertisement

An advertisement was placed in English in the local newspaper (**Noordkaap Bulletin**) the public of the EIA process and requesting Interested and Affected Parties (I&APs) to register with, and submit their comments to Milnex CC. I&APs were given the opportunity to raise comments within 30 days of the advertisement (see **Appendix 6**).

### Site notices

Site notices will be placed (as anticipated on the coordinates below) on site in English to inform surrounding communities and immediately adjacent landowners of the proposed development. I&APs will be given the opportunity to raise comments. Photographic evidence of the site notices will be included in **Appendix 6**. Below are the coordinates where the site notices will placed.



Figure 3: Site notice co-ordinates

Direct notification and circulation of Scoping Report to identified I&APs (stakeholder, landowners, surrounding landowners, and occupiers)

Identified I&APs, including key stakeholders representing various sectors, are directly informed of the proposed development and the availability of the Scoping Report via registered post on **25 August 2022** and were requested to submit comments by **25 September 2022** (30days).

A copy of the report is also available at the Milnex offices in Schweizer-Reneke, 4 Botha Street, Schweizer-Reneke and Potchefstroom (Waterberry Street, Waterberry Square, 1st floor, Office 5B, Potchefstroom), between 7:30AM and 5PM, Monday to Friday. For a complete list of stakeholder details and for proof of registered post see **Appendix 6**. The consultees included:

Table 1: List of Stakeholders, Landowners, & surrounding landowners

Department of Agriculture, Environmental Affairs, Rural Development and Land Reform (AGRINC) Department of Economic Development and Tourism (DEDAT) Department of Co-operative Governance, Human Settlements and Traditional Affairs (COGHSTA) Department of Roads and Public Works (DR&PW)
Department of Co-operative Governance, Human Settlements and Traditional Affairs (COGHSTA)
Department of Transport, Safety and Liaison (DTSL)
Department of Social Development (DSD)
Northern Cape Tourism Authority
Northern Cape Heritage Resources Authority (NCHRA)
Department of Mineral Resources and Energy (DMRE)
Department of Water and Sanitation (DWS)
Pixley Ka Seme District Municipality: Municipal manager
Thembelihle Local Municipality: Municipal manager
Thembelihle Local Municipality: Ward 1 Councillor
WESSA
Landowner
Jan Augustinus van der Merwe
Nuscor Boerdery (Pty) Ltd
Surrounding landowners
De Hoek Sand (Pty) Ltd
Hercules Jacobus Erasmus
Erna Francine Erasmus
Bucklands Communal Property Association
Hein Mulke Agri CC
Barend Christiaan Geers
Vencill Trust

# Direct notification and circulation of EIR & EMPr to identified I&APs (stakeholder, landowners, surrounding landowners, occupiers & I&APs)

Identified I&APs, including key stakeholders representing various sectors, are directly informed of the proposed development and the availability of the EIR & EMPr via registered post on **25 November 2022** and were requested to submit comments by **16 January 2023** (30 days). The Public Participation timeframes and commenting period excludes the period of 15 December to 05 January.

A copy of the report is also available at the Milnex offices in Schweizer-Reneke, 4 Botha Street, Schweizer-Reneke and Potchefstroom (Waterberry Street, Waterberry Square, 1st floor, Office 5B, Potchefstroom), between 7:30AM and 5PM, Monday to Friday. For a complete list of stakeholder details and for proof of registered post see **Appendix 6**.

Stakeholders
Department of Agriculture, Environmental Affairs, Rural Development and Land Reform (AGRINC)
Department of Forestry, Fisheries and the Environment (DFFE)
Department of Economic Development and Tourism (DEDAT)
Department of Co-operative Governance, Human Settlements and Traditional Affairs (COGHSTA)
Department of Roads and Public Works (DR&PW)
Department of Transport, Safety and Liaison (DTSL)
Department of Social Development (DSD)
Northern Cape Tourism Authority
Northern Cape Heritage Resources Authority (NCHRA)

Table 2: List of Stakeholders, Landowners, & surrounding landowners

Department of Mineral Resources and Energy (DMRE)			
Department of Water and Sanitation (DWS)			
Pixley Ka Seme District Municipality: Municipal manager			
Thembelihle Local Municipality: Municipal manager			
Thembelihle Local Municipality: Ward 1 Councillor			
WESSA			
Interested and af	fected party (I&AP)		
Marc Caplan			
Land	Landowner		
AC van der Merwe			
Nuscor Boerdery (Pty) Ltd			
Surrounding	g landowners		
De Hoek Sand (Pty) Ltd			
Hercules Jacobus Erasmus			
Erna Francine Erasmus			
Bucklands Communal Property Association			
Hein Mulke Agri CC			
Barend Christiaan Geers			
Vencill Trust			

# Issues Raised by Interested and Affected Parties

Comments received during this period are attached as comment & response report as well as populated in the table of summary of issues raised.

# iii) Summary of Issues Raised by I&APs

(Complete the table summarising comments and issues raised, and reaction to those responses)

Interested and Aff List the names of persons consulted an X where those who must be cons	d in this column, and Mark with	Issues raised	EAPs response to issues as mandated by the applicant	Section and paragraph reference in this report where the
Organisation	Contact person			issue and or response where incorporated
De Hoek RE/2 & Marktsdrift RE/3	AC van der Merwe (Jan Augustinus Van Der Merwe)			
Roode Kop 1/5	Nuscor Boerdery (Pty) Ltd AC van der Merwe (Jan Augustinus Van Der Merwe)			
Surrounding Landowners				
Blauwfontein 2/6 & Rooikop 3/4	De Hoek Sand (Pty) Ltd			
Blauwfontein 1/6	Hercules Jacobus Erasmus			
Irene 2/13	Erna Francine Erasmus			
Erf 272, Erf 271, Erf 258, Erf 256	Bucklands Communal Property Association			
Erf 259	Leehan Trust			
	Hein Mulke Agri CC	▼		
Erf 267	Barend Christiaan Geers			

Erf 257	Vencill Trust: Anna Magdalena Venter	
	Vencill Trust: Beatrix Hendrina Venter	
	Vencill Trust: Martha Francina Cilliers	
Rooikop 1/4	De Smidt Familie Trust	
Bateleur RE/289	Jooste Trust	
Erf 270	Johan Swiegers Familie Trust	
Erf 285	No information available on SearchWorks	
The Municipality in which jurisdictio	n the development is located	
Thembelihle Local Municipality	Municipal Manager: To whom it may concern	
Municipal councilor of the ward in w	hich the site is located	
Thembelihle Local Municipality	Ward 1 Councillor	
Organs of state having jurisdiction		
Department of Agriculture, Environmental Affairs, Rural Development and Land Reform (AGRINC)	Head of Department: Mr. Lerato Wa Modise	
	Elsabe Swart	
	Jacoline Mans	
Department of Economic Development and Tourism (DEDAT)	Head of Department: Mr T Mabija	
Department of Co-operative Governance, Human Settlements and Traditional Affairs (COGHSTA)	Head of Department: Mr Bafedile Lenkoe	
Department of Roads and Public Works (DR&PW)	Deputy Information Officer: Head of Department:	

	Dr. Johnny Mac Kay	
Department of Transport, Safety and Liaison (DTSL)	Head of Department Mr. M. Dichaba	
Department of Social Development (DSD)	Head of Department To whom it may concern	
Northern Cape Tourism Authority	Chairperson: To whom it may concern	
Northern Cape Heritage Resources Authority (NCHRA)	Mr Ratha Andrew Timothy and Mrs Rose Kelebogile	
	Eugene Nkatlholang	
Department of Mineral Resources	Mutheiwana Mmboneni	
and Energy (DMRE)		
	Eugene Nkatlholang & Mmboneni Mutheiwana	
Department of Water and	Mr Khutjo Kwena Sekwaila (WUL Manager)	
Sanitation (DWS)	Mudau Mashudu	
Commission on Restitution of		
Land Rights.	Pabalelo Mokale	
Other-		
Pixley Ka Seme District Municipality	Municipal Manager: To whom it may concern	
WESSA	Graham Avery	
SAHRA		

Interested and Affected Party (I&AP)	Marc Caplan		
Interested and Anected Party (IMAP)			

iv) the environmental attributes associated with the development footprint alternatives focusing on the geographical, physical, biological, social, economic, heritage and cultural aspects;

## **BASELINE ENVIRONMENT**

The baseline environment is described with specific reference to geotechnical conditions, ecological habitat and landscape features, Soil, land capability and agricultural potential, climate and the visual landscape.

# DFFE Screening Report

According to the DFFE Screening Report the Environmental Sensitivity of the proposed area is as follows:

Wind and Solar developments with an approved Environmental Authorisation or applications under consideration within 30 km of the proposed area

No	EIA Reference	Classification	Status of	Distance from proposed
	No		application	area (km)
1	12/12/20/2643	Solar PV	Approved	14
2	12/12/20/1941	Solar PV	Approved	14
3	12/12/20/2512	Solar PV	Approved	0
4	12/12/20/2637	Solar PV	Approved	14

# Proposed Development Area Environmental Sensitivity

The following summary of the development site environmental sensitivities is identified. Only the highest environmental sensitivity is indicated. The footprint environmental sensitivities for the proposed development footprint as identified, are indicative only and must be verified on site by a suitably qualified person before the specialist assessments identified below can be confirmed.

Theme	Very High sensitivity	High sensitivity	Medium sensitivity	Low sensitivity
Agriculture Theme	Х			
Animal Species Theme			X	
Aquatic Biodiversity Theme	Х			
Archaeological and Cultural Heritage Theme	Х			
Civil Aviation Theme		X		
Defence Theme				X
Paleontology Theme		X		
Plant Species Theme				X
Terrestrial Biodiversity Theme	X			

## (a) Type of environment affected by the proposed activity.

(its current geographical, physical, biological, socio- economic, and cultural character).

# GEOLOGY AND SOILS

## Qw: Aeolian sand

The Council for Geo Science describes the gravel found in the area under application as follows:

The oldest and most predominant rock type occurring in the area of interest is the Archaean (2.7 Ga) andesitic lavas of the Allanridge Formation, Ventersdorp Supergroup (Figure 1). Resting unconformably on the Ventersdorp lavas are the largely clastic and chemical sediments of the lower Griqualand West Sequence. In particular, siltstone, with subordinate shale, quartzite and andesitic lava of the Paleo-proterozoic Vryburg Formation outcrop in the area, small portions of which are exposed to the east of the Orange River (Figure 1). These are overlain by the increasingly more chemical sediments of the Schmidtsdrif Formation, which consist of interbedded shale, quartzite, dolomite and chert. These transitional lithologies between clastic and chemical sediments are more visible towards the west of the Orange River.

Also resting unconformably on the Ventersdorp lavas are small outcrops of Carboniferous

Dwyka Group glacial deposits of the Karoo Supergroup. These comprise largely tillites, diamictites and varved shales. Outcrops of these lower Karoo lithologies are very limited in extent and are preserved mostly adjacent to the Vaal and Orange Rivers (Figure 1).

Overlying much of the area are Quaternary deposits of alluvium, windblown sand and calcrete/surface limestone. Deposits of surface limestone/calcrete are characteristic of this comparatively flat region, which has a low rainfall pattern and is underlain by rocks high in calcium carbonate and calcium silicates. It is present as nodules in the superficial cover of soil and sand, or as a more or less continuous layer just below, which may crop out here and there. Much of the sand cover, particularly the area to the south of the Vaal-Orange confluence, is dominated by windblown Recent red Hutton Sands.

Surface drainage in the area is affected through the Vaal and Orange Rivers, which converge to the north of the review area (Figure 1). Although alluvium is largely restricted to the rivers, this confluence has resulted in the creation of a large floodplain immediately to the south of the confluence, which comprises alluvium that is largely covered by windblown sand. Of additional interest in this area are the presence of alluvial gravels associated with both rivers, some of which are covered by alluvium and windblown sand. Patches of these gravels outcrop immediately adjacent to the Vaal and Orange rivers, however, they are also found as higher level terrace deposits, previously deposited by the Paleo-Vaal-Orange rivers.

# **ECOLOGICAL HABITAT AND LANDSCAPE FEATURES**

The result obtained by plotting the coordinates are as follow:

The proposed area falls within vegetation unit AZa 4 and NKu 3, which is known as the Upper Gariep Alluvial Vegetation and Northern Upper Karoo. The Upper Gariep Alluvial Vegetation is part of the Alluvial Vegetation Bioregion which is a sub-bioregion for the Inland Azonal Vegetation. The Northern Upper Karoo is part of the Upper Karoo Bioregion, which is a sub-bioregion for the Nama-Karoo Bioregion.

# Upper Gariep Alluvial Vegetation

According to Mucina and Rutherford (2006:639), the Upper Gariep Alluvial Vegetation covers the Free State and Northern Cape Province: Broad alluvia of the Orange River, lower Caledon as well as lower stretches of the Vaal, Riet and Modder rivers as far as Groblershoop. These river stretches are surrounded by vegetation units of broad transitional regions between the dry facies of the Savanna and Grassland and northern regions of the Nama-Karoo Biome. Altitude ranging from 1000 – 1500m.

The area has flat alluvial terraces supporting complex of riparian thickets (gallery forests) dominated by native Acacia karroo and Diospyros lycioides, flooded grasslands, reed beds and ephemeral herblands populating mainly sand banks within the river and on its banks

## Some other important Taxa found on in the area:

Riparian thickets	
Small trees:	Acacia karoo (d), Celtis Africana (d), Salix mucronata subsp. mucronata (d)
Tall shrubs:	Diospyros lycioides (d), Melianthus comosus (d), Rhus pyroides
Low Shrubs:	Asparagus setaceus, A. suaveolens.
Woody Climber:	Clematis brachiate.
Succulent Shrub:	Lycium arenicola, L. hirsutum.
Herb:	Rubia cordifolia

Flooded grasslands & herblands

Graminoids:	Melica decumbens (d)
Herbs:	Cineraria dregeana, C. lobate.

Upper Gariep Alluvial Vegetation has a conservation which is vulnerable with a target of 31%. Only about 3% statutorily conserved in Tussen Die Riviere, Gariep Dam and Oviston Nature Reserve. More than 20% transformation for cultivation (vegetable grapes) and building of dams. Exotic woody species such as Salix babylonica, Eucalyptus camaldulensis, E. sideroxylon, Prosopis and

Populus species have become common dominants in patches of heavily disturbed alluvial vegetation (Mucina and Rutherford, 2006:639-640).

#### Northern Upper Karoo


According to Mucina and Rutherford (2006:340), the Northern Upper Karoo vegetation covers the Northern Cape and Free State Provinces which include the Northern regions of the Upper Karoo plateau from Prieska, Vosburg and Carnarvon in the west to Philipstown, Petrusville and Petrusburg in the east. Bordered in the north by Niekerkshoop, Douglas and Petrusburg and in the south by Carnarvon, Pampoenpoort and De Aar. A few Patches occur in Griqualand West. It is situated on an altitude of 1000m – 1500m.

The shrubland area is dominated by dwarf karoo shrubs, grasses and *Anacia mellifera* subsp. detinens and some other low trees (especially on sandy soils in the northern parts and vicinity of the Orange River). Flat to gently sloping, with isolated hills of Upper Karoo Hardeveld in the south and Vaalbos Rocky Shrubland in the northeast and with many interspersed pans.

#### Some other important Taxa found on in the area:

Small Trees:	Acacia mellifera subsp. detinens, Boscia albitrunca.				
Tall Shrubs:	Lycium cinereum (d) L. horridum, L. oxycarpum, L. schizocalyx, Rhigozum trichotomum.				
Low Shrubs:	Chrysocoma ciliata (d), Gnidia polycephala (d), Pentzia calcarea (d), P. globose (d), P. incana (d),				
	P. spinescens (d), Rosenia humilis (d), Amphiglossa triflora, Aptosimum marlothii, A. spinescens,				
	Asparagus glauce, Barleria rigida, Berkheya annectens, Eriocephalus ericoides subsp. ericoides, E.				
	gladulosus, E. spinescens, Euryops asparagoides. Felicia muricata, Helichrysum lucilioides,				
	Hermannia spinose, Leucas capensis, Limeum aethiopicum, Melolobuim candicans, Microloma				
	armatum, Osteospermum leptolobum, O. spinescens, Pegolettia retrofracta, Pentzia lanata,				
	Phyllanthus maderaspatensis, Plinthus karooicus, Pteronia glauca, P. sordida, Selago geniculate, S.				
	saxatilis, Tetragonia arbuscular, Zygophyllum lichtensteinianum.				
Herbs:	Chamaesyce inaequilatera, Convolvulus sagittatus, Dicoma capensis, Gazania krebsiana,				
	Hermannia comosa, Indigofera alternans <mark>, Les</mark> sertia pauci <mark>flora</mark> , Radyera urens, Sesamum capense,				
	Sutera pinnatifida, Tribulus terrestris, Vahlia capensis.				
Graminiods:	Aristida adscensoinis (d), A. congesta (d), A. diffusa (d), Enneapogon desvauxii (d), Eragrostis				
	lehmanniana (d), E. obtusa (d), E. truncata (d), Sporobolus fimbriatus (d), Stipagrostis obtuse (d),				
	Eragrostis bicolor, E. porosa, Fingerhuthia Africana, Heteropogon contortus, Stipagrostis ciliata,				
	Themeda triandra, Tragus berteronianus, T. koelerioides, T. racemosus.				
Succulent Shrubs:	Hertia pallens, Salsola calluna, S. glabrescens, S. rabieana, S. tuberculata, Zygophyllum flexuosum.				
Semiparasitic Shrubs:	Thesium hystrix (d)				
Succulent Herb:	Psilocaulon coriarium.				
Geophytic Herb:	Moraea pallida.				

Mucina and Rutherford (2006:340) also states that the conservation of the Northern Upper Karoo, is Least Threatened with a target of 21%. About 4% has been cleared for cultivation (the highest proportion of any type in the Nama-Karoo) or irreversibly transformed by building of dams (Houwater, Kalkfontein and Smart Syndicate Dams). Areas of human settlements are increasing in the north-eastern part of this vegetation types. Erosion is moderate at 46.2%, very low at 32% and low at 20%. According to Hoffman *et al.* (1999) as stated by Mucina and Rutherford (2006:340) *Prosopis* occurs in generally isolated patches, with densities ranging from very scattered to medium (associated with the lower Vaal River drainage system and the confluences with the Orange River) to localised closed woodland on the western borders of the unit with Bushmanland Basin Shrubland.



## Figure 4: Vegetation Unit Map

According to the DFFE Screening Report the Plant Species theme sensitivity of the proposed area falls in a low sensitivity. Please see **Appendix 7** for the colour map.




Figure 5: Plant Species Combined Sensitivity

#### **CLIMATE**

#### **Douglas Climate**

30 days

25 days

20 days

15 days 10 davs

> 5 days 0 days

Feb

Maximum temperatures

temperatures.

Mai

Sunny

Ap

May

Partly cloudy


Jun

The meteoblue climate diagrams are based on 30 years of hourly weather model simulations and available for every place on Earth. They give good indications of typical climate patterns and expected conditions (temperature, precipitation, sunshine and wind). The simulated weather data have a spatial resolution of approximately 30 km and may not reproduce all local weather effects, such as thunderstorms, local winds, or tornadoes, and local differences as they occur in urban, mountainous, or coastal areas.


50 °C

#### Average temperatures and precipitation

The "mean daily maximum" (solid red line) shows the maximum temperature of an average day for every month for Douglas. Likewise, "mean daily minimum" (solid blue line) shows the average minimum temperature. Hot days and cold nights (dashed red and blue lines) show the average of the hottest day and coldest night of each month of the last 30 years



100 mm




#### Precipitation amounts

The precipitation diagram for Douglas shows on how many days per month, certain precipitation amounts are reached.

## Wind speed

The diagram for Douglas shows the days per month, during which the wind reaches a certain speed.





The wind rose for Douglas shows how many hours per year the wind blows from the indicated direction



# LAND CAPABILITY AND AGRICULTURAL POTENTIAL


According to an article on the Grain SA website by Garry Paterson from ARC-Institute for Soil, Climate and Water on the Grain SA website, agriculture rests on three pillars where natural resources are concerned. These are the soil (comprising the growth medium for the plant), the climate conditions (which supply the plant with sufficient water and heat) and the terrain (enabling the crop to be physically planted, to grow and to be harvested sustainably).

The concept of land capability combines the three natural resource elements or factors listed above (soil, climate and terrain) and uses set parameters to determine a specific class for a given area. The basis of the land capability assessment in South Africa is

the well-known Land Type Survey, which is a country-wide inventory of natural resources, i.e. soil pattern, macroclimate and terrain type, carried out between 1972 and 2002 by the ARC-Institute for Soil, Climate and Water.


Each unique land type is allocated to one of eight land capability classes. These classes are based on the original USDA land capability system, whereby Classes I and II comprise areas with little or no limitations to rainfed agriculture, Classes III and IV comprise those areas which are still considered arable, but with moderate to severe restrictions. Classes V to VIII comprise non-arable land with increasingly serious restrictions, either in terms of restricted soil, steep terrain, rockiness and/or an unfavourable climatic regime. (Garry Paterson, ARC-Institute for Soil, Climate and Water, November 2014.)


The proposed area falls within Land in Class 7 (vii) (refer to Land capability map on figure 6 and attached as Appendix 5).



# Figure 6: Land capability

According to the DFFE Screening Report the Agriculture theme sensitivity of the proposed area fall mostly within low sensitivity, with areas off Medium, High and Very High sensitivity. Please see **Appendix 7** for the colour map.





# THREATENED ECOSYSTEMS

Ecosystem threat status outlines the degree to which ecosystems are still intact or alternatively losing vital aspects of their structure, function and composition, on which their ability to provide ecosystem services ultimately depends (Driver *et al.* 2011). Datasets have been developed by SANBI (2016) in order to outline threatened ecosystems, with the primary objective of limiting the rate of ecosystem extinctions. Four established categories group these ecosystems namely: Critically Endangered (CR), Endangered (EN), Vulnerable (VU) and Protected.

The proposed portion does not fall within a threatened ecosystem according to Figure 8.

# **PROTECTED AREAS**

According to the data for protected areas (Figure 8), the proposed area does not fall within a formally protected area.





Figure 8: Threatened and Protected Areas Map

# **CRITICAL BIODIVERSITY AREA**

Critical Biodiversity Areas (CBAs) are terrestrial and aquatic areas of high biodiversity value that need to be conserved and maintained in a natural or near-natural state to ensure the continued existence and functioning of species and ecosystems and the delivery of ecosystem services (MTPA, 2014). According to the National Environmental Management Act (NEMA) (Act no. 107 of 1998) certain activities have strict guidelines or are prohibited within CBAs and ESAs. Refer to the listed activities under the NEMA: Environmental Impact Assessment Regulations of 2014 (GNR 982) as promulgated in terms of the National Environmental Management Act (Act 107 of 1998) (NEMA) [as amended] for a comprehensive breakdown. The following terms are used to categorise the various land used types according to their biodiversity and environmental importance:

- Critical Biodiversity Area One (CBA1);
- Critical Biodiversity Area Two (CBA2);
- Ecological Support Area (ESA);
- Other Natural Areas (ONA); and
- Protected Area (PA).

Based on the desktop information (Figure 9), the proposed area falls within CBA 1, CBA 2 and other.



# Figure 9: Critical Biodiversity Areas Map.

According to the DFFE Screening Report most of the proposed area falls mostly within Low Aquatic Biodiversity sensitivity with some areas within Very High sensitivity. Please see **Appendix 7** for the colour map.




Figure 10: Aquatic Biodiversity Combined Sensitivity

According to the DEA Screening Report the proposed area falls mostly within High Terrestrial Biodiversity theme sensitivity followed by very high sensitivity along the Orange river and low where the central pivots are located on the proposed area. Please see **Appendix 7** for the colour map.




Figure 11: Terrestrial Biodiversity Combined Sensitivity

According to the DEA Screening Report the proposed portions fall within medium and low Animal Species theme sensitivity. Please see **Appendix 7** for the colour map




Figure 12: Animal Species theme sensitivity.

# **BIODIVERSITY PRIORITY AREAS FOR MINING**

The Mining and Biodiversity Guideline was developed in 2013 for the purpose of mainstreaming biodiversity management practices into the mining sector (DEA, DMR, Chamber of Mines, SAMBF & SANBI 2013). This Guideline provides explicit direction in terms of where mining-related impacts are legally prohibited, where biodiversity priority areas may present high risks for mining projects, and where biodiversity may limit the potential for mining. The Guideline distinguishes between four categories of biodiversity priority areas in relation to their importance from a biodiversity and ecosystem service perspective as well as the implications for mining in these areas (**Table 2**).

Table 2: Four categories of biodiversity priority areas in relation to their biodiversity importance and implications for mining.

Category	Biodiversity Priority Areas	Risks for Mining	Implications for Mining
A. Legally Protected	<ul> <li>Protected areas (including National Parks, Nature Reserves, World Heritage Sites, Protected Environments, Nature Reserves)</li> <li>Areas declared under Section 49 of the Mineral and Petroleum Resources Development Act (No. 28 of 2002)</li> </ul>	Mining Prohibited	Mining projects cannot commence as mining is legally prohibited. Although mining is prohibited in Protected Areas, it may be allowed in Protected Environments if both the Minister of Mineral Resources and Minister of Environmental Affairs approve it. In cases where mining activities were conducted lawfully in protected areas before Section 48 of the Protected Areas Act (No. 57 of 2003) came into effect, the Minister of Environmental Affairs may, after consulting with the Minister of Mineral Resources, allow such mining activities to continue, subject to prescribed conditions that reduce environmental impacts.
B. Highest Biodiversity Importance	<ul> <li>Critically endangered and endangered ecosystems</li> <li>Critical Biodiversity Areas (or equivalent areas) from provincial spatial biodiversity plans</li> <li>River and wetland Freshwater Ecosystem Priority Areas (FEPAs) and a 1km buffer around these FEPAs</li> <li>Ramsar Sites</li> </ul>	Highest Risk for Mining	Environmental screening, environmental impact assessment (EIA) and their associated biodiversity specialist studies should focus on confirming the presence and significance of these biodiversity features, and to provide site-specific basis on which to apply the mitigation hierarchy to inform regulatory decision-making for mining, water use licences, and environmental authorisations. If they are confirmed, the likelihood of a fatal flaw for new mining projects is very high because of the significance of the biodiversity features in these areas and the associated ecosystem services. These areas are viewed as necessary to ensure protection of biodiversity, environmental sustainability, and human well-being. An EIA should include the strategic assessment of optimum, sustainable land use for an area and will determine the significance of the impact on biodiversity. This assessment should fully consider the environmental sensitivity of the area, the overall environmental and socio-economic costs and benefits of mining, as well as the potential strategic importance of the minerals to the country. Authorisations may well not be granted. If granted, the authorisation may set limits on allowed activities and impacts and may specify biodiversity offsets that would be written into licence agreements and/or authorisations.

C. High Biodiversity Importance	<ul> <li>Protected area buffers (including buffers around National Parks, World Heritage Sites* and Nature Reserves)</li> <li>Transfrontier Conservation Areas (remaining areas outside of formally proclaimed protected areas)</li> <li>Other identified priorities from provincial spatial biodiversity plans</li> <li>High water yield areas</li> <li>Coastal Protection Zone</li> <li>Estuarine functional zone</li> <li>*Note that the status of buffer areas of World Heritage Sites is subject to a current intra- governmental process</li> </ul>	High Risk for Mining	These areas are important for conserving biodiversity, for supporting or buffering other biodiversity priority areas, and for maintaining important ecosystem services for communities or the country. An EIA should include an assessment of optimum, sustainable land use for an area and will determine the significance of the impact on biodiversity. Mining options may be limited in these areas, and limitations for mining projects are possible. Authorisations may set limits and specify biodiversity offsets that would be written into licence agreements and/or authorisations.
D. Moderate Biodiversity Importance	<ul> <li>Ecological support areas</li> <li>Vulnerable ecosystems</li> <li>Focus areas for protected area expansion (land-based and offshore protection)</li> </ul>	Moderate Risk for Mining	These areas are of moderate biodiversity value. EIAs and their associated specialist studies should focus on confirming the presence and significance of these biodiversity features, identifying features (e.g. threatened (land-based and offshore protection) species) not included in the existing datasets, and on providing site- specific information to guide the application of the mitigation hierarchy. Authorisations may set limits and specify biodiversity offsets that would be written into licence agreements and/or authorisations.

Based on Figure 13, the area doesn't overlap with any category.




Figure 13: Biodiversity priority areas, in accordance with the Mining of Biodiversity Guidelines, associated with the study site.

# WETLAND AREAS

In terms of Section 1 of the National Water Act (No. 36 of 1998) (NWA), wetlands are legally defined as: "land which is transitional between terrestrial and aquatic systems where the water table is usually at or near the surface, or the land is periodically covered with shallow water, and which land in normal circumstances supports or would support vegetation typically adapted to life in saturated soil" (NWA 1998).

Wetlands are defined by the presence of unique soils and vegetation that do not occur in terrestrial and purely aquatic environments (Edwards *et al.* 2018). Wetland soils are referred to as hydric soils that develop under anaerobic conditions (condition where oxygen is virtually absent from the soil). Wetlands are also typically characterized by relatively large and dense stands of plants sticking out of shallow water or wet soil. Plants adapted to such waterlogged conditions are referred to as hydrophytes. Wetlands are distinct from true aquatic ecosystems like river ecosystems, which are characterized by fast flowing water within channels, and lake ecosystems, that are flooded to great depth; both of which are not primarily characterized by the occurrence of hydric soils and hydrophytes.

A wide variety of wetland types are present in South Africa, and can be classified into six broad types, namely floodplain wetlands, unchannelled valley bottom wetlands, channelled valley bottom wetlands, seeps, depressions and wetland flats. Owing to the large variations in climate and topography across South Africa, vegetation and habitat associated with these wetland types vary tremendously from subtropical reed beds and tall swamp forests to arid salt pans, which all support unique and varied animal life.

**Figure 14** i illustrates all wetland types associated with the study area. According to the Wetland areas map there are a Channelled valley-bottom wetland, Unchannelled valley-bottom wetlands, Depressions and Flats on the proposed area. The Orange River bordering the proposed area is a Floodplain wetland.




Figure 14: Wetland types located within or near the study site.

The Wetland vegetation that the site has been associated with the Eastern Kalahari Bushveld Group 3 and Upper Nama Karoo, as depicted in the figure below.





Figure 15: Wetland vegetation type

# IMPORTANT BIRD AND BIODIVERSITY AREAS

Important Bird and Biodiversity Areas (IBAs) are a network of sites that are significant for the long-term viability of naturally occurring bird populations (Birdlife 2019). Many sites are also important for other forms of biodiversity; therefore, the conservation of Important Bird & Biodiversity Areas ensures the survival of a correspondingly large number of other animals and plants.



No IBAs were identified within the vicinity of the study site (Figure 16).

**RIVER ECOSYSTEM STATUS** 

According to Figure 17, the Orange river boarding the proposed area on the East falls in Class D: Largely Modified.




Figure 17: Ecosystem status of the rivers occurring in close proximity to the study site.

#### CULTURAL AND HERITAGE ASPECTS

According to the DFFE Screening Report the proposed area falls mostly within low Archaeological and Cultural Heritage Theme Sensitivity and a certain area within very high. Please see map colour map under **Appendix 7.** 




Figure 18: Archaeological and Cultural Heritage Combined Sensitivity

According to the DFFE Screening Report the proposed area falls mostly within Medium and High Paleontology Theme Sensitivity and to a lesser extent within low sensitivity. Please see map colour map under **Appendix 7**.




Figure 19: Relative Paleontology Theme Sensitivity

Cultural Heritage in South Africa (includes all heritage resources) is protected by the National Heritage Resources Act (Act 25 of 1999) (NHRA). According to Section 3 of the Act, all Heritage resources include "all objects recovered from the soil or waters of South Africa, including archaeological and palaeontological objects and material, meteorites and rare geological specimens".

If such resources are found during the mining or development activities, they shall not be disturbed without a permit from the relevant heritage resource Authority, which means that before such sites are disturbed by development it is incumbent on the developer to ensure that a heritage impact assessment is done and the Provincial Heritage Resources Authority and SAHRA must be contacted immediately and work must stop.

If anything of Archaeological and/or paleontological significance is found during the construction and operational phase of the mine the following applies:

- NHRA 38(4)c(i) If any evidence of archaeological sites or remains (e.g. remnants of stone-made structures, indigenous ceramics, bones, stone artefacts, ostrich eggshell fragments, charcoal and ash concentrations), fossils or other categories of heritage resources are found during the proposed development, SAHRA APM Unit (021 462 5402) must be alerted as per section 35(3) of the NHRA. Non-compliance with section of the NHRA is an offense in terms of section 51(1)e of the NHRA and item 5 of the Schedule;
- NHRA 38(4)c(ii) If unmarked human burials are uncovered, the SAHRA Burial Grounds and Graves (BGG) Unit (012 320 8490), must be alerted immediately as per section 36(6) of the NHRA. Non-compliance with section of the NHRA is an offense in terms of section 51(1)e of the NHRA and item 5 of the Schedule;
- NHRA 38(4)e The following conditions apply with regards to the appointment of specialists: i) If heritage resources are
  uncovered during the course of the development, a professional archaeologist or palaeontologist, depending on the
  nature of the finds, must be contracted as soon as possible to inspect the heritage resource. If the newly discovered
  heritage resources prove to be of archaeological or palaeontological significance, a Phase 2 rescue operation may be
  required subject to permits issued by SAHRA;

If fossil remains or trace fossils are discovered during any phase of construction, either on the surface or exposed by excavations the **Chance Find Protocol** must be implemented by the Environmental Control Officer (ECO) in charge of these developments. These discoveries ought to be protected and the ECO must report to SAHRA (Contact details: SAHRA, 111 Harrington Street, Cape Town. PO Box 4637, Cape Town 8000, South Africa. Tel: 021 462 4502. Fax: +27 (0)21 462 4509. Web: www.sahra.org.za) so that mitigation can be carry out by a paleontologist.

# Chance Find Procedure

- If a chance find is made the person responsible for the find must immediately stop working and all work that could impact that finding must cease in the immediate vicinity of the find.
- The person who made the find must immediately report the find to his/her direct supervisor which in turn must report the find to his/her manager and the ESO or site manager. The ESO or site manager must report the find to the relevant Heritage Agency (South African Heritage Research Agency, SAHRA). (Contact details: SAHRA, 111 Harrington Street, Cape Town. PO Box 4637, Cape Town 8000, South Africa. Tel: 021 462 4502. Fax: +27 (0)21 462 4509. Web: www.sahra.org.za). The information to the Heritage Agency must include photographs of the find, from various angles, as well as the GPS co-ordinates.
- A preliminary report must be submitted to the Heritage Agency within 24 hours of the find and must include the following:
   1) date of the find; 2) a description of the discovery and a 3) description of the fossil and its context (depth and position of the fossil), GPS co-ordinates.
- Photographs (the more the better) of the discovery must be of high quality, in focus, accompanied by a scale. It is also important to have photographs of the vertical section (side) where the fossil was found.
- Upon receipt of the preliminary report, the Heritage Agency will inform the ESO (or site manager) whether a rescue excavation or rescue collection by a palaeontologist is necessary.
- The site must be secured to protect it from any further damage. No attempt should be made to remove material from their environment. The exposed finds must be stabilized and covered by a plastic sheet or sandbags. The Heritage agency will also be able to advise on the most suitable method of protection of the find.

- In the event that the fossil cannot be stabilized the fossil may be collected with extreme care by the ESO (site manager).
   Fossils finds must be stored in tissue paper and in an appropriate box while due care must be taken to remove all fossil material from the rescue site.
- Once Heritage Agency has issued the written authorization, the developer may continue with the development on the affected area.

#### DESCRIPTION OF THE SOCIO-ECONOMIC ENVIRONMENT

#### • Socio-economic conditions

#### **Thembelihle Local Municipality**

Labour Market

Matric

Unemployment rate (official)

Education (aged 20 +) No schooling

Higher education

Youth unemployment rate (official) 15-34

The Pixley Ka Seme District Municipality is a Category C municipality situated in the south-east of the Northern Cape Province. It shares its borders with three other provinces, namely the Free State to the east, the Eastern Cape to the south-east, and the Western Cape to the south-west. It is the second-largest district of the five in the province, but makes up almost a third of its geographical area. The district is comprised of eight local municipalities: Ubuntu, Umsobomvu, Emthanjeni, Kareeberg, Renosterberg, Thembelihle, Siyathemba and Siyancuma. Its main town is De Aar. Traffic flows through the region, linking the major industrial areas of the country. The area has a low rainfall, while the largest river in South Africa flows through it. Two of the major dams in South Africa, the Vanderkloof and Gariep Dams, are situated on the borders of the district municipality

#### Key Statistics Summary **Demographic Information** 2016 Population 16 230 Age Structure Population under 15 25.0% Population 15 to 64 68.5% Population over 65 6.5% **Dependency Ratio** Per 100 (15-64) 46.0 Sex Ratio Males per 100 females 104.6 **Population Growth** Per annum 0.75%

56
----

2011

15 701

30.9%

62.8%

6.4%

59.3

103.3

n/a

28.4%

35.2%

15.1% 19.9%

6.6%

n/a

n/a

10.8%

22.2%

5.0%


Household Dynamics			
Households	4 736	4 140	
Average household size	3.4	3.7	
Female headed households	32.4%	32.3%	
Formal dwellings	77.4%	77.5%	
Housing owned	51.0%	51.4%	
Household Services			
Flush toilet connected to sewerage	66.4%	60.0%	
Weekly refuse removal	59.4%	68.4%	
Piped water inside dwelling	39.9%	33.5%	
Electricity for lighting	84.2%	75.2%	

The chart below shows the population growth from 2011 to 2016 in the Thembelihle Local Municipality.

# Population Census 2011

	Male	Female	Grand Total	
Black African	1245	1146	2391	
Coloured	5511	5601	11112	
Indian or Asian	69	12	81	
White	1101	954	2055	
Other	51	15	66	
Grand Total	7977	7728	15705	

The population has grown from 15 705 in 2011 to 16 230 in 2016, which represents a population growth of 0.75% per annum. See the below figure for the demographics of the municipality.



#### Employment status across population groups

	Black African		Coloured		Indian or Asian		White		Other		Grand Total
	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	
Employed	468	243	1332	906	36	3	483	345	42	3	3861
Unemployed	111	126	600	672	-	-	12	6	-	-	1527
Discouraged work-seeker	33	57	195	381	3		3	12	-	-	684
Other not economically active	264	333	1203	1470	18	3	186	291	6	6	3780
Age less than 15 years	-	-	-	-			-		-	-	-
Not applicable	372	387	2178	2172	12	6	420	294	-	-	5841
Grand Total	1248	1146	5508	5601	69	12	1104	948	48	9	15693

# (b) Description of the current land uses.

According to the map below (**Figure 20** and **Figure 21**), the proposed area is largely natural, water bodies, cultivation and Urban Build up. The natural vegetation according to the land use map consists mostly of Grassland, Low shrubland, Thicket/Dense bush and Woodland/Open Bush. The map also shows there are mines.

From google earth (Figure 22) the area looks mostly natural, there are some central pivot irrigation systems for the cultivation of crops and areas disturbed by mining activities.

If applicable a Water Use License Application will be launched for conducting prospecting operations.

All infrastructure will be temporary and/or mobile.




Figure 20: Land use map associated with study site and surrounding areas.




Figure 21: Landcover map associated with study site and surrounding areas.



Figure 22: Google earth map of the proposed area.

- v) The impacts and risks identified including the nature, significance, consequence, extent, duration and probability of the impacts, including the degree to which these impacts—
- (aa) can be reversed;
- (bb) may cause irreplaceable loss of resources; and
- (cc) can be avoided, managed or mitigated;

Please see heading J) AN ASSESSMENT OF EACH IDENTIFIED POTENTIALLY SIGNIFICANT IMPACT AND RISK, for the impacts identified and their assessment.

vi) The methodology used in determining and ranking the nature, significance, consequences, extent, duration and probability of potential environmental impacts and risks;

#### Method of environmental assessment

The environmental assessment aims to identify the various possible environmental impacts that could results from the proposed development. Different impacts need to be evaluated in terms of its significance and in doing so highlight the most critical issues to be addressed.

Significance is determined through a synthesis of impact characteristics which include context and intensity of an impact. Context refers to the geographical scale i.e. site, local, national or global whereas intensity is defined by the severity of the impact e.g. the magnitude of deviation from background conditions, the size of the area affected, the duration of the impact and the overall probability of occurrence. Significance is calculated as shown in the Table below.

Significance is an indication of the importance of the impact in terms of both physical extent and time scale, and therefore indicates the level of mitigation required. The total number of points scored for each impact indicates the level of significance of the impact.

#### Impact Rating System

Impact assessment must take account of the nature, scale and duration of impacts on the environment whether such impacts are positive or negative. Each impact is also assessed according to the following project phases:

- Construction
- Operation
- Decommissioning

Where necessary, the proposal for mitigation or optimisation of an impact should be detailed. A brief discussion of the impact and the rationale behind the assessment of its significance should also be included. The rating system is applied to the potential impacts on the receiving environment and includes an objective evaluation of the mitigation of the impact. In assessing the significance of each impact the following criteria is used:

#### Table: The rating system

	NATURE							
Include a	Include a brief description of the impact of environmental parameter being assessed in the context of the project. This criterion							
includes	a brief written statement of th	ne environmental aspect being impacted upon by a particular action or activity.						
		GEOGRAPHICAL EXTENT						
This is d	This is defined as the area over which the impact will be experienced.							
1	Site	The impact will only affect the site.						
2	Local/district	Will affect the local area or district.						
3	Province/region	Will affect the entire province or region.						
4	International and National	Will affect the entire country.						

		PROBABILITY						
This de	escribes the chance of occurre	ence of an impact.						
1	Unlikely	The chance of the impact occurring is extremely low (Less than a 25% chance of occurrence).						
2	Possible	The impact may occur (Between a 25% to 50% chance of occurrence).						
3	Probable	The impact will likely occur (Between a 50% to 75% chance of occurrence).						
4	Definite	Impact will certainly occur (Greater than a 75% chance of occurrence).						
	DURATION							
This describes the duration of the impacts. Duration indicates the lifetime of the impact as a result of the proposed activity.								
1	Short term	The impact will either disappear with mitigation or will be mitigated through natural processes in a span shorter than the construction phase $(0 - 1 \text{ years})$ , or the impact will last for the period of a relatively short construction period and a limited recovery time after construction, thereafter it will be entirely negated $(0 - 2 \text{ years})$ .						
2	Medium term	The impact will continue or last for some time after the construction phase but will be mitigated by direct human action or by natural processes thereafter (2 – 10 years).						
3	Long term	The impact and its effects will continue or last for the entire operational life of the development, but will be mitigated by direct human action or by natural processes thereafter $(10 - 30 \text{ years})$ .						
4	Permanent	The only class of impact that will be non-transitory. Mitigation either by man or natural process will not occur in such a way or such a time span that the impact can be considered indefinite.						
		INTENSITY/ MAGNITUDE						
Describ	bes the severity of an impact.							
1	Low	Impact affects the quality, use and integrity of the system/component in a way that is barely perceptible.						
2	Medium	Impact alters the quality, use and integrity of the system/component but system/component still continues to function in a moderately modified way and maintains general integrity (some impact on integrity).						
3	High	Impact affects the continued viability of the system/ component and the quality, use, integrity and functionality of the system or component is severely impaired and may temporarily cease. High costs of rehabilitation and remediation.						
4	Impact affects the continued viability of the system/component and the quality, integrity and functionality of the system or component permanently ceases and							
		REVERSIBILITY						
This de	escribes the degree to which a	an impact can be successfully reversed upon completion of the proposed activity.						
1	Completely reversible	The impact is reversible with implementation of minor mitigation measures.						
2	Partly reversible	The impact is partly reversible but more intense mitigation measures are required.						
3	Barely reversible	The impact is unlikely to be reversed even with intense mitigation measures.						
4	Irreversible	The impact is irreversible and no mitigation measures exist.						
		IRREPLACEABLE LOSS OF RESOURCES						
This de	escribes the degree to which r	esources will be irreplaceably lost as a result of a proposed activity.						
1	No loss of resource	The impact will not result in the loss of any resources.						

2	larginal loss of esource	The impact will result in marginal loss of resources.				
.5	ignificant loss of esources	The impact will result in significant loss of resources.				
4	Complete loss of esources	The impact is result in a complete loss of all resources.				
		CUMULATIVE EFFECT				
may become result of the p	e significant if added to o project activity in question	of the impacts. A cumulative impact is an effect which in itself may not be significant but ther existing or potential impacts emanating from other similar or diverse activities as a n.				
	legligible cumulative npact	The impact would result in negligible to no cumulative effects.				
	ow cumulative impact	The impact would result in insignificant cumulative effects.				
3	ledium cumulative npact	The impact would result in minor cumulative effects.				
4 H	ligh cumulative impact	The impact would result in significant cumulative effects				
•		SIGNIFICANCE				
The summati	ion of the different criteria	rreplaceability + duration + cumulative effect) x magnitude/intensity. a will produce a non-weighted value. By multiplying this value with the magnitude/intensity, ed characteristic which can be measured and assigned a significance rating.				
Points	Impact significance rating	Description				
6 to 28	Negative low impact	The anticipated impact will have negligible negative effects and will require little to no mitigation.				
6 to 28	Positive low impact	The anticipated impact will have minor positive effects.				
29 to 50	Negative medium impact	The anticipated impact will have moderate negative effects and will require moderate mitigation measures.				
29 to 50	Positive medium impact	The anticipated impact will have moderate positive effects.				
51 to 73	Negative high impact	The anticipated impact will have significant effects and will require significant mitigation measures to achieve an acceptable level of impact.				
51 to 73	Positive high impact	The anticipated impact will have significant positive effects.				
74 to 96	Negative very high impact	The anticipated impact will have highly significant effects and are unlikely to be able to be mitigated adequately. These impacts could be considered "fatal flaws".				
74 to 96	Positive very high impact	The anticipated impact will have highly significant positive effects.				

vii) Positive and negative impacts that the proposed activity and alternatives will have on the environment and on the community that may be affected focusing on the geographical, physical, biological, social, economic, heritage and cultural aspects;

ACTIVITY	PHASE	POTENTIAL NEGATIVE IMPACTS
Site preparation Site Clearance, establishing construction area	Construction Operation Decommissioning	<ul> <li>Physical destruction and disturbance of:</li> <li>Biodiversity (thicket is mostly invasive tree species and area is already disturbed by agricultural activities)</li> <li>Air pollution</li> <li>Disturbing noise</li> <li>Visual impacts</li> </ul>
Earthworks	Construction Operation Decommissioning	<ul> <li>Excavations:</li> <li>Loss of soil resources and land capability</li> <li>Physical destruction and disturbance of biodiversity (thicket is mostly invasive tree species and area is already disturbed by agricultural activities)</li> <li>Possible pollution of surface water resources</li> <li>Possible alteration of natural drainage patterns</li> <li>Possible contamination of groundwater</li> <li>Air pollution</li> <li>Disturbing noise</li> <li>Visual impacts</li> </ul>
<b>Civil works</b> Erection of structures, concrete work, steel work, electrical installation, establishing pipelines (if any)	Construction Operation Decommissioning	<ul> <li>Loss of mineral reserves</li> <li>Hazardous structures/excavations/surface subsidence</li> <li>Loss of soil resources and land capability</li> <li>Possible pollution of surface water resources</li> <li>Possible contamination of groundwater</li> <li>Air pollution</li> <li>Disturbing noise</li> <li>Visual impacts</li> </ul>
Open-pit mining Mining, load, and hauling	Construction Operation	<ul> <li>Loss of mineral resources</li> <li>Loss of soil resources and land capability</li> <li>Physical destruction and disturbance of:         <ul> <li>Biodiversity (thicket is mostly invasive tree species and area is already disturbed by agricultural activities)</li> <li>Air pollution</li> <li>Disturbing noise</li> <li>Visual impacts</li> <li>Possible pollution of surface water resources</li> <li>Possible contamination of groundwater</li> <li>Dewatering impacts</li> </ul> </li> </ul>
Waste rock management Storage, stockpile or final disposal	Operation Decommissioning Closure (final land form)	<ul> <li>Loss of soil resources and land capability</li> <li>Disturbance of biodiversity (thicket is mostly invasive tree species and area is already disturbed by agricultural activities)</li> <li>Possible pollution of surface water resources</li> <li>Possible contamination of groundwater</li> <li>Air pollution</li> <li>Disturbing noise</li> <li>Negative landscape and visual impact</li> </ul>
Dirty water management	Construction	<ul> <li>Possible pollution of surface water resources</li> </ul>

Collection, storage of dirty water for re-use, recycling	Operation Decommissioning	<ul><li>Possible contamination of groundwater</li><li>Disturbing noise</li></ul>
Stormwater management Stormwater channels and berms, collection of dirty water, storage for re- use	Construction Operation Decommissioning	<ul> <li>Possible alteration of drainage patterns</li> <li>Possible pollution of surface water resources</li> <li>Possible contamination of groundwater</li> </ul>
Transport systems Use of access points, road transport to and from site for employees and supplies, movement within site boundary (haul roads, conveyors, pipelines), taxi areas	Construction Operation Decommissioning	<ul> <li>Disturbance of biodiversity</li> <li>Noise</li> <li>Traffic impacts</li> <li>Visual impacts</li> </ul>
Storage and maintenance services/ facilities Washing vehicles and machinery, storage and handling non- process materials	Construction Operation Decommissioning	<ul> <li>Possible pollution of surface water resources</li> <li>Possible contamination of groundwater resulting from hydrocarbon spills and soil erosion</li> <li>Disturbing noise</li> </ul>
<b>Demolition</b> Dismantling, demolition, removal of equipment	Operation (as part of maintenance) Decommissioning	<ul> <li>Hazardous structures (e.g., fuel tanks)</li> <li>Loss of soil resources and land capability</li> <li>Disturbance of biodiversity</li> <li>Air pollution</li> <li>Disturbing noise</li> <li>Visual impacts</li> </ul>
Non-mineralized waste management Transportation of waste materials to waste facility	Construction Operation Decommissioning Closure (limited)	Pollution if not managed and stored properly
<b>Rehabilitation</b> Replacing soil, slope stabilization, landscaping, re- vegetation, restoration	Construction Operation Decommissioning Closure	<ul> <li>Disturbance of biodiversity</li> <li>Alteration of natural drainage patterns</li> <li>Contamination of groundwater</li> <li>Air pollution</li> <li>Visual impacts</li> </ul>

		•
ACTIVITY	PHASE	POTENTIAL POSITIVE IMPACTS
Job creation	Construction Operation	Temporary employment and other economic benefits
Maintenance and aftercare Inspection and maintenance of remaining facilities and rehabilitated areas	Closure	Re-establishment of biodiversity

# viii) the possible mitigation measures that could be applied and level of residual risk;

(With regard to the issues and concerns raised by affected parties provide a list of the issues raised and an assessment/ discussion of the mitigations or site layout alternatives available to accommodate or address their concerns, together with an assessment of the impacts or risks associated with the mitigation or alternatives considered).

Adverse environmental associated with the prospecting activity have been identified through the Scoping & EIR process. Mitigation measures as set out in the Environmental Management Programme (EMPr) attached in Part B must be implemented in order to minimise any potential impacts.

All comments received during the review period of the Scoping and EIR report, as well as response provided is captured and recorded within the Comments and Response Report and will be attached in the final EIR.

POTENTIAL IMPACT	POSSIBLE MITIGATION MEASURES					
Influx of persons (job	Establish and maintain site security measures					
seekers)	Control site and facility access					
Hazardous waste pollution	<ul> <li>Implement hazardous waste, dirty water and mineralised and non- mineralised waste management procedures</li> </ul>					
Loss of soil resources and land capability through physical disturbance	<ul> <li>Implementation of a soil management plan</li> <li>Limit disturbance of soil to what is necessary</li> <li>Stripping, storing, maintenance and replacement of topsoil in accordance with soil management procedures</li> </ul>					
Physical destruction or disturbance of biodiversity	<ul> <li>Implement a biodiversity management plan</li> <li>Restrict project footprint</li> <li>Provide alternative habitat (where appropriate and necessary)</li> <li>Implement a monitoring programme</li> <li>Rehabilitate disturbed areas</li> <li>Prevention of the killing of animal species and harvesting of plant species</li> <li>Implementation of dust control measures</li> <li>Pollution prevention measures (water, soil etc.)</li> <li>Prevention of the disturbance of ecosystems as far as possible.</li> </ul>					
Surface water pollution	<ul> <li>Appropriate design of polluting facilities and pollution prevention facilities</li> <li>Implement and maintain stormwater controls that meet regulatory requirements</li> <li>Implement a monitoring programme (water use, process water quality, rainfall-related discharge quality)</li> <li>Implement emergency response</li> <li>Authorise all water uses as defined in the NWA</li> </ul>					
Groundwater contamination	<ul> <li>Appropriate design of polluting facilities (by qualified person)</li> <li>Correct handling of hazardous wastes, mineralised and non-mineralised wastes</li> <li>Compensation for loss</li> <li>Implementation of a monitoring programme</li> </ul>					
Dewatering	<ul> <li>Authorise all water uses as defined in the NWA Compliance with relevant license requirements</li> </ul>					
Air pollution	<ul> <li>Implementation of air quality management plan</li> <li>Implementation of an air quality monitoring plan</li> <li>Control dust plumes</li> <li>Implementation of an air complaints procedure</li> <li>Maintenance of abatement equipment Implement an emergency response</li> </ul>					
Noise pollution	<ul> <li>Maintenance of equipment and machinery in good working order</li> <li>Equip machinery with silencers</li> <li>Construction of noise attenuation measures (if complaints received)</li> <li>Implementation of noise monitoring programme (if complaints received)</li> </ul>					
<ul> <li>Limit the clearing of vegetation as far as possible</li> <li>Limit the emissions of visual dust plumes</li> <li>Use of screening berms Concurrent rehabilitation</li> <li>Painting infrastructure to compliment the surrounding environment In of a closure plan</li> <li>Management through care and aftercare</li> </ul>						
Traffic increases	Implement speed allaying measures where appropriate, e.g. speed humps where necessary					

	Education and awareness training of workers							
	Enforce strict speed limits on mine access roads							
	Avoid heritage and cultural resources as far as practically possible							
	Apply for the relevant permits to remove or destroy heritage sites (if applicable)							
Heritage and cultural	<ul> <li>Exhumation and relocation of graves according to legal requirements (if applicable)</li> </ul>							
	Mark remaining heritage sites on plan							
	Hire people from closest communities as far as practically possible							
	Local procurement of goods and services as far as practically possible							
Economic impact	Compensation for loss of land use							
	<ul> <li>Closure planning will consider skills, economic consideration, and the needs of future farming</li> </ul>							
	Implementation of EMPr commitments that focus on environmental and social							
	impacts							
Land uses	<ul> <li>Take necessary steps to prevent negative impact on surrounding land</li> </ul>							
	Compensation for loss							
	Closure planning to incorporate measures to achieve future land use plans							

# ix) if no alternative development [location] footprints for the activity were investigated, the motivation for not considering such; and

As discussed in the previous section, based on outcomes of previous studies in the vicinity of the proposed site, it is expected that high volumes of Diamonds Alluvial (DA), Diamonds General (D), Diamonds in Kimberlite (DK) & Diamonds (DIA) near Douglas on the Remaining Extent of the farm De Hoek 2, the Remaining Extent of the farm Marktsdrift 3, Portion 1 of the farm Roode Kop 5, Registration Division: Hopetown, Northern Cape province.

 a concluding statement indicating the location of the preferred alternative development [location] footprint within the approved site as contemplated in the accepted scoping report; (Provide a statement motivating the final site layout that is proposed)

The layout follows the limitations of the site and aspects such as, roads, site offices and workshop area as well as fencing.

I. A FULL DESCRIPTION OF THE PROCESS UNDERTAKEN TO IDENTIFY, ASSESS AND RANK THE IMPACTS THE ACTIVITY AND ASSOCIATED STRUCTURES AND INFRASTRUCTURE WILL IMPOSE ON THE PREFERRED [LOCATION] DEVELOPMENT FOOTPRINT ON THE APPROVED SITE (AS CONTEMPLATED IN THE ACCEPTED SCOPING REPORT THROUGH THE LIFE OF THE ACTIVITY, INCLUDING—.)

i. A description of all environmental issues and risks that are identified during the environmental impact assessment process

# Process for the identification of key issues

The methodology for the identification of key issues aims, as far as possible, to provide a user-friendly analysis of information to allow for easy interpretation.

<u>Checklist</u>: The checklist consists of a list of structured questions related to the environmental parameters and specific human actions. They assist in ordering thinking, data collection, presentation and alert against the omission of possible impacts.

<u>Matrix</u>: The matrix analysis provides a holistic indication of the relationship and interaction between the various activities, development phases and the impact thereof on the environment. The method aims at providing a first order cause and effect relationship between the environment and the proposed activity. The matrix is designed to indicate the relationship between the different stressors and receptors which leads to specific impacts. The matrix also indicates the specialist studies, which will be submitted as part of the Environmental Impact Report in order to address the potentially most significant impacts.

# Checklist analysis

The site visit was conducted to ensure a proper analysis of the site specific characteristics of the study area. The table below provides a checklist, which is designed to stimulate thought regarding possible consequences of specific actions and so assist scoping of key issues. It consists of a list of structured questions related to the environmental parameters and specific human actions. They assist in ordering thinking, data collection, presentation and alert against the omission of possible impacts. The table highlights certain issues, which are further analysed in matrix format.

QUESTION	YES	NO	Un-	Description	
			sure		
1. Are any of the following located on the	site ear	for the			
I. A river, stream, dam or wetland	×			The Orange River boarders the proposed area on the East. According to the Wetland areas map there are a Channelled valley-bottom wetland, Unchannelled valley-bottom wetlands, Depressions and Flats on the proposed area. The Orange River bordering the proposed area is a Floodplain wetland.	
II. A conservation or open space area		×			
III. An area that is of cultural importance			×	According to the DFFE Screening Report the proposed area falls mostly within low Archaeological and Cultural Heritage Theme Sensitivity and a certain area within very high (Appendix 7).	
IV. Site of geological significance			×	According to the DFFE Screening Report the proposed area falls mostly within Medium and High Paleontology Theme Sensitivity and to a lesser extent within low sensitivity ( <b>Appendix 7</b> ).	
V. Areas of outstanding natural beauty			×		
VI. Highly productive agricultural land	×			According to the Land Capability map the proposed area falls within land capability Class 7 ( <b>Appendix 5</b> ). The DFFE Screening Report shows the Agriculture Theme Sensitivity is mostly low with areas of very high and medium sensitivity ( <b>Appendix 7</b> ).	
VII. Floodplain				The Orange River boarders the proposed area to the East. According to the Wetland areas map there are a Channelled valley-bottom wetland, Unchannelled valley- bottom wetlands, Depressions and Flats on the proposed area. The Orange River bordering the proposed area is a Floodplain wetland.	
VIII. Indigenous forest			×	According to the land use map the proposed area is mostly covered in Low Shrubland ( <b>Appendix 5</b> ).	
IX. Grass land	×			According to the land use map the proposed area is mostly covered by Low Shrubland and to a lesser extent, Grasslands ( <b>Appendix 5</b> ).	

# Table: Environmental checklist

				According to the Important Bird Areas map (Appendix 7
X. Bird nesting sites		×		the proposed area does not fall within an Important Birc Area (IBAs).
XI. Red data species			×	The proposed area is largely natural.
XII. Tourist resort		×		
2. Will the project potentially result in p	otential	?	1	
I. Removal of people		×		None.
II. Visual Impacts	×			Visual impacts will be managed.
III. Noise pollution	×			The noise impact will be limited to working hours.
IV. Construction of an access road		×		Access will be obtained from existing gravel roads off the R357.
V. Risk to human or valuable ecosystems due to explosion/fire/ discharge of waste into water or air.		×		None.
VI. Accumulation of large workforce (>50 manual workers) into the site.		×		Employment opportunities will be created during the construction and operational phase of the project.
VII. Utilisation of significant volumes of local raw materials such as water, wood etc.	×			Water will be used during the washing of the gravel and for dust suppression.
VIII. Job creation	×			Employment opportunities will be created during the construction and operational phase of the project.
IX. Traffic generation		×		None.
X. Soil erosion	×			Only areas earmarked for mining will be cleared prospecting will be phased and the topsoil stockpile separately. Concurrent rehabilitation will take place.
XI. Installation of additional bulk telecommunication transmission lines or facilities		×		None.
3. Is the proposed project located near	the follo	owing?		
I. A river, stream, dam or wetland	×			The Orange River
II. A conservation or open space area		×		
III. An area that is of cultural importance		-	×	According to the DFFE Screening Report the area fall mostly within low Archaeological and Cultural Heritag Theme Sensitivity and certain areas within very hig ( <b>Appendix 7</b> ).
IV. A site of geological significance			×	According to the DFFE Screening Report the area fall mostly within Low, Medium, High and Very Higl Paleontology Theme Sensitivity ( <b>Appendix 7</b> ).
V. An area of outstanding natural beauty		×		
VI. Highly productive agricultural land	×			According to the Land Capability map the surroundin area falls within land capability Class 7 ( <b>Appendix 5</b> ). Th surrounding area have many central pivot irrigatio systems for crop production.
VII. A tourist resort			×	

# Matrix analysis

The matrix describes the relevant listed activities, the aspects of the development that will apply to the specific listed activity, a description of the environmental issues and potential impacts, the significance and magnitude of the potential impacts, and the mitigation of the potential impacts. The matrix also highlights areas of particular concern, which requires more in depth assessment. Each cell is evaluated individually in terms of the nature of the impact, duration and its significance – should no mitigation measures be applied. This is important since many impacts would not be considered insignificant if proper mitigation measures were implemented. The matrix also provides an indication if mitigation measures are available.

In order to conceptualise the different impacts the matrix specify the following:

- Stressor: Indicates the aspect of the proposed activity, which initiates and cause impacts on elements of the environment.
- Receptor: Highlights the recipient and most important components of the environment affected by the stressor.
- Impacts: Indicates the net result of the cause-effect between the stressor and receptor.
- Mitigation: Impacts need to be mitigated to minimise the effect on the environment.

ii) An assessment of the significance of each issue and risk and an indication of the extent to which the issue and risk could be avoided or addressed by the adoption of mitigation measures;

LISTED ACTIVITY (The Stressor)	ASPECTS OF THE DEVELOPMENT /ACTIVITY	POTENTIAL IMPACTS			NCE AND N TENTIAL IM		MITIGATION OF POTENTIAL IMPACTS	SPECIALIST STUDIES /
		Receptors	Impact description	Minor	Major	Duration	Possible Mitigation	INFORMATION
			CONSTRUCTION PHASE				L	
Listing Notice 1, (GNR 327), Activity 9: "The development of infrastructure exceeding 1 000 meters in length for the		Fauna & Flora	<ul> <li>Loss or fragmentation of indigenous natural vegetation.</li> <li>Loss of sensitive species.</li> <li>Loss or fragmentation of habitats.</li> </ul>		-	s	Yes	-
bulk transportation of water or storm water – (i) with an internal diameter of 0,36 metres or more: or (ii) with a peak throughput of 120 litres per second or more"	cleared, topsoil will be stockpiled separately.	Air	<ul> <li>Air pollution due to the increase of traffic.</li> <li>Dust from mining/prospecting activities</li> </ul>	-		М	Yes	-
Listing Notice 1, (GNR 327), Activity 19: The infilling or depositing of any material of more than 10 cubic metres into,		Image: Soil     Soil       Geology     Existing services       infrastructure     Image: Soil	<ul> <li>Soil degradation, including erosion.</li> <li>Loss of topsoil.</li> <li>Disturbance of soils and existing land use (soil compaction).</li> </ul>	-	-	S	Yes	-
or the dredging, excavation, removal or moving of soil, sand, shells, shell grit, pebbles or rock of more than 10 cubic metres from a watercourse;		Geology	It is not foreseen that the removal of indigenous vegetation will impact on the geology or vice versa.	-		S	Yes	-
<b>Listing Notice 2 (GNR 325), Activity 15:</b> " The clearance of an area of 20 hectares or more of indigenous vegetation, excluding where such clearance of indigenous vegetation is		Existing services infrastructure	<ul> <li>Generation of waste that need to be accommodated at a licensed landfill site.</li> <li>Generation of sewage that need to be accommodated by the local sewage plant.</li> </ul>			S	Yes	-
required for-		Ground water	Pollution due to construction vehicles.	-		S	Yes	-
<ul><li>(i) the undertaking of a linear activity; or</li><li>(ii) maintenance purposes undertaken in accordance with a maintenance management plan."</li></ul>		Surface water	<ul> <li>Increase in storm water run-off.</li> <li>Pollution of water sources due to soil erosion.</li> <li>Destruction of watercourses (pans/dams/streams/wetlands).</li> </ul>		-	S	Yes	-
sting Notice 3 (GNR 324), Activity 4: The development a road wider than 4 metres with a reserve less than 13,5 etres. (g) Northern Cape (ii) Outside urban areas; (ee)		Local unemployment rate	<ul> <li>Job creation.</li> <li>Business opportunities.</li> <li>Skills development.</li> </ul>		÷	S	Yes	-
Critical Biodiversity areas as identified in systematic biodiversity plans adopted by the competent authority		Visual landscape	Potential visual impact on residents of farmsteads and motorists in close proximity to proposed facility.	-		L	Yes	-
Listing Notice 3 (GNR 324), Activity 12: "The clearance of			Increase in construction vehicles.	-		S	Yes	-
an area of 300 square metres or more of indigenous vegetation except where such clearance of indigenous vegetation is required for maintenance purposes undertaken in accordance with a maintenance management plan. (g) Northern Cape (ii) Critical Biodiversity Areas as identified in biodiversity plans ".		Health & Safety	<ul> <li>Air/dust pollution.</li> <li>Road safety.</li> <li>Increased risk of veld fires.</li> </ul>		-	S	Yes	-
		Noise levels	• The generation of noise as a result of construction vehicles, the use of machinery such as drills, excavators, dumper trucks and people working on the site.			L	Yes	-
		Tourism industry	<ul> <li>Since there are no tourism facilities in close proximity to the site, the construction activities will not have an impact on tourism in the area.</li> </ul>			М	Yes	-

Milnex CC: EIA584PR – EIR & EMPr - The proposed Prospecting Right combined with a Waste Licence application to prospect for Diamonds (DIA), Di

		Heritage resources	<ul> <li>Removal or destruction of archaeological and/or paleontological sites.</li> <li>Removal or destruction of buildings, structures, places and equipment of cultural significance.</li> <li>Removal or destruction of graves, cemeteries and burial grounds.</li> </ul>			L	Yes	-
	The law equipments of the		OPERATIONAL PHASE					
Listing Notice 1 (GNR327), Activity 9: "The development of infrastructure exceeding 1 000 metres in length for the bulk	<ul> <li><u>Supporting Infrastructure</u></li> <li>A control facility with basic services such as water and electricity will</li> </ul>	Fauna & Flora	<ul> <li>Fragmentation of habitats.</li> <li>Establishment and spread of declared weeds and alien invader plants (operations).</li> </ul>		-	L	Yes	-
transportation of water or storm water— (i) with an internal diameter of 0,36 metres or more; or (ii) with a peak throughput of		Air quality	Air pollution due to the mining / prospecting activity and transport of the gravel to the designated areas.	-		S	Yes	-
120 litres per second or more;" <b>Listing Notice 1, (GNR 327), Activity 19:</b> The infilling or depositing of any material of more than 10 cubic metres into, or the dredging, excavation, removal or moving of soil, sand, shells,		Soil	<ul> <li>Soil degradation, including erosion.</li> <li>Disturbance of soils and existing land use (soil compaction).</li> <li>Loss of agricultural potential (medium - high significance relative to agricultural potential of the site).</li> </ul>	-		L	Yes	-
<ul> <li>Listing Notice 1 (GNR 327), Activity 20 (Amended GNR 517: 2021): "Any activity including the operation of that activity which requires a prospecting right in terms of section 16 of the Mineral and Petroleum Resources Development Act, as well as any other applicable activity as contained in this Listing Notice or in Listing Notice 3 of 2014, required to exercise the prospecting right"</li> </ul>	<ul> <li>be constructed on the site and will have an approximate footprint 50m<sup>2</sup> or less. Other supporting infrastructure includes a site office and workshop area.</li> <li><u>Roads</u> – Access will be obtained from existing</li> </ul>	Geology	<ul> <li>Collapsible soil.</li> <li>Seepage (shallow water table).</li> <li>Active soil (high soil heave).</li> <li>Erodible soil.</li> <li>The presence of undermined ground.</li> <li>Instability due to soluble rock.</li> <li>Steep slopes or areas of unstable natural slopes.</li> <li>Areas subject to seismic activity.</li> <li>Areas subject to flooding.</li> </ul>	-		L	Yes	-
Listing Notice 2 (GNR 325), Activity 15:" The clearance of an area of 20 hectares or more of indigenous vegetation, excluding where such clearance of indigenous vegetation is required for- (i) the undertaking of a linear activity; or	• <u>Fencing</u> - For health, safety and security reasons, the facility will be required to be fenced off from the surrounding farm.	Existing services infrastructure	<ul> <li>Generation of waste that need to be accommodated at a licensed landfill site.</li> <li>Generation of sewage that need to be accommodated by the municipal sewerage system and the local sewage plant.</li> <li>Increased consumption of water, dust suppression.</li> </ul>	-		L	Yes	-
<ul> <li>(ii) maintenance purposes undertaken in accordance with a maintenance management plan."</li> </ul>		Ground water	<ul> <li>Leakage of hazardous materials. The machinery on site require oils and fuel to function. Leakage of these oils and fuels can contaminate water supplies.</li> </ul>	-		L	Yes	-
Listing Notice 2 (GNR 325), Activity 19 (Amended GNR 517: 2021): "The removal and disposal of minerals which requires permission contemplated in terms of section 20 of the Mineral and Petroleum Resources Development Act, as well as any other applicable activity as contained in this Listing Notice, Listing Notice 1 of 2014 or in Listing Notice 3 of 2014, required to exercise the permission.		Surface water	<ul> <li>Increase in storm water runoff. The development will potentially result in an increase in storm water run-off that needs to be managed to prevent soil erosion.</li> <li>Destruction of watercourses (pans/dams/streams/wetlands).</li> <li>Leakage of hazardous materials. The machinery on site require oils and fuel to function. Leakage of these oils and fuels can contaminate water supplies.</li> </ul>			L	Yes	-
<b>Listing Notice 3 (GNR 324), Activity 4:</b> The development of a road wider than 4 metres with a reserve less than 13,5		Local Unemployment rate	<ul> <li>Job creation. Security guards will be required for 24 hours every day of the week.</li> <li>Skills development.</li> </ul>		+	L	Yes	-
metres. (g) Northern Cape (ii) Outside urban areas; (ee) Critical Biodiversity areas as identified in systematic biodiversity plans adopted by the competent authority		Unemployment rate Visual landscape Visual landscape Traffic volumes Health & Safety Noise levels	• The proposed portions are used for livestock grazing and cultivation which will still take place simultaneously with the prospecting activity, however this depends on the location of the activity.	-		L	Yes	-
Listing Notice 3 (GNR 324), Activity 12: "The clearance of		C Traffic volumes	Increase in vehicles collecting gravel for distribution.	-		S	Yes	-
an area of 300 square metres or more of indigenous vegetation except where such clearance of indigenous		Health & Safety	<ul><li>Air/dust pollution.</li><li>Road safety.</li></ul>	-		S	Yes	-
vegetation is required for maintenance purposes		Noise levels	<ul> <li>The proposed development will result in noise pollution during the operational phase.</li> </ul>	-		М	Yes	-

undertaken in accordance with a maintenance management plan. (g) Northern Cape (ii) Critical Biodiversity Areas as identified in biodiversity plans ".			Tourism industry	<ul> <li>Since there are no tourism facilities in close proximity to the site, the decommissioning activities may have an impact on tourism in the area.</li> </ul>	
NEM:WA 59 of 2008: Residue stockpiles or residue deposits, Category A: (15) The establishment or reclamation of a residue stockpile or residue deposit resulting from activities which require a prospecting right or mining permit, in terms of the Mineral and Petroleum Resources Development Act, 2002 (Act No. 28 of 2002).			Heritage resources	It is not foreseen that the proposed activity will impact on N/A N/A heritage resources or vice versa.	
				DECOMMISSIONING PHASE	
-	Mine closure During the mine closure the		Fauna & Flora	Re-vegetation of exposed soil surfaces to ensure no erosion     in these areas.	
	Mine and its associated infrastructure will be		Air quality	Air pollution due to the increase of traffic of construction vehicles.	
	dismantled.	MENT	Soil	<ul> <li>Backfilling of all voids</li> <li>Placing of topsoil on backfill</li> </ul>	
	Rehabilitation of biophysical environment The biophysical	ENVIRONMENT	Geology	It is not foreseen that the decommissioning phase will impact on the geology of the site or vice versa.	
	environment will be rehabilitated.	BIOPHYSICAL EN	Existing services infrastructure	<ul> <li>Generation of waste that need to be accommodated at the local landfill site.</li> <li>Generation of sewage that need to be accommodated by the municipal sewerage system and the local sewage plant.</li> <li>Increase in construction vehicles.</li> </ul>	
			Ground water	Pollution due to construction vehicles.	
			Surface water	<ul> <li>Increase in storm water run-off.</li> <li>Pollution of water sources due to soil erosion.</li> <li>Destruction of watercourses (pans/dams/streams/wetlands).</li> </ul>	
			Local unemployment rate	Loss of employment.	
		⊢	Visual landscape	Potential visual impact on visual receptors in close proximity to proposed facility.	
		ONMEN	Traffic volumes Health & Safety	Increase in construction vehicles.     Air/dust pollution.	
		SOCIAL/ECONOMIC ENVIRONMENT		<ul> <li>Road safety.</li> <li>Increased crime levels. The presence of mine workers on the site may increase security risks associated with an increase in crime levels as a result of influx of people in the rural area.</li> </ul>	
		IAL/EC	Noise levels	The generation of noise as a result of construction vehicles, the use of machinery and people working on the site.	
		soc	Tourism industry	Since there are no tourism facilities in close proximity to the site, the decommissioning activities will not have an impact on tourism in the area.	
			Heritage resources	It is not foreseen that the decommissioning phase will impact on any heritage resources.     N/A     N/A	<u> </u>

(N/A) No impact (+) Positive Impact (-) Negative Impact (S) Short Term (M) Medium Term (L) Long Term

М	Yes	-
N/A	N/A	-
L	Yes	-
S	Yes	-
L	Yes	-
N/A	N/A	-
S	Yes	-
S	Yes	-
S	Yes	-
L	Yes	-
S	Yes	-
S	Yes	-
L	Yes	-
S	Yes	-
S	Yes	-
N/A	N/A	-

## J. AN ASSESSMENT OF EACH IDENTIFIED POTENTIALLY SIGNIFICANT IMPACT AND RISK, INCLUDING-

- (i) cumulative impacts;
- (ii) the nature, significance and consequences of the impact and risk;
- (iii) the extent and duration of the impact and risk;
- (iv) the probability of the impact and risk occurring;
- (v) the degree to which the impact and risk can be reversed;
- (vi) the degree to which the impact and risk may cause irreplaceable loss of resources; and
- (vii) the degree to which the impact and risk can be mitigated;

#### Significance of potential impacts

The following sections present the outcome of the significance rating exercise. The results suggest that almost none of the key issues identified as part of the EIR process had a negative high environmental significance. Instead the overall score indicate a low environmental significance score.

## **INITIAL CLEARANCE AND SITE PREPARATION PHASE**

**Direct impacts:** During this phase minor negative impacts are foreseen over the short term. The latter refers to a period of weeks. The site preparation may result in the loss or fragmentation of indigenous natural fauna and flora, loss or fragmentation of habitats, soil erosion, hydrology, and temporary noise disturbance, generation of waste, visual intrusions, increase in heavy vehicle traffic, and risk to safety, livestock/game and farm infrastructure, and increased risk of veld fires. The abovementioned impacts are discussed in more detail below:

#### Loss or fragmentation of indigenous natural fauna and flora:

The proposed area falls within vegetation unit AZa 4 and NKu 3, which is known as the Upper Gariep Alluvial Vegetation and Northern Upper Karoo. The Upper Gariep Alluvial Vegetation is part of the Alluvial Vegetation Bioregion which is a sub-bioregion for the Inland Azonal Vegetation. The Northern Upper Karoo is part of the Upper Karoo Bioregion, which is a sub-bioregion for the Nama-Karoo Bioregion.

#### Upper Gariep Alluvial Vegetation

Upper Gariep Alluvial Vegetation has a conservation which is vulnerable with a target of 31%. Only about 3% statutorily conserved in Tussen Die Riviere, Gariep Dam and Oviston Nature Reserve. More than 20% transformation for cultivation (vegetable grapes) and building of dams. Exotic woody species such as Salix babylonica, Eucalyptus camaldulensis, E. sideroxylon, Prosopis and Populus species have become common dominants in patches of heavily disturbed alluvial vegetation (Mucina and Rutherford, 2006:639-640).

#### Northern Upper Karoo

Mucina and Rutherford (2006:340) also states that the conservation of the Northern Upper Karoo, is Least Threatened with a target of 21%. About 4% has been cleared for cultivation (the highest proportion of any type in the Nama-Karoo) or irreversibly transformed by building of dams (Houwater, Kalkfontein and Smart Syndicate Dams). Areas of human settlements are increasing in the northeastern part of this vegetation types. Erosion is moderate at 46.2%, very low at 32% and low at 20%. According to Hoffman *et al.* (1999) as stated by Mucina and Rutherford (2006:340) *Prosopis* occurs in generally isolated patches, with densities ranging from very scattered to medium (associated with the lower Vaal River drainage system and the confluences with the Orange River) to localised closed woodland on the western borders of the unit with Bushmanland Basin Shrubland.

#### **DEA Screening Report findings:**

- Plant Species theme sensitivity: Low
- Aquatic Biodiversity sensitivity: Mostly Low with some areas within Very High
- Terrestrial Biodiversity sensitivity: Mostly high followed by very high sensitivity along the Orange river and low where the central pivots are located
- Animal Species sensitivity: Medium and Low

# <u>PWP</u>

The Prospecting Work Programme (PWP) states 250 pits [4m (length) x 4m (breath) x 5m (depth)] and 80 trenches [40m (length) x 50m (breath) x 5m (depth)] will be dug. This calculates to a disturbance of  $\pm$  16.04ha.

The whole application area is 4209.3984ha thus the 16.04ha disturbance is small compared to the size of the application area.

Loss or fragmentation of indigenous natural fauna and flora	Pre-mitigation impact rating	Post mitigation impact rating
Status (positive or negative)	Negative	Negative
Extent	Site (1)	Site (1)
Probability	Probable (3)	Possible (2)
Duration	Long term (3)	Medium (2)
Magnitude	High (3)	Medium (2)
Reversibility	Barely reversible (3)	Partly reversible (2)
Irreplaceable loss of resources	Significant loss of resource (3)	Marginal loss of resource (2)
Cumulative impact	Low cumulative impacts (2)	
Significance	Negative medium (45)	Negative low (22)
	Low cumulative impacts (2)	

## • Loss or fragmentation of habitats

According to the map below (Figure 20 and Figure 21), the proposed area is largely natural, water bodies, cultivation and Urban Build up. The natural vegetation according to the land use map consists mostly of Grassland, Low shrubland, Thicket/Dense bush and Woodland/Open Bush. The map also shows there are mines.

From google earth (Figure 22) the area looks mostly natural, there are some central pivot irrigation systems for the cultivation of crops and areas disturbed by mining activities.

If water uses under section 21 a-k of the NWA are triggered for the proposed prospecting right, a Water Use Licence Application (WULA) are needed and must be lodged with the department of Water & Sanitation (DWS).

## DFFE Screening Report findings:

- Plant Species theme sensitivity: Low
- Aquatic Biodiversity sensitivity: Mostly Low with some areas within Very High
- Terrestrial Biodiversity sensitivity: Mostly high followed by very high sensitivity along the Orange river and low where the central pivots are located
- Animal Species sensitivity: Medium and Low

#### **PWP**

The Prospecting Work Programme (PWP) states 250 pits [4m (length) x 4m (breath) x 5m (depth)] and 80 trenches [40m (length) x 50m (breath) x 5m (depth)] will be dug. This calculates to a disturbance of  $\pm$  16.04ha.

The whole application area is 4209.3984ha thus the 16.04ha disturbance is small compared to the size of the application area.


Loss or fragmentation of habitats	Pre-mitigation impact rating	Post mitigation impact rating	
Status (positive or negative)	Negative	Negative	
Extent	Site (1)	Site (1)	
Probability	Probable (3)	Probable (3)	
Duration	Long term (3)	Medium (2)	
Magnitude	Medium (2)	Medium (2)	
Reversibility	Barely reversible (3)	Partly reversible (2)	
Irreplaceable loss of resources	Margin <mark>al los</mark> s of resource (2)	Marginal loss of resource (2)	
Cumulative impact	Medium cumulative impacts (2),		
Significance	Negative low (28)	Negative low (22)	
Can impacts be mitigated?	Exotic and invasive plant species sh	ould not be allowed to establish, if the	
	development is approved. Where exo	tic and invasive plant species are found	
	at the site continuous eradication sh	ould take place. If the development is	
	approved, every effort should be made to confine the footprint to the blocks		
	allocated for development – section (f) of the EMPr also provides numerous		
	mitigation measures related to fauna	and flora.	

 Loss of topsoil – Topsoil may be lost due to poor topsoil management (burial, erosion, etc.) during construction related soil profile disturbance (levelling, excavations, disposal of spoils from excavations etc.) The effect will be the loss of soil fertility on disturbed areas after rehabilitation.

## DFFE Screening Report findings:

Plant Species theme sensitivity: Low

Loss of topsoil	Pre-mitigation impact rating	Post mitigation impact rating	
Status (positive or negative)	Negative	Negative	
Geographical extent	Site (1)	Site (1)	
Probability	Definite (4)	Possible (2)	
Duration	Permanent (4)	Medium term (2)	
Magnitude	High (3)	Medium (2)	
Reversibility	Barely reversible (3)	Completely reversible (1)	
Irreplaceable loss of resources	Significant loss of resource (3)	Marginal loss (2)	
Cumulative impact	Medium cumulative impact (3).	· ·	
Significance	Negative high (54)	Negative Low (22)	
Can impacts be mitigated?	The following mitigation or manage	The following mitigation or management measures are provided:	



<u>Soil erosion</u> – Soil erosion due to alteration of the land surface run-off characteristics. Alteration of run-off characteristics may
be caused by construction related land surface disturbance, vegetation removal and the establishment of roads. Erosion will
cause loss and deterioration of soil resources. The erosion risk is low due to the low slope gradients.

Soil erosion	Pre-mitigation impact rating	Post mitigation impact rating
Status (positive or negative)	Negative	Negative
Geographical extent	Site (1)	Site (1)
Probability	Probable (3)	Possible (2)
Duration	Permanent (4)	Medium term (2)
Magnitude	Medium (2)	Medium (2)
Reversibility	Barely reversible (3)	Completely reversible (1)
Irreplaceable loss of resources	Significant loss of resource (3)	Marginal (2)
Cumulative impact	Medium cumulative impact (3).	
Significance	Negative Medium (34) Negative low (22)	
Can impacts be mitigated?	The following mitigation or management measures are provided: Implement	
	an effective system of run-off control	l, where it is required, that collects and
	safely disseminates run-off water fro	om all hardened surfaces and prevents
	potential down slope erosion.	
	L	
	Include periodical site inspection in environmental performance reporting that	
	inspects the effectiveness of the run-off control system and specifically	

records the occurrence any erosion on site or downstream - refer to section
(f) of the EMPr.

<u>Temporary noise disturbance</u> - Preparation activities will result in the generation of noise over a period of months. Sources of noise are likely to include vehicles, the use of machinery such as back actors and people working on the site. The noise impact is unlikely to be significant; but activities should be limited to normal working days and hours (6:00 – 18:00).

Agricultural activities and other mining activities in the area also contribute to noise disturbance.

Temporary noise disturbance	Pre-mitigation impact rating	Post mitigation impact rating
Status (positive or negative)	Negative	Negative
Extent	Local (2)	Local (2)
Probability	Probable (3)	Possible (2)
Duration	Medium term (2)	Medium term (2)
Magnitude	Medium (2)	Medium (2)
Reversibility	Completely reversible (1)	Completely reversible (1)
Irreplaceable loss of resources	N/A	N/A
Cumulative impact	Low cumulative impact (2).	
Significance	Negative low (20)	Negative low (18)
Can impacts be mitigated?	Yes, management actions related	to noise pollution are included in
	section (f) of the EMPr.	

<u>Generation of waste - general waste, construction waste, sewage and grey water</u> - The workers on site are likely to generate
general waste such as food wastes, packaging, bottles, etc. Construction waste is likely to consist of packaging, scrap metals,
waste cement, etc If any). The applicant will need to ensure that general and construction waste is appropriately disposed of i.e.
taken to the nearest licensed landfill. Sufficient ablution facilities must be provided, in the form of portable/VIP toilets.

Generation of waste	Pre-mitigation impact rating	Post mitigation impact rating
Status (positive or negative)	Negative	Negative
Extent	Site (1)	Site (1)
Probability	Possible (2)	Possible (2)
Duration	Medium term (2)	Medium term (2)
Magnitude	Medium (2)	Low (1)
Reversibility	Irreversible (4)	Irreversible (4)
Irreplaceable loss of resources	Marginal loss of resource (2)	No loss of resource (1)
Cumulative impact	Low cumulative impact (2) - An additional demand for landfill space couresult in significant cumulative impacts if services become unstable	
	unavailable, which in turn would neg	gatively impact on the local community.
Significance	Negative low (26)	Negative low (12)
Can impacts be mitigated?	Yes, it is therefore important that all management actions and mitigation	
	measures included in section (f) of t	he EMPr are implemented.

## • Impacts on heritage objects

## DFFE Screening Report findings:

- Paleontology Theme Sensitivity: Mostly within Medium and High and a small area within Low.
- Archaeological and Cultural Heritage Combined Sensitivity: Mostly within Low but there is an area identified as very High.

Cultural Heritage in South Africa (includes all heritage resources) is protected by the National Heritage Resources Act (Act 25 of 1999) (NHRA). According to Section 3 of the Act, all Heritage resources include "all objects recovered from the soil or waters

# of South Africa, including archaeological and palaeontological objects and material, meteorites and rare geological specimens".

If such resources are found during the mining or development activities, they shall not be disturbed without a permit from the relevant heritage resource Authority, which means that before such sites are disturbed by development it is incumbent on the developer to ensure that a heritage impact assessment is done and the Provincial Heritage Resources Authority and SAHRA must be contacted immediately and work must stop.

If anything of Archaeological and/or paleontological significance is found during the construction and operational phase of the mine the following applies:

- NHRA 38(4)c(i) If any evidence of archaeological sites or remains (e.g. remnants of stone-made structures, indigenous ceramics, bones, stone artefacts, ostrich eggshell fragments, charcoal and ash concentrations), fossils or other categories of heritage resources are found during the proposed development, SAHRA APM Unit (021 462 5402) must be alerted as per section 35(3) of the NHRA. Non-compliance with section of the NHRA is an offense in terms of section 51(1)e of the NHRA and item 5 of the Schedule;
- NHRA 38(4)c(ii) If unmarked human burials are uncovered, the SAHRA Burial Grounds and Graves (BGG) Unit (012 320 8490), must be alerted immediately as per section 36(6) of the NHRA. Non-compliance with section of the NHRA is an offense in terms of section 51(1)e of the NHRA and item 5 of the Schedule;
- NHRA 38(4)e The following conditions apply with regards to the appointment of specialists: i) If heritage resources are
  uncovered during the course of the development, a professional archaeologist or palaeontologist, depending on the nature
  of the finds, must be contracted as soon as possible to inspect the heritage resource. If the newly discovered heritage
  resources prove to be of archaeological or palaeontological significance, a Phase 2 rescue operation may be required
  subject to permits issued by SAHRA;

If fossil remains or trace fossils are discovered during any phase of construction, either on the surface or exposed by excavations the **Chance Find Protocol** must be implemented by the Environmental Control Officer (ECO) in charge of these developments. These discoveries ought to be protected and the ECO must report to SAHRA (Contact details: SAHRA, 111 Harrington Street, Cape Town. PO Box 4637, Cape Town 8000, South Africa. Tel: 021 462 4502. Fax: +27 (0)21 462 4509. Web: www.sahra.org.za) so that mitigation can be carry out by a paleontologist.

## **Chance Find Procedure**

- If a chance find is made the person responsible for the find must immediately stop working and all work that could impact that finding must cease in the immediate vicinity of the find.
- The person who made the find must immediately report the find to his/her direct supervisor which in turn must report the find to his/her manager and the ESO or site manager. The ESO or site manager must report the find to the relevant Heritage Agency (South African Heritage Research Agency, SAHRA). (Contact details: SAHRA, 111 Harrington Street, Cape Town. PO Box 4637, Cape Town 8000, South Africa. Tel: 021 462 4502. Fax: +27 (0)21 462 4509. Web: www.sahra.org.za). The information to the Heritage Agency must include photographs of the find, from various angles, as well as the GPS co-ordinates.
- A preliminary report must be submitted to the Heritage Agency within 24 hours of the find and must include the following:
   1) date of the find; 2) a description of the discovery and a 3) description of the fossil and its context (depth and position of the fossil), GPS co-ordinates.
- Photographs (the more the better) of the discovery must be of high quality, in focus, accompanied by a scale. It is also important to have photographs of the vertical section (side) where the fossil was found.
- Upon receipt of the preliminary report, the Heritage Agency will inform the ESO (or site manager) whether a rescue excavation or rescue collection by a palaeontologist is necessary.
- The site must be secured to protect it from any further damage. No attempt should be made to remove material from their environment. The exposed finds must be stabilized and covered by a plastic sheet or sand bags. The Heritage agency will also be able to advise on the most suitable method of protection of the find.
- In the event that the fossil cannot be stabilized the fossil may be collected with extreme care by the ESO (site manager).
   Fossils finds must be stored in tissue paper and in an appropriate box while due care must be taken to remove all fossil material from the rescue site.

 Once Heritage Agency has issued the written authorization, the developer may continue with the development on the affected area.

Impacts on heritage objects	Pre-mitigation impact rating	Post mitigation impact rating
Status (positive or negative)	Negative	Negative
Extent	Site (1)	Site (1)
Probability	Probable (3)	Possible (2)
Duration	Short term (1)	Short term (1)
Magnitude	High (3)	Medium (2)
Reversibility	Irreversible (4)	Irreversible (4)
Irreplaceable loss of resources	Significant loss of resource (3)	Marginal loss of resource (2)
Cumulative impact	Low cumulative impact (2). Should t cumulative impact on the preservation	hese impacts occur, there may be a n of heritage objects in the area.
Significance	Negative Medium (42)	Negative low (24)
Can impacts be mitigated?	should immediately be reported to investigation and evaluation of the fin (f) of the EMPr. The following shall apply:	exposed during construction work, it a heritage practitioner so that an ids can be made. Also refer to section
	<ul> <li>avoided during construction ac</li> <li>The contractors and workers is sites might be exposed during</li> <li>Should any heritage artefacts on the area where the artefacts on the area where the artefact immediately and the Environm as soon as possible;</li> <li>All discoveries shall be repractitioner so that an investig be made. Acting upon ad Environmental</li> <li>Control Officer will advise the model or interfered with by anyone on Contractors and workers shall be with the unlawful removal of the second second</li></ul>	should be notified that archaeological the construction activities. be exposed during excavation, work acts were discovered, shall cease ental Control Officer shall be notified ported immediately to a heritage ation and evaluation of the finds can lvice from these specialists, the necessary actions to be taken; any artefacts be removed, destroyed the site; and be advised of the penalties associated cultural, historical, archaeological or a set out in the National Heritage
	<ul> <li>tasked to take responsibility for accountable for any damage.</li> <li>Known sites should be located All construction workers shoul areas, unless accompanied by the Environmental Control Office</li> </ul>	ironmental Control Officer, should be the heritage sites and should be held and isolated, e.g. by fencing them off. d be informed that these are no-go the individual or persons representing cer as identified above.
	-	is threatening the heritage sites, e.g. er, it should be removed, but only after

permission for the methods proposed has been granted by SAHRA.		
A heritage official should be part of the team executing these		
measures.		

*Indirect impacts:* The nuisance aspects generally associated with the installation of infrastructure or ground preparation will also be applicable to this development, which relates primarily to the increase in vehicle traffic associated with prospecting practices, the influx of job seekers to the area, risk to safety, livestock/game and farm infrastructure, and increased risk of veld fires.

Increase in vehicle traffic – The movement of heavy vehicles during the clearance of vegetation and topsoil has the potential to damage local farm roads and create dust and safety impacts for other road users in the area. Access will be obtained from existing gravel roads off the R357. While the volume of traffic along this gravel roads off the R357 is Low, the movement of heavy vehicles along this road is likely to damage the road surface and impact on other road users. The contractor should be required to ensure that damage to the road is repaired periodically. The movement of additional heavy vehicle traffic will add significantly to the current traffic load on the gravel roads and the R357. The impact on the roads is therefore likely to be moderate.

Increase in vehicle traffic	Pre-mitigation impact rating	Post mitigation impact rating
Status (positive or negative)	Negative	Negative
Extent	Local (2)	Local (2)
Probability	Possible (2)	Unlikely (1)
Duration	Long term (3)	Medium term (2)
Magnitude	Medium (2)	Medium (2)
Reversibility	Completely reversible (1)	Completely reversible (1)
Irreplaceable loss of resources	Marginal loss of resource (2)	No loss of resource (1)
Cumulative impact	will affect the farming activities in the costs for vehicles of local farmers an	age to roads is not repaired, then this area and result in higher maintenance d other road users. The costs will be ponsible for the damage.
Significance	Negative low impacts (26)	Negative low (20)
Can impacts be mitigated?	<ul> <li>borne by road users who were no responsible for the damage.</li> <li>Negative low impacts (26) Negative low (20)</li> <li>The potential impacts associated with heavy vehicles can be effectively mitigated. The mitigation measures include:</li> <li>The contractor must ensure that damage caused by construction on the roads are repaired. The costs associated with the repair must be borne by the contractor;</li> <li>Dust suppression measures must be implemented for heavy vehicles such as wetting of gravel roads on a regular basis and ensuring that vehicles used to transport sand and building materials are fitted with tarpaulins or covers;</li> <li>All vehicles must be road-worthy and drivers must be qualified and made aware of the potential road safety issues and need for strict speed limits.</li> </ul>	
	Also refer section (f) of the EMPr. For	mitigation measures related to traffic.

<u>Risk to safety, livestock/game, and farm infrastructure</u> - The presence on and movement of workers on and off the site poses a
potential safety threat to local famers and farm workers in the vicinity of the site threat. In addition, farm infrastructure, such as
fences and gates, may be damaged and stock losses may also result from gates being left open and/or fences being damaged,
or stock theft linked either directly or indirectly to the presence of mine workers on the site.

Risk to safety, livestock/game, and farm infrastructure	Pre-mitigation impact rating	Post mitigation impact rating
Status (positive or negative)	Negative	Negative
Extent	Local (2)	Local (2)
Probability	Possible (2)	Unlikely (1)
Duration	Medium term (2)	Medium term (2)
Magnitude	Medium (2)	Low (1)
Reversibility	Partly reversible (2)	Completely reversible (1)
Irreplaceable loss of resources	Marginal resource (2)	Marginal resource (2)
Cumulative impact	Low cumulative effects (2), provide	
Significance	Negative low (24)	Negative low (10)
Can impacts be mitigated?	<ul> <li>local farmers in the area who during the construction phatagreement should be sign commences;</li> <li>The construction area shou commencement of the conconstruction workers on the sitarea;</li> <li>Contractors appointed by Kimodaily transport for low and sere. This would reduce the potentiation of the farm and adjacent properior of the farm and adjacent properior. Kimswa Mining (Pty) Ltd compensating farmers in full farm infrastructure that can be should be contained in the Contagreement should also cover caused by construction worker below);</li> <li>The Environmental Managem procedures for managing an plastic waste that poses a three conditions contained on the contractors appointed Kimswa all workers are informed at the conditions contained on the construction workers who are livestock/game and/or damage and charged. This should be in accondigination;</li> </ul>	should hold contractors liable for for any stock losses and/or damage to e linked to construction workers. This bde of Conduct to be signed between rs and neighbouring landowners. The loses and costs associated with fires rs or construction related activities (see ent Programme (EMPr) should outline ad storing waste on site, specifically eat to livestock/game if ingested; va Mining (Pty) Ltd must ensure that outset of the construction phase of the he Code of Conduct, specifically nd trespassing on adjacent farms. swa Mining (Pty) Ltd must ensure that e found guilty of trespassing, stealing ging farm infrastructure are dismissed contained in the Code of Conduct. All ordance with South African labour workers on the site should be strictly

Increased risk of veld fires - The presence of construction workers and construction-related activities on the site poses an increased
risk of grass fires that could in turn pose a threat to livestock/game, crops, wildlife and farmsteads in the area. In the process, farm
infrastructure may also be damaged or destroyed and human lives threatened. The potential risk of grass fires was heightened by
the windy conditions in the area, especially during the dry, windy winter months from May to October. In terms of potential mitigation
measures, a fire-break should be constructed around the perimeter of the site prior to the commencement of the construction
phase. In addition, fire-fighting equipment should be provided on site during the different phase of prospect.

Increased risk of veld fires	Pre-mitigation impact rating	Post mitigation impact rating
Status (positive or negative)	Negative	Negative
Extent	Local (2)	Site (1)
Probability	Probable (3)	Possible (2)
Duration	Medium term (2)	Medium term (2)
Magnitude	Very high (4)	Medium (2)
Reversibility	Partly reversible (2)	Completely reversible (1)
Irreplaceable loss of resources	Significant loss (3)	Marginal loss (2)
Cumulative impact	Medium cumulative effects (3), provid	led losses are compensated for.
Significance	Negative high (60)	Negative low (22)
	<ul> <li>prior to the commencement of the Contractor should ensure that contractor should ensure that construction are not allowed except in Contractor to ensure that constructions that is should be taken during the high Contractor to provide adequations after fighting vehicle;</li> <li>Contractor to provide fire-fighting staff;</li> <li>No construction staff, with the accommodated on site over nighter the conditions of the Contractor with the appointed contractors must be the conditions of the Contractor to provide fire-fighting staff;</li> <li>No construction staff, with the accommodated on site over nighter the conditions of the Contractor to provide fire-fighting taken the appointed contractors must be the appointed contractors must be the appointed contractors must be contractors must be appointed contractors appointed contractors must be appointed contractors appointed contractors must be appointed contractors must b</li></ul>	open fires on the site for cooking or in designated areas; ruction related activities that pose a ing, are properly managed and are of fires has been reduced. Measures ude avoiding working in high wind is greater. In this regard special care risk dry, windy winter months; ate firefighting equipment on-site, ing training to selected construction exception of security staff, to be nt; le of Conduct, in the advent of a fire orkers and or construction activities, compensate farmers for any damage tractor should also compensate the

# **OPERATIONAL PHASE**

**Direct impacts:** During the operational phase the study area will serve as an prospecting area and the impacts are generally associated with soil erosion, change in land use, impacts associated with the, increase in storm water runoff, increased consumption of water, visual intrusion, the generation of general waste, leakage of hazardous materials, and the change in the sense of place. The operational phase will also have a direct positive impact through the provision of permanent employment opportunities and facilitating a positive economic growth. The abovementioned impacts are discussed in more detail below:

• <u>Soil erosion</u> – The largest risk factor for soil erosion will be during the operational phase when the prospecting activity ensues and soil is left bare until rehabilitation is initiated. Erosion will be localised within the site. This will ultimately lead to the irretrievable

commitment of this resource. The measurable effect of reducing erosion by utilizing mitigation measures may reduce possible erosion significantly.

Concurrent backfilling will take place in order to rehabilitate.

Soil erosion	Pre-mitigation impact rating	Post mitigation impact rating
Status (positive or negative)	Negative	Negative
Extent	Local/Regional (2)	Site (1)
Probability	Definite (4)	Unlikely (1)
Duration	Permanent (4)	Medium term (2)
Magnitude	High (3)	Medium (2)
Reversibility	Barely reversible (3)	Completely reversible (1)
Irreplaceable loss of resources	Significant loss of resource (3)	Marginal loss of resource (2)
Cumulative impact		Id these impacts occur, there will be a er resources in the study area in terms of
Significance	Negative High (57)	Negative Low (20)
Can impacts be mitigated?		od practice to not remove all the vegetation it becomes necessary and to implement

 <u>Change in land-use</u> –The use of the area for the operation of the prospecting activity will not disturb existing activities on most of the portions as both (existing activities and prospecting activities) can be done concurrently. However, it does depend on where they plan to prospect. If they prospect where the central pivots are located, the applicant will have to draw up a prepare use agreement.

Change in land use	Pre-mitigation impact rating	Post mitigation impact rating
Status (positive or negative)	Negative	Negative
Extent	Local (2)	Local (2)
Probability	Possible (2)	Unlikely (1)
Duration	medium term (2)	medium term (2)
Magnitude	Medium (2)	Low (1)
Reversibility	Partly reversible (2)	Completely reversible (1)
Irreplaceable loss of resources	Marginal loss of resource (2)	No loss of resource (1)
Cumulative impact	Medium cumulative impacts (3).	
Significance	Negative medium (26)	Negative low (10)
Can impacts be mitigated?	The proponent should establish a Rehabilitation Fund to be used to rehabilitate the area once the proposed facility has been decommissioned. The fund should be funded by revenue generated during the operational phase of the project. The motivation for the establishment of a Rehabilitation Fund is based on the experience in the mining sector where many mines on closure have not set aside sufficient funds for closure and decommissioning.	
	Also refer to section (f) of the EMPr.	

 <u>Generation of alternative land use income</u> – Income generated through the Diamonds Alluvial (DA), Diamonds General (D), Diamonds in Kimberlite (DK) & Diamonds (DIA) mine will provide the farming enterprise with increased cash flow and rural livelihood, and thereby improve the financial sustainability of farming on site.

Generation of alternative land use income	Pre-mitigation impact rating	Post mitigation impact rating
Status (positive or negative)	Positive	Positive
Geographical extent	Site (1)	Site (1)
Probability	Definite (4)	Definite (4)
Duration	Medium term (2)	Medium term (2)
Magnitude	Medium (2)	Medium (2)
Reversibility	Completely reversible (1)	Completely reversible (1)
Irreplaceable loss of resources	No loss of resources (1)	No loss of resources (1)
Cumulative impact	Medium cumulative impact (3).	
Significance	Positive Low (24)	Positive Low (24)
Can impacts be mitigated?	No mitigation required.	•

 <u>Increase in storm water runoff</u> – The development will potentially result in an increase in storm water run-off that needs to be managed to prevent soil erosion, especially where vegetation will be cleared. Not all the vegetation should be removed at once. Only the specific trench being excavated at the specific time should be cleared and concurrent rehabilitation must be implemented.

Increase in storm water runoff	Pre-mitigation impact rating	Post mitigation impact rating
Status (positive or negative)	Negative	Negative
Extent	Local (2)	Site (1)
Probability	Possible (2)	Unlikely (1)
Duration	Long term (3)	Medium term (2)
Magnitude	High (3)	Low (1)
Reversibility	Barely reversible (3)	Completely reversible (1)
Irreplaceable loss of resources	Significant loss of resource (3)	Marginal loss of resource (2)
Cumulative impact	Medium cumulative impact (3) - Sho cumulative impact on the wider area	ould these impacts occur, there will be a a.
Significance	Negative medium (48)	Negative low (10)
Can impacts be mitigated?	Negative medium (48)Negative low (10)Yes. It is therefore important that all management actions and mitigation measures included in section (f) of the EMPr. are implemented to ensure that these impacts do not occurThe cut-off trenches and silt fences will be installed where necessary as to control runoff storm water by attenuating it and control the movement of 	

• <u>Increased consumption of water</u> - Since 1 x 16 feet washing pans will be used, the amount of water for the pans will be 17 000 L/hour from which 30% is re-used. Water will also be used for dust suppression.

Increased consumption of water	Pre-mitigation impact rating	Post mitigation impact rating
Status (positive or negative)	Negative	Negative
Extent	Local (2)	Local (2)

Probability	Definite (4)	Definite (4)	
Duration	Medium term (3)	Medium term (2)	
Magnitude	High (3)	Medium (2)	
Reversibility	Irreversible (4)	Barely reversible (4)	
Irreplaceable loss of resources	Significant loss of resources (3)	Marginal loss of resources (2)	
Cumulative impact	Medium cumulative impacts (3) - An	Medium cumulative impacts (3) - An additional demand on water sources could	
	result in a significant cumulative imp	result in a significant cumulative impact with regards to the availability of water.	
Significance	Negative High impact (57)	Negative medium (34)	
Can impacts be mitigated?	Yes, management actions and mitig	Yes, management actions and mitigation measures related to the use of water	
	are included in section (f) of the EMI	are included in section (f) of the EMPr.	

<u>Generation of waste</u> – Approximately 15 Workers will be present on site from 6:00 – 18:00, Monday to Saturday. Sources of general waste will be waste food, packaging, paper, etc. General waste will be stored on-site in a skip bin with a lid, when the skip bin is full the content must be removed to a licensed landfill site.

Generation of waste	Pre-mitigation impact rating	Post mitigation impact rating
Status (positive or negative)	Negative	Negative
Extent	Local (2)	Local (2)
Probability	Probable (3)	Possible (2)
Duration	Medium term (2)	Medium (2)
Magnitude	medium (2)	Low (1)
Reversibility	Partly reversible (2)	Partly reversible (2)
Irreplaceable loss of resources	Marginal of resource (2)	No loss of resource (1)
Cumulative impact	Low cumulative impact (2) - An addit	ional demand for landfill space could result
	in significant cumulative impacts with	regards to the availability of landfill space.
Significance	Negative low (26)	Negative low (11)
Can impacts be mitigated?	Yes, management actions related to	waste management are included in section
	(f) of the EMPr.	

<u>Leakage of hazardous materials</u> - The proposed prospecting activity will make use of machinery that use fuel and oil. Leakage of
these oils and fuel can contaminate water supplies and must be prevented by constructing oil and diesel permeable bunds to ensure
that any spills are suitably attenuated and not released into the environment.

Leakage of hazardous materials	Pre-mitigation impact rating	Post mitigation impact rating
Status (positive or negative)	Neg <mark>ative</mark>	Negative
Extent	Local (2)	Site (1)
Probability	Possible (2)	Unlikely (1)
Duration	Long term (3)	Short term (1)
Magnitude	High (3)	Medium (2)
Reversibility	Barely reversible (3)	Partly reversible (2)
Irreplaceable loss of resources	Significant loss of resources (3)	Marginal loss of resource (2)
Cumulative impact	High cumulative impacts (4) if impact occurs and not mitigated.	
Significance	Negative high (51)	Negative low (22)
Can impacts be mitigated?	Yes. It is therefore important that all	management actions and mitigation
	measures included in the section (f) of	EMPr are implemented to ensure that
	these impacts do not occur.	

<u>Noise disturbance</u> - Prospecting activities will result in the generation of noise over a period of approximately 5 years. Sources of
noise are likely to include vehicles, the use of machinery such as backactors, rotary pans and people working on site. Noise may
impact on the existing activities however, this depends on where the prospecting activities will take place, which will only be
determined during Phase 1 and Phase 2 (PWP) of the prospecting activities.

Existing activities on the proposed area include but is not limited to agricultural activities (game / livestock grazing, crop production under a central pivot irrigation system) and homesteads. Agricultural activities in the area also contribute to noise disturbance.

Temporary noise disturbance	Pre-mitigation impact rating	Post mitigation impact rating	
Status (positive or negative)	Negative	Negative	
Extent	Local (2)	Local (2)	
Probability	Possible (2)	Possible (2)	
Duration	Medium term (2)	Medium term (2)	
Magnitude	Medium (2)	Low (1)	
Reversibility	Completely reversible (1)	Completely reversible (1)	
Irreplaceable loss of resources	Marginal loss of resource (2)	Marginal loss of resource (2)	
Cumulative impact	The impact would result in low cu	The impact would result in low cumulative effects (2).	
Significance	Negative low (22)	Negative low (11)	
Can impacts be mitigated?	Yes, management actions related (f) of the EMPr.	to noise pollution are included in section	

*Indirect impacts:* The operational phase will have an indirect negative impact through the change in the sense of place and an indirect positive impact through the provision of additional electrical infrastructure.

<u>Potential impact on tourism</u> – The impact of the proposed prospecting of Diamonds Alluvial (DA), Diamonds General (D), Diamonds in Kimberlite (DK) & Diamonds (DIA) on the areas sense of place with mitigation is likely to be low since there are no tourist facilities in close proximity of the proposed area.

Potential impacts on tourism	Pre-mitigation impact rating	Post mitigation impact rating
Status (positive or negative)	Negative	Negative
Extent	Site (1)	Site (1)
Probability	Unlikely (1)	Unlikely (1)
Duration	Medium term (2)	Medium term (2)
Magnitude	Low (1)	Low (1)
Reversibility	Completely reversible (1)	Completely reversible (1)
Irreplaceable loss of resources	No loss of resources (1)	No loss of resources (1)
Cumulative impact	Medium cumulative impacts (3)	
Significance	Negative low (9)	Negative low (9)
Can impacts be mitigated?	The proponent may compensate the income losses the Apiesdeel Fishing	
	Report may endure due to loss of visitors as a result of the prospecting	
	activities. Proof must be provided that losses are due to prospecting	
	activities.	

# **DECOMMISIONING PHASE (MINE CLOSURE AND REHABILITATION)**

**Direct impacts:** Typically, the major social impacts associated with the decommissioning phase are linked to the loss of jobs and associated income. This has implications for the households who are directly affected, the communities within which they live. If infrastructures are removed after a 3/5 year period, the site will be returned to its natural state. Therefore, the physical environment will benefit from the closure of the prospecting area.

<u>Rehabilitation of the physical environment</u> – The physical environment will benefit from the closure of the prospecting area since the site will be restored to its pre-prospecting state. The areas to be prospected must be rehabilitated in such a way that it can support the existing pre-prospecting activity of that specific area. Existing pre-prospecting activities include but is not limited to agricultural activities (game/livestock grazing & crop production under central pivot irrigation).

Rehabilitation of the physical environment	Pre-mitigation impact rating	Post mitigation impact rating	
Status (positive or negative)	Positive	Positive	
Extent	Site (1)	Site (1)	
Probability	Possible (2)	Definite (4)	
Duration	Permanent (4)	Permanent (4)	
Magnitude	Very High (4)	Very High (4)	
Reversibility	N/A		
Irreplaceable loss of resources	N/A N/A		
Cumulative impact	The impact would result in negligible to no cumulative effects (1)		
Significance	Significance Positive medium (32) Positive medium (		
Can impacts be mitigated?	No mitigation measures required.		

Loss of employment - The decommissioning of the facility has the potential to have a negative social impact on the local community as it will create job losses.

Loss of employment	Pre-mitigation impact rating	Post mitigation impact rating
Status (positive or negative)	Negative	Negative
Extent	Local (2)	Local (2)
Probability	Probable (3)	Probable (3)
Duration	Permanent (4)	Permanent (4)
Magnitude	Medium (2)	Medium (2)
Reversibility	Irreversible (4)	Irreversible (4)
Irreplaceable loss of resources	No loss of resource (1)	No loss of resource (1)
Cumulative impact	Medium cumulative impacts (3)	
Significance	Negative medium (34) Negative medium (34)	
Can impacts be mitigated?	<ul> <li>The following mitigation measures are recommended:</li> <li>All structures and infrastructure associated with the proposed facility should be dismantled and transported off-site on decommissioning;</li> <li>Kimswa Mining (Pty) Ltd should establish an Environmental Rehabilitation Trust Fund to cover the costs of decommissioning and rehabilitation of disturbed areas.</li> </ul>	

Indirect impacts: No indirect impacts are anticipated from the decommissioning phase of the proposed development.

## K. SUMMARY OF THE FINDINGS AND RECOMMENDATIONS OF ANY SPECIALIST REPORT

(where applicable, a summary of the findings and recommendations of any specialist report complying with Appendix 6 to these Regulations and an indication as to how these findings and recommendations have been included in the final assessment report;)

 ST OF NDERTAKEN	RECOMMENDATIONS OF SPECIALIST REPORTS	SPECIALIST RECOMMENDATIONS THAT HAVE BEEN INCLUDED IN THE EIA REPORT (Mark with an X where applicable)	OF REPORT WHERE SPECIALIST

According to the DFFE Screening Report, nine (9) specialist assessments have been identified for inclusion in the assessment report. Please see the table below for the list of these studies and also our response. Please refer to **Appendix 7**.

Specialist study according to DEA Screening tool	Response
Agriculture Impact Assessment	We do not see a need for this study. The prospecting activity will not disturb existing activities on the portions as both (existing activities and prospecting activities) can be done concurrently. The proposed area is currently being used for game/livestock grazing and crop production under central pivot irrigation. According to the DFFE Screening Report the Agriculture theme sensitivity of the proposed area fall mostly within low sensitivity, with areas off Medium, High and Very High sensitivity. The land capability for the proposed area and surrounding area also falls within Land in Class 7. The Prospecting Work Programme (PWP) states 250 pits [4m (length) x 4m (breath) x 5m (depth)] and 80 trenches [40m (length) x 50m (breath) x 5m (depth)] will be dug. This calculates to a disturbance of ± 16.04ha. The whole application area is 4209.3984ha thus the ±16.04ha disturbance is small compared to the size of the application area. Mitigation measures as in the EMPr will be implemented. Concurrent backfilling will also take place in order to rehabilitate which means only 0.5ha will be disturbed at any given time. Due to the low disturbance (±16.04ha over a 4209.3984ha area) the impact is expected to be low, since mitigation measures will be implemented and concurrently rehabilitation will take place.

	Animal Species	Finding of the DEA Screening Report (Appendix 7):
	Assessment	Plant Species theme sensitivity: Low
	Aquatic Biodiversity	Aquatic Biodiversity sensitivity: Mostly Low with some areas within Very High
	Impact Assessment	• Terrestrial Biodiversity sensitivity: Mostly high followed by very high sensitivity along the Orange river and low where the central pivots are
	Plant Species	located
	Assessment	Animal Species sensitivity: Medium and Low
Biodiversity study	Terrestrial Biodiversity Impact Assessment	The Prospecting Work Programme (PWP) states 250 pits [4m (length) x 4m (breath) x 5m (depth)] and 80 trenches [40m (length) x 50m (breath) x 5m (depth)] will be dug. This calculates to a disturbance of ± 16.04ha. The whole application area is 4209.3984ha thus the ±16.04ha disturbance is small compared to the size of the application area. Mitigation measures as in the EMPr will be implemented. Concurrent backfilling will also take place in order to rehabilitate which means only 0.5ha will be disturbed at any given time. Due to the low disturbance (±16.04ha over a 4209.3984ha area) the impact is expected to be low, since mitigation measures will be implemented and concurrently rehabilitation will take place.
		<ul> <li>Some of the mitigation measure include:         <ul> <li>No animals may be hunted or killed during the prospecting phase.</li> <li>An adequate buffer will be maintained from any water bodies, should any prospecting be conducted within the regulated zones, a Water Use Licence will be applied for.</li> <li>No protected trees may be removed without a permit.</li> </ul> </li> </ul>
		DFFE Screening Report findings:
		<ul> <li>Paleontology Theme Sensitivity: Mostly within Medium and High and a small area within Low.</li> </ul>
Archaeologica	I and Cultural Heritage	• Archaeological and Cultural Heritage Combined Sensitivity: Mostly within Low but there is an area identified as very High.
Impact Assess	ment	The following mitigation measures are included in the EMPr.
		If anything of Archaeological and/or paleontological significance is found during the construction and operational phase of the mine the following applies:
		<ul> <li>NHRA 38(4)c(i) – If any evidence of archaeological sites or remains (e.g. remnants of stone-made structures, indigenous ceramics, bones,</li> </ul>
		stone artefacts, ostrich eggshell fragments, charcoal and ash concentrations), fossils or other categories of heritage resources are found
		during the proposed development, SAHRA APM Unit (021 462 5402) must be alerted as per section 35(3) of the NHRA. Non-compliance
Palaeontology Impact Assessment		with section of the NHRA is an offense in terms of section 51(1)e of the NHRA and item 5 of the Schedule;
		<ul> <li>NHRA 38(4)c(ii) – If unmarked human burials are uncovered, the SAHRA Burial Grounds and Graves (BGG) Unit (012 320 8490), must be alerted immediately as per section 36(6) of the NHRA. Non-compliance with section of the NHRA is an offense in terms of section 51(1)e of the NHRA and item 5 of the Schedule;</li> </ul>
		• NHRA 38(4)e – The following conditions apply with regards to the appointment of specialists: i) If heritage resources are uncovered during the course of the development, a professional archaeologist or palaeontologist, depending on the nature of the finds, must be contracted as

	soon as possible to inspect the heritage resource. If the newly discovered heritage resources prove to be of archaeological or palaeontological
	significance, a Phase 2 rescue operation may be required subject to permits issued by SAHRA;
	If fossil remains or trace fossils are discovered during any phase of construction, either on the surface or exposed by excavations the Chance Find
	Protocol must be implemented by the Environmental Control Officer (ECO) in charge of these developments. These discoveries ought to be protected
	and the ECO must report to SAHRA (Contact details: SAHRA, 111 Harrington Street, Cape Town. PO Box 4637, Cape Town 8000, South Africa. Tel:
	021 462 4502. Fax: +27 (0)21 462 4509. Web: www.sahra.org.za) so that mitigation can be carry out by a paleontologist.
	Chance Find Procedure
	• If a chance find is made the person responsible for the find must immediately stop working and all work that could impact that finding must
	cease in the immediate vicinity of the find.
	The person who made the find must immediately report the find to his/her direct supervisor which in turn must report the find to his/her manager and the ESO or site manager. The ESO or site manager must report the find to the relevant Heritage Agency (South African Heritage Research Agency, SAHRA). (Contact details: SAHRA, 111 Harrington Street, Cape Town. PO Box 4637, Cape Town 8000, South Africa. Tel:
	021 462 4502. Fax: +27 (0)21 462 4509. Web: www.sahra.org.za). The information to the Heritage Agency must include photographs of the find, from various angles, as well as the GPS co-ordinates.
	<ul> <li>A preliminary report must be submitted to the Heritage Agency within 24 hours of the find and must include the following: 1) date of the find;</li> <li>a description of the discovery and a 3) description of the fossil and its context (depth and position of the fossil), GPS co-ordinates.</li> </ul>
	<ul> <li>Photographs (the more the better) of the discovery must be of high quality, in focus, accompanied by a scale. It is also important to have photographs of the vertical section (side) where the fossil was found.</li> </ul>
	• Upon receipt of the preliminary report, the Heritage Agency will inform the ESO (or site manager) whether a rescue excavation or rescue collection by a palaeontologist is necessary.
	• The site must be secured to protect it from any further damage. No attempt should be made to remove material from their environment. The exposed finds must be stabilized and covered by a plastic sheet or sand bags. The Heritage agency will also be able to advise on the most suitable method of protection of the find.
	• In the event that the fossil cannot be stabilized the fossil may be collected with extreme care by the ESO (site manager). Fossils finds must
	be stored in tissue paper and in an appropriate box while due care must be taken to remove all fossil material from the rescue site.
	Once Heritage Agency has issued the written authorization, the developer may continue with the development on the affected area.
Noise Impact Assessment	We do not see the need for this study as noise is limited to working hours.
Radioactivity Impact Assessment	This study is not necessary since the process of mining Diamonds Alluvial (DA), Diamonds General (D), Diamonds in Kimberlite (DK) & Diamonds
	(DIA) does not have any radioactive effects.

# L. AN ENVIRONMENTAL IMPACT STATEMENT WHICH CONTAINS-

#### (i) a summary of the key findings of the environmental impact assessment:

This section provides a summary of the assessment and conclusions drawn from the proposed prospecting area. In doing so, it draws on the information gathered as part of the environmental impact assessment process and the knowledge gained by the environmental consultant during the course of the process and presents an informed opinion on the environmental impacts associated with the proposed project. The following conclusions can be drawn for the proposed prospecting activity:

## Potential impacts on biodiversity:

Finding of the DEA Screening Report (Appendix 7):

- Plant Species theme sensitivity: Low
- Aquatic Biodiversity sensitivity: Mostly Low with some areas within Very High
- Terrestrial Biodiversity sensitivity: Mostly high followed by very high sensitivity along the Orange river and low where the central pivots are located
- Animal Species sensitivity: Medium and Low

The Prospecting Work Programme (PWP) states 250 pits [4m (length) x 4m (breath) x 5m (depth)] and 80 trenches [40m (length) x 50m (breath) x 5m (depth)] will be dug. This calculates to a disturbance of  $\pm$  16.04ha. The whole application area is 4209.3984ha thus the  $\pm$ 16.04ha disturbance is small compared to the size of the application area.

Mitigation measures as in the EMPr will be implemented. Concurrent backfilling will also take place in order to rehabilitate which means only 0.5ha will be disturbed at any given time. Due to the low disturbance ( $\pm$ 16.04ha over a 4209.3984ha area) the impact is expected to be low, since mitigation measures will be implemented and concurrently rehabilitation will take place.

> Potential impact on palaeontological, heritage and cultural resources:

## DFFE Screening Report findings:

- Paleontology Theme Sensitivity: Mostly within Medium and High and a small area within Low.
- Archaeological and Cultural Heritage Combined Sensitivity: Mostly within Low but there is an area identified as very High.

According to the DFFE Screening Report the proposed area falls mostly within low Archaeological and Cultural Heritage Theme Sensitivity and a certain area within very high. It also shows the proposed area falls mostly within Medium and High Paleontology Theme Sensitivity and to a lesser extent within low sensitivity.

Cultural Heritage in South Africa (includes all heritage resources) is protected by the National Heritage Resources Act (Act 25 of 1999) (NHRA). According to Section 3 of the Act, all Heritage resources include "all objects recovered from the soil or waters of South Africa, including archaeological and palaeontological objects and material, meteorites and rare geological specimens".

If such resources are found during the mining or development activities, they shall not be disturbed without a permit from the relevant heritage resource Authority, which means that before such sites are disturbed by development it is incumbent on the developer to ensure that a heritage impact assessment is done and the Provincial Heritage Resources Authority and SAHRA must be contacted immediately and work must stop.

If anything of Archaeological and/or paleontological significance is found during the construction and operational phase of the mine the following applies:

NHRA 38(4)c(i) – If any evidence of archaeological sites or remains (e.g. remnants of stone-made structures, indigenous ceramics, bones, stone artefacts, ostrich eggshell fragments, charcoal and ash concentrations), fossils or other categories of heritage resources are found during the proposed development, SAHRA APM Unit (021 462 5402) must be alerted as per section 35(3) of the NHRA. Non-compliance with section of the NHRA is an offense in terms of section 51(1)e of the NHRA and item 5 of the Schedule;

- NHRA 38(4)c(ii) If unmarked human burials are uncovered, the SAHRA Burial Grounds and Graves (BGG) Unit (012 320 8490), must be alerted immediately as per section 36(6) of the NHRA. Non-compliance with section of the NHRA is an offense in terms of section 51(1)e of the NHRA and item 5 of the Schedule;
- NHRA 38(4)e The following conditions apply with regards to the appointment of specialists: i) If heritage resources are
  uncovered during the course of the development, a professional archaeologist or palaeontologist, depending on the nature
  of the finds, must be contracted as soon as possible to inspect the heritage resource. If the newly discovered heritage
  resources prove to be of archaeological or palaeontological significance, a Phase 2 rescue operation may be required
  subject to permits issued by SAHRA;

If fossil remains or trace fossils are discovered during any phase of construction, either on the surface or exposed by excavations the **Chance Find Protocol** must be implemented by the Environmental Control Officer (ECO) in charge of these developments. These discoveries ought to be protected and the ECO must report to SAHRA (Contact details: SAHRA, 111 Harrington Street, Cape Town. PO Box 4637, Cape Town 8000, South Africa. Tel: 021 462 4502. Fax: +27 (0)21 462 4509. Web: www.sahra.org.za) so that mitigation can be carry out by a paleontologist.

# **Chance Find Procedure**

- If a chance find is made the person responsible for the find must immediately stop working and all work that could impact that finding must cease in the immediate vicinity of the find.
- The person who made the find must immediately report the find to his/her direct supervisor which in turn must report the find to his/her manager and the ESO or site manager. The ESO or site manager must report the find to the relevant Heritage Agency (South African Heritage Research Agency, SAHRA). (Contact details: SAHRA, 111 Harrington Street, Cape Town. PO Box 4637, Cape Town 8000, South Africa. Tel: 021 462 4502. Fax: +27 (0)21 462 4509. Web: www.sahra.org.za). The information to the Heritage Agency must include photographs of the find, from various angles, as well as the GPS co-ordinates.
- A preliminary report must be submitted to the Heritage Agency within 24 hours of the find and must include the following:
   1) date of the find; 2) a description of the discovery and a 3) description of the fossil and its context (depth and position of the fossil), GPS co-ordinates.
- Photographs (the more the better) of the discovery must be of high quality, in focus, accompanied by a scale. It is also important to have photographs of the vertical section (side) where the fossil was found.
- Upon receipt of the preliminary report, the Heritage Agency will inform the ESO (or site manager) whether a rescue excavation or rescue collection by a palaeontologist is necessary.
- The site must be secured to protect it from any further damage. No attempt should be made to remove material from their environment. The exposed finds must be stabilized and covered by a plastic sheet or sand bags. The Heritage agency will also be able to advise on the most suitable method of protection of the find.
- In the event that the fossil cannot be stabilized the fossil may be collected with extreme care by the ESO (site manager).
   Fossils finds must be stored in tissue paper and in an appropriate box while due care must be taken to remove all fossil material from the rescue site.
- Once Heritage Agency has issued the written authorization, the developer may continue with the development on the affected area.
- Potential social impacts:

The presence of construction workers poses a potential risk to family structures and social networks. While the presence of construction workers does not in itself constitute a social impact, the manner in which construction workers conduct themselves can impact on local communities. The most significant negative impact is associated with the disruption of existing family structures and social networks.

## Potential impacts on land use:

According to the map below (**Figure 20** and **Figure 21**), the proposed area is largely natural, water bodies, cultivation and Urban Build up. The natural vegetation according to the land use map consists mostly of Grassland, Low shrubland, Thicket/Dense bush and Woodland/Open Bush. The map also shows there are mines.

From google earth (Figure 22) the area looks mostly natural, there are some central pivot irrigation systems for the cultivation of crops and areas disturbed by mining activities.

If water uses under section 21 a-k of the NWA are triggered for the proposed prospecting right, a Water Use Licence Application (WULA) are needed and must be lodged with the department of Water & Sanitation (DWS).

- Potential negative impacts: (noise, dust, soil degradation, storm water, traffic, health and safety) associated with the operation of the facility are expected to be of low-medium impact, of medium terms and site specific. These can be mitigated or negated through the implementation of practical and appropriate mitigation measures.
- Positive impacts: The mining of Diamonds Alluvial (DA), Diamonds General (D), Diamonds in Kimberlite (DK) & Diamonds (DIA) will have socio-economic benefit to the area.

All possible negative impacts and risks that have been identified in this report can be effectively mitigated and managed by implementing the migratory measures as set out in the Environmental Management Programme (EMPr) attached in Part B. It is therefore recommended that the environmental authorisation for the prospecting right be granted.

(i) a map at an appropriate scale which superimposes the proposed activity and its associated structures and infrastructure on the environmental sensitivities of the preferred [site] development footprint on the approved site as contemplated in the accepted scoping report indicating any areas that should be avoided, including buffers; and

Provide a map at an appropriate scale which superimposes the proposed overall activity and its associated structures and infrastructure on the environmental sensitivities of the preferred site indicating any areas that should be avoided, including buffers.




Figure 23: Site Plan

Refer to Site layout Map attached in Appendix 4.

On the proposed area there are wetlands that should be avoided.




Figure 24: Wetland types located within or near the study site.

#### (ii) a summary of the positive and negative impacts and risks of the proposed activity and identified alternatives;

There is regional socio economic benefits due to the Diamonds Alluvial (DA), Diamonds General (D), Diamonds in Kimberlite (DK) & Diamonds (DIA) being prospected in the Northern Cape province and greater knowledge is gained on the mineralogy of South Africa. All possible negative impacts and risks that have been identified in this report can be effectively mitigated and managed by implementing the mitigation measures as set out in the Environmental Management Programme (EMPr) attached in Part B. Significant adverse social environmental impacts are anticipated.

## M. PROPOSED IMPACT MANAGEMENT OBJECTIVES AND THE IMPACT MANAGEMENT OUTCOMES FOR INCLUSION IN THE EMPR

Based on the assessment and where applicable the recommendations from specialist reports, the recording of proposed [impact management objectives, and the] impact management outcomes for the development for inclusion in the EMPr as well as for inclusion as conditions of authorisation.

#### Management objectives include:

- > Ensure that the prospecting activity does not cause pollution to the environment or harm to persons.
- Minimise production of waste.
- All prospecting activities must be conducted in a manner that minimises noise impact, litter, environmental degradation and health hazards i.e. injuries.
- > The mine must be kept neat and tidy during waste handling to prevent unsightliness and accidents.

#### Expected outcomes include:

Minimum impacts on the environment as a result of Diamonds Alluvial, Diamonds General, Diamonds in Kimberlite, Diamonds, Stone Aggregate: Gravel prospecting.

- Compliance with legislative requirements.
- Mine is neat and tidy and well managed.

#### N. FINAL PROPOSED ALTERNATIVES.

(Provide an explanation for the final layout of the infrastructure and activities on the overall site as shown on the final site map together with the reasons why they are the final proposed alternatives which respond to the impact management measures, avoidance, and mitigation measures identified through the assessment)

This alternative asks the question, if there is not, from an environmental perspective, a more suitable location for the proposed activity near Douglas on the Remaining Extent of the farm De Hoek 2, the Remaining Extent of the farm Marktsdrift 3, Portion 1 of the farm Roode Kop 5, Registration Division: Hopetown, Northern Cape province. The proposed area is preferred due to the sites possible underlying Diamonds Alluvial (DA), Diamonds General (D), Diamonds in Kimberlite (DK) & Diamonds (DIA). Therefore, there will be no other alternative (i.e. to facilitate the movement of machinery, equipment, infrastructure).

## O. ASPECTS FOR INCLUSION AS CONDITIONS OF AUTHORISATION.

(Any aspects which were conditional to the findings of the assessment either by the EAP or specialist which are to be included as conditions of authorisation;)

- The operational activities and relevant rehabilitation of disturbed areas should be monitored against the improved EMPr and all other relevant environmental legislation.
- A copy of the EMP should be made available onsite at all times.
- Implementation of the proposed mitigation measures set out in the EMPr.

## P. DESCRIPTION OF ANY ASSUMPTIONS, UNCERTAINTIES AND GAPS IN KNOWLEDGE.

#### (Which relate to the assessment and mitigation measures proposed)

The uncertainties in results are mostly related to the availability of information, time available to gather the relevant information as well as the sometimes subjective nature of the assessment methodology. In terms of addressing the key issues the EAP is satisfied that there are no major gaps in knowledge and that the report provide sufficient information to conduct the significance rating and provide the environmental authority with sufficient information to make an informed decision.

#### Q. REASONED OPINION AS TO WHETHER THE PROPOSED ACTIVITY SHOULD OR SHOULD NOT BE AUTHORISED

(and if the opinion is that it should be authorised, any conditions that should be made in respect of that authorisation;)

#### Reasons why the activity should be authorized or not.

Based on the outcomes of other diamond mines in the area, the possibility to encounter further Diamond Reserves were identified.

The proposed prospecting area is targeted as, historically, several alluvial diamond occurrences are known in the area, and a number of these have been exploited in the past. There are also various alluvial diamond operations within the vicinity of the exploration area.

The option of not approving the activities will result in a significant loss to valuable diamond deposits being exploited and all economic benefits will be lost.

## Conditions that must be included in the authorisation

- > The operational activities and relevant rehabilitation of disturbed areas should be monitored against the improved EMPr and all other relevant environmental legislation.
- > A copy of the EMP should be made available onsite at all times.
- > Implementation of the proposed mitigation measures set out in the EMPr.

The EMPr should be binding on all managers and contractors operating/utilizing the site. The applicant shall familiarize himself with the content of this document and the attached specialist studies and the requirements/conditions thereof.

## R. PERIOD FOR WHICH THE ENVIRONMENTAL AUTHORISATION IS REQUIRED.

For a minimum of 5 years.

## S. AN UNDERTAKING UNDER OATH OR AFFIRMATION BY THE EAP IN RELATION TO:

Confirm that the undertaking required to meet the requirements of this section is provided at the end of the EMPr and is applicable to both the Basic assessment report and the Environmental Management Programme report.

The undertaking required to meet the requirements of this section is provided at the end of the EMPr and is applicable to both the Environmental Impact Assessment report and the Environmental Management Programme report.

I, Lizanne Esterhuizen, herewith confirms

A. the correctness of the information provided in the reports  $\bigotimes$ 

B. the inclusion of comments and inputs from stakeholders and I&APs ;

- **C.** the inclusion of inputs and recommendations from the specialist reports where relevant; X and
- D. the acceptability of the project in relation to the finding of the assessment and level of mitigation proposed;



Signature of the environmental assessment practitioner:

#### Milnex CC

Name of company:

#### 25/11/2022

Date:

## T. FINANCIAL PROVISION

(where applicable, details of any financial provision[s] for the rehabilitation, closure, and ongoing post decommissioning management of negative environmental impacts;)

## XXXXX

#### **Concurrent Rehabilitation**

Concurrent backfilling will take place in order to rehabilitate. Please see the explanation below how concurrent rehabilitation is carried out:

Topsoil will be removed from trench no.1, where after it will be stored separately on the proposed area. Stored topsoil will be kept separate from overburden. Stored topsoil will be adequately protected from being eroded or blown away.

The exposed diamondiferous gravel of trench no.1 and no.2 will then be removed. The diamondiferous gravel will be sorted by means of a screen and all material larger than for example 100mm will be separated from the rest. This material will be used in the backfilling stage. Screened material for example smaller than 100mm will be fed into a wet rotary screen and then directly onto the washing pans.

As prospecting activities progress from trench no.2 towards the following trench no.3, backfilling and rehabilitation of trench no.1 will commence. The coarse gravel sifted at the screen, tailings from the pans and fine concrete will be transported back into open trench no.1. During this process of backfilling, variation in the dumping sequence of different sized materials will be followed to ensure better compaction and stability of the reclaimed gravel. This will ensure that voids surrounding the coarse gravel will be filled up with finer sediments. Compaction will be achieved through heavy vehicles during backfilling stage. This prospecting sequence will be utilised for the final rehabilitation of the last actively prospected trench.

Since concurrent backfilling will take place in order to rehabilitate, the total area to be disturbed per year will be less than the above calculation. Because of the aforementioned the total area to disturbed is divided by two. Following the aforementioned sequence will ensure that the maximum area to be disturbed by prospecting activities at any given time, is only approximately **0.5ha** 

#### **Calculations**

PITS				
Timeframe: 24 months (month 7 - 30)				
24 months / 12 months =	2 years in total to dig pits			
Number of pits per year according to the timeframe				
1 <sup>st</sup> year (12 month) =	125 pits			
2 <sup>nd</sup> year (12 month) =	125 pits			
Disturbance for each year according to timeframes				
Area to be disturbed 1 <sup>st</sup> year (12 months)	125 pits x (4m x 4m) / 10 000 =	0.02ha disturbed		
Area to be disturbed 2 <sup>nd</sup> year (12 months)	125 pits x (4m x 4m) / 10 000 =	0.2ha disturbed		
Total disturbance for 24 months	250 pits x (4m x 4m) / 10 000 =	0.4ha disturbed		

TRENCHES:		
Timeframe: 24 months (month 31 - 54)		
Concurrent backfilling will take place in order to rehabilitate trenches:		
The area to be disturbed for 1 trench 1 trench 1 trench x (40m x 50m) / 10 000 = 0.2ha		
3 trenches will be worked on at any given time:       0.2ha x 2 trenches = 0.4ha         • 2 trenches will be open to remove gravel       0.2ha x 2 trenches = 0.4ha         • 1 trench will be backfilled and rehabilitated       0.2ha / 2 = 0.1ha		
The area to be disturbed at any given time 0.4ha + 0.1ha = 0.5ha		
After the trench is backfilled and rehabilitated only then will another trench be opened.		
Total 0.5ha		

## A. Explain how the aforesaid amount was derived.

The closure cost estimate provided above is aligned with the National Environmental Management Act: Regulations: Financial Provisioning for Mitigation and Rehabilitation of Environmental Damage Caused by Reconnaissance, Prospecting, Exploration, Mining or Production Operations. The amount was calculated by Milnex CC.

**B. Confirm that this amount can be provided for from operating expenditure**. (Confirm that the amount, is anticipated to be an operating cost and is provided for as such in the Mining work programme, Financial and Technical Competence Report or Prospecting Work Programme as the case may be).

## Financial Guarantee

The financial guarantee for the rehabilitation for land disturbed by Kimswa Mining (Pty) Ltd will be submitted

## **Rehabilitation Fund**

Kimswa Mining (Pty) Ltd will also make provision for rehabilitation during closure by establishing a rehabilitation trust.

## U. DEVIATIONS FROM THE APPROVED SCOPING REPORT AND PLAN OF STUDY.

(i) Any deviation from the methodology used in determining the significance of potential environmental impacts and risks; and

None of the methodologies approved for the scoping report were deviated

## (ii) Motivation for the deviation.

Not applicable

# V. ANY SPECIFIC INFORMATION THAT MAY BE REQUIRED BY THE COMPETENT AUTHORITY; AND

No specific information requirements have been detailed by the Competent Authority.

## W. COMPLIANCE WITH THE PROVISIONS OF SECTIONS 24(4)(A) AND (B) OF THE ACT

Read with Section 24 (3) (A) and (7) of the National Environmental Management Act (Act 107 of 1998). The EIA Report must include the:

ii. Impact on the socio-economic conditions of any directly affected person. (Provide the results of Investigation, assessment, and evaluation of the impact of the mining, bulk sampling or alluvial diamond prospecting on any directly affected person including the landowner, lawful occupier, or, where applicable, potential beneficiaries of any land restitution claim, attach the investigation report as Appendix 2.19.1 and confirm that the applicable mitigation is reflected in 2.5.3; 2.11.6.and 2.12.herein).

The prospecting Diamonds Alluvial (DA), Diamonds General (D), Diamonds in Kimberlite (DK) & Diamonds (DIA) prospecting may impact directly on any socio-economic aspects. Indirect socio-economic benefits are expected to be associated with the creation of employment.

According to the map below (Figure 20 and Figure 21), the proposed area is largely natural, water bodies, cultivation and Urban Build up. The natural vegetation according to the land use map consists mostly of Grassland, Low shrubland, Thicket/Dense bush and Woodland/Open Bush. The map also shows there are mines.

From google earth (Figure 22) the area looks mostly natural, there are some central pivot irrigation systems for the cultivation of crops and areas disturbed by mining activities.

iii. Impact on any national estate referred to in section 3(2) of the National Heritage Resources Act. (Provide the results of Investigation, assessment, and evaluation of the impact of the mining, bulk sampling or alluvial diamond prospecting on any national estate referred to in section 3(2) of the National Heritage Resources Act, 1999 (Act No. 25 of 1999) with the exception of the national estate contemplated in section 3(2)(*i*)(vi) and (vii) of that Act, attach the investigation report as Appendix 2.19.2 and confirm that the applicable mitigation is reflected in 2.5.3; 2.11.6.and 2.12.herein).

## Cultural and heritage aspects

According to the DFFE Screening Report the proposed area falls mostly within low Archaeological and Cultural Heritage Theme Sensitivity and a certain area within very high. It also shows the proposed area falls mostly within Medium and High Paleontology Theme Sensitivity and to a lesser extent within low sensitivity.

Please see colour map under **Appendix 7**.

Cultural Heritage in South Africa (includes all heritage resources) is protected by the National Heritage Resources Act (Act 25 of 1999) (NHRA). According to Section 3 of the Act, all Heritage resources include "all objects recovered from the soil or waters of South Africa, including archaeological and palaeontological objects and material, meteorites and rare geological specimens".

If such resources are found during the mining or development activities, they shall not be disturbed without a permit from the relevant heritage resource Authority, which means that before such sites are disturbed by development it is incumbent on the developer to ensure that a heritage impact assessment is done and the Provincial Heritage Resources Authority and SAHRA must be contacted immediately and work must stop.

If anything of Archaeological and/or paleontological significance is found during the construction and operational phase of the mine the following applies:

- NHRA 38(4)c(i) If any evidence of archaeological sites or remains (e.g. remnants of stone-made structures, indigenous ceramics, bones, stone artefacts, ostrich eggshell fragments, charcoal and ash concentrations), fossils or other categories of heritage resources are found during the proposed development, SAHRA APM Unit (021 462 5402) must be alerted as per section 35(3) of the NHRA. Non-compliance with section of the NHRA is an offense in terms of section 51(1)e of the NHRA and item 5 of the Schedule;
- NHRA 38(4)c(ii) If unmarked human burials are uncovered, the SAHRA Burial Grounds and Graves (BGG) Unit (012 320 8490), must be alerted immediately as per section 36(6) of the NHRA. Non-compliance with section of the NHRA is an offense in terms of section 51(1)e of the NHRA and item 5 of the Schedule;
- NHRA 38(4)e The following conditions apply with regards to the appointment of specialists: i) If heritage resources are
  uncovered during the course of the development, a professional archaeologist or palaeontologist, depending on the nature
  of the finds, must be contracted as soon as possible to inspect the heritage resource. If the newly discovered heritage
  resources prove to be of archaeological or palaeontological significance, a Phase 2 rescue operation may be required
  subject to permits issued by SAHRA;

If fossil remains or trace fossils are discovered during any phase of construction, either on the surface or exposed by excavations the **Chance Find Protocol** must be implemented by the Environmental Control Officer (ECO) in charge of these developments. These discoveries ought to be protected and the ECO must report to SAHRA (Contact details: SAHRA, 111 Harrington Street, Cape Town. PO Box 4637, Cape Town 8000, South Africa. Tel: 021 462 4502. Fax: +27 (0)21 462 4509. Web: www.sahra.org.za) so that mitigation can be carry out by a paleontologist.

## **Chance Find Procedure**

- If a chance find is made the person responsible for the find must immediately stop working and all work that could impact that finding must cease in the immediate vicinity of the find.
- The person who made the find must immediately report the find to his/her direct supervisor which in turn must report the find to his/her manager and the ESO or site manager. The ESO or site manager must report the find to the relevant Heritage Agency (South African Heritage Research Agency, SAHRA). (Contact details: SAHRA, 111 Harrington Street, Cape Town. PO Box 4637, Cape Town 8000, South Africa. Tel: 021 462 4502. Fax: +27 (0)21 462 4509. Web: www.sahra.org.za). The information to the Heritage Agency must include photographs of the find, from various angles, as well as the GPS co-ordinates.
- A preliminary report must be submitted to the Heritage Agency within 24 hours of the find and must include the following:
   1) date of the find; 2) a description of the discovery and a 3) description of the fossil and its context (depth and position of the fossil), GPS co-ordinates.
- Photographs (the more the better) of the discovery must be of high quality, in focus, accompanied by a scale. It is also important to have photographs of the vertical section (side) where the fossil was found.
- Upon receipt of the preliminary report, the Heritage Agency will inform the ESO (or site manager) whether a rescue excavation or rescue collection by a palaeontologist is necessary.
- The site must be secured to protect it from any further damage. No attempt should be made to remove material from their environment. The exposed finds must be stabilized and covered by a plastic sheet or sand bags. The Heritage agency will also be able to advise on the most suitable method of protection of the find.
- In the event that the fossil cannot be stabilized the fossil may be collected with extreme care by the ESO (site manager).
   Fossils finds must be stored in tissue paper and in an appropriate box while due care must be taken to remove all fossil material from the rescue site.
- Once Heritage Agency has issued the written authorization, the developer may continue with the development on the affected area.

## Other matters required in terms of sections 24(4)(a) and (b) of the Act.

(the EAP managing the application must provide the competent authority with detailed, written proof of an investigation as required by section 24(4)(b)(i) of the Act and motivation if no reasonable or feasible alternatives, as contemplated in sub-regulation 22(2)(h), exist. The EAP must attach such motivation as Appendix 4).

The Remaining Extent of the farm De Hoek 2, the Remaining Extent of the farm Marktsdrift 3, Portion 1 of the farm Roode Kop 5, Registration Division: Hopetown, Northern Cape province is preferred due to the sites underlying geology and the possible diamond bearing gravel as well as site access (i.e. to facilitate the movement of machinery, equipment, infrastructure and people). The specific site has been chosen for its possible mineral resources thus making an alternative site selection null and void.

## PART B

## ENVIRONMENTAL MANAGEMENT PROGRAMME REPORT

#### An EMPr must comply with section 24N of the Act and include-

#### A. DETAILS OF-

(i) the EAP who prepared the EMPr; and

(ii) the expertise of that EAP to prepare an EMPr, including a curriculum vitae;

Name of Practitioner	Qualifications	Contact details	
	Honours Degree in Environmental	Tel No.: (018) 011 1925	
Lizanne Esterhuizen	Science (refer to <b>Appendix 1</b> )	Fax No. : (053) 963 2009	
		e-mail address: lizanne@milnex-sa.co.za	
	Master's Degree in Environmental	Tel No.: (018) 011 1925	
Christiaan Baron	Management (M.ENV.MAN)	Fax No.: (053) 963 2009	
	(refer to Appendix 1)	e-mail address: christiaan@milnex-sa.co.za	
Andile Grant Nxumalo	Honours Degree in Environmental	Tel No.: (018) 011 1925	
	Science (refer to <b>Appendix 1</b> )	Fax No. : (053) 963 2009	
		e-mail address: andile.grant@milnex-sa.co.za	

It is hereby confirmed that the requirements for the provision of the details and expertise of the EAP are contained in Part A, section 1(a) as required. The Curriculum Vitae for the responsible EAP is contained in **Appendix 2**.


## B. DESCRIPTION OF THE ASPECTS OF THE ACTIVITY


(a detailed description of the aspects of the activity that are covered by the EMPr as identified by the project description;)

It is hereby confirmed that the requirements to describe the aspects of the activity that are required by the EMP is already included in Part A, section 1(h).

## C. OMPOSITE MAP

(a map at an appropriate scale which superimposes the proposed activity, its associated structures, and infrastructure on the environmental sensitivities of the preferred site, indicating any areas that [any areas that] should be avoided, including buffers;)





Refer to Site layout Map attached in Appendix 4

On the proposed area there are wetlands that should be avoided.




Figure 26: Wetland types located within or near the study site.

- D. A DESCRIPTION OF THE IMPACT MANAGEMENT [OBJECTIVES] OUTCOMES, INCLUDING MANAGEMENT STATEMENTS, IDENTIFYING THE IMPACTS AND RISKS THAT NEED TO BE AVOIDED, MANAGED AND MITIGATED AS IDENTIFIED THROUGH THE ENVIRONMENTAL IMPACT ASSESSMENT PROCESS FOR ALL PHASES OF THE DEVELOPMENT INCLUDING
  - i) **Determination of closure objectives.** (ensure that the closure objectives are informed by the type of environment described in 2.4 herein)

Closure objectives for the alluvial diamond mine will aim to ensure that the residual post-closure impacts be minimized and be acceptable to relevant parties. To achieve these closure objectives, the following will be implemented:

- All prospecting related infrastructure, foundations and concrete areas will be decommissioned, removed from the site and appropriately disposed of. Reclaimable structures such as metal, electrical installations or equipment will be sold for re-use or as scrap.
- All disturbed areas within the site not already vegetated will be re-vegetated with appropriate indigenous, ecologically adapted species appropriate to the area and the final land use as soon as possible after operation ceases. Progress of vegetation growth/establishment, stability and drainage/erosion will be monitored and, in the event of adverse trends being identified, corrective measures will be implemented.
- Vegetation monitoring will consider, inter alia, the establishment of perennial ground cover and infestation by alien invasive plant species. The encroachment of indigenous vegetation into the area will be used as an indication of a stable, selfsustaining vegetation cover with little risk of retrogressing to a situation where are and water pollution may occur.
- Final landforms must be resilient to perturbation and also be self-sustaining to obviate/limit further/ongoing interventions and maintenance by Kimswa Mining (Pty) Ltd. The remaining impacts be of an acceptable nature with minimal deterioration over time.
- The final outcome of the mine site rehabilitation would be productive systems, where required sustaining either cattle or wildlife.
- Environmental and human quality of life, including health and safety requirements in general, would not be compromised; and
- Closure is achieved in an efficient and cost-effective manner as possible and with minimum socioeconomic changes.

# E. A DESCRIPTION AND IDENTIFICATION OF IMPACT MANAGEMENT OUTCOMES REQUIRED FOR THE ASPECTS CONTEMPLATED IN PARAGRAPH (D);]

The above goal is underpinned by more specific objectives listed below.

## 1. Upfront planning/development

To provide overall guidance and direction to closure planning and/or the implementation of progressive closure measures over the remaining over the prospecting life.

## 2. Physical stability

To ensure that surface infrastructure and prospecting residue and/or disturbances that are present at processing plant decommissioning will be removed and/or stabilised in a manner that these will not compromise post-closure land use and be sustainable long-term landforms.

- Closure, removal and disposal of all surface infrastructure that has no beneficial post-closure use.
- Shaping and vegetating the remaining earth embankments, trenches, etc. to stabilise slopes and integrate with surrounding topography.

## 3. Environmental quality

To ensure that local environmental quality is not adversely affected by possible physical effects arising from prospecting operations and the prospecting site after closure. This will be achieved by:

- Avoiding and/or limiting the following during prospecting operations which could result in adverse effects that could not be readily addressed and/or mitigated at mine closure.
  - Dust fall-out areas surrounding the prospecting site.
  - Wash-off and/or mobilisation of chemically contaminated soils and sediments from the prospecting site that could have long term adverse effects on local aquatic health and/or other water uses.
  - Possible shallow groundwater contamination adversely affecting the quality of the local water resource and its beneficial use.
- Limiting the potential for dust generation on the rehabilitated prospecting site that could cause nuisance and/or health effects to surrounding landowners;
- Limiting the possible adverse water quality and quantity effects arising from the rehabilitated prospecting site to ensure that long term beneficial use of local resources is not compromised;
- Conducting soil clean-up/remediation to ensure that the planned land use could be implemented and maintained;

## 4. Health and safety

To limit the possible health and safety treats due to terrain hazards to humans and animals utilizing the rehabilitated prospecting site after closure by:

- Demonstrating through upfront soil testing that any resultant inorganic and organic pollution present on the site is acceptable;
- Removal of potential contaminants such as hydrocarbons and chemicals off site;
- Shaping of embankments and trenches to safe slopes and reintegrating of these into surrounding topography.
- Ensuring that the environmental quality as reflected above is achieved.

## 5. Land capability / land use

To ensure that the required land capability to achieve and support the planned land use can be achieved over the prospecting site by:

- Clean-up and reclamation of contaminated soil areas in order not to compromise the above land use planning earmarked for implementation;
- To ensure that the overall rehabilitated prospecting site is free draining/
- Transferring prospecting related surface infrastructure to third parties for beneficial use after closure.

## 6. Aesthetic quality

To ensure that the rehabilitated prospecting site will display, at a minimum, an acceptable aesthetic appearance that would not compromise the planned land use by leaving behind:

- A prospecting area that is properly cleared-up with no fugitive/scattered waste piles
- Rehabilitated prospecting area that is free draining and disturbed areas that are suitably vegetated.
- Rehabilitated prospecting residues that are suitably landscaped, blending with the surrounding environment as far as possible.
- Shaped and rehabilitated terrace and hard stand areas, roughly emulating the local natural surface topography.

#### 7. Landscape viability

To create a landscape that is self-sustaining and over time will evolve/converge to the desired ecosystem structure, function and composition by:

- Conducing surface profiling, with associated material movement optimisation, to obtain a landscape resembling the natural landscapes to support the succession trajectory towards a climax ecological system.
- Establishing woody patches and create "rough and loose" areas for pioneer specie establishment around the respective patches.
- Establishing pioneer species as follows:
- Collected and prepared seeds for broad casting;
- Seedlings grown on on-site nursery;
- Cuttings collected from surrounding veld areas;
- Conducting rehabilitation monitoring and corrective action as required.

## 8. Biodiversity

To encourage, where appropriate, the re-establishment of native vegetation on the rehabilitated mine site such the terrestrial biodiversity is largely re-instated over time, by:

- Stabilising disturbed areas to prevent erosion in the short- to medium term until a suitable vegetation cover has established; and
- Establishing viable self-sustaining vegetation communities of local fauna, as far as possible.
- F. A DESCRIPTION OF PROPOSED IMPACT MANAGEMENT ACTIONS, IDENTIFYING THE MANNER IN WHICH THE IMPACT MANAGEMENT [OBJECTIVES AND] OUTCOMES CONTEMPLATED IN PARAGRAPH (D) [AND (E)] WILL BE ACHIEVED, AND MUST, WHERE APPLICABLE, INCLUDE ACTIONS TO —

Provide a rehabilitation plan that describes and shows the scale and aerial extent of the main mining activities, including the anticipated mining area at the time of closure.

The Rehabilitation & Closure Plan is attached as Appendix 10.

Calculate and state the quantum of the financial provision required to manage and rehabilitate the environment in accordance with the applicable guideline.

#### XXXXX

## **Concurrent Rehabilitation**

Concurrent backfilling will take place in order to rehabilitate. Please see the explanation below how concurrent rehabilitation is carried out:

Topsoil will be removed from trench no.1, where after it will be stored separately on the proposed area. Stored topsoil will be kept separate from overburden. Stored topsoil will be adequately protected from being eroded or blown away.

The exposed diamondiferous gravel of trench no.1 and no.2 will then be removed. The diamondiferous gravel will be sorted by means of a screen and all material larger than for example 100mm will be separated from the rest. This material will be used in the backfilling stage. Screened material for example smaller than 100mm will be fed into a wet rotary screen and then directly onto the washing pans.

As prospecting activities progress from trench no.2 towards the following trench no.3, backfilling and rehabilitation of trench no.1 will commence. The coarse gravel sifted at the screen, tailings from the pans and fine concrete will be transported back into open trench no.1. During this process of backfilling, variation in the dumping sequence of different sized materials will be followed to ensure better compaction and stability of the reclaimed gravel. This will ensure that voids surrounding the coarse gravel will be filled up with finer sediments. Compaction will be achieved through heavy vehicles during backfilling stage. This prospecting sequence will be utilised for the final rehabilitation of the last actively prospected trench.

Since concurrent backfilling will take place in order to rehabilitate, the total area to be disturbed per year will be less than the above calculation. Because of the aforementioned the total area to disturbed is divided by two. Following the aforementioned sequence will ensure that the maximum area to be disturbed by prospecting activities at any given time, is only approximately **0.5ha** 

## Calculations

PITS			
Timeframe: 24 months (month 7 - 30)			
24 months / 12 months = 2 years in total to dig pits			
Number of pits per year according to the timeframe			
1 <sup>st</sup> year (12 month) =	125 pits		
2 <sup>nd</sup> year (12 month) =	125 pits		
Disturbance for each year according to timeframes			
Area to be disturbed 1 <sup>st</sup> year (12 months)	125 pits x (4m x 4m) / 10 000 =	0.02ha disturbed	
Area to be disturbed 2 <sup>nd</sup> year (12 months)	125 pits x (4m x 4m) / 10 000 =	0.2ha disturbed	
Total disturbance for 24 months	250 pits x (4m x 4m) / 10 000 =	0.4ha disturbed	

TRENCHES:			
Timeframe: 24 months (month 31 - 54)			
Concurrent backfilling will take place in order to rehabilitate trenches:			
The area to be disturbed for 1 trench 1 trench x (40m x 50m) / 10 000 = 0.2ha			
<ul> <li>3 trenches will be worked on at any given time:</li> <li>2 trenches will be open to remove gravel</li> <li>1 trench will be backfilled and rehabilitated</li> </ul>	0.2ha x 2 trenches = 0.4ha 0.2ha / 2 = 0.1ha		
The area to be disturbed at any given time 0.4ha + 0.1ha = 0.5ha			
After the trench is backfilled and rehabilitated only then will another trench be opened.			
Total	0.5ha		

## a. Confirm that the financial provision will be provided as determined.

#### **Financial Guarantee**

The financial guarantee for the rehabilitation for land disturbed Kimswa Mining (Pty) Ltd will be submitted

## **Rehabilitation Fund**

Kimswa Mining (Pty) Ltd will also make provision for rehabilitation during closure by establishing a rehabilitation trust.

## IMPACTS TO BE MITIGATED IN THEIR RESPECTIVE PHASES

#### Measures to rehabilitate the environment affected by the undertaking of any listed activity

ACTIVITIES	PHASE	SIZE AND	MITIGATION MEASURES	COMPLIANCE WITH	TIME PERIOD FOR
		SCALE of		STANDARDS	IMPLEMENTATION
(E.g. For prospecting - drill site,		disturbance			
site camp, ablution facility,	(of operation in which	(volumes,	(describe how each of the recommendations in herein will remedy the		Describe the time period when the
accommodation, equipment	activity will take place.	tonnages and	cause of pollution or degradation and migration of pollutants)	(A description of how	measures in the environmental
storage, sample storage, site		hectares or m <sup>2</sup> )		each of the	management programme must be
office, access route etcetcetc	State;			recommendations	implemented Measures must be
	Planning and design,			herein will comply with	implemented when required.
E.g. For mining,- excavations,	Pre-Construction'			any prescribed	With regard to Rehabilitation
blasting, stockpiles, discard	Construction,			environmental	specifically this must take place at the
dumps or dams, Loading, hauling	Operational,			management standards	earliest opportunityWith regard to
and transport, Water supply dams				or practices that have	Rehabilitation, therefore state either:
and boreholes, accommodation,	Closure, Post			been identified by	Upon cessation of the individual
offices, ablution, stores,	closure).			Competent Authorities)	activity
workshops, processing plant,					Or.
storm water control, berms, roads,					Upon the cessation of mining, bulk
pipelines, power lines, conveyors,					sampling or alluvial diamond
etcetcetc.)					prospecting as the case may be.
Clearance of vegetation	Pitting and trenching	4209.3984 Ha - Pits: 250 pits,	1) Site clearing must take place in a phased manner, as and when	Compliance with Duty of	Duration of operations on the
	phase- (construction	with dimensions	required.	Care as detailed within	prospecting activities.
	and operation phase)	of 4m x 4m x 5m	2) Areas which are not to be prospected on within two months must	NEMA	
		each.	not be cleared to reduce erosion risks.		
		Trenches: 80	<ol> <li>The area to be cleared must be clearly demarcated and this footprint strictly maintained.</li> </ol>		
		trenches with			
		dimensions of 40m x 50m x 5m	<ol> <li>Spoil that is removed from the site must be removed to an approved spoil site or a licensed landfill site.</li> </ol>		
		each	<ol> <li>The necessary silt fences and erosion control measures must be</li> </ol>		
			implemented in areas where these risks are more prevalent.		
		Concurrent	implemented indicas where these have are more prevalent.		
		backfilling will			
		take place in			
		order to			
		rehabilitate.			

Construction of roads	Pitting and trenching	+- 500m	1)	Planning of access routes to the site for construction/prospecting	Compliance with Duty of	Duration of operations on the
	phase (construction		,	purposes shall be done in conjunction with the Contractor and the	Care as detailed within	prospecting activities.
	and operation phase)			Landowner. All agreements reached should be documented and	NEMA	
				no verbal agreements should be made. The Contractor shall		
				clearly mark all access roads. Roads not to be used shall be		
				marked with a "NO ENTRY for prospecting vehicles" sign.		
			2)	Construction routes and required access roads must be clearly		
			,	defined.		
			3)	Damping down of the un-surfaced roads must be implemented to		
			- /	reduce dust and nuisance.		
			4)	Soils compacted by construction/prospecting activities shall be		
			,	deep ripped to loosen compacted layers and re-graded to even		
				running levels.		
			5)	The contractor must ensure that damage caused by related traffic		
			,	to the gravel access road off the N8 is repaired continuously. The		
				costs associated with the repair must be borne by the contractor;		
			6)	Dust suppression measures must be implemented for heavy		
			,	vehicles such as wetting of gravel roads on a regular basis and		
				ensuring that vehicles used to transport the gravel are fitted with		
				tarpaulins or covers;		
			7)	All vehicles must be road-worthy and drivers must be qualified		
				and made aware of the potential road safety issues and need for		
				strict speed limits.		
Prospecting Diamonds Alluvial	Pitting and trenching	4209.3984 Ha -	1)	The Contractor should, prior to the commencement of earthworks	Compliance with Duty of	Duration of operations on the mine
(DA), Diamonds General (D),	phase (construction	Pits: 250 pits,	,	determine the average depth of topsoil (If topsoil exists), and	Care as detailed within	
Diamonds in Kimberlite (DK) &	and operation phase)	with dimensions		agree on this with the ECO. The full depth of topsoil should be	NEMA	
Diamonds (DIA) – Soils and	,	of 4m x 4m x 5m		stripped from areas affected by construction and related activities		
geology		each. Trenches: 80		prior to the commencement of major earthworks. This should		
		Trenches: 80 trenches with		include the building footprints, working areas and storage areas.		
		dimensions of		Topsoil must be reused where possible to rehabilitate disturbed		
		40m x 50m x 5m		areas.		
		each	2)	Care must be taken not to mix topsoil and subsoil during stripping.		
			3)	The topsoil must be conserved on site in and around the pit/trench		
		Concurrent	,	area.		
		backfilling will				
		take place in				

		order to	4)	Subsoil and overburden in the prospecting area should be		
		rehabilitate.	,	stockpiled separately to be returned for backfilling in the correct		
				soil horizon order.		
			5)	If stockpiles are exposed to windy conditions or heavy rain, they		
				should be covered either by vegetation or geofabric, depending		
				on the duration of the project. Stockpiles may further be protected		
				by the construction of berms, trenches or low brick walls around		
				their bases.		
			6)	Stockpiles should be kept clear of weeds and alien vegetation		
				growth by regular weeding.		
			7)	Where contamination of soil is expected, analysis must be done		
				prior to disposal of soil to determine the appropriate disposal		
				route. Proof from an approved waste disposal site where		
				contaminated soils are dumped if and when a spillage/leakage		
				occurs should be attained and given to the project manager.		
			8)	The impact on the geology will be permanent. There is no		
		4000 0004 11		mitigation measure.		
Prospecting Diamonds Alluvial	Pitting and trenching	4209.3984 Ha - Pits: 250 pits,	1)	The prospecting activities must aim to adhere to the relevant	Compliance with Duty of	Duration of operations on the
(DA), Diamonds General (D),	phase (construction	with dimensions		noise regulations and limit noise to within standard working hours	Care as detailed within	prospecting area
Diamonds in Kimberlite (DK) &	and operation phase)	of 4m x 4m x 5m		in order to reduce disturbance of dwellings in close proximity to	NEMA	
Diamonds (DIA) – excavations		each.	2)	the development. Mine, pans, workshops and other noisy fixed facilities should be		
		inches. 00	2)	located well away from noise sensitive areas. Once the proposed		
		trenches with dimensions of		final layouts are made available by the Contractor(s), the sites		
		40m x 50m x 5m		must be evaluated in detail and specific measures designed in to		
		each		the system.		
			3)	Truck traffic should be routed away from noise sensitive areas,		
		Concurrent	0,	where possible.		
		backfilling will	4)	Noise levels must be kept within acceptable limits.		
		take place in	5)	Noisy operations should be combined so that they occur where		
		order to	. Y	possible at the same time.		
		rehabilitate.	6)	Mine workers to wear necessary ear protection gear.		
			7)	Noisy activities to take place during allocated hours.		
			8)	Noise from labourers must be controlled.		
			9)	Noise suppression measures must be applied to all equipment.		
				Equipment must be kept in good working order and where		

	<ul> <li>appropriate fitted with silencers which are kept in good working order. Should the vehicles or equipment not be in good working order, the Contractor may be instructed to remove the offending vehicle or machinery from the site.</li> <li>10) The Contractor must take measures to discourage labourers from loitering in the area and causing noise disturbance. Where possible labour shall be transported to and from the site by the Contractor or his Sub-Contractors by the Contractors own transport.</li> <li>11) Implementation of enclosure and cladding of processing plants.</li> <li>12) Applying regular and thorough maintenance schedules to equipment and processes. An increase in noise emission levels very often is a sign of the imminent mechanical failure of a machine.</li> </ul>	
--	---	--

## IMPACT MANAGEMENT OUTCOMES

(A description of impact management outcomes, identifying the standard of impact management required for the aspects contemplated in paragraph ();

ACTIVITY	POTENTIAL	ASPECTS	PHASE	MITIGATION	STANDARD TO BE
(whether listed or not listed). (E.g. Excavations, blasting,	IMPACT	AFFECTED	In which impact is anticipated	ТҮРЕ	ACHIEVED
(E.g. Exotrations, Endoming, stockpiles, discard dumps or dams, Loading, hauling and transport, Water supply dams and boreholes, accommodation, offices, ablution, stores, workshops, processing plant, storm water control, berms, roads, pipelines, power lines, conveyors, etcetcetc.).	(e.g. dust, noise, drainage surface disturbance, fly rock, surface water contamination, groundwater contamination, air pollution etcetc)		(e.g. Construction, commissioning, operational Decommissioning, closure, post-closure)	<ul> <li>(modify, remedy, control, or stop)</li> <li>through</li> <li>(e.g. noise control measures, storm-water control, dust control, rehabilitation, design measures, blasting controls, avoidance, relocation, alternative activity etc. etc)</li> <li>E.g.</li> <li>Modify through alternative method.</li> <li>Control through noise control</li> <li>Control through management and monitoring</li> <li>Remedy through rehabilitation</li> </ul>	(Impact avoided, noise levels, dust levels, rehabilitation standards, end use objectives) etc.
Clearance of vegetation	Loss or fragmentation of habitats	Fauna & flora	Pitting and trenching phase (construction and operation phase)	<ul> <li>Existing vegetation</li> <li>Vegetation removal must be limited to the prospecting area.</li> <li>Vegetation to be removed as it becomes necessary rather than removal of all vegetation throughout the site in one step.</li> <li>No vegetation to be used for firewood.</li> <li>Exotic and invasive plant species should not be allowed to establish, if the development is approved.</li> <li>Rehabilitation</li> <li>All damaged areas shall be rehabilitated upon completion of the contract.</li> <li>Re-vegetation of the disturbed site is aimed at approximating as near as possible the natural vegetative conditions prevailing prior to construction.</li> <li>All natural areas impacted during construction/prospecting must be rehabilitated with locally indigenous grasses typical of the representative botanical unit.</li> </ul>	Minimisation of impacts to acceptable limits

8) Rehabilitation must take place in a phased approach as soon
as possible.
9) Rehabilitation process must make use of species indigenous
to the area. Seeds from surrounding seed banks can be used
for re-seeding.
10) Rehabilitation must be executed in such a manner that surface
run-off will not cause erosion of disturbed areas.
11) Planting of indigenous tree species in areas not to be cultivated
or built on must be encouraged.
Demarcation of prospecting area
12) All plants not interfering with prospecting operations shall be
left undisturbed clearly marked and indicated on the site plan.
13) The prospecting area must be well demarcated and no
construction/prospecting activities must be allowed outside of
this demarcated footprint.
14) Vegetation removal must be phased in order to reduce impact
of construction/prospecting.
15) Site office and laydown areas must be clearly demarcated and
no encroachment must occur beyond demarcated areas.
16) Strict and regular auditing of the prospecting process to ensure
containment of the prospecting and laydown areas.
17) Soils must be kept free of petrochemical solutions that may be
kept on site during construction/prospecting. Spillage can
result in a loss of soil functionality thus limiting the re-
establishment of flora.
Utilisation of resources
18) Gathering of firewood, fruit, muti plants, or any other natural
material onsite or in areas adjacent to the site is prohibited
unless with prior approval of the ECO.
Exotic variation
Exotic vegetation
19) Alien vegetation on the site will need to be controlled.
20) The Contractor should be responsible for implementing a
programme of weed control (particularly in areas where soil

			<ul> <li>has been disturbed); and grassing of any remaining stockpiles to prevent weed invasion.</li> <li>21) The spread of exotic species occurring throughout the site should be controlled.</li> <li>Herbicides</li> <li>22) Herbicide use shall only be allowed according to contract specifications. The application shall be according to set specifications and under supervision of a qualified technician. The possibility of leaching into the surrounding environment shall be properly investigated and only environmentally friendly herbicides shall be used.</li> <li>23) The use of pesticides and herbicides on the site must be discouraged as these impact on important pollinator species of indigenous vegetation.</li> <li>Fauna</li> <li>24) Rehabilitation to be undertaken as soon as possible after the prospecting activities have been completed.</li> <li>25) No trapping or snaring to fauna on the construction/prospecting site should be allowed.</li> <li>26) No faunal species must be disturbed, trapped, hunted or killed by maintenance staff during any routine maintenance at the</li> </ul>	
Prospecting of Diamonds Alluvial (DA), Diamonds General (D), Diamonds in Kimberlite (DK) & Diamonds (DIA) – excavations	Loss of topsoil Soil	Pitting and trenching phase (construction and operation phase)	<ol> <li>development.</li> <li>1) The Contractor should, prior to the commencement of earthworks determine the average depth of topsoil, and agree on this with the ECO. The full depth of topsoil should be stripped from areas affected by construction and related activities prior to the commencement of major earthworks. This should include the building footprints, working areas and storage areas. Topsoil must be reused where possible to rehabilitate disturbed areas.</li> <li>2) Care must be taken not to mix topsoil and subsoil during stripping.</li> <li>3) The topsoil must be conserved on site in and around the pit/trench area.</li> </ol>	Minimisation of impacts to acceptable limits


Erosion	Soil	Pitting and trenching	<ul> <li>stockpiled separately to be returned for backfilling in the correct soil horizon order.</li> <li>5) If stockpiles are exposed to windy conditions or heavy rain, they should be covered either by vegetation or geofabric, depending on the duration of the project. Stockpiles may further be protected by the construction of berms or low brick walls around their bases.</li> <li>6) Stockpiles should be kept clear of weeds and alien vegetation growth by regular weeding.</li> <li>7) Where contamination of soil is expected, analysis must be done prior to disposal of soil to determine the appropriate disposal route. Proof from an approved waste disposal site where contaminated soils are dumped if and when a spillage/leakage occurs should be attained and given to the project manager.</li> <li>Establish an effective record keeping system for each area where soil is disturbed for prospecting purposes. These records should be included in environmental performance reports, and should include all the records below.</li> <li>Record the GPS coordinates of each area.</li> <li>Record the GPS coordinates of where the topsoil is stockpiled.</li> <li>Record the date of cessation prospecting activities at the particular site.</li> <li>Photograph the area on cessation of prospecting activities.</li> <li>Record date and depth of re-spreading of topsoil.</li> <li>Photograph the area on completion of rehabilitation and on an annual basis thereafter to show vegetation establishment and evaluate progress of restoration over time.</li> <li>1) An effective system of run-off control should be implemented,</li> </ul>	Minimisation of impacts
	Air Water	phase (construction and operation phase)	where it is required, that collects and safely disseminates run- off water from all hardened surfaces and prevents potential down slope erosion.	to acceptable limits

		2) Periodical site inspection should be included in environmental	
		performance reporting that inspects the effectiveness of the	
		run-off control system and specifically records the occurrence	
		of any erosion on site or downstream.	
		3) Wind screening and stormwater control should be undertaken	
		to prevent soil loss from the site.	
		4) The use of silt fences and sand bags must be implemented in	
		areas that are susceptible to erosion.	
		5) Other erosion control measures that can be implemented are	
		as follows:	
		<ul> <li>Brush packing with cleared vegetation</li> </ul>	
		<ul> <li>Mulch or chip packing</li> </ul>	
		<ul> <li>Planting of vegetation</li> </ul>	
		<ul> <li>Hydroseeding/hand sowing</li> </ul>	
		6) Sensitive areas need to be identified prior to	
		construction/prospecting so that the necessary precautions	
		can be implemented.	
		7) All erosion control mechanisms need to be regularly	
		maintained.	
		8) Seeding of topsoil and subsoil stockpiles to prevent wind and	
		water erosion of soil surfaces.	
		9) Retention of vegetation where possible to avoid soil erosion.	
		10) Vegetation clearance should be phased to ensure that the	
		minimum area of soil is exposed to potential erosion at any one	
		time.	
		11) Re-vegetation of disturbed surfaces should occur immediately	
		after construction/prospecting activities are completed. This	
		should be done through seeding with indigenous grasses.	
		12) No impediment to the natural water flow other than approved	
		erosion control works is permitted.	
		13) To prevent stormwater damage, the increase in stormwater	
		run-off resulting from construction/prospecting activities must	
		be estimated and the drainage system assessed accordingly.	
		14) Stockpiles not used in three (3) months after stripping must be	
		seeded or backfilled to prevent dust and erosion.	

Air Pollution	Air	Pitting and trenching	Dust control	Minimisation of impacts
		phase (construction and	1) Wheel washing and damping down of un-surfaced and un-	to acceptable limits
		operation phase)	vegetated areas.	·
		,	2) Retention of vegetation where possible will reduce dust travel.	
			3) Clearing activities must only be done during agreed working	
			times and permitting weather conditions to avoid drifting of	
			sand and dust into neighbouring areas.	
			4) Damping down of all exposed soil surfaces with a water bowser	
			or sprinklers when necessary to reduce dust.	
			5) The Contractor shall be responsible for dust control on site to	
			ensure no nuisance is caused to the neighbouring	
			communities.	
			6) A speed limit of 30km/h must not be exceeded on site.	
			7) Any complaints or claims emanating from the lack of dust	
			control shall be attended to immediately by the Contractor.	
			8) Any dirt roads that are utilised by the workers must be regularly	
			maintained to ensure that dust levels are controlled.	
			Odour control	
			9) Regular servicing of vehicles in order to limit gaseous	
			emissions.	
			10) Regular servicing of onsite toilets to avoid potential odours.	
			Rehabilitation	
			11) The Contractor should commence rehabilitation of exposed	
			soil surfaces as soon as practical after completion of	
			earthworks.	
			Fire prevention	
			12) No open fires shall be allowed on site under any circumstance.	
			All cooking shall be done in demarcated areas that are safe	
			and cannot cause runaway fires.	
			13) The Contractor shall have operational fire-fighting equipment	
			available on site at all times. The level of firefighting equipment	
			must be assessed and evaluated through a typical risk	
			assessment process.	

Noise	Pitting and trenching	1) The prospecting activities must aim to adhere to the relevant	Minimisation of impacts
	phase (construction and	noise regulations and limit noise to within standard working	to acceptable limits
	operation phase)	hours in order to reduce disturbance of dwellings in close	
	- F	proximity to the development.	
		2) Mine, crushers, workshops and other noisy fixed facilities	
		should be located well away from noise sensitive areas. Once	
		the proposed final layouts are made available by the	
		Contractor(s), the sites must be evaluated in detail and specific	
		measures designed in to the system.	
		3) Truck traffic should be routed away from noise sensitive areas,	
		where possible.	
		<ol> <li>4) Noise levels must be kept within acceptable limits.</li> </ol>	
		<ul><li>5) Noisy operations should be combined so that they occur where</li></ul>	
		possible at the same time.	
		<ol> <li>Mine workers to wear necessary ear protection gear.</li> </ol>	
		<ul> <li>7) Noisy activities to take place during allocated hours.</li> </ul>	
		<ul><li>8) Noise from labourers must be controlled.</li></ul>	
		<ul><li>9) Noise suppression measures must be applied to all equipment.</li></ul>	
		Equipment must be kept in good working order and where	
		appropriate fitted with silencers which are kept in good working	
		order. Should the vehicles or equipment not be in good working	
		order, the Contractor may be instructed to remove the	
		offending vehicle or machinery from the site.	
		10) The Contractor must take measures to discourage labourers	
		from loitering in the area and causing noise disturbance.	
		Where possible labour shall be transported to and from the site	
		by the Contractor or his Sub-Contractors by the Contractors	
		own transport.	
		11) Implementation of enclosure and cladding of processing	
		plants.	
		12) Applying regular and thorough maintenance schedules to	
		equipment and processes. An increase in noise emission	
		levels very often is a sign of the imminent mechanical failure of	
		a machine.	

Importo	n notantial Upritage	Ditting and tranching	1) Any finds must be reported to the period National Manumenta Minimization of impacts
	on potential Heritage	Pitting and trenching	1) Any finds must be reported to the nearest National Monuments Minimisation of impacts
	and heritage	phase (construction and	office to comply with the National Heritage Resources Act (Act to acceptable limits
artefacts		operation phase)	No 25 of 1999) and to DEA.
			2) Local museums as well as the South African Heritage
			Resource Agency (SAHRA) should be informed if any
			artefacts/ fossils are uncovered in the affected area.
			3) The Contractor must ensure that his workforce is aware of the
			necessity of reporting any possible historical, archaeological or
			palaeontological finds to the ECO so that appropriate action
			can be taken.
			4) Known sites should be clearly marked in order that they can be
			avoided. The work force should also be informed that fenced-
			off areas are no-go areas.
			5) The ECO must also survey for heritage and palaeontological
			artefacts during ground breaking and digging or drilling. He/she
			should familiarise themselves with formations and its fossils or
			a palaeontologist should be appointed during the digging and
			excavation phase of the development.
			6) All digging, excavating, drilling or blasting activities must be
			stopped if heritage and/or palaeontological artefacts are
			uncovered and a specialist should be called in to determine
			proper management, mitigation, excavation and/or collecting
			measures.
			7) Any discovered artefacts or fossils shall not be removed under
			any circumstances. Any destruction of a site can only be
			allowed once a permit is obtained and the site has been
			mapped and noted. Permits shall be obtained from SAHRA
			should the proposed site affect any world
			heritage/palaeontology sites or if any heritage/palaeontology
			sites are to be destroyed or altered.
			8) Under no circumstances shall any artefacts be removed,
			destroyed or interfered with by anyone on the site; and
			contractors and workers shall be advised of the penalties
			·
			associated with the unlawful removal of cultural, historical,
			archaeological or palaeontological artefacts, as set out in the
			NHRA (Act No. 25 of 1999), Section 51. (1).



uncovered during the course of the development, a professional archaeologist or palaeontologist, depending on the nature of the finds, must be contracted as soon as possible to inspect the heritage resource. If the newly discovered heritage resources prove to be of archaeological or palaeontological significance, a Phase 2 rescue operation may be required subject to permits issued by SAHRA;

If fossil remains or trace fossils are discovered during any phase of construction, either on the surface or exposed by excavations the **Chance Find Protocol** must be implemented by the Environmental Control Officer (ECO) in charge of these developments. These discoveries ought to be protected and the ECO must report to SAHRA (Contact details: SAHRA, 111 Harrington Street, Cape Town. PO Box 4637, Cape Town 8000, South Africa. Tel: 021 462 4502. Fax: +27 (0)21 462 4509. Web: www.sahra.org.za) so that mitigation can be carry out by a paleontologist.

### Chance Find Procedure

- If a chance find is made the person responsible for the find must immediately stop working and all work that could impact that finding must cease in the immediate vicinity of the find.
- The person who made the find must immediately report the find to his/her direct supervisor which in turn must report the find to his/her manager and the ESO or site manager. The ESO or site manager must report the find to the relevant Heritage Agency (South African Heritage Research Agency, SAHRA). (Contact details: SAHRA, 111 Harrington Street, Cape Town. PO Box 4637, Cape Town 8000, South Africa. Tel: 021 462 4502. Fax: +27 (0)21 462 4509. Web: www.sahra.org.za). The information to the Heritage Agency must include photographs of the find, from various angles, as well as the GPS coordinates.
- A preliminary report must be submitted to the Heritage Agency within 24 hours of the find and must include the following: 1)

			<ul> <li>date of the find; 2) a description of the discovery and a 3) description of the fossil and its context (depth and position of the fossil), GPS co-ordinates.</li> <li>Photographs (the more the better) of the discovery must be of high quality, in focus, accompanied by a scale. It is also important to have photographs of the vertical section (side) where the fossil was found.</li> <li>Upon receipt of the preliminary report, the Heritage Agency will inform the ESO (or site manager) whether a rescue excavation or rescue collection by a palaeontologist is necessary.</li> <li>The site must be secured to protect it from any further damage. No attempt should be made to remove material from their environment. The exposed finds must be stabilized and covered by a plastic sheet or sand bags. The Heritage agency will also be able to advise on the most suitable method of protection of the find.</li> <li>In the event that the fossil cannot be stabilized the fossil may be collected with extreme care by the ESO (site manager). Fossils finds must be stored in tissue paper and in an appropriate box while due care must be taken to remove all fossil material from the rescue site.</li> <li>Once Heritage Agency has issued the written authorization, the developer may continue with the development on the affected area.</li> </ul>	
Waste management	Pollution	Pitting and trenching phase (construction and operation phase)	<ol> <li>Litter management         <ol> <li>Refuse bins must be placed at strategic positions to ensure that litter does not accumulate within the construction site.</li> <li>The Contractor shall supply waste collection bins where such is not available and all solid waste collected shall be disposed of at registered/licensed landfill.</li> <li>Good housekeeping practices should be implemented to regularly maintain the litter and rubble situation on the construction site.</li> </ol> </li> </ol>	Minimisation of impacts to acceptable limits

	<ol> <li>If possible and feasible, all waste generated on site must be separated into glass, plastic, paper, metal and wood and recycled. An independent contractor can be appointed to conduct this recycling.</li> <li>Littering by the employees of the Contractor shall not be allowed under any circumstances. The ECO shall monitor the neatness of the work sites as well as the Contractor campsite.</li> <li>Skip waste containers should be maintained on site. These should be kept covered and arrangements made for them to be collected regularly.</li> <li>All waste must be removed from the site and transported to a landfill site promptly to ensure that it does not attract vermin or produce odours.</li> <li>Where a registered waste site is not available close to the construction site, the Contractor shall provide a method statement with regard to waste management.</li> <li>A certificate of disposal shall be obtained by the Contractor and kept on file, if relevant.</li> <li>Under no circumstances may solid waste be burnt on site.</li> <li>All waste hazardous materials must be carefully stored as advised by the ECO, and then disposed of offsite at a licensed landfill site, where practical. Incineration may be used where relevant.</li> <li>Contaminants to be stored safely to avoid spillage.</li> <li>Machinery must be properly maintained to keep oil leaks in check.</li> <li>All necessary precaution measures shall be taken to prevent</li> </ol>	
	14) Machinery must be properly maintained to keep oil leaks in	
	Sanitation	I

	<ul> <li>16) The Contractor shall install mobile chemical toilets on the site.</li> <li>17) Staff shall be sensitised to the fact that they should use these facilities at all times. No indiscriminate sanitary activities on site shall be allowed</li> </ul>	
	<ul> <li>20) Materials used for the remediation of perioditernical spins must be used according to product specifications and guidance for use.</li> <li>29) Contaminated remediation materials must be carefully removed from the area of the spill so as to prevent further</li> </ul>	

				release of petrochemicals to the environment, and stored in adequate containers until appropriate disposal.
Water Use and Quality	Water pollution	Water	Pitting and trenching phase (construction and operation phase)	<ul> <li>Water Use <ol> <li>Develop a sustainable water supply management plan to minimise the impact to natural systems by managing water use, avoiding depletion of aquifers and minimising impacts to water users.</li> <li>Water must be reused, recycled or treated where possible.</li> </ol> </li> <li>Water Quality <ol> <li>The quality and quantity of effluent streams discharged to the environment including stomwater should be managed and treated to meet applicable effluent discharge guidelines.</li> <li>Discharge to surface water should not result in contaminant concentrations in excess of local ambient water quality criteria outside a scientifically established mixing zone.</li> <li>Efficient oil and grease traps or sumps should be installed and maintained at refueling facilities, workshops, fuel storage depots, and containment areas and spill kits should be available with emergency response plans.</li> </ol> </li> <li>Stormwater <ol> <li>Temporary cut off drains and berms may be required to capture stormwater drains.</li> <li>Temporary cut off drains and berms may be required to capture stormwater and promote infiltration.</li> <li>Promote a water saving mind set with construction/prospecting workers in order to onsure less water wastage.</li> <li>Hazardous substances must be stored at least 40m from any water bodies on site to avoid pollution.</li> <li>The installation of the stormwater system must take place as soon as possible to attenuate stormwater from the construction phase as well as the operation phase.</li> </ol> </li> </ul>

<ul> <li>12) Earth, stone and rubble is to be property disposed dr, or utilized on site or so not to obstruct harding vary over the site. i.e. these materials must not be placed in stormwater channes, dranage lines or rives.</li> <li>13) Ther's bould be a periodic checking of the site's drainage system to assure that the water flow is unobstructed.</li> <li>14) If a botching plant is necessary, runnof should be managed officiency to avoid contamination of other areas of the site. Untreaded rundif from the batch plant must not be allowed to get into the storm water systems, rivers or erosion channels or dongas.</li> <li>These structures will be monitored on a weekly basis during the rainy season, and after possible rain events during the draves. It is suggested that it be monitored on a weekly basis during the rainy season, and after possible rain events during the draves should immediately be investigated and implemented.</li> <li><b>Structures protection</b></li> <li>15) Process solution sind and other impoundments designed to hid not frem water and sequences of the solution water systematic should immediately be investigated and implemented.</li> <li><b>Structures protection</b></li> <li>16) Process solution sind and other impoundments designed to hid non fresh water or non-treated process effluents should be line and process effluents should be line and process effluents where and sequences and out of the areas and other impoundments designed to hid non fresh water or non-treated process effluents should be lines during the velocating area;</li> <li>17) Compast the base of diny areas, like the workshops and oil and rain subscript and process effluency and agains;</li> <li>18) Freeward tiny water to the underlying aquifars;</li> <li>19) Process solution bird from the should be kept at the site to contain accidental spills;</li> </ul>			
<ul> <li>site. i.e. these materials must not be placed in stormwater channels, drainage lines or rivers.</li> <li>13) There should be a periodic checking of the site's drainage system to besure that the water flow is unobstructed.</li> <li>14) If a batistring dant is necessary, run-off should be managed effectively to avoid contamination of other areas of the site. Untreaded runoff from the batch plant must not be allowed to Opt into the storm water system or nearby streams, rivers or enosion channels or dongas.</li> <li>The cut-off trenches and silt fences will be installed where necessary as to control function the basis during the rainy streams, rivers or enosion channels or dongas.</li> <li>These structures will be monitored on a weekly basis during the rainy season, and after possible rein events during the dry season.</li> <li>If these practices is found to be insufficient for the control of storm water and sedimentation, other alternatives should immediately be investigated and implemented.</li> <li><b>67</b> Oroundwater resource protection</li> <li>16) Process solution storage ponds and other impoundments designed to hold non fresh water or monshap. Since the version during in early started the base of dry areas, like the workshops and oil and disest during area; 11, 70, Compact the base of dry mass, like the workshops and oil and disest doring areas to cancel the base of dry areas, like the workshops and oil and disest doring areas to be avoid by busing the general mining area;</li> <li>17) Compact the base of dry areas, like the workshops and oil and disest doring areas to be avoid by about the base of dry areas, like the workshops and oil and disest doring areas to be avoid by diverting auditers;</li> <li>18) Encough supply of abotshore this should be kept at the site to the site to the source protection the base of dry areas, like the workshops and oil and disest doring areas to be avoid by the distore the base of dry areas, like the workshops and oil and disest doring areas to the workshops and oil and</li></ul>		12) Earth, stone and rubble is to be properly disposed of, or utilized	
<ul> <li>channels, drainage lines or rivers.</li> <li>13) There should be a periodic checking of the site's drainage system to ensure that the water flow is unobstructed.</li> <li>14) If a batching plant is necessary, run-off should be managed effectively to avoid contamination of other areas of the site. Unitreates runoff from the batch plant must not be allowed to get into the storm water system or nearby streams, rivers or encosing channels or drainage.</li> <li>The, out-off franches, and silt ferces will be, installed where necessary as to control runoff storm water by attenuating it and control the montprid on a regular basis. It is suggested that the monitored on a weekly basis during the rainy season, and after possible rain events during the rainy season.</li> <li>If these practices is found to be insufficient for the control of storm water and sedimentation, other alternatives should immediately be investigated and implemented.</li> <li><b>Coroundwater resource protection</b></li> <li>16) Forcoses solution storage ponds and other impoundments designed to hold non fresh water or non-treated process effluents should be lined and be equipped with sufficient wells to enable monitorif of water reside and quality.</li> <li>16) Prevent ditry water runoff from laving the ageneral mining area;</li> <li>17) Compare the base of ditry areas, like the workshops and oil and diseel storage areas to minimise infiltration of poor-quality water to the underly supply of absorbent fibre should be kept at the site to a storage stores to main the site.</li> </ul>		on site so as not to obstruct natural water path ways over the	
<ul> <li>13) There should be a periodic checking of the site's drainage system to ensure that the water flow is unobstructed.</li> <li>14) If is batching fariat in exessary, number should be managed effectively do avoid contamination of other areas of the site. Unitreated runoff from the batch plant must not be allowed to be it in the source water system or nearby streams, rivers or errosion channels or donges.</li> <li>The out-off trenches and silt fences will be installed where necessary as to control numoff storm water by attenuating it and control the movement of sediment on a regular basis. It is suggested that to be monitored on a regular basis. It is suggested that to be monitored on a regular basis. It is suggested that to be monitored on a regular basis. It is suggested that to be monitored on a regular basis. It is suggested that to be insufficient for the control of storm water and sedimentation, other alternatives should be investigated and implemented.</li> <li><b>Groundwater resource protection</b></li> <li>16) Process solution storage poinds and other impoundments designed thold non fresh water or non-treated process effluents should be included with sufficient weils to enable monitoring of water levels and quality.</li> <li>16) Process solution storage protection</li> <li>17) Compact the base of drivy areas, like the workshops and oil and diesel storage areas to minimise infiltration of poor-quality water to the underlying aquifers;</li> <li>18) Enough supply of absorbent thre should be kept at the site to the underlying aquifers;</li> </ul>		site. i.e. these materials must not be placed in stormwater	
<ul> <li>system to assure that the water flow is unobstructed.</li> <li>14) If a batching plant is necessary, run-off should be managed effectively to avoid contamination of other areas of the site. Untreated runoff from the batch plant must not be allowed to get into the storm water system or nearby streams, rivers or errosion channels or dongas.</li> <li>The out-off trenches and sitt fences will be installed where necessary as to control runoff storm water by attenuating it and control the movement of sediment on the premises.</li> <li>These structures will be monitored on a regular basis. It is suggested that it be monitored on a weekly basis during the rainy season, and after possible rain events during the dry season.</li> <li>It these practices is found to be insufficient for the control of storm water and sedimentation, other alternatives should immediately be investigated and implemented.</li> <li>Croundwater resource protection</li> <li>15) Process solution storage ponds and other impoundments designed to hold non fresh water or non-treated process effurents should be lined and be equiped with sufficient wells to enable monitoring of water levels and quilty.</li> <li>16) Process toruge frequency of three should be general mining area;</li> <li>17) Compact the base of dirty areas; like the workshops and oil and dises storage areas to minimise infiltration of poor-quality water to the underlying aquifers;</li> <li>18) Enough supply of absorbert filter should be kept at the site to</li> </ul>		channels, drainage lines or rivers.	
<ul> <li>system to assure that the water flow is unobstructed.</li> <li>14) If a batching plant is necessary, run-off should be managed effectively to avoid contamination of other areas of the site. Untreated runoff from the batch plant must not be allowed to get into the storm water system or nearby streams, rivers or errosion channels or dongas.</li> <li>The out-off trenches and sitt fences will be installed where necessary as to control runoff storm water by attenuating it and control the movement of sediment on the premises.</li> <li>These structures will be monitored on a regular basis. It is suggested that it be monitored on a weekly basis during the rainy season, and after possible rain events during the dry season.</li> <li>It these practices is found to be insufficient for the control of storm water and sedimentation, other alternatives should immediately be investigated and implemented.</li> <li>Croundwater resource protection</li> <li>15) Process solution storage ponds and other impoundments designed to hold non fresh water or non-treated process effurents should be lined and be equiped with sufficient wells to enable monitoring of water levels and quilty.</li> <li>16) Process toruge frequency of three should be general mining area;</li> <li>17) Compact the base of dirty areas; like the workshops and oil and dises storage areas to minimise infiltration of poor-quality water to the underlying aquifers;</li> <li>18) Enough supply of absorbert filter should be kept at the site to</li> </ul>		13) There should be a periodic checking of the site's drainage	
<ul> <li>14) If a batching plant is necessary, run-off should be managed effectively to avoid contamination of other areas of the site. Untreader unoif from the batch plant must not be allowed to get into the storm water system or nearby streams, rivers or erosion channels or donges.</li> <li>The, cut-off trenches, and silt fences will be installed where necessary as to cortor lumoff storm water by attenuating it and control lumoff storm water by attenuating it and control the motored non a weekly basis during the rainy season, and after possible rain events during the dry season.</li> <li>If these practices is found to be insufficient for the control of storm water and sedimentation, other atternatives should immediately be investigated and implemented.</li> <li><b>Groundwater resource protection</b></li> <li>15) Process solution storage ponds and other impoundments designed to hold non fresh water or non-treated process efficients should be lined and be equipped with sufficient to relate difficult should be lined and be sed offly areas; like the workshops and oil and diesel storage areas to minimise infiltration of poor-quality water to the underlying aquifers;</li> <li>18) Encugh supply of absorbent fibre should be kept at the site to</li> </ul>			
<ul> <li>effectively to avoid contamination of other areas of the site. Uhreaded runofi from the batch plant must not be allowed to get into the storm water systems, rivers or erosion channels or dongas.</li> <li>The, cut-off trenches, and silt fences will be installed where necessary as to control runoff storm water by attenuating it and control the movement of sediment on the premises.</li> <li>These structures will be monitored on a regular basis. It is suggested that it be monitored on a weekly basis during the rainy seasch, and after possible rain events during the dry season.</li> <li>If these practices is found to be insufficient for the control of storm water and sedimentation, other attenuatives should immediately be investigated and implemented.</li> <li><b>Groundwater resource protection</b></li> <li>(5) Process solution storage ponds and other impoundments designed to hold non fresh water or non-treated process effluents should be lined and be equipped with sufficient wells to enable monitoring of water runoff from leaving the sgeneral mining area;</li> <li>(17) Compact the base of dirty areas, like the workshops and all and dised storage areas to minimise infiltration of poor-quality water to the underlying aquifers;</li> <li>(18) Encugh supply of absorbent fibre should be kept at the site to</li> </ul>			
<ul> <li>Untreated runoff from the batch plant must not be allowed to get into the storm water system or nearby streams, rivers or erosion channels or dongas.</li> <li>The cut-off trenches and silt fences will be installed where necessary as to control runoff storm water by attenuating it and control the movement of sediment on the premises.</li> <li>These structures will be monitored on a regular basis. It is suggested that to be monitored on a weekly basis during the rainy season, and after possible rain events during the dry season.</li> <li>If these practices is found to be insufficient for the control of storm water and sedimentation, other alternatives should immediately be investigated and implemented.</li> <li>Groundwater resource protection</li> <li>15) Process solution storage ponds and other impoundments designed to hold non frem water induce and use enveloped with sufficient wells to enable monitoring of water levels and quality.</li> <li>16) Prevent diry water runoff rom leaving the general mining area;</li> <li>17) Compact the base of dirty areas, like the workshops and oil and diesel storage areas to minimise infiltration of poor-quality water to the underlying aquifers;</li> <li>18) Enough supply of absorbent fibre should be kept at the site to</li> </ul>			
<ul> <li>get into the storm water system or nearby streams, rivers or erosion channels or dongas.</li> <li>The out-off trenches and silt fences will be installed where necessary as to control runoff storm water by attenuating it and control the movement of sediment on the premises.</li> <li>These structures will be monitored on a regular basis. It is suggested that it be monitored on a weekly basis during the rainy season, and after possible rain events during the dry season.</li> <li>If these practices is found to be insufficient for the control of storm water and sedimentation, other alternatives should immediately be investigated and implemented.</li> <li>Groundwater resource protection <ol> <li>Process solution storage ponds and other impoundments designed to hold non fresh water or non-treated process effluents should be lined and be equipped with sufficient wells to enable monitoring of water levels and quality.</li> <li>Prevent dirty water runoff from leaving the general mining area;</li> <li>Compact the base of dirty mater, should be kept at the site to</li> </ol> </li> </ul>			
<ul> <li>arosion channels or dongas.</li> <li>The, cut-off trenches, and silt fences will be installed where necessary as to control runoff storm water by attenuating it and control the movement of sediment on the premises.</li> <li>These structures will be monitored on a weekly basis during the rainy season, and after possible rain events during the dry season.</li> <li>If these practices is found to be insufficient for the control of storm water and sedimentation, other alternatives should immediately be investigated and implemented.</li> <li>Groundwater resource protection</li> <li>15) Process solution storage ponds and other impoundments designed to hold non fresh water or non-treated process effluents should be lined and be equipped with sufficient wells to enable monitoring the general mining area;</li> <li>17) Compact the base of dirty areas, like the workshops and oil and dises lotarge apress in minimise infiltration of poor-quality water to the underlying aquifers;</li> <li>18) Enough supply of absorbent fibre should be kept at the site to</li> </ul>			
<ul> <li>The cut-off trenches and silt fences will be installed where necessary as to control runoff storm water by attenuating it and control the movement of sediment on the premises.</li> <li>These structures will be monitored on a regular basis. It is suggested that it be monitored on a weekly basis during the rainy season, and after possible rain events during the dry season.</li> <li>If these practices is found to be insufficient for the control of storm water and sedimentation, other alternatives should immediately be investigated and implemented.</li> <li>Groundwater resource protection</li> <li>15) Process solution storage ponds and other impoundments designed to hold non fresh water or non-treated process effluents should be lined and be equipped with sufficient wells to enable monitoring of water levels and quality.</li> <li>16) Prevent dirty water runoff from leaving the general mining area;</li> <li>17) Compact the base of dirty areas, like the workshops and oil and diese istorage areas to minimise inflitation of poor-quality water to the underlying aquifers;</li> <li>18) Enough supply of absorbert fibre should be kept at the site to</li> </ul>			
<ul> <li>necessary as to control runoff storm water by attenuating it and control the movement of sediment on the premises.</li> <li>These structures will be monitored on a regular basis. It is suggested that it be monitored on a weekly basis during the rainy season, and after possible rain events during the dry season.</li> <li>If these practices is found to be insufficient for the control of storm water and sedimentation, other alternatives should immediately be investigated and implemented.</li> <li>Groundwater resource protection</li> <li>15) Process solution storage ponds and other impoundments designed to hold non fresh water or non-treated process effluents should be lined and be equipped with sufficient wells to enable monitoring of water levels and quality.</li> <li>16) Prevent dirty water runoff from leaving the general mining area;</li> <li>17) Compact the base of dirty areas, like the workshops and oil and diesel storage areas to minimise infiltration of poor-quality water to the underlying aquifers;</li> <li>18) Enough supply of absorbent fibre should be kept at the site to</li> </ul>			
<ul> <li>necessary as to control runoff storm water by attenuating it and control the movement of sediment on the premises.</li> <li>These structures will be monitored on a regular basis. It is suggested that it be monitored on a weekly basis during the rainy season, and after possible rain events during the dry season.</li> <li>If these practices is found to be insufficient for the control of storm water and sedimentation, other alternatives should immediately be investigated and implemented.</li> <li>Groundwater resource protection</li> <li>15) Process solution storage ponds and other impoundments designed to hold non fresh water or non-treated process effluents should be lined and be equipped with sufficient wells to enable monitoring of water levels and quality.</li> <li>16) Prevent dirty water runoff from leaving the general mining area;</li> <li>17) Compact the base of dirty areas, like the workshops and oil and diesel storage areas to minimise infiltration of poor-quality water to the underlying aquifers;</li> <li>18) Enough supply of absorbent fibre should be kept at the site to</li> </ul>		The cut-off trenches and silt fences will be installed where	
<ul> <li>control the movement of sediment on the premises.</li> <li>These structures will be monitored on a regular basis. It is suggested that it be monitored on a weekly basis during the rainy season, and after possible rain events during the dry season.</li> <li>If these practices is found to be insufficient for the control of storm water and sedimentation, other alternatives should immediately be investigated and implemented.</li> <li><b>Groundwater resource protection</b></li> <li>16) Process solution storage ponds and other impoundments designed to hold non fresh water or non-treated process effluents should be lined and be equipped with sufficient wells to enable monitoring of water levels and quality.</li> <li>16) Prevent dirty water runoff from leaving the general mining area;</li> <li>17) Compact the base of dirty areas, like the workshops and oil and diesel storage areas to minimise infiltration of poor-quality water to the underlying aquifers;</li> <li>18) Enough supply of absorbent fibre should be kept at the site to</li> </ul>			
<ul> <li>These structures will be monitored on a regular basis. It is suggested that it be monitored on a weekly basis during the rainy season, and after possible rain events during the dry season.</li> <li>If these practices is found to be insufficient for the control of storm water and sedimentation, other alternatives should immediately be investigated and implemented.</li> <li><b>Groundwater resource protection</b></li> <li>(5) Process solution storage ponds and other impoundments designed to hold non fresh water or non-treated process effluents should be lined and be equipped with sufficient wells to enable monitoring of water levels and quality.</li> <li>(6) Prevent dirty water runoff from leaving the general mining area;</li> <li>(7) Compact the base of dirty areas, like the workshops and oil and disel storage areas to minimise infiltration of poor-quality water to the underlying aquifers;</li> <li>(8) Enough supply of absorbent fibre should be kept at the site to</li> </ul>			
<ul> <li>suggested that it be monitored on a weekly basis during the rainy season, and after possible rain events during the dry season.</li> <li>If these practices is found to be insufficient for the control of storm water and sedimentation, other alternatives should immediately be investigated and implemented.</li> <li>Groundwater resource protection <ol> <li>Process solution storage ponds and other impoundments designed to hold non fresh water or non-treated process effluents should be lined and be equipped with sufficient wells to enable monitoring of water levels and quality.</li> <li>Prevent dirty water runoff from leaving the general mining area;</li> <li>Compact the base of dirty areas, like the workshops and oil and diesel storage areas to minimise infiltration of poor-quality water to the underlying aquifers;</li> <li>Enough supply of absorbent fibre should be kept at the site to</li> </ol> </li> </ul>			
<ul> <li>suggested that it be monitored on a weekly basis during the rainy season, and after possible rain events during the dry season.</li> <li>If these practices is found to be insufficient for the control of storm water and sedimentation, other alternatives should immediately be investigated and implemented.</li> <li>Groundwater resource protection <ol> <li>Process solution storage ponds and other impoundments designed to hold non fresh water or non-treated process effluents should be lined and be equipped with sufficient wells to enable monitoring of water levels and quality.</li> <li>Prevent dirty water runoff from leaving the general mining area;</li> <li>Compact the base of dirty areas, like the workshops and oil and diesel storage areas to minimise infiltration of poor-quality water to the underlying aquifers;</li> <li>Enough supply of absorbent fibre should be kept at the site to</li> </ol> </li> </ul>		These structures will be monitored on a regular basis. It is	
<ul> <li>season, and after possible rain events during the dry season.</li> <li>If these practices is found to be insufficient for the control of storm water and sedimentation, other alternatives should immediately be investigated and implemented.</li> <li>Groundwater resource protection <ol> <li>Process solution storage ponds and other impoundments designed to hold non fresh water or non-treated process effluents should be lined and be equipped with sufficient wells to enable monitoring of water levels and quality.</li> <li>Prevent dirty water runof from leaving the general mining area;</li> <li>Compact the base of dirty areas, like the workshops and oil and diesel storage areas to minimise infiltration of poor-quality water to the underlying aquifers;</li> <li>Enough supply of absorbent fibre should be kept at the site to</li> </ol> </li> </ul>			
If these practices is found to be insufficient for the control of storm water and sedimentation, other alternatives should immediately be investigated and implemented. <b>Groundwater resource protection</b> <b>15</b> ) Process solution storage ponds and other impoundments designed to hold non fresh water or non-treated process effluents should be lined and be equipped with sufficient wells to enable monitoring of water levels and quality. <b>16</b> ) Prevent dirty water runoff from leaving the general mining area; <b>17</b> ) Compact the base of dirty areas, like the workshops and oil and diesel storage areas to minimise infiltration of poor-quality water to the underlying aquifers; <b>18</b> ) Enough supply of absorbent fibre should be kept at the site to			
<ul> <li>water and sedimentation, other alternatives should immediately be investigated and implemented.</li> <li>Groundwater resource protection <ol> <li>Process solution storage ponds and other impoundments designed to hold non fresh water or non-treated process effluents should be lined and be equipped with sufficient wells to enable monitoring of water levels and quality.</li> <li>Prevent dirty water runoff from leaving the general mining area;</li> <li>Compact the base of dirty areas, like the workshops and oil and diesel storage areas to minimise infiltration of poor-quality water to the underlying aquifers;</li> <li>Enough supply of absorbent fibre should be kept at the site to</li> </ol> </li> </ul>			
<ul> <li>water and sedimentation, other alternatives should immediately be investigated and implemented.</li> <li>Groundwater resource protection <ol> <li>Process solution storage ponds and other impoundments designed to hold non fresh water or non-treated process effluents should be lined and be equipped with sufficient wells to enable monitoring of water levels and quality.</li> <li>Prevent dirty water runoff from leaving the general mining area;</li> <li>Compact the base of dirty areas, like the workshops and oil and diesel storage areas to minimise infiltration of poor-quality water to the underlying aquifers;</li> <li>Enough supply of absorbent fibre should be kept at the site to</li> </ol> </li> </ul>		If these practices is found to be insufficient for the control of storm	
<ul> <li>investigated and implemented.</li> <li>Groundwater resource protection</li> <li>15) Process solution storage ponds and other impoundments designed to hold non fresh water or non-treated process effluents should be lined and be equipped with sufficient wells to enable monitoring of water levels and quality.</li> <li>16) Prevent dirty water runoff from leaving the general mining area;</li> <li>17) Compact the base of dirty areas, like the workshops and oil and diesel storage areas to minimise infiltration of poor-quality water to the underlying aquifers;</li> <li>18) Enough supply of absorbent fibre should be kept at the site to</li> </ul>			
<ul> <li>Groundwater resource protection</li> <li>15) Process solution storage ponds and other impoundments designed to hold non fresh water or non-treated process effluents should be lined and be equipped with sufficient wells to enable monitoring of water levels and quality.</li> <li>16) Prevent dirty water runoff from leaving the general mining area;</li> <li>17) Compact the base of dirty areas, like the workshops and oil and diesel storage areas to minimise infiltration of poor-quality water to the underlying aquifers;</li> <li>18) Enough supply of absorbent fibre should be kept at the site to</li> </ul>			
<ul> <li>15) Process solution storage ponds and other impoundments designed to hold non fresh water or non-treated process effluents should be lined and be equipped with sufficient wells to enable monitoring of water levels and quality.</li> <li>16) Prevent dirty water runoff from leaving the general mining area;</li> <li>17) Compact the base of dirty areas, like the workshops and oil and diesel storage areas to minimise infiltration of poor-quality water to the underlying aquifers;</li> <li>18) Enough supply of absorbent fibre should be kept at the site to</li> </ul>		investigated and implemented.	
<ul> <li>15) Process solution storage ponds and other impoundments designed to hold non fresh water or non-treated process effluents should be lined and be equipped with sufficient wells to enable monitoring of water levels and quality.</li> <li>16) Prevent dirty water runoff from leaving the general mining area;</li> <li>17) Compact the base of dirty areas, like the workshops and oil and diesel storage areas to minimise infiltration of poor-quality water to the underlying aquifers;</li> <li>18) Enough supply of absorbent fibre should be kept at the site to</li> </ul>		Groundwater resource protection	
<ul> <li>designed to hold non fresh water or non-treated process effluents should be lined and be equipped with sufficient wells to enable monitoring of water levels and quality.</li> <li>16) Prevent dirty water runoff from leaving the general mining area;</li> <li>17) Compact the base of dirty areas, like the workshops and oil and diesel storage areas to minimise infiltration of poor-quality water to the underlying aquifers;</li> <li>18) Enough supply of absorbent fibre should be kept at the site to</li> </ul>			
<ul> <li>effluents should be lined and be equipped with sufficient wells to enable monitoring of water levels and quality.</li> <li>16) Prevent dirty water runoff from leaving the general mining area;</li> <li>17) Compact the base of dirty areas, like the workshops and oil and diesel storage areas to minimise infiltration of poor-quality water to the underlying aquifers;</li> <li>18) Enough supply of absorbent fibre should be kept at the site to</li> </ul>			
<ul> <li>to enable monitoring of water levels and quality.</li> <li>16) Prevent dirty water runoff from leaving the general mining area;</li> <li>17) Compact the base of dirty areas, like the workshops and oil and diesel storage areas to minimise infiltration of poor-quality water to the underlying aquifers;</li> <li>18) Enough supply of absorbent fibre should be kept at the site to</li> </ul>		•	
<ul> <li>16) Prevent dirty water runoff from leaving the general mining area;</li> <li>17) Compact the base of dirty areas, like the workshops and oil and diesel storage areas to minimise infiltration of poor-quality water to the underlying aquifers;</li> <li>18) Enough supply of absorbent fibre should be kept at the site to</li> </ul>			
<ul> <li>17) Compact the base of dirty areas, like the workshops and oil and diesel storage areas to minimise infiltration of poor-quality water to the underlying aquifers;</li> <li>18) Enough supply of absorbent fibre should be kept at the site to</li> </ul>			
<ul> <li>and diesel storage areas to minimise infiltration of poor-quality water to the underlying aquifers;</li> <li>18) Enough supply of absorbent fibre should be kept at the site to</li> </ul>			
water to the underlying aquifers; 18) Enough supply of absorbent fibre should be kept at the site to			
18) Enough supply of absorbent fibre should be kept at the site to			

	<ul> <li>19) Contain dirty water in return water dams and re-use dirty water for dust suppression and make up water in the plant;</li> <li>20) Proper storm water management should be implemented. Berms should also be constructed to ensure separation of clean water and dirty water areas;</li> <li>21) A detailed mine closure plan should be prepared during the operational phase including a risk assessment, water resource impact prediction etc. as stipulated in the DWS Best Practice Guidelines. The implementation of the mine closure plan, and the application for the closure certificate can be conducted during the decommissioned phase.</li> <li>Sanitation</li> <li>22) Adequate sanitary facilities and ablutions must be provided for construction workers (1 toilet per every 15 workers).</li> <li>23) The facilities must be regularly serviced to reduce the risk of surface or groundwater pollution.</li> <li>Concrete mixing</li> <li>24) Concrete contaminated water must not enter soil or any natural drainage system as this disturbs the natural acidity of the soil and affects plant growth.</li> <li>Public areas</li> <li>25) Food preparation areas should be provided with adequate watering facilities and food refuse should be stored in sealed refuse bins which should be removed from site on a regular basis.</li> <li>26) The Contractor should take steps to ensure that littering by construction/prospecting workers does not occur and persons should be employed on site to collect litter from the site and immediate surroundings, including litter accumulating at fence lines.</li> <li>27) No washing or servicing of vehicles on site.</li> </ul>
	<b>27)</b> No washing or servicing of vehicles on site.
	Infrastructure

	28) Infrastructure should adhere to the GN704 of the South African	
	National Water Act (36 of 1998) and not be located within the	
	1:100- year Return Period flood line. This is essential for the	
	safety of human life as well as for the protection of	
	infrastructure from flood inundation and destruction.	

### IMPACT MANAGEMENT ACTIONS

(A description of impact management actions, identifying the manner in which the impact management objectives and outcomes contemplated in paragraphs (c) and (d) will be achieved).

ACTIVITY Whether listed or not listed.	POTENTIAL IMPACT	MITIGATION	TIME PERIOD FOR IMPLEMENTATION	COMPLIANCE WITH STANDARDS
(E.g. Excavations, blasting, stockpiles, discard dumps or dams, Loading, hauling and transport, Water supply dams and boreholes, accommodation, offices, ablution, stores, workshops, processing plant, storm water control, berms, roads, pipelines, power lines, conveyors, etcetc).	(e.g. dust, noise, drainage surface disturbance, fly rock, surface water contamination, groundwater contamination, air pollution etcetc)	<ul> <li>(modify, remedy, control, or stop) through</li> <li>(e.g. noise control measures, storm-water control, dust control, rehabilitation, design measures, blasting controls, avoidance, relocation, alternative activity etc. etc)</li> <li>E.g.</li> <li>Modify through alternative method.</li> <li>Control through noise control</li> <li>Control through management and monitoring Remedy through rehabilitation</li> </ul>	Describe the time period when the measures in the environmental management programme must be implemented Measures must be implemented when required. With regard to Rehabilitation specifically this must take place at the earliest opportunity. With regard to Rehabilitation, therefore state either: Upon cessation of the individual activity or. Upon the cessation of mining, bulk sampling or alluvial diamond prospecting as the case may be.	(A description of how each of the recommendations in 2.11.6 read with 2.12 and 2.15.2 herein will comply with any prescribed environmental management standards or practices that have been identified by Competent Authorities)
Clearance of vegetation	Loss or fragmentation of habitats	<ol> <li>Existing vegetation         <ol> <li>Vegetation removal must be limited to the prospecting site.</li> <li>Vegetation to be removed as it becomes necessary rather than removal of all vegetation throughout the site in one step.</li> <li>No vegetation to be used for firewood.</li> <li>Exotic and invasive plant species should not be allowed to establish, if the development is approved.</li> </ol> </li> <li>Rehabilitation         <ol> <li>All damaged areas shall be rehabilitated upon completion of the contract.</li> </ol> </li> </ol>	Duration of operation	The implementation of the recommended mitigation measures will result in the minimisation of impacts to acceptable standards, thereby ensuring compliance with NEMA and Duty of Care as prescribed by NEMA.

6. Re-vegetation of the disturbed site is aimed at approximating as near as possible the natural vegetative conditions prevailing prior to construction.
7. All natural areas impacted during
construction/prospecting must be rehabilitated with
locally indigenous grasses typical of the re <mark>presen</mark> ta <mark>tive</mark>
botanical unit.
8. Rehabilitation must take place in a phased approach as
soon as possible.
<ol> <li>Rehabilitation process must make use of species indigenous to the area. Seeds from surrounding seed</li> </ol>
banks can be used for re-seeding.
10. Rehabilitation must be executed in such a manner that
surface run-off will not cause erosion of disturbed areas.
11. Planting of indigenous tree species in areas not to be
cultivated or built on must be encouraged.
Demarcation of prospecting area
12. All plants not interfering with prospecting operations
shall be left undisturbed clearly marked and indicated on the site plan.
13. The prospecting area must be well demarcated and no
construction activities must be allowed outside of this
demarcated footprint.
14. Vegetation removal must be phased in order to reduce
impact of construction/prospecting.
15. Site office and laydown areas must be clearly
demarcated and no encroachment must occur beyond
demarcated areas.
16. Strict and regular auditing of the prospecting process to
ensure containment of the prospecting and laydown areas.
17. Soils must be kept free of petrochemical solutions that
may be kept on site during construction/prospecting.
Spillage can result in a loss of soil functionality thus
limiting the re-establishment of flora.

Utilisation of resources		
18. Gathering of firewood, fruit, muti plants, or any other		
natural material onsite or in areas adjacent to the site is		
prohibited unless with prior approval of the ECO.		
Exotic vegetation		
19. Alien vegetation on the site will need to be controlled.		
20. The Contractor should be responsible for implementing		
a programme of weed control (particularly in areas		
where soil has been disturbed); and grassing of any		
remaining stockpiles to prevent weed invasion.		
21. The spread of exotic species occurring throughout the		
site should be controlled.		
Herbicides		
22. Herbicide use shall only be allowed according to		
contract specifications. The application shall be		
according to set specifications and under supervision of		
a qualified technician. The possibility of leaching into the		
surrounding environment shall be properly investigated		
and only environmentally friendly herbicides shall be		
used.		
23. The use of pesticides and herbicides on the site must		
be discouraged as these impact on important pollinator		
species of indigenous vegetation.		
Taura		
Fauna		
24. Rehabilitation to be undertaken as soon as possible		
after prospecting has been completed. 25. No trapping or snaring to fauna on the		
construction/prospecting site should be allowed.		
26. No faunal species must be disturbed, trapped, hunted		
or killed by maintenance staff during any routine		
maintenance at the development.		
	<u> </u>	l

Prospecting of Diamonds Alluvial (DA),	Loss of topsoil	1) The Contractor should prior to the common part of	Duration of operation	The implementation of the
				•
Diamonds General (D), Diamonds in		earthworks determine the average depth of topsoil, and		recommended mitigation measures
Kimberlite (DK) & Diamonds (DIA) –		agree on this with the ECO. The full depth of topsoil		will result in the minimisation of
excavations		should be stripped from areas affected by		impacts to acceptable standards,
		construction/prospecting and related activities prior to		thereby ensuring compliance with
		the commencement of major earthworks. This should		NEMA and Duty of Care as prescribed
		include the building footprints, working areas and		by NEMA.
		storage areas. Topsoil must be reused where possible		
		to rehabilitate disturbed areas.		
		2) Care must be taken not to mix topsoil and subsoil during		
		stripping.		
		3) The topsoil must be conserved on site in and around the		
		pit/trench area.		
		4) Subsoil and overburden in the prospecting area should		
		be stockpiled separately to be returned for backfilling in		
		the correct soil horizon order.		
		5) If stockpiles are exposed to windy conditions or heavy		
		rain, they should be covered either by vegetation or		
		geofabric, depending on the duration of the project.		
		Stockpiles may further be protected by the construction		
		of berms or low brick walls around their bases.		
		6) Stockpiles should be kept clear of weeds and alien		
		vegetation growth by regular weeding.		
		7) Where contamination of soil is expected, analysis must		
		be done prior to disposal of soil to determine the		
		appropriate disposal route. Proof from an approved		
		waste disposal site wh <mark>ere c</mark> ontaminated soils are		
		dumped if and when a spillage/leakage occurs should		
		be attained and given to the project manager.		
		Establish an effective record keeping system for each area		
		where soil is disturbed for prospecting purposes. These		
		records should be included in environmental performance		
		reports, and should include all the records below.		
		<ul> <li>Record the GPS coordinates of each area.</li> </ul>		
		<ul> <li>Record the date of topsoil stripping.</li> </ul>		

	<ul> <li>Record the GPS coordinates of where the topsoil is stockpiled.</li> <li>Record the date of cessation prospecting activities at the particular site.</li> <li>Photograph the area on cessation of prospecting activities.</li> <li>Record date and depth of re-spreading of topsoil.</li> <li>Photograph the area on completion of rehabilitation and on an annual basis thereafter to show vegetation establishment and evaluate progress of restoration over time.</li> </ul>	
Erosion	<ol> <li>An effective system of run-off control should be implemented, where it is required, that collects and safely disseminates run-off water from all hardened surfaces and prevents potential down slope erosion.</li> <li>Periodical site inspection should be included in environmental performance reporting that inspects the effectiveness of the run-off control system and specifically records the occurrence of any erosion on site or downstream.</li> <li>Wind screening and stormwater control should be undertaken to prevent soil loss from the site.</li> <li>The use of silt fences and sand bags must be implemented in areas that are susceptible to erosion.</li> <li>Other erosion control measures that can be implemented are as follows:         <ul> <li>Brush packing with cleared vegetation</li> <li>Mulch or chip packing</li> <li>Planting of vegetation</li> <li>Hydroseeding/hand sowing</li> </ul> </li> <li>Sensitive areas need to be identified prior to construction/prospecting so that the necessary precautions can be implemented.</li> <li>All erosion control mechanisms need to be regularly maintained.</li> </ol>	The implementation of the recommended mitigation measures will result in the minimisation of impacts to acceptable standards, thereby ensuring compliance with NEMA and Duty of Care as prescribed by NEMA.

<ul> <li>8. Seeding of topsol and subsol stockjets to prevent wind and water erosion of sol surfaces.</li> <li>9. Retention of vegetation where possible to avoid soil erosion.</li> <li>10. Vegetation clearance should be phased to ensure that the minimum area of soil is exposed to potential erosion at any one time.</li> <li>11. Re-vegetation of disturbed surfaces should occur immediately after construction/prospecting activities are completed. This should be one through seeding with indigenous grasses.</li> <li>12. No impediment to the natural water flow other than approved erosion control works is permitted.</li> <li>13. To prevent stormwater damage, the increase, in stormwater arm of respling from construction/prospecting activities must be estimated and the drainage system assessed accordingly. A drainage pharmatic the the Ecologner for approval and must induce the location and design criteria darge in the used in firme (3) months after stopping must be submated in the drainage system assessed accordingly.</li> <li>Air Pollution</li> <li>Air Pollution</li> <li>Air Pollution</li> <li>Air Pollution</li> <li>Dist control</li> <li>Quartion of operation</li> <li>The implementation of the recommended miligation measures will result area.</li> <li>Quartion of operation</li> <li>The implementation of the monthy be done during agreed working times and permitting weather conditions to avoid drifting of sand and dust into neighbourg areas.</li> <li>Quartion of all expected sile sub-solie will reduce dust thereby ensuring compliance with water boxes or sprinklers when necessary there exessing is availed working times and permitting weather conditions to avoid drifting of sand and dust into neighbourg areas.</li> <li>Quartion of all expected sile sub-solie will reduce dust.</li> <li>Quartion of all expected sile sub-solie will reduce dust.</li> <li>Quartion of all expected sile sub-solie will reduce dust.</li> <li>Quartion of alle expected sil</li></ul>	1			1
9. Retention of vegetation where possible to avoid soil errosion.       9. Retention of vegetation clearance should be phased to ensure that the minimum area of soil is exposed to potential erosion at any one time.       9. Netention of disturbed surfaces should occur immediately after construction/prospecting activities are completed. This should be done through seeding with indigenous grasses.       12. No impediment to the natural water flow other than approved erosion contruction/sis permitted.       13. To prevent stomwater damagat the increase in stomwater run-off resulting for approval and must include the location and design orifietia of any temporary stream crossings.       13. To prevent stomwater damagat the estimated and the drainage system assessed accordingly. A drainage plan must be steadedbackfilled to prevent dust and erosion.       Duration of operation       The implementation of the recommended mitigation measures will result in the minimisation of approval and must include the location and design orifietia of any temporary stream crossings.         Air Pollution       Dust control       1. Wheel washing and damping down of un-surfaced and un-vegetated areas.       Duration of operation       The implementation of the recommended mitigation measures will result in the minimisation of impacts to accordible standards, thereby ensuring compliance with NEMA and Duty of Care as prescribed working, lines and permiting weather conditions to avoid diffing of stand and dust into neglinghoruing areas.       Duration of operation       The implementation of impacts to accordible standards, thereby ensuring compliance with NEMA and Duty of Care as prescribed working, lines and permiting weather conditions to avoid diffing of stand and dust into neglibrouring areas.         4) Demping down of all exposed soi				
Air Pollution       Air Pollution         Air Pollution       Air Pollution         Air Pollution       Dist control 0 strates         Air Pollution       Dist out daming and damping down of un-surfaced and un-wegetated areas.       Duration of operation or spression of vegetation where possible will reduce dust travel.         Air Pollution       Dist out of or spression surface must be solid be with a valar out of vegetation of vegetation where possible will reduce dust travel.       Duration of operation         Air Pollution       Dist out of vegetation where possible will reduce dust travel.       Duration of vegetation of vegetation where possible will reduce dust travel.         Air Pollution       Dist out of vegetation where possible will reduce dust travel.       Duration of vegetation where possible will reduce dust travel.         Air Pollution       Dist control vegetated areas.       Dust control vegetated areas.       Dust control vegetated areas.         Air Pollution       Dist control vegetated areas.       Dust control vegetated areas.       Dust control vegetated areas.       Dust control vegetated areas.         Air Pollution       Dist control vegetated areas.       Dust control vegetated areas.       Dust control vegetated areas.       Dust control vegetated areas.         Air Pollution       Dist control vegetation vegetated control vegetated areas.       NEMA.       NEMA.				
10. Vegetation clearance should be phased to ensure that the minimum area of soil is exposed to potential ension at my one time.       II. Re-vegetation of disturbed surfaces should occur immediately after construction/prospecting activites are completed. This should be done through seeding with indigenous grasses.       II. Re-vegetation of disturbed surfaces should occur immediately after construction/prospecting activites are completed. This should be done through seeding with indigenous grasses.       II. Ne vegetation to the natural water flow other than approved ersion control works is permitted.       III. To prevent stormwater damage, the increase in stormwater mumorify free suling from construction/prospecting activites must be estimated and the drainage system assessed accordingly. A drainage plan must be submitted to the Engineer for approval and mush incluse the using and damping down of un-surfaced and un-vegetated areas.       Duat control         Air Pollution       Oust control       Neel washing and damping down of un-surfaced and un-vegetated areas.       Duration of operation       The implementation of the recommended mitigation measures will result in the minimission of average and un-vegetated areas.         Q. Retention of vegetation where possible will reduce dust travel.       Q. Cleaning activities must only be down drug areas.       Duration of operation       The implementation of the recommended mitigation measures will result in the minimission of avoid drifting of sand and dust into weather conditions to avoid drifting of sand and dust into neighbouring areas.       Duarbine on spin dism withen necessary to reduce dust.		9. Retention of vegetation where possible to avoid soil		
Air Pollution       Air Pollution       Dust control       One yeation of all supposed to potential erosion at any one time.       In Re-vegetation of of sturbed surfaces should occur immediately after construction/prospecting activities are completed. This should be done through seeding with indigenous grasses.       In Re-vegetation of disturbed surfaces should occur immediately after construction/prospecting activities are completed. This should be done through seeding with indigenous grasses.       In Re-vegetation of all sturbed surfaces in approved erosion control works is permitted.       In Re-vegetation of the natural water flow other than approved erosion control works is permitted.       In Re-vegetation of resulting from construction/prospecting activities are accordingly. A drainage plan must be submitted to the Engineer for approval and must include the location and design must be seated/backfilled to prevent dommy stream crossings.       In Prevent stormwater damage, the increase in stormwater damage, the increase in approval and must include the location and design must be seated/backfilled to prevent dust and erosion and use include the location and design must be seated/backfilled to prevent dust and erosion and un-vegetated areas.       In Prevent stormwater damage, the increase in the minimisation of impacts to acceptable standards, travel.         Air Pollution       Dust contol       Dust contol       The implementation of the recommended mitigation measures will result in the minimisation of impacts to acceptable standards, thereby ensuing compliance with NEMA and Duy of Care as prescribed working times and permitting weather conditions to avoid drifting of sand, and dust into neighbouring areas.       No Memplement on the approved and undire subject dosis undired weaking times and permitting weather conditio				
at any one time.       11. Re-vegetation of disturbed surfaces should occur         immediately after construction/prospecting addivites are completed. This should be done through seeding with indigenous grasses.       12. No impediment to the natural water flow other than approved erosion control works is permitted.         13. To prevent stormwater damage, the increase in approved and the drianage system assessed accordingly. A drainage plan must be submitted to the Engineer for approval and must include the location and design with set is stored and the drianage system assessed.       Duration of operation         Air Pollution       Dust control       1. Stockpitting down of un-surfaced and un-surfaced and un-surfaced and un-surfaced and un-surfaced and un-surfaced and working times and permitting weather conditions to avoid drifting of sand and dusi in holighbouring areas.       Duration of operation       The implementation of the recommended mitigation measures will result in the minimisation of impacts to acceptable standards, travel.         3) Claring activities must only be done during agreed working times and permitting weather conditions to avoid drifting of sand and dation to lapped soil the avoid drifting of sand and dusi into neighbouring areas.       NEMA and Duty of Care as prescribed by NEMA.		10. Vegetation clearance should be phased to ensure that		
Air Pollution       11. Re-vegetation of disturbed surfaces should occur immediately after construction/prospecting activities are completed. This should be done through seeding with indigenous grasses.       12. No impediment to the natural water flow other than approved erosion control works is permitted.       13. To prevent stormwater flow other than control works is permitted.       13. To prevent stormwater of resulting from construction/prospecting activities must be estimated and the drainage system assessed accordingly A drainage plan must be submitted to the Ergineer for approval and must be submitted to the Ergineer for approval and must be submitted to the proving and with include the location and design criteria of any temporary stream crossings.       14. Stockples not used in three (3) months after stripping methad areas.       Duration of operation       The implementation of the recommended must be submitted.         Air Pollution       0 Lost control       10. Wheel washing and damping down of un-surfaced and un-vegetated areas.       0. Puration of operation       The implementation of the recommended must be accompliance with awater travel.         30. Clearing activities must only be done during agreed working times and permitting weather conditions to avoid drifting of sand and dist into neighbouring areas.       Duration of operation       NEMA and Duty of Care as prescribed by NEMA.         40. Dawing down of all exposed soil surfaces with a water bowser or sprinklers when necessary to reduce dust.       Air Pollution King of sand and dist into neighbouring areas.       Duration of operation       The implementation of the recommended must by be done during agreed working tince sand aread to the neighbouring areas. <th></th> <th>the minimum area of soil is exposed to potential erosion</th> <th></th> <th></th>		the minimum area of soil is exposed to potential erosion		
Air Pollution       Dust control         Air Pollution       Dust control         1) Wheel washing and damping down of un-surfaced and un-vegetated areas.       Duration of operation         2) Air Pollution       For approval and must include the location where possible will reduce dust.         Air Pollution       Outget areas.         2) Retention of vegetation where possible will reduce dust.       Duration of operation         4) Damping down of all exposed soil surfaces with a water bowser or sprinklers when necessary to reduce dust.       Duration of operation		at any one time.		
Air Pollution       10. Wheel washing and damping down of un-surfaced and un-vegetated areas.       10. Wheel washing and damping down of un-surfaced and un-vegetated areas.       10. Wheel washing and damping down of un-surfaced and un-vegetated areas.       10. Wheel washing and damping down of un-surfaced and un-vegetated areas.       10. Wheel washing and damping down of un-surfaced and un-vegetated areas.       10. Wheel washing and damping down of un-surfaced and un-vegetated areas.       10. Wheel washing and damping down of un-surfaced and un-vegetated areas.       10. Wheel washing and damping down of un-surfaced and un-vegetated areas.       10. Wheel washing and damping down of un-surfaced and un-vegetated areas.       10. Wheel washing and damping down of un-surfaced and un-vegetated areas.       10. Wheel washing and damping down of un-surfaced and un-vegetated areas.       10. Wheel washing and damping down of un-surfaced and un-vegetated areas.       10. Wheel washing and damping down of un-surfaced and un-vegetated areas.       10. Wheel washing and damping down of un-surfaced and un-vegetated areas.       10. Wheel washing and damping down of un-surfaced and un-vegetated areas.       10. Wheel washing and damping down of un-surfaced and un-vegetated areas.       10. Wheel washing and damping down of un-surfaced and un-vegetated areas.       10. Wheel washing and damping down of un-surfaced and un-vegetated areas.       10. Wheel washing and damping down of un-surfaced and un-vegetated areas.       10. Wheel washing and damping down of un-surfaced and un-vegetated areas.       10. Wheel washing and damping down of un-surfaced and un-vegetated areas.       10. Wheel washing and damping down of un-surfaced and un-vegetated areas.       10. Wheel washing and dampin		11. Re-vegetation of disturbed surfaces should occur		
Air Pollution       Dust control         Air Pollution       Dust control         10. No impediance and particle areas.       (3) To prevent stormwater dumage, the increase in stormwater dumage, stream crossings, the increase in stormwater dumage, stream crossings, the increase in construction/prospecting activities must be estimated and the drainage system assessed accordingly A drainage plan must be submitted to the Engineer for approval and must include the location and design criteria of any temporary stream crossings.         Air Pollution       Dust control         10. Wheel washing and damping down of un-surfaced and un-vegetated areas.       Duration of operation         11. Release of the must be submitted to the regimeer down and un-vegetated areas.       Duration of operation         12. Retention of vegetation where possible will reduce dust travel.       Duration of operation during agreed working times and permitting weather conditions to avoid drifting of sand and dust into neighbouring areas.         4) Damping down of all exposed soil surfaces with a water bowser or sptinklers when necessary to reduce dust.       NEMA and Duty of Care as prescribed by NEMA.		immediately after construction/prospecting activities are		
Air Pollution       Dust control         Air Pollution       Dust control         10. No impediance and particle areas.       (3) To prevent stormwater dumage, the increase in stormwater dumage, stream crossings, the increase in stormwater dumage, stream crossings, the increase in construction/prospecting activities must be estimated and the drainage system assessed accordingly A drainage plan must be submitted to the Engineer for approval and must include the location and design criteria of any temporary stream crossings.         Air Pollution       Dust control         10. Wheel washing and damping down of un-surfaced and un-vegetated areas.       Duration of operation         11. Release of the must be submitted to the regimeer down and un-vegetated areas.       Duration of operation         12. Retention of vegetation where possible will reduce dust travel.       Duration of operation during agreed working times and permitting weather conditions to avoid drifting of sand and dust into neighbouring areas.         4) Damping down of all exposed soil surfaces with a water bowser or sptinklers when necessary to reduce dust.       NEMA and Duty of Care as prescribed by NEMA.		completed. This should be done through seeding with		
12. No impediment to the natural water flow other than approved erosion contol works is permitted.         13. To prevent stormwater damage, the increase in stormwater run-off resulting from construction/prospecting activities must be estimated and the drainage system assessed accordingly A drainage plan must include the location and design criteria of any temporary stream crossings.         14. Stockpiles not used in three (3) months after stripping must be seekinkled to prevent dust and erosion must be seekinkled to prevent dust and erosion.         Air Pollution       Dust control         10. Wheel washing and damping down of un-surfaced and un-vegetated areas.       Duration of vegetation where possible will reduce dust in the minimisation of impacts to acceptable standards, thereby ensuring compliance will result.         3) Clearing activities must only be done during agreed working times and permitting weather conditions to avoid drifting of sand and dust into neighbouring areas.       Duration of care as prescribed by NEMA.         4) Damping down of all exposed soil surfaces with a water bowser or spinklers when necessary to reduce dust.       Damping down of all exposed soil surfaces with a water				
Air Pollution       Dust control       Nore getation where possible will reduce dust un-vegetated areas.       Duration of operation       The implementation of the maining and damping down of un-surfaced and the drainage possible will reduce dust travel.       Nore and permitting wather conditions to avoid drifting of sand and dust into neighbouring areas.       Nore and permitting wather conditions to avoid drifting of sand and dust into neighbouring areas.       Nore and permitting wather conditions to avoid drifting of sand and dust into neighbouring areas.         Air Pollution       Dust control       Nore and permitting wather conditions to avoid drifting of sand and dust into neighbouring areas.       Duration of operation       The implementation of the recommended mitigation measures will result into the minimisation of impacts to acceptable standards, thereby ensuring compliance with NEMA and Duty of Care as prescribed by NEMA.				
13. To prevent stormwater damage, the increase in stormwater run-off resulting from construction/prospecting activities must be estimated and the drainage system assessed accordingly A drainage plan must be submitted to the Engineer for approval and must include the location and design criteria of any temporary stream crossings.       14. Stockpiles not used in three (3) months after stripping must be ested/backfilled to prevent dust and erosion.         Air Pollution       Dust control       1) Wheel washing and damping down of un-surfaced and un-vegetated areas.       Duration of operation       The implementation of the recommended mitigation measures will result in the minimisation of implementation of standards, thereby ensuring compliance with NEMA and Duty of Care as prescribed working, times and partiting weather conditions to avoid drifting of sand and dust into neighbouring areas.       Duration of operation       NEMA.         4) Damping down of all exposed soil surfaces with a water bowser or sprinklers when necessary to reduce dust.       3) Clearing activities must only be done during areas.       Duration exposed soil surfaces with a water bowser or sprinklers when necessary to reduce dust.				
stormwater       run-off       resulting       from         construction/prospecting activities must be estimated       and the drainage system assessed accordingly. A       drainage system assessed accordingly. A         drainage plan must be submitted to the Engineer for       approval and must include the location and design       orterina of any temporary stream crossings.         14. Stockpiles not used in three (3) months after stripping       must be seeded/backfilled to prevent dust and erosion.       Duration of operation         Air Pollution       Dust control       1) Wheel washing and damping down of un-surfaced and un-vegetated areas.       Duration of operation         2) Retention of vegetation where possible will reduce dust travel.       3) Clearing activities must only be done during agreed working times and permitting weather conditions to avoid dritting of sand and dust into neighbouring areas.       NEMA and Duty of Care as prescribed by NEMA.         4) Damping down of all exposed soil surfaces with a water bowser or spinklers when necessary to reduce dust.       avaid dritting of sand and dust into neighbouring areas.				
Air Pollution       Dust control       Dust control       Normalization of un-surfaced and uses in a construction of un-surfaced and uses in a construction of un-surfaced and uses in a construction of un-surfaced and un-surfaced and un-surfaced and un-surfaced and un-surgatated areas.       Duration of operation       The implementation of the recommended mitigation measures will result in the minimisation of un-surfaced and un-surfaced and un-surfaced and un-surfaced and un-sugetated areas.       Duration of operation       The implementation of the recommended mitigation measures will result in the minimisation of un-surfaced and un-vegetated areas.         3)       Clearing activities must only be done during agreed working drifting of sand and dust into neighbouring areas.       NEMA.         4)       Damping down of all exposed soil surfaces with a water bowser or sprinklers when necessary to reduce dust.       NEMA.				
and the drainage system assessed accordingly A drainage plan must be submitted to the Engineer for approval and must include the location and design criteria of any temporary stream crossings.Image: Stream crossings and the grain of the submitted to the Engineer for approval and must include the location and design criteria of any temporary stream crossings.Duration of operationThe implementation of the recommended mitigation measures will result in the minimisation of impacts to acceptable standards, thereby ensuring compliance with NEMA and Duty of Care as prescribed working times and permitting weather conditions to avoid drifting of sand and dust into neighbouring areas.Duration of operationThe implementation of the recommended mitigation measures will result in the minimisation of impacts to acceptable standards, thereby ensuring compliance with NEMA and Duty of Care as prescribed by NEMA.4)Damping down of all exposed soil surfaces with a water bowser or sprinklers when necessary to reduce dust.Nema and but of Care as prescribed by NEMA.		5		
drainage plan must be submitted to the Engineer for approval and must include the location and design criteria of any temporary stream crossings.Image: Control criteria of any temporary stream crossing.Image: Control criteria of any temporary stream crossing.Air PollutionDust controlDuration of operationDuration of operation1) Wheel washing and damping down of un-surfaced and un-vegetated areas.Duration of operationThe implementation of the recommended mitigation measures will result in the minimisation of impacts to acceptable standards, thereby ensuring compliance with NEMA and Duty of Care as prescribed working times and permitting weather conditions to avoid drifting of sand and dust into neighbouring areas.Duration of all exposed soil surfaces with a water bowser or sprinklers when necessary to reduce dust.				
approval and must include the location and design criteria of any temporary stream crossings.       Image: Criteria of any temporary stream crossings.         14. Stockpiles not used in three (3) months after stripping must be seeded/backfilled to prevent dust and erosion.       Duration of operation         Air Pollution       Dust control       1) Wheel washing and damping down of un-surfaced and un-vegetated areas.       Duration of operation         2) Retention of vegetation where possible will reduce dust travel.       2) Retention of vegetation where possible will reduce dust travel.       Duration of coperation         3) Clearing activities must only be done during agreed working times and permitting weather conditions to avoid drifting of sand and dust into neighbouring areas.       NEMA and Duty of Care as prescribed by NEMA.         4) Damping down of all exposed soil surfaces with a water bowser or sprinklers when necessary to reduce dust.       NEMA and Duty of Care as prescribed				
Air Pollution       Dust control       Duration of operation       The implementation of the recommended mitigation measures will result in the minimisation of impacts to acceptable standards, travel.         1)       Wheel washing and damping down of un-surfaced and un-vegetated areas.       Duration of operation       The implementation of the recommended mitigation measures will result in the minimisation of impacts to acceptable standards, thereby ensuring compliance with NEMA and Duty of Care as prescribed working times and permitting weather conditions to avoid drifting of sand and dust into neighbouring areas.       NEMA and Duty of Care as prescribed by NEMA.				
14. Stockpiles not used in three (3) months after stripping must be seeded/backfilled to prevent dust and erosion.       Duration of operation       The implementation of the recommended mitigation measures will result in the minimisation of impacts to acceptable standards, thereby ensuring compliance with NEMA and Duty of Care as prescribed working times and permitting weather conditions to avoid drifting of sand and dust into neighbouring areas.       Duration of operation       The implementation of the recommended mitigation measures will result in the minimisation of impacts to acceptable standards, thereby ensuring compliance with NEMA and Duty of Care as prescribed by NEMA.         4) Damping down of all exposed soil surfaces with a water bowser or sprinklers when necessary to reduce dust.       Air Pollution       The implementation of the recommended mitigation measures will result in the minimisation of impacts to acceptable standards, thereby ensuring compliance with NEMA and Duty of Care as prescribed by NEMA.				
must be seeded/backfilled to prevent dust and erosion.         Air Pollution       Dust control       Duration of operation       The implementation of the recommended mitigation measures will result in the minimisation of impacts to acceptable standards, thereby ensuring compliance with NEMA and Duty of Care as prescribed working, times and permitting weather conditions to avoid drifting of sand and dust into neighbouring areas.       Duration of section       The implementation of the recommended mitigation measures will result in the minimisation of impacts to acceptable standards, thereby ensuring compliance with NEMA and Duty of Care as prescribed by NEMA.         4)       Damping down of all exposed soil surfaces with a water bowser or sprinklers when necessary to reduce dust.       Air Pollution       NEMA.				
Air Pollution       Dust control       Duration of operation       The implementation of the recommended mitigation measures will result in the minimisation of impacts to acceptable standards, thereby ensuring compliance with         1)       Wheel washing and damping down of un-surfaced and un-vegetated areas.       Duration of operation       The implementation of the recommended mitigation measures will result in the minimisation of impacts to acceptable standards, thereby ensuring compliance with         3)       Clearing activities must only be done during agreed working times and permitting weather conditions to avoid drifting of sand and dust into neighbouring areas.       NEMA and Duty of Care as prescribed by NEMA.         4)       Damping down of all exposed soil surfaces with a water bowser or sprinklers when necessary to reduce dust.       Network water				
<ol> <li>Wheel washing and damping down of un-surfaced and un-vegetated areas.</li> <li>Retention of vegetation where possible will reduce dust travel.</li> <li>Clearing activities must only be done during agreed working times and permitting weather conditions to avoid drifting of sand and dust into neighbouring areas.</li> <li>Damping down of all exposed soil surfaces with a water bowser or sprinklers when necessary to reduce dust.</li> </ol>				
<ul> <li>un-vegetated areas.</li> <li>2) Retention of vegetation where possible will reduce dust travel.</li> <li>3) Clearing activities must only be done during agreed working times and permitting weather conditions to avoid drifting of sand and dust into neighbouring areas.</li> <li>4) Damping down of all exposed soil surfaces with a water bowser or sprinklers when necessary to reduce dust.</li> </ul>	Air Pollution		Duration of operation	
<ul> <li>2) Retention of vegetation where possible will reduce dust travel.</li> <li>3) Clearing activities must only be done during agreed working times and permitting weather conditions to avoid drifting of sand and dust into neighbouring areas.</li> <li>4) Damping down of all exposed soil surfaces with a water bowser or sprinklers when necessary to reduce dust.</li> </ul>				•
<ul> <li>travel.</li> <li>3) Clearing activities must only be done during agreed working times and permitting weather conditions to avoid drifting of sand and dust into neighbouring areas.</li> <li>4) Damping down of all exposed soil surfaces with a water bowser or sprinklers when necessary to reduce dust.</li> </ul>				
<ul> <li>3) Clearing activities must only be done during agreed working times and permitting weather conditions to avoid drifting of sand and dust into neighbouring areas.</li> <li>4) Damping down of all exposed soil surfaces with a water bowser or sprinklers when necessary to reduce dust.</li> </ul>				
<ul> <li>working times and permitting weather conditions to avoid drifting of sand and dust into neighbouring areas.</li> <li>4) Damping down of all exposed soil surfaces with a water bowser or sprinklers when necessary to reduce dust.</li> </ul>				
<ul> <li>avoid drifting of sand and dust into neighbouring areas.</li> <li>4) Damping down of all exposed soil surfaces with a water bowser or sprinklers when necessary to reduce dust.</li> </ul>				
<ol> <li>Damping down of all exposed soil surfaces with a water bowser or sprinklers when necessary to reduce dust.</li> </ol>				by NEMA.
bowser or sprinklers when necessary to reduce dust.				
		4) Damping down of all exposed soil surfaces with a water		
5) The Contractor shall be responsible for dust control on		bowser or sprinklers when necessary to reduce dust.		
		5) The Contractor shall be responsible for dust control on		
site to ensure no nuisance is caused to the neighbouring		site to ensure no nuisance is caused to the neighbouring		
communities.		• •		
6) A speed limit of 30km/h must not be exceeded on site.		6) A speed limit of 30km/h must not be exceeded on site.		

	dust of Contra 8) Any d regula contro <b>Odour co</b> 9) Regul emiss 10) Regul odour <b>Rehabilita</b> 11) The expose comp <b>Fire prevo</b> 12) No o circun areas 13) The equip firefig	<ul> <li>arrow and the second second</li></ul>		
Nois	releva stand of dw 2) Pans, noisy noise are m be ev	prospecting activities must aim to adhere to the ant noise regulations and limit noise to within and working hours in order to reduce disturbance ellings in close proximity to the development. power plants, crushers, workshops and other fixed facilities should be located well away from sensitive areas. Once the proposed final layouts ade available by the Contractor(s), the sites must aluated in detail and specific measures designed he system.	Duration of operation	The implementation of the recommended mitigation measures will result in the minimisation of impacts to acceptable standards, thereby ensuring compliance with NEMA and Duty of Care as prescribed by NEMA.

	<ol> <li>Truck traffic should be routed away from noise sensitive areas, where possible.</li> <li>Noise levels must be kept within acceptable limits.</li> <li>Noisy operations should be combined so that they occur where possible at the same time.</li> <li>Mine workers to wear necessary ear protection gear.</li> <li>Noisy activities to take place during allocated hours.</li> <li>Noise from labourers must be controlled.</li> <li>Noise suppression measures must be applied to all equipment. Equipment must be kept in good working order and where appropriate fitted with silencers which are kept in good working order. Should the vehicles or equipment not be in good working order, the Contractor may be instructed to remove the offending vehicle or machinery from the site.</li> <li>The Contractor must take measures to discourage labourers from loitering in the area and causing noise disturbance. Where possible labour shall be transported to and from the site by the Contractor or his Sub-Contractors by the Contractors own transport.</li> <li>Implementation of enclosure and cladding of processing plants.</li> <li>Applying regular and thorough maintenance schedules to equipment and processes. An increase in noise emission levels very often is a sign of the imminent mechanical failure of a machine.</li> </ol>	
Impact on potential cultural and heritage artefacts	<ol> <li>Any finds must be reported to the nearest National Monuments office to comply with the National Heritage Resources Act (Act No 25 of 1999) and to DEA.</li> <li>Local museums as well as the South African Heritage Resource Agency (SAHRA) should be informed if any artefacts/ fossils are uncovered in the affected area.</li> <li>The Contractor must ensure that his workforce is aware of the necessity of reporting any possible historical, archaeological or palaeontological finds to the ECO so that appropriate action can be taken.</li> </ol>	The implementation of the recommended mitigation measures will result in the minimisation of impacts to acceptable standards, thereby ensuring compliance with NEMA and Duty of Care as prescribed by NEMA.

4) Known sites should be clearly marked in order that they
can be avoided. The work force should also be informed
that fenced-off areas are no-go areas.
5) The ECO must also survey for heritage and
palaeontological artefacts during ground breaking and
digging or drilling. He/she should familiarise themselves
with formations and its fossils or a palaeontologist
should be appointed during the digging and excavation
phase of the development.
6) All digging, excavating, drilling or blasting activities
must be stopped if heritage and/or palaeontological
artefacts are uncovered and a specialist should be
called in to determine proper management, mitigation,
excavation and/or collecting measures.
7) Any discovered artefacts or fossils shall not be removed
under any circumstances. Any destruction of a site can
only be allowed once a permit is obtained and the site
has been mapped an <mark>d noted.</mark> Permits shall be obtained
from SAHRA should the proposed site affect any world
heritage/palaeontology sites or if any
heritage/palaeontology sites are to be destroyed or
altered.
8) Under no circumstances shall any artefacts be
removed, destroyed or interfered with by anyone on the
site; and contractors and workers shall be advised of
the penalties associated with the unlawful removal of
cultural, historical, archaeological or palaeontological
artefacts, as set out in th <mark>e NHR</mark> A (Act No. 25 of 1999),
Section 51. (1).
9) Cultural Heritage in South Africa (includes all heritage
resources) is protected by the National Heritage
Resources Act (Act 25 of 1999) (NHRA). According
to Section 3 of the Act, all Heritage resources include
"all objects recovered from the soil or waters of
South Africa, including archaeological and

palaeontological objects and material, meteorites
and rare geological specimens".
If such resources are found during the mining or
development activities, they shall not be disturbed without a
permit from the relevant heritage resource Authority, which
means that before such sites are disturbed by development
it is incumbent on the developer to ensure that a heritage
impact assessment is done and the Provincial Heritage
Resources Authority and SAHRA must be contacted
immediately and work must stop.
If anything of Archaeological and/or paleontological
significance is found during the construction and operational
phase of the mine the following applies:
NHRA 38(4)c(i) – If any evidence of archaeological sites
or remains (e.g. remnants of stone-made structures,
indigenous ceramics, bones, stone artefacts, ostrich
eggshell fragments, charcoal and ash concentrations),
fossils or other categories of heritage resources are
found during the proposed development, SAHRA APM
Unit (021 462 5402) must be alerted as per section
35(3) of the NHRA. Non-compliance with section of the
NHRA is an offense in terms of section 51(1)e of the
NHRA and item 5 of the Schedule;
<ul> <li>NHRA 38(4)c(ii) – If unmarked human burials are</li> </ul>
uncovered, the SAHRA Burial Grounds and Graves
(BGG) Unit (012 320 8490), must be alerted
immediately as per section 36(6) of the NHRA. Non-
compliance with section of the NHRA is an offense in
terms of section 51(1)e of the NHRA and item 5 of the
Schedule;
<ul> <li>NHRA 38(4)e – The following conditions apply with</li> </ul>
regards to the appointment of specialists: i) If heritage
resources are uncovered during the course of the
development, a professional archaeologist or
development, a professional archaeologist of

palaeontologist, depending on the nature of the finds,
must be contracted as soon as possible to inspect the
heritage resource. If the newly discovered heritage
resources prove to be of archaeological or
palaeontological significance, a Phase 2 res <mark>cue</mark>
operation may be required subject to permits issued by
SAHRA;
If fossil remains or trace fossils are discovered during any
phase of construction, either on the surface or exposed by
excavations the Chance Find Protocol must be
implemented by the Environmental Control Officer (ECO) in
charge of these developments. These discoveries ought to
be protected and the ECO must report to SAHRA (Contact
details: SAHRA, 111 Harrington Street, Cape Town. PO Box
4637, Cape Town 8000, South Africa. Tel: 021 462 4502.
Fax: +27 (0)21 462 4509. Web: www.sahra.org.za) so that
mitigation can be carry out by a paleontologist.
Initigation can be carry out by a paleonitologist.
Chance Find Procedure
If a chance find is made the person responsible for the
find must immediately stop working and all work that
could impact that finding must cease in the immediate
vicinity of the find.
The person who made the find must immediately report
the find to his/her direct supervisor which in turn must
report the find to his/her manager and the ESO or site
manager. The ESO or site manager must report the find
to the relevant Heritage Agency (South African Heritage
Research Agency, SAHRA), (Contact details: SAHRA,
111 Harrington Street, Cape Town. PO Box 4637, Cape
Town 8000, South Africa. Tel: 021 462 4502. Fax: +27
(0)21 462 4509. Web: www.sahra.org.za). The
information to the Heritage Agency must include
photographs of the find, from various angles, as well as
the GPS co-ordinates.

Waste Management	<ul> <li>A preliminary report must be submitted to the Heritage Agency within 24 hours of the find and must include the following: 1) date of the find; 2) a description of the discovery and a 3) description of the fossil and its context (depth and position of the fossil), GPS coordinates.</li> <li>Photographs (the more the better) of the discovery must be of high quality, in focus, accompanied by a scale. It is also important to have photographs of the vertical section (side) where the fossil was found.</li> <li>Upon receipt of the preliminary report, the Heritage Agency will inform the ESO (or site manager) whether a rescue excavation or rescue collection by a palaeontologist is necessary.</li> <li>The site must be secured to protect it from any further damage. No attempt should be made to remove material from their environment. The exposed finds must be stabilized and covered by a plastic sheet or sand bags. The Heritage agency will also be able to advise on the most suitable method of protection of the find.</li> <li>In the event that the fossil cannot be stabilized the fossil may be collected with extreme care by the ESO (site manager). Fossils finds must be stored in tissue paper and in an appropriate box while due care must be taken to remove all fossil material from the rescue site.</li> <li>Once Heritage Agency has issued the written authorization, the development on the affected area.</li> </ul>	Duration of operation	The implementation of the
	<ol> <li>Refuse bins must be placed at strategic positions to ensure that litter does not accumulate within the construction/prospecting site.</li> </ol>		recommended mitigation measures will result in the minimisation of impacts to acceptable standards, thereby ensuring compliance with

<ol> <li>2) The Contractor shall supply waste collection bins where such is not available and all solid waste collected shall be disposed of at registered/licensed landfill.</li> <li>3) Good housekeeping practices should be implemented to regularly maintain the litter and rubble situation on the construction/prospecting site.</li> <li>4) If possible and feasible, all waste generated on site must be separated into glass, plastic, paper, metal and wood and recycled. An independent contractor can be appointed to conduct this recycling.</li> <li>5) Littering by the employees of the Contractor shall not be allowed under any circumstances. The ECO shall monitor the neatness of the work sites as well as the Contractor campsite.</li> <li>6) Skip waste containers should be maintained on site. These should be kept covered and arrangements made for them to be collected regularly.</li> <li>7) All waste must be removed from the site and transported to a landfill site promptly to ensure that it does not attract vermin or produce odours.</li> <li>8) Where a registered waste site is not available close to the construction/prospecting site, the Contractor shall provide a method statement with regard to waste</li> </ol>	NEMA and Duty of Care as prescribed by NEMA.
monitor the neatness of the work sites as well as the	
<ol> <li>Skip waste containers should be maintained on site. These should be kept covered and arrangements made</li> </ol>	
<ol> <li>All waste must be removed from the site and transported to a landfill site promptly to ensure that it</li> </ol>	
8) Where a registered waste site is not available close to	
provide a method statement with regard to waste management.	
<ul> <li>9) A certificate of disposal shall be obtained by the Contractor and kept on file, if relevant.</li> <li>10) Under no disputches and additional additionadditionadditional additional additional additional additionad</li></ul>	
<ul><li>10) Under no circumstances may solid waste be burnt on site.</li><li>11) All waste must be removed promptly to ensure that it</li></ul>	
does not attract vermin or produce odours.	
Hazardous waste	
12) All waste hazardous materials must be carefully stored	
as advised by the ECO, and then disposed of offsite at	
a licensed landfill site, where practical. Incineration may	
be used where relevant.	

<ul> <li>13) Contaminants to be stored safely to avoid spillage.</li> <li>14) Machinery must be properly maintained to keep oil leaks in check.</li> <li>15) All necessary precaution measures shall be taken to prevent soil or surface water pollution from hazardous materials used during construction/prospecting and any spills shall immediately be cleaned up and all affected areas rehabilitated.</li> <li>Sanitation <ol> <li>The Contractor shall install mobile chemical toilets on the site.</li> </ol> </li> <li>17) Staff shall be sensitised to the fact that they should use these facilities at all times. No indiscriminate sanitary activities on site shall be allowed.</li> <li>18) Toilets shall be serviced regularly and the ECO shall inspect toilets regularly.</li> </ul>
<ul> <li>activities on site shall be allowed.</li> <li>18) Toilets shall be serviced regularly and the ECO shall inspect toilets regularly.</li> <li>19) Toilets should be no closer than 50m or above the 1:100 year flood line from any natural or manmade water bodies or drainage lines or alternatively located in a place approved of by the Engineer.</li> <li>20) Under no circumstances may open areas, neighbours fences or the surrounding bush be used as a toilet facility.</li> <li>21) The construction of "Long Drop" toilets is forbidden, but rather toilets connected to the sewage treatment plant.</li> <li>22) Potable water must be provided for all construction staff.</li> <li>Remedial actions</li> <li>23) Depending on the nature and extent of the spill, contaminated soil must be either excavated or treated on-site.</li> <li>24) Excavation of contaminated soil must involve careful</li> </ul>
removal of soil using appropriate tools/machinery to storage containers until treated or disposed of at a licensed hazardous landfill site.

· · · · · · · · · · · · · · · · · · ·	
	25) The ECO must determine the precise method of
	treatment for polluted soil. This could involve the
	application of soil absorbent materials as well as oil-
	digestive powders to the contaminated soil.
	26) If a spill occurs on an impermeable surface such as
	cement or concrete, the surface spill must be contained
	using oil absorbent material.
	27) If necessary, oil absorbent sheets or pads must be
	attached to leaky machinery or infrastructure.
	28) Materials used for the remediation of petrochemical
	spills must be used according to product specifications
	and guidance for use.
	29) Contaminated remediation materials must be carefully
	removed from the area of the spill so as to prevent
	further release of petrochemicals to the environment
	and stored in adequate containers until appropriate
	disposal.
Water Use and Quality Water pollu	ution Water Use
	1) Develop a sustainable water supply management plan
	to minimise the impact to natural systems by managing
	water use, avoiding depletion of aquifers and minimising
	impacts to water users.
	2) Water must be reused, recycled or treated where
	possible.
	Water Quality
	3) The quality and quantity of effluent streams discharged
	to the environment including stormwater should be
	managed and treated to meet applicable effluent
	discharge guidelines.
	4) Discharge to surface water should not result in
	contaminant concentrations in excess of local ambient
	water quality criteria outside a scientifically established
	mixing zone.
	5) Efficient oil and grease traps or sumps should be

workshops, fuel storage depots, and containment areas
and spill kits should be available with emergency
response plans.
Stormwater
6) The site must be managed in order to prevent pollution
of drains, downstream watercourses or groundwater,
due to suspended solids and silt or chemical pollutants.
7) Silt fences should be used to prevent any soil entering
the stormwater drains.
8) Temporary cut off drains and berms may be required to
capture stormwater and promote infiltration.
9) Promote a water saving mind set with
construction/prospecting workers in order to Contractor
ensure less water wastage.
10) New stormwater construction must be developed strictly
according to specifications from engineers in order to
ensure efficiency. 11) Hazardous substances must be stored at least 20m
from any water bodies on site to avoid pollution.
12) The installation of the stormwater system must take
place as soon as possible to attenuate stormwater from
the construction phase as well as the operation phase.
13) Earth, stone and rubble is to be properly disposed of, or
utilized on site so as not to obstruct natural water path
ways over the site. i.e. these materials must not be
placed in stormwater channels, drainage lines or rivers.
14) There should be a per <mark>iodic</mark> checking of the site's
drainage system to ensure that the water flow is
unobstructed.
15) If a batching plant is necessary, run-off should be
managed effectively to avoid contamination of other
areas of the site. Untreated runoff from the batch plant
must not be allowed to get into the storm water system
or nearby streams, rivers or erosion channels or
dongas.

	<ul> <li>Groundwater resource protection</li> <li>16) Process solution storage ponds and other impoundments designed to hold non fresh water or un- treated process effluents should be lined and be equipped with sufficient wells to enable monitoring of water levels and quality.</li> <li>17) Prevent dirty water runoff from leaving the general mining area;</li> <li>18) Compact the base of dirty areas, like the workshops and oil and diesel storage areas to minimise infiltration of poor-quality water to the underlying aquifers;</li> <li>19) Enough supply of absorbent fibre should be kept at the site to contain accidental spills;</li> <li>20) Contain dirty water in return water dams and re-use dirty water for dust suppression and make up water in the plant;</li> <li>21) Proper storm water management should be implemented. Barms should also be constructed to ensure separation of clean water and dirty water areas;</li> <li>22) A detailed mine closure plan should be prepared during the operational phase, including a risk assessment, water resource impact prediction etc. as stipulated in the DWS Best Practice Guidelines. The implementation</li> </ul>
--	--

<ul> <li>25) Concrete contaminated water must not enter soil or any natural drainage system as this disturbs the natura acidity of the soil and affects plant growth.</li> <li>Public areas</li> <li>26) Food preparation areas should be provided with adequate washing facilities and food refuse should be stored in sealed refuse bins which should be removed from site on a regular basis.</li> <li>27) The Contractor should take steps to ensure that littering by construction workers does not occur and persons should be employed on site to collect litter from the site and immediate surroundings, including litter accumulating at fence lines.</li> <li>28) No washing or servicing of vehicles on site.</li> <li>Infrastructure</li> <li>29) Infrastructure should adhere to the GN704 of the South African National Water Act (36 of 1998) and not be located within the 1:100- year Return Period flood line This is essential for the safety of human life as well as for the protection of infrastructure from flood inundatior and destruction.</li> </ul>	
---	--

Mechanisms for monitoring compliance with and performance assessment against the environmental management programme and reporting thereon, including

- G. MONITORING OF IMPACT MANAGEMENT ACTIONS
- H. MONITORING AND REPORTING FREQUENCY
- I. RESPONSIBLE PERSONS
- J. TIME PERIOD FOR IMPLEMENTING IMPACT MANAGEMENT ACTIONS
- K. MECHANISM FOR MONITORING COMPLIANCE



SOURCE ACTIVITY	IMPACTS REQUIRING MONITORING PROGRAMMES	FUNCTIONAL REQUIREMENTS FOR MONITORING	ROLES AND RESPONSIBILITIES (FOR THE EXECUTION OF THE MONITORING PROGRAMMES)	MONITORING AND REPORTING FREQUENCY and TIME PERIODS FOR IMPLEMENTING IMPACT MANAGEMENT ACTIONS
Clearance of vegetation	Loss or fragmentation of habitats	<ul> <li>Conduct regular internal audits</li> <li>Conduct regular external audits</li> </ul>	<ul> <li>Environmental Manager</li> <li>Suitable qualified environmental auditor</li> </ul>	Monitoring should be undertaken for duration of operations. Internal audits should be undertaken at least every 6 months. External audits should be undertaken by a suitably qualified auditor on an annual basis. Reports should be made available to the competent authority if required.
Prospecting of Diamonds Alluvial (DA), Diamonds General (D), Diamonds in Kimberlite (DK) & Diamonds (DIA) – excavations	Loss of topsoil Erosion Air Pollution Noise Impact on potential cultural, heritage artefacts and fossils	<ul> <li>Conduct regular internal audits</li> <li>Conduct regular external audits</li> </ul>	<ul> <li>Environmental Manager</li> <li>Suitable qualified environmental auditor</li> </ul>	Monitoring should be undertaken for duration of operations. Internal audits should be undertaken at least every 6 months. External audits should be undertaken by a suitably qualified auditor on an annual basis. Reports should be made available to the competent authority if required.
Waste management	Pollution	<ul> <li>Conduct regular internal audits</li> <li>Conduct regular external audits</li> </ul>	<ul> <li>Environmental Manager</li> <li>Suitable qualified environmental auditor</li> </ul>	Monitoring should be undertaken for duration of operations. Internal audits should be undertaken at least every 6 months. External audits should be undertaken by a suitably qualified auditor on an annual basis. Reports should be made available to the competent authority if required.
Water Use and Quality	Water pollution	<ul> <li>Conduct regular internal audits</li> <li>Conduct regular external audits</li> </ul>	<ul> <li>Environmental Manager</li> <li>Suitable qualified environmental auditor</li> </ul>	Monitoring should be undertaken for duration of operations. Internal audits should be undertaken at least every 6 months. External audits should be undertaken by a suitably qualified auditor on an annual basis. Reports should be made available to the competent authority if required.

# L. A PROGRAM FOR REPORTING ON COMPLIANCE, TAKING INTO ACCOUNT THE REQUIREMENTS AS BY THE REGULATIONS;

External audits should be undertaken by a suitably qualified auditor on an annual basis. Reports should be made available to the Competent Authority if required.

## M. AN ENVIRONMENTAL AWARENESS PLAN DESCRIBING THE MANNER IN WHICH-

(i) Manner in which the applicant intends to inform his or her employees of any environmental risk which may result from their work.

Kimswa Mining (Pty) Ltd will implement an Environmental Awareness Plan which will include various mechanisms for informing employees of environmental risks resulting from their work, including:

- Induction training for full –time staff and contractors;
- In-house training sessions to be held with relevant employees;
- On the job training regarding environmental issues
- Training and skills development

The above measures will be implemented through an Environmental Communication Strategy to be implemented.

See the attached Appendix 11 for the Awareness plan

(ii) Manner in which risks will be dealt with in order to avoid pollution or the degradation of the environment.

**Kimswa Mining (Pty) Ltd** will implement an incident reporting and reporting procedure in order to identify risks timeously and implement actions to avoid or minimise environmental impacts.

# N. SPECIFIC INFORMATION REQUIRED BY THE COMPETENT AUTHORITY (Among others, Confirm that the financial provision will be reviewed annually).

No specific information requirements have been detailed by the Competent Authority.

END OF THE REPORT