

CHAPTER 9: CONCLUSION AND RECOMMENDATIONS

Table of Contents

9.	CONCLUSION AND RECOMMENDATIONS	271
9.1	Summary of specialist findings – impacts, actions and reasoned opinions	271
9.1.1	Geohydrology	271
9.1.2	Fauna & Flora	271
9.1.3	Avifauna.....	273
9.1.4	Wetlands	274
9.1.5	Aquatic ecology	274
9.1.6	Soils and Agricultural potential	274
9.1.7	Heritage.....	275
9.1.8	Visual landscape character.....	276
9.1.9	Socio-economics.....	277
9.2	Authorisations, permits and licences	279
9.3	Need and desirability.....	280
9.4	Project specifications	281
9.5	Legislative context.....	281
9.6	Environmental considerations	282
9.7	Final development layout.....	282
9.8	Reasoned opinion of the EAP	296

List of Figures

Figure 9.1:	Groundwater impact assessment summary. Bordered blocks represent impact significance after mitigation.	271
Figure 9.2:	Fauna and flora impact assessment summary. Bordered blocks represent impact significance after mitigation.	272
Figure 9.3:	Avifauna impact assessment summary. Bordered blocks represent impact significance after mitigation.....	273
Figure 9.4:	Soil and agricultural potential impact assessment summary. Bordered blocks represent impact significance after mitigation.	274

Figure 9.5: Heritage impact assessment summary. Bordered blocks represent impact significance after mitigation.....	275
Figure 9.6: Visual impact assessment summary. Bordered blocks represent impact significance after mitigation.....	276
Figure 9.7: Socio-economic impact assessment summary. Bordered blocks represent impact significance after mitigation.	278
Figure 9.8: Need and desirability for the 29 Solar Dealesville Development.	280
Figure 9.9: Environmental sensitivity map indicating the Watt PV development envelope with proposed technical layout, which avoids all environmental sensitivities.....	294
Figure 9.10: Environmental sensitivity map indicating the proposed collector substations, MTS, and 132 kV powerline. Pylons are outside the 200 m environmental setback for the Palmietfontein pan.	295

List of Tables

Table 9.1: Authorisation, permits and licences required for the 29 Solar Dealesville Development.	279
Table 9.2: Summary of project components and their maximum specifications.	281
Table 9.3: Activities listed in the 2014 NEMA EIA Regulations that are triggered by the proposed solar PV facility and shared electricity infrastructure.....	281
Table 9.3: Corner point coordinates for the i) Watt PV development envelope footprint; ii) 132 kV powerline pylons; iii) collector substation A; iv) collector substation B; and v) the Main Transmission Station.....	296

9. CONCLUSION AND RECOMMENDATIONS

9.1 Summary of specialist findings – impacts, actions and reasoned opinions

9.1.1 Geohydrology¹

The proposed site for the 29 Solar Dealesville Development, associated electrical infrastructure and the connection points to the substation will have a minimal effect on the geohydrology of the area.

Potential impacts to groundwater during all phases are expected to be low to very low negative with implementation of appropriate mitigation. The greatest risk to groundwater is the cumulative over-abstraction of reserves for the construction of multiple solar energy facilities proposed in the Dealesville area (Figure 9.1). However, the significance of this impact may be reduced to low with proper management.

Aspect/ Impact pathway	Nature of potential impact/risk	Significance of impact/risk					
		None	Very Low	Low	Moderate	High	Very high
Geohydrology	Construction of storage and labour accommodation yards		-				
	Stormwater outflows		-				
	Accidental oil spillage / fuel leakage		-				
	Cumulative use of groundwater		-				

Figure 9.1: Groundwater impact assessment summary. Bordered blocks represent impact significance after mitigation.

Key management actions and mitigation measures include, but are not limited to:

- Keep the footprint of the disturbed area to the minimum and designated areas only;
- Preconstruction walk through of the facility in order to locate species of conservation concern that can be translocated as well as comply with permitting conditions;
- Preconstruction environmental induction should be done for all construction staff and visitors;
- Adhere to existing roads;
- Limit vegetation removal; and
- Rehabilitate vegetation cleared and disturbed areas using indigenous species.
- There must be no oil leaks from the construction vehicles on site and fuel spillages must be prevented.

*“Although the planned facilities will not impact on the groundwater resources of the area and **from a geohydrological perspective the construction and operation can proceed**, reasonable care must be taken not to cause any contamination of groundwater.” (Conrad & Peek, 2016)*

The groundwater of the study area has the potential to be utilized in all phases of the proposed project. Groundwater exploration, development, monitoring, management and authorization will have to be addressed as a separate project.

9.1.2 Fauna & Flora²

The study area falls primarily within the Western Free State Clay Grassland but also in the Vaal-Vet Sandy Grassland (Mucina and Rutherford, 2006). The ephemeral pans are classified as Highveld Salt Pans. Vegetation was largely karroid and vegetation was mostly comprised of *Themeda triandra* –

¹ Conrad & Peek, 2016.

² Digby Wells Environmental, 2016 a

Rosenia humilis mixed shrubland/grassland (covering 292ha), in addition to alien bushclumps and ephemeral pans.

A total of 17 mammals were recorded, many of which were game species and none of which were Red Data listed. No amphibians were recorded and four reptiles were recorded. Each reptile has been listed on the Transvaal Nature Conservation Ordinance (1983) list of protected species. No recent protected species list has been published for the Free State Province, however, and this list needs revision.

The proposed development will result in the loss of Very High ecologically sensitive habitat in the form of pans. It is strongly recommended that these areas are avoided and the specific mitigation measures described in the wetlands assessment report are adhered to. The overall impact of the proposed Solar PV facility will be moderate to low.

Potential impacts to fauna and flora during all phases are expected to be moderate to low and very low negative with implementation of appropriate mitigation (Figure 9.2). The greatest risk to fauna and flora is habitat and species loss, which can be mitigated by minimising disturbance and site remediation. Cumulative impacts of vegetation clearing range from moderate to low and very low negative (Figure 9.2).

Aspect/ Impact pathway	Nature of potential impact/risk	Significance of impact/risk					
		None	Very Low	Low	Moderate	High	Very high
Fauna & Flora	Internal access roads and vehicular activities on site	-	-				
	Internal access roads and vehicular activities on site	-	-				
	Site Preparation	-	-				
	Site Preparation	-	-				
	Construction of surface infrastructure and preparation	-	-				
	Construction of surface infrastructure and preparation	-	-				
	Soil disturbance resulting in the spread of alien plant species on site	-	-				
	Soil disturbance resulting in the spread of alien plant species on site	-	-				
	Access control and fencing	-	-				
	Access control and fencing	-	-				
	Disassemble components	-	-				
	Cumulative clearing of vegetation	-	-				
	Cumulative clearing of vegetation	-	-				

Figure 9.2: Fauna and flora impact assessment summary. Bordered blocks represent impact significance after mitigation.

Key management actions and mitigation measures include, but are not limited to:

- Avoid pans and pan buffer areas;
- Keep the footprint of the disturbed area to the minimum and designated areas only;
- Preconstruction walk through of the facility in order to locate species of conservation concern that can be translocated as well as comply with permitting conditions;
- Preconstruction environmental induction should be done for all construction staff and visitors;
- Adhere to existing roads;
- Limit vegetation removal; and
- Rehabilitate vegetation cleared and disturbed areas using indigenous species.

“Since the majority of the site is of moderate ecological sensitivity, it is of the specialist’s opinion that the development goes ahead.” (Digby Wells, 2016 a)

It is important to note that the field investigation took place in during drought conditions, although this was during the expected rainy season i.e. January 2016. As not all plant species on site were identifiable during the flora survey, it is possible that Red Data species could have been missed. It is strongly recommended that an additional flora Red Data survey is conducted prior to the clearing of any habitat associated with the site.

9.1.3 Avifauna³

A total of 46 birds were recorded, three of these species are protected according to the IUCN (2015). One species was found to be endemic and two species near endemic, 45 species are protected according to the Transvaal Nature conservation act.

The proposed development will result in the loss of Very High ecologically sensitive habitat in the form of pans, which in turn will impact on bird species. It is strongly recommended that these areas are avoided and the specific mitigation measures described in the wetlands assessment report are adhered to. Collision and electrocution of birds with infrastructure, specifically powerlines is a high impact, but one that can be mitigated through measures listed in this report.

The overall impact of the proposed 29 Dealesville Development during all phases will be moderate to high negative. The significance of impacts may be reduced to low negative with the implementation of proper management actions and mitigation measures (Figure 9.3). The greatest risks to avifauna are due to the electricity infrastructure. Cumulative impacts are expected to be high to moderate negative with the implementation of proposed management and mitigation (Figure 9.3).

Aspect/ Impact pathway	Nature of potential impact/risk	Significance of impact/risk					
		None	Very Low	Low	Moderate	High	Very high
Avifauna	Loss of Avifauna Diversity due to habitat destruction						
	Loss of Avifauna Diversity due to disturbance and barrier effect						
	Avifauna habitat fragmentation						
	Collision and electrocution on powerlines						
	Electrocutions on substations and switching stations						
	Collision of birds with panels and other infrastructure						
	Cumulative impact of infrastructure						

Figure 9.3: Avifauna impact assessment summary. Bordered blocks represent impact significance after mitigation.

Key management actions and mitigation measures include, but are not limited to:

- Avoid pans and pan buffer areas;
- Keep the footprint of the disturbed area to the minimum and designated areas only;
- Preconstruction walk through of the facility in order to locate species of conservation concern that can be translocated as well as comply with permitting conditions;
- Limit vegetation removal;
- Monitor bird collisions and fatalities;
- Install bird reflectors/deflectors ;
- Utilize underground cabling as far as possible;
- All line structures must be used in tandem with the standard Eskom Bird Perch to provide safe perching substrate high above the dangerous hardware; and
- Regular maintenance to remove nesting sites in infrastructure components establishing.

“Since the majority of the site is of moderate ecological sensitivity, it is of the specialist’s opinion that the development goes ahead.” (Digby Wells, 2016 d)

It is important to note that the field investigation took place in during drought conditions, although this was during the expected rainy season i.e. January 2016. As not all bird species on site were identifiable during the survey, it is possible that Red Data species could have been missed. It is strongly

³ Digby Wells Environmental, 2016 d

recommended that an additional avifauna Red Data survey is conducted prior to the clearing of any habitat associated with the site.

9.1.4 Wetlands⁴

No wetland features were present in the area proposed for Watt PV.

9.1.5 Aquatic ecology

No aquatic ecology features were present in the area proposed for Watt PV.

9.1.6 Soils and Agricultural potential⁵

The proposed development is located on land zoned and used for agriculture. South Africa has very limited arable land and it is therefore critical to ensure that development does not lead to an inappropriate loss of potentially arable land. The proposed site is on land which is unsuitable for cultivation predominantly due to soil limitations, but also due to climate limitations. The low agricultural potential of the site limits the significance of agricultural impacts. The site is not considered to be land that has a high priority for preservation as agricultural land.

Because of the low agricultural potential of the site, which makes it unsuitable for cultivation, the development should, from an agricultural impact perspective, be authorised. Authorisation is promoted by the fact that the site falls within a proposed renewable energy development zone, where such land use has been assessed as very suitable in terms of a number of factors, including agricultural impact. It is preferable to incur a loss of agricultural land in such a region, without cultivation potential, than to lose agricultural land that has a higher potential, to renewable energy development elsewhere in the country.

No agriculturally sensitive areas occur within the proposed site and no part of it is therefore required to be set aside from the development. Potential impacts during all phases are expected to be moderate to low and very low negative. Whilst additional land use income and increased security against stock theft and predation are considered positive spin-offs from developing the proposed 29 Solar Dealesville Development (Figure 9.4). The impact of cumulative loss to agricultural land on a regional scale is moderate negative (Figure 9.4).

Aspect/ Impact pathway	Nature of potential impact/risk	Significance of impact/risk					
		None	Very Low	Low	Moderate	High	Very high
Soil and Agricultural Potential	Occupation of the land by the project infrastructure						
	Change in land surface characteristics.						
	Disturbance to soil profile.						
	Construction dust generation						
	Project land rental						
	Change in land surface characteristics.						
	Fencing and securing of facility perimeter						
	Change in land surface characteristics.						
	Decommissioning activities that disturb the soil profile.						
	Decommissioning dust generation						
Occupation of the land by infrastructure of multiple developments	Cumulative loss of agricultural land						

Figure 9.4: Soil and agricultural potential impact assessment summary. Bordered blocks represent impact significance after mitigation.

Key management actions and mitigation measures include, but are not limited to:

- Implement a storm water system that effectively collects and safely disseminates any run-off water from all hardened surfaces and it must prevent any potential down slope erosion;

⁴ Digby Wells Environmental, 2016 b

⁵ Lanz, 0215.

- When activities mechanically disturb the soil below surface in any way, available topsoil should first be stripped from the entire surface to be disturbed and stockpiled for re-spreading during rehabilitation;
- Topsoil stockpiles must be conserved against losses through erosion by establishing vegetation cover on them;
- During rehabilitation, the stockpiled topsoil must be evenly spread over the entire disturbed surface; and
- Control dust generation during construction activities by implementing standard construction site dust control measures.

“Because of the low agricultural potential of the site, which makes it unsuitable for cultivation, the development should, from an agricultural impact perspective, be authorised.” (Lanz, 2016)

9.1.7 Heritage⁶

The proposed Watt PV facility and associated electrical infrastructure have been assessed and, on the whole and with mitigation, the heritage impacts are not likely to be of very high significance and they are entirely manageable. There are, however, two very important heritage sites within the proposed PV footprint (a graveyard and a Stone Age site). Graves are important in heritage terms, it is expected that they would be avoided by the final layout. Similarly, the very important Khoekhoe site along the dolerite ridge is unlikely to be impacted because of its location. Provided that these two important sites are avoided, there are no fatal flaws. The majority of sensitive features, including many graves, lie within the electricity infrastructure corridor and because of the small surface footprint of transmission lines it should be easy to avoid these sites. Potential impacts to heritage resources during all phases are low and very low negative (Figure 9.5), with adherence to proposed avoidance, management and mitigation action. Cumulative impacts range from moderate to low and very low negative (Figure 9.5).

Aspect/ Impact pathway	Nature of potential impact/risk	Significance of impact/risk					
		None	Very Low	Low	Moderate	High	Very high
Heritage	Clearing of site	-	-	-	-	-	-
	Clearing of site	-	-	-	-	-	-
	Clearing of site	-	-	-	-	-	-
	Clearing of site and construction of facility	-	-	-	-	-	-
	Workers wondering off site	-	-	-	-	-	-
	Operation of facility	-	-	-	-	-	-
	Staff wondering off site	-	-	-	-	-	-
	Removal of facility infrastructure	-	-	-	-	-	-
	Workers wondering off site	-	-	-	-	-	-
	Cumulative site clearing	-	-	-	-	-	-
	Cumulative site clearing	-	-	-	-	-	-
	Cumulative site clearing and construction	-	-	-	-	-	-

Figure 9.5: Heritage impact assessment summary. Bordered blocks represent impact significance after mitigation.

Key management actions and mitigation measures include, but are not limited to:

- A palaeontologist should inspect the pre-construction geotechnical report to evaluate potential impacts to the Ecca Formation and the need for any further work;
- Avoid all identified heritage features by a buffer distance of 20 m;
- All activities must take place within the authorised construction footprint so as to minimise damage to nearby heritage resources.

⁶ Orton, 2016.

- If any archaeological material or human burials are uncovered during the course of development then work in the immediate area should be halted. The find would need to be reported to the heritage authorities and may require inspection by an archaeologist. Such heritage is the property of the state and may require excavation and curation in an approved institution.
- Make use of neutral, earthy coloured paint on the built elements of the facility so as to reduce the degree of contrast in the landscape

The proposed Watt PV facility and associated electrical infrastructure have been assessed and it has been found that, overall and with mitigation, the heritage impacts are not likely to be of very high significance and they are entirely manageable. Although graves are important in heritage terms, it is expected that they would be avoided by the final layout. There are no fatal flaws.

“It is recommended that the proposed Watt PV facility and the shared 29 Solar electricity infrastructure should be authorised, subject to implementing recommended avoidance, management and mitigation actions.” (Orton, 2016)

9.1.8 Visual landscape character⁷

The landscape surrounding the proposed site has a rural agricultural character which has been transformed by extensive stock farming and large scale electrical infrastructure in the form of high voltage transmission lines and two large substations.

The visibility analysis indicates that the significance of the potential visual impacts will not be influenced by the exact location within the surveyed area of the 240 - 300 ha required for the facility. The analysis was conducted using maximum heights for structures in order to simulate a worst case scenario.

The impacts to sensitive visual receptors during all phases are expected to range from moderate to low and very low negative with the implementation of proposed mitigation measures, whilst cumulative impacts are expected to be low to very low negative (Figure 9.6)

Aspect/ Impact pathway	Nature of potential impact/risk	Significance of impact/risk					
		None	Very Low	Low	Moderate	High	Very high
Visual	Visual intrusion of construction activities associated with PV facility	-	-	-	-	-	-
	Visual intrusion of construction activities associated with the electricity infrastructure	-	-	-	-	-	-
	Landscape impact of a large PV facility on a rural agricultural landscape	-	-	-	-	-	-
	Landscape impact of the electricity infrastructure	-	-	-	-	-	-
	Visual intrusion of operational PV facility	-	-	-	-	-	-
	Visual intrusion of operational the electricity infrastructure	-	-	-	-	-	-
	Impact of night lighting on the nightscape of the region	-	-	-	-	-	-
	Visual impact of decommissioning the PV facility	-	-	-	-	-	-
	Visual impact of decommissioning the the electricity infrastructure	-	-	-	-	-	-
	Cumulative impact on the landscape of the region.	-	-	-	-	-	-
	Cumulative impact on sensitive visual receptors.	-	-	-	-	-	-
		Loss of visual resources	-	-	-	-	-
		Loss of visual resources	-	-	-	-	-
	Change of landscape character	-	-	-	-	-	
	Change of landscape character	-	-	-	-	-	
	Change in existing views of sensitive visual receptors	-	-	-	-	-	
	Change in existing views of sensitive visual receptors	-	-	-	-	-	
	Light pollution in a dark nightscape.	-	-	-	-	-	
	Impact on visual resources.	-	-	-	-	-	
	Impact on visual resources	-	-	-	-	-	
	Change in landscape character	-	-	-	-	-	
	Visual intrusion	-	-	-	-	-	

Figure 9.6: Visual impact assessment summary. Bordered blocks represent impact significance after mitigation.

Key management actions and mitigation measures include, but are not limited to:

- Preparation of the solar field area (i.e. clearance of vegetation, grading, contouring and compacting) and solar field construction should be phased in a way that makes practical sense in order to minimise the area of soil exposed and duration of exposure;
- Night time construction should be avoided;
- A lighting plan that documents the design, layout and technology used for lighting purposes should be prepared, indicating how nightscape impacts will be minimised;

⁷ Holland, 2016.

- A maintenance plan for buildings and structures should be followed to ensure that structures remain as non-reflective as possible, and buildings remain as unobtrusive as possible.
- Appropriate coloured materials should be used for structures to blend in with the backdrop of the project where this is technically feasible and the colour or paint will not have a deleterious effect on the functionality of the structures;
- The project developer should maintain rehabilitated surfaces until a self-sustaining stand of vegetation is established and visually adapted to the undisturbed surrounding vegetation. No new disturbance should be created during operations without approval by the Environmental Officer;
- Restoration of disturbed land should commence as soon after disturbance as possible;
- Dust and noxious weed control should be part of maintenance activities;
- Road maintenance activities should avoid damaging or disturbing vegetation; and
- Where possible, the type of power line towers used for the proposed power line should be similar to existing power line towers in the landscape.

*“On a local scale the visually disturbed landscape and low potential for scenic views indicates that **in terms of visual amenity the site should be authorised** with adherence to proposed mitigation measures.” (Holland, 2016)*

9.1.9 Socio-economics⁸

When considering the overall costs and benefits of the proposed project it was found that the benefits should be more prominent allowing for the achievement of a net benefit.

Benefits would be particularly prominent for the project applicants, land owners on the site, beneficiaries of local socio-economic development projects and in the achievement of national and regional energy policy goals. The project would also help to diversify the local economy and result in significant positive economic spin-offs primarily because of the expenditure injection and jobs associated with it.

Risks and negative impacts would primarily arise at a local scale and include risks associated with ‘social ills’ that may arise from an influx of workers and work-seekers along with risk to surrounding land owners. On the whole, these risks are considered manageable with adequate mitigation. Limited tourism facilities, the nature or surrounding land uses and visual impacts indicates that risks to tourism and property values would remain low overall with mitigation for Watt PV (Figure 9.7).

If all of the individual PV projects go ahead along with other solar project approved or planned for the wider area, there would be a significant amplification of impacts. Positive impact associated with project expenditure and the funding of local socio-economic development initiatives would increase to a cumulative high significance. Cumulative social impacts associated with the influx of people and impacts on surrounding land owners should increase to a cumulative moderate significance given their intensity. Cumulative tourism and property value impacts should increase to a similar degree.

⁸ Van Zyl, 2016.

Aspect/ Impact pathway	Nature of potential impact/risk	Significance of impact/risk					
		None	Very Low	Low	Moderate	High	Very high
Socio-economics	Project expenditure		+				
	Presence of facility and workers		-				
	Visual and other impacts		-				
	Visual and other impacts		-				
	Socio-economic development contribution		+				
	Cumulative project expenditure		+				
	Cumulative socio-economic development contribution		+				
	Cumulative influx of workers		-				
	Cumulative presence of facility and workers		-				
	Cumulative visual and other impacts		-				
	Cumulative visual and other impacts		-				

Figure 9.7: Socio-economic impact assessment summary. Bordered blocks represent impact significance after mitigation.

Key management actions and mitigation measures include, but are not limited to:

- Maximise positive impacts through tendering, procurement and employment policies.
- Set targets for use of local labour and maximise opportunities for the training of unskilled and skilled workers.
- Use local sub-contractors where possible
- Establish a Monitoring Forum for the project
- Implement an HIV/AIDS awareness programme for all construction workers at the outset of the construction phase.
- Make necessary arrangements to enable workers from outside the area to return home over weekends and or on a regular basis during the construction phase. This would reduce the risk posed by non-local construction workers to local family structures and social networks.
- Closely monitor and manage the movement of workers on and off the site
- Implement measures to assist and, if needed, fairly compensate potentially affected surrounding landowners whereby damages to farm property, stock theft or significant disruptions to farming activities can be minimized or reduced
- Draw up a fire management plan prior to construction in agreement with neighbouring land owners.
- Close liaison with local municipal and other stakeholders involved in socio-economic development in order to ensure that any projects are integrated into wider strategies and plans with regard to socio-economic development.
- Monitor potential impacts on surrounding property values with the assistance of an independent valuer. If it is independently confirmed that value reductions have taken place and they cannot be mitigated, then this information can be used as a basis for negotiation and/or mediation between the applicant and neighbouring land owners focused on compensation.

“I, Dr Hugo van Zyl, am of the opinion that **the proposed Watt PV and supporting electrical infrastructure could be authorised** on the basis of the socio-economic impacts assessed.” (Van Zyl, 2016)

9.2 Authorisations, permits and licences

Table 9.1: Authorisation, permits and licences required for the 29 Solar Dealesville Development.

Legislation	Issuing authority	Permit requirement
NEMA (Act 107 of 1998) and EIA Regulations published under Chapter 5 of the NEMA on 04 December 204.	National DEA	<ul style="list-style-type: none"> Environmental Authorisation <i>This EIAr has been compiled in support of an application for EA to provide the DEA with the information required in order to make an informed decision on the EA application.</i>
National Environmental Management Biodiversity Act (NEMBA) (Act 10 of 2004), TOPS Regulations (Threatened or Protected Species Regulations)	Free State DESTEA	<ul style="list-style-type: none"> The need for a TOPS permit and a permit to disturb protected species. <i>The applicability and need for these permits depend on threatened/protected species present on site. This should be determined and confirmed by a terrestrial ecologist following the pre-construction walk-down of the site.</i>
National Heritage Resources Act (NHRA) (Act 25 of 1999)	SAHRA and Free State Heritage Authority	<ul style="list-style-type: none"> The NHRA does not require the developer to obtain permits prior to construction. However, any archaeological or palaeontological mitigation work (e.g. test excavations, sampling) that may be required would need to be conducted under a permit issued to, and in the name of, the appointed archaeologist or palaeontologist. This EIAr has been submitted to SAHRA. <i>The applicability and need for any authorisation and/or permits will be identified and confirmed during SAHRA's review of this EIAr, and also by a heritage specialist during the pre-construction walk-down of the site.</i>
National Forests Act (Act 84 of 1998)	DAFF	<ul style="list-style-type: none"> No protected tree species were recorded in the area, <i>The applicability and need for these permits depend on threatened/protected species present on site. This should be determined and confirmed by a terrestrial ecologist following the pre-construction walk-down of the site.</i>
Subdivision of Agricultural Land Act (Act 70 of 1970)	DAFF	<ul style="list-style-type: none"> Subdivision of Agricultural Land (SALA) approval is required for long term lease of land zoned for agriculture. <i>The process of acquiring SALA consent will be executed by the Project Developer independently of this EIA process.</i>
National Water Act (Act No. 36 of 1998)	DWS	<ul style="list-style-type: none"> Activities will take place within 500 m of a wetland boundary and would therefore require a Water Use License (WUL) under the Section 21 c & i the National Water Act, 1998 (Act No. 36 of 1998). In addition, should groundwater be abstracted via boreholes, Section 21 a & b will also be applicable to the project. <i>A WUL is required for this project. The application</i>

Legislation	Issuing authority	Permit requirement
		<i>process for acquiring a WUL will be executed by the Project Developer independently of this EIA process.</i>
Civil Aviation Act (Act 13 of 2009) and Civil Aviation Regulations (CAR) of 1997	Civil Aviation Authority (CAA)	<ul style="list-style-type: none"> Approval from the CAA is required. <i>The process of acquiring CAA consent will be executed by the Project Developer independently of this EIA process.</i>
Civil Aviation Authority Act (Act 40 of 1998)		

9.3 Need and desirability

South Africa is facing serious electricity shortages. Linked to this, the proposed projects aim to supply additional electricity to the national grid. Furthermore, the urgent need to reduce greenhouse gas emissions and the importance of a secure and diversified energy supply has resulted in a global shift towards, and an increased focus on, the use of renewable energy technologies. In South Africa, national government has encouraged the utilisation of renewable energy through national policy and strategic planning. The objective is to expand electricity generation capacity in South Africa and promote the practice of sustainable development. The key elements describing the need and desirability of the 29 Solar Dealesville Development are summarised in Figure 9.8.




Figure 9.8: Need and desirability for the 29 Solar Dealesville Development.

9.4 Project specifications

The components that for part of Watt PV, as part of the 29 Solar Dealesville Development, and their maximum specification are presented in Table 9.2.

Table 9.2: Summary of project components and their maximum specifications.

Component	Specification
PV FACILITY	
Capacity	100 MW
PV area	Footprint area: 240 - 300 ha; Height: 5 m
Number of inverters required	112
Buildings	Footprint area: 1 100 m ² Height: 4 m
Laydown area	Footprint area: 40 000 m ² = 4 ha;
Roads	Width: 3 - 5 m
Fencing	Electrified security fencing Height: 3 m
Water use (construction)	Volume: 16 700 m ³ per year (duration of construction)
Water use (operation)	Volume: 4 672 m ³ per year
Waste water/sewage (construction)	Portable contained toilets will be on site and provided and serviced by a licensed contractor
Waste water/sewage (operation)	Volume: 183 m ³ per year
Solid waste (construction)	Weight: 300 t per year (duration of construction)
Solid waste (operation)	Weight: 36 t per year
ELECTRICITY INFRASTRUCTURE	
132/22/33 kV collector substations (x2)	Footprint area: 120 m x 120 m = 14 400 m ² = 1.44 ha; Height: 21 m
275/132 kV MTS	Footprint area: 200 m x 300 m = 60 000 m ² = 6 ha; Height: 25 m
132 kV transmission lines	Height: 35 m
275 kV transmission lines	Height: 35 m

9.5 Legislative context

Table 9.3: Activities listed in the 2014 NEMA EIA Regulations that are triggered by the proposed solar PV facility and shared electricity infrastructure.

EA 1: FARADAY PV SOLAR ENERGY FACILITY	EA 2: 29 SOLAR ELECTRICITY INFRASTRUCTURE
Activities	
GN R983, Activity 28 (ii): Residential, mixed, retail, commercial, industrial or institutional developments where such land was used for agriculture or afforestation on or after 01 April 1998 and where such development will occur outside an urban area, where the total land to be developed is bigger than 1 hectare.	
GN R984, Activity 1: The development of facilities or infrastructure for the generation of electricity from a renewable resource where the electricity output is 20 megawatts or more, excluding where such development of facilities or infrastructure is for photovoltaic installations and occurs within an urban area.	

EA 1: FARADAY PV SOLAR ENERGY FACILITY	EA 2: 29 SOLAR ELECTRICITY INFRASTRUCTURE
Activities	
	GN R984, Activity 9: The development of facilities or infrastructure for the transmission and distribution of electricity with a capacity of 275 kilovolts or more, outside an urban area or industrial complex.
GN R984, Activity 15: The clearance of an area of 20 hectares or more of indigenous vegetation.	
GN R985, Activity 12 (i): The clearance of an area of 300 square metres or more of indigenous vegetation in Free State within any critically endangered or endangered ecosystem listed in terms of section 52 of the NEMBA or prior to the publication of such a list, within an area that has been identified as critically endangered in the National Spatial Biodiversity Assessment.	

9.6 Environmental considerations

Potential risks and impacts associated with the 29 Solar Dealesville Development has an overall moderate to low negative significance, whilst positive impacts stem from the potential diversification of land use income, and heightened security against stock theft and predation. Implementation of proposed avoidance, management, mitigation and monitoring actions, as prescribed in Volume B: EMP, are key to reducing anticipated impacts associated with the development to overall low to very low negative.

The following environmental buffers/setbacks have been proposed by specialists, and were included in the development footprint planning (see Section 9.7).

- 100 m from wetlands/pans;
- 200 m from the large Palmietfontein pan and associated hillslope seep area;
- 20 m from identified heritage features;
- Sensitive agricultural resources (cultivated fields); and
- 500 m from occupied buildings.

The avoidance of sensitive the above sensitive features minimise to potential impact of the proposed 29 Solar Dealesville Development.

9.7 Final development layout

Watt PV is proposed on the farms Palmietfontein 140 (SG Code: F0040000000014000000). Figure 9.9 indicates the final development footprint for Watt PV with proposed technical layout. Figure 9.10 indicates the shared electricity infrastructure. Relevant corner coordinates for footprints and infrastructure are provided in Table 9.4.




Figure 9.9: Environmental sensitivity map indicating the Watt PV development envelope with proposed technical layout, which avoids all environmental sensitivities.




Figure 9.10: Environmental sensitivity map indicating the proposed collector substations, MTS, and 132 kV powerline. Pylons are outside the 200 m environmental setback for the Palmietfontein pan.

Table 9.4: Corner point coordinates for the i) Watt PV development envelope footprint; ii) 132 kV powerline pylons; iii) collector substation A; iv) collector substation B; and v) the Main Transmission Station.

i)Watt PV			ii)132 kV line pylons		
	Lat	Long		Lat	Long
A	28°40'1.96"S	25°40'34.14"E	A	28°40'8.44"S	25°39'28.27"E
B	28°40'1.05"S	25°41'35.00"E	B	28°40'24.65"S	25°39'20.01"E
C	28°40'4.47"S	25°41'59.37"E	C	28°40'33.18"S	25°39'21.60"E
D	28°40'10.44"S	25°41'59.68"E	D	28°40'40.10"S	25°39'28.39"E
E	28°40'10.13"S	25°42'19.04"E	E	28°40'43.26"S	25°39'38.13"E
F	28°40'49.04"S	25°42'2.12"E	F	28°40'42.48"S	25°39'48.17"E
G	28°40'53.34"S	25°40'59.60"E	G	28°40'39.99"S	25°39'58.12"E
H	28°40'2.94"S	25°40'34.17"E	H	28°40'35.16"S	25°40'6.96"E
			J	28°40'28.73"S	25°40'13.65"E
			K	28°40'20.74"S	25°40'18.96"E
			L	28°40'18.84"S	25°40'26.67"E
			M	28°40'17.25"S	25°40'32.69"E
			N	28°39'57.21"S	25°40'30.60"E
			O	28°40'10.61"S	25°40'30.62"E
iii)Collector A			iv)Collector B		
	Lat	Long		Lat	Long
A	28°39'54.44"S	25°40'39.09"E	A	28°40'2.22"S	25°39'25.43"E
B	28°39'54.47"S	25°40'43.07"E	B	28°40'2.11"S	25°39'29.32"E
C	28°39'58.81"S	25°40'43.10"E	C	28°40'6.42"S	25°39'29.58"E
D	28°39'58.81"S	25°40'39.09"E	D	28°40'6.53"S	25°39'25.61"E
v)MTS					
	Lat	Long		Lat	Long
A	28°40'20.05"S	25°40'22.36"E			
B	28°40'16.49"S	25°40'37.12"E			
C	28°40'26.21"S	25°40'40.19"E			
D	28°40'29.74"S	25°40'25.49"E			

9.8 Reasoned opinion of the EAP

The project proponent (29 Solar) has indicated their commitment to environmental responsibility by adhering to specialist recommendations of environmental buffers in planning the development footprints. Based on the findings of independent specialists and final development plans, **it is the reasoned opinion of the EAPs, Ms. Luanita van der Walt and Ms. Surina Laurie, that the proposed Watt PV facility and the shared 29 Solar electricity infrastructure be granted environmental authorisation** in terms of the 2014 EIA Regulations.

Furthermore, the EAP, on behalf of 29 Solar, requests for Section 25 (2) of the 2014 EIA Regulations to be enacted by the Competent Authority by the means of issuing EAs for the solar PV aspects, components and activities associated with each of the five projects of the 29 Solar Dealesville Development (EA 1 – EA 5) and a single separate EA for the electricity infrastructure aspects, components and activities (EA 6).