





NORTH EAST ELEVATION 1:100





SOUTH EAST ELEVATION 1:100





ALL NEW RAIN WATER GOODS TO COMPLY WITH PART R OF SANS 10400.

SPEC. COLOUR TO BE SPECIFIED BY CLIENT.

ALL NEW TIMBER TO BE TREATED AGAINST WOOD EATING INSECTS WITH APPROVED PRODUCT STRICTLY TO MANUF. SPEC.

ALL STEEL TO BE TREATED AGAINST CORROSION, PRIMED AND PAINTED WITH APPROVED ENAMEL TO MANUFACTURER'S

GENERAL NOTES

ALL DIMENSIONS TO BE CHECKED ON SITE PRIOR TO CONSTRUCTION / FABRICATION.

ANY DISCREPANCIES TO BE IMMEDIATELY BROUGHT TO THE ATTENTION OF THE ARCHITECT.

THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE CORRECT SETTING OUT OF THE BUILDING AND ITS INTERNAL AND EXTERNAL WALLING AND IS TO CHECK ALL LEVELS, HEIGHTS AND DIMENSIONS GENERALLY AND BUILT IN DPC'S WHETHER SHOWN OR NOT, TO ALL WALLS, BEAMS, PARAPETS, DOORS, WINDOWS AND OTHER EXTERNAL OPENINGS, AS PER SANS 10400 / SABS 021

ALL DEMOLITION WORK TO COMPLY WITH PARTS D AND E OF SANS 10400.

ALL SITE WORK TO COMPLY WITH PART F AND G OF SANS 10400.

ANY/ALL NEW FOUNDATIONS TO BE SPECIFIED BY ENGINEER AND TO BE IN ACCORDANCE WITH PART H OF SANS 10400.

NEW FLOOR TO BE IN STRICT ACCORDANCE WITH PART <u>J OF SANS 10400.</u>

NEW ROOF TO MATCH EXISTING AND TO BE IN ACCORDANCE WITH PART L OF SANS 10400.

NEW STEEL STAIR AND BALUSTRADE TO COMPLY WITH PART $\,\underline{\text{M}}\,$ OF SANS 10400. BY ENGINEER.

NEW WINDOWS AND GLAZING ELEMENTS TO COMPLY WITH PART $\,$ N OF SANS 10400.

REGISTRATION No. 5027 54 EDMONDS ROAD, GLENWOOD, DURBAN, 4001.

LEAD ARCHITECTS

54 EDMONDS ROAD, GLENWOOD, DURBAN, 4001. TEL: (031) 205 1410 EMAIL: alarch@telkomsa.net

PROPOSAL

ALTERATIONS & ADDITIONS - NEW LOFT ROOM, BALCONY & DOORS TO EX. ENCLOSED VERANDA - TO EXISTING DWELLING AT 131 SMISO NKWANYANA RD. DURBAN

CADASTRAL DESCRIPTION

FOR MUNICIPAL USE ONLY

PORTION 11 OF ERF 348 OF DURBAN

SIGNATURES

Architect

Owner

DRAWING

AMAFA HERITAGE APPLICATION

ELEVATIONS
SECTION A-A
SECTION B-B

DATE	09 January 2014	
SCALE	As shown @ A1	
DRAWN	DV Dobrev	
CHECKED	A Lead	
DRAWING NUMBER		1301 302