

CONSTRUCTION OF A NEW PIPELINE & TWO RESERVOIRS FROM THE BOSPORT WTTW TO RUSTENBURG TOWN

| Name & Contact | Correspondence & Date | Comment | Response |
|---|--|--|--|
| <p>Kelebogile Mekgoe (IEM RLM) kmekegoe@rustenburg.gov.za</p> | <p>Email on 04 Feb 2019</p> | <p>Morning</p> <p>Thanks, for the Background Information Document (BID) on the proposed project. Will wait for the copy of the Basic Assessment Report (BAR) for comments.</p> <p>Regards</p> <p>Kele</p> | <p>Hi Kelebogile,</p> <p>Of course (distribution will take place sometime in April), please indicate in which format (hard copy or CD) you prefer the report, we distribute digital copies via email with a link to the appendices.</p> <p>Regards, Hlengile</p> |
| <p>Natasha Higgitt (SAHRA – Heritage Officer) nhiggitt@sahra.org.za</p> | <p>Loaded onto SAHRIS on 18 Mar 2019</p> | <p>Thank you for notifying SAHRA of the Environmental Authorisation (EA) Application for the proposed construction of water pipelines and reservoir near Rustenburg, North West Province.</p> <p>As the proposed development is undergoing an EA Application process in terms of the National Environmental Management Act, 107 of 1998 (NEMA), NEMA Environmental Impact Assessment (EIA) Regulations, it is incumbent on the developer to ensure</p> | <p>Noted.</p> <p>A HIA that includes an archaeological and palaeontological component and any other applicable heritage components was conducted on the 31st March 2019.</p> |

| | | | |
|--|--|--|---------------|
| | | <p>that a Heritage Impact Assessment (HIA) is done as per section 38(3) and 38(8) of the National Heritage Resources Act, Act 25 of 1999 (NHRA). This must include an archaeological component, palaeontological component and any other applicable heritage components. The HIA must be conducted as part of the EA Application in terms of NEMA and the NEMA EIA Regulations.</p> <p>The quickest process to follow for the archaeological component would be to contract a qualified archaeologist (see www.asapa.org.za or www.aphp.org.za to provide an Archaeological Impact Assessment (AIA). The AIA must comply with the SAHRA 2007 Minimum Standards: Archaeological and Palaeontological Component of Impact Assessments.</p> <p>It is unclear regarding the sensitivity of the proposed development footprint for palaeontological resources. The proposed route of the pipeline and location of the reservoir must be mapped on the GIS Layer of the application in order to verify this. If the development footprint is located within</p> | <p>Noted.</p> |
|--|--|--|---------------|

| | | | |
|--|--|--|--|
| | | <p>an area of insignificant sensitivity in terms of palaeontological resources as per the SAHRIS PalaeoSensitivity map, no further assessment of the impact to palaeontological resources would be required.</p> <p>Any other heritage resources as defined in section 3 of the NHRA that may be impacted, such as maritime archaeology, built structures over 60 years old, sites of cultural significance associated with oral histories, burial grounds and graves, graves of victims of conflict, and cultural landscapes or viewsapes must also be assessed.</p> <p>The draft Basic Assessment Report (BAR) and appendices must be submitted at the start of the public review process so that an informed comment can be issued.</p> | |
|--|--|--|--|