

INYANDA ROODEPLAAT WIND FARM: AVIFAUNAL IMPACT ASSESSMENT APPENDIX 4: BASELINE SURVEY SPECIES LIST AND EVALUATION OF CONSERVATION IMPORTANCE

Species	Scientific	SA_RDB	IUCN	Status_SA	Endemic_SA
Helmeted Guineafowl	<i>Numida meleagris</i>		LC		
Red-necked Spurfowl	<i>Pternistis afer</i>		LC		
Red-winged Francolin	<i>Scleroptila levaillantii</i>		LC		
Grey-winged Francolin	<i>Scleroptila afra</i>		LC		SLS
Egyptian Goose	<i>Alopochen aegyptiaca</i>		LC		
South African Shelduck	<i>Tadorna cana</i>		LC		
African Black Duck	<i>Anas sparsa</i>		LC		
Yellow-billed Duck	<i>Anas undulata</i>		LC		
Speckled Pigeon	<i>Columba guinea</i>		LC		
African Mourning Dove	<i>Streptopelia decipiens</i>		LC		
Laughing Dove	<i>Streptopelia senegalensis</i>		LC		
Emerald-spotted Wood Dove	<i>Turtur chalcospilos</i>		LC		
Fiery-necked Nightjar	<i>Caprimulgus pectoralis</i>		LC		
Alpine Swift	<i>Tachymarptis melba</i>		LC		
White-rumped Swift	<i>Apus caffer</i>		LC		
African Black Swift	<i>Apus barbatus</i>		LC		
Blue Crane	<i>Anthropoides paradiseus</i>	NT	VU		
Ludwig's Bustard	<i>Neotis ludwigii</i>	EN	EN		
Kori Bustard	<i>Ardeotis kori</i>	NT	NT		
Southern Black Korhaan	<i>Afrotis afra</i>	VU	VU		*
Knysna Turaco	<i>Tauraco corythaix</i>		LC		SLS
Yellow-billed Stork	<i>Mycteria ibis</i>	EN	LC		
Black Stork	<i>Ciconia nigra</i>	VU	LC		
White Stork	<i>Ciconia ciconia</i>		LC		
African Spoonbill	<i>Platalea alba</i>		LC		
African Sacred Ibis	<i>Threskiornis aethiopicus</i>		LC		
African Sacred Ibis	<i>Threskiornis aethiopicus</i>		LC		
Hadedda Ibis	<i>Bostrychia hagedash</i>		LC		
Grey Heron	<i>Ardea cinerea</i>		LC		
Black-headed heron	<i>Ardea melanocephala</i>		LC		
Hamerkop	<i>Scopus umbretta</i>		LC		
Blacksmith Lapwing	<i>Vanellus armatus</i>		LC		
Hottentot Buttonquail	<i>Turnix hottentottus</i>	EN	EN		*
Western Barn Owl	<i>Tyto alba</i>		LC		
African Wood Owl	<i>Strix woodfordii</i>		LC		
Cape Eagle-Owl	<i>Bubo capensis</i>		LC		
Spotted Eagle-Owl	<i>Bubo africanus</i>		LC		
Secretarybird	<i>Sagittarius serpentarius</i>	VU	VU		
Black-shouldered kite	<i>Elanus caeruleus</i>		LC		
African Harrier-hawk	<i>Polyboroides typus</i>		LC		
Martial Eagle	<i>Polemaetus bellicosus</i>	EN	VU		

Note: Red Data Stats: CR = Critically Endangered; EN = Endangered; VU = Vulnerable; NT = Near Threatened; LC = Least Concern, South African endemics: * = endemic; SLS = endemic to South Africa, Lesotho and Swaziland; (*) = near endemic (i.e. ~70% or more of population in RSA); BLSL = breeding South Africa, Lesotho and Swaziland endemic

Species	Scientific	SA_RDB	IUCN	Status_SA	Endemic_SA
Verreaux's Eagle	<i>Aquila verreauxii</i>	VU	LC		
Booted Eagle	<i>Hieraetus pennatus</i>		LC		
Pale Chanting Goshawk	<i>Melierax canorus</i>		LC		
Black Harrier	<i>Circus maurus</i>	EN	VU		(*)
African Goshawk	<i>Accipiter tachiro</i>		LC		
Rufous-breasted Sparrowhawk	<i>Accipiter rufiventris</i>		LC		
African Fish Eagle	<i>Haliaeetus vocifer</i>		LC		
Jackal Buzzard	<i>Buteo rufofuscus</i>		LC		(*)
Common (Steppe) Buzzard	<i>Buteo buteo</i>		LC		
Forest Buzzard	<i>Buteo trizonatus</i>		LC		SLS
Speckled Mousebird	<i>Colius striatus</i>		LC		
Red-faced Mousebird	<i>Urocolius indicus</i>		LC		
African Hoopoe	<i>Upupa africana</i>		NR		
Green Wood-hoopoe	<i>Phoeniculus purpureus</i>		LC		
Malachite Kingfisher	<i>Alcedo cristata</i>		NR		
Brown-hooded Kingfisher	<i>Halcyon albiventris</i>		LC		
Red-fronted Tinkerbird	<i>Pogoniulus pusillus</i>		LC		
Acacia Pied Barbet	<i>Tricholaema leucomelas</i>		LC		
Black-collared Barbet	<i>Lybius torquatus</i>		LC		
Lesser Honeyguide	<i>Indicator minor</i>		LC		
Red-throated Wryneck	<i>Jynx ruficollis</i>		LC		
Ground Woodpecker	<i>Geocolaptes olivaceus</i>		LC		SLS
Knysna Woodpecker	<i>Campethera notata</i>	NT	NT		*
Cardinal Woodpecker	<i>Dendropicos fuscescens</i>		LC		
Olive Woodpecker	<i>Dendropicos griseocephalus</i>		LC		
Lesser Kestrel	<i>Falco naumanni</i>		LC		
Rock Kestrel	<i>Falco rupicolus</i>		LC		
Lanner Falcon	<i>Falco biarmicus</i>	VU	LC		
Peregrine Falcon	<i>Falco peregrinus</i>		LC		
Cape Batis	<i>Batis capensis</i>		LC		
Pirit Batis	<i>Batis pririt</i>		LC		
Bokmakierie	<i>Telophorus zeylonus</i>		LC		
Southern Tchagra	<i>Tchagra tchagra</i>		LC		(*)
Southern Boubou	<i>Laniarius ferrugineus</i>		LC		
Southern (Common) Fiscal	<i>Lanius collaris</i>		LC		
Black-headed Oriole	<i>Oriolus larvatus</i>		LC		
Fork-tailed Drongo	<i>Dicrurus adsimilis</i>		LC		
African Paradise Flycatcher	<i>Terpsiphone viridis</i>		LC		
Cape Crow	<i>Corvus capensis</i>		LC		
Pied Crow	<i>Corvus albus</i>		LC		
White-necked Raven	<i>Corvus albicollis</i>		LC		
White-necked Raven	<i>Corvus albicollis</i>		LC		
Southern Black Tit	<i>Parus niger</i>		LC		
Grey Tit	<i>Parus afer</i>		LC		(*)
Brown-throated Martin	<i>Riparia paludicola</i>		LC		
Banded Martin	<i>Riparia cincta</i>		LC		

Note: Red Data Stats: CR = Critically Endangered; EN = Endangered; VU = Vulnerable; NT = Near Threatened; LC = Least Concern, South African endemics: * = endemic; SLS = endemic to South Africa, Lesotho and Swaziland; (*) = near endemic (i.e. ~70% or more of population in RSA); BSL = breeding South Africa, Lesotho and Swaziland endemic

Species	Scientific	SA_RDB	IUCN	Status_SA	Endemic_SA
Rock Martin	<i>Hirundo fuligula</i>		LC		
Barn Swallow	<i>Hirundo rustica</i>		LC		
Pearl-breasted Swallow	<i>Hirundo dimidiata</i>		LC		
Greater Striped Swallow	<i>Cecropis cucullata</i>		LC		
Lesser Striped Swallow	<i>Cecropis abyssinica</i>		LC		
South African Cliff Swallow	<i>Petrochelidon spilodera</i>		LC		BSLS
Cape Clapper Lark	<i>Mirafrapa apiata</i>		LC		(*)
Lazy Cisticola	<i>Cisticola aberrans</i>		LC		
Grey-backed Cisticola	<i>Cisticola subruficapilla</i>		LC		
Wailing Cisticola	<i>Cisticola lais</i>		LC		
Neddicky	<i>Cisticola fulvicapilla</i>		LC		
Karoo Prinia	<i>Prinia maculosa</i>		LC		(*)
Bar-throated Apalis	<i>Apalis thoracica</i>		LC		
Cape Bulbul	<i>Pycnonotus capensis</i>		LC		*
Dark-capped Bulbul	<i>Pycnonotus tricolor</i>		NR		
Sombre Greenbul	<i>Andropadus importunus</i>		LC		
Victorin's Warbler	<i>Cryptillas victorini</i>		LC		*
Cape Grassbird	<i>Sphenoeacus afer</i>		LC		(*)
Long-billed Crombec	<i>Sylvietta rufescens</i>		LC		
Chestnut-vented Tit-Babbler	<i>Sylvia subcaerulea</i>		LC		
Cape White-eye	<i>Zosterops virens</i>		LC		(*)
Cape Glossy Starling	<i>Lamprotornis nitens</i>		LC		
Pied Starling	<i>Lamprotornis bicolor</i>		LC		SLS
Red-winged Starling	<i>Onychognathus morio</i>		LC		
Cape Rockjumper	<i>Chaetops frenatus</i>	NT	LC		*
Kurrichane Thrush	<i>Turdus libonyanus</i>		LC		
Cape Robin-Chat	<i>Cossypha caffra</i>		LC		
White-throated Robin-Chat	<i>Cossypha humeralis</i>		LC		
White-browed Scrub Robin	<i>Erythropgyia leucophrys</i>		LC		
Karoo Scrub Robin	<i>Erythropgyia coryphoeus</i>		LC		
African Stonechat	<i>Saxicola torquatus</i>		LC		
Mountain Wheatear	<i>Oenanthe monticola</i>		LC		
Familiar Chat	<i>Cercomela familiaris</i>		LC		
Ant-eating Chat	<i>Myrmecocichla formicivora</i>		LC		
Mocking Cliff Chat	<i>Thamnolaea cinnamomeiventris</i>		LC		
Cape Rock Thrush	<i>Monticola rupestris</i>		LC		SLS
Sentinel Rock Thrush	<i>Monticola explorator</i>		LC		SLS
Fiscal Flycatcher	<i>Sigelus silens</i>		LC		(*)
Fairy Flycatcher	<i>Stenostira scita</i>		LC		(*)
Orange-breasted Sunbird	<i>Anthobaphes violacea</i>		LC		*
Amethyst Sunbird	<i>Chalcomitra amethystina</i>		LC		
Southern Double-collared Sunbird	<i>Cinnyris chalybeus</i>		LC		(*)
Greater Double-collared Sunbird	<i>Cinnyris afer</i>		LC		SLS
Malachite Sunbird	<i>Nectarinia famosa</i>		LC		
Cape Sugarbird	<i>Promerops cafer</i>		LC		*
Cape Sparrow	<i>Passer melanurus</i>		LC		

Note: Red Data Stats: CR = Critically Endangered; EN = Endangered; VU = Vulnerable; NT = Near Threatened; LC = Least Concern, South African endemics: * = endemic; SLS = endemic to South Africa, Lesotho and Swaziland; (*) = near endemic (i.e. ~70% or more of population in RSA); BSLS = breeding South Africa, Lesotho and Swaziland endemic

Species	Scientific	SA_RDB	IUCN	Status_SA	Endemic_SA
Spectacled Weaver	<i>Ploceus ocularis</i>		LC		
Cape Weaver	<i>Ploceus capensis</i>		LC		(*)
Southern Masked Weaver	<i>Ploceus velatus</i>		LC		
Sweet Waxbill	<i>Coccyzygia melanotis</i>		LC		(*)
Common Waxbill	<i>Estrilda astrild</i>		LC		
Bronze Mannikin	<i>Lonchura cucullata</i>		LC		
Cape Wagtail	<i>Motacilla capensis</i>		LC		
Long-billed Pipit	<i>Anthus similis</i>		LC		
African Pipit	<i>Anthus cinnamomeus</i>		NR		
Cape Canary	<i>Serinus canicollis</i>		LC		
Brimstone Canary	<i>Crithagra sulphurata</i>		LC		
White-throated Canary	<i>Crithagra albogularis</i>		LC		
Streaky-headed Seedeater	<i>Crithagra gularis</i>		LC		
Cape Siskin	<i>Crithagra totta</i>		LC		*
Lark-like Bunting	<i>Emberiza impetuani</i>		LC		
Cinnamon-breasted Bunting	<i>Emberiza tahapisi</i>		LC		
Cape Bunting	<i>Emberiza capensis</i>		LC		
Golden-breasted Bunting	<i>Emberiza flaviventris</i>		LC		

Note: Red Data Stats: CR = Critically Endangered; EN = Endangered; VU = Vulnerable; NT = Near Threatened; LC = Least Concern, South African endemics: * = endemic; SLS = endemic to South Africa, Lesotho and Swaziland; (*) = near endemic (i.e. ~70% or more of population in RSA); BSL = breeding South Africa, Lesotho and Swaziland endemic