

Marais, Wanda

From: Maneli Mzukisi (ELS) <ManeliM@dws.gov.za>
Sent: 16 May 2016 08:01 AM
To: Jack Landile (ELS); Bligh David (PLZ)
Cc: Chilton Paul (PLZ); Lawry Neville (ELS); Marais, Wanda; Bloem Marisa; Xalabile Ntombiyamayirha (PLZ)
Subject: RE: NOTICE: Background Information Document: Proposed Effluent Evaporation Ponds, Louterwater, Eastern Cape
Attachments: RE: EFFLUANT EVAPORATING SYSTEM

Dear all,

Thank you for making contact and referring the activity to the relevant team.

As can be seen in the attached mail, we had made contact with the Applicant in identifying water use activities for the proposed Evaporation ponds.

These comments may be included in the Draft BAR as initial comments from the Department on the water use activities that will be triggered, and in preparation for the water use authorization.

Please note that all documentations must be addressed to **Ms. Ntombi Xalabile/ Ms. Marisa Bloem**, who will coordinate the application for authorization of the proposed activity.

They are both attached in this mail and may be contacted at (041) 501 0700.

Thank you and regards

Mzukisi Maneli
Department of Water and Sanitation
Mzimvubu-Tsitsikamma Proto-CMA
Water Information Management
Private Bag X6041
Port Elizabeth - 6000
Tel: +27 41 501 0740
Fax2Mail: +27 86 756 1010
Cell: +27 82 881 9846
E-mail: manelim@dwa.gov.za

From: Jack Landile (ELS)
Sent: Thursday, May 12, 2016 2:57 PM
To: Maneli Mzukisi (ELS); Bligh David (PLZ)
Cc: Chilton Paul (PLZ); Lawry Neville (ELS); Wmarais@srk.co.za
Subject: FW: NOTICE: Background Information Document: Proposed Effluent Evaporation Ponds, Louterwater, Eastern Cape
Importance: High

Mzu and David

Fya please

Regards
Landile

From: Marais, Wanda [<mailto:WMarais@srk.co.za>]

Sent: 12 May 2016 01:24 PM

Subject: NOTICE: Background Information Document: Proposed Effluent Evaporation Ponds, Louterwater, Eastern Cape

Importance: High

To Interested and Affected Parties, Stakeholders and Authorities,

Background Information Document: Proposed Effluent Evaporation Ponds, Louterwater, Eastern Cape

Please find attached the Background Information Document (BID) which serves as notice of the proposed Effluent Evaporation Ponds, Louterwater, Eastern Cape.

Should you wish to register as an Interested & Affected Party (IAP), please complete the Registration & Comment Sheet provided in the BID and return to me via email or fax. Future communications regarding the process as well as notification of the availability of reports will only be sent to registered IAPs.

Please note that your Registration & Comment Sheet must reach SRK Consulting by **12h00** on **13 June 2016** to ensure that your comments will be reflected and addressed in the Draft Basic Assessment Report to be released in due course.

Kind Regards,

Wanda Marais B Proc

Public Participation Practitioner



SRK Consulting (South Africa) (Pty) Ltd

Ground Floor, Bay Suites, 1a Humewood Rd, Humeral, Port Elizabeth, 6001


P O Box 21842, Port Elizabeth, 6000

Tel: +27-(0)41-509-4809; **Fax:** +27-(0)41-509-4850

Email: wmarais@srk.co.za

www.srk.co.za

This transmission is intended for the sole use of the addressee, and may contain information that by its privileged and confidential nature is exempt from disclosure under applicable law. You are hereby notified that any dissemination, distribution or duplication of this transmission by someone other than the intended recipient or its designated agent is strictly prohibited. If you have received this transmission in error, please notify the sender immediately by replying to this transmission, or by collect call to the above phone number.



DISCLAIMER: This message and any attachments are confidential and intended solely for the addressee. If you have received this message in error, please notify the system manager/sender. Any unauthorized use, alteration or dissemination is prohibited. The Department of Water and Sanitation further accepts no liability whatsoever for any loss, whether it be direct, indirect or consequential, arising from this e-mail, nor for any consequence of its use or storage.

Marais, Wanda

From: Maneli Mzukisi (ELS) <ManeliM@dws.gov.za>
Sent: 26 February 2016 04:03 PM
To: Granor Passi - Langkloof; gplg@net4all.co.za
Cc: Xalabile Ntombiyamayirha (PLZ); Bloem Marisa
Subject: RE: EFFLUANT EVAPORATING SYSTEM
Attachments: DW758 NWA Company.doc; DW901 Property.doc; DW902 Property owners.doc; DW767 NWA Section 21g. Latest.pdf; DW904 Actual or Monitored Waste Discharge Details section 21e and g water uses.doc; DW905 Details of Waste Management Facility.doc

Dear Mr. Gert van Zyl,

Following our site meeting regarding the application for the proposed wastewater disposal facility at Granor Passi – Langkloof has reference:

The proposed activity of disposal of wastewater from the fruit processing plant into the evaporation dams will constitute water use activity (Section 21 g) as in accordance with Section 40 of the National Water Act, 1998 (Act 36 of 1998).

An application must be lodged with the Department to have such an activity authorized by providing the following:

1. Completed water use application forms (as attached);
2. Copies of the property title deeds and certified copy of the identity document;
3. A copy of the licence processing fee of R114-00;
4. An Integrated Water and Waste Management Plan (IWWMP) as per the guideline;
5. A detailed Geohydrological Report – reflecting the hydrocensus, pump tests and data for the groundwater resource in the area; and
6. A report/ drawings on the Civil Design structures proposed.

Please note that the application MUST be forwarded to the Department for assessment of a water use licence.

Should you wish to enquire more on this, please do not hesitate to contact the undersigned for more information.

Regards

Mzukisi Maneli
Department of Water and Sanitation
Mzimvubu-Tsitsikamma Proto-CMA
Water Information Management
Private Bag X6041
Port Elizabeth - 6000
Tel: +27 41 501 0740
Fax2Mail: +27 86 756 1010
Cell: +27 82 881 9846
E-mail: manelim@dwa.gov.za

From: Granor Passi - Langkloof [<mailto:gpla@net4all.co.za>]
Sent: Thursday, February 25, 2016 2:33 PM

To: Maneli Mzukisi (ELS)
Subject: FW: EFFLUANT EVAPORATING SYSTEM

From: Granor Passi - Langkloof [<mailto:gpla@net4all.co.za>]
Sent: 24 February 2016 03:26 PM
To: 'manelim@dwa.gov.za'
Cc: gert van zyl
Subject: EFFLUANT EVAPORATING SYSTEM

Good afternoon Mzukisi

Thank you for your time. As discussed we are an apple processing plant in the Langkloof, Louterwater. We have an existing system running but we need to increase the capacity. The only way is to build a second effluent evaporating system. I would like to know which route to go with this new development.

Our water normally comes from cleaning and washing of the fruit. There are chemicals like chlorine and caustic in the water, but at very low levels. We also make use of activated carbon in our process to increase the level of the colour of the product, which also therefor will be in the effluent water. The volume of effluent water to dispose comes to 30,000lt/hour over 24 hours. The normal season period is from March to June.

Attached please find the exemption letter from Department of Water Affairs. Your quick response will be greatly appreciated.

Kind regards
Gert van Zyl (Cello no 0826538882)
E-mail address: gplg@net4all.co.za

Adrienne le Roux
Granor Passi Langkloof (Pty) Ltd
Main Road | Louterwater | 6435 | Eastern Cape | South Africa
Tel: (042) 272 1167 | Fax: (042) 2721159 | Website: www.granorpassi.co.za



Marais, Wanda

From: Maneli Mzukisi (ELS) <ManeliM@dws.gov.za>
Sent: 13 June 2016 07:53 AM
To: Marais, Wanda
Cc: Lawry Neville (ELS); Chilton Paul (PLZ); Bligh David (PLZ); Marais, Wanda; Jack Landile (ELS); Feni Ntombizanele (PLZ); Xalabile Ntombiyamayirha (PLZ)
Subject: RE: REMINDER: proposed Effluent Evaporation Ponds, Louterwater, Eastern Cape

Dear Wanda,

Can you please confirm that comments from the Department have been received (as per the previous communiqué) and will be incorporated into the Draft Basic Assessment Report (DBAR).

If that is the case, we shall await the finalization of the DBAR, which will highlight & respond to those issues as raised.

Please note that you must liaise with the Department for a Pre-Application consultation meeting on the water use(s) that are/ will be triggered by this proposed activity.

This will ensure that the process of Environmental Authorisation (AA) and Water Use Licensing (WUL) go concurrently from various authorities, which significantly reduces the processing/ authorisation period.

Ms. Xalabile (copied here) will be our liaison person and can be reached at **(041) 501 0700/14** or **079 555 4673**.

Thank you and regards

Maneli Mzukisi
Department of Water and Sanitation
Mzimvubu-Tsitsikamma Proto-CMA
Water Information Management
Private Bag X6041
Port Elizabeth - 6000
Tel: +27 41 501 0740
Fax2Mail: +27 86 756 1010
Cell: +27 82 881 9846
E-mail: manelim@dwa.gov.za

From: Jack Landile (ELS)
Sent: Friday, June 10, 2016 1:42 PM
To: Maneli Mzukisi (ELS)
Cc: Lawry Neville (ELS); Chilton Paul (PLZ); Bligh David (PLZ); Wmarais@srk.co.za
Subject: FW: REMINDER: proposed Effluent Evaporation Ponds, Louterwater, Eastern Cape
Importance: High

Hi Mzu

Please take note of the e-mail Notice below

Regards
Landile

From: Marais, Wanda [<mailto:WMarais@srk.co.za>]
Sent: 10 June 2016 01:13 PM