


T 011 789 7170 E info@eims.co.za Wwww.eims.co.za

IMPACT ASSESSMENT METHODOLOGY

BLACK MOUNTAIN MINING: JAAGERS PLAATPOSPECTING RIGHTS PROJECT, NORTHERN CAPE





DOCUMENT DETAILS

EIMS REFERENCE: 1304-2

DOCUMENT TITLE: IMPACT ASSESSMENT METHODOLOGY –

DOCUMENT CONTROL

NAME SIGNATURE DATE

COMPILED: Andisiwe Stuurman 2020/01/30

CHECKED: GP Kriel 2020/02/04

AUTHORIZED: Liam Whitlow 2020/01/30

REVISION AND AMENDMENTS

REVISION DATE: REV # DESCRIPTION

2020/01/30 ORIGINAL DOCUMENT IMPACT ASSESSMENT METHODOLOGY

This document contains information proprietary to Environmental Impact Management Services (Pty) Ltd. and as such should be treated as confidential unless specifically identified as a public document by law. The document may not be copied, reproduced, or used for any manner without prior written consent from EIMS.

Copyright is specifically reserved.



SUMMARY DATA

Project	Jaagers Plaat Prospecting Right Application	
Location:	Northern Cape	
Client:	Black Mountain Mining	
Consultant:	Environmental Impact Management Services (Pty) Ltd (EIMS)	
Contact: GP Kriel		
	PO Box 19731, Tecoma, 5214	
Contact Details:	Tel: (043) 722 7572	
Contact Details:	Fax: (086) 571 9047	
	E-mail: gp@eims.co.za	



Table of Contents

Sι	ımmar	y Data	3	i		
1	Intr	oduct	ion	1		
	1.1	Dete	ermintation of environmental risk	1		
	1.2	Imp	act Prioritisation	4		
	1.3	Spec	cialist Investigations	5		
2	Imp	act Ic	lentification	6		
	2.1	Plan	ning and Design Phase Impacts	7		
	2.1	.1	Job Creation	7		
	2.2	Con	struction Phase Impacts	7		
	2.2	.1	Job Creation	7		
	2.2	.2	Noise	8		
	2.2	.3	Air Quality (Dust Generation)	9		
	2.2	.4	Deterioration and damage to existing access roads and tracks	9		
	2.2	.5	Safety and security risks to landowners and lawful occupiers	10		
	2.2	.6	Interference with existing land uses	.11		
	2.2	.7	Generation and disposal of waste	.11		
	2.3	Ope	rational Phase Impacts	12		
	2.3	.1	Job Creation	.12		
	2.3	.2	Erosion due to improper rehabilitation	.12		
	2.4	Reh	abilitation Phase Impacts	.13		
	2.4	.1	Job Creation	.13		
Li	ist of	Tak	bles			
Та	ble 1: (Criteria	for Determining Impact Consequence	1		
Та	ble 2: F	robab	ility Scoring	3		
Та	ble 3: [Detern	nination of Environmental Risk	3		
Ta	ble 4: S	Signific	ance Classes	3		
Та	ble 5: 0	Criteria	for Determining Prioritisation	4		
Ta	ble 6: [Detern	nination of Prioritisation Factor	5		
Та	ble 7: F	inal E	nvironmental Significance Rating	5		
Ta	Fable 8: Impacts Identified6					



Appendices

Appendix 1: Impact Significance Rating Table



1 INTRODUCTION

The impact significance rating methodology, as provided by EIMS, is guided by the requirements of the NEMA EIA Regulations 2014 (as amended). The broad approach to the significance rating methodology is to determine the environmental risk (ER) by considering the consequence (C) of each impact (comprising Nature, Extent, Duration, Magnitude, and Reversibility) and relate this to the probability/ likelihood (P) of the impact occurring. This determines the environmental risk. In addition, other factors, including cumulative impacts, public concern, and potential for irreplaceable loss of resources, are used to determine a prioritisation factor (PF) which is applied to the ER to determine the overall significance (S). The impact assessment will be applied to all identified alternatives. Where possible, mitigation measures will be recommended for impacts identified.

1.1 DETERMINTATION OF ENVIRONMENTAL RISK

The significance (S) of an impact is determined by applying a prioritisation factor (PF) to the environmental risk (ER). The environmental risk is dependent on the consequence (C) of the particular impact and the probability (P) of the impact occurring. Consequence is determined through the consideration of the Nature (N), Extent (E), Duration (D), Magnitude (M), and reversibility (R) applicable to the specific impact.

For the purpose of this methodology the consequence of the impact is represented by:

$$C = \frac{(E+D+M+R)*N}{4}$$

Each individual aspect in the determination of the consequence is represented by a rating scale as defined in Table 1 below.

Table 1: Criteria for Determining Impact Consequence

Aspect	Score	Definition			
Nature	- 1	Likely to result in a negative/ detrimental impact			
Nature	+1	Likely to result in a positive/ beneficial impact			
	1	Activity (i.e. limited to the area applicable to the specific activity)			
	2	Site (i.e. within the development property boundary),			
Extent	3	Local (i.e. the area within 5 km of the site),			
	4	Regional (i.e. extends between 5 and 50 km from the site			
	5	Provincial / National (i.e. extends beyond 50 km from the site)			
	1	Immediate (<1 year)			
Duration	2	Short term (1-5 years),			
Duration	3	Medium term (6-15 years),			
	4	Long term (the impact will cease after the operational life span of the project),			



Aspect	Score	Definition			
	5	Permanent (no mitigation measure of natural process will reduce the impact after construction).			
	1	Minor (where the impact affects the environment in such a way that natural, cultural and social functions and processes are not affected),			
	2	Low (where the impact affects the environment in such a way that natural, cultural and social functions and processes are slightly affected),			
Magnitude/ Intensity	3	Moderate (where the affected environment is altered but natural, cultural and social functions and processes continue albeit in a modified way),			
	4	High (where natural, cultural or social functions or processes are altered to the extent that it will temporarily cease), or			
	5	Very high / don't know (where natural, cultural or social functions or processes are altered to the extent that it will permanently cease).			
	1	Impact is reversible without any time and cost.			
	2	Impact is reversible without incurring significant time and cost.			
Reversibility	3	Impact is reversible only by incurring significant time and cost.			
	4	Impact is reversible only by incurring prohibitively high time and cost.			
	5	Irreversible Impact			

Once the C has been determined the ER is determined in accordance with the standard risk assessment relationship by multiplying the C and the P. Probability is rated/scored as per Table 2.



Table 2: Probability Scoring

	1	Improbable (the possibility of the impact materialising is very low as a result of design, historic experience, or implementation of adequate corrective actions; <25%),
Probability	2	Low probability (there is a possibility that the impact will occur; >25% and <50%),
Prob	3	Medium probability (the impact may occur; >50% and <75%),
	4	High probability (it is most likely that the impact will occur- > 75% probability), or
	5	Definite (the impact will occur),

The result is a qualitative representation of relative ER associated with the impact. ER is therefore calculated as follows:

ER= C x P

Table 3: Determination of Environmental Risk

	5	5	10	15	20	25
	4	4	8	12	16	20
nce	3	3	6	9	12	15
Conseduence	2	2	4	6	8	10
Cons	1	1	2	3	4	5
J		1	2	3	4	5
	Probability					

The outcome of the environmental risk assessment will result in a range of scores, ranging from 1 through to 25. These ER scores are then grouped into respective classes as described in Table 4.

Table 4: Significance Classes

Environmental Risk Score				
Value	Description			
< 9	Low (i.e. where this impact is unlikely to be a significant environmental risk).			
≥9 - <17	Medium (i.e. where the impact could have a significant environmental risk),			
≥17	High (i.e. where the impact will have a significant environmental risk).			

The impact ER will be determined for each impact without relevant management and mitigation measures (<u>premitigation</u>), as well as post implementation of relevant management and mitigation measures (<u>post-mitigation</u>). This allows for a prediction in the degree to which the impact can be managed/mitigated.



1.2 IMPACT PRIORITISATION

Further to the assessment criteria presented in the section above, it is necessary to assess each potentially significant impact in terms of:

- Cumulative impacts; and
- The degree to which the impact may cause irreplaceable loss of resources.

In addition it is important that the public opinion and sentiment regarding a prospective development and consequent potential impacts is considered in the decision making process.

In an effort to ensure that these factors are considered, an impact prioritisation factor (PF) will be applied to each impact ER (post-mitigation). This prioritisation factor does not aim to detract from the risk ratings but rather to focus the attention of the decision-making authority on the higher priority/significance issues and impacts. The PF will be applied to the ER score based on the assumption that relevant suggested management/mitigation impacts are implemented.

Table 5: Criteria for Determining Prioritisation

	Low (1)	Issue not raised in public response.			
Public Response (PR)	Medium (2)	Issue has received a meaningful and justifiable public response.			
()	High (3)	Issue has received an intense meaningful and justifiable public response.			
	Low (1)	Considering the potential incremental, interactive, sequential, and synergistic cumulative impacts, it is unlikely that the impact will result in spatial and temporal cumulative change.			
Cumulative Impact (CI)	Medium (2)	Considering the potential incremental, interactive, sequential, and synergistic cumulative impacts, it is probable that the impact will result in spatial and temporal cumulative change.			
	High (3)	Considering the potential incremental, interactive, sequential, and synergistic cumulative impacts, it is highly probable/ definite that the impact will result in spatial and temporal cumulative change.			
	Low (1)	Where the impact is unlikely to result in irreplaceable loss of resources.			
Irreplaceable Loss of Resources (LR)	Medium (2)	Where the impact may result in the irreplaceable loss (cannot be replaced or substituted) of resources but the value (services and/or functions) of these resources is limited.			
	High (3)	Where the impact may result in the irreplaceable loss of resources of high value (services and/or functions).			

The value for the final impact priority is represented as a single consolidated priority, determined as the sum of each individual criteria represented in Table 5. The impact priority is therefore determined as follows:

Priority = PR + CI + LR

The result is a priority score which ranges from 3 to 9 and a consequent PF ranging from 1 to 2 (Refer to Table 6).



Table 6: Determination of Prioritisation Factor

Priority	Ranking	Prioritisation Factor
3	Low	1
4	Medium	1.17
5	Medium	1.33
6	Medium	1.5
7	Medium	1.67
8	Medium	1.83
9	High	2

In order to determine the final impact significance the PF is multiplied by the ER of the post mitigation scoring. The ultimate aim of the PF is to be able to increase the post mitigation environmental risk rating by a full ranking class, if all the priority attributes are high (i.e. if an impact comes out with a medium environmental risk after the conventional impact rating, but there is significant cumulative impact potential, significant public response, and significant potential for irreplaceable loss of resources, then the net result would be to upscale the impact to a high significance).

Table 7: Final Environmental Significance Rating

Environmental Significance Rating			
Value	Description		
< 10	Low (i.e. where this impact would not have a direct influence on the decision to develop in the area).		
≥10 <20	Medium (i.e. where the impact could influence the decision to develop in the area).		
≥ 20	High (i.e. where the impact must have an influence on the decision process to develop in the area).		

The significance ratings and additional considerations applied to each impact will be used to provide a quantitative comparative assessment of the alternatives being considered. In addition, professional expertise and opinion of the specialists and the environmental consultants will be applied to provide a qualitative comparison of the alternatives under consideration. This process will identify the best alternative for the proposed project.

1.3 SPECIALIST INVESTIGATIONS

It is important to note that in identifying, describing, and assessing the impacts, specialist sub-consultants were consulted and appointed to undertake an individual specialist studies. These studies informed the findings of this Basic Assessment and are appended as follows:

- Appendix E1- Heritage Impact Assessment Report;
- Appendix E2- Desktop Palaeontological Impact Assessment Report;



- Appendix E3- Desktop Hydrogeological Assessment Report;
- Appendix E4- Desktop Biodiversity Assessment Report.

2 IMPACT IDENTIFICATION

Impacts that are likely to occur as a result of the proposed project are described and assessed in this section. Table 8 provides a summary of the impacts identified for each phase of the proposed project.

Table 8: Impacts Identified

	Impact	Phase
1.	Job Creation	Planning and Construction
2.	Temporary disturbance of wildlife due to	Planning
	increased human presence and possible use of	
	machinery and/or vehicles.	
3.	Destruction of, and fragmentation of, portions of	Construction
	the vegetation community;	
4.	Loss of ESA and sections of area classed as	Construction
	moderate and highest biodiversity importance;	
5.	Displacement of faunal community (including	Construction
	possible threatened or protected species) due to	
	habitat loss, disturbance (noise, dust and	
	vibration) and/or direct mortalities; Continued disturbance of vegetation	Ou sustinu
6.	· · · · · · · · · · · · · · · · · · ·	Operation
	communities (including portions of an ESA and a section classed as moderate and highest	
	biodiversity importance)	
7.	Encroachment by alien invasive plant species;	Operation
8.	Displacement of avifauna by the airborne survey;	Operation
9.	Disturbance and mortalities of herpetofauna due	Operation
	to assaying (Rock chips and Soil sampling);	·
10.	Ongoing displacement, direct mortalities and	Operation
	disturbance of faunal community (including	
	multiple threatened species) due to habitat loss	
	and disturbances because of the drilling and	
	access roads;	
11.	Further impacts due to the spread and/or	Closure &
	establishment of alien and/or invasive species;	Decommissioning
12.	Displacement, direct mortalities and disturbance	Closure &
	of faunal community (including multiple	Decommissioning
	threatened species) due to habitat loss and	
	disturbances (such as dust, vibrations, poaching and noise);	
13	Degradation of aquifers;	Construction
	Impacts on existing groundwater users;	Construction and Operation
	Impacts on surface water features (e.g. streams,	Construction
	rivers, wetlands, saltpans) – which may be	2011211 2001011
	recharged by groundwater;	
16.	Impact on potential burial grounds and graves;	Construction
	Impact on structures older than 60 years;	Construction
	Impact on archaeological resources;	Construction
19.	Impact on palaeontological resources;	Construction
20.	Noise;	Construction
21.	Pollution of Soils and Compacting;	Construction
22.	Air Quality;	Construction



Impact	Phase
23. Deterioration and damage to existing access roads and tracks;	Construction
24. Safety and security risks to landowners and lawful occupiers;	Construction
25. Interference with existing land uses;	Construction
26. Generation and disposal of waste; and	Construction
27. Erosion due to improper rehabilitation	Operation

Impacts 2-18 have been described and assessed in the relevant specialist reports and impacts 1,19-27 are described below.

2.1 PLANNING AND DESIGN PHASE IMPACTS

2.1.1 JOB CREATION

During the Planning and Design phase, employment opportunities will arise for the design and assessment of the proposed project as input would be required from a variety of professionals, such as engineers, environmental consultants and the regional and national authorities responsible for reviewing the applications made in terms of the relevant legislation.

Impact Name	Job Creation								
Alternative	Alternative 1								
Environmental Risk	Environmental Risk								
Attribute	Pre-mitigation	Post-mitigation	Attribute	Pre-mitigation	Post-mitigation				
Nature	1	1	Magnitude	2	2				
Extent	1	1	Reversibility	1	1				
Duration	2	2	Probability	3	3				
Environmental Risk (Pr	e-mitigation)				4,50				
Mitigation Measures									
n/a									
Environmental Risk (Pa	ost-mitigation)				4, 50				
Degree of confidence in impact prediction:					High				
Impact Prioritisation									
Public Response					1				
Low: Issue not raised i	n public responses								
Cumulative Impacts					1				
Low: Considering the potential incremental, interactive, sequential, and synergistic cumulative impacts, it is unlikely that the impact will result in spatial and temporal cumulative change.									
Degree of potential irreplaceable loss of resources					1				
Low: Where the impact is unlikely to result in irreplaceable loss of resources.									
Prioritisation Factor				1,00					
Final Significance 4,50				4,50					

2.2 CONSTRUCTION PHASE IMPACTS

2.2.1 JOB CREATION

During the construction phase of the project, employment opportunities will be created for the various professionals and staff that will be responsible for the prospecting activities.

Impact Name	Job Creation
Alternative	Alternative 1
Environmental Risk	



Attribute	Pre-mitigation	Post-mitigation	Attribute	Pre-mitigation	Post-mitigation	
Nature	1	1	Magnitude	2	2	
Extent	1	1	Reversibility	1	1	
Duration	2	2	Probability	3	3	
Environmental Risk (Pr	e-mitigation)				4,50	
Mitigation Measures						
n/a						
Environmental Risk (Po	ost-mitigation)				4, 50	
Degree of confidence	in impact prediction				High	
Impact Prioritisation						
Public Response					1	
Low: Issue not raised i	n public responses					
Cumulative Impacts					1	
Low: Considering the potential incremental, interactive, sequential, and synergistic cumulative impacts, it is unlikely that the impact will result in spatial and temporal cumulative change.						
Degree of potential irreplaceable loss of resources					1	
Low: Where the impact is unlikely to result in irreplaceable loss of resources.						
Prioritisation Factor					1,00	
Final Significance					4,50	

2.2.2 NOISE

It is anticipated that the proposed project may generate noise during the construction phase due to the operation of construction equipment and vehicles. Noise associated with any drilling activities is also anticipated to cause some disturbance to the surrounding residences as well as fauna.

Impact Name	Noise					
Alternative		Alternative 1				
Environmental Risk						
Attribute	Pre-mitigation	Post-mitigation	Attribute	Pre-mitigation	Post-mitigation	
Nature	-1	-1	Magnitude	1	1	
Extent	1	1	Reversibility	2	2	
Duration	2	2	Probability	3	2	
Environmental Risk (Pre-mitigation)					-4,50	
AA!4! +! AA						

Mitigation Measures

Noise-generating activities associated with construction activities should be kept to a minimum.

Blasting permits (obtained from DMR for borrow pits and quarries and from the Chief Inspector of Explosives Unit (SAPS) for earthworks in the road alignment).

Compliance with the appropriate legislation/ any local by-laws and regulations regarding the generation of noise must be adhered to;

All the relevant permits must be obtained prior to commencement of blasting activities;

Noises that could cause a major disturbance (e.g. blasting) should only be carried out in areas located in close proximity to communities and/or residences during normal working hours. Should noise-generating activities have to occur at night (e.g. drilling of blast holes), communities and/or landowners in the vicinity of the drilling should be warned about the noise well in advance and the activities should be kept to a minimum. Compliance with the appropriate legislation with respect to noise will be mandatory.

Notification of surrounding residential and businesses but be done at least one week prior to blasting activities.

Environmental Risk (Post-mitigation)	-3,00			
Degree of confidence in impact prediction:	High			
Impact Prioritisation				
Public Response	1			
Low: Issue not raised in public responses				
Cumulative Impacts	1			



Low: Considering the potential incremental, interactive, sequential, and synergistic cumulative impacts, it is unlikely that the impact will result in spatial and temporal cumulative change.				
Degree of potential irreplaceable loss of resources				
Low: Where the impact is unlikely to result in irreplaceable loss of resources.				
Prioritisation Factor	1,00			
Final Significance -3,00				

2.2.3 AIR QUALITY (DUST GENERATION)

The proposed project may have impact on the air quality in the surrounding area. It is expected the following on site activities may result in dust generation: clearance of vegetation, the presence of loose building materials and excavated material stockpiles that may be blown by the wind.

Impact Name	Air Quality					
Alternative		Alternative 1				
Environmental Risk						
Attribute	Pre-mitigation	Post-mitigation	Attribute	Pre-mitigation	Post-mitigation	
Nature	-1	-1	Magnitude	1	1	
Extent	2	1	Reversibility	2	2	
Duration	1	1	Probability	3	2	
Environmental Risk (Pre-mitigation)					-4,50	

Mitigation Measures

- Dust emission should be within acceptable levels and dust control mechanisms must be in place from start to the end of mining activities and must be strictly adhered to.
- Use of suitable dust suppression measures such as water spraying;
- All stockpiles of fine material must be covered;
- Limit clearance of vegetation.
- Construction vehicles much be well serviced and in roadworthy condition.

Environmental Risk (Post-mitigation)	-2,50				
Degree of confidence in impact prediction:	High				
Impact Prioritisation					
Public Response	1				
Low: Issue not raised in public responses					
Cumulative Impacts	1				
Low: Considering the potential incremental, interactive, sequential, and synergistic cumulative impacts, i impact will result in spatial and temporal cumulative change.	it is unlikely that the				
Degree of potential irreplaceable loss of resources	1				
Low: Where the impact is unlikely to result in irreplaceable loss of resources.					
Prioritisation Factor	1,00				
Final Significance	-2,50				

2.2.4 DETERIORATION AND DAMAGE TO EXISTING ACCESS ROADS AND TRACKS

The presence of more vehicles than normal on site may lead to deterioration of existing access roads.

Impact Name	Deterioration and damage to existing access roads and tracks				
Alternative	Alternative 1				
Environmental Risk					
Attribute	Pre-mitigation	Post-mitigation	Attribute	Pre-mitigation	Post-mitigation
Nature	-1	-1	Magnitude	2	1
Extent	2	1	Reversibility	3	2



Duration	1	1	Probability	4	4
Environmental Risk (Pr	e-mitigation)				-8,00
Mitigation Measures					
Rehabilitation of distu Maintenance of acces		fter construction.			
Environmental Risk (Pa	ost-mitigation)				-5,00
Degree of confidence	in impact prediction				High
Impact Prioritisation					
Public Response					1
Low: Issue not raised i	n public responses				
Cumulative Impacts					1
Low: Considering the potential incremental, interactive, sequential, and synergistic cumulative impacts, it is unlikely that the impact will result in spatial and temporal cumulative change.					
Degree of potential irreplaceable loss of resources					1
Low: Where the impact is unlikely to result in irreplaceable loss of resources.					
Prioritisation Factor 1,00					1,00
Final Significance					-5,00

2.2.5 SAFETY AND SECURITY RISKS TO LANDOWNERS AND LAWFUL OCCUPIERS

The presence of construction equipment on site may increase the crime in the prospecting area.

Impact Name	Safety and security risks to landowners and lawful occupiers				
Alternative	Alternative 1				
Environmental Risk					
Attribute	Pre-mitigation	Post-mitigation	Attribute	Pre-mitigation	Post-mitigation
Nature	-1	-1	Magnitude	2	2
Extent	2	2	Reversibility	3	3
Duration	1	1	Probability	3	2
Environmental Risk (Pre-mitigation)					-6,00

Mitigation Measures

- The Applicant through the Project Manager shall ensure:
 - O That reasonable measures are taken to ensure the safety of all site staff;
 - O Adequate access control must be implemented in site camp and site;
 - Awareness training should be provided to construction staff on safety, health and environmental matters;
 - o Provide appropriate Personal Protective Equipment (PPE) where required;
 - Compliance with the Occupational Health and Safety Act (Act No. 85 of 1993) and associated regulations;
 - The Applicant and Contractor must ensure that he/she has the contact details of the nearest emergency rooms (hospitals) to the site, of both private and public hospitals.

Appropriate signage and barriers must be provided for open trenches and other dangerous hazardous locations on site where deemed necessary. The ECO has the discretion to request additional safety measures.

where deemed necessary. The LCO has the discretion to request additional safety measures.	
Environmental Risk (Post-mitigation)	-4,00
Degree of confidence in impact prediction:	High
Impact Prioritisation	
Public Response	1
Low: Issue not raised in public responses	
Cumulative Impacts	1
Low: Considering the potential incremental, interactive, sequential, and synergistic cumulative impacts, impact will result in spatial and temporal cumulative change.	it is unlikely that the
Degree of potential irreplaceable loss of resources	1
Low: Where the impact is unlikely to result in irreplaceable loss of resources.	



Prioritisation Factor	1,00
Final Significance	-4,00

2.2.6 INTERFERENCE WITH EXISTING LAND USES

The proposed application areas are currently used for grazing of sheep and cattle. The prospecting activities may temporarily affect the availability of some areas for this use during construction phase.

Impact Name		Interferer	nce with existing	land uses									
Alternative			Alternative 1										
Environmental Risk													
Attribute	Pre-mitigation	Post-mitigation	Attribute	Pre-mitigation	Post-mitigation								
Nature	-1	1											
Extent	2	2											
Duration	2	1	Probability	4	4								
Environmental Risk (Pre-mitigation) -7,00													
Mitigation Measures													
Consultation with landowners Finalize agreements with landowners before commencing with prospecting activities. Adequate communication and notification of interested and affected parties regarding scheduling of prospecting activities.													
Environmental Risk (Pa					-5,00								
Degree of confidence	in impact prediction				High								
Impact Prioritisation					T -								
Public Response					2								
Medium: Issue has rec	eived a meaningful a	and justifiable public r	response		T								
Cumulative Impacts					1								
Low: Considering the impact will result in sp			al, and synergistic	cumulative impacts,	it is unlikely that the								
Degree of potential in	replaceable loss of	resources			1								
Low: Where the impa	ct is unlikely to result	in irreplaceable loss	of resources.										
Prioritisation Factor					1,17								
Final Significance					-5,83								

2.2.7 GENERATION AND DISPOSAL OF WASTE

During the prospecting activities, minimal waste may be generated from consumption of food on site, fuelling of vehicle, placement of ablution facilities etc.

Impact Name		Generat	ion and disposal	of waste			
Alternative			Alternative 1				
Environmental Risk							
Attribute	Pre-mitigation	Post-mitigation					
Nature	-1	2					
Extent	1	1	Reversibility	2	2		
Duration	1	3					
Environmental Risk (Pr	e-mitigation)				-6,00		
Mitigation Measures							
Implement an integrat Compliance with EMP	•	ent system.					
Environmental Risk (Pa	st-mitigation)				-4,50		
Degree of confidence	in impact prediction				High		



Impact Prioritisation									
Public Response	1								
Low: Issue not raised in public responses									
Cumulative Impacts	1								
Low: Considering the potential incremental, interactive, sequential, and synergistic cumulative impacts, it is unlikely that the impact will result in spatial and temporal cumulative change.									
Degree of potential irreplaceable loss of resources	1								
Low: Where the impact is unlikely to result in irreplaceable loss of resources.									
Prioritisation Factor	1,00								
Final Significance	-4,50								

2.3 OPERATIONAL PHASE IMPACTS

2.3.1 JOB CREATION

During the operational phase of the project, employment opportunities will be created for the contractors and professionals during prospecting.

Impact Name		Job Creation													
Alternative			Alternative 1												
Environmental Risk															
Attribute	Pre-mitigation	e-mitigation Post-mitigation Attribute Pre-mitigation													
Nature	1	1	Magnitude	2	2										
Extent	1	1	Reversibility	1	1										
Duration	2	2	Probability	3	3										
Environmental Risk (Pre-mitigation)															
Mitigation Measures	, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,														
n/a															
Environmental Risk (Pa	4,50														
Degree of confidence	Degree of confidence in impact prediction:														
Impact Prioritisation															
Public Response					1										
Low: Issue not raised i	n public responses														
Cumulative Impacts					1										
Low: Considering the impact will result in sp			al, and synergistic	cumulative impacts, i	it is unlikely that the										
Degree of potential in	replaceable loss of	resources			1										
Low: Where the impa	ct is unlikely to result	in irreplaceable loss	of resources.												
Prioritisation Factor					1,00										
Final Significance					4,50										

2.3.2 EROSION DUE TO IMPROPER REHABILITATION

In the event that adequate rehabilitation is not implemented, this could result in a lack of vegetation cover and as a result, lead to increased erosion.

Impact Name	Erosion due to improper rehabilitation
Alternative	Alternative 1
Environmental Risk	



Attribute	Pre-mitigation	Post-mitigation										
Nature	-1	1										
Extent	2	1	Reversibility	3	3							
Duration	2	1	Probability	2	2							
Environmental Risk (Pr	-4,50											
Mitigation Measures												
Rehabilitation monitoring by ECO until vegetation is established to a satisfactory level.												
Environmental Risk (Pa		-3,00										
Degree of confidence	High											
Impact Prioritisation												
Public Response		1										
Low: Issue not raised i	n public responses											
Cumulative Impacts					1							
Low: Considering the impact will result in sp			al, and synergistic	cumulative impacts, i	t is unlikely that the							
Degree of potential in	replaceable loss of 1	esources			1							
Low: Where the impa												
Prioritisation Factor					1,00							
Final Significance					-3,00							

2.4 REHABILITATION PHASE IMPACTS

2.4.1 JOB CREATION

During the Rehabilitation phase, it is anticipated that relevant specialists will be appointed for the reestablishment of vegetation in the disturbed areas that will not have any project related permanent infrastructure.

Impact Name		Job Creation													
Alternative			Alternative 1												
Environmental Risk															
Attribute	Pre-mitigation	Post-mitigation	Attribute	Pre-mitigation	Post-mitigation										
Nature	1	1	Magnitude	2	2										
Extent	1	1	Reversibility	1	1										
Duration	2	3													
Environmental Risk (Pr	Duration 2 2 Probability 3 3 Environmental Risk (Pre-mitigation) 4,50														
Mitigation Measures															
n/a															
Environmental Risk (Post-mitigation) 4,50															
Degree of confidence	in impact prediction				High										
Impact Prioritisation															
Public Response					1										
Low: Issue not raised i	n public responses														
Cumulative Impacts					1										
Low: Considering the impact will result in sp	•		al, and synergistic	cumulative impacts, i	it is unlikely that the										
Degree of potential in	replaceable loss of	resources			1										
Low: Where the impa	ct is unlikely to result	in irreplaceable loss	of resources.												
Prioritisation Factor					1,00										
Final Significance					4,50										



Appendix 1: Impact Significance Rating Table

Impact Assessment Calculations

IMPACT	DESCRIPTION				DD	E - MITIGAT	ION			POS	T - MITIGA	TION				IM	PACT PRIORITISA	TION		1
Impact	Alternative	Phase	Nature	Extent			Reversibility Probability	Pre-mitigation FR	Nature Extent				hability	Post-mitigation FR	Confidence			Irreplaceable loss	Priority Factor	Final score
Temporary disturbance of wildlife	Alternative	i ilase	Ivaluie	LAIGH	Duration	i iviagriituue	Reversibility I Tobability	1 16-miligation Etc	IVALUIE LAIGHT	Duration	iviagriituue	Treversibility IT 10	bability	1 Ost-Illitigation LIX	Confidence	T ublic response	Cumulative impact	irreplaceable loss	1 Honly Factor	i illai score
due to increased human		1																		
presence and possible use of																				
machinery and/or vehicles.	Altomotive 1	Diamina	١ ,		, ,	ا ا		-8.25	ء ا،	ر ا	١ ,		2	-4.5	Lliab	4			1.00	4.50
	Alternative 1	Planning	-1	1 3	2	2 3	3 3	-0.23	-1	2				-4.5	High	- 1			1.00	-4.50
Ongoing displacement, direct																				
mortalities and disturbance of																				
faunal community (including																				
multiple threatened species) due																				
to habitat loss and disturbances																				
because of the drilling and																				
access roads;	Alternative 1	Rehab and closure	-1	1 3	3	3	4 4	-13	-1 3	3	3	2	2	-5.5	High	1	1	2	1.17	-6.42
Disturbance and mortalities of																				
herpetofauna due to assaying																				
(Rock chips and Soil sampling)	Alternative 1	Rehab and closure	-1	1 3	3	3 4	3 3	-9.75	-1 3	3	3	3	3	-9	High	1	1	2	1.17	-10.50
Erosion due to improper																				
rehabilitation	Alternative 1	Rehab and closure	-1	1 2	2 2	2 2	3 2	-4.5	-1 1	1	l 1	3	2	-3	High	1	1	1	1.00	-3.00
Job Creation	Alternative 1	Planning	1	1 1	1 2	2	1 2	4.5	1 1	2	2	1	2	4.5	High	1	1	1	1.00	4.50
	1		!	<u>' </u>		2 2	1 3		- '	2			3			- 1	<u> </u>	!		
Job Creation	Alternative 1	Construction	1	1 1	1 2	2 2	1 3	4.5	1 1	2	2	1	3	4.5	High	1	1	1	1.00	
Job Creation	Alternative 1	Operation	1	1 1	1 2	2 2	1 3	4.5	1 1	2	2	1	3	4.5	High	1	1	1	1.00	4.50
Job Creation	Alternative 1	Decommissioning	1	1 1	2	2 2	1 3	4.5	1 1	2	2	1	3	4.5	High	1	1	1	1.00	4.50
Job Creation	Alternative 1	Rehab and closure	1	1 1	1 2	2	1 3	4.5	1 1	2	2	1	3	4.5	High	1	1	1	1.00	4.50
Temporary disturbance of wildlife		Tronias and Glosuit		<u> </u>	-		1 3	4.5					3	4.0	riigiT	- '			1.00	4.50
due to increased human																				
presence and possible use of	Alta 4!	Construction				,		0.05			_			, _	10-6					4.50
machinery and/or vehicles.	Alternative 1	Construction	-1	3	5 2	2 3	3 3	-8.25	-1 3	2	2	2	2	-4.5	High	1	1	1	1.00	-4.50
		1																		
Deterioration and damage to																				
existing access roads and tracks	Alternative 1	Construction	-1	1 2	2 1	1 2	3 4	-8	-1 1	1	1	2	4	-5	High	1	1	1	1.00	-5.00
Continued disturbance of																				
vegetation communities																				
(including portions of a CBA1,																				
CBA2, ESA and a section																				
classed as high and highest																				
biodiversity importance) and																				
encroachment by alien invasive																				
	A 14 4	0		، ا،				40	، ا،		١,		_	0.75	LULL	4	,		4 4 7	44.00
plant species;	Alternative 1	Operation	-1	1 4	4	+ 4	4 4	-16	-1 3	3	4	3	3	-9.75	High	- 1	ı	2	1.17	-11.38
Displacement of avifauna by the	l										_		_	_				_		
airborne survey;	Alternative 1	Operation	-1	1 4	1 3	3	4 5	-17.5	-1 3	3	3	3	3	-9	High	1	1	2	1.17	-10.50
Impact on palaeontological																				
resources;	Alternative 1	Construction	-1	1 1	1 5	5 4	5 4	-15	-1 1	5	2	5	1	-3.25	High	1	1	3	1.33	-4.33
Interference with existing land																				
uses	Alternative 1	Construction	-1	1 2	2 2	2 1	2 4	-7	-1 1	1	1	2	4	-5	High	2	1	1	1.17	-5.83
Impact on structures older than																				
60 years;	Alternative 1	Construction	-1	1 1	1 5	5 3	5 2	-7	-1 1	5	2	5	1	-3.25	High	1	1	2	1.17	-3.79
·	1													520	3 -					55
Safety and security risks to		1																		
landowners and lawful occupiers	Alternative 1	Construction	-1	1 2) 1	1 2	3 3	-6	-1 2	1	2	3	2	-1	High	1	1	1	1.00	-4.00
							0 0	-0		- !			2	-4						
Air Quality	Alternative 1	Construction	-1		1	1	2 3	-4.5		1	1	2	2	-2.5	High	1	1	1	1.00	
Air Quality	Alternative 1	Decommissioning	-1	1 2	2 1	1	2 3	-4.5	-1 1	1	1	2	2	-2.5	High	1	1	1	1.00	-2.50
Air Quality	Alternative 1	Rehab and closure	-1	1 2	2 1	1 1	2 3	-4.5	-1 1	1	1	2	2	-2.5	High	1	1	1	1.00	-2.50
Displacement, direct mortalities	1	1												2.10	3 -				50	
and disturbance of faunal																				
community (including multiple																				
threatened species) due to																				
habitat loss and disturbances																				
(such as dust, vibrations,																				
The state of the s	Altoroptics	Dobob and al						40.5	4		_				l limb			_		F 00
poaching and noise).		Rehab and closure	-1	4	4	+ 3	3 3	-10.5	-1 3	2	3	2	2	-5	High	1	1	2	1.17	
Degradation of aquifers;	Alternative 1	Construction	-1		3 4	4	3 3	-10.5	-1 3	2	2	2	3	-6.75	High	1	2	2 3	1.50	
Impacts on existing groundwater	u Alternative 1	Construction	-1	1 3	3 2	2 4	3 3	-9	-1 3	3 2	2	2	2	-4.5	High	1	2	3	1.50	-6.75
Impact on potential burial															-					
grounds and graves;	Alternative 1	Construction	-1	1 1		5 4	5 2	-7.5	1 1	5	2	5	1	3.25	High	1	1	3	1.33	4.33
Impact on archaeological	1											<u> </u>		0.20					50	55
resources;	Alternative 1	Construction	-1	1 1		5 3	5 2	-7	-1 1	5	2	5	1	-3.25	High	1	1	2	1.17	-3.79
	, incinative 1	Sonoridonon	- 1	<u> </u>		1 3	2	-1		3				-5.25	riigiT	-			1.17	-3.19
Safety and accurity risks to																				
Safety and security risks to															,					
landowners and lawful occupiers	Alternative 1	Operation	-1	1 2	2 1	2	3 3	-6	-1 2	1	2	3	2	-4	High	1	1	1	1.00	-4.00
		1																		
Generation and disposal of waste		Construction	-1	1 1	1 1	2	2 4	-6	-1 1	1	2	2	3	-4.5	High	1	1	1	1.00	-4.50
Destruction of, and fragmentation																				
of, portions of the vegetation																				
community;	Alternative 1	Construction	-1	1 4	1 4	1 4	4 4	-16	-1 2	3	3	3	3	-8.25	High	1	1	2	1.17	-9.63
**						1		10					J	0.20	,g. i	'			1.17	5.00
Displacement of faunal																				
community (including possible		1																		
threatened or protected species)																				
due to habitat loss, disturbance																				
(noise, dust and vibration) and/or	l	<u></u>																		
direct mortalities;	Alternative 1	Construction	-1	1 4	1 3	3 4	3 3	-10.5	-1 3	3 2	2	2	3	-6.75	High	1	1	2	1.17	-7.88
																			-	

Impact Assessment Calculations

IMPACT D	IMPACT DESCRIPTION					E - MITIGAT	TION			POST - MITIGATION								IMPACT PRIORITISATION				
Impact	Alternative	Phase	Nature	Extent	Duration	Magnitude	Reversibility	Probability	Pre-mitigation ER	Nature Ex	xtent Di	uration Mag	nitude F	Reversibility	Probability	Post-mitigation ER	Confidence	Public response	Cumulative Impact	Irreplaceable loss	Priority Factor	Final score
Loss of ESA and sections of area classed as moderate and highest																						
biodiversity importance;	Alternative 1	Construction	-1	1 4	3	4	4 3	4	-14	-1	3	3	3	3	3	-9	High	1	1	2	1.11	7 -10.50
Impact on Surface Water Sources	Alternative 1	Construction	-1	1 3	3	4	4 3	2	-6.5	-1	3	2	2	2	2	-4.5	High	1	2	. 1	1,1	7 -5.25
Further impacts due to the spread and/or establishment of alien																						
and/or invasive species;	Alternative 1	Rehab and closure	-1	1 4	3	4	1 4	3	-11.25	-1	3	3	3	3	3	-9	High	1	1	2	1.11	7 -10.50
Noise	Alternative 1	Construction	-1	1 1	2	. 1	1 2	3	-4.5	-1	1	2	1	2	2	-3	High	1	1	1	1.00	0 -3.00
Pollution and Compacting of Soils	Alternative 1	Construction	-1	1 1	1	1	1 3	3	-4.5	-1	1	1	1	2	2	-2.5	High	1	1	1	1.00	0 -2.50