REFERENCE DRAWINGS		TITLE	SIGNATURE	TITLE	SIGNATURE
DRG No.	DESCRIPTION	MECHANICAL		DRAWN BY	
		PROCESS		CHECK BY	
		PIPING		MANAGER ENGINEERING	
		CIVIL		TECHNICAL PROJECT MANAGER	
		STRUCTURAL		AREA MANAGER	
		ELECTRICALINSTRUMENTATION		CLIENT	

SETTING OUT DATA AND REFERENCE PEGS



DESIGN SPEED = 100 Km/h

CENTRE LINE

4m 8m

"AS BUILT" NOTE

DESIGN SPEED
100 km/h



PROFILE OF GRADE LINE





VERTICAL CURVES

BVC 2050.0 EVC — 180.0m VC K = 51.4 — BVC 2230.0 EVC 2240.0 — 180.0m VC K = 32.9 — 2420.0 EVC — BVC 2545.0 — 180.0m VC K = 45.0 — 2725.0 EVC — BVC 2815.0 — 500.0m VC K = 61.8

GRADE

0.510 % — 2140.000 1536.852 — 4.011 % — 2330.000 1544.473 — -1.452 % — 2635.000 1540.043 — 2.548 % — 3000.000 1551.000

FINAL ROAD LEVELS

| | | |

REFERENCE DRAWINGS		TITLE	SIGNATURE	TITLE	SIGNATURE
DRG No.	DESCRIPTION	MECHANICAL		DRAWN BY	
		PROCESS		CHECK BY	
		PIPING		MANAGER ENGINEERING	
		CIVIL		TECHNICAL PROJECT MANAGER	
		STRUCTURAL		AREA MANAGER	
		ELECTRICALINSTRUMENTATION		CLIENT	

SETTING OUT DATA AND REFERENCE PEGS



℄ ROAD P141-1 INTERSECTION
km 3.642 460 (ROAD P141-1)
km 0.000 000 (ROAD D2769)

GRAVEL SHOULDER
SIGHT DISTANCE > 300m

GRAVEL SHOULDER
SIGHT DISTANCE > 310m

℄ ROAD P141-1 INTERSECTION
km 3.642 460 (ROAD P141-1)
km 0.000 000 (MIA ACCESS RD)

DESIGN SPEED = 100 Km/h

CENTRE LINE

4m 8m

"AS BUILT" NOTE

DESIGN SPEED
100 km/h

PROFILE OF GRADE LINE



VERTICAL CURVES

500.0m VC
K = 61.8

3315.0 EVC
BVC 3335.0

180.0m VC
K = 30.4

3515.0 EVC

BVC 3820.0

180.0m VC
K = 185.6

GRADE

2.548 %

3065.000 | 1551.000

-5.548 %

3425.000 | 1531.028

0.376 %

3910.000 | 1532.853

-0.594 %

4000.000
1530.063

FINAL ROAD LEVELS

| | | |

REFERENCE DRAWINGS		TITLE	SIGNATURE	TITLE	SIGNATURE
DRG No.	DESCRIPTION	MECHANICAL		DRAWN BY	
		PROCESS		CHECK BY	
		PIPING		MANAGER ENGINEERING	
		CIVIL		TECHNICAL PROJECT MANAGER	
		STRUCTURAL		AREA MANAGER	
		ELECTRICALINSTRUMENTATION		CLIENT	

UITPENDATA EN VERWYSINGSPENNE

SETTING OUT DATA AND REFERENCE PEGS



DESIGN SPEED = 100 Km/h

CENTRE LINE

4m 8m

"AS BUILT" NOTE

DESIGN SPEED
100 km/h



PROFILE OF GRADE LINE





VERTICAL CURVES: BVC 4200.0 — 180.0m VC K = 117.1 — EVC 4470.0; BVC 4500.0 — 210.0m VC K = 37.0 — EVC 4740.0; BVC 4790.0 — 180.0m VC K = 26.5 — EVC 4870.0

GRADE: -0.594 % (4380.000 / 1530.063); 0.944 % (4635.000 / 1532.469); -4.724 % (4880.000 / 1520.894); 2.077 % (5000.000 / 1540.000)

FINAL ROAD LEVELS

| | | |

REFERENCE DRAWINGS		TITLE	SIGNATURE	TITLE	SIGNATURE
DRG No.	DESCRIPTION	MECHANICAL		DRAWN BY	
		PROCESS		CHECK BY	
		PIPING		MANAGER ENGINEERING	
		CIVIL		TECHNICAL PROJECT MANAGER	
		STRUCTURAL		AREA MANAGER	
		ELECTRICALINSTRUMENTATION		CLIENT	

SETTING OUT DATA AND REFERENCE PEGS



DESIGN SPEED = 100 Km/h

CENTRE LINE

4m 8m

AS BUILT NOTE

DESIGN SPEED
100 km/h



PROFILE OF GRADE LINE





VERTICAL CURVES

BVC 5600.0

400.0m VC
K = 151.4

GRADE

2.077 %

5800.000 1540.000

-0.564 %

6000.000
1536.077

FINAL ROAD LEVELS

| | | |

REFERENCE DRAWINGS		TITLE	SIGNATURE	TITLE	SIGNATURE
DRG No.	DESCRIPTION	MECHANICAL		DRAWN BY	
		PROCESS		CHECK BY	
		PIPING		MANAGER ENGINEERING	
		CIVIL		TECHNICAL PROJECT MANAGER	
		STRUCTURAL		AREA MANAGER	
		ELECTRICALINSTRUMENTATION		CLIENT	

SETTING OUT DATA AND REFERENCE PEGS



DESIGN SPEED = 100 Km/h

CENTRE LINE

4m 8m

"AS BUILT" NOTE

DESIGN SPEED 100 km/h



PROFILE OF GRADE LINE





VERTICAL CURVES: BVC 6370.0 — 250.0m VC K = 67.6 — EVC 6620.0 — BVC 6910.0 — 180.0m VC K = 30.4

GRADE: -0.564 % (6495.000 / 1536.077) -4.264 % (7000.000 / 1514.545)

FINAL ROAD LEVELS

| | | |

REFERENCE DRAWINGS		TITLE	SIGNATURE	TITLE	SIGNATURE
DRG No.	DESCRIPTION	MECHANICAL		DRAWN BY	
		PROCESS		CHECK BY	
		PIPING		MANAGER ENGINEERING	
		CIVIL		TECHNICAL PROJECT MANAGER	
		STRUCTURAL		AREA MANAGER	
		ELECTRICALINSTRUMENTATION		CLIENT	

SETTING OUT DATA AND REFERENCE PEGS



DESIGN SPEED = 100 Km/h

CENTRE LINE

4m 8m

"AS BUILT" NOTE

DESIGN SPEED
100 km/h



PROFILE OF GRADE LINE





VERTICAL CURVES: 180.0m VC, K = 30,4 | 7060.0 EVC

GRADE: 7000.000 | 1514.545 | 1.658 %

FINAL ROAD LEVELS																							
			1516,130	1515,803	1515,608	1515,545	1515,614	1515,814	1516,129	1516,460	1516,792	1517,123	1517,455	1517,786	1518,118	1518,449	1518,781	1519,112	1519,444	1519,775	1520,107	1520,438	1520,820
H_L	3.7 m	LEFT	1516,130	1515,803	1515,608	1515,545	1515,614	1515,814	1516,129	1516,460	1516,792	1517,123	1517,455	1517,786	1518,118	1518,449	1518,781	1519,112	1519,444	1519,775	1520,107	1520,438	1520,820
H_C		ON ℄	1516,204	1515,877	1515,682	1515,619	1515,688	1515,888	1516,203	1516,534	1516,866	1517,197	1517,529	1517,860	1518,192	1518,523	1518,855	1519,186	1519,518	1519,849	1520,181	1520,512	1520,894
H_R	3.7 m	RIGHT	1516,130	1515,803	1515,608	1515,545	1515,614	1515,814	1516,129	1516,460	1516,792	1517,123	1517,455	1517,786	1518,118	1518,449	1518,781	1519,112	1519,444	1519,775	1520,107	1520,438	1520,820

SUPERELEVATION: -2.000

GROUND LEVELS ON CENTRE LINE	1515,264	1514,498	1514,803	1514,835	1515,018	1515,083	1514,455	1515,388	1515,937	1516,423	1516,889	1517,289	1517,685	1518,840	1518,908	1519,278	1519,309	1519,669	1519,999	1520,388	1520,479
CHAINAGE m	6980	7000	7020	7040	7060	7080	7100	7120	7140	7160	7180	7200	7220	7240	7260	7280	7300	7320	7340	7360	7365

GUARD RAIL LEFT
KERB OR PAVING LEFT
SURFACED SHOULDER LEFT
SURFACED SHOULDER RIGHT
KERB OR PAVING RIGHT
GUARD RAIL RIGHT

HORIZONTAL ALIGNMENT: Direction 334°

DRAINAGE — KILOMETRE DISTANCE SIZE AND ANGLE Ø: (12) km 7,100 4 / 2100 x 1200 BC 0 = 90 Deg

FOR INFORMATION ONLY

No	DATUM DATE	WYSIGINGS / AMENDMENTS	nms Hoof v. Dept. for Head of Dept.	DATUM DATE
AA	18/12/2012	For Approval		

SURVEYED BY: Lidar Survey, Received 25/10/2011, From Xstrata — HANDTEK / SIGNTR. DATUM / DATE

ONTWERP VIR / DESIGNED FOR: TWEEFONTEIN PROJECT, XSTRATA COAL SA

ONTWERP DEUR / DESIGNED BY: JEFFARES & GREEN PTY (Ltd), ENGINEERING AND ENVIRONMENTAL CONSULTING. TEL. (012) 349-7900, FAX. (012) 349-7979, E-MAIL gjpta@jg.co.za, P.O. BOX 2973 PRETORIA 0001

ONTWERP GOEDGEKEUR DESIGN APPROVED — PR 980444 nms Raadgewende Ingenieur for Consulting Engineers — DATUM/DATE: ___ ___ ___

GOEDGEKEUR DEUR APPROVED BY — nms Hoof van Departement for Head of Department — DATUM/DATE: ___ ___ ___

ONTWERP DEUR DESIGNED BY	JN
NAGESIEN DEUR CHECKED BY	CCLR
GETEKEN DEUR DRAWN BY	RR
NAGESIEN DEUR CHECKED BY	CCLR

MPUMALANGA REGERING / MPUMALANGA GOVERNMENT — OPENBARE WERKE, PAAIE EN VERVOER / PUBLIC WORKS, ROADS AND TRANSPORT — MPUMALANGA

REALIGNMENT OF PROVINCIAL ROADS

LONGITUDINAL SECTION km 7.000 TO km 7.364 (SHEET 8 of 8)

SKAAL / SCALE: H 1:1000, V 1:100

LÊER Nr / FILE No: --

TIPE ONTWERP / TYPE OF PLANNING: PRELIMINARY DESIGN

DISTRIK / DISTRICT: NKANGALA

PAD Nr / ROAD No: P141/1 & D2769

PROVINSIE PLAN Nr / PROVINCE PLAN No: MRS 06/--/08Ls

XSTRATA COAL PLAN Nr / PLAN No: TOP-J&G-5003-CV-1115

PROVINCE PLAN No: MRS 06/--/08Ls

XSTRATA COAL PLAN No: TOP-J&G-5003-CV-01-1115

W:\002398 - Tweefontein Re-alignment (CC le Roux)\03 Drawings\Working Drawings\Alternative 2012\Preliminary Design\Rev A\B2398JN_TOP-J&G-5003-CV-01-1115.dwg