

## Raquel Peters

---

**From:** Thulisile Nyalunga <TNYALUNGA@dffe.gov.za>  
**Sent:** Thursday, 05 May 2022 12:35  
**To:** Raquel Peters  
**Cc:** Sindiswa Dlomo  
**Subject:** RE: 2022-04-0030

Dear Raquel

You have indicated that a Pre-application meeting is not required, however the pp plan needs to be approved.

Please note that the public participation plan has been cancelled as of 01st of May 2022. If you wish, you can submit your application.

Regards  
Thulisile

---

**From:** EIA Applications <EIAApplications@dffe.gov.za>  
**Sent:** Thursday, 05 May 2022 12:23  
**To:** Thulisile Nyalunga <TNYALUNGA@dffe.gov.za>  
**Cc:** Sindiswa Dlomo <SDLOMO@dffe.gov.za>; Raquel@savannahsa.com  
**Subject:** 2022-04-0030

Dear Thulisile.

Please note that you have been allocated an application:

**Type of Application:** Pre-Application Meeting Request;  
**Reference Number:** 2022-04-0029;  
**Date Received:** 28/04/2022;  
**Action Required:** Decide on meeting request.

Kindly let Ephron know which date the meeting is to be held, if it will be set.

**EIA Applications**  
Integrated Environmental Authorisations  
Department of Forestry, Fisheries and the Environment

**Please note that this email is for the receipt and processing of online applications only, and is not monitored for responses. All queries must be directed to [EIAdmin@dffe.gov.za](mailto:EIAdmin@dffe.gov.za).**

**You are advised that this mailbox has a 48 hour response time.**

*Please note that this mailbox has a 5mb mail limit. No zip files are to be attached in any email.*

---

**From:** Raquel Peters <[Raquel@savannahsa.com](mailto:Raquel@savannahsa.com)>  
**Sent:** Thursday, 28 April 2022 09:25  
**To:** EIA Applications <[EIAApplications@dffe.gov.za](mailto:EIAApplications@dffe.gov.za)>

**Cc:** Rendani Rasivhetshele <[rendani@savannahsa.com](mailto:rendani@savannahsa.com)>

**Subject:** Request for a Pre-Application Meeting for the proposed Kiara PV Cluster

Good morning,

Please find attached the pre-application meeting request form, for the proposed Kiara PV Cluster. Please note that a Pre-application meeting is **not** required. Approval of the PP Plan is required.

Thank you.

Kind Regards,

Raquel Peters



t: +27 (0)11 656 3237  
f: +27 (0) 86 684 0547



**Raquel Peters**

Junior Environmental Consultant

e: [raquel@savannahsa.com](mailto:raquel@savannahsa.com)

c: +27 (0)81 338 9703

SAWEA Award for Leading Environmental Consultant on Wind Projects in 2013 & 2015

#### Processing of personal Information / POPIA compliance

We respect your privacy and acknowledge that this e-mail will contain Personal Information, which may belong to you, others and/or to your organization and which we will process. The processing of your personal information by Savannah Environmental may be included in reports submitted to governmental departments or on our public platforms, which processing will be done in accordance with our processing notice housed on our website - <https://savannahsa.com/privacy-policy-privacy-policy-page/>. By sending and/or receiving this message, you hereby consent to the lawful processing of personal information for the intended purposes, as described by the Protection of Personal Information Act, 2013 (Act No 4 of 2013).

## **Nkhensani Masondo**

---

**From:** Lydia Kutu <LKutu@dffe.gov.za>  
**Sent:** Tuesday, 28 June 2022 11:24  
**To:** Brenda Ton; Rendani Rasivhetshele; Raquel Peters; Jo-Anne Thomas; Savannah Public Process  
**Cc:** Thulisile Nyalunga; EIAadmin; Salome Mambane; Masingita Maluleke  
**Subject:** 14/12/16/3/3/2/2173

Dear Sir/Madam

### **ACKNOWLEDGEMENT OF RECEIPT OF THE NEW APPLICATION FORM AND DRAFT SCOPING REPORT FOR ENVIRONMENTAL AUTHORISATION FOR THE PROPOSED KIARA PV3 FACILITY AND ASSOCIATED INFRASTRUCTURE, NEAR LICHTENBURG, NORTH WEST PROVINCE.**

The Department confirms having received the Application Form and Draft Scoping Report for Environmental Authorisation for the abovementioned project on 24 June 2022. You have submitted these documents to comply with the Environmental Impact Assessment (EIA) Regulations, 2014, as amended.

Kindly note that your application for Environmental Authorisation falls within the ambit of an application applied for in terms of Part 3 of Chapter 4 of the EIA Regulations, 2014, as amended. You are therefore referred to Regulation 21 of the EIA Regulations, 2014 as amended.

Please take note of Regulation 40(3) of the EIA Regulations, 2014, as amended, which states that potential Interested & Affected Parties, including the Competent Authority, may be provided with an opportunity to comment on reports and plans contemplated in Regulation 40(1) of the EIA Regulations, 2014, as amended, prior to the submission of an application but **must** be provided an opportunity to comment on such reports once an application has been submitted to the Competent Authority.

Note that in terms of Regulation 45 of the EIA Regulations, 2014, as amended, this application will lapse if the applicant fails to meet any of the time-frames prescribed in terms of these Regulations, unless an extension has been granted by the Department in terms of Regulation 3(7) of the EIA Regulations, 2014, as amended.

You are hereby reminded of Section 24F of the National Environmental Management Act, Act No. 107 of 1998, as amended, that no activity may commence prior to an Environmental Authorisation being granted by the Department.

Kind Regards,  
Lydia Kutu  
Integrated Environmental Authorisations:  
Coordination, Strategic Planning and Support  
Tel: (012) 399 9370  
Email: [LKutu@dffe.gov.za](mailto:LKutu@dffe.gov.za)

*To God be the Glory!!!*



## forestry, fisheries & the environment

Department:  
Forestry, Fisheries and the Environment  
REPUBLIC OF SOUTH AFRICA

Private Bag X 447· PRETORIA 0001· Environment House 473 Steve Biko Road, Arcadia, · PRETORIA

**DFFE Reference:** 14/12/16/3/3/2/2171,2172,2173,2174

**Enquiries:** Ms Thulisile Nyalunga

**Telephone:** (012) 399 9405 **E-mail:** [TNyalunga@dfffe.gov.za](mailto:TNyalunga@dfffe.gov.za)

Ms Rendani Rasivhetshela  
Savannah Environmental (Pty) Ltd  
PO Box 148  
**SUNNINGHILL**  
2191

Cellphone Number: (011) 656 3237  
Email Address: [rendani@savannahsa.com](mailto:rendani@savannahsa.com)

### PER MAIL / E-MAIL

Dear Ms Rasivhetshela

### COMMENTS ON THE DRAFT SCOPING REPORTS FOR THE PROPOSED DEVELOPMENT OF THE 130MW KIARA PV1, PV2, PV3 AND PV4 PHOTOVOLTAIC SOLAR ENERGY FACILITIES AND ASSOCIATED INFRASTRUCTURE NEAR LICHTENBURG WITHIN THE DITSOBOTLA LOCAL MUNICIPALITY IN THE NORTH-WEST PROVINCE

The Applications for Environmental Authorisation and the Draft Scoping Reports (SR) dated June 2022 and received by the Department on 24 June 2022, refer.

This letter serves to inform you that the following information must be included to the Final Scoping Reports:

#### **(a) Listed Activities and Application Form**

- Please ensure that all relevant listed activities are applied for, are specific and can be linked to the development activity or infrastructure as described in the project description. Please provide the details, capacities and thresholds of the specific project infrastructure, not a repetition of the listed activity thresholds (i.e., a description of the dangerous goods facility infrastructure, capacity and location, and the length and width of the main access roads.
- It is imperative that the relevant authorities are continuously involved throughout the environmental impact assessment process, as the development property possibly falls within geographically designated areas in terms of Listing Notice 3 Activities. Written comments must be obtained from the relevant authorities (or proof of consultation if no comments were received) and submitted to this Department. In addition, a graphical representation of the proposed development within the respective geographical areas must be provided. Please also ensure that the potential impacts on the affected Critical Biodiversity Areas and Ecological Support Areas are fully assessed in the final EIAr.
- If the activities applied for in the application form differ from those mentioned in the final SR, an amended application form must be submitted. Please note that the Department's application form template has been amended and can be downloaded from the following link <https://www.environment.gov.za/documents/forms>.

**(b) Layout & Sensitivity Maps**

Please provide a layout map which indicates the following:

- The proposed location of the PV arrays and associated infrastructure of the proposed 130MW Kiara PV1, PV2, PV3 and PV4 Photovoltaic Solar Energy Facilities;
- The location of the proposed Kiara PV1, PV2, PV3 and PV4 solar PV facilities in relation to the cluster of the 3 additional planned PV facilities (i.e., Kiara PV5, PV6 and Kiara PV7);
- The proposed grid infrastructure connecting the PV facilities to the existing Watershed Substation, overlain by the sensitivity map;
- All supporting onsite infrastructure e.g., roads (existing and proposed);
- The location of sensitive environmental features on site e.g., CBAs, heritage sites, wetlands, drainage lines etc. that will be affected;
- Buffer areas; and
- All “no-go” areas.
- The above map must be overlain with a sensitivity map and a cumulative map which shows neighbouring renewable energy developments and existing grid infrastructure.
- Google maps will not be accepted.

**(c) Public Participation Process**

- Please ensure that all issues raised, and comments received on the draft SR from registered I&APs and organs of state which have jurisdiction (including this Department’s Biodiversity Section: [BCAdmin@environment.gov.za](mailto:BCAdmin@environment.gov.za)) in respect of the proposed activity are adequately addressed in the Final SR. Proof of correspondence with the various stakeholders must be included in the Final SR. Should you be unable to obtain comments, proof must be submitted to the Department of the attempts that were made to obtain comments. The Public Participation Process must be conducted in terms of the approved public participation plan and Regulation 39, 40, 41, 42, 43 & 44 of the EIA Regulations 2014, as amended.
- A comments and response trail report (C&R) must be submitted with the final SR. The C&R report must incorporate all historical comments (pre and post submission of the draft SR) for this development. The C&R report must be a separate document from the main report and the format must be in the table format which reflects the details of the I&APs and date of comments received, actual comments received, and response provided. Please ensure that comments made by I&APs are comprehensively captured (copy verbatim if required) and responded to clearly and fully. Please note that a response such as “Noted” is not regarded as an adequate response to I&AP’s comments.

**(d) Specialist Assessments to be conducted in the EIA Phase**

- Specialist studies to be conducted must provide a detailed description of their methodology, as well as indicate the locations and descriptions of turbine positions, and all other associated infrastructures that they have assessed and are recommending for authorisations.
- The specialist studies must also provide a detailed description of all limitations to their studies. All specialist studies must be conducted in the right season and providing that as a limitation, will not be accepted.
- Should the appointed specialists specify contradicting recommendations, the EAP must clearly indicate the most reasonable recommendation and substantiate this with defensible reasons; and where necessary, include further expertise advice.
- It is further brought to your attention that Procedures for the Assessment and Minimum Criteria for Reporting on identified Environmental Themes in terms of Sections 24(5)(a) and (h) and 44 of the National Environmental Management Act, 1998, when applying for Environmental Authorisation, which were promulgated in Government Notice No. 320 of 20 March 2020 (i.e. “the Protocols”), and in Government Notice No. 1150 of 30 October 2020 (i.e. protocols for terrestrial plant and animal species),

have come into effect. **Please note that specialist assessments must be conducted in accordance with these protocols.** Please note further that the protocols require the specialists' to be registered with SACNASP.

- Please include a table in the report, summarising the specialist studies required by the Department's Screening Tool, a column indicating whether these studies were conducted or not, and a column with motivation for any studies not conducted. Please note that if any of the specialists' studies and requirements/protocols recommended in the Department's Screening Tool are not commissioned, motivation for such must be provided in the report per the requirements of the Protocols.

**(e) Cumulative Assessment to be conducted in the EIA Phase**

- Should there be any other similar projects within a 30km radius of the proposed development site, the cumulative impact assessment for all identified and assessed impacts must be refined to indicate the following:
  - Identified cumulative impacts must be clearly defined, and where possible the size of the identified impact must be quantified and indicated, i.e., hectares of cumulatively transformed land.
  - Detailed process flow and proof must be provided, to indicate how the specialist's recommendations, mitigation measures and conclusions from the various similar developments in the area were taken into consideration in the assessment of cumulative impacts and when the conclusion and mitigation measures were drafted for this project.
  - The cumulative impacts significance rating must also inform the need and desirability of the proposed development.
  - A cumulative impact environmental statement on whether the proposed development must proceed.

**(f) Environmental Management Programme**

- The EMPr must include the following:
- It is drawn to your attention that for substation and overhead electricity transmission and distribution infrastructure, when such facilities trigger activity 11 or 47 of the Environmental Impact Assessment Regulations Listing Notice 1 of 2014, as amended, and any other listed and specified activities necessary for the realisation of such facilities, the generic Environmental Management Programme, contemplated in Regulations 19(4) must be used and submitted with the final report over and above the EMPr for the facility.
- Further to the above, you are required to comply with the content of the EMPr in terms of Appendix 4 of the Environmental Impact Assessment Regulations, 2014, as amended.
  - .

**General**

You are further reminded to comply with Regulation 21(1) of the NEMA EIA Regulations 2014, as amended, which states that:

*"If S&EIR must be applied to an application, the applicant must, within 44 days of receipt of the application by the competent authority, submit to the competent authority a scoping report which has been subjected to a public participation process of at least 30 days and which reflects the incorporation of comments received, including any comments of the competent authority"*

You are further reminded that the final SR to be submitted to this Department must comply with all the requirements in terms of the scope of assessment and content of Scoping reports in accordance with Appendix 2 and Regulation 21(1) of the EIA Regulations 2014, as amended.

Further note that in terms of Regulation 45 of the EIA Regulations 2014, as amended, this application will lapse if the applicant fails to meet any of the timeframes prescribed in terms of these Regulations, unless an extension has been granted in terms of Regulation 3(7).

You are hereby reminded of Section 24F of the National Environmental Management Act, Act No. 107 of 1998, as amended, that no activity may commence prior to an Environmental Authorisation being granted by the Department.

Yours sincerely



**Ms Millicent Solomons**  
**Acting Chief Director: Integrated Environmental Authorisations**  
**Department of Forestry, Fisheries and the Environment**  
**Letter signed by: Ms Sindiswa Dlomo**  
**Designation: Deputy Director: National Infrastructure Projects**  
**Date: 25/07/2022**

cc:	Mr Armandt Andre Joubert	Voltalia South Africa (Pty) Ltd	Email: a.joubert@votalia.com
	Ms Ouma Skosana	North-West Department of Economic Development, Environment, Conservation and Tourism	Email: oskosana@nwpg.gov.za
	Mr Mali Ledwaba	Ditsobotla Local Municipality	Email: ledwabamali@gmail.com



# forestry, fisheries & the environment

Department:  
Forestry, Fisheries and the Environment  
REPUBLIC OF SOUTH AFRICA

Private Bag X 447· PRETORIA ·0001· Environment House 473 Steve Biko Road, Arcadia· PRETORIA

**DFFE Reference:** 14/12/16/3/3/2/2171,2172,2173,2174

**Enquiries:** Ms Thulisile Nyalunga

**Telephone:** (012) 399 9405 **E-mail:** [tnyalunga@dffe.gov.za](mailto:tnyalunga@dffe.gov.za)

Ms Jo-Anne Thomas  
Savannah Environmental (Pty) Ltd  
PO Box 148  
**SUNNINGHILL**  
2157

Telephone Number: (011) 656 3237  
Email Address: [joanne@savannahsa.com](mailto:joanne@savannahsa.com)

## PER E-MAIL / MAIL

Dear Ms Thomas

### **APPROVAL OF THE REQUEST IN TERMS OF REGULATION 3(7) OF THE EIA REGULATIONS, 2014, AS AMENDED FOR THE PROPOSED DEVELOPMENT OF A COMMERCIAL PHOTOVOLTAIC (PV) SOLAR ENERGY FACILITIES AND ASSOCIATED INFRASTRUCTURE ASSOCIATED INFRASTRUCTURE NEAR LICHTENBURG WITHIN THE DITSOBOTLA LOCAL MUNICIPALITY IN THE NORTH-WEST PROVINCE**

The application for Environmental Authorisation and draft Scoping Reports (SRs) received by this Department on 24 June 2022, the comments on the draft SRs dated 25 July 2022, the final SRs received by this Department on 05 August 2022, the acceptance of the final SRs by this Department dated 16 September 2022, your request for extension in terms of Regulation 3(7) of the EIA Regulations, 2014, as amended dated 08 November 2022 and received by the Department on 08 November 2022, and the acknowledgement thereof on 09 November 2022, refer.

This Department commented on the draft SRs on 25 July 2022, accepted the final SRs on 16 September 2022, and is awaiting an Environmental Impact Assessment Reports (EIARs) which must be submitted to this Department in terms of Regulation 23(1)(a) of the EIA Regulations, 2014, as amended.

This Department received correspondence in the form of a letter from Savannah Environmental (Pty) Ltd dated 08 November 2022 requesting an extension of the prescribed timeframes by a period of sixty (60) days within which the final EIAR is to be submitted to the Department.

The motivation provided is that according to the Screening Tool avifaunal theme and scoping avifaunal report, the study site and immediate surroundings have shown a high avian theme as the area is located within 20km of the known Cape Vulture (*Gyps coprotheres*) restaurants. Due to the limited level of detail that is normally implemented during a scoping assessment, it is imperative that detailed avifaunal investigations be conducted on the study area at an appropriate season. The EAP, Savannah Environmental (Pty) Ltd, was informed by the avifaunal specialist that due to unforeseen circumstances, they (the specialist) would only be able to provide their specialist report by beginning of December 2022. As this assessment has been included in the approved plan of study for the EIA Phase, it is therefore required to be submitted as part of the EIA Report in order to comply with the approved plan of study. Furthermore, the assessment is critical to understanding the acceptability of the project from an environmental perspective, and the EAP can therefore not provide a comprehensive conclusion as to whether the project should proceed without it.



Due to the above-mentioned unforeseen circumstances, the project schedule has been affected and this will influence the release date of the EIA Reports for public review, as well as the submission of the Final EIA Reports to DFFE for decision-making. The applicant and specialist consulting team are currently not able to provide the Competent Authority with the comprehensive information required to make an informed decision on the project within the prescribed timeframes.

Regulation 3(7) of the EIA Regulations, 2014, as amended states that *"In the event where the scope of work must be expanded based on the outcome of an assessment done in accordance with these Regulations, which outcome could not be anticipated prior to the undertaking of the assessment, or in the event where exceptional circumstances can be demonstrated, the competent authority may, prior to the lapsing of the relevant prescribed timeframe, in writing, extend the relevant prescribed timeframe and agree with the applicant on the length of such extension."*

The EAP requested an extension in the timeframe to submit the final EIAs in 166 days after the acceptance of the final SRs, which the EAP deems to be sufficient time to enable specialists to accurately assess the impacts, update their studies and provide the EAP enough time to conduct a Public Participation process on the draft EIAs before submitting the final EIAs to the Department.

Based on the motivation provided by the EAP, this Department has decided to grant the extension of the timeframes to submit the final EIAs in 166 days after acceptance of the final SRs. As such the Final EIAs must be submitted **on or before 31 March 2023**.

Failure to submit the final EIAs on or before the above-specified period will result in the applications lapsing in terms of Regulation 45.

You are hereby reminded of Section 24F of the National Environmental Management Act, Act No 107 of 1998, as amended, that no activity may commence prior to an environmental authorisation being granted by the Department.

Should you have any queries or wish to discuss the points raised above, please do not hesitate to contact our offices.

Yours faithfully



**Ms Millicent Solomons**

**Acting Chief Director: Integrated Environmental Authorisations  
Department of Forestry, Fisheries and the Environment**

**Letter signed by: Mr Vusi Skosana**

**Designation: Director: National Integrated Authorisations**

**Date: 06 December 2022**

cc:	Mr Armandt Andre Joubert	Voltalia South Africa (Pty) Ltd	Email: a.joubert@voltalia.com
	Ms Ouma Skosana	Northwest Department of Economic Development, Environment, Conservation and Tourism	Email: oskosana@nwpg.gov.za
	Mr Mali Ledwaba	Ditsobotla Local Municipality	Email: ledwabamali@gmail.com