

## PROPOSED CONSTRUCTION OF THE SDANGENI ACCESS ROAD IN THE DR NKOSAZANA DLAMINI ZUMA MUNICIPALITY

Amishka Mothilal <amothilal@slrconsulting.com>

Thu 2021/01/21 15:55

To: Amishka Mothilal <amothilal@slrconsulting.com>

Bcc: Thobani Khathi <Thobani.Khathi@kznedtea.gov.za>; Londih.zulu@gmail.com <Londih.zulu@gmail.com>; Thabani.Gambu@kznedtea.gov.za <Thabani.Gambu@kznedtea.gov.za>; Dominic Wieners <Dominic.Wieners@kznwildlife.com>; Nerissa.Pillay@kznwildlife.com <Nerissa.Pillay@kznwildlife.com>; Judy.Reddy@Kzntransport.gov.za <Judy.Reddy@Kzntransport.gov.za>; michele.schmid@kzntransport.gov.za <michele.schmid@kzntransport.gov.za>; Lindani.khoza@kzndhs.gov.za <Lindani.khoza@kzndhs.gov.za>; jonty.ndlazi@kzncogta.gov.za <jonty.ndlazi@kzncogta.gov.za>; hlengiwe.phewa@kzncogta.gov.za <hlengiwe.phewa@kzncogta.gov.za>; bernadetp@amafapmb.co.za <bernadetp@amafapmb.co.za>; bensonb@ingonyamatrust.org.za <bensonb@ingonyamatrust.org.za>; BothathT@ingonyamatrust.org.za <BothathT@ingonyamatrust.org.za>; jilin@harrygwaladm.gov.za <jilin@harrygwaladm.gov.za>; mbanjwanc@ndz.gov.za <mbanjwanc@ndz.gov.za>; KarenM@daff.gov.za <KarenM@daff.gov.za>; riaz.dawjee@drdlr.gov.za <riaz.dawjee@drdlr.gov.za>; pa.hod@kzndhs.gov.za <pa.hod@kzndhs.gov.za>

 2 attachments (1 MB)

image001.emz; 2021-01-20\_Sdangeni Access Road - Exec Summary.pdf;

Dear Stakeholder,

### NOTICE OF A PUBLIC PARTICIPATION PROCESS IN TERMS OF CHAPTER 5 OF THE NATIONAL ENVIRONMENTAL MANAGEMENT ACT, 1998

The Nkosazana Dlamini Zuma Municipality is proposing the construction of the Sdangeni Access Road in accordance with the KwaZulu-Natal Department of Transport standard engineering design for Local Roads or By Roads (Engineering Standard 7A). The alignment is approximately 1 000 m in length and includes:

- A G6 gravel wearing course with a total width of 5.9 m (carriage width = 5 m; 2 x 450 mm G6 gravel shoulders);
- A 2 x 1.5 m wide gravel shoulders
- A meadow drain on the upslope side of the alignment;
- Installation of pre-cast portal culverts at five (5) watercourse crossings.
- Fencing.

The project will trigger activities 12, 19 and 48 of Environmental Impact Assessment (EIA) Regulations Listing Notice 1, 2014 (GN. R 983 of 2014) and activities 4, 14 and 23 of EIA Regulations Listing Notice 3 (GN. R 985 of 2014) and is subject to an Application for Environmental Authorisation and Basic Assessment process. The authority responsible for considering the application is the KwaZulu-Natal Department of Economic Development, Tourism and Environmental Affairs. In addition, approval in terms of the National Water Act, 1998 (No. 36 of 1998) and the National Heritage Resources Act, 1999 (No. 25 of 1999) may be required.

#### Opportunity to Participate:

If you and/or your organisation would like to register as an interested and affected party (I&AP) and/or wish to raise any issues or concerns regarding the proposed project, please contact Amishka Mothilal of SLR at the contact details below. For comments to be included in the Basic Assessment Report they should be submitted to SLR by no later than **22 February 2021**.

A copy of the executive summary is attached. The basic assessment report and appendices can be accessed at <https://www.slrconsulting.com/public-documents>.

### SLR Contact Details:

**Address:** 68 Old Main Road, Kloof, Durban, 3640 (if using post please call SLR to notify us of your submission)

**TEL:** (011) 467 0945


**FAX:** (011) 467 0978 (if using fax please call SLR to notify us of your submission)


**EMAIL:** [amothilal@slrconsulting.com](mailto:amothilal@slrconsulting.com)

**WEBSITE:** [www.slrconsulting.com/za](http://www.slrconsulting.com/za)

### Amishka Mothilal

Environmental Consultant

 +27 11 467 0945

 [amothilal@slrconsulting.com](mailto:amothilal@slrconsulting.com)

SLR Consulting  
SLR Consulting (Durban office)  
68 on Main  
Old Main Road  
Kloof  
Durban, 3640

## PROPOSED CONSTRUCTION OF THE SDANGENI ACCESS ROAD IN THE DR NKOSAZANA DLAMINI ZUMA MUNICIPALITY

Amishka Mothilal <amothilal@slrconsulting.com>

Thu 2021/01/21 15:58

To: Amishka Mothilal <amothilal@slrconsulting.com>

Bcc: HadebeZ@dws.gov.za <HadebeZ@dws.gov.za>; starkeya@dws.gov.za <starkeya@dws.gov.za>

 2 attachments (7 MB)

Sdangeni Access Road - Exec Summary.pdf; Appendix F. Aquatic Ecological Assessment.pdf;

Dear Stakeholder,

### NOTICE OF A PUBLIC PARTICIPATION PROCESS IN TERMS OF CHAPTER 5 OF THE NATIONAL ENVIRONMENTAL MANAGEMENT ACT, 1998

The Nkosazana Dlamini Zuma Municipality is proposing the construction of the Sdangeni Access Road in accordance with the KwaZulu-Natal Department of Transport standard engineering design for Local Roads or By Roads (Engineering Standard 7A). The alignment is approximately 1 000 m in length and includes:

- A G6 gravel wearing course with a total width of 5.9 m (carriage width = 5 m; 2 x 450 mm G6 gravel shoulders);
- A 2 x 1.5 m wide gravel shoulders
- A meadow drain on the upslope side of the alignment;
- Installation of pre-cast portal culverts at five (5) watercourse crossings.
- Fencing.

The project will trigger activities 12, 19 and 48 of Environmental Impact Assessment (EIA) Regulations Listing Notice 1, 2014 (GN. R 983 of 2014) and activities 4, 14 and 23 of EIA Regulations Listing Notice 3 (GN. R 985 of 2014) and is subject to an Application for Environmental Authorisation and Basic Assessment process. The authority responsible for considering the application is the KwaZulu-Natal Department of Economic Development, Tourism and Environmental Affairs. In addition, approval in terms of the National Water Act, 1998 (No. 36 of 1998) and the National Heritage Resources Act, 1999 (No. 25 of 1999) may be required.

#### Opportunity to Participate:

If you and/or your organisation would like to register as an interested and affected party (I&AP) and/or wish to raise any issues or concerns regarding the proposed project, please contact Amishka Mothilal of SLR at the contact details below. For comments to be included in the Basic Assessment Report they should be submitted to SLR by no later than **22 February 2021**.

A copy of the executive summary and the Aquatic Ecological specialist study is attached. The basic assessment report and appendices can be accessed at <https://www.slrconsulting.com/public-documents>.

#### SLR Contact Details:

**Address:** 68 Old Main Road, Kloof, Durban, 3640 (if using post please call SLR to notify us of your submission)

**TEL:** (011) 467 0945


**FAX:** (011) 467 0978 (if using fax please call SLR to notify us of your submission)

EMAIL: [amothilal@slrconsulting.com](mailto:amothilal@slrconsulting.com)

WEBSITE: [www.slrconsulting.com/za](http://www.slrconsulting.com/za)

**Amishka Mothilal**

Environmental Consultant

 +27 11 467 0945

 [amothilal@slrconsulting.com](mailto:amothilal@slrconsulting.com)

SLR Consulting  
SLR Consulting (Durban office)  
68 on Main  
Old Main Road  
Kloof  
Durban, 3640



## PROPOSED CONSTRUCTION OF THE SDANGENI ACCESS ROAD IN THE DR NKOSAZANA DLAMINI ZUMA MUNICIPALITY

Amishka Mothilal <amothilal@slrconsulting.com>

Fri 2021/01/22 14:49

To: Amishka Mothilal <amothilal@slrconsulting.com>

Bcc: sandile.nyembe@kzncogta.gov.za <sandile.nyembe@kzncogta.gov.za>

 3 attachments (1 MB)

image002.emz; image001.emz; 2021-01-20\_Sdangeni Access Road - Exec Summary.pdf;

Dear Stakeholder,

### NOTICE OF A PUBLIC PARTICIPATION PROCESS IN TERMS OF CHAPTER 5 OF THE NATIONAL ENVIRONMENTAL MANAGEMENT ACT, 1998

The Nkosazana Dlamini Zuma Municipality is proposing the construction of the Sdangeni Access Road in accordance with the KwaZulu-Natal Department of Transport standard engineering design for Local Roads or By Roads (Engineering Standard 7A). The alignment is approximately 1 000 m in length and includes:

- A G6 gravel wearing course with a total width of 5.9 m (carriage width = 5 m; 2 x 450 mm G6 gravel shoulders);
- A 2 x 1.5 m wide gravel shoulders
- A meadow drain on the upslope side of the alignment;
- Installation of pre-cast portal culverts at five (5) watercourse crossings.
- Fencing.

The project will trigger activities 12, 19 and 48 of Environmental Impact Assessment (EIA) Regulations Listing Notice 1, 2014 (GN. R 983 of 2014) and activities 4, 14 and 23 of EIA Regulations Listing Notice 3 (GN. R 985 of 2014) and is subject to an Application for Environmental Authorisation and Basic Assessment process. The authority responsible for considering the application is the KwaZulu-Natal Department of Economic Development, Tourism and Environmental Affairs. In addition, approval in terms of the National Water Act, 1998 (No. 36 of 1998) and the National Heritage Resources Act, 1999 (No. 25 of 1999) may be required.

#### Opportunity to Participate:

If you and/or your organisation would like to register as an interested and affected party (I&AP) and/or wish to raise any issues or concerns regarding the proposed project, please contact Amishka Mothilal of SLR at the contact details below. For comments to be included in the Basic Assessment Report they should be submitted to SLR by no later than **22 February 2021**.

A copy of the executive summary is attached. The basic assessment report and appendices can be accessed at <https://www.slrconsulting.com/public-documents>.

**SLR Contact Details:**

**Address:** 68 Old Main Road, Kloof, Durban, 3640 (if using post please call SLR to notify us of your submission)

**TEL:** (011) 467 0945


**FAX:** (011) 467 0978 (if using fax please call SLR to notify us of your submission)

**EMAIL:** [amothilal@slrconsulting.com](mailto:amothilal@slrconsulting.com)

**WEBSITE:** [www.slrconsulting.com/za](http://www.slrconsulting.com/za)

**Amishka Mothilal**

Environmental Consultant

 [+27 11 467 0945](tel:+27114670945)


 [amothilal@slrconsulting.com](mailto:amothilal@slrconsulting.com)

SLR Consulting  
SLR Consulting (Durban office)  
68 on Main  
Old Main Road  
Kloof  
Durban, 3640



**Amishka Mothilal**

Environmental Consultant

 +27 11 467 0945

 [amothilal@slrconsulting.com](mailto:amothilal@slrconsulting.com)

SLR Consulting  
SLR Consulting (Durban office)  
68 on Main  
Old Main Road  
Kloof  
Durban, 3640



Confidentiality Notice and Limitation

This communication, and any attachment(s) contains information which is confidential and may also be legally privileged. It is intended for the exclusive use of the recipient(s) to whom it is addressed. If you are not the intended recipient, any disclosure, copying, distribution or action taken or not taken in reliance on it is prohibited and may be unlawful. If you have received this communication in error, please advise SLR by e-mail and then delete the e-mail from your

system. As e-mails and any information sent with them may be intercepted, corrupted and/or delayed, SLR does not accept any liability for any errors or omissions in the message or any attachment howsoever caused after transmission.

Any advice or opinion is provided on the basis that it has been prepared by SLR with reasonable skill, care and diligence, taking account of the manpower, timescales and resources devoted to it by agreement with its Client. It is subject to the terms and conditions of any appointment to which it relates. Parties with whom SLR is not in a contractual relationship in relation to the subject of the message should not use or place reliance on any information, advice, recommendations and opinions in this message and any attachment(s) for any purpose.

© 2017 SLR Consulting Limited. All Rights Reserved.

## PROPOSED CONSTRUCTION OF THE SDANGENI ACCESS ROAD IN THE DR NKOSAZANA DLAMINI ZUMA MUNICIPALITY - REMINDER

Amishka Mothilal <amothilal@slrconsulting.com>

Tue 2021/02/16 11:53

To: Amishka Mothilal <amothilal@slrconsulting.com>

Bcc: Amishka Mothilal <amothilal@slrconsulting.com>; Thobani Khathi <Thobani.Khathi@kznedtea.gov.za>; Londih.zulu@gmail.com <Londih.zulu@gmail.com>; Thabani.Gambu@kznedtea.gov.za <Thabani.Gambu@kznedtea.gov.za>; Dominic Wieners <Dominic.Wieners@kznwildlife.com>; Nerissa.Pillay@kznwildlife.com <Nerissa.Pillay@kznwildlife.com>; Judy.Reddy@Kzntransport.gov.za <Judy.Reddy@Kzntransport.gov.za>; michele.schmid@kzntransport.gov.za <michele.schmid@kzntransport.gov.za>; Lindani.khoza@kzndhs.gov.za <Lindani.khoza@kzndhs.gov.za>; jonty.ndlazi@kzncogta.gov.za <jonty.ndlazi@kzncogta.gov.za>; hlengiwe.phewa@kzncogta.gov.za <hlengiwe.phewa@kzncogta.gov.za>; bernadetp@amafapmb.co.za <bernadetp@amafapmb.co.za>; bensonb@ingonyamatrust.org.za <bensonb@ingonyamatrust.org.za>; BothathT@ingonyamatrust.org.za <BothathT@ingonyamatrust.org.za>; jilin@harrygwaladm.gov.za <jilin@harrygwaladm.gov.za>; mbanjwanc@ndz.gov.za <mbanjwanc@ndz.gov.za>; KarenM@daff.gov.za <KarenM@daff.gov.za>; riaz.dawjee@drdlr.gov.za <riaz.dawjee@drdlr.gov.za>; pa.hod@kzndhs.gov.za <pa.hod@kzndhs.gov.za>; HadebeZ@dws.gov.za <HadebeZ@dws.gov.za>

Dear Stakeholder,

### REMINDER OF PUBLIC PARTICIPATION PROCESS IN TERMS OF CHAPTER 5 OF THE NATIONAL ENVIRONMENTAL MANAGEMENT ACT, 1998

The Nkosazana Dlamini Zuma Municipality is proposing the construction of the Sdangeni Access Road in accordance with the KwaZulu-Natal Department of Transport standard engineering design for Local Roads or By Roads (Engineering Standard 7A). The alignment is approximately 1 000 m in length and includes:

- A G6 gravel wearing course with a total width of 5.9 m (carriage width = 5 m; 2 x 450 mm G6 gravel shoulders);
- A 2 x 1.5 m wide gravel shoulders
- A meadow drain on the upslope side of the alignment;
- Installation of pre-cast portal culverts at five (5) watercourse crossings.
- Fencing.

The project will trigger activities 12, 19 and 48 of Environmental Impact Assessment (EIA) Regulations Listing Notice 1, 2014 (GN. R 983 of 2014) and activities 4, 14 and 23 of EIA Regulations Listing Notice 3 (GN. R 985 of 2014) and is subject to an Application for Environmental Authorisation and Basic Assessment process. The authority responsible for considering the application is the KwaZulu-Natal Department of Economic Development, Tourism and Environmental Affairs. In addition, approval in terms of the National Water Act, 1998 (No. 36 of 1998) and the National Heritage Resources Act, 1999 (No. 25 of 1999) may be required.

### Opportunity to Participate:

If you and/or your organisation would like to register as an interested and affected party (I&AP) and/or wish to raise any issues or concerns regarding the proposed project, please contact Amishka Mothilal of SLR at the contact details below. For comments to be included in the Basic Assessment Report they should be submitted to SLR by **no later than 22 February 2021**.

The basic assessment report and appendices can be accessed at <https://www.slrconsulting.com/public-documents>.

**SLR Contact Details:**

**Address:** 68 Old Main Road, Kloof, Durban, 3640 (if using post please call SLR to notify us of your submission)

**TEL:** (011) 467 0945

**FAX:** (011) 467 0978 (if using fax please call SLR to notify us of your submission)

**EMAIL:** [amothilal@slrconsulting.com](mailto:amothilal@slrconsulting.com)

**WEBSITE:** [www.slrconsulting.com/za](http://www.slrconsulting.com/za)

**Amishka Mothilal**

Environmental Consultant

+27 11 467 0945

[amothilal@slrconsulting.com](mailto:amothilal@slrconsulting.com)

SLR Consulting  
SLR Consulting (Durban office)  
68 on Main  
Old Main Road  
Kloof  
Durban, 3640



Follow us  
on LinkedIn



Winners: RoSPA  
President's Award 2020

**Confidentiality Notice and Limitation**

This communication, and any attachment(s) contains information which is confidential and may also be legally privileged. It is intended for the exclusive use of the recipient(s) to whom it is addressed. If you are not the intended recipient, any disclosure, copying, distribution or action taken or not taken in reliance on it is prohibited and may be unlawful. If you have received this communication in error, please advise SLR by e-mail and then delete the e-mail from your system. As e-mails and any information sent with them may be intercepted, corrupted and/or delayed, SLR does not accept any liability for any errors or omissions in the message or any attachment howsoever caused after transmission.

Any advice or opinion is provided on the basis that it has been prepared by SLR with reasonable skill, care and diligence, taking account of the manpower, timescales and resources devoted to it by agreement with its Client. It is subject to the terms and conditions of any appointment to which it relates. Parties with whom SLR is not in a contractual relationship in relation to the subject of the message should not use or place reliance on any information, advice, recommendations and opinions in this message and any attachment(s) for any purpose.

© 2017 SLR Consulting Limited. All Rights Reserved.

**From:** Amishka Mothilal <[amothilal@slrconsulting.com](mailto:amothilal@slrconsulting.com)>

**Sent:** Thursday, 21 January 2021 15:56

**To:** Amishka Mothilal <[amothilal@slrconsulting.com](mailto:amothilal@slrconsulting.com)>

**Subject:** PROPOSED CONSTRUCTION OF THE SDANGENI ACCESS ROAD IN THE DR NKOSAZANA DLAMINI ZUMA MUNICIPALITY

Dear Stakeholder,

**NOTICE OF A PUBLIC PARTICIPATION PROCESS IN TERMS OF CHAPTER 5 OF THE NATIONAL ENVIRONMENTAL MANAGEMENT ACT, 1998**

The Nkosazana Dlamini Zuma Municipality is proposing the construction of the Sdangeni Access Road in accordance with the KwaZulu-Natal Department of Transport standard engineering design for Local Roads or By Roads (Engineering Standard 7A). The alignment is approximately 1 000 m in length and includes:

- A G6 gravel wearing course with a total width of 5.9 m (carriage width = 5 m; 2 x 450 mm G6 gravel shoulders);
- A 2 x 1.5 m wide gravel shoulders
- A meadow drain on the upslope side of the alignment;

- Installation of pre-cast portal culverts at five (5) watercourse crossings.
- Fencing.

The project will trigger activities 12, 19 and 48 of Environmental Impact Assessment (EIA) Regulations Listing Notice 1, 2014 (GN. R 983 of 2014) and activities 4, 14 and 23 of EIA Regulations Listing Notice 3 (GN. R 985 of 2014) and is subject to an Application for Environmental Authorisation and Basic Assessment process. The authority responsible for considering the application is the KwaZulu-Natal Department of Economic Development, Tourism and Environmental Affairs. In addition, approval in terms of the National Water Act, 1998 (No. 36 of 1998) and the National Heritage Resources Act, 1999 (No. 25 of 1999) may be required.

### Opportunity to Participate:

If you and/or your organisation would like to register as an interested and affected party (I&AP) and/or wish to raise any issues or concerns regarding the proposed project, please contact Amishka Mothilal of SLR at the contact details below. For comments to be included in the Basic Assessment Report they should be submitted to SLR by no later than **22 February 2021**.

A copy of the executive summary is attached. The basic assessment report and appendices can be accessed at <https://www.slrconsulting.com/public-documents>.

### SLR Contact Details:

**Address:** 68 Old Main Road, Kloof, Durban, 3640 (if using post please call SLR to notify us of your submission)

**TEL:** (011) 467 0945

**FAX:** (011) 467 0978 (if using fax please call SLR to notify us of your submission)

**EMAIL:** [amothilal@slrconsulting.com](mailto:amothilal@slrconsulting.com)

**WEBSITE:** [www.slrconsulting.com/za](http://www.slrconsulting.com/za)

## Amishka Mothilal

Environmental Consultant



+27 11 467 0945



[amothilal@slrconsulting.com](mailto:amothilal@slrconsulting.com)

SLR Consulting

SLR Consulting (Durban office)

68 on Main

Old Main Road

Kloof

Durban, 3640

## PROPOSED CONSTRUCTION OF THE SDANGENI ACCESS ROAD IN THE DR NKOSAZANA DLAMINI ZUMA MUNICIPALITY - REMINDER

Amishka Mothilal <amothilal@slrconsulting.com>

Tue 2021/02/16 12:09

To: Riaz.Dawjee@dalrrd.gov.za <Riaz.Dawjee@dalrrd.gov.za>

Dear Stakeholder,

### REMINDER OF PUBLIC PARTICIPATION PROCESS IN TERMS OF CHAPTER 5 OF THE NATIONAL ENVIRONMENTAL MANAGEMENT ACT, 1998

The Nkosazana Dlamini Zuma Municipality is proposing the construction of the Sdangeni Access Road in accordance with the KwaZulu-Natal Department of Transport standard engineering design for Local Roads or By Roads (Engineering Standard 7A). The alignment is approximately 1 000 m in length and includes:

- A G6 gravel wearing course with a total width of 5.9 m (carriage width = 5 m; 2 x 450 mm G6 gravel shoulders);
- A 2 x 1.5 m wide gravel shoulders
- A meadow drain on the upslope side of the alignment;
- Installation of pre-cast portal culverts at five (5) watercourse crossings.
- Fencing.

The project will trigger activities 12, 19 and 48 of Environmental Impact Assessment (EIA) Regulations Listing Notice 1, 2014 (GN. R 983 of 2014) and activities 4, 14 and 23 of EIA Regulations Listing Notice 3 (GN. R 985 of 2014) and is subject to an Application for Environmental Authorisation and Basic Assessment process. The authority responsible for considering the application is the KwaZulu-Natal Department of Economic Development, Tourism and Environmental Affairs. In addition, approval in terms of the National Water Act, 1998 (No. 36 of 1998) and the National Heritage Resources Act, 1999 (No. 25 of 1999) may be required.

### Opportunity to Participate:

If you and/or your organisation would like to register as an interested and affected party (I&AP) and/or wish to raise any issues or concerns regarding the proposed project, please contact Amishka Mothilal of SLR at the contact details below. For comments to be included in the Basic Assessment Report they should be submitted to SLR by **no later than 22 February 2021**.

The basic assessment report and appendices can be accessed at <https://www.slrconsulting.com/public-documents>.

### SLR Contact Details:

**Address:** 68 Old Main Road, Kloof, Durban, 3640 (if using post please call SLR to notify us of your submission)

**TEL:** (011) 467 0945

**FAX:** (011) 467 0978 (if using fax please call SLR to notify us of your submission)

**EMAIL:** [amothilal@slrconsulting.com](mailto:amothilal@slrconsulting.com)

**WEBSITE:** [www.slrconsulting.com/za](http://www.slrconsulting.com/za)

**Amishka Mothilal**

Environmental Consultant

+27 11 467 0945

[amothilal@slrconsulting.com](mailto:amothilal@slrconsulting.com)

SLR Consulting  
 SLR Consulting (Durban office)  
 68 on Main  
 Old Main Road  
 Kloof  
 Durban, 3640



## Amishka Mothilal

### Environmental Consultant

+27 11 467 0945

[amothilal@slrconsulting.com](mailto:amothilal@slrconsulting.com)

SLR Consulting  
 SLR Consulting (Durban office)  
 68 on Main  
 Old Main Road  
 Kloof  
 Durban, 3640



Follow us  
on LinkedIn



Winners: RoSPA  
President's Award 2020

Confidentiality Notice and Limitation

This communication, and any attachment(s) contains information which is confidential and may also be legally privileged. It is intended for the exclusive use of the recipient(s) to whom it is addressed. If you are not the intended recipient, any disclosure, copying, distribution or action taken or not taken in reliance on it is prohibited and may be unlawful. If you have received this communication in error, please advise SLR by e-mail and then delete the e-mail from your system. As e-mails and any information sent with them may be intercepted, corrupted and/or delayed, SLR does not accept any liability for any errors or omissions in the message or any attachment howsoever caused after transmission.

Any advice or opinion is provided on the basis that it has been prepared by SLR with reasonable skill, care and diligence, taking account of the manpower, timescales and resources devoted to it by agreement with its Client. It is subject to the terms and conditions of any appointment to which it relates. Parties with whom SLR is not in a contractual relationship in relation to the subject of the message should not use or place reliance on any information, advice, recommendations and opinions in this message and any attachment(s) for any purpose.

© 2017 SLR Consulting Limited. All Rights Reserved.

**From:** Amishka Mothilal <[amothilal@slrconsulting.com](mailto:amothilal@slrconsulting.com)>

**Sent:** Thursday, 21 January 2021 15:56

**To:** Amishka Mothilal <[amothilal@slrconsulting.com](mailto:amothilal@slrconsulting.com)>

**Subject:** PROPOSED CONSTRUCTION OF THE SDANGENI ACCESS ROAD IN THE DR NKOSAZANA DLAMINI ZUMA MUNICIPALITY

Dear Stakeholder,

### NOTICE OF A PUBLIC PARTICIPATION PROCESS IN TERMS OF CHAPTER 5 OF THE NATIONAL ENVIRONMENTAL MANAGEMENT ACT, 1998

The Nkosazana Dlamini Zuma Municipality is proposing the construction of the Sdangeni Access Road in accordance with the KwaZulu-Natal Department of Transport standard engineering design for Local Roads or By Roads (Engineering Standard 7A). The alignment is approximately 1 000 m in length and includes:

- A G6 gravel wearing course with a total width of 5.9 m (carriage width = 5 m; 2 x 450 mm G6 gravel shoulders);
- A 2 x 1.5 m wide gravel shoulders
- A meadow drain on the upslope side of the alignment;



- Installation of pre-cast portal culverts at five (5) watercourse crossings.
- Fencing.

The project will trigger activities 12, 19 and 48 of Environmental Impact Assessment (EIA) Regulations Listing Notice 1, 2014 (GN. R 983 of 2014) and activities 4, 14 and 23 of EIA Regulations Listing Notice 3 (GN. R 985 of 2014) and is subject to an Application for Environmental Authorisation and Basic Assessment process. The authority responsible for considering the application is the KwaZulu-Natal Department of Economic Development, Tourism and Environmental Affairs. In addition, approval in terms of the National Water Act, 1998 (No. 36 of 1998) and the National Heritage Resources Act, 1999 (No. 25 of 1999) may be required.

### Opportunity to Participate:

If you and/or your organisation would like to register as an interested and affected party (I&AP) and/or wish to raise any issues or concerns regarding the proposed project, please contact Amishka Mothilal of SLR at the contact details below. For comments to be included in the Basic Assessment Report they should be submitted to SLR by no later than **22 February 2021**.

A copy of the executive summary is attached. The basic assessment report and appendices can be accessed at <https://www.slrconsulting.com/public-documents>.

### SLR Contact Details:

**Address:** 68 Old Main Road, Kloof, Durban, 3640 (if using post please call SLR to notify us of your submission)

**TEL:** (011) 467 0945

**FAX:** (011) 467 0978 (if using fax please call SLR to notify us of your submission)

**EMAIL:** [amothilal@slrconsulting.com](mailto:amothilal@slrconsulting.com)

**WEBSITE:** [www.slrconsulting.com/za](http://www.slrconsulting.com/za)

## Amishka Mothilal

Environmental Consultant



+27 11 467 0945



[amothilal@slrconsulting.com](mailto:amothilal@slrconsulting.com)

SLR Consulting

SLR Consulting (Durban office)

68 on Main

Old Main Road

Kloof

Durban, 3640