



PROPOSED STORMWATER RETICULATION LAYOUT

NOTES:

This drawing is copyright, reserved and remains the property of Kombani Consulting. Contractors and subcontractors are to check all site dimensions and levels before commencing work.

Figural dimensions are to be taken in preference to scale dimensions. The Engineer or Architect are to be notified of any variations.

Each contractor shall be responsible for ensuring the structural stability of all components of his work and ascertain that the main structure is capable of supporting all loads applied thereto.

All work to be executed in strict accordance with by-laws and regulations of the local authorities.

All SANS applicable codes of practice to be used.

Depth of foundation to be determined on site.

All reinforced concrete works to structural engineer's detail.

All reinforced concrete works to structural engineer's detail.
Drains passing under driveways and buildings to be encased with minimum 100mm thick concrete surround.

Legend:

	PROPOSED STORMWATER RETICULATION
--	----------------------------------

PROJECT:

UMLALAZI NKANDLA SMART GROWTH DEVELOPMENT CENTRE

DRAWING TITLE:

PROPOSED STORMWATER RETICULATION

DRAWN BY:	AN	PROJECT NO.:	KBN185
CHECKED BY:	CM	DWG NO.:	KBN185-01-01
DATE:	August 2011	FILE NO.:	
SCALE:	1:1250	REV.:	A
SHEET SIZE:	A0		

CLIENT:

Department of rural development & land reform

Department: Rural Development and Land Reform
REPUBLIC OF SOUTH AFRICA

INSTITUTION:	
SERVICE:	PROPOSED STORMWATER RETICULATION
CONTRACT:	
DISCIPLINE:	CIVIL ENGINEERING SERVICES
WORK DESCRIPTION:	PROPOSED DESIGN
DRAWING DESCRIPTION:	
FILE NO.:	ITEM NO.
DESIGN:	DRAWN:
SCALE: 1:1250	CHECKED:

RESPONSIBLE PROFESSIONAL:	
DATE:	AUGUST 2011
NAME:	
SIGNED:	
PR. NUMBER:	
DRAWING CO-ORDINATED:	
CONSULTANT:	
KOMBANI CONSULTING	
CONTRACTOR:	
CAD SYSTEM:	Autocad
FILE NAME:	
SHEET SIZE:	A0
DRAWING NUMBER:	KBN185-01-01
REV:	A