


Terrestrial Ecology Basic Assessment Study



David Hoare
Consulting

99 MW Oya Wind Energy Facility (WEF) and associated
infrastructure between Sutherland and Matjiesfontein,
Western and Northern Cape Provinces





David Hoare
Consulting (Pty) Ltd

Address:
Postnet Suite #116
Private Bag X025
Lynnwood Ridge
0040

41 Soetdoring Avenue
Lynnwood Manor
Pretoria

Telephone: 087 701 7629
Cell: 083 284 5111
Fax: 086 550 2053
Email: dhoare@lantic.net

Terrestrial Ecology Walk Down Verification for the proposed 99 MW Oya Wind Energy Facility between Sutherland and Matjiesfontein in the Western and Northern Cape Provinces.

Location:
Witzenberg Local Municipality within the Cape Winelands District
Municipality

Prepared for

Oya Energy (Pty) Ltd
5th Floor, 125 Buitengracht Street
Cape Town 8001

Report author:

Dr D.B. Hoare (Pr.Sci.Nat.)

18 January 2021

Report version: 3rd draft

Details of specialist consultant

Company name	David Hoare Consulting (Pty) Ltd
Registration no.:	CK2017/308639/07
Address	Postnet Suite #116 Private Bag X025 Lynnwood Ridge 0040
Contact person	Dr David Hoare
Contact details	Cell: 083 284 5111 Email: dhoare@lantic.net
Qualifications	PhD Botany (Nelson Mandela Metropolitan University) MSc Botany (University of Pretoria) BSc (Hons) Botany (Rhodes University) BSc Botany, Zoology (Rhodes University)

TABLE OF CONTENTS

DETAILS OF SPECIALIST CONSULTANT	II
TABLE OF CONTENTS	III
LIST OF FIGURES	IV
TERMS OF REFERENCE	V
LIMITATIONS, ASSUMPTIONS & UNCERTAINTIES	V
1. INTRODUCTION	1
1.1 BACKGROUND	1
1.2 PROJECT DESCRIPTION	2
2. APPROACH & METHODOLOGY	3
3. RESULTS OF SITE WALK DOWN	3
3.1 TURBINE 1 LOCATION	4
3.2 TURBINE 2 LOCATION	ERROR! BOOKMARK NOT DEFINED.
3.3 TURBINE 3 LOCATION	6
3.4 TURBINE 4 LOCATION	7
3.5 TURBINE 5 LOCATION	8
3.6 TURBINE 6 LOCATION	ERROR! BOOKMARK NOT DEFINED.
3.7 TURBINE 7 LOCATION	9
3.8 TURBINE 8 LOCATION	10
3.9 TURBINE 9 LOCATION	11
3.10 TURBINE 10 LOCATION	12
3.11 TURBINE 11 LOCATION	13
3.12 TURBINE 12 LOCATION	14
3.13 TURBINE 13 LOCATION	15
3.14 TURBINE 14 LOCATION	16
3.15 TURBINE 15 LOCATION	17
3.16 TURBINE 16 LOCATION	18
3.17 TURBINE 17 LOCATION	19
3.18 TURBINE 18 LOCATION	20
3.19 TURBINE 19 LOCATION	21
3.20 TURBINE 20 LOCATION	22
3.21 COLLECTOR SYSTEM.....	23
3.22 CONSTRUCTION SITE	24
3.23 ACCESS ROADS	25
7. RECOMMENDED LAYOUT CHANGES	26
8. CONCLUSIONS	27
9. REFERENCES:	28
10. APPENDICES:	29
APPENDIX 1: PLANT SPECIES OF CONSERVATION IMPORTANCE THAT WERE ASSESSED AS HAVING A HIGH PROBABILITY OF BEING FOUND IN THE STUDY AREA.....	29
APPENDIX 2: FLORA PROTECTED UNDER THE CAPE NATURE AND ENVIRONMENTAL CONSERVATION ORDINANCE 19 OF 1974	30
APPENDIX 3: FLORA AND VERTEBRATE ANIMAL SPECIES PROTECTED UNDER THE NATIONAL ENVIRONMENTAL MANAGEMENT: BIODIVERSITY ACT, 2004 (ACT 10 OF 2004)	33
APPENDIX 5: CURRICULUM VITAE: DR DAVID HOARE	35

LIST OF FIGURES

Figure 1: Layout of project	1
Figure 2: Location of infrastructure relative to areas of Very high and High sensitivity (Ekotrust 2018).	2
Figure 3: Panoramic view and Google Earth image of landscape at Turbine 1.	4
Figure 4: Octopoma quadrisepalum (preliminary identity), listed as Vulnerable, seen close to Turbine 1.	5
Figure 5: Panoramic view and Google Earth image of landscape at Turbine 2.	Error! Bookmark not defined.
Figure 6: Panoramic view and Google Earth image of landscape at Turbine 3.	6
Figure 7: Panoramic view and Google Earth image of landscape at Turbine 4.	7
Figure 8: Panoramic view and Google Earth image of landscape at Turbine 5.	8
Figure 9: Panoramic view and Google Earth image of landscape at Turbine 6.	Error! Bookmark not defined.
Figure 10: Panoramic view and Google Earth image of landscape at Turbine 7.	9
Figure 11: Panoramic view and Google Earth image of landscape at Turbine 8.	10
Figure 12: Panoramic view and Google Earth image of landscape at Turbine 9.	11
Figure 13: Panoramic view and Google Earth image of landscape at Turbine 10.	12
Figure 14: Panoramic view and Google Earth image of landscape at Turbine 11.	13
Figure 15: Panoramic view and Google Earth image of landscape at Turbine 12.	14
Figure 16: Panoramic view and Google Earth image of landscape at Turbine 13.	15
Figure 17: Panoramic view and Google Earth image of landscape at Turbine 14.	16
Figure 18: Panoramic view and Google Earth image of landscape at Turbine 15.	17
Figure 19: Panoramic view and Google Earth image of landscape at Turbine 16.	18
Figure 20: Panoramic view and Google Earth image of landscape at Turbine 17.	19
Figure 21: Panoramic view and Google Earth image of landscape at Turbine 18.	20
Figure 22: Panoramic view and Google Earth image of landscape at Turbine 19.	21
Figure 23: Panoramic view and Google Earth image of landscape at Turbine 20.	22
Figure 24: View of collector alignment from A (northwards), from A (southwards), and from B (eastwards).	23
Figure 25: View of the construction site.	24
Figure 26: View from near Turbine 19 towards the north, following the alignment of the main access road.	25

TERMS OF REFERENCE

This verification report includes the following:

- A detailed walk down survey of the proposed infrastructure associated with the Oya WEF in relation to ecological sensitivities previously identified by Ekotrust (October 2018). Turbine positions, internal road and cable crossings, substation inverters and/or transformer sites and connection routes to the distribution / transmission network (as provided by the proponent and depicted as per Figure 1 and 2) were investigated on foot to confirm the occurrence of sensitive species and/or habitats.
- The findings of the detailed walk-through, identifying any potential areas of concern / fatal flaws and/or sensitive / “no-go” areas.
- Recommend whether any buffer zones will be required, along with the extent of these buffer zones.
- Recommend whether any approvals and/or permits are required from the relevant authorities.
- Recommend whether any changes to the proposed layout are required, due to the presence of sensitive / “no-go” areas.
- The identification of changes or additions to mitigation measures required to avoid, manage or mitigate the impacts associated with the proposed project and an indication of any additional mitigation measures / recommendations for inclusion in the EMP or specific conditions to be included in the Amended EA (should this be granted by the DEFF).
- A reasoned opinion as to whether the proposed layout for the authorised Oya WEF should be approved by the DEFF as part of the Amended EA.

LIMITATIONS, ASSUMPTIONS & UNCERTAINTIES

The following assumptions, limitations, uncertainties are listed regarding the walk down survey of the Oya Wind Energy Facility:

- The season of field survey was in spring, following a winter of good rains. The site is within a winter rainfall area with maximum vegetation growth taking place in late winter to early spring. The season of survey was therefore good for undertaking the walk down survey.
- Rare and threatened plant and animal species are, by their nature, usually very difficult to locate and can be easily missed.
- The study excludes Bats, Avifauna, Aquatic Ecology and Invertebrates as covered under other specialist assessments bar invertebrates.

1. INTRODUCTION

1.1 Background

David Hoare Consulting (Pty) Ltd was appointed to conduct a specialist terrestrial ecology 'site walkdown' micro-sighting to comply with Condition 29 of the Environmental Authorization¹, as well as part of the Environmental Authorisation Part 2 Amendment process in order to split the authorised Kudusberg Wind Energy Facility (WEF) into two separate WEF projects, namely the Kudusberg WEF and the Oya WEF. The focus of this report is specifically on the outcome of the Oya WEF site walkdown (infrastructure shown in Figure 1).

A terrestrial ecological assessment for the authorised Kudusberg WEF was undertaken in 2018 by Ekotrust cc , at which time sensitive ecological receptors were identified and a sensitivity map was produced. Areas designated as having HIGH sensitivity included "*Rivers and streams*" and "*Midslopes*". Areas designated as "No-go" zones were "*Cliff and rocky sheets*". The report also indicated that a key botanical issue was the lack of background information to compile a checklist of SCC.

The data contained in the abovementioned report was utilised to supplement the observations made during the site walkdown undertaken in October 2020, to identify any areas of potential concern, increased sensitivity including potential 'no-go' areas, ascertain the necessity for approvals and/or permits required and to determine whether the layout for the northern section of the authorised WEF (also referred to as the Oya WEF) which is being proposed as part




Figure 1: Layout of project

¹ The final placement of turbines must follow a micro siting procedure involving a walk-through and identification of any sensitive areas by ecological, avifaunal, bat, surface water and heritage specialists.

of the amendment can be approved by the Department of Environment, Forestry and Fisheries (DEFF) or whether any changes are required to the proposed layout (due to presence of sensitive / “no-go” areas and/ or any other special features). It is a further aim of this study to ascertain whether the amended layout will result in additional potential impacts and whether there is a requirement for additional mitigation measures to be implemented by the proponent.

1.2 Project description

Kudusberg Wind Farm (Pty) Ltd (hereafter referred to as “Kudusberg Wind Farm”) was issued with an Environmental Authorisation (EA) for the proposed construction of the 325 MW Kudusberg Wind Energy Facility (WEF) and associated infrastructure, between Matjiesfontein and Sutherland in the Western and Northern Cape Provinces. The EA was granted on 25 March 2019 (DEFF Reference No.: 14/12/16/3/3/1/1976 and subsequently amended on 04 April 2019 to correct a minor naming error (14/12/16/3/3/1/1976/AM1). Kudusberg Wind Farm is now proposing to submit a Part 2 EA Amendment Application to split the authorised Kudusberg WEF (14/12/16/3/3/1/1976/AM1) into two (2) separate smaller WEF projects, namely the Kudusberg WEF and Oya WEF, which will result in a number of technical and administrative changes. The split is being proposed to allow the projects to be suitable for numerous opportunities such as either the Renewable Energy Independent Power Producer Procurement Programme (REIPPPP), Risk Mitigation Independent Power Producer Procurement Programme (RMIPPPP), other government run procurement programmes that may arise or for sale to private entities, if enabled and/or required in the drive for energy security in South Africa. Following the split, the northern section of the authorised WEF will become the Oya WEF, while the southern section of the authorised WEF will remain known as the Kudusberg WEF (authorised under 14/12/16/3/3/1/1976/AM1). In addition to the split, the final layout for the Oya WEF is being submitted which has been informed by detailed specialist walk-throughs and on-site micro-siting as per condition 29 of the Kudusberg EA. Furthermore, the approved EMP approved as part of the Kudusberg EA is being amended to each WEF and to incorporate the final layout for the Oya WEF, management plans and the walk-throughs.



Figure 2: Location of infrastructure relative to areas of Very high and High sensitivity (Ekotrust 2018).

The proposed Oya WEF is located largely on the higher-lying Oliviersberg and Koedoesberg Mountains between Matjiesfontein and Sutherland. The proposed wind turbines are to be placed on mountain ridges that are mostly east-west orientated. The regional vegetation on the summit of these ridges is Central Mountain Shale Renosterveld, whereas the midslopes and lower-lying areas are within Koedoesberge-Moordenaars Karoo.

2. APPROACH & METHODOLOGY

The site walk down was undertaken in October 2020 (12 October to 24 October). The entire footprint of all infrastructure was walked on foot. Photographs were taken at regular intervals, and included, as a minimum, the location of all proposed turbine positions. Plant species checklists were compiled at the proposed location of each turbine position, and any plant species of interest anywhere else within infrastructure was also recorded. Particular attention was paid to recording the locations of any protected species seen on site. The protected species list includes a large number of common and widespread species, so only an indication of the overall distribution of these was recorded as it was not possible to record the location of every plant. Attention was paid to the location of any habitat identified during the EIA as being of high or very high sensitivity.

3. RESULTS OF SITE WALK DOWN

In the section below, general habitat photographs and plant species checklists are provided for each turbine site. Similar descriptions are provided for other key sections of infrastructure (roads, construction site and collector system).

The primary sensitivity is related to plant species (protected and SCC). Much effort was therefore put into locating any possible plant species of concern, as well as documenting floristic composition at key locations.

3.1 Turbine 1 location



Figure 3: Panoramic view and Google Earth image of landscape at Turbine 1.

Plant species* *Aizoon cymosum*, *Aizoon africanum*, *Caroxylon aphyllum*, *Chrysocoma ciliata*, *Cotyledon papillaris*, *Crassula deltoidea*, *Crassula nudicaulis*, *Crassula subaphylla*, *Dimorphotheca* species, *Eriocephalus ericoides* (D), *Euphorbia mauritanica*, *Euphorbia rhombifolia*, *Euryops lateriflorus* (D), *Felicia filifolia*, *Indigofera meyeriana*, *Lycium cinereum*, *Manochlamys albicans*, ***Mesembryanthemum guerichianum***, ***Mesembryanthemum nitidum***, ***Mesembryanthemum noctiflorum***, ***Ruschia intricata* (D)**, ***Moraea flaccida***, ***Octopoma species***, *Pentzia incana*, *Pteronia empetrifolia* (D), *Pteronia incana* (D), *Roepera* species, *Tylecodon wallichii*

*Plant species listed in bold are protected according to the Cape Nature and Environmental Conservation Ordinance 19 of 1974. Species in red are of conservation concern.

Synopsis:

One species found within the laydown area has been tentatively identified as *Octopoma*, a genus for which all three currently recognised species are listed as Vulnerable. A more detailed assessment of this species is given on the next page. No additional habitat sensitivities identified within turbine or laydown area footprint.



A plant photographed within the laydown area has been tentatively identified as *Octopoma* species. The SANBI Plants of South Africa online database (<http://newposa.sanbi.org/>) gives a current list of three recognised species of *Octopoma*, which matches a recent taxonomic review of the genus (Powell et al. 2016) in which these three species are described. All three are listed as Vulnerable (<http://redlist.sanbi.org/genus.php?genus=104>). The taxonomic consensus is therefore that if the plant observed on site is within this genus then it is listed as Vulnerable, and most probably *Octopoma quadrisepalum*.



Figure 4: *Octopoma quadrisepalum* (preliminary identity), listed as Vulnerable, seen close to Turbine 1.

3.2 Turbine 2 location



Figure 5: Panoramic view and Google Earth image of landscape at Turbine 3.

Plant species* *Aizoon africanum*, *Albuca species*, ***Antimima hallii***, *Bulbine species*, *Crassula deltoidea*, *Crassula rupestris*, *Crassula subaphylla*, *Dimorphotheca species*, *Ehrharta calycina*, *Eriocephalus africanus (D)*, *Euphorbia loricata*, *Euphorbia mauritanica*, *Euphorbia rhombifolia*, *Felicia species*, *Gorteria alienata (D)*, ***Leipoldtia schultzei***, *Lycium cinereum*, ***Ruschia intricata (D)***, ***Pelargonium abrotanifolium***, *Pteronia incana (D)*, *Roepera species*, *Tylecodon reticulatus*

*Plant species listed in bold are protected according to the Cape Nature and Environmental Conservation Ordinance 19 of 1974.

Synopsis:

No habitat or plant species sensitivities identified within turbine or laydown area footprint.



3.3 Turbine 3 location



Figure 6: Panoramic view and Google Earth image of landscape at Turbine 4.

Plant species* *Aizoon africanum*, ***Antimima hallii***, *Chrysocoma ciliata*, ***Delosperma species***, ***Drosanthemum species***, *Ehrharta calycina*, *Elytropappus rhinocerotis (D)*, *Euryops lateriflorus (D)*, *Felicia filifolia*, ***Leipoldtia schultzei***, *Lycium cinereum*, *Manochlamys albicans*, ***Moraea tripetala***, *Oedera genistifolia*, ***Pelargonium abrotanifolium***, *Pentzia incana*, *Roepera species*, ***Ruschia intricata (D)***, ***Ruschia spinosa***, *Selago species*, *Tenaxia stricta*, *Tylecodon wallichii*

*Plant species listed in bold are protected according to the Cape Nature and Environmental Conservation Ordinance 19 of 1974.

Synopsis:

No habitat or plant species sensitivities identified within turbine or laydown area footprint.



3.4 Turbine 4 location



Figure 7: Panoramic view and Google Earth image of landscape at Turbine 5.

Plant species* *Aloe microstigma*, *Amphiglossa tomentosa*, ***Antimima hallii***, ***Cheiridopsis namaquensis***, *Chrysocoma ciliata*, *Crassula deltoidea*, *Dimorphotheca cuneata*, *Ehrharta calycina*, *Elytropappus rhinocerotis* (D), *Eriocephalus ericoides* (D), *Euphorbia multiceps*, *Euryops lateriflorus* (D), *Fabaceae species1*, *Gorteria alienata* (D), ***Pelargonium abrotanifolium***, ***Pelargonium crithmifolium***, ***Pelargonium luteopetalum***, *Pteronia empetrifolia* (D), *Pteronia incana* (D), ***Ruschia intricata*** (D), *Selago species*, *Tenaxia stricta*, *Tylecodon paniculatus*

*Plant species listed in bold are protected according to the Cape Nature and Environmental Conservation Ordinance 19 of 1974.

Synopsis:

No habitat or plant species sensitivities identified within turbine or laydown area footprint.



3.5 Turbine 5 location



Figure 8: Panoramic view and Google Earth image of landscape at Turbine 7.

Plant species*

Aizoon africanum, *Asparagus capensis*, *Chrysocoma ciliata*, *Crassula barbata*, *Crassula deltoidea*, *Dianthus namaensis*, *Drimia physodes*, *Ehrharta calycina*, *Elytropappus rhinocerotis* (D), *Eriocephalus punctulatus*, *Euphorbia mauritanica*, *Fabaceae species2*, *Felicia filifolia*, *Heliophila cornuta*, *Manochlamys albicans*, ***Pelargonium species***, *Pteronia empetrifolia* (D), *Pteronia glomerata* (D), ***Ruschia intricata*** (D), *Selago species*, *Stachys rugosa*, *Tribolium purpureum*, *Tylecodon reticulatus*

Access road: ***Antimima hallii***, ***Aloe microstigma***

*Plant species listed in bold are protected according to the Cape Nature and Environmental Conservation Ordinance 19 of 1974.

Synopsis:

No habitat or plant species sensitivities identified within turbine or laydown area footprint.



3.6 Turbine 6 location



Figure 9: Panoramic view and Google Earth image of landscape at Turbine 8.

Plant species* *Amphiglossa tomentosa*, ***Antimima hallii***, *Chrysocoma ciliata*,
Crassula subaphylla, *Ehrharta calycina*, *Eriocephalus africanus*
(D), *Eriocephalus ericoides* (D), *Euryops lateriflorus* (D), *Fabaceae*
species2, *Gorteria alienata* (D), ***Moraea tripetala***, *Pteronia*
glomerata (D), ***Ruschia intricata*** (D)

*Plant species listed in bold are protected according to the Cape Nature and Environmental Conservation Ordinance 19 of 1974.

Synopsis:

No habitat or plant species sensitivities identified within turbine or laydown area footprint.



3.7 Turbine 7 location



Figure 10: Panoramic view and Google Earth image of landscape at Turbine 9.

Plant species* *Chrysocoma ciliata*, *Euphorbia loricata*, *Felicia filifolia*, *Gorteria alienata* (D), ***Leipoldtia schultzei***, ***Pelargonium species***, *Pteronia empetrifolia* (D), ***Ruschia intricata*** (D), *Selago species*, *Tylecodon reticulatus*

*Plant species listed in bold are protected according to the Cape Nature and Environmental Conservation Ordinance 19 of 1974.

Synopsis:

No habitat or plant species sensitivities identified within turbine or laydown area footprint.



3.8 Turbine 8 location



Figure 11: Panoramic view and Google Earth image of landscape at Turbine 10.

Plant species*

Antimima hallii, ***Antimima pumila***, *Chaenostoma species*, *Chrysocoma ciliata*, *Crassula subaphylla*, *Dimorphotheca cuneata*, *Ehrharta calycina*, *Elytropappus rhinocerotis* (D), *Eriocephalus ericoides* (D), *Euphorbia mauritanica*, *Euryops lateriflorus* (D), *Gorteria alienata* (D), ***Leipoldtia schultzei***, ***Mesembryanthemum tortuosum***, ***Moraea cuspidata***, ***Pelargonium abrotanifolium***, *Pharnaceum aurantium*, *Pteronia empetrifolia* (D), ***Ruschia intricata*** (D), *Selago species*

*Plant species listed in bold are protected according to the Cape Nature and Environmental Conservation Ordinance 19 of 1974.

Synopsis:

No habitat or plant species sensitivities identified within turbine or laydown area footprint.



3.9 Turbine 9 location



Figure 12: Panoramic view and Google Earth image of landscape at Turbine 11.

Plant species* ***Antimima hallii***, *Asparagus capensis*, *Crassula deltoidea*, *Dianthus namaensis*, *Ehrharta calycina*, *Eriosephalus ericoides* (D), *Eriosephalus punctulatus*, *Euphorbia rhombifolia*, *Euryops species*, *Felicia muricata*, *Gorteria alienata* (D), *Lepidium africanum*, ***Leipoldtia schultzei***, *Lycium cinereum*, ***Mesembryanthemum tortuosum***, ***Pelargonium moniliferum***, *Pentzia incana*, *Pteronia empetrifolia* (D), *Pteronia glauca* (D), ***Ruschia intricata* (D)**, ***Ruschia spinosa***, *Tylecodon reticulatus*

*Plant species listed in bold are protected according to the Cape Nature and Environmental Conservation Ordinance 19 of 1974.

Synopsis:

Existing test tower at site. No habitat or plant species sensitivities identified within turbine or laydown area footprint.



3.10 Turbine 10 location



Figure 13: Panoramic view and Google Earth image of landscape at Turbine 12.

Plant species* *Adromischus liebbergii*, ***Antimima hallii***, ***Cheiridopsis namaquensis***, *Chrysocoma ciliata*, *Crassula deltoidea*, *Crassula subaphylla*, *Dianthus namaensis*, *Eriocephalus ericoides* (D), *Euryops lateriflorus* (D), *Fabaceae species2*, *Felicia filifolia*, *Gorteria alienata* (D), *Oedera genistifolia*, ***Pelargonium moniliforme***, *Pteronia glauca* (D), ***Ruschia intricata*** (D), ***Ruschia spinosa***, *Tylecodon reticulatus*

*Plant species listed in bold are protected according to the Cape Nature and Environmental Conservation Ordinance 19 of 1974.

Synopsis:

No habitat or plant species sensitivities identified within turbine or laydown area footprint.



3.11 Turbine 11 location



Figure 14: Panoramic view and Google Earth image of landscape at Turbine 13.

Plant species* ***Antimima hallii***, *Asparagus species*, *Crassula barbata*, *Crassula deltoidea*, *Dimorphotheca cuneata*, *Eriosephalus ericoides (D)*, *Eriosephalus punctulatus*, *Euryops lateriflorus (D)*, *Gorteria alienata (D)*, ***Pectinaria articulata***, *Pteronia glauca (D)*, *Pteronia glomerata (D)*, ***Ruschia intricata (D)***, ***Ruschia spinosa***

*Plant species listed in bold are protected according to the Cape Nature and Environmental Conservation Ordinance 19 of 1974.

Synopsis:

No habitat or plant species sensitivities identified within turbine or laydown area footprint.



3.12 Turbine 12 location



Figure 15: Panoramic view and Google Earth image of landscape at Turbine 14.

Plant species* *Aizoon africanum*, *Asparagus capensis*, ***Babiana cuneata***,
Ehrharta calycina, *Eriocephalus ericoides* (D), *Euphorbia*
mauritanica, *Euphorbia rhombifolia*, *Euryops lateriflorus* (D),
Felicia filifolia, *Felicia muricata*, ***Moraea tripetala***, *Pteronia*
glauca (D), ***Ruschia intricata*** (D), ***Ruschia spinosa***, *Selago*
species

*Plant species listed in bold are protected according to the Cape Nature and Environmental Conservation Ordinance 19 of 1974.

Synopsis:

No habitat or plant species sensitivities identified within turbine or laydown area footprint.



3.13 Turbine 13 location



Figure 16: Panoramic view and Google Earth image of landscape at Turbine 15.

Plant species* *Aizoon africanum*, *Albuca longipes*, ***Aloe microstigma***, *Asparagus capensis*, ***Astroloba bullulata***, ***Babiana cuneata***, *Colchicum coloratum*, *Ehrharta calycina*, *Eriosephalus ericoides* (D), *Eriosephalus punctulatus*, *Euphorbia mauritanica*, *Euphorbia rhombifolia*, *Euryops lateriflorus* (D), *Fabaceae species2*, *Felicia filifolia*, *Felicia muricata*, *Gorteria alienata* (D), *Lachenalia comptonii*, ***Moraea tripetala***, ***Oxalis pocockiae***, *Pteronia glauca* (D), ***Ruschia intricata*** (D), ***Ruschia spinosa***, *Selago species*, *Stachys rugosa*, *Ursinia anthemoides*

*Plant species listed in bold are protected according to the Cape Nature and Environmental Conservation Ordinance 19 of 1974.

Synopsis:

No habitat or plant species sensitivities identified within turbine or laydown area footprint.



3.14 Turbine 14 location



Figure 17: Panoramic view and Google Earth image of landscape at Turbine 16.

Plant species* *Aizoon africanum*, *Albuca longipes*, ***Aloe microstigma***, *Asparagus capensis*, ***Astroloba bullulata***, ***Babiana cuneata***, *Colchicum coloratum*, *Ehrharta calycina*, *Eriocephalus ericoides (D)*, *Eriocephalus punctulatus*, *Euphorbia mauritanica*, *Euphorbia rhombifolia*, *Euryops lateriflorus (D)*, *Fabaceae species2*, *Felicia filifolia*, *Felicia muricata*, *Gorteria alienata (D)*, *Lachenalia comptonii*, ***Moraea tripetala***, ***Oxalis pocockiae***, *Pteronia glauca (D)*, ***Ruschia intricata (D)***, ***Ruschia spinosa***, *Selago species*, *Stachys rugosa*, *Ursinia anthemoides*

*Plant species listed in bold are protected according to the Cape Nature and Environmental Conservation Ordinance 19 of 1974.

Synopsis:

No habitat or plant species sensitivities identified within turbine or laydown area footprint.



3.15 Turbine 15 location



Figure 18: Panoramic view and Google Earth image of landscape at Turbine 17.

Plant species* *Aizoon africanum*, *Albuca longipes*, ***Aloe microstigma***, *Asparagus capensis*, ***Astroloba bullulata***, ***Babiana cuneata***, *Colchicum coloratum*, *Ehrharta calycina*, *Eriocephalus ericoides (D)*, *Eriocephalus punctulatus*, *Euphorbia mauritanica*, *Euphorbia rhombifolia*, *Euryops lateriflorus (D)*, *Fabaceae species2*, *Felicia filifolia*, *Felicia muricata*, *Gorteria alienata (D)*, *Lachenalia comptonii*, ***Moraea tripetala***, ***Oxalis pocockiae***, *Pteronia glauca (D)*, ***Ruschia intricata (D)***, ***Ruschia spinosa***, *Selago species*, *Stachys rugosa*, *Ursinia anthemoides*

*Plant species listed in bold are protected according to the Cape Nature and Environmental Conservation Ordinance 19 of 1974.

Synopsis:

No habitat or plant species sensitivities identified within turbine or laydown area footprint.



3.16 Turbine 16 location



Figure 19: Panoramic view and Google Earth image of landscape at Turbine 18.

Plant species* *Aizoon africanum*, *Albica longipes*, ***Aloe microstigma***, *Asparagus capensis*, ***Astroloba bullulata***, ***Babiana cuneata***, *Colchicum coloratum*, *Ehrharta calycina*, *Eriocephalus ericoides (D)*, *Eriocephalus punctulatus*, *Euphorbia mauritanica*, *Euphorbia rhombifolia*, *Euryops lateriflorus (D)*, *Fabaceae species2*, *Felicia filifolia*, *Felicia muricata*, *Gorteria alienata (D)*, *Lachenalia comptonii*, ***Moraea tripetala***, ***Oxalis pocockiae***, *Pteronia glauca (D)*, ***Ruschia intricata (D)***, ***Ruschia spinosa***, *Selago species*, *Stachys rugosa*, *Ursinia anthemoides*

*Plant species listed in bold are protected according to the Cape Nature and Environmental Conservation Ordinance 19 of 1974.

Synopsis:

No habitat or plant species sensitivities identified within turbine or laydown area footprint.



3.17 Turbine 17 location




Figure 20: Panoramic view and Google Earth image of landscape at Turbine 19.

Plant species* *Aizoon africanum*, *Albuca longipes*, ***Aloe microstigma***,
Asparagus capensis, ***Astroloba bullulata***, ***Babiana cuneata***,
Colchicum coloratum, *Ehrharta calycina*, *Eriocephalus ericoides*
(D), *Eriocephalus punctulatus*, *Euphorbia mauritanica*,
Euphorbia rhombifolia, *Euryops lateriflorus* (D), *Fabaceae*
species2, *Felicia filifolia*, *Felicia muricata*, *Gorteria alienata* (D),
Lachenalia comptonii, ***Moraea tripetala***, ***Oxalis pocockiae***,
Pteronia glauca (D), ***Ruschia intricata*** (D), ***Ruschia spinosa***,
Selago species, *Stachys rugosa*, *Ursinia anthemoides*

*Plant species listed in bold are protected according to the Cape Nature and Environmental Conservation Ordinance 19 of 1974.

Synopsis:

No habitat or plant species sensitivities identified within turbine or laydown area footprint.



3.18 Turbine 18 location



Figure 21: Panoramic view and Google Earth image of landscape at Turbine 20.

Plant species* *Aizoon africanum*, *Albuca longipes*, ***Aloe microstigma***, *Asparagus capensis*, ***Astroloba bullulata***, ***Babiana cuneata***, *Colchicum coloratum*, *Ehrharta calycina*, *Eriocephalus ericoides (D)*, *Eriocephalus punctulatus*, *Euphorbia mauritanica*, *Euphorbia rhombifolia*, *Euryops lateriflorus (D)*, *Fabaceae species2*, *Felicia filifolia*, *Felicia muricata*, *Gorteria alienata (D)*, *Lachenalia comptonii*, ***Moraea tripetala***, ***Oxalis pocockiae***, *Pteronia glauca (D)*, ***Ruschia intricata (D)***, ***Ruschia spinosa***, *Selago species*, *Stachys rugosa*, *Ursinia anthemoides*

*Plant species listed in bold are protected according to the Cape Nature and Environmental Conservation Ordinance 19 of 1974.

Synopsis:

Slightly degraded from overgrazing. No habitat or plant species sensitivities identified within turbine or laydown area footprint.



3.21 Collector system



Figure 22: View of collector alignment from A (northwards), from A (southwards), and from B (eastwards).

Synopsis:

With the exception of the areas south of the ridge, and going up the ridge in two places, the collector system follows the turbine access roads, the sensitivity of which is covered in the assessment of the turbines themselves. The remaining part of the collector system includes a straight part along the flats in the south, and two rising sections. The rise from the lower-lying areas to the ridge traverses moderately steep slope in both places, otherwise there are no particular issues associated with the collector system. There is a 4x4 trail rising up the mountain in proximity to the eastern alignment, which is positive in terms of existing impacts. The southern flat part runs close to the existing gravel road.



3.22 Construction site



Figure 23: View of the construction site.

Synopsis:

The location of the construction site is perched on the lowlands bordering on an existing road. No issues were identified for the site.

3.23 Access roads



Figure 24: View from near Turbine 19 towards the north, following the alignment of the main access road.



Synopsis:

There is a main access road from the north onto the main ridge of the WEF. This follows a path from the construction site southwards up the ridge towards Turbines 19 and 20. A view from the top of the climb looking northwards is shown in Figure 25. No sensitivity issues were identified along this route alignment.

All other roads link from one turbine position to the next and these are assessed as part of the turbine positions.

7. RECOMMENDED LAYOUT CHANGES

There is a possible occurrence of a Vulnerable plant species within 40 m of Turbine 1. This plant (tentatively identified as *Octopoma quadrisepalum*), is on the Red List, as well as protected under the Cape Nature and Environmental Conservation Ordinance 19 of 1974. If the identity of this species is confirmed then it may be required that Turbine 1 is shifted a minimum of 90 m eastwards and that the crane pad is located to the east of the new position so as to avoid any direct impacts on this species. Alternatively, an application can be submitted for a permit to relocate the plant or destroy it, but there is no guarantee that the permit application would be approved.

On the basis of the original sensitivity assessment by Ekotruster (2018) as well as the detailed walk down survey undertaken here, no additional issues of ecological significance were identified within the footprint of any of the infrastructure. Therefore, no additional layout changes are recommended, except for that described for Turbine 1.

8. CONCLUSIONS

On the basis of the walk down, no sensitivities have been identified within the footprint of proposed infrastructure, except for a possible occurrence of a Red List species near to Turbine 1, the identity of which needs to be confirmed before any final recommendations are made. If the identity is confirmed as a Red List species then a shift of the Turbine 1 location 100 m to the east is recommended. No other changes are required to the proposed layout.

Of the remaining Red List plant species that were considered to have a probability of occurring on site (see list in Appendix 1), none similar to those in the Appendix were observed on site, except for four observations of *Lotononis* that have not yet been identified to species level - there is a small risk that they could be *Lotononis venosa*, listed as Vulnerable, but it is more likely that they are observations of more common species from the genus since none closely match the published description for the listed species (Van Wyk 1990).

A permit is required for the destruction of all protected species (marked in bold in the lists for each turbine position).

From an ecological point of view, on the basis that few sensitivities occur within the proposed footprint, it is recommended that the final layout is approved.

9. REFERENCES:

- EKOTRUST CC. 2018. REPORT ON THE TERRESTRIAL ECOLOGY (FLORA AND FAUNA): Basic Assessment report for the proposed development of the 325 MW Kudusberg Wind Energy Facility located west of the R354 Between Matjiesfontein and Sutherland in the Northern and Western Cape.
- POWELL, R.F., BOATWRIGHT, J.S., KLAK, C. & MAGEE, A.R. 2016. Phylogenetic placement and generic re-circumscriptions of the multilocular genera *Arenifera*, *Octopoma* and *Schlechteranthus* (Aizoaceae: Ruschieae): Evidence from anatomical, morphological and plastid DNA data. *Taxon* 65 (2): 249-261.
- VAN WYK, B-E. 1990. Studies in the genus *Lotononis* (Crotalariaeae, Fabaceae). 13. Two new species and notes on the occurrence of cleistogamy in the section *Leptis*. *Bothalia* 20,1: 17-22.

10. APPENDICES:

Appendix 1: Plant species of conservation importance that were assessed as having a high probability of being found in the study area.

Taxon	Latest (IUCN version 3.1) Conservation Status**	Habitat	Flowering Time	Probability of occurrence*
<i>Lotononis venosa</i> FABACEAE	Vulnerable	Few known locations. Some of the habitat has been transformed for crop cultivation in the past. Further agricultural expansion and overgrazing by livestock are potential threats. Klein Roggeveld Mountains. Central Mountain Shale Renosterveld, Koedoesberge-Moordenaars Karoo. Open karroid scrub on sandy clay alluvium.	September	HIGH , vegetation type and habitat suitable.
<i>Octopoma nanum</i> / <i>octojuge</i> / <i>quadrisepalum</i> AIZOACEAE	Vulnerable	A localized habitat specialist with fewer than 10 known locations and declining due to overgrazing by livestock and game. Tanqua Karoo, Western Little Karoo, Koedoesberge-Moordenaars Karoo, Matjiesfontein Quartzite Fynbos, Tanqua Wash Riviere, Flats and gentle slopes with loamy soils and sparse quartz gravel. Previously recorded in grid as well as a number of surrounding grids that include Roggeveld plateaux, Moordenaars karoo and Cape mountains.	November	HIGH , Found on flats and gentle slopes with loamy soils and sparse quartz grave
<i>Ehrharta eburnea</i> POACEAE	Near Threatened	Calvinia, Sutherland and Montagu. Rocky places in mountain renosterveld.	September- November	HIGH , habitat and distribution matches
<i>Geissorhiza karooica</i> IRIDACEAE	Near Threatened	Roggeveld Mountains to Matjiesfontein. Succulent karoo shrubland on coarse shale slopes.	August- September	HIGH , previously recorded on nearby site
<i>Lachenalia whitehillensis</i> HYACINTHACEAE	Near Threatened	Southern Roggeveld Escarpment near Sutherland to Matjiesfontein in the southern Great Karoo. Sandy soils in riverbeds and on alluvial plains, sometimes in damp places among rocks in river beds.	October	HIGH , recorded on nearby project
<i>Senecio erysimoides</i> ASTERACEAE	Data Deficient – Taxonomically problematic	Unknown, but recorded on three occasions in similar landscapes (Roggeberg foothills) to the north of the site.	December- April	HIGH , habitat matches

* Conservation Status Category assessment according to IUCN Ver. 3.1 (IUCN, 2001), as evaluated by the Threatened Species Programme of the South African National Biodiversity Institute in Pretoria. *IUCN (3.1) Categories: VU = Vulnerable, EN = Endangered, CR = Critically Endangered, NT = Near Threatened.

Appendix 2: Flora protected under the Cape Nature and Environmental Conservation Ordinance 19 of 1974

SCHEDULE 3: Endangered Flora

As per the Cape Nature and Environmental Conservation Ordinance 19 of 1974

Family: APOCYNACEAE	Common name / Additional notes
<i>Pachypodium namaquanum</i>	Halfmens (currently listed as LC)
Family: GESNERIACEAE	
<i>Charadrophila capensis</i>	Cape Gloxinia (currently listed as Rare)
Family: LILIACEAE	
<i>Aloe pillansii</i>	Now called <i>Aloidendron pillansii</i> , currently listed as Endangered
<i>Aloe buhrii</i>	Currently listed as Vulnerable
<i>Aloe erinacea</i>	Now called <i>Aloe melanacantha</i> , currently listed as Least Concern
Family: PROTEACEAE	
<i>Mimetes capitulates</i>	Currently listed as Endangered
<i>Mimetes hottentoticus</i>	Currently listed as Critically Endangered
<i>Mimetes stokoei</i>	Currently listed as Critically Endangered
<i>Orothamnus zeyheri</i>	Currently listed as Vulnerable
<i>Protea odorata</i>	Currently listed as Critically Endangered
Family: STANGERIACEAE	
<i>Stangeria eriopus</i>	Bobbejaankos (currently listed as Vulnerable)
Family: ZAMIACEAE	
<i>Encephalartos</i> spp.	Cycads, all species

SCHEDULE 4: PROTECTED SPECIES

As per the Cape Nature and Environmental Conservation Ordinance 19 of 1974

Family: AMARYLLIDACEAE	All species
Family: APOCYNACEAE	All species except those listed in Schedule 3
Family: AQUIFOLIACEAE	All species
<i>Ilex mitis</i>	
Family: ARACEAE	
<i>Zantedeschia elliottiana</i>	Yellow arum lily (currently DDT)
Family: ASCLEPIADACEAE (now Apocynaceae)	All species
Family: BORAGINACEAE	
<i>Echiostachys spicatus</i>	
Family: BRUNIACEAE	All species
Family: COMPOSITAE (now Asteraceae)	
<i>Senecio colyphyllous (coleophyllous?)</i>	
<i>Cotula duckitteae</i>	
Family: CRASSULACEAE	
<i>Crassula columnaris</i>	
<i>Crassula perfoliata</i>	
<i>Crassula pyramidalis</i>	
<i>Kalanchoe thyrsiflora</i>	
<i>Rochea coccinea (now Crassula cochinea)</i>	
Family: CUNONIACEAE	
<i>Cunonia capensis</i>	
<i>Platylophus trifoliatus</i>	

Family: DIOSCOREACEAE	
<i>Testudinaria sylvatica</i> (now <i>Dioscorea sylvatica</i>)	
<i>Testudinaria elephantipes</i> (now <i>Dioscorea elephantipes</i>)	
Family: ERICACEAE	All species
Family: EUPHORBIACEAE	
<i>Euphorbia bupleurifolia</i>	
<i>Euphorbia fasciculata</i>	
<i>Euphorbia globosa</i>	
<i>Euphorbia horrida</i>	
<i>Euphorbia meloformis</i>	
<i>Euphorbia obesa</i>	
<i>Euphorbia schoenlandii</i>	
<i>Euphorbia symmetrica</i>	
<i>Euphorbia valida</i>	
Family: GEISSELOM(AT)ACEAE	All species
Family: GESNERIACEAE	
<i>Streptocarpus</i>	All species
Family: GRAMINAE (now Poaceae)	
<i>Arundinaria tessellata</i> (<i>Thamnocalamus tessellatus</i>)	
<i>Secale africanum</i> (now <i>Secale strictum</i> subsp. <i>africanum</i>)	
Family: GRUBBIACEAE	All species
Family: IRIDACEAE	All species
Family: LEGUMINOSAE (now Fabaceae)	
<i>Erythrina acanthocarpa</i>	
<i>Erythrina humeana</i>	
<i>Liparia comantha</i>	
<i>Liparia sphaerica</i>	
<i>Liparia splendens</i>	
<i>Podalyria calyptrata</i>	
<i>Priestleya vestita</i>	
<i>Priestleya tomentosa</i>	
Family: LILIACEAE (now split into a number of families)	
All species of the genus ALOE except those specified in Schedule 3 and the species <i>Aloe ferox</i>	
<i>Gasteria beckeri</i>	
<i>Gloriosa superba</i>	
All species of the genus <i>Haworthia</i>	
All species of the genus <i>Kniphofia</i>	
All species of the genus <i>Lachenalia</i>	
<i>Littonia modesta</i>	
<i>Sandersonia aurantiaca</i>	
All species of the genus <i>Veltheimia</i>	
<i>Agapanthus walshii</i>	
<i>Daubenya aurea</i>	
Family: MELIACEAE	
<i>Nymania capensis</i>	
Family: MESEMBRYANTHEMACEAE (now Aizoaceae)	All species
Family: MUSACEAE (now Strelitziaceae)	
<i>Strelitzia</i>	All species
Family: NYMPHAEACEAE	
<i>Nymphaea capensis</i> (now <i>N. nouchali</i>)	
Family: ORCHIDACEAE	All species
Family: OXALIDACEAE	
<i>Oxalis nutans</i> (no such species)	

Family: PENAEACEAE	All species
Family: POLYGALACEAE	
<i>Muraltia minuta</i>	
Family: POLYPODIACEAE	
<i>Adiantum (now Family Pteridaceae)</i>	All species
<i>Hemitelia capensis (now Alsophila capensis, Family Cyathaceae)</i>	
<i>Polystichum adiantiforme (now Rumohra adiantiformis, Family Dryopteridaceae)</i>	
Family: PORTULACACEAE	
<i>Anacampseros (now Family Anacampserotaceae)</i>	All species
Family: PROTEACEAE	
<i>All species</i>	
Family: RANUNCULACEAE	
<i>Anemone capensis (now A.tenuifolia)</i>	
Family: RESTIONACEAE	
<i>Chondropetalum</i>	
<i>Acockii pillans (no such species)</i>	
<i>Elegia fenestrata</i>	
<i>Restio acockii</i>	
<i>Restio micans</i>	
<i>Restio sabulosus</i>	
Family: RETZIACEAE (now Stilbaceae)	
<i>Retzia capensis</i>	
Family: RHAMNACEAE	
<i>Phylica pubescens</i>	
Family: RORIDULACEAE	All species
Family: RUTACEAE	All species
Family: SCROPHULARIACEAE	
<i>Diascia</i>	All species
<i>Harveya</i>	All species
<i>Nemesia strumosa</i>	
<i>Halleria</i>	All species
Family: THYMELAEACEAE	
<i>Lachnaea aurea</i>	

Appendix 3: Flora and vertebrate animal species protected under the National Environmental Management: Biodiversity Act, 2004 (Act 10 of 2004)

(as updated in R. 1187, 14 December 2007)

CRITICALLY ENDANGERED SPECIES

Flora

Adenium swazicum
Aloe pillansii
Diaphanathe millarii
Dioscorea ebutsniorum
Encephalartos aemulans
Encephalartos brevifoliolatus
Encephalartos cerinus
Encephalartos dolomiticus
Encephalartos heenanii
Encephalartos hirsutus
Encephalartos inopinus
Encephalartos latifrons
Encephalartos middelburgensis
Encephalartos nubimontanus
Encephalartos woodii

Reptilia

Loggerhead sea turtle
Leatherback sea turtle
Hawksbill sea turtle

Aves

Wattled crane
Blue swallow
Egyptian vulture
Cape parrot

Mammalia

Riverine rabbit
Rough-haired golden mole

ENDANGERED SPECIES

Flora

Angraecum africae
Encephalartos arenarius
Encephalartos cupidus
Encephalartos horridus
Encephalartos laevifolius
Encephalartos lebomboensis
Encephalartos msinganus
Jubaeopsis caffra
Siphonochilus aethiopicus
Warburgia salutaris
Newtonia hilderbrandi

Reptilia

Green turtle
Giant girdled lizard
Olive ridley turtle
Geometric tortoise

Aves

Blue crane
Grey crowned crane
Saddle-billed stork
Bearded vulture
White-backed vulture
Cape vulture
Hooded vulture
Pink-backed pelican
Pel's fishing owl
Lappet-faced vulture

Mammalia

Robust golden mole
Tsessebe
Black rhinoceros
Mountain zebra
African wild dog
Gunning's golden mole
Oribi
Red squirrel
Four-toed elephant-shrew

VULNERABLE SPECIES

Flora

Aloe albida
Encephalartos cycadifolius
Encephalartos Eugene-maraisii
Encephalartos ngovanus
Merwillia plumbea
Zantedeschia jucunda

Aves

White-headed vulture
Tawny eagle
Kori bustard
Black stork
Southern banded snake eagle
Blue korhaan
Taita falcon
Lesser kestrel
Peregrine falcon

Bald ibis
Ludwig's bustard
Martial eagle
Bataleur
Grass owl

Mammalia
Cheetah
Samango monkey
Giant golden mole
Giant rat
Bontebok
Tree hyrax
Roan antelope
Pangolin
Juliana's golden mole
Suni
Large-eared free-tailed bat
Lion
Leopard
Blue duiker

PROTECTED SPECIES

Flora
Adenia wilmsii
Aloe simii
Clivia mirabilis
Disa macrostachya
Disa nubigena
Disa physodes
Disa procera
Disa sabulosa
Encephelartos altensteinii
Encephelartos caffer
Encephelartos dyerianus
Encephelartos frederici-guilielmi
Encephelartos ghellinckii
Encephelartos humilis
Encephelartos lanatus
Encephelartos lehmannii
Encephelartos longifolius
Encephelartos natalensis
Encephelartos paucidentatus
Encephelartos princeps
Encephelartos senticosus
Encephelartos transvenosus
Encephelartos trispinosus
Encephelartos umbeluziensis
Encephelartos villosus
Euphorbia clivicola
Euphorbia meloformis
Euphorbia obesa
Harpagophytum procumbens
Harpagophytum zeyherii
Hoodia gordonii
Hoodia currorii

Protea odorata
Stangeria eriopus

Amphibia
Giant bullfrog
African bullfrog

Reptilia
Gaboon adder
Namaqua dwarf adder
Smith's dwarf chameleon
Armadillo girdled lizard
Nile crocodile
African rock python

Aves
Southern ground hornbill
African marsh harrier
Denham's bustard
Jackass penguin

Mammalia
Cape clawless otter
South African hedgehog
White rhinoceros
Black wildebeest
Spotted hyaena
Black-footed cat
Brown hyaena
Serval
African elephant
Spotted-necked otter
Honey badger
Sharpe's grysbok
Reedbuck
Cape fox

Appendix 5: Curriculum vitae: Dr David Hoare

Education

Matric - Graeme College, Grahamstown, 1984

B.Sc (majors: Botany, Zoology) - Rhodes University, 1991-1993

B.Sc (Hons) (Botany) - Rhodes University, 1994 with distinction

M.Sc (Botany) - University of Pretoria, 1995-1997 with distinction

PhD (Botany) – Nelson Mandela Metropolitan University, Port Elizabeth

Main areas of specialisation

- Vegetation ecology, primarily in grasslands, thicket, coastal systems, wetlands.
- Plant biodiversity and threatened plant species specialist.
- Alien plant identification and control / management plans.
- Remote sensing, analysis and mapping of vegetation.
- Specialist consultant for environmental management projects.

Membership

Professional Natural Scientist, South African Council for Natural Scientific Professions, 16 August 2005 – present. Reg. no. 400221/05 (Ecology, Botany)

Member, International Association of Vegetation Scientists (IAVS)

Member, Ecological Society of America (ESA)

Member, International Association for Impact Assessment (IAIA)

Member, Herpetological Association of Africa (HAA)

Employment history

1 December 2004 – present, Director, David Hoare Consulting (Pty) Ltd. Consultant, specialist consultant contracted to various companies and organisations.

1 January 2009 – 30 June 2009, Lecturer, University of Pretoria, Botany Dept.

1 January 2013 – 30 June 2013, Lecturer, University of Pretoria, Botany Dept.

1 February 1998 – 30 November 2004, Researcher, Agricultural Research Council, Range and Forage Institute, Private Bag X05, Lynn East, 0039. Duties: project management, general vegetation ecology, remote sensing image processing.

Experience as consultant

Ecological consultant since 1995. Author of over 380 specialist ecological consulting reports. Wide experience in ecological studies within grassland, savanna and fynbos, as well as riparian, coastal and wetland vegetation.

Publication record:**Refereed scientific articles (in chronological order):****Journal articles:**

- HOARE, D.B.** & BREDENKAMP, G.J. 1999. Grassland communities of the Amatola / Winterberg mountain region of the Eastern Cape, South Africa. *South African Journal of Botany* 64: 44-61.
- HOARE, D.B.**, VICTOR, J.E., LUBKE, R.A. & MUCINA, L., 2000. Vegetation of the coastal fynbos and rocky headlands south of George, South Africa. *Bothalia* 30: 87-96.
- VICTOR, J.E., **HOARE, D.B.** & LUBKE, R.A., 2000. Checklist of plant species of the coastal fynbos and rocky headlands south of George, South Africa. *Bothalia* 30: 97-101.
- MUCINA, L, BREDENKAMP, G.J., **HOARE, D.B** & MCDONALD, D.J. 2000. A National Vegetation Database for South Africa *South African Journal of Science* 96: 1-2.
- HOARE, D.B.** & BREDENKAMP, G.J. 2001. Syntaxonomy and environmental gradients of the grasslands of the Stormberg / Drakensberg mountain region of the Eastern Cape, South Africa. *South African Journal of Botany* 67: 595 – 608.
- LUBKE, R.A., **HOARE, D.B.**, VICTOR, J.E. & KETELAAR, R. 2003. The vegetation of the habitat of the Brenton blue butterfly, *Orachrysops niobe* (Trimen), in the Western Cape, South Africa. *South African Journal of Science* 99: 201–206.
- HOARE, D.B** & FROST, P. 2004. Phenological classification of natural vegetation in southern Africa using AVHRR vegetation index data. *Applied Vegetation Science* 7: 19-28.
- FOX, S.C., HOFFMANN, M.T. and HOARE, D. 2005. The phenological pattern of vegetation in Namaqualand, South Africa and its climatic correlates using NOAA-AVHRR NDVI data. *South African Geographic Journal*, 87: 85–94.
- Pfab, M.F., Compaan, P.C., Whittington-Jones, C.A., Engelbrecht, I., Dumalisile, L., Mills, L., West, S.D., Muller, P., Masterson, G.P.R., Nevhutalu, L.S., Holness, S.D., **Hoare, D.B.** 2017. The Gauteng Conservation Plan: Planning for biodiversity in a rapidly urbanising province. *Bothalia*, Vol. 47:1. a2182. <https://doi.org/10.4102/abc.v47i1.2182>.

Book chapters and conference proceedings:

- HOARE, D.B.** 2002. Biodiversity and performance of grassland ecosystems in communal and commercial farming systems in South Africa. Proceedings of the FAO's Biodiversity and Ecosystem Approach in Agriculture, Forestry and Fisheries Event: 12–13 October, 2002. Food and Agriculture Organisation of the United Nations, Viale delle Terme di Caracalla, Rome, Italy. pp. 10 - 27.
- STEENKAMP, Y., VAN WYK, A.E., VICTOR, J.E., **HOARE, D.B.**, DOLD, A.P., SMITH, G.F. & COWLING, R.M. 2005. Maputaland-Pondoland-Albany Hotspot. In: Mittermeier, R.A., Gil, P.R., Hoffmann, M., Pilgrim, J., Brooks, T., Mittermeier, C.G., Lamoreux, J. & Fonseca, G.A.B. da (eds.) *Hotspots revisited*. CEMEX, pp.218–229. ISBN 968-6397-77-9
- STEENKAMP, Y., VAN WYK, A.E., VICTOR, J.E., **HOARE, D.B.**, DOLD, A.P., SMITH, G.F. & COWLING, R.M. 2005. Maputaland-Pondoland-Albany Hotspot. <http://www.biodiversityhotspots.org/xp/hotspots/maputaland/>.
- HOARE, D.B.**, MUCINA, L., RUTHERFORD, M.C., VLOK, J., EUSTON-BROWN, D., PALMER, A.R., POWRIE, L.W., LECHMERE-OERTEL, R.G., PROCHE, S.M., DOLD, T. and WARD, R.A. *Albany Thickets*. in Mucina, L. and Rutherford, M.C. (eds.) 2006. The vegetation of South Africa, Lesotho and Swaziland. *Strelitzia* 19, South African National Biodiversity Institute, Pretoria.
- MUCINA, L., **HOARE, D.B.**, LÖTTER, M.C., DU PREEZ, P.J., RUTHERFORD, M.C., SCOTT-SHAW, C.R., BREDENKAMP, G.J., POWRIE, L.W., SCOTT, L., CAMP, K.G.T., CILLIERS, S.S., BEZUIDENHOUT, H., MOSTERT, T.H., SIEBERT, S.J., WINTER, P.J.D., BURROWS, J.E., DOBSON, L., WARD, R.A., STALMANS, M., OLIVER, E.G.H., SIEBERT, F., SCHMIDT, E., KOBISI, K., KOSE, L. 2006. *Grassland Biome*. In: Mucina, L. & Rutherford, M.C. (eds.) The vegetation of South Africa, Lesotho and Swaziland. *Strelitzia* 19. South African National Biodiversity Institute, Pretoria.
- RUTHERFORD, M.C., MUCINA, L., LÖTTER, M.C., BREDENKAMP, G.J., SMIT, J.H.L., SCOTT-SHAW, C.R., **HOARE, D.B.**, GOODMAN, P.S., BEZUIDENHOUT, H., SCOTT, L. & ELLIS, F., POWRIE, L.W., SIEBERT, F., MOSTERT, T.H., HENNING, B.J., VENTER, C.E., CAMP, K.G.T., SIEBERT, S.J., MATTHEWS, W.S., BURROWS, J.E., DOBSON, L., VAN ROOYEN, N., SCHMIDT, E., WINTER, P.J.D., DU PREEZ, P.J., WARD, R.A., WILLIAMSON, S. and HURTER, P.J.H. 2006. *Savanna Biome*. In: Mucina, L. & Rutherford, M.C. (eds.) The vegetation of South Africa, Lesotho and Swaziland. *Strelitzia* 19. South African National Biodiversity Institute, Pretoria.
- MUCINA, L., RUTHERFORD, M.C., PALMER, A.R., MILTON, S.J., SCOTT, L., VAN DER MERWE, B., **HOARE, D.B.**, BEZUIDENHOUT, H., VLOK, J.H.J., EUSTON-BROWN, D.I.W., POWRIE, L.W. & DOLD, A.P. 2006. *Nama-Karoo Biome*. In: Mucina, L. & Rutherford, M.C. (eds.) The vegetation of South Africa, Lesotho and Swaziland. *Strelitzia* 19. South African National Biodiversity Institute, Pretoria.

MUCINA, L., SCOTT-SHAW, C.R., RUTHERFORD, M.C., CAMP, K.G.T., MATTHEWS, W.S., POWRIE, L.W. and **HOARE, D.B.** 2006. *Indian Ocean Coastal Belt*. In: Mucina, L. & Rutherford, M.C. (eds.) The vegetation of South Africa, Lesotho and Swaziland. *Strelitzia* 19. South African National Biodiversity Institute, Pretoria.

Conference Presentations:

- HOARE, D.B. & LUBKE, R.A. *Management effects on diversity at Goukamma Nature Reserve, Southern Cape*; Paper presentation, Fynbos Forum, Bienne Donne, July 1994
- HOARE, D.B., VICTOR, J.E. & LUBKE, R.A. *Description of the coastal fynbos south of George, southern Cape*; Paper presentation, Fynbos Forum, Bienne Donne, July 1994
- HOARE, D.B. & LUBKE, R.A. *Management effects on fynbos diversity at Goukamma Nature Reserve, Southern Cape*; Paper presentation, South African Association of Botanists Annual Congress, Bloemfontein, January 1995
- HOARE, D.B. & BOTHA, C.E.J. *Anatomy and ecophysiology of the dunegrass *Ehrharta villosa* var. *maxima**; Poster presentation, South African Association of Botanists Annual Congress, Bloemfontein, January 1995
- HOARE, D.B., PALMER, A.R. & BREDENKAMP, G.J. 1996. *Modelling grassland community distributions in the Eastern Cape using annual rainfall and elevation*; Poster presentation, South African Association of Botanists Annual Congress, Stellenbosch, January 1996
- HOARE, D.B. *Modelling vegetation on a past climate as a test for palaeontological hypotheses on vegetation distributions*; Paper presentation, Randse Afrikaanse Universiteit postgraduate symposium, 1997
- HOARE, D.B., VICTOR, J.E. & BREDENKAMP, G.J. *Historical and ecological links between grassy fynbos and afro-montane fynbos in the Eastern Cape*; Paper presentation, South African Association of Botanists Annual Congress, Cape Town, January 1998
- LUBKE, R.A., HOARE, D.B., VICTOR, J.E. & KETELAAR, R. *The habitat of the Brenton Blue Butterfly*. Paper presentation, South African Association of Botanists Annual Congress, Cape Town, January 1998
- HOARE, D.B. & PANAGOS, M.D. *Satellite stratification of vegetation – structure or floristic composition?* Poster presentation at the 34th Annual Congress of the Grassland Society of South Africa, Warmbaths, 1-4 February 1999.
- HOARE, D.B. & WESSELS, K. *Conservation status and threats to grasslands of the northern regions of South Africa*, Poster presentation at the South African Association of Botanists Annual Congress, Potchefstroom, January 2000.
- HOARE, D.B. *Phenological dynamics of Eastern Cape vegetation*. Oral paper presentation at the South African Association of Botanists Annual Congress, Grahamstown, January 2002.
- HOARE, D.B., MUCINA, L., VAN DER MERWE, J.P.H. & PALMER, A.R. *Classification and digital mapping of grasslands of the Eastern Cape* Poster presentation at the South African Association of Botanists Annual Congress, Grahamstown, January 2002.
- HOARE, D.B. *Deriving phenological variables for Eastern Cape vegetation using satellite data* Poster presentation at the South African Association of Botanists Annual Congress, Grahamstown, January 2002.
- MUCINA, L., RUTHERFORD, M.C., HOARE, D.B. & POWRIE, L.W. 2003. *VegMap: The new vegetation map of South Africa, Lesotho and Swaziland*. In: Pedrotti, F. (ed.) *Abstracts: Water Resources and Vegetation*, 46th Symposium of the International Association for Vegetation Science, June 8 to 14 – Napoli, Italy.
- HOARE, D.B. 2003. *Species diversity patterns in moist temperate grasslands of South Africa*. Proceedings of the VIIth International Rangeland Congress, 26 July – 1 August 2003, Durban South Africa. *African Journal of Range and Forage Science*. 20: 84.

Unpublished technical reports:

- PALMER, A.R., HOARE, D.B. & HINTSA, M.D., 1999. *Using satellite imagery to map veld condition in Mpumalanga: A preliminary report*. Report to the National Department of Agriculture (Directorate Resource Conservation). ARC Range and Forage Institute, Grahamstown.
- HOARE, D.B. 1999. *The classification and mapping of the savanna biome of South Africa: methodology for mapping the vegetation communities of the South African savanna at a scale of 1:250 000*. Report to the National Department of Agriculture (Directorate Resource Conservation). ARC Range and Forage Institute, Pretoria.
- HOARE, D.B. 1999. *The classification and mapping of the savanna biome of South Africa: size and coverage of field data that exists on the database of vegetation data for South African savanna*. Report to the National Department of Agriculture (Directorate Resource Conservation). ARC Range and Forage Institute, Pretoria.
- THOMPSON, M.W., VAN DEN BERG, H.M., NEWBY, T.S. & HOARE, D.B. 2001. *Guideline procedures for national land-cover mapping and change monitoring*. Report no. ENV/P/C 2001-006 produced for Department of Water Affairs and Forestry, National Department of Agriculture and Department of Environment Affairs and Tourism. Copyright: Council for Scientific and Industrial Research (CSIR) and Agricultural Research Council (ARC).

- HOARE, D.B. 2003. Natural resource survey of node O R Tambo, using remote sensing techniques, Unpublished report and database of field data for ARC Institute for Soil, Climate & Water, ARC Range and Forage Institute, Grahamstown.
- HOARE, D.B. 2003. Short-term changes in vegetation of Suikerbosrand Nature Reserve, South Africa, on the basis of resampled vegetation sites. Gauteng Department of Agriculture, Conservation, Environment and Land Affairs, Conservation Division.
- BRITTON, D., SILBERBAUER, L., ROBERTSON, H., LUBKE, R., HOARE, D., VICTOR, J., EDGE, D. & BALL, J. 1997. The Life-history, ecology and conservation of the Brenton Blue Butterfly (*Orachrysops niobe*) (Trimen)(*Lycaenidea*) at Brenton-on-Sea. Unpublished report for the Endangered Wildlife Trust of Southern Africa, Johannesburg. 38pp.
- HOARE, D.B., VICTOR, J.E. & MARNEWIC, G. 2005. Vegetation and flora of the wetlands of Nylsvley River catchment as component of a project to develop a framework for the sustainable management of wetlands in Limpopo Province.

Consulting reports:

Total of over 500 specialist consulting reports for various environmental projects from 1995 – present.

Workshops / symposia attended:

- International Association for Impact Assessment Annual Congress, Durban, 16 – 19 May 2018.
- Workshop on remote sensing of rangelands presented by Paul Tueller, University of Nevada Reno, USA, VIIIth International Rangeland Congress, 26 July – 1 August 2003, Durban South Africa.
- VIIIth International Rangeland Congress, 26 July – 1 August 2003, Durban South Africa.
- BioMap workshop, Stellenbosch, March 2002 to develop strategies for studying vegetation dynamics of Namaqualand using remote sensing techniques
- South African Association of Botanists Annual Congress, Grahamstown, January 2002.
- 28th International Symposium on Remote Sensing of Environment, Somerset West, 27-31 March 2000.
- Workshop on Vegetation Structural Characterisation: Tree Cover, Height and Biomass, 28th International Symposium on Remote Sensing of Environment, Strand, 26 March 2000.
- South African Association of Botanists Annual Congress, Potchefstroom, January 2000
- National Botanical Institute Vegmap Workshop, Kirstenbosch, Cape Town, 30 September-1 October 1999.
- Sustainable Land Management – Guidelines for Impact Monitoring, Orientation Workshop: Sharing Impact Monitoring Experience, Zithabiseni, 27-29 September 1999.
- WWF Macro Economic Reforms and Sustainable Development in Southern Africa, Environmental Economic Training Workshop, development Bank, Midrand, 13-14 September 1999.
- 34th Annual Congress of the Grassland Society of South Africa, Warmbaths, 1-4 February 1999
- Expert Workshop on National Indicators of Environmental Sustainable Development, Dept. of Environmental Affairs and Tourism, Roodevallei Country Lodge, Roodeplaat Dam, Pretoria, 20-21 October 1998.
- South African Association of Botanists Annual Congress, Cape Town, January 1998
- Randse Afrikaanse Universiteit postgraduate symposium, 1997.
- South African Association of Botanists Annual Congress, Bloemfontein, January 1995.