


APPENDIX D4: ISSUES AND RESPONSE REPORT

ISSUES AND RESPONSE REPORT :					
EIA PROCESS FOR THE PROPOSED DEVELOPMENT OF APPROXIMATELY 170KM 1X400kV MAPHUTHA-WITKOP POWERLINE WITHIN THE SEKHUKHUNE AND CAPRICORN DISTRICT MUNICIPALITIES IN THE LIMPOPO PROVINCE					
Date Receipt of Comment	Name and contact details of the interested and affected party	Organization	Comment or Issues raised by the interested and affected party	Response by Environmental Assessment Practitioner (EAP)	Date of Response by EAP
25/01/2018	Samkelisiwe Dlamini SDlamini@environment.gov.za Tel: 012 399 9379	Department of Environmental Affairs (DEA)	The department confirms having received the Application for Environmental Authorisation and the Draft Scoping Report for the above mentioned project on the 24 th January 2018	Noted	25/01/2018
15/02/2018	Samkelisiwe Dlamini SDlamini@environment.gov.za Tel: 012 399 9379	DEA		The comments from the Department were noted and all recommendations were taken into account	15/02/2018

			<p>Listed Activities</p> <p>Please make sure that the relevant listed activities are included in the final Scoping report, should there be other activities which were not included in the application form which are now uncovered, please make sure that the application form is amended to include all the listed activities.</p> <p>Content of the Scoping Report</p> <p>I. Please make sure that coordinates provided are in degrees minutes and seconds and should include all the bending points of the powerline from the starting point to the finishing point.</p> <p>II. All the alternatives</p>	<p>and included in the Final Scoping report.</p> <p>The listed activities applied for are relevant, specific and linked to the activity</p> <p>The coordinates are provided as Appendix G.</p>	
--	--	--	--	---	--

Appendix D4– Comments and Response Report

			<p>assessed including the comparative assessment, which includes the recommendations of the specialist must be included in the final SR.</p> <p>III. Specialist, in their assessment, must make sure that they state their preferred corridor and the reasons why they preferred a particular corridor in order for the Department to make an informed decision.</p> <p>Public Participation Process (PPP) The following information must be submitted with the final SR:</p> <ul style="list-style-type: none"> • Newspaper advert (both English and widely used local 	<p>The alternatives assessed including comparative assessment and specialist recommendations are included in section 7 of the final SR.</p> <p>The specialist preferred corridor and their reasons are included in the reports. Appendix C.</p> <p>The newspaper adverts both in English and</p>	
--	--	--	---	--	--

Appendix D4– Comments and Response Report

			<p>language);</p> <ul style="list-style-type: none"> • Proof of onsite notices; • Proof of notification and submission of draft SR to stakeholders and registered interest and affected parties (including DEA-Biodiversity and Conservation); • • Copies of all comments received during draft SR commenting period must be submitted; and • A comments and response (C&R) must be submitted with the 	<p>Sepedi are attached as Appendix D1.</p> <p>Proof of site notice is attached as Appendix D2.</p> <p>Proof of notification is attached as Appendix D1 & D2</p> <p>Comments and Response report is attaches as Appendix D4</p>	
--	--	--	--	--	--

Appendix D4– Comments and Response Report

			<p>final SR. The C&R report must incorporate all historical comments for this development, as well as all comments received during public participation process for the current draft SR, including all official comments received from this department, and all responses provided to those comments. All comments received as part of the PPP and are not in English must be translated to English.</p> <p>Layout Map</p> <p>A copy of the final site layout map must be submitted and all available biodiversity information must be used in the finalisation of the layout map.</p>	<p>Layout map is attached as Appendix A</p>	
--	--	--	--	--	--