

## HAMMANSKRAAL WEST EXT 10 COMMENTS & RESPONSES REPORT NOVEMBER 2017

Issue	Name	Date	Response
Not affected.	T. Hadebe	22 June 2017	None required.
	Transnet Pipelines		
Kindly advise if there are any railways line in close proximity to	M.P. Matlala		Responded by e-mail on 27 June 2017as follows:
the proposed project. I can see there is a railway line marked on			The railway line as per the locality map is approximately 740
the map but I will like to get clarity on how far it is from the	Rail		metres east of the proposed bulk sewer line where it will
proposed project.			connect with the existing sewer line and approximately 3.2
			km east of the proposed bulk water pipeline. Please note that
			the Apies River is situated between the location for the
			proposed bulk sewer line and the railway line as per the
			Google Earth image below. TGM is not aware of any other
			railway lines in close proximity to the proposed project site.
			[5] [1] [1] [1] [2] [2] [2] [2] [2] [2] [2] [2] [2] [2



Please note that the area you are applying for is under City of V. Mokoala 26 June 2017 Applying for wayleaves does not fall within the project sc	Issue	Name	Date	Response
installation of wet services (water, sewer and storm water) approval: Hammanskraal, Gauteng We refer to your application dated 17 Jun 2017 and in this regard advise that:  1. The proposed construction affects and is in close proximity to the following of MTN's services:  a. Telecommunication cables on the indicated route map, the exact positions cannot be guaranteed.  b. Telecommunication fibre cables at 1metre depths.  2. This letter will be valid for a period not exceeding 6 months from the date indicated above.  3. Should a period of 6 months expire, without any construction taking place, a new request will have to be submitted.  4. The applicant must contact Danie Marais tel/mobile number 082 978 0125 at least 5 working days, prior to commencement of work.  5. Should the applicant require that services be indicated on site, Danie Marais must be contacted directly on tel/mobile number 082 978 0125  6. Should the applicant find it necessary to have MTN services shifted or deviated, a written request, including design drawings, showing the proposed reallocation must be submitted for approval in advance of any work being undertaken. All costs for the relocation shall be for your (the applicants) account. Such request must be submitted to this office, giving a minimum of 3 months notification.  7. Any damage to MTN infrastructure will be for the applicants account. Should any such damage occur, please contact the following number 083 182.			26 June 2017	Applying for wayleaves does not fall within the project scope of the EIA team. The necessary wayleaves will however be obtained before construction commence.
	<ul> <li>installation of wet services (water, sewer and storm water) approval: Hammanskraal, Gauteng</li> <li>We refer to your application dated 17 Jun 2017 and in this regard advise that:</li> <li>1. The proposed construction affects and is in close proximity to the following of MTN's services: <ul> <li>a. Telecommunication cables on the indicated route map, the exact positions cannot be guaranteed.</li> <li>b. Telecommunication fibre cables at 1metre depths.</li> </ul> </li> <li>2. This letter will be valid for a period not exceeding 6 months from the date indicated above.</li> <li>3. Should a period of 6 months expire, without any construction taking place, a new request will have to be submitted.</li> <li>4. The applicant must contact Danie Marais tel/mobile number 082 978 0125 at least 5 working days, prior to commencement of work.</li> <li>5. Should the applicant require that services be indicated on site, Danie Marais must be contacted directly on tel/mobile number 082 978 0125</li> <li>6 Should the applicant find it necessary to have MTN services shifted or deviated, a written request, including design drawings, showing the proposed reallocation must be submitted for approval in advance of any work being undertaken. All costs for the relocation shall be for your (the applicants) account. Such request must be submitted to this office, giving a minimum of 3 months notification.</li> <li>7. Any damage to MTN infrastructure will be for the applicants account. Should any such damage occur, please contact the following number 083 182.</li> </ul>	MTN	23 June 2017	The conditions as stipulated by MTN will be adhered to.

Name	Date	Response		



Sasol Pipeline Operations is affected by the proposed work.	R. Mphofu	22 June 2017	It is acknowledged that Sasol Pipeline Operations is affected
Please take note that the following steps need to be followed for	SASOL		by the proposed work.
the official wayleave.			
1. Contact Sasol Satellite Operations wayleave office via			The steps indicated will be followed for the official wayleave.
telephone to set up a kick off meeting or a pre-signature			
meeting 3 days prior to commencement of work. Sasol			The possible results of damage to the pipeline is
Satellite Operations will not accept calendar meetings as this			acknowledged and include in the EMPr.
is causing major problems when dealing with service			
providers who do not have the correct information on their			
requests. Sasol Satellite Operations will then indicate the gas			
pipeline and issue conditions to be complied with.			
2. At the second meeting Sasol Satellite Operations will then			
issue the official wayleave if all the conditions are met. If any			

Issue	Name	Date	Response
work starts on or close to our gas pipeline without the official wayleave, legal action will be taken against the perpetrators.  3. Sasol Satellite Operation would appreciate it if the executor of the job is the one in the pre-signature meeting.			
Damage to the pipeline may result in the following:  1. Fatality, even multiple fatalities  2. Loss of livestock and environmental impact  3. Damage to property  4. Cost of loss of production or financial loss could be as high as 1 Billion Rand			
Sasol Pipeline Operations Contact Information:  Rachael 079 505 011 865 Rachel.mphofu@sasol.com			
Mphofu         4588         8774           Sandra         011 865         (f) 011         Sandra.reyneke@sasol.com           Reyneke         8549         865 8591         Gascustomercare@sasol.com           Sasol Gas         0800 212 260         Gascustomercare@sasol.com			
Care			
Would like to join the proposal from TGM Environmental Services. Would like to thank you for this opportunity you gave the community, it means a lot to us.	I.M. Leballo	23 June 2017	Support for the project is acknowledged.
It will be of great pleasure to have this after a long time of going to the bushes when we want to release out of solid waste and drinking unhealthy water. We hope electricity will be in process also.	S. Matshabane	9 July 2017	Support for the project is acknowledged.
Requested to be registered as an I&AP. Interested in becoming a sub contractor in maintenance purposes in maintenance management plans.	L. Nyembe	12 July 2017	Registered as an I&AP. The CoT has a tendering process which is outside the range of influence of the EIA team. Comments about the tendering process must be directed to the CoT directly. The tender will be advertised according to the CoT procurement procedures. Companies and individuals registered with CoT as Vendors can participate in the tender process.
Requested more information on the documents received and the form to be completed, referring to basic assessment process and water use licence application	K. Fianda	21 June 2017	Responded by e-mail on 6 July 2017as follows: The documents are to notify you of the intended project by City of Tshwane in Hammanskraal West Ext 10. The proposed project entails the provision of basic infrastructure (bulk water and sewer pipelines) to Hammanskraal West Extensions 4 & 10. The proposed project is in terms of the EIA Regulations of the NEMA Act (Act No. 107 1998) in which Interested and Affected parties need to be notified. As

Issue	Name	Date	Response
			an interested or affected party, you have the right to raise any issues in relation to the project. Your issues or comments should be done in writing on the form you received and returned to the mentioned address.
Requested the following information on the documents received:  1. What does ORGANISATION on the form means.  2. What information is needed on the COMMENTS.  3. When is the Project expected to start.	P. Mashiyane	28 June 2017	<ol> <li>Responded by e-mail on 6 July 2017as follows:</li> <li>Organisation in this context can be any form of group, entity or affiliation that you are in and might want to represent in relation to the proposed activity. You do not have to be in an organisation to be affected or interested in the project, as an individual you can still comment.</li> <li>As an interested or affected party, you have the right to raise any issues in relation to the project. Your issues or comments should be done in writing on the form you received and returned to the mentioned address on the "STAKEHOLDER COMMENTS" form.</li> <li>Date of commencement of the project can not be confirmed at this stage, authorisation needs to be granted first by the Gauteng Department of Agriculture and Rural Development and you will be notified of such.</li> </ol>