

**environmental2@hilland.co.za**

---

**From:** cathy@hilland.co.za  
**Sent:** Friday, 25 February 2022 7:16 AM  
**To:** Inge Delpont  
**Subject:** FW: Water Use Application has been submitted to the department (WU22973)  
**Importance:** High

For our BAR – proof of the WULA GA submission on the 24<sup>th</sup> January 2022 and proof of our correspondence with their Case officer for information.

Love Cathy

---

**From:** cathy@hilland.co.za <cathy@hilland.co.za>  
**Sent:** Friday, February 25, 2022 7:15 AM  
**To:** 'fenin2@dws.gov.za' <fenin2@dws.gov.za>  
**Cc:** 'Jamie Raubenheimer' <jamie@cpdev.co.za>; 'Lance Chalwin-Milton' <Lance@ancoragroup.co.za>  
**Subject:** Water Use Application has been submitted to the department (WU22973)  
**Importance:** High

Dear Ms N Feni  
WUL Manager – Control and Environmental Officer

We are busy preparing our Final BAR for submission to DEDECT on the Vryburg Mall project that is the subject of the WULA that has been submitted below for authorisation. See the email below relating to the submission on the 24<sup>th</sup> January 2022 from Du Toit Wilken.

Could you please supply me with a letter to confirm that the application is being processed that I can include with our submission to DEDECT and possibly include the timeframe within which you anticipate the GA being issued as this will have an impact on their decision making timeframe (they will wait for your decision first).

Many thanx

Love Cathy

**Cathy Avierinos**

**HillLand Environmental (Pty) Ltd**

**166 Mountview Farm, Victoria Heights**

**P.O.Box 590 - George, 6530 - Western Cape - South Africa**

**[www.hilland.co.za](http://www.hilland.co.za)**

Mobile:+27 (0) 825586589 - Office: +27 (0) 44 8890229 - Fax: +27 (0)86 5425248



---

**From:** DuToit Wilken <[dutoit@elemental-s.co.za](mailto:dutoit@elemental-s.co.za)>  
**Date:** Tuesday, 15 February 2022 at 13:11  
**To:** Jamie Raubenheimer <[jamie@cpdev.co.za](mailto:jamie@cpdev.co.za)>  
**Subject:** FW: Water Use Application has been submitted to the department (WU22973)

FYI

---

**From:** [Ewulaas Do Not Reply@dws.gov.za](mailto:Ewulaas_Do_Not_Reply@dws.gov.za) <[Ewulaas Do Not Reply@dws.gov.za](mailto:Ewulaas_Do_Not_Reply@dws.gov.za)>  
**Sent:** Monday, 24 January 2022 13:01  
**To:** DuToit Wilken <[dutoit@elemental-s.co.za](mailto:dutoit@elemental-s.co.za)>  
**Subject:** Water Use Application has been submitted to the department (WU22973)

Dear Mr DuToit Wilken (Senior Specialist),

The following application has been submitted to the department :

Vryburg Mall GA (WU22973)

The Application was submitted to :

Name : Ms N. Feni (WUL Manager [Control and Enviromental Officer])  
e-Mail : [fenin2@dws.gov.za](mailto:fenin2@dws.gov.za)  
Tel : 0538367661

[Click Here to access the Application](#)

Kind Regards,  
e-WULAAS on Behalf of **Department of Water and Sanitation**

Private Bag X313, Pretoria, 0001  
Sedibeng Building, 185 Francis Baard Street, Pretoria, 0001  
Tel: (012) 336 7500  
Fax: (012) 323-4472  
Website: [www.dws.gov.za](http://www.dws.gov.za)  
Email: [E-WULAASCalls@dws.gov.za](mailto:E-WULAASCalls@dws.gov.za)



In e-WULAAS Notifications

DISCLAIMER: This message and any attachments are confidential and intended solely for the addressee. If you have received this message in error, please notify the system manager/sender. Any unauthorized use, alteration or dissemination is prohibited. The Department of Water and Sanitation further accepts no liability whatsoever for any loss, whether it be direct, indirect or consequential, arising from this e-mail, nor for any consequence of its use or storage.



Virus-free. [www.avast.com](http://www.avast.com)