



## water & sanitation

Department:  
Water and Sanitation  
**REPUBLIC OF SOUTH AFRICA**

Private Bag X5, MMABATHO, 2735, Cnr Dr James Moroka Drive and Sekame Road Unit 99, MegaCity Shopping Centre, MMABATHO, 2735, [www.dwa.gov.za](http://www.dwa.gov.za)

Enquiries: Mr V Mhinga  
Email: [MhingaV@dws.gov.za](mailto:MhingaV@dws.gov.za)  
Ref. No: WU19404

Tel: 0123921499  
Fax: AssessorFax  
File No: 27/2/2/A321/231/3

Cosmopolitan Projects Johannesburg (Pty) Ltd  
P.O. Box 704  
Auckland Park  
2006

Dear Mr. Petrus Reyneke

**REGISTRATION OF WATER USE IN TERMS OF SECTION 39 OF THE NATIONAL WATER ACT 1998 (ACT NO. 36 OF 1998); FOR THE PROPOSED CONSTRUCTION OF CULVERT BRIDGE ON PORTION 2 OF THE FARM NIETGEDACHT 535 JQ AT COSMO CITY EXTENSION 33-42 WITHIN CITY OF JOHANNESBURG METROPOLITAN MUNICIPALITY.**

Please refer to your application of January 2021 for authorisation of the below-mentioned water uses for the proposed construction of culvert bridge at Cosmo City Extension 42. The activity will take place in quaternary catchment A21C of the Limpopo Water Management Area.

Water use(s): Section 21(c): Impeding or diverting the flow of water in a watercourse

Water use(s): Section 21(i): Altering the bed, banks, course or characteristics of a watercourse

Summary of water use activity:

Water activity purpose	use and	Name of Water resource	Quaternary Catchment	Property	Co-ordinates
Construction of culvert bridge		Wetland	A21C	Portion 2 of the Farm Nietgedacht 535 JQ	S: 25° 59' 41.67" E: 27° 56' 21.63"  To S: 25° 59' 42.01" E: 27° 56' 22.08"

The Department has evaluated the submitted documents and confirms that the intended water uses fall within the ambit of the General Authorisation. You may therefore continue with the water uses as authorised in terms of Section 22(1)(a)(iii) of the National Water Act, 1998. You are reminded to adhere to the conditions stipulated in the said General Authorisation.

Please be informed that your water uses have been registered for the purpose of capturing the water uses in the Department's records and billing purposes. Find attached with this letter the relevant General Authorisation and registration certificate for ease of reference.

Please note that if you don't comply with the conditions of the General Authorisation your water use will be considered as unlawful.

Yours sincerely

**Recommend**

Comments:



I, Ms Wendy Ralekoa (Director: Institutional Establishment) herewith electronically sign this document.

Electronic Signature Key : 5278526078042138212

**Director: Institutional Establishment**

Date: Mar 9 2021 12:30PM