

COMMENTS AND RESPONSE REPORT

Version 1

Proposed Casteel Dam Safety Rehabilitation
Project, Remaining extent of Farm Kasteel 231-
JU, Bushbuckridge Local Municipality,
Ehlanzeni District, Mpumalanga Province

DFFE Ref. no. Pending



Prepared for:

water & sanitation

Department:
Water and Sanitation
REPUBLIC OF SOUTH AFRICA

Chief Directorate: Strategic Infrastructure Asset Management (SIAM)
Sedibeng Building, 185 Francis Baard Street
Pretoria, 0001

Prepared by:



Naledzi Environmental Consultants (Pty) Ltd
Independent Environmental Assessment Practitioner
141 Thabo Mbeki Street, Polokwane, 0700

Report date: 17 April 2023

Comments and Report for the proposed Casteel Dam Safety Rehabilitation Project, Remaining Extent of Farm Kasteel 231-JU, Bushbuckridge Local Municipality, Ehlanzeni District, Mpumalanga Province (DFFE Ref no. Pending)

Naledzi Environmental Consultants (Pty) Ltd has prepared this Comments and Response Report (CRR) for the sole use of the Department of Water and Sanitation (DWS). The report is also privy to review by the public, Interested and Affected Parties as well as relevant competent authorities as part of a public participation process. No part of the report may be reproduced in any manner without written permission from Naledzi Environmental Consultants (Pty) Ltd representing the DWS. No other warranty, expressed or implied, is made as to the professional advice included in this report.

Report prepared for:



water & sanitation

Department:
Water and Sanitation
REPUBLIC OF SOUTH AFRICA

National Department of Water and Sanitation (DWS)
Chief Directorate: Strategic Infrastructure Asset Management (SIAM)
Sedibeng Building, 185 Francis Baard Street, Pretoria, 0001
Private Bag X 313, Pretoria, 0001

Contact person 1: Mr John Kgopiso (Director)
Email: KgopisoJ@dws.gov.za
Contact person 2: Mr Rodney Siwelane (Project Manager)
Email: siwelanir@dwa.gov.za

Report prepared by:



Naledzi Environmental Consultants (Pty) Ltd
141 Thabo Mbeki Street,
Polokwane, 0700
www.naledzi.co.za

Contact person: Marissa Botha / Prof. Desmond Musetsho
Contact number: +2783-410-1477 / +2784-226-5584
Email: botham@naledzi.co.za / dmusetsho@naledzi.co.za

1. INTRODUCTION

This Comments and Response Report (CRR) presents comments from Interested and Affected Parties (I&APs), stakeholders and organs of state received during the following public engagements:

- Online pre-application meeting with the Department of Forestry, Fisheries and Environment case officer on 25 August 2022; and
- DWS Introductory meetings with the local authority, traditional councils on 15 and 16 September 2022 in the project area; and
- Public meetings and a site inspection on 25 and 26 October 2022 at Casteel (Thusong Service Centre), Casteel Dam and Dingley Dale Mission Faith Church conducted during the public registration and comment period on the Background Information Document (BID) from 17 October to 15 November 2022.

No written submissions were received from community members, stakeholders or organs of state during the public registration period on the Background Information Document (BID) from 17 October to 15 November 2022, despite follow ups with the traditional council with regards any submission via the 'Suggestions Boxes placed at the public venues. The authorities have

The CRR provides a summary of the issues received and offers a response to the issues raised. As indicated, the public is consulted in two stages during the Basic Assessment process and thus the CRR consists of versions. These versions include:

- **Version 1 – CRR appended to the draft Basic Assessment Report available for public review containing comment on the BID document distributed during the public registration period including engagement meetings.**
- Version 2 - CRR appended to the final Basic Assessment Report submitted to LEDET for approval.

This document CRR Version 1 is appended to the draft Basic Assessment Report made available for public review and comment for a period of 30 calendar days from 30 June to 31 July 2023. The CRR Version 1 is available to I&APs on the Naledzi website at <http://www.naledzi.co.za/public-documents-naledzi.php> and at the advertised public venues i.e. Setlhare and Moreipuso traditional council offices, Casteel Thusong Centre including Dingley Dale. It is also submitted to the DFFE for initial comment along with the project application for environmental authorisation.

2. ISSUES AND RESPONSE REPORT

Please refer to page 5 for the summary of issues raised by I&APs, stakeholders, and organs of state during the online pre-application with DFFE, DWS introductory meetings and public engagements conducted by Naledzi during October 2022 including our responses provided thereto.

The full set of meeting minutes, presentations and signed attendance registers are attached to the Draft BAR and EMPr.

Table of Contents

1. INTRODUCTION	3
2. ISSUES AND RESPONSE REPORT	3
1. Comments from DFFE during the pre-application engagement of 25 August 2022.....	5
2. Comments from Bushbuckridge Local Municipality (BLM) at DWS Introductory Meeting.	5
3. Comments from Tribal Authorities at DWS Introductory Meetings of 16 September 2022 ..	8
4. Comment from Stakeholders during the public registration engagements.....	12

LIST OF ACRONYMS

I&AP	Interested and Affected Party
BID	Background Information Document
CRR	Comments and Response Report
PPP	Public Participation Process
DFFE	Department of Forestry, Fisheries and Environment
BLM	Bushbuckridge Local Municipality
DWS	Department of Water and Sanitation
SIAM	Strategic Infrastructure Asset Management
NEC	Naledzi Environmental Consultants Pty Ltd
EIA	Environmental Impact Assessment
BA	Basic Assessment
NEMA	National Environmental Management Act, 1998 (Act 107 of 1998)
R40	R40 Regional Road passing by Casteel Dam
EAP	Environmental Assessment Practitioner
SAHRA	South African Heritage Resources Agency
BAR	Basic Assessment Report
EMPR	Environmental Management Programme
m³	Cubic metres
SED Plan	Social Economic Development Plan
DoA	Department of Agriculture
COGTA	Dept. Co-operative Governance and Traditional Affairs
DSRP	Dam Safety Rehabilitation Programme
IUCMA	Inkomati-Usuthu Catchment Management Agency
MDARDLEA	Mpumalanga Department of Agriculture, Rural Development, Land and Environmental Affairs
PSC	Project Steering Committee

Table 1: Comments and Responses recorded during the BID public review period (pre-application engagements, introductory meetings, community meetings)

Number	Date of comment, comment name of organisation/I&AP	Comment	Response from EAP/Specialist/Applicant
1. Comments from DFFE during the pre-application engagement of 25 August 2022			
1.1	25 August 2022 DFFE: Integrated Environmental Authorisations Ms Samkelisiwe Dlamini Case Officer	The project will generate construction traffic over a twenty-four (24) month period which includes haulage of construction between a commercial quarry and Casteel Dam along the R40. The EAP must therefore also commission a Traffic Impact Assessment/ Statement. In absence of heritage sources, the EAP must still submit a Heritage Statement/exemption letter compiled by a specialist for approval by SAHRA.	Both Traffic and Heritage Impact Assessment Studies were commissioned for the project. Please refer to Appendix E of the Draft Basic Assessment Report (BAR).
2. Comments recorded from Bushbuckridge Local Municipality (BLM) at DWS Introductory Meeting			
2.1	15 September 2022 Bushbuckridge Local Municipality (BLM)	a) What is the current capacity of the dam and will it be increased as part of the rehabilitation works? b) What employment opportunities can be expected from the project during its construction phase?	a) The dam capacity is 1.18 million m ³ . Its capacity will not be increased. Only the spillway capacity to accommodate flood events.

Number	Date of comment, comment name of organisation/I&AP	Comment	Response from EAP/Specialist/Applicant
	<p>Ms Sarah Mogakane Director: Economic Development, Planning and Environment</p> <p>Mr Mpho Makhavhu Deputy Director: Water Services</p>		<p>b) The rehabilitation works will be carried out by the DWS Chief Directorate: Construction Management. Skilled labour will be provided by DWS and unskilled labour will be sourced from the local communities. It is predicted that a minimum of 150 and a maximum of 200 will be employed and commute to site on a daily basis.</p> <p>DWS will introduce the DWS contractor/ construction team to the traditional authorities during the procurement phase and together agree on a ‘Social Economic Development (SED) Plan’ on how and from where to employ the unskilled labour. DWS will also have a dedicated Stakeholder Liaison Officer (perhaps at Thusong Centre) prior and during construction works.</p>
2.2		<p>There are a 1000 emerging farmers forming part of an agriculture irrigation scheme downstream from Casteel Dam. The scheme abstract water released downstream from Casteel Dam. How will the rehabilitation works affect the downstream water users?</p>	<p>DWS will not stop the current water release to the downstream irrigation users.</p>

Number	Date of comment, comment name of organisation/I&AP	Comment	Response from EAP/Specialist/Applicant
			During the rehabilitation of the outlet works, one out the three existing outlet pipes will always be available to release water.
2.3		The introductory meeting is welcome, however the proposed scope of works would be better understood through a site inspection to Casteel Dam.	Naledzi agreed to the site inspection. The site inspection took place on 15 October 2022. Refer to Appendix F8 of the Draft BAR for a copy of the minutes, signed attendance register and photos.
2.4		<p>Are there any houses built below the flood line of the dam and river that need to be removed?</p> <p>DWS must provide the local municipality with a map indicating the buffer area to be upheld/kept clear from housing/development to the dam.</p>	<p>DWS is in the process of reviewing the Dam Emergency Preparedness Plan and will make it available along with a map indicating the flood line and buffer area to be upheld to the dam.</p> <p>Please refer to Appendix D2 of the Draft BAR for the floodline/buffer maps.</p>
2.5		<p>a) Where will DWS source construction material?</p> <p>b) Is the commercial quarry located within any of affected tribal council areas?</p>	Construction material will be sourced from a licensed quarry (probably near Agin Court).
2.6		Kindly consider any community customs and rituals performed at the Casteel Dam. DWS must respect the customs and beliefs of the community.	These have been considered as part of the Heritage Impact Assessment Report. Please refer to Appendix E6 of the Draft BAR.

Number	Date of comment, comment name of organisation/I&AP	Comment	Response from EAP/Specialist/Applicant
3. Comments recorded from Tribal Authorities during DWS Introductory Meetings of 16 September 2022			
3.1	16 September 2022	DWS must be mindful of Hippos and Crocodiles in the dam during the construction works. It may pose a danger to construction workers.	DWS will build a temporary coffer dam around the area of the inlet and outlet works to perform the rehabilitation works.
3.2	Moreipuso Traditional Council representatives Ward 22 Councillor	The canal downstream from Casteel Dam is in poor condition and needs to be refurbished.	DWS is the custodian of Casteel Dam but the Department of Agriculture (DoA) is responsible for the canal and must therefore be engaged in this matter.
3.3		What is the timeframe for the EIA process and construction period for the rehabilitation works?	The EIA process (BA process) for this specific project will take 12-18 months to complete. The construction is planned to start in the year 2024 and will be concluded by 2026.
3.4		What is the acceptable distance to be upheld between the residential stands and the dam?	At least 70 meters above the 1: 100 year or 1: 2 year flood line of the dam. Refer to Appendix D2 of the Draft BAR.
3.5		Please ensure to consult the ward councillors for Wards 14, 22, 32 and 16. Casteel Dam falls within all four of these wards.	Noted. All four councillors have been consulted and will be consulted throughout the BA process public engagements. Please refer to our detailed response provided in section 3.8.
3.6	16 September 2022	What is the distance that needs to be kept between the residential stands and the dam?	At least 70 meters above the 1: 100 year or 1: 2 year flood line of the dam.

Number	Date of comment, comment name of organisation/I&AP	Comment	Response from EAP/Specialist/Applicant
	Sethlare Tribal Council representatives and ward councillors for Ward 16 and		A map indicating the flood line and 70-meter buffer to the upheld to the dam is included in Appendix D2 of the Draft BAR.
3.7	32	<p>Given the safety risks identified at the dam, does DWS not foresee Casteel Dam collapsing during the rehabilitation works?</p> <p>The Zoeknog Dam wall collapsed during scheduled rehabilitation works by DWS.</p>	<p>It is understood from the document ‘<i>Lebowa Government, Department of Agriculture and Environmental Conservation, Branch: Water Affairs, Investigation concerning the failure of Zoeknog Dam: Pertinent Information, Report No. 1455/6057, March 1994</i>’ that the Zoeknog dam failed during 1993 owed to several factors i.e.</p> <ul style="list-style-type: none"> • The outlet conduit was put in a trench through the foundations, below the filter carpet. The dispersive silt was compacted around the outlet in the trench but its walls were not protected by gunite. • Backward erosion initiated into the crack, hydraulic cracking and a contracted leak occurred in the trench. • Failure occurred due to internal erosion owed to the incorrect positioning of the dam outlet filter.

Number	Date of comment, comment name of organisation/I&AP	Comment	Response from EAP/Specialist/Applicant
			<p>None of the identified factors were owed to rehabilitation works.</p> <p>The rehabilitation works at Casteel Dam are specifically aimed at preventing any potential dam wall collapse.</p>
3.8		<p>Councillors for Wards 16, 22, 32 and 14 must be consulted and included as part of the consultation process.</p> <p>The notifications to the community must be available in Sepedi, Sesotho and Xitsonga. A translator will be required to assist during the community public meetings proficient in these languages.</p>	<p>Naledzi has included and engaged as part of the public participation process the following Ward Councillors:</p> <ul style="list-style-type: none"> • Ward 16 – Matthew Mangami for Casteel and Arthur’s Seat • Ward 14 – Godfrey Mashego for Casteel • Ward 22 – Selby Malatjie for Rooiboklaagte • Ward 32 – Army Mashaba for Casteel, Zoeknog and Dingley Dale area. <p>The public notifications (letters, advertisement, site notices and BID) we available in the requested languages (refer to Appendix F6 of the Draft BAR). Translators were available at the two public meetings during the public registration period proficient in these languages i.e.</p>

Number	Date of comment, comment name of organisation/I&AP	Comment	Response from EAP/Specialist/Applicant
			<p>Mr. Absalom Malope the Deputy Director from Mpumalanga Dept. Co-operative Governance and Traditional Affairs (COGTA) situated at the Casteel COGTA offices. He served as the Sepedi translator at the Thusong Public Meeting at Casteel on 25 October 2022.</p> <p>Mr Laudrick Selowe, Pastor at Dingley Dale Faith Bible Church served as the Sepedi and Xitsonga translator for the 26 October 2022 public meeting with downstream water users at Dingley Dale. Refer to Appendix F8 of the Draft BAR.</p>
3.9		What would happen if the project is rejected by DFFE?	The project would not be rejected by DFFE since it's not a new development but necessary scheduled rehabilitation works to an existing dam as part of the DWS Dam Safety Rehabilitation Programme (DSRP). The purpose of the BA process is to ensure that the DWS observe all the necessary environmental specifications when implementing the project.
3.10		The DWS must respect the community's beliefs and rituals (beliefs of watersnake / Mushati in dam).It may be necessary as part of the study to determine what customs/rituals are performed at the dam.	This has been addressed in section 2.6 above. These have been considered as part of the Heritage Impact Assessment Report.

Number	Date of comment, comment name of organisation/I&AP	Comment	Response from EAP/Specialist/Applicant
3.11		The brick factory upstream from Casteel Dam is polluting the stream and the dam.	<p>Please refer to Appendix E6 of the Draft BAR.</p> <p>The Aquatic Biodiversity Study for the project would consider this in the specialist reporting. The community or local authority can approach the clay brick mine or the local Bushbuckridge IUCMA offices at 013-010-6049. Request to speak to Assah Thibela who is the responsible IUCMA official for the catchment. Alternatively, it can be reported to the Ehlanzeni District MDARDLEA Offices at 013-759-4000.</p> <p>Bushbuckridge Clay Brick Mine has been registered as an interested and affected party and notified of the proposed project using the BID.</p>
4. Comment recorded from Stakeholders during the public registration period and at public engagements			
4.1	<p>18 October 2022</p> <p>Email</p> <p>Inkomati-Usuthu Catchment Management Agency (IUCMA)</p> <p>Gugu Motha: Assistant Manager</p>	Project noted. We will share with the Sabie Sand Catchment Management Forum members.	Noted.

Number	Date of comment, comment name of organisation/I&AP	Comment	Response from EAP/Specialist/Applicant
4.2	<p data-bbox="353 280 658 392">25 October 2022 Public Meeting at Casteel Thusong Service Centre</p> <p data-bbox="398 440 613 472">Speaker Mathlake</p>	<p data-bbox="719 280 1520 344">(a) It is concerning that the IUCMA and the DoA are not present at the meeting.</p> <p data-bbox="719 360 1520 424">(b) The dam services other communities downstream from Casteel that should be consulted.</p> <p data-bbox="719 440 1520 504">(c) The community of Casteel also want access to the dam water supply through the furrows/canal.</p> <p data-bbox="719 520 1520 584">(d) The community has fishing rights at Casteel Dam and must be allowed access to the dam.</p> <p data-bbox="719 600 1520 663">(e) The dam must be fenced off and monitored by a local security company.</p> <p data-bbox="719 679 1520 743">(f) The dam is to be referred to as ‘Ga-Josefa’ as proclaimed in 1952 by Queen Elizabeth.</p> <p data-bbox="719 759 1520 823">(g) The NEMA Regulations have been amended and its amendment must be used and applied to the BA process.</p>	<p data-bbox="1554 280 2067 743">(a) The IUCMA and DoA are registered interested and affected parties on the project database and were provided with the BID and invitation to the public meetings. The IUCMA generally don't attend community meetings but rather submits comments on the environmental reports produced as part of the process i.e. BAR and EMPR. The DoA was present at the Dingley Dale public meeting on 26 October 2022.</p> <p data-bbox="1554 759 2067 1046">(b) Agreed. The dam supplies water to farmers downstream i.e. New Forest -, Dingley Dale Irrigation Scheme and Champagne Citrus Board. These stakeholders were notified of the project and were presented at the Dingley Dale public meeting on 26 October 2022.</p> <p data-bbox="1554 1062 2067 1358">(c) The distribution of the water to farmers / downstream water users including the management and maintenance of the furrow/canals from Casteel Dam is the responsibility of the DoA, not DWS: SIAM. The furrows/canals are currently damaged and need to be repaired by the said department. Any</p>

Number	Date of comment, comment name of organisation/I&AP	Comment	Response from EAP/Specialist/Applicant
			<p>farmer wanting access to the supply via the canal needs to engage the DoA directly or contact the BLM for assistance in this regard.</p> <p>(d) The rehabilitation works would be limited to the embankment, spillway and inlet work. Fishing would be able to continue along the rest of the dam away from construction activities.</p> <p>(e) The DWS is not in the tradition to fence off its dams and would restrict community access to the dam i.e. fishing rights, recreational use, thoroughfare etc. A detailed analysis to establish the viability of installing a fence and appointing a local security company is required.</p> <p>Since this process will require time and independent consultation it is requested that this issue be treated outside this BA process to avoid the creation of delays. A comprehensive response to this request will be provided by DWS at the beginning of the tender stage.</p> <p>(f) The dam is registered as Casteel Dam with the DWS. Naledzi through the EIA/BA process does not seek or have a mandate to change the names of water</p>

Number	Date of comment, comment name of organisation/I&AP	Comment	Response from EAP/Specialist/Applicant
			<p>resources or get involved in traditional issues around place/dam names. It is a reference for the BA process and environmental authorisation application.</p> <p>(g) Correct. The NEMA EIA Regulations are amended from time to time. The EIA Regulations are still referred to as the 2014 EIA Regulations (GNR 326 as amended) and would be applied as per its amendments.</p>
4.3	<p>25 October 2022 Public Meeting at Casteel Thusong Service Centre</p> <p>Rexon Mogakane (Greenville)</p>	<p>(a) Where can the community submit their comments on the project?</p> <p>(b) The Brick factory upstream of the dam pollutes the inflowing stream and dam water. The Brick factory should be engage in this regard and reprimanded.</p> <p>(c) Did Naledzi consult the clay-brick company?</p>	<p>(a) Community members can complete the registration and comment form obtainable at the meeting, Casteel Thusong Centre, Dingley Dale Faith Mission Church including the tribal offices of Moreipuso and Setlhare and submit it either to Naledzi by hand after the meeting or insert it into the 'Suggestion Boxes' available at the mentioned public venues. Alternatively, it can be downloaded from the Naledzi website and emailed directly to botham@naledzi.co.za or dmusetsho@naledzi.co.za</p> <p>(b) Please refer to detailed response provided to item/section 3.11 above in this regard.</p>

Number	Date of comment, comment name of organisation/I&AP	Comment	Response from EAP/Specialist/Applicant
4.4	<p data-bbox="353 280 658 392">25 October 2022 Public Meeting at Casteel Thusong Service Centre</p> <p data-bbox="353 485 658 552">Albert Mohlolo (Setlhare Traditional Council)</p>	<p data-bbox="703 280 1525 392">(a) How many skilled and unskilled job opportunities would be created by the project? (b) What is the overall value of the project?</p> <p data-bbox="748 437 1525 504">The project is only proposed to be commissioned by January 2024. This is an issue the dam must be rehabilitated as soon as possible!</p>	<p data-bbox="1547 280 2065 884">a) The minimum number is 150 and maximum of 200 employees. But the number of job opportunities created by the project will be confirmed and communicated during the tender stage, after the conclusion of the current BA process. Local labour will be sourced from communities identified by the project steering committee (PSC) in consultation with political principals, and traditional councils. Local authority and 'a stakeholder committee' in its entirety.</p> <p data-bbox="1547 895 2065 1086">b) The overall value of the project cannot be disclosed at this stage since there are still numerous variables being integrated and considered for the project.</p> <p data-bbox="1547 1098 2065 1289">c) Noted. The provided project schedule is in line with the timeframes to obtain the necessary approvals for the project including the procurement process to be followed.</p>

Number	Date of comment, comment name of organisation/I&AP	Comment	Response from EAP/Specialist/Applicant
4.5	<p>25 October 2022 Public Meeting at Casteel Thusong Service Centre</p> <p>Community member</p>	<p>(a) The dam wall is dangerously eroded. There is a big donga below the dam.</p> <p>(b) Are there any plans to rehabilitate the Zoeknog dam?</p>	<p>a) The rehabilitation of the donga below the dam spillway is being considered part of the BA process and dam rehabilitation work.</p> <p>b) According to the DWS, it is not relevant to this project. There are no plans to rehabilitate Zoeknog Dam.</p>
4.6	<p>25 October 2022 Public Meeting at Casteel Thusong Service Centre</p> <p>Alson Magabane (Ward 14)</p>	<p>There is another dam upstream from Casteel Dam, supplying water to Casteel Dam. Did DWS evaluate this dam and will it be rehabilitated?</p>	<p>Officials from the Department of Water and Sanitation (DWS) and several community members who volunteered visited the dam on 25 October 2022. The dam is located upstream of Casteel Dam as mentioned during the meeting. The coordinates of the dam are as follows; Longitude: 30°58'27.41"E and Latitude: 24°40'25.85"S. The structure consists of an earth fill with an elevated concrete pipe culvert.</p> <p>The crest of the "dam" is used as a road linking different villages. On the day of the site visit, severe surface erosion was identified around the culvert and it is more likely to result in "dam" failure should nothing be done to remedy the situation.</p>

Number	Date of comment, comment name of organisation/I&AP	Comment	Response from EAP/Specialist/Applicant
			<p>This dam is not registered with DWS and its ownership is unknown. Since the dam does not belong to the Department of Water and Sanitation it was concluded that the Directorate: SIAM does not have a legal mandate to spend funds on this structure, therefore, its rehabilitation will not form part of the rehabilitation of Casteel Dam.</p> <p>The DWS has started a process of consulting BLM concerning the ownership of this upstream dam and the possibility of the municipality repairing the road.</p>
4.7	<p>26 October 2022 Public meeting at Faith Mission Church, Dingley Dale A for downstream water users.</p> <p>Nkateko Mazhaka (DARDLEA, Environmental Advisor)</p>	<p>a) We are pleased to hear that there will be no water supply interruptions to downstream water users during the rehabilitation works since the farmers depend on the water for irrigation.</p> <p>b) We are also grateful to the EAP for providing us with the project timeframes allowing farmers to plan i.e. when to plant and when to avoid.</p>	Statement. No response required.
4.8	<p>26 October 2022 Public meeting at Faith Mission Church, Dingley</p>	<p>a) It is stated in the presentation that approximately 70 unskilled people would be required to work on the project. Which group of people will be employed?</p> <p>b) How will the construction unfold to avoid interruptions?</p>	a) The number of job opportunities created by the project will be confirmed during the tender stage which will commence after the conclusion of the current Basic Assessment process.

Number	Date of comment, comment name of organisation/I&AP	Comment	Response from EAP/Specialist/Applicant
	<p>Dale A for downstream water users.</p> <p>Sipho Wonder Shay</p>	<p>c) How will the farmers be impacted during the two (2) year construction period?</p>	<p>Local labour will be sourced from communities identified by the project steering committee (PSC) in consultation with political principals, and traditional councils. Local authority and 'a stakeholder committee' in its entirety.</p> <p>b) As per above.</p> <p>c) Farmers would not be impacted during the construction period, since water will still be released downstream.</p> <p>Casteel Dam currently has a large extended pipe releasing water downstream to irrigation users since the outlet works are not functioning correctly. The same measure would be followed during construction. Once the rehabilitation works are done, DWS will stop the temporary measure and the outlet works would continue to release water as usual.</p>
4.9	<p>26 October 2022</p> <p>Public meeting at Faith Mission Church, Dingley Dale A for downstream users</p> <p>Sam Setlale (Chochocho)</p>	<p>We are very grateful for the rehabilitation project. Will the valve releasing water to Chochocho also be repaired?</p>	<p>Yes. The dam safety evaluation showed that the pipe inside the dam intake tower, releasing water downstream needs to be repaired and replaced including the associated valves.</p>

Number	Date of comment, comment name of organisation/I&AP	Comment	Response from EAP/Specialist/Applicant
4.10	<p>26 October 2022 Public meeting at Faith Mission Church, Dingley Dale A for downstream water users.</p> <p>Bettie Makubela (Champagne CPA Forum)</p>	<p>The dam should be fenced and monitored by a local security company and the pathways should be properly paved for the community to use the area for recreational purposes. The community and local fishermen must still have access after the dam is fenced off.</p>	<p>Please refer to response provided to item/section 4.2 (e).</p>
4.11	<p>26 October 2022 Public meeting at Faith Mission Church, Dingley Dale A for downstream water users.</p> <p>Ernest Selowe</p>	<p>We welcome the project. Although it is indicated to a be small project it is a 'cross ward' project overlapping wards 22, 16, 32 and 14 which span the traditional councils of Moreipuso and Setlhare.</p> <p>The direct beneficiaries of the water supply are at the meeting. Our people must benefit from the project. The Bushbuckridge Local Municipality, Water and Sanitation must be the custodian and there must be no interruptions when the project starts.</p>	<p>Once the project is approved by the DFFE, the DWS wants to take the leadership from the BLM and representatives from the moshate (ruling house) for a site inspection of Casteel Dam and explain the project and location of rehabilitation works, thereafter set up the steering committee. Local labour will be sourced from communities identified by the project steering committee (PSC).</p>
4.12	<p>26 October 2022 Public meeting at Faith Mission Church, Dingley Dale A for downstream water users.</p> <p>Daniel Selowe Chairman, Champagne Citrus Board</p>	<p>What would be the total value of the project?</p>	<p>The issue of the project value must be reserved until the BA process is concluded. The DWS team is not able to confirm the project value at this stage.</p>