

APPENDIX H: SPECIALIST CULTURAL HERITAGE IMPACT ASSESSMENT



PGS
HERITAGE

Rhino Oil and Gas Proposed Exploration Well Drilling in ER 318

Proposed Drill Holes On Various Farms within the Exploration Right Area, Free State Province

Heritage Impact Assessment

| Template Number | Document Number | Revision | Date |
|------------------------|------------------------|-----------------|---------------|
| PGS PJ REP 007 01 | 601HIA-002 | 3.0 | 14 April 2023 |



+ 27 (0) 12 332 5305



+27 (0) 86 675 8077



contact@pgsheritage.co.za



PO Box 32542, Totiusdal, 0134

Offices in South Africa, Kingdom of Lesotho and Mozambique

Head Office:
906 Bergarend Streets
Waverley, Pretoria,
South Africa

Directors: HS Steyn, PD Birkholtz, W Fourie

| Document | Project | Revision | Date | Page Number |
|-----------------|--------------------------|-----------------|-------------|--------------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page ii |

REVISION HISTORY

| Version | Issue Date | Description of Changes |
|----------------|-------------------|---|
| 001 | 17 February 2023 | First draft |
| 002 | 3 March 2023 | Second draft – names of proposed well localities were revised |
| 003 | 14 April 2023 | Third draft – minor edits |

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page iii |

Declaration of Independence

- I, Nikki Mann, declare that –
- General declaration:
- I act as the independent heritage practitioner in this application
- I will perform the work relating to the application in an objective manner, even if this results in views and findings that are not favourable to the applicant
- I declare that there are no circumstances that may compromise my objectivity in performing such work;
- I have expertise in conducting heritage impact assessments, including knowledge of the Act, Regulations and any guidelines that have relevance to the proposed activity;
- I will comply with the Act, Regulations and all other applicable legislation;
- I will take into account, to the extent possible, the matters listed in section 38 of the NHRA when preparing the application and any report relating to the application;
- I have no, and will not engage in, conflicting interests in the undertaking of the activity;
- I undertake to disclose to the applicant and the competent authority all material information in my possession that reasonably has or may have the potential of influencing - any decision to be taken with respect to the application by the competent authority; and - the objectivity of any report, plan or document to be prepared by myself for submission to the competent authority;
- I will ensure that information containing all relevant facts in respect of the application is distributed or made available to interested and affected parties and the public and that participation by interested and affected parties is facilitated in such a manner that all interested and affected parties will be provided with a reasonable opportunity to participate and to provide comments on documents that are produced to support the application;
- I will provide the competent authority with access to all information at my disposal regarding the application, whether such information is favourable to the applicant or not
- All the particulars furnished by me in this form are true and correct;
- I will perform all other obligations as expected from a heritage practitioner in terms of the Act and the constitutions of my affiliated professional bodies; and
- I realise that a false declaration is an offence in terms of regulation 71 of the Regulations and is punishable in terms of section 24F of the NEMA.

Disclosure of Vested Interest

- I do not have and will not have any vested interest (either business, financial, personal or other) in the proposed activity proceeding other than remuneration for work performed in terms of the Regulations;

HERITAGE CONSULTANT:

PGS Heritage (Pty) Ltd

CONTACT PERSON:

Nikki Mann – Archaeologist

Tel: +27 (0) 12 332 5305



Email: nikki@pgsheritage.co.za

SIGNATURE:



| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page iv |

ACKNOWLEDGEMENT OF RECEIPT

| | | | |
|---------------------|---|--|---|
| Report Title | Heritage Impact Assessment: Rhino Oil and Gas Proposed Exploration Well Drilling in ER 318 - Proposed Drill Holes On Various Farms within the Exploration Right Area, Free State Province. | | |
| Control | Name | Signature | Designation |
| Author | N Mann |  | Archaeologist |
| Reviewer | W Fourie |  | PGS Heritage -Project Manager/Archaeologist |
| Reviewed | | | Client |

CLIENT: SLR Consulting (Pty) Ltd

CONTACT PERSON:

SIGNATURE:

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page v |

The Heritage Impact Assessment Report has been compiled considering the National Environmental Management Act (Act No. 107 of 1998) (NEMA): Appendix 6 of the Environmental Impact Assessment (EIA) Regulations of 2014 (as amended, 2017) requirements for specialist reports as indicated in the table below.

| Requirements of Appendix 6 – GN R326 EIA Regulations of 7 April 2017 | Relevant section in report |
|--|---|
| 1.(1) (a) (i) Details of the specialist who prepared the report | Page iii of Report – Contact details and company |
| (ii) The expertise of that person to compile a specialist report including a curriculum vita | Section 1.2 – refer to Appendix C |
| (b) A declaration that the person is independent in a form as may be specified by the competent authority | Page iii of the report |
| (c) An indication of the scope of, and the purpose for which, the report was prepared | Section 1.1 |
| (cA) An indication of the quality and age of base data used for the specialist report | Section 3 |
| (cB) a description of existing impacts on the site, cumulative impacts of the proposed development and levels of acceptable change; | Section 5 |
| (d) The duration, date and season of the site investigation and the relevance of the season to the outcome of the assessment | Section 3, 4 |
| (e) a description of the methodology adopted in preparing the report or carrying out the specialised process inclusive of equipment and modelling used | Section 3, Appendix A |
| (f) details of an assessment of the specific identified sensitivity of the site related to the proposed activity or activities and its associated structures and infrastructure, inclusive of a site plan identifying site alternatives; | Section 5 |
| (g) An identification of any areas to be avoided, including buffers | Section 6 |
| (h) A map superimposing the activity including the associated structures and infrastructure on the environmental sensitivities of the site including areas to be avoided, including buffers; | Section 6 |
| (i) A description of any assumptions made and any uncertainties or gaps in knowledge; | Section 1.3 |
| (j) A description of the findings and potential implications of such findings on the impact of the proposed activity, including identified alternatives, on the environment | Section 4, 6, 7 |
| (k) Any mitigation measures for inclusion in the EMPr | Section 8 |
| (l) Any conditions for inclusion in the environmental authorization | Section 8 |
| (m) Any monitoring requirements for inclusion in the EMPr or environmental authorization | Section 8 |
| (n)(i) A reasoned opinion as to whether the proposed activity, activities or portions thereof should be authorised and | Section 9 |
| (n)(iA) A reasoned opinion regarding the acceptability of the proposed activity or activities; and | |
| (n)(ii) If the opinion is that the proposed activity, activities or portions thereof should be authorised, any avoidance, management and mitigation measures that should be included in the EMPr, and where applicable, the closure plan | |
| (o) A description of any consultation process that was undertaken during the course of carrying out the study | Not applicable. To date no comments regarding heritage resources that require input from a specialist have been raised. |
| (p) A summary and copies if any comments that were received during any consultation process | |
| (q) Any other information requested by the competent authority. | Not applicable. |
| (2) Where a government notice by the Minister provides for any protocol or minimum information requirement to be applied to a specialist report, the requirements as indicated in such notice will apply. | No protocols or minimum standards for HIAs or PIAs |

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page vi |

EXECUTIVE SUMMARY

PGS Heritage (Pty) Ltd (PGS) was appointed by SLR Consulting (Pty) Ltd (SLR), on behalf of Rhino Oil and Gas Exploration South Africa (Pty) Ltd (ROGESA), to undertake a Heritage Impact Assessment (HIA) that forms part of the Basic Environmental Assessment (BA) for proposed exploration drilling activities at seven sites within the exploration right (ER 318) area. The fifteen proposed well sites are located within the Nala, Matjhabeng and Moqhaka Local Municipalities, within the Lejweleputswa and Fezile Dabi District Municipalities, Free State Province.

It must be noted that four alternative well locations (waypoints: 003, 015, 016 and 019) were proposed based on various specialist observations. These alternative well locations will also be discussed within the report.

Heritage Resources Identified

A selective survey of the study area was conducted by Dr Matt Lotter between 29 November – 3 December 2022. Heritage resources are unique and non-renewable and as such any impact on such resources must be seen as significant.

During the fieldwork a total of nine heritage features and resources were identified. These consist of one burial ground (014), one multi-roomed house (005), one stonewalled structure (004), two localities with abandoned farm buildings (001, 002), two localities with sandstone fence markers (010, 012), one locality with old farm equipment (011) and an old farm entrance (018). See **Figure 69** and the individual site descriptions as contained in **Appendix C**.

None of the identified heritage resources were located within proximity of the proposed well sites.

Historical Structures

Two localities with abandoned farm buildings (001, 002), which are located further than 200m away of a proposed well, were rated as having **low heritage significance**.

One (1) stonewalled structure (004), which are located further than 200m away of a proposed well, were rated as having **low heritage significance**.

One multi-roomed house (005) which is located further than 100m away of a proposed well, was rated as having **low heritage significance**.

An old farm entrance (018) which is located further than 200m away of a proposed well, was rated as having **low heritage significance**.

Historical Objects

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page vii |

One locality with old farm equipment (**011**) which is located further than 100m away of a proposed well, was rated as having **low heritage significance**.

Boundary/Fence Markers

Two localities with sandstone blocks (**010, 012**), which are located further than 200m away of a proposed well, were rated as having **medium heritage significance**.

Burial grounds and graves

One (1) burial ground (**014**) was rated as having **high heritage significance**; however, it is located a considerable distance (>200m) from a proposed well.

Mitigation measures

The calculated impact as summarised in **Section 8** of this report confirms that the impact of the proposed development will be reduced with the mitigation measures. This finding in addition to the implementation of a chance finds procedure, as part of the EMP, will mitigate possible impacts on unidentified heritage resources. The following mitigation measures are listed in **Table 1**.

Table 1 - Heritage management recommendations.

| Heritage Resources | Mitigation measures |
|--|---|
| General Area | <ul style="list-style-type: none"> A chance finds protocol has been developed that includes the process of work stoppage, site protection, evaluation and informing SAHRA of such finds and a final process of mitigation implementation. |
| Burial Ground (014) | <ul style="list-style-type: none"> As the burial ground is more than 200m away from proposed well sites, no impact is expected. However, the burial ground should be retained and avoided with a buffer zone of 50m as per SAHRA guidelines. |
| Historical Structures (001, 002, 004, 005, 018) | <ul style="list-style-type: none"> As the structures are located more than 100m away from proposed well sites, no impact is expected. Therefore, no mitigation is required. |
| Historical Objects (011) | <ul style="list-style-type: none"> As the farm equipment is located more than 100m away from proposed well sites, no impact is expected. Therefore, no mitigation is required. |
| Sandstone Boundary/Fence Markers (010, 012) | <ul style="list-style-type: none"> As the boundary markers are located more than 200m away from proposed well sites, no impact is expected. Therefore, no mitigation is required. |

Conclusion

It is the author's considered opinion that the overall impact on heritage resources will be **Low**. Provided that the recommended mitigation measures are implemented if chance finds are unearthed within the project area, the impact would be acceptably low or could be totally mitigated to the degree that the project could be

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page viii |

approved from a heritage perspective. The management and mitigation measures as described in **Section 8** of this report have been developed to minimise the project impact on possible heritage resources.

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page ix |

TABLE OF CONTENT

| | | |
|-----------|--|----------|
| 1 | INTRODUCTION | 1 |
| 1.1 | Scope of the Study | 1 |
| 1.2 | Specialist Qualifications | 1 |
| 1.3 | Assumptions and Limitations | 2 |
| 1.4 | Legislative Context | 2 |
| 1.4.1 | <i>Notice 648 of the Government Gazette 45421</i> | 3 |
| 1.4.2 | <i>NEMA – Appendix 6 requirements</i> | 5 |
| 1.4.3 | <i>The National Heritage Resources Act</i> | 5 |
| 2 | TECHNICAL DETAILS OF THE PROJECT | 6 |
| 2.1 | Background | 6 |
| 2.1.1 | <i>ER Location</i> | 6 |
| 2.2 | Locality of Proposed Well Sites | 8 |
| 2.3 | Technical Project Details | 12 |
| 2.3.1 | <i>Exploration Drilling Program And Project Schedule</i> | 12 |
| 2.3.2 | <i>Main Project Components</i> | 12 |
| 2.3.2.1 | <i>Onshore Drill Rig</i> | 13 |
| 2.3.2.2 | <i>Safety Zone</i> | 13 |
| 2.3.2.3 | <i>Local Logistics Base</i> | 14 |
| 2.3.2.4 | <i>Supply trucks</i> | 14 |
| 2.3.2.5 | <i>Personnel</i> | 15 |
| 2.3.2.6 | <i>Crew Transfers</i> | 15 |
| 2.3.2.7 | <i>Infrastructure Support and Services</i> | 15 |
| 2.3.2.7.1 | <i>Freshwater</i> | 15 |
| 2.3.2.7.2 | <i>Fuel</i> | 15 |
| 2.3.2.7.3 | <i>Food Supplies and Local Services</i> | 15 |
| 2.3.3 | <i>Project Activities Per Phases</i> | 16 |
| 2.3.3.1 | <i>Mobilisation Phase</i> | 16 |
| 2.3.3.2 | <i>Drilling Phase</i> | 17 |
| 2.3.3.2.1 | <i>Well Drilling</i> | 17 |
| 2.3.3.3 | <i>Well Execution Options</i> | 19 |
| 2.3.3.3.1 | <i>Redrill</i> | 19 |
| 2.3.3.3.2 | <i>Well Logging</i> | 20 |
| 2.3.3.3.3 | <i>Well Completion</i> | 20 |
| 2.3.3.4 | <i>Well Testing Option for Successful Wells</i> | 21 |
| 2.3.3.5 | <i>Well Control and Blowout Prevention</i> | 22 |
| 2.3.3.6 | <i>Well Abandonment (Plug and Abandonment “decommissioning”)</i> | 22 |
| 2.3.3.7 | <i>Demobilisation</i> | 24 |

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page x |

| | | | |
|-----------|--|----|-----------|
| 2.3.4 | <i>HSE Risk Management During Operations</i> | 24 | |
| 2.3.5 | <i>Planned Emissions, Cuttings Handling And Waste Management</i> | 24 | |
| 2.3.5.1 | <i>Emissions to air</i> | 25 | |
| 2.3.5.2 | <i>Cutting handling</i> | 25 | |
| 2.3.5.3 | <i>Water management</i> | 26 | |
| 2.3.5.4 | <i>Waste management</i> | 26 | |
| 2.3.5.5 | <i>Noise emissions</i> | 26 | |
| 2.3.6 | <i>Unplanned Emissions And Discharges</i> | 26 | |
| 2.3.6.1 | <i>Hydrocarbons and Chemical Spills</i> | 27 | |
| 2.3.7 | <i>Project Alternatives</i> | 27 | |
| 2.3.7.1 | <i>Site Locality Alternative</i> | 28 | |
| 2.3.7.1.1 | <i>Drilling Location</i> | 28 | |
| 2.3.7.1.2 | <i>Logistics Base</i> | 28 | |
| 2.3.7.2 | <i>Technology Alternative</i> | 29 | |
| 2.3.7.2.1 | <i>Drilling Rig Alternatives</i> | 29 | |
| 2.3.7.3 | <i>Design or Layout Alternatives</i> | 29 | |
| 2.3.7.3.1 | <i>Number of Wells</i> | 29 | |
| 2.3.7.3.2 | <i>Scheduling</i> | 29 | |
| 2.3.7.4 | <i>No-Go Option</i> | 30 | |
| 3 | ASSESSMENT METHODOLOGY | | 31 |
| 3.1 | Methodology for Assessing Heritage Site significance | 31 | |
| 3.1.1 | <i>Site Significance</i> | 32 | |
| 3.2 | Methodology used in determining the significance of environmental impacts | 34 | |
| 4 | CURRENT STATUS QUO | | 35 |
| 5 | BACKGROUND RESEARCH | | 46 |
| 5.1 | Archival and historical maps | 46 | |
| 5.1.1 | <i>1: 50 000 Topographical Map 2726DA VETRIVIER - First Edition 1946</i> | 46 | |
| 5.1.2 | <i>1: 50 000 Topographical Map 2726CC VETRIVIER - First Edition 1950</i> | 48 | |
| 5.1.3 | <i>1: 50 000 Topographical Map 2726CD WESSELSBRON - First Edition 1950</i> | 49 | |
| 5.1.4 | <i>1: 50 000 Topographical Map 2726DC ODENDAALSRUS - First Edition 1952</i> | 50 | |
| 5.1.5 | <i>1: 50 000 Topographical Map 2727CB WESTLEIGH - First Edition 1959</i> | 52 | |
| 5.1.6 | <i>1: 50 000 Topographical Map 2726CB LOSDORINGS - First Edition 1969</i> | 53 | |
| 5.2 | Historical Overview of the Study Area and Surrounding Landscape | 55 | |
| 5.3 | Previous heritage impact assessment reports from the study area and surroundings | 72 | |
| 5.4 | Heritage Screening | 74 | |
| 5.4.1 | <i>Heritage sensitivity</i> | 75 | |
| 5.4.2 | <i>Possible Heritage Finds</i> | 75 | |
| 6 | FIELDWORK FINDINGS | | 76 |
| 7 | IMPACT ASSESSMENT | | 91 |

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page xi |

| | | | |
|-----------|--|-----|-----------|
| 7.1 | Impact assessment table | 92 | |
| 8 | MANAGEMENT RECOMMENDATIONS AND GUIDELINES | | 92 |
| 8.1 | Construction and operational phases | 93 | |
| 8.2 | Chance finds procedure | 93 | |
| 8.3 | Possible finds during construction | 93 | |
| 8.4 | Timeframes | 93 | |
| 8.5 | Heritage Management Plan for EMPr implementation | 95 | |
| 9 | CONCLUSIONS AND RECOMMENDATIONS | | 97 |
| 9.1 | Historical Structures | 97 | |
| 9.2 | Historical Objects | 97 | |
| 9.3 | Boundary/Fence Markers | 97 | |
| 9.4 | Burial grounds and graves | 97 | |
| 9.5 | Mitigation measures | 98 | |
| 9.6 | General | 98 | |
| 10 | REFERENCES | | 99 |
| 10.1 | Published References | 99 | |
| 10.2 | Newspaper Articles | 102 | |
| 10.3 | Archival Sources | 102 | |
| 10.4 | Historic Topographic Maps | 103 | |
| 10.5 | Internet | 103 | |
| 10.6 | GOOGLE EARTH | 103 | |

List of Figures

| | | |
|---|--------------|------------|
| <i>Figure 1 – Human and Cultural Timeline in Africa.</i> | <i>.....</i> | <i>xix</i> |
| <i>Figure 2 – Archaeology and Heritage screening map for the proposed well sites (Source: DFFE).</i> | <i>.....</i> | <i>4</i> |
| <i>Figure 3 - Palaeontology screening map for the proposed well sites (Source: DFFE).</i> | <i>.....</i> | <i>4</i> |
| <i>Figure 4 - Locality Map (showing ER Boundary and Target Areas).</i> | <i>.....</i> | <i>7</i> |
| <i>Figure 5 - Location of the proposed wells within the ER318.</i> | <i>.....</i> | <i>10</i> |
| <i>Figure 6 - Locality map illustrates the general location of the fifteen proposed wells.</i> | <i>.....</i> | <i>11</i> |
| <i>Figure 7 - Example of a drill rig (Source: Torque Africa).</i> | <i>.....</i> | <i>13</i> |
| <i>Figure 8 - Drill site layout (Source: Torque Africa).</i> | <i>.....</i> | <i>17</i> |
| <i>Figure 9 - Subsea Well Schematic at the End of Drilling Phase (Source: ROGESA, 2022).</i> | <i>.....</i> | <i>19</i> |
| <i>Figure 10 - Rotating Control Device (Source: Slideshare.net/SPE).</i> | <i>.....</i> | <i>22</i> |
| <i>Figure 11 - Schematic of cement plug at bottom hole (Source: Guidelines for the abandonment of Wells, p12 OGUK, 2015).</i> | <i>.....</i> | <i>24</i> |
| <i>Figure 12 – General views of the area surrounding the proposed well ER318_Target Area 1_06.</i> | <i>.....</i> | <i>36</i> |
| <i>Figure 13 - General views of the proposed alternative site at waypoint 019.</i> | <i>.....</i> | <i>36</i> |
| <i>Figure 14 - General views of the area surrounding the proposed well ER318_Target Area 1_04.</i> | <i>.....</i> | <i>37</i> |

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page xii |

| | |
|--|----|
| <i>Figure 15 –The current farm houses south of proposed well (left) and a Lion cage (right)</i> | 37 |
| <i>Figure 16 - General views of the proposed alternative site at waypoint 003.</i> | 37 |
| <i>Figure 17 - General views of the area surrounding the proposed well ER318_Target Area 1_01.</i> | 38 |
| <i>Figure 18 - General pictures of landscape for proposed well location ER318_Target Area 1_07.</i> | 38 |
| <i>Figure 19 - General views of the proposed alternative site at waypoint 015.</i> | 39 |
| <i>Figure 20 - New farm buildings close to proposed well location (west).</i> | 39 |
| <i>Figure 21 - General picture of landscape for proposed well location ER318_Target Area 1_05.</i> | 39 |
| <i>Figure 22 - General pictures of landscape for proposed well location ER318_Target Area 1_01.</i> | 40 |
| <i>Figure 23 - General pictures of landscape for proposed well location ER318_Target Area 1_02.</i> | 40 |
| <i>Figure 24 – The area surrounding the proposed well location ER318_Target Area 1_08 is completely disturbed by farming activities.</i> | 41 |
| <i>Figure 25 -View of the pan in background, towards the south of the proposed well location.</i> | 41 |
| <i>Figure 26 - General images of proposed well location ER318_Target Area 1_09, showing a mix of agricultural fields and areas that are more grassed.</i> | 41 |
| <i>Figure 27 - General images of the proposed well ER318_Target Area 1_10 in grassland area, adjacent to agricultural fields that have been grassed over.</i> | 42 |
| <i>Figure 28 -General images of the proposed well location ER318_Target Area 2_02, showing mix of cropland and area with trees with visible structures.</i> | 42 |
| <i>Figure 29 - General images of the proposed well location ER318_Target Area 1_11, showing agricultural fields and grassland.</i> | 43 |
| <i>Figure 30 -Views of modern farming infrastructure.</i> | 43 |
| <i>Figure 31 - General view of proposed well location ER318_target Area 1_03.</i> | 43 |
| <i>Figure 32 - General images of the proposed well ER318_Target Area 1_12 showing a mix of fields and grassland.</i> | 44 |
| <i>Figure 33 - Images of an overgrazed grassland area.</i> | 44 |
| <i>Figure 34 - Donga showing underlying sediments in profile (no artefact burial at depth).</i> | 44 |
| <i>Figure 35 - General images of the proposed well location ER318_Target Area 2_01, showing mix of crop and grassland.</i> | 45 |
| <i>Figure 36 - General images of the new proposed well location (016), showing a mix of crop and grassland.</i> | 45 |
| <i>Figure 37 - General images of the proposed well ER318_Target Area 3_01.</i> | 45 |
| <i>Figure 38 - Enlarged section of 2726DA Ed 1 1946 sheet, depicting a homestead (orange polygon) in the surroundings of the proposed well ER318_Target Area 1_03.</i> | 47 |
| <i>Figure 39 – Second enlarged section of 2726DA Ed 1 1946 sheet, depicting homesteads (orange polygon) and farmsteads (cyan polygon) in the surroundings of the proposed sites ER318_Target Area 1_07 and ER318_Target Area 1_08.</i> | 47 |
| <i>Figure 40 – Third enlarged section of 2726DA Ed 1 1946 sheet, depicting homesteads (orange polygon) and farmsteads (cyan polygon) in the surroundings of the proposed well ER318_Target Area 2_02.</i> | 48 |
| <i>Figure 41 - Enlarged section of 2726CC Ed 1 1950 sheet, depicting homesteads (orange polygon) and farmsteads (cyan polygon) in the surroundings of the proposed well ER318_Target Area 1_05.</i> | 49 |

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page xiii |

Figure 42 - Enlarged section of 2726CD Ed 1 1950 sheet, depicting a farmstead (cyan polygon) in the surroundings of the proposed well ER318_Target Area 1_09. 50

Figure 43 - Enlarged section of 2726DC Ed 1 1952 sheet, depicting homesteads (orange polygon) and farmsteads (cyan polygon) in the surroundings of the proposed well ER318_Target Area 1_12. 51

Figure 44 – Second enlarged section of 2726DC Ed 1 1952 sheet, depicting homesteads (orange polygon) and structures (purple polygon) in the surroundings of the proposed well site ER318_Target Area 1_11. . 51

Figure 45 – Third enlarged section of 2726DC Ed 1 1952 sheet, depicting homesteads (orange polygon), farmsteads (cyan polygon) and structures (purple polygon) in the surroundings of the proposed well ER318_Target Area 1_10. 52

Figure 46 - Enlarged section of 2727CB Ed 1 1959 sheet, depicting homesteads (orange polygon) and farmsteads (cyan polygon) in the surroundings of the proposed well ER318_Target Area 3_01. 53

Figure 47 - Enlarged section of 2726CB Ed 1 1969 sheet, depicting homesteads (orange polygon) and farmsteads (cyan polygon) in the surroundings of the proposed well site ER318_Target Area 1_01. 54

Figure 48 - Second enlarged section of 2726CB Ed 1 1969 sheet, depicting homesteads (orange polygon) and farmsteads (cyan polygon) in the distant surroundings of the proposed well site ER318_Target Area 1_04. 54

Figure 49 - This plan depicts the settlement layout of a typical Type Z site, and was recorded at site OXF 1 (Maggs, 1976:233). 57

Figure 50 – Artist’s impression of a bilobial dwelling at site OXF 1. These bilobial dwellings represent a characteristic element of Type Z settlements (Maggs, 1976:241). 57

Figure 51 – Corbelled stone huts associated with a Type V settlement (Huffman, 2007:39). 58

Figure 52 – Layout of a Type V Settlement (Huffman, 2007:38). 59

Figure 53 - King Mzilikazi of the Matabele. This illustration was made by Captain Cornwallis Harris in c. 1838 (www.sahistory.org.za). 60

Figure 54 – Depiction of an ox wagon crossing a river during the Great Trek (Reader’s Digest, 1994:116). 61

Figure 55 – Lord Frederick Sleigh Roberts (left) and General Louis Botha (right). These two officers commanded the opposing forces at the Battle of Zand River (Changuion, 2001:77 & 117). 64

Figure 56 – Lord Roberts’s infantry crossing the Zand River at the conclusion of the Battle of Zand River. This photograph was in all likelihood taken during the afternoon of 10 May 1900, after all the significant drifts across the river had been cleared by the cavalry and other units. The crossing and surrounding landscape are monitored by an observation balloon (see top right). It is not possible to identify the exact drift where this crossing took place, although the remnants of a bridge foundation structure can be seen in the river bed (Raath, 2007:351). 66

Figure 57 – Archibald Megson standing in the prospecting trench on the farm Aandenk (Felstar Publications, 1968). 68

Figure 58 –The hardships experienced by General C.R. de Wet during the rebellion can be seen on these photographs. The one on the left shows De Wet shortly after the South African War (Van Schoor, 2007) with the image on the right depicting the general in the Bloemfontein prison after his capture late in 1914 (Raath & Langner, 2014:119). 69

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page xiv |

Figure 59 - The first gold prospecting borehole in the Free State was sunk on the farm Aandenk between October 1933 and February 1935. The arrows indicate the positions of Allan Roberts and his wife (Felstar Publications, 1968:11)..... 70

Figure 60 –The famous geologist Dr. Hans Merensky, who had his role to play in the discovery of the Free State goldfields (Machens, 2009)..... 71

Figure 61 –The first mine shaft ever sunk along the Free State goldfields, namely the No. 3 Incline Shaft at the St. Helena Gold Mine (Felstar Publishers, 1968:151)..... 71

Figure 62 - Fieldwork tracklogs (track in red). See insets below. 77

Figure 63 - Fieldwork tracklogs Map Inset A. 78

Figure 64 - Fieldwork tracklogs Map Inset B. 79

Figure 65 - Fieldwork tracklogs Map Inset C..... 80

Figure 66 - Fieldwork tracklogs Map Inset D..... 81

Figure 67 - Fieldwork tracklogs Map Inset E..... 82

Figure 68 - Fieldwork tracklogs Map Inset F. 83

Figure 69 - Identified heritage resources within the study area. See insets below. 84

Figure 70 – Heritage Resources Map Inset A. 85

Figure 71 - Heritage Resources Map Inset B. 86

Figure 72 - Heritage Resources Map Inset C..... 87

Figure 73 - Heritage Resources Map Inset D..... 88

Figure 74 - Heritage Resources Map Inset E..... 89

Figure 75 - Multi-roomed house recorded at waypoint 005. 90

Figure 76 - View of the old farm equipment recorded at waypoint 011. 90

Figure 77 - View of the sandstone fence markers at waypoint 010. 90

Figure 78 - View of the stone walled structure at waypoint 004..... 90

Figure 79 – View of the structures recorded at waypoint 001..... 111

Figure 80 – View of the reservoir and windmill associated with the structures..... 111

Figure 81 - 2726CB topographical sheet surveyed in 1969 depicts a farmstead at the location of waypoint 001..... 111

Figure 82 - Views of the structures recorded at waypoint 002..... 113

Figure 83 - View of building rubble..... 113

Figure 84 - 2726CB topographical sheet surveyed in 1986 depicts several structures at the location of waypoint 002. 113

Figure 85 - Views of the trees next to the structure identified at waypoint 004. 115

Figure 86 - Views of the stone walled structure identified at waypoint 004. 116

Figure 87 - 2726DA topographical sheet surveyed in 1946 depicts a plantation next to the waypoint 004. 116

Figure 88 -2726DA topographical sheet surveyed in 1971 depicts a structure next to the waypoint 004.. 116

Figure 89 - General surroundings of waypoint 005..... 118

Figure 90 - Views of associated farming infrastructure at 005..... 118

Figure 91 - Views of the house identified at the waypoint 005..... 119

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page xv |

| | |
|---|------------|
| <i>Figure 92 – Surface finds recorded at 005.....</i> | <i>120</i> |
| <i>Figure 93 – 2727DA topographical sheet surveyed in 1971 depicts a farmstead at the location of waypoint 005.....</i> | <i>120</i> |
| <i>Figure 94 - Views of the boundary marker identified at waypoint 010.</i> | <i>121</i> |
| <i>Figure 95 - Views of the farm equipment identified at waypoint 011.</i> | <i>122</i> |
| <i>Figure 96 - Views of the boundary markers identified at waypoint 012.</i> | <i>123</i> |
| <i>Figure 97 - 2726CB topographical sheet surveyed in 1986 depicts several structures near the location of waypoint 014.</i> | <i>124</i> |
| <i>Figure 98 - View of the entrance identified at waypoint 018.</i> | <i>125</i> |
| <i>Figure 99 - 2727CB topographical sheet surveyed in 1975 depicts a farmstead associated with the entrance.</i> | <i>125</i> |

List of Tables

| | |
|--|------------|
| <i>Table 1 - Heritage management recommendations.....</i> | <i>vii</i> |
| <i>Table 2: Reporting requirements for GN648.....</i> | <i>3</i> |
| <i>Table 3: Rating system for archaeological resources.....</i> | <i>32</i> |
| <i>Table 4: Rating system for built environment resources.....</i> | <i>33</i> |
| <i>Table 5 - Archaeological and Historical Overview of the Study Area and Surrounding Landscape.....</i> | <i>55</i> |
| <i>Table 6 - Tangible heritage site in the study area.</i> | <i>75</i> |
| <i>Table 7 - Landform type to heritage find matrix.....</i> | <i>75</i> |
| <i>Table 8 - Rating of impacts on archaeological resources.....</i> | <i>92</i> |
| <i>Table 9: Lead times for permitting and mobilisation.....</i> | <i>94</i> |
| <i>Table 10: Heritage Management Plan for EMPr implementation.....</i> | <i>95</i> |

List of Appendices

| | |
|----------|--|
| <i>A</i> | <i>Environmental Impact Assessment Methodology</i> |
| <i>B</i> | <i>Site description forms</i> |
| <i>C</i> | <i>Project team CV's</i> |

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page xvi |

TERMINOLOGY AND ABBREVIATIONS

Archaeological resources

This includes:

- material remains resulting from human activity which are in a state of disuse and are in or on land and which are older than 100 years including artefacts, human and hominid remains and artificial features and structures;
- rock art, being any form of painting, engraving or other graphic representation on a fixed rock surface or loose rock or stone, which was executed by human agency and which is older than 100 years, including any area within 10m of such representation;
- wrecks, being any vessel or aircraft, or any part thereof, which was wrecked in South Africa, whether on land, in the internal waters, the territorial waters or in the maritime culture zone of the republic as defined in the Maritimes Zones Act, and any cargo, debris or artefacts found or associated therewith, which is older than 60 years or which SAHRA considers to be worthy of conservation;
- features, structures and artefacts associated with military history which are older than 75 years and the site on which they are found.

Cultural significance

This means aesthetic, architectural, historical, scientific, social, spiritual, linguistic or technological value or significance

Development

This means any physical intervention, excavation, or action, other than those caused by natural forces, which may in the opinion of the heritage authority in any way result in a change to the nature, appearance or physical nature of a place or influence its stability and future well-being, including:

- construction, alteration, demolition, removal or change in use of a place or a structure at a place;
- carrying out any works on or over or under a place;
- subdivision or consolidation of land comprising a place, including the structures or airspace of a place;
- constructing or putting up for display signs or boards;
- any change to the natural or existing condition or topography of land; and
- any removal or destruction of trees, or removal of vegetation or topsoil

Early Stone Age

The archaeology of the Stone Age between 700 000 and 2 500 000 years ago.

Fossil

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page xvii |

Mineralised bones of animals, shellfish, plants and marine animals. A trace fossil is the track or footprint of a fossil animal that is preserved in stone or consolidated sediment.

Heritage

That which is inherited and forms part of the National Estate (historical places, objects, fossils as defined by the National Heritage Resources Act 25 of 1999).

Heritage resources

This means any place or object of cultural significance and can include (but not limited to) as stated under Section 3 of the NHRA,

- places, buildings, structures and equipment of cultural significance;
- places to which oral traditions are attached or which are associated with living heritage;
- historical settlements and townscapes;
- landscapes and natural features of cultural significance;
- geological sites of scientific or cultural importance;
- archaeological and palaeontological sites;
- graves and burial grounds, and
- sites of significance relating to the history of slavery in South Africa;

Holocene

The most recent geological time period which commenced 10 000 years ago.

Late Stone Age

The archaeology of the last 30 000 years associated with fully modern people.

Late Iron Age (Early Farming Communities)

The archaeology of the last 1000 years up to the 1800's, associated with iron-working and farming activities such as herding and agriculture.

Middle Stone Age

The archaeology of the Stone Age between 30 000-300 000 years ago, associated with early modern humans.

Palaeontology

Any fossilised remains or fossil trace of animals or plants which lived in the geological past, other than fossil fuels or fossiliferous rock intended for industrial use, and any site which contains such fossilised remains or trace.

| Abbreviations | Description |
|---------------|----------------------------------|
| AIA | Archaeological Impact Assessment |

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page xviii |

| Abbreviations | Description |
|---------------|--|
| ASAPA | Association of South African Professional Archaeologists |
| CRM | Cultural Resource Management |
| DEA | Department of Environmental Affairs |
| EAP | Environmental Assessment Practitioner |
| ECO | Environmental Control Officer |
| EIA | Environmental Impact Assessment |
| EIMS | Environmental Impact Management Services (Pty) Ltd |
| EMPr | Environmental Management Programme |
| ESA | Earlier Stone Age |
| FSHRA | Free State Heritage Resources Authority |
| GPS | Global Positioning System |
| HIA | Heritage Impact Assessment |
| I&AP | Interested & Affected Party |
| LCTs | Large Cutting Tools |
| LSA | Late Stone Age |
| LIA | Late Iron Age |
| LOM | Life of Mine |
| MPRDA | Mineral and Petroleum Resources Development Act 28 of 2002 |
| MSA | Middle Stone Age |
| MIA | Middle Iron Age |
| NEMA | National Environmental Management Act, 1998 (Act No 107 of 1998) |
| NHRA | National Heritage Resources Act, 1999 (Act No 25 of 1999) |
| PGS | PGS Heritage (Pty) Ltd |
| PHRA | Provincial Heritage Resources Authority |
| PIA | Palaeontological Impact Assessment |
| PSSA | Palaeontological Society of South Africa |
| SAHRA | South African Heritage Resources Agency |
| SAHRIS | South African Heritage Resources Information System |

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page xix |




Figure 1 – Human and Cultural Timeline in Africa.

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 1 |

1 INTRODUCTION

PGS Heritage (Pty) Ltd (PGS) was appointed by SLR Consulting (Pty) Ltd (SLR), on behalf of Rhino Oil and Gas Exploration South Africa (Pty) Ltd (ROGESA), to undertake a Heritage Impact Assessment (HIA) that forms part of the Basic Environmental Assessment (BA) for proposed exploration drilling activities at fifteen sites within the exploration right (ER 318) area. The proposed well sites are located within the Nala, Matjhabeng and Moqhaka Local Municipalities, within the Lejweleputswa and Fezile Dabi District Municipalities, Free State Province.

It must be noted that four alternative well locations (waypoints: 003, 015, 016 and 019) were proposed based on various specialist observations. These alternative well locations will also be discussed within the report.

1.1 Scope of the Study

The aim of the study is to identify heritage sites and finds that may occur in the proposed project area. The HIA aims to inform the BA to assist the developer in managing the discovered heritage resources in a responsible manner, in order to protect, preserve, and develop them within the framework provided by the National Heritage Resources Act of 1999 (Act 25 of 1999) (NHRA).

It must be noted that four alternative well locations (waypoints: 003, 015, 016 and 019) were proposed based on various specialist observations. These alternative well locations will also be discussed within the report.

1.2 Specialist Qualifications

This HIA Report was compiled by PGS Heritage (PGS).

The staff at PGS has a combined experience of nearly 90 years in the heritage consulting industry. PGS and its staff have extensive experience in managing HIA processes. PGS will only undertake heritage assessment work where they have the relevant expertise and experience to undertake that work competently.

Wouter Fourie, the Project Coordinator, is registered with the Association of Southern African Professional Archaeologists (ASAPA) as a Professional Archaeologist and is accredited as a Principal Investigator; he is further an Accredited Professional Heritage Practitioner with the Association of Professional Heritage Practitioners (APHP).

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 2 |

Nikki Mann, the author of this report, is registered as a Professional Archaeologist with the Association of Southern African Professional Archaeologists (ASAPA). She has 5 years of experience in the heritage assessment field and holds a Master's degree (MSc) in Archaeology from the University of Cape Town.

Dr Matt Lotter, geoarchaeologist based at the University of Johannesburg, was contracted by PGS to conduct the field survey for this report.

1.3 Assumptions and Limitations

Not detracting in any way from the comprehensiveness of the fieldwork undertaken, it is necessary to realise that the heritage resources located during the fieldwork do not necessarily represent all the possible heritage resources present within the area. Various factors account for this, including the subterranean nature of some archaeological sites and existing vegetation cover. It should be noted most of the study area was accessible for the fieldwork survey. Fieldwork was also focussed on area that was not previously ploughed or disturbed by farming activity, thus focussing on areas with the highest potential to yield heritage resources.

Therefore, should any heritage features and/or objects be located or observed outside the identified heritage sensitive areas during the construction activities, a heritage specialist must be contacted immediately. Such observed or located heritage features and/or objects may not be disturbed or removed in any way until such time that the heritage specialist has been able to make an assessment as to the significance of the site (or material) in question. This applies to graves and cemeteries as well. If any graves or burial places are located during the development, the procedures and requirements pertaining to graves and burials will apply as set out below.

1.4 Legislative Context

The identification, evaluation and assessment of any cultural heritage site, artefact or find in the South African context is required and governed by the following legislation:

- Notice 648 of the Government Gazette 45421- general requirements for undertaking an initial site sensitivity verification where no specific assessment protocol has been identified
- National Environmental Management Act (NEMA), Act 107 of 1998 – Appendix 6
- National Heritage Resources Act (NHRA), Act 25 of 1999

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 3 |

1.4.1 Notice 648 of the Government Gazette 45421

Although minimum standards for archaeological (2007) and palaeontological (2012) assessments were published by SAHRA, GN.648 requires sensitivity verification for a site selected on the national web based environmental screening tool for which no specific assessment protocol related to any theme has been identified. The requirements for this Government Notice (GN) are listed in **Table 2** and the applicable section in this report noted.

Table 2: Reporting requirements for GN648

| GN 648 | Relevant section in report | Where not applicable in this report |
|---|----------------------------|-------------------------------------|
| 2.2 (a) a desktop analysis, using satellite imagery; | Section 5 | |
| 2.2 (b) a preliminary on-site inspection to identify if there are any discrepancies with the current use of land and environmental status quo versus the environmental sensitivity as identified on the national web-based environmental screening tool, such as new developments, infrastructure, indigenous/pristine vegetation, etc. | Section 4 | - |
| 2.3(a) confirms or disputes the current use of the land and environmental sensitivity as identified by the national web-based environmental screening tool; | Section 4 | - |
| 2.3(b) contains motivation and evidence (e.g. photographs) of either the verified or different use of the land and environmental sensitivity; | Section 4 | - |

An assessment of the Environmental Screening tool provides the following sensitivity ratings for archaeological and heritage resources as low (**Figure 2**) and palaeontological resources as medium (**Figure 3**).

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 4 |




Figure 2 – Archaeology and Heritage screening map for the proposed well sites (Source: DFFE).




Figure 3 - Palaeontology screening map for the proposed well sites (Source: DFFE).

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 5 |

1.4.2 NEMA – Appendix 6 requirements

The HIA report has been compiled considering the NEMA Appendix 6 requirements for specialist reports as indicated in the table below. For ease of reference, the table below provides cross-references to the report sections where these requirements have been addressed.

1.4.3 The National Heritage Resources Act

- National Heritage Resources Act (NHRA) Act 25 of 1999
 - Protection of Heritage Resources – Sections 34 to 36; and
 - Heritage Resources Management – Section 38

The NHRA is utilized as the basis for the identification, evaluation, and management of heritage resources and in the case of Cultural Resource Management (CRM) those resources specifically impacted on by development as stipulated in Section 38 of NHRA. This study falls under s38(8) and requires comment from the relevant heritage resources authority.

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 6 |

2 TECHNICAL DETAILS OF THE PROJECT

The following section contains information that was supplied by SLR.

2.1 Background

The Exploration Right (ER) for ER318 was granted in 2016. In 2019 an Environmental Authorisation (EA) for non-intrusive work was granted.

The ER, which was informed by an Environmental Authorisation (EA), permitted ROGESA to undertake an exploration work programme involving desktop studies and an aerial gradiometry gravity survey.

ROGESA undertook the studies and survey and is now proposing to drill exploration wells within three Target Areas located in the ER. The first Target Area centres around the town of Wesselsbron, the second Target Area is located to the east of Allanridge, and the third Target Area is situated to the south east of Kroonstad (refer to **Figure 4**). The specific well locations have been proposed by ROGESA based analysis of geological data and will confirmed based on landowner engagement and environmental investigations (the latter will form part of this EIA).

2.1.1 ER Location

The extent of ER 318 includes ~ 3 000 properties (farms and portions) over an area of ~ 600 000ha. Based on the outcome of prior exploration, ROGESA has identified three (3) Target Areas within which the updated well drilling EWP intends to focus. The Target Areas include:

- **Target Area 1** is approximately 200 km² in extent and is located approximately 4 km west of Allanridge and 5 km north of Welkom. The Target Area includes ~ 680 properties;
- **Target Area 2** is approximately 450 km², approximately 4 km northeast of Allanridge and 20 km west of Kroonstad. The Target Area includes ~ 324 properties;
- **Target Area 3** is approximately 138 km² in extent in the eastern portion of ER 318, with Steynsrus located 38 km south and Kroonstad to 2 km west. The target Area includes ~ 228 properties.

Given the large number of properties included, it is not feasible to include a cadastral description of every property in this document.

The location of well drilling sites is subject to a process of geological review, landowner consent and environmental considerations. Areas that are unsuitable will be eliminated from further consideration. ROGESA is currently busy with the well site identification process.

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 7 |




Figure 4 - Locality Map (showing ER Boundary and Target Areas).

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 8 |

2.2 Locality of Proposed Well Sites

In this report, the proposed exploration drilling activities at fifteen sites, located within the ER 318, were assessed.

The proposed well sites are located within the Nala, Matjhabeng and Moqhaka Local Municipalities, within the Lejweleputswa and Fezile Dabi District Municipalities, Free State Province.

The locations of the 15 proposed well sites are as follows (**Figure 5 - Figure 6**):

- One proposed well site (ref: **ER318_Target Area 1_06**) is located on the farm **Gelukspan No 328 (portion 2)**, to the north of Wesselsbron, Free State Province.
- One proposed well site (ref: **ER318_Target Area 1_04**) is located on the farm **Zoetlaagte No 213 (portion 3)**, to the north-north-west of Wesselsbron, Free State Province.
- One proposed well site (ref: **ER318_Target Area 1_02**) is located on the farm **Kalkheuvel No 241 (portion 0)**, to the north-north-east of Wesselsbron, Free State Province.
- One proposed well site (ref: **ER318_Target Area 1_01**) is located on the farm **Sterkwater No 102 (portion 0)**, Free State Province.
- One proposed well site (ref: **ER318_Target Area 1_08**) is located on the farm **Fairplay No 333 (portion 2)**, to the west-north-west of Allanridge, Free State Province.
- One proposed well site (ref: **ER318_Target Area 1_09**) is located on the farm **Nooitgedacht No 89 (portion 0)**, to the west-south-west of Allanridge, Free State Province.
- One proposed well site (ref: **ER318_Target Area 1_10**) is located on the farm **Rooikuil No 154 (portion 0)**, to the south of Allanridge, Free State Province.
- One proposed well site (ref: **ER318_Target Area 2_02**) is located on the farm **Gras Vlei No 46 (portion 0)**, to the north-north-east of Allanridge, Free State Province.
- One proposed well site (ref: **ER318_Target Area 1_11**) is located on the farm **Josephusrust No 210 (portion 0)**, to the south-west of Allanridge, Free State Province.
- One proposed well site (ref: **ER318_Target Area 1_07**) is located on the farm **The Flats No 220 (portion 1)**, to the west-north-west of Allanridge, Free State Province.
- One proposed well site (ref: **ER318_Target Area 1_05**) is located on the farm **Klein Constantia No 156 (portion 2)**, to the north-west of Wesselsbron, Free State Province.
- One proposed well site (ref: **ER318_Target Area 1_03**) is located on the farm **Rustplaats No 252 (portion 5)**, to the north-west of Allanridge, Free State Province.

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 9 |

- One proposed well site (ref: **ER318_Target Area 1_12**) is located on the farm **Bloemfontein No 115** (portion 5), to the south of Allanridge, Free State Province.
- One proposed well site (ref: **ER318_Target Area 2_01**) is located on the farm **Melkkrak No 458** (portion 3), to the east of Allanridge, Free State Province.
- One proposed well site (ref: **ER318_Target Area 3_01**) is located on the farm **Strydhoek No 748**, to the east of Kroonstad, Free State Province.

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 10 |




Figure 5 - Location of the proposed wells within the ER318.

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 11 |




Figure 6 - Locality map illustrates the general location of the fifteen proposed wells.

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 12 |

2.3 Technical Project Details

2.3.1 Exploration Drilling Program And Project Schedule

The Drilling Program and Time Schedule proposed by Rhino Oil and Gas is to start drilling at least ten exploration wells (i.e. five in each of the ERs) within the Target Areas in 2023.

If any of the first ten exploration wells result in the identification of commercially viable commodities (hydrocarbons, helium, or hydrogen), Rhino Oil and Gas's Drilling Program and Project Schedule would be updated to include the drilling of additional exploration wells at different locations within the Target Areas.

Completed exploration wells will be tested to evaluate their commerciality. The drilling of the exploration wells will likely be undertaken as one or two campaigns. At the end of operations, unsuccessful wells will be plugged and abandoned ("decommissioned"). Successful wells will have their ability to produce preserved but be capped and secured for possible future field development (subject to a receipt of the requisite approvals including, amongst others, Environmental Authorisation by means of a separate EIA process for Production Rights (PR)).

The drilling time to complete one well is estimated to take approximately 3 to 4 weeks. The results of the first few wells drilled within the Target Areas will influence the positioning and pace of the rest of the drilling campaign based on the interpretation of the geological, geophysical, fluid sampling data. The sequencing of the drilling campaign will be dynamic and influenced by the learnings of each new well.

The drilling rig will be mobilised from within South Africa. The likely drilling service provider already operates in the vicinity on Renergen's PR007 (Virginia field) located approximately 15 km south of the ER; as such the longest mobilisation will take only a couple of days.

2.3.2 Main Project Components

This section describes the main project components, including the following:

- Onshore Drill Rig;
- Exclusion Zone;
- Local logistics base;
- Supply trucks;
- Personnel;
- Crew transfer; and

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 13 |

- Infrastructure and services.

2.3.2.1 Onshore Drill Rig

Various types of drilling rigs are used worldwide in onshore drilling operations, with the type of unit typically dependent on the depths to which it needs to reach and the hardness of rocks it needs to penetrate. Based on the overall subsurface rock in each area of interest, it is anticipated that exploratory drilling will be conducted using a truck mounted drilling rig with air and mud drilling capabilities.

The truck mounted drilling rig has minimal area of disturbance due to its compact footprint (See **Figure 7** for an example of a typical drill rig). A significant benefit to using a truck mounted drilling rig is the ease of mobility as it is a self-propelled truck with the flexibility to move from location to location without the need of additional truck support.



Figure 7 - Example of a drill rig (Source: Torque Africa).

2.3.2.2 Safety Zone

During the drilling operations, there will be a fenced safety zone of about 20 to 25 m around the drill site. No traffic will be allowed to enter the safety zone for the duration of drilling operations. The purpose of the safety zone is to prevent accident with the high-powered equipment used during operations. In addition, drilling may liberate flammable gases that require a standoff distance for safe handling.

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 14 |

2.3.2.3 Local Logistics Base

A local logistics base will be in close vicinity of Target Areas since it will be shared with other ongoing drilling activities undertaken by the drilling contractor for Renergen, who are developing and producing the Virginia field in the Free State.

That logistics base will be on an existing brownfield site (previously developed land) most likely used by farming communities to store and maintain heavy duty machinery. A final decision will be undertaken after a logistic survey in the identified areas. This base will include the following facilities:

- An open storage area partially equipped with pipe racks for drilling tubular material storage;
- A covered warehouse for drilling material and other minor equipment;
- Temporary offices for logistic base personnel;
- Area for storage (less than 90 days per well activity) for general waste and hazardous waste at any one time.

Wastes will be transported to a licensed waste disposal facility by an appropriately permitted waste management contractor and will not be stored within the base except for the time strictly necessary for unloading from the drill site and loading on the trucks for transport to the disposal site. The following maximum potential space requirements have been identified:

- Open area/pipe yard: up to 1000 m²; and
- Warehouse: up to 500 m².

Rhino Oil and Gas's drilling contractor plans to use existing infrastructure within the Free State to provide the transport, storage and bunkering facilities for the project. Based on regional experience, the drilling contractor anticipate that the drilling will be done by air drilling thus not requiring mud plant. However, for safe operations and well control backup options, a small temporary mud plant will be available at the well site.

2.3.2.4 Supply trucks

For the duration of the drilling operation, the drill site will be supported by supply trucks, which are general purpose trucks designed to carry a variety of equipment and cargo. These trucks will supply the drill site two to four times a week with cement, mud and equipment such as casing, drill pipe and tubing. They will also remove waste that must be appropriately disposed of on land. The number of supply trucks has not yet been defined but will be provided by the drilling contractor.

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 15 |

2.3.2.5 Personnel

The logistics base will be located within around 120 km reach and all based personnel will reside locally. The local staff employed by the South African drilling contractor is experienced local South Africans in drilling in the Free State region. Some external advisors might be internationally sourced if required by the project. Rhino Oil and Gas representatives will also be located in the Cape Town office and travel to well sites during the drilling campaign. The drilling will see around 5 to 10 personnel on site. The number of personnel on the supply trucks will vary based on the types of activities they support. The trucks will be local trucks and staff, where possible, for drilling operations service. All workers will be provided with health and safety training and Personal Protective Equipment (PPE) suitable for the types of activities by the drilling contractor.

2.3.2.6 Crew Transfers

Transportation of personnel to and from the drill site will most likely be provided by road. The drill site can operate during day and night shifts. However, if timeline permits, it is anticipated to mainly operate during day shifts only. Crews will generally work in 8 to 12 hour shifts in 2-to-4-week cycles. Crew changes will be staggered, and in combination with ad hoc personnel requirements and will be managed by Rhino Oil and Gas's drilling contractor.

2.3.2.7 Infrastructure Support and Services

2.3.2.7.1 Freshwater

The project will require water for making water-based drilling muds to be used as backup for safe measure to maintain well control and for rig cleaning. This industrial water will be sourced by Rhino Oil and Gas's drilling contractor from authorized sources. The drinking (potable) water for the personnel on the drill site will be bottled water.

2.3.2.7.2 Fuel

The estimated total fuel consumption per well during the mobilisation, drilling phase (approximately 2 days mobilisation and 25 days drilling, 1000m drilled) by all the project equipment's and truck is on average 7 to 15 m3 of gasoil.

2.3.2.7.3 Food Supplies and Local Services

The bulk of food and local services will be purchased locally near the logistics base.

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 16 |

2.3.3 Project Activities Per Phases

Project activities associated with drilling include the following phases, described further in the following sections:

- Mobilisation of the truck mounted rig and supply trucks from drilling contractor base located near Pretoria to the Rhino Oil and Gas Target Area in the Free State Province;
- Well drilling;
- Well execution (logging, completion) options;
- Well testing for successful well options;
- Well abandonment for unsuccessful well (Plug and Abandonment “decommissioning”); and
- Demobilisation of the drill rig, supply truck and local logistics base.

2.3.3.1 Mobilisation Phase

The drilling locations will be identified prior to mobilisation of the drill rig based on the results of the analysis of airborne geophysical data, regional geological analysis, historical data integration, land owner consultation and environmental sensitivities.

During mobilisation, the drill rig and supporting equipment will arrive directly on location from previous jobs (probably from Renegen drill sites) or from Rhino Oil and Gas’s drilling contractor main yard near Pretoria.

Once on location, the well site will be prepared by drilling contractor. A typical drill site schematic is provided in **Figure 8**. Should any obstacles/sensitivities be identified at the drilling location, the well will be relocated to a nearby location where no obstacles/sensitivities are located.

These activities will be followed up with safety checks, drills, communication tests. This will take approximately 2 to 4 days to complete.

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 17 |




Figure 8 - Drill site layout (Source: Torque Africa).

2.3.3.2 Drilling Phase

2.3.3.2.1 Well Drilling

After mobilisation, the next phase is the drilling phase.

The drilling sequence for the exploration drilling campaign is not yet defined as it will depend on the first exploration well results. However, it is currently planned that each Target Area will have at least 1 well drilled in the initial 10 exploration wells campaign.

To evaluate and confirm the commercial viability of the reservoir, a vertical or slanted well will be drilled to a total depth of approximately 1000 m below surface. The expected valuable fluid for these wells is biogenic gas, helium or geological hydrogen. A standard well design and programme for onshore wells will be updated after the completion of seismic interpretation and stratigraphy evaluation by the geologists and petroleum engineers. The final well path will be defined according

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 18 |

to the reservoir target and final location of the wellhead at surface. Rhino Oil and Gas's preference for drilling exploration wells is a slanted well profile allowing maximum chance to intersect naturally occurring faults in the basement rocks.

During the drilling phase, different drilling bit sizes are used to drill a series of telescoping holes, from the surface to the total depth of the planned well. The first hole, the outer diameter, is the biggest and called the top hole, while the next inner holes are progressively smaller and smaller as the well depth increases. This continues until the final hole, which is the smallest, reaches the reservoir level.

During the drilling process, drilling fluids such as compressed air or muds are pumped down the inside of the drill pipe and exit at the drill bit to optimise drilling operations. For the first section (top hole) of the well, a conductor pipe will be installed by hammering it down to around 50 m to isolate from any ground water. In the bottom sections of the well, air drilling (i.e., with compressed air injected) will be mainly carried out. The water-based mud programme will only be deployed if high rock formation pressure encountered. The main functions of drilling fluids (air or mud) include the following:

- Removal of drilled rock cuttings from the bottom of the well and from the well bore and transportation of these cuttings to the surface;
- Control of formation pressures and managing of formation fluids (i.e., 'primary well control');
- Transmission of power to the drill bit;
- Provision of hydrostatic pressure as well as chemical stability to the rock to maintain the integrity of the hole and prevent hole collapse;
- Lubrication and cooling of the drill bit.

The drill bit is connected to surface by a string of hollow tubulars referred to as the drill string. On the rig floor, drill pipes are attached, one by one, to the top of the string as the drill bit advances into the borehole. The action of drilling (creating a hole in the rocks stratigraphy) is obtained by applying weight and percussion to the bit. The top drive, installed in the truck mounted drill rig, advances the drill string into the well, and provides the rotation/percussion and weight on bit required to drill. The drill string goes through a Rotating Control Device (RCD) to provide physical barrier with wellbore and allow flow back diversion to flare in case of hydrocarbon intersection. Once each hole section has been drilled, casing (steel tubulars) is run into the well and cemented in place to secure/seal the hole interval just drilled and to allow for the drilling of the next (smaller) hole section. The cement operation consists of pumping cement down the drill string to the bottom. The cement flows, out the bottom of the casing shoe and back up into the annular space around the casing, sealing the space between the cased tube and open hole.

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 19 |

Casing plus cement is a tested barrier that facilitates the drilling of the next section, allowing to reach the target final depth in the safest way. During the drilling stage, fluid (mainly air) and dust/cuttings are discharged directly on the surface in immediate proximity of the well after going through a cyclone separator. The physical and chemical properties of the drilling fluid are constantly monitored and adjusted to suit varying down-hole conditions. These conditions are, in part, due to the variation in formation pressure within the well bore at different depths. If water-based mud is in use, fluid density (or mud weight) is adjusted with mud additives. The 3 main mud additives likely to be used by the drilling contractor are AMC EzeeMix (classified non-hazardous), AMC Aerofoam and AMC Rotafoam (classified non to moderate hazardous). The mud additives details are displayed in the EIA report or can be found on AMC website (www.amcmud.com).




Figure 9 - Subsea Well Schematic at the End of Drilling Phase (Source: ROGESA, 2022).
Note: This drawing is not to scale, for dimension of rig vs equipment and tubulars or depths

2.3.3.3 Well Execution Options

2.3.3.3.1 Redrill

In case of any issues related to stratigraphy (e.g., permeable zones with different pressure gradient, hole instability, necessity to increase the inclination of the well to achieve the reservoir target) or

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 20 |

problem during the drilling activities (e.g. bottom hole assembly stuck) it would be easier to re-drill the well in a nearby location. The initial open hole will be cemented up and abandoned.

2.3.3.3.2 Well Logging

Different sensors are used throughout the drilling operation to measure several parameters such as quality of cement job, lithology, fluid types.

A dedicated run to measure/log the cement bond and consistency in the annuli is performed at the end of each cement job, prior to start drilling operations in the next phase.

Further detailed information is obtained on the physical properties of the rock formations and fluids (water, oil, gas) by means of an open and cased hole logging using sensors introduced down-hole with a wireline cable, or coiled tubing unit.

This operation is usually performed at the end of the drilling phase, after the bottom hole final clean up.

The logging plan is developed in accordance with standard industry best practices. In the case of unsuccessful wells, once a full log of the reservoir section might have been undertaken, the well will be plugged and abandoned. The completion phase, if confirmed in case of discovery, will be performed.

2.3.3.3.3 Well Completion

Well completion and well testing operations will be conducted during drilling of successful exploration wells.

The completion phase of a successful well takes place after the reservoir formation has been drilled and maintained open hole.

At the beginning of the completion operations, the wellbore is displaced with an industrial water, necessary to balance the downhole pressure and, at the same time, to complete the removal of dust/mud/solids from the well in order to minimise any potential damage to the rock formation.

The selection of salt and brine composition will be defined once the hydrocarbon has been discovered in the exploration well and reservoir lithology completely logged although simple industrial water is expected to be adequate considering low pressure encountered in regional analog exploration or production wells.

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 21 |

The successful well will be capped with well head valve connected to metering equipment with a flare stack at the end of it.

2.3.3.4 Well Testing Option for Successful Wells

As stated previously, well testing may be conducted on the successful wells if they present potential commercial quantities of hydrocarbon. A well test is a temporary completion of a well to acquire dynamic rate through time, pressure, and fluid property data. The well test often indicates how the well will perform when it is subjected to various flow conditions. An analysis is usually performed on the data to determine reservoir parameters and characteristics including pressure, volume, and temperature. Current testing practices are carried out using modern testing equipment and high-resolution pressure data acquisition system, getting the reservoir evaluation objectives depends on the behavior of the formation fluid properties, well completion, and flow assurance situations are only known when testing is carried out.

The well test objectives are to:

1. Determine key technical factors of the reservoir (e.g., size, permeability and fluid characteristics) and values for use in future drilling.
2. Obtain representative data including reservoir pressure, production rates and sample(s).

While testing, hydrocarbons are sent to a flare boom with a burner to ensure as complete combustion of fluids (including hydrocarbons) as possible. To ensure that burning can be done safely from the drill site, a flare pit can be installed in order to prevent fire propagation.

The flow periods and rates will be limited to the minimum necessary to obtain the required reservoir information during the well test. It is anticipated that a maximum well test time for this project will be approximately 30 days.

Downhole sampling, if required, normally consists of recovering reservoir fluids via wireline or through specific tools added directly to the temporary test string. Wireline testing involves running instruments into the borehole on a cable to measure formation pressures and obtain fluid samples. Formation fluids are brought to the surface where the composition can then be analysed.

The following key well testing preventative measures will be implemented during the well testing programme:

- Monitor flare performance to maximise efficiency of flaring operations;
- Flare equipment appropriately inspected, certified and function tested prior to operations;
- Flare equipment appropriately maintained and monitored throughout well testing operations;

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 22 |

- The appropriate emergency stop mechanisms (Emergency Shut Down devices) are in place to halt testing in case of emergency

2.3.3.5 Well Control and Blowout Prevention

Health, safety and environmental protection are prioritised throughout the drilling process. In particular, there is a specific focus and attention during preparation and operations to avoid any potential accidental events, with related hydrocarbon release or uncontrolled flow from downhole to surface.

Well control during well operations is a routine function, with each well designed and executed to minimise risk of developing a well control incident. Down-hole conditions, such as shallow gas and high-pressure zones can cause control measures as a sudden variation in well pressure.

A well kick can occur if there is an influx of formation fluids with sufficient pressure to displace the well fluids.

The drilling will be done through a Rotative Control Device (RCD) that creates a pressure tight barrier against drilling hazards and allows safe diversion to the side flare stack (**Figure 10**). RCD must be pressure rated to the expected pressure to be encountered in the regional subsurface conditions.




Figure 10 - Rotating Control Device (Source: Slideshare.net/SPE).

2.3.3.6 Well Abandonment (Plug and Abandonment “decommissioning”)

Once drilling is completed, an unsuccessful well will be plugged and abandoned (P&A). The scope of well abandonment is to protect the environment by effectively sealing off all distinct permeable

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 23 |

zones (i.e., the zones of potential hydrocarbons or water inflow penetrated by the well), to ensure that formation fluids are isolated, both within the wellbore and in annular spaces, and that their migration among different formations and/or up to the surface is prevented.

For unsuccessful wells, a cement plug setting job will be performed (**Figure 11**). The plugging and abandonment job will be final, in that no re-entry of the well is planned. The cement plugs are suitable to guarantee the effectiveness and integrity of the seal and are configured so that no future intervention and monitoring is required.

In the presence of a single permeable zone, the well will be isolated by means of at least one well barrier (plug). When the formation pore pressure from a permeable zone is expected to exceed the formation fracture pressure anywhere else in the open hole, two well barriers shall be present in order to prevent formation breakdown or underground blowout.

For each distinct permeable zone, two well barriers, referred to as “primary” and “secondary”, shall be present in order to prevent also cross flow to surface or vice versa. As per industry best practice, the primary well barrier envelope will have a well barrier element set across or above the highest point of potential influx (top permeable zone or top perforations) or as close as reasonably possible to it. The secondary well barrier shall have a well barrier element set in such a way to guarantee the sealing of the permeable zone in case of failure of the first well barrier.

The RCD will be then retrieved, and the wellbore will be flanged capped.

The final program for well plugging and abandonment will be finalized after the end of drilling phase and log evaluation, in order to maximize the number and composition of plugs sealing in the single or multiple permeable zones discovered.

At the end of the plug and abandonment operations, the well schematic and wellhead location (including casings dimension, length, cement plug dimension and composition, pressure and inflow test results etc.) will be included in a final report submitted to PASA.

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 24 |




Figure 11 - Schematic of cement plug at bottom hole (Source: Guidelines for the abandonment of Wells, p12 OGUK, 2015).

2.3.3.7 Demobilisation

On completion of drilling, the drill rig and support trucks will leave the wellsite location. A final well site verification survey will be performed to check the condition of the wellsite.

2.3.4 HSE Risk Management During Operations

Rhino Oil & Gas's HSE (health, safety, environment) risk management will be implemented by the drilling contractor during operations. Rhino Oil & Gas is committed to protecting the health, safety and security of its employees and those of its contractors, to ensure that all activities are conducted in a manner that protects the environment and people who are potentially impacted by its operations.

2.3.5 Planned Emissions, Cuttings Handling And Waste Management

This section presents the main sources of emissions to air, cuttings handling and waste that will result from the planned drilling activities and associated operations.

Waste management will follow South African regulations. Appropriately licenced waste disposal sites and waste management facilities will be identified prior to commencement of drilling.

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 25 |

2.3.5.1 Emissions to air

The principal sources of emissions to air from the proposed drilling campaigns could be from three (3) main sources:

- Exhaust emissions from diesel fuel used to generate power on the drill site. The power will be used for operating truck mounted drill rig, air compressors, miscellaneous equipment;
- Exhaust emissions from diesel fuel used by the supply trucks. The local logistics base will be in the vicinity and will minimise commute length and emissions;
- Flaring activities during well testing. Based on regional analysis and analog wells, mainly biogenic gas (CH₄) with traces of Helium (He) and geologic hydrogen (H₂) will be encountered. This gas will burn clean emitting mainly carbon dioxide (CO₂) and water (H₂O). No other polluting contaminants are expected such as Hydrogen sulfide (H₂S) or Mercury (Hg).

The emissions from diesel fuel will essentially be carbon dioxide (CO₂), sulphur oxides (SO_x), nitrogen oxides (NO_x) and carbon monoxide (CO). Relative to these pollutants, smaller quantities of non-methane volatile organic compounds (VOCs), methane (CH₄) and particulate matter (PM₁₀/PM_{2.5}) will also be released. These emissions are released during the normal operation of a diesel engine and have the potential to result in a minor short-term localised increase in pollutant concentrations. They also contribute to regional and global atmospheric pollution.

It is estimated that approximately 7 to 15 m³ of diesel fuel will be used during the operations of 1 well resulting in approximately 0.02 to 0.04 kt of Greenhouse Gas Emissions (GHG) emissions being emitted to the atmosphere (<https://www.epa.gov/energy/greenhouse-gases-equivalencies-calculator-calculations-and-references#diesel>).

The emissions from the flaring activities will essentially be carbon dioxide (CO₂), Helium (He) and water vapor (H₂O). It is hard to predict a successful well flow performance ahead of a discovery. Based on regional analogues, flaring of 0.2 mmscfd of biogenic gas during 3 weeks of testing should generate approximately 0.23 kt of CO₂ GHG emitted to the atmosphere per well test. It is worth noting, that the biogenic gas (CH₄) explored in the ER area is currently leaching into the atmosphere and is up to 80 times more potent than its combusted version (CO₂). Flaring gas reflect safe operations and should be considered GHG efficient (<https://www.epa.gov/energy/greenhouse-gas-equivalencies-calculator-revision-history>).

2.3.5.2 Cutting handling

For the first section (top hole) of the well, around 3 m² of topsoil will be picked up and dispersed in nearby field location. Once reaching deeper sections, the drilled rock formation will come back at surface in dust format while air drilling. Drilled rock formation if mud drilling will come back as

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 26 |

cuttings. The overall volume is highly dependent on subsurface layering, overall depth to be drilled and the use or not of mud while drilling. In air drilling configuration, the volume of dust rock is estimated to be anywhere between 20 m³ for 600 m deep well and to 40 m³ to 1200 m deep well. Dust and Cuttings will be collected by Rhino Oil and Gas's drilling contractor and then transported in adequate containers to already identified specialized landfill for hazardous materials safe disposal or as directed by South Africa regulations.

2.3.5.3 Water management

To be prepared for water/liquid management, the wellsite will be provided with lined up sumps. The sumps will be used to temporarily dispose of subsurface water or drilling mud (if any). In the sumps, the water and mud will split/decant, and the solids will fall to the bottom. The volumes of liquid will largely be recovered with sub aqueous pumps for future drilling use, the small remainder naturally evaporating over a certain period of time with the hot ambient temperatures experienced in the Free State. This efficient dehydration process allows to handle smaller residual quantities. The remaining material will then be removed and handled by a hazardous waste company already identified by Rhino Oil and Gas's drilling contractor.

If water is intersected down hole, the hole will be reamed, casing installed, and a grouting job completed to seal off the water. The water in the hole will follow the same process as above.

2.3.5.4 Waste management

A number of other types of wastes generated during the drilling activities be transported for disposal.

These wastes will be recycled or re-used if possible or transported and disposed of at an appropriate licensed municipal landfill facility or at an alternative approved site.

2.3.5.5 Noise emissions

The main sources of noise from the proposed drilling programme include noise produced by the power generator and air compressor at the drill site. The noise characteristics and level will vary between 80 and 180 dB. The particular activity being conducted changes the noise characteristics, for example, if it is at idle, or providing full power to the truck mounted drill rig.

2.3.6 Unplanned Emissions And Discharges

This section presents the main sources of emissions that will result from the unplanned/ accidental events during the drilling activities and associated operations.

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 27 |

2.3.6.1 *Hydrocarbons and Chemical Spills*

Two of the main types of unplanned/ accidental events that could occur while drilling wells that could result in a discharge of hydrocarbons or chemicals to the environment are loss of well containment and single event/batch spills.

Loss of well containment is a continuous release (in worst situation, with no control and massive release, it is called “well blowout”) which could last for a measurable period of time, while a single-event spill is an instantaneous or limited duration occurrence. Rhino Oil and Gas is not expecting to find any liquid hydrocarbon (oil) but only to find dry biogenic gas (already covered in the emissions section). The downhole pressures recorded in regional analog wells do not indicate any risk for potential long-term release.

Rhino Oil and Gas is committed to minimising the release of hazardous chemical discharge into the environment and avoiding unplanned spills.

In case of unplanned/ accidental events, Rhino Oil and Gas minimises any adverse effects to the environment and plans to accomplish this goal by:

- i) Incorporating chemical spill prevention into the drilling plans, and
- ii) Ensuring that the necessary contingency planning has taken place to respond effectively in the event of an incident.

In addition, precautions are taken to ensure that all chemicals and petroleum products handled in a manner to minimise the potential for a spill and environmental damage in the event of an unplanned/ accidental release.

2.3.7 *Project Alternatives*

One of the objectives of an EIA is to investigate alternatives to the project. In relation to a proposed activity “alternatives” means different ways of meeting the general purposes and requirements of the proposed activity. Appendix 2 Section 2 (h)(i) of the EIA Regulations, 2014 (as amended), requires that all S&EIR processes must identify and describe alternatives to the proposed activity that are feasible and reasonable. Different types or categories of alternatives can be identified, e.g., location alternatives, type of activity, design or layout alternatives, technology alternatives and operational alternatives. The ‘No-Go’ or ‘No project’ alternative must also be considered.

Not all categories of alternatives are applicable to all projects. The consideration of alternatives is inherent in the detailed design and the identification of mitigation measures, and therefore, although not specifically assessed, alternatives have been and will continue to be considered in the design and EIA processes. Despite many advances in geophysical data acquisition and analysis, currently

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 28 |

no alternatives exist to definitively establish the presence of hydrocarbon reserves other than through exploration drilling. No activity alternatives have therefore been assessed.

A summary is provided below of the alternatives considered for this application.

2.3.7.1 Site Locality Alternative

2.3.7.1.1 Drilling Location

Rhino Oil and Gas is the operator and holds Exploration Rights for ER 318.

Both aeromagnetic and gravimetric airborne surveys have been undertaken over blocks within ER 318 and possible Target Areas were identified. Based on the interpretation of the geophysical information, Rhino Oil and Gas have identified two Target Areas covering a limited area of ER 318, in which they are considering undertaking exploration drilling activities in order to determine the presence and viability of the reserve.

The selection of each drill site location will follow an iterative process based on:

- Lawful entitlement in terms of the MPRDA, namely the full extent of Rhino Oil and Gas's ER;
- Prospective geology identified as part of previous geophysical surveys;
- Desktop GIS environmental sensitivity taking into consideration hydrological, geohydrological, ecological and cultural heritage constraints and opportunities;
- Consultation with landowners to agree access to the proposed sites; and
- Micro siting by petroleum geologist and environmental specialists considering the local situation and landowner preferences.

The micro siting of proposed well drill sites will be concluded as part of this S&EIA process.

2.3.7.1.2 Logistics Base

A logistics base will be located near Welkom in vicinity to where the drilling contractor has enough momentum between its other local activities (shared facilities with Renegen). For drill sites that will be far away from that logistics base, an alternative base might be considered. This S&EIA will assess the impacts from a logistics base in Welkom.

There are no noticeable differences associated with the location of the logistic base in Welkom or more to the East towards Kroonstad.

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 29 |

2.3.7.2 Technology Alternative

2.3.7.2.1 Drilling Rig Alternatives

There is a range of drilling rigs available to conduct the drilling of a shallow onshore well. There are essentially 4 possible rigs to be considered:

- Coring drilling rig: usually used in mining type activities, not very efficient in handling hydrocarbons
- Percussion air drilling rig: usually used in drilling water wells, can be used in very low pressure hydrocarbons exploration but with limited ability to control well in un-expected kick situation
- Rotating mud drilling rig: usually used in traditional hydrocarbon drilling activities, can handle high pressure reservoir but totally inefficient in low pressure naturally fractured reservoir (mud circulation losses and reservoir clogging)
- Hybrid air/mud drilling rig: usually use for drilling water wells, can be used in very low pressure naturally fractured reservoir and ability to handle unexpected higher pressure with mud injection for well control

Rhino Oil and Gas's preference is to use the hybrid air/mud drilling rig provided by the local South Africa experienced drilling contractor.

2.3.7.3 Design or Layout Alternatives

2.3.7.3.1 Number of Wells

Rhino Oil and Gas proposes to drill:

1. At least 1 well within each Target Area;
2. A campaign of 10 initial wells for ER318;
3. With possible additional wells to supplement initial campaign in successful outcome

The time sequence and the number of additional wells will be dependent on the success of the first exploration well. Any additional wells will be drilled in a campaign with potentially up to 3 rig lines (parallel drilling).

2.3.7.3.2 Scheduling

The drilling of the first exploration well, is planned for 2023, dependent on drill rig availability, amongst a number of other planning requirements. The drilling of one well is estimated to take approximately 25 to 30 days to complete. The time sequence and the number of additional wells will be dependent on the results of the first exploration well and the interpretation of its results.

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 30 |

2.3.7.4 No-Go Option

The impact of the No-Go alternative is assessed in **Section 7** of this report, in accordance with the requirements of the EIA Regulations, 2014 (as amended). The No-Go alternative entails no change to the status quo, in other words the proposed exploration drilling activities will not be conducted in ER 318.

The option not to proceed with exploration drilling will leave the areas of the potential drilling sites in their current environmental state, with the biogenic gas, helium and geological hydrogen potential remaining unknown.

This alternative is in contravention of South Africa's overall strategic objectives with a No-Go (assuming a viable hydrocarbon source would be discovered) resulting in:

- No improved security of gas/power supply for both businesses and households;
- Not being able to make competitively priced locally produced natural gas available;
- No in-country investments in a development project with associated job creation, increased government revenues and general contribution to economic growth;
- Not being able to help with the transition to a low carbon economy to meet South Africa's Paris Agreement obligations, and
- Increased dependence on imported Liquefied Natural Gas and coal for baseload power and industrial heat.

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 31 |

3 ASSESSMENT METHODOLOGY

The section below outlines the assessment methodologies utilised in the study.

3.1 Methodology for Assessing Heritage Site significance

This HIA report was compiled by PGS for proposed wells. The applicable maps, tables and figures are included, as stipulated in the NHRA (no 25 of 1999) and the National Environmental Management Act (NEMA) (No. 107 of 1998). The HIA process consists of three steps:

Step I – Literature Review and initial site analysis: The background information to the field survey relies greatly on the Heritage Background Research which was undertaken through archival research and evaluation of satellite imagery and topographical maps of the study area.

Step II – Physical Survey: A physical survey was conducted by a combination of vehicle and pedestrian access through the proposed project area by one qualified heritage specialist (29 November – 3 December 2022), aimed at locating and documenting sites falling within and adjacent to the proposed development footprint.

Step III – The final step involved the recording and documentation of relevant heritage resources identified in the physical survey, the assessment of these resources in terms of the HIA criteria and report writing, as well as mapping and constructive recommendations.

The significance of heritage sites is based on four main criteria:

- Site integrity (i.e. primary vs. secondary context),
- Amount of deposit, range of features (e.g., stonewalling, stone tools and enclosures),
- Density of scatter (dispersed scatter)
 - Low - <10/50m²
 - Medium - 10-50/50m²
 - High - >50/50m²
- Uniqueness; and
- Potential to answer present research questions.

Management actions and recommended mitigation, which will result in a reduction in the impact on the sites, will be expressed as follows:

- A - No further action necessary;
- B - Mapping of the site and controlled sampling required;
- C - No-go or relocate development activity position;
- D - Preserve site, or extensive data collection and mapping of the site; and

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 32 |

E - Preserve site.

Impacts on these sites by the development will be evaluated as follows:

3.1.1 Site Significance

Site significance classification standards use is based on the heritage classification of s3 in the NHRA and developed for implementation keeping in mind the grading system approved by SAHRA for archaeological impact assessments. The update classification and rating system as developed by Heritage Western Cape (2021) is implemented in this report

Site significance classification standards prescribed by the Heritage Western Cape Guideline (2016), were used for the purpose of this report (**Table 3** and **Table 4**).

Table 3: Rating system for archaeological resources

| Grading | Description of Resource | Examples of Possible Management Strategies | Heritage Significance |
|---------|--|--|---------------------------------|
| I | Heritage resources with qualities so exceptional that they are of special national significance. Current examples: Langebaanweg (West Coast Fossil Park), Cradle of Humankind | May be declared as a National Heritage Site managed by SAHRA. Specific mitigation and scientific investigation can be permitted in certain circumstances with sufficient motivation. | Highest Significance |
| II | Heritage resources with special qualities which make them significant, but do not fulfil the criteria for Grade I status. Current examples: Blombos, Paternoster Midden. | May be declared as a Provincial Heritage Site managed by Provincial Heritage Authority. Specific mitigation and scientific investigation can be permitted in certain circumstances with sufficient motivation. | Exceptionally High Significance |
| III | Heritage resources that contribute to the environmental quality or cultural significance of a larger area and fulfils one of the criteria set out in section 3(3) of the Act but that does not fulfil the criteria for Grade II status. Grade III sites may be formally protected by placement on the Heritage Register. | | |
| IIIA | Such a resource must be an excellent example of its kind or must be sufficiently rare. Current examples: Varschedrift; Peers Cave; Brobartia Road Midden at Bettys Bay | Resource must be retained. Specific mitigation and scientific investigation can be permitted in certain circumstances with sufficient motivation. | High Significance |
| IIIB | Such a resource might have similar significances to those of a Grade III A resource, but to a lesser degree. | Resource must be retained where possible where not possible it must be fully investigated and/or mitigated. | Medium Significance |
| IIIC | Such a resource is of contributing significance. | Resource must be satisfactorily studied before impact. If the recording already done (such as in an HIA or permit application) | Low Significance |

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 33 |

| Grading | Description of Resource | Examples of Possible Management Strategies | Heritage Significance |
|---------|---|--|--|
| | | is not sufficient, further recording or even mitigation may be required. | |
| NCW | A resource that, after appropriate investigation, has been determined to not have enough heritage significance to be retained as part of the National Estate. | No further actions under the NHRA are required. This must be motivated by the applicant or the consultant and approved by the authority. | No research potential or other cultural significance |

Table 4: Rating system for built environment resources

| Grading | Description of Resource | Examples of Possible Management Strategies | Heritage Significance |
|---------|---|--|---------------------------------|
| I | Heritage resources with qualities so exceptional that they are of special national significance. Current examples: Robben Island | May be declared as a National Heritage Site managed by SAHRA. | Highest Significance |
| II | Heritage resources with special qualities which make them significant in the context of a province or region, but do not fulfil the criteria for Grade I status. Current examples: St George's Cathedral, Community House | May be declared as a Provincial Heritage Site managed by Provincial Heritage Authority. | Exceptionally High Significance |
| II | Such a resource contributes to the environmental quality or cultural significance of a larger area and fulfils one of the criteria set out in section 3(3) of the Act but that does not fulfil the criteria for Grade II status. Grade III sites may be formally protected by placement on the Heritage Register. | | |
| IIIA | Such a resource must be an excellent example of its kind or must be sufficiently rare. These are heritage resources which are significant in the context of an area. | This grading is applied to buildings and sites that have sufficient intrinsic significance to be regarded as local heritage resources; and are significant enough to warrant that any alteration, both internal and external, is regulated. Such buildings and sites may be representative, being excellent examples of their kind, or may be rare. In either case, they should receive maximum protection at local level. | High Significance |
| IIIB | Such a resource might have similar significances to those of a Grade III A resource, but to a lesser degree. These are heritage resources which are significant in the context of a townscape, neighbourhood, settlement or community. | Like Grade IIIA buildings and sites, such buildings and sites may be representative, being excellent examples of their kind, or may be rare, but less so than Grade IIIA examples. They would receive less stringent protection than Grade IIIA buildings and sites at local level. | Medium Significance |

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 34 |

| Grading | Description of Resource | Examples of Possible Management Strategies | Heritage Significance |
|---------|--|--|--|
| IIIC | Such a resource is of contributing significance to the environs These are heritage resources which are significant in the context of a streetscape or direct neighbourhood. | This grading is applied to buildings and/or sites whose significance is contextual, i.e. in large part due to its contribution to the character or significance of the environs. These buildings and sites should, as a consequence, only be regulated if the significance of the environs is sufficient to warrant protective measures, regardless of whether the site falls within a Conservation or Heritage Area. Internal alterations should not necessarily be regulated. | Low Significance |
| NCW | A resource that, after appropriate investigation, has been determined to not have enough heritage significance to be retained as part of the National Estate. | No further actions under the NHRA are required. This must be motivated by the applicant and approved by the authority. Section 34 can even be lifted by HWC for structures in this category if they are older than 60 years. | No research potential or other cultural significance |

3.2 Methodology used in determining the significance of environmental impacts

The methodology used to determine the environmental impact significance was provided by SLR and is explained in **Appendix B**.

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 35 |

4 CURRENT STATUS QUO

A site visit was conducted by Dr Matt Lotter, a geoarchaeologist, between 29 November – 3 December 2022. The general vicinity of the proposed well site areas were assessed.

The proposed exploration drilling activities are located near Kroonstad, Allanridge and Wesselsbron in the Free State Province. Fieldwork focussed on areas that were not previously disturbed, thus focussing on areas with the highest potential to yield heritage resources.

The study area can be accessed via the R30, R34, R59, R505, R719 and informal roads. The study area is in a relatively rural area where much of the farmland is used for grazing and crop cultivation. Portions of the study area have been disturbed by activities associated with agriculture. In terms of the climate, the region experiences summers that are long and warm and winters that are short, dry, and cold.

In terms of the vegetation, the Vegetation types are classified as Central Free State Grassland, Western Free State Clay Grassland and Vaal-Vet Sandy Grassland (Mucina & Rutherford, 2006; Sanbi, 2022). **Central Free State Grassland** (Gh6) vegetation is characterised by “*Undulating plains supporting short grassland, in natural condition dominated by Themeda triandra while Eragrostis curvula and E. chloromelas become dominant in degraded habitats. Dwarf karoo bushes establish in severely degraded clayey bottomlands. Overgrazed and trampled low-lying areas with clayey soils prone to Acacia karoo encroachment.*” (Mucina & Rutherford, 2006).

Western Free State Clay Grassland (Gh9) vegetation is “*Restricted to flat bottom-lands which support dry, species-poor grassland with a high number of salt pans (playas) embedded. Dwarf karoo shrublands surround the playas in disturbed habitats.*” (Mucina & Rutherford, 2006).

Vaal-Vet Sandy Grassland (Gh10) vegetation is characterised by “*Plains-dominated landscape with some scattered, slightly irregular undulating plains and hills. Mainly low-tussock grasslands with an abundant karroid element. Dominance of Themeda triandra is an important feature of this vegetation unit. Locally low cover of T. triandra and the associated increase in Elionurus muticus, Cymbopogon pospischilii and Aristida congesta is attributed to heavy grazing and/or erratic rainfall.*” (Mucina & Rutherford, 2006).

In terms of geology and soils, the area is characterised by the Volksrust Formation (shale, siltstone, minor sandstone), alluvium, colluvium, eluvium, gravel, scree, sand, soil and debris (Council of Geoscience, 2022).

The photographs below provide general views and landscape features of the study area.

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 36 |

It must be noted that four alternative well locations (waypoints: 003, 015, 016 and 019) were proposed based on various specialist observations. These alternative well locations will also be discussed below.

The general site descriptions and photographs of the proposed well locations are provided as follows:

ER318_Target Area 1_06:

Modified agricultural landscape with good surface visibility. Minimal vegetation and extensive surface erosion.



Figure 12 – General views of the area surrounding the proposed well ER318_Target Area 1_06.

Alternative well location (waypoint 019) proposed near ER318 Target Area 1_06:

Occurs in a modified agricultural landscape.



Figure 13 - General views of the proposed alternative site at waypoint 019.

ER318_Target Area 1_04:

Modified agricultural landscape with good surface visibility. A large farm compound was not accessed (surrounded by caged lions).

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 37 |



Figure 14 - General views of the area surrounding the proposed well ER318_Target Area 1_04.



Figure 15 –The current farm houses south of proposed well (left) and a Lion cage (right).

Alternative well location (**waypoint 003**) proposed near ER318 Target Area 1_04:

Surveyed down towards pan edge. Limited surface visibility due to grasses but no heritage identified.



Figure 16 - General views of the proposed alternative site at waypoint 003.

ER318_Target Area 1_01:

Modified agricultural landscape with good surface visibility.

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 38 |



Figure 17 - General views of the area surrounding the proposed well ER318_Target Area 1_01.

ER318_Target Area 1_07:

Deemed unsuitable due to ecological sensitivities (entire portion of land southeast of the road).



Figure 18 - General pictures of landscape for proposed well location ER318_Target Area 1_07.

Alternative well location (**waypoint 015**) proposed near ER318 Target Area 1_07:

Disturbed parcel for newly proposed well location. Road to the south and railway to the north. Well-vegetated with poor surface visibility but seems to be an old, disturbed portion of agricultural land. Chert boulders occur in the area. No stone tools identified.

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 39 |



Figure 19 - General views of the proposed alternative site at waypoint 015.

ER318_Target Area 1_05:

Modified agricultural landscape with good surface visibility. Developed area surveyed for possible older structures – none present.



Figure 20 - New farm buildings close to proposed well location (west).



Figure 21 - General picture of landscape for proposed well location ER318_Target Area 1_05.

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 40 |

ER318_Target Area 1_01:

Modified agricultural landscape with good surface visibility.



Figure 22 - General pictures of landscape for proposed well location ER318_Target Area 1_01.

ER318_Target Area 1_02:

Modified agricultural landscape with good surface visibility.



Figure 23 - General pictures of landscape for proposed well location ER318_Target Area 1_02.

ER318_Target Area 1_08:

Modified agricultural landscape with good surface visibility. Minimal vegetation and extensive surface erosion. Pan towards the south.

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 41 |



Figure 24 – The area surrounding the proposed well location ER318_Target Area 1_08 is completely disturbed by farming activities.



Figure 25 -View of the pan in background, towards the south of the proposed well location.

ER318_Target Area 1_09:

Modified agricultural landscape with good surface visibility. Small parcel of grassland to the north-west (likely previous agricultural fields). Good surface visibility in the agricultural fields and less so in the grassed area. Fields completely disturbed by agricultural activities. There is also a small pan.



Figure 26 - General images of proposed well location ER318_Target Area 1_09, showing a mix of agricultural fields and areas that are more grassed.

ER318_Target Area 1_10:

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 42 |

Modified agricultural landscape, particularly the western and southern portion of the area. Poor surface visibility due to grasses but no structures or graves were identified.



Figure 27 - General images of the proposed well ER318_Target Area 1_10 in grassland area, adjacent to agricultural fields that have been grassed over.

ER318_Target Area 2_02:

The area is predominantly modified cropland with two 'less disturbed pockets' in the south. The southern area comprises a small wetland.



Figure 28 -General images of the proposed well location ER318_Target Area 2_02, showing mix of cropland and area with trees with visible structures.

ER318_Target Area 1_11:

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 43 |

Mix of disturbed agricultural fields (in the north-east) and grassland (in the south-west). Good surface visibility within the fields, completely devoid of any heritage.



Figure 29 - General images of the proposed well location ER318_Target Area 1_11, showing agricultural fields and grassland.



Figure 30 - Views of modern farming infrastructure.

ER318_Target Area 1_03:

Modified agricultural landscape with good surface visibility. Minimal vegetation and extensive surface erosion.



Figure 31 - General view of proposed well location ER318_target Area 1_03.

ER318_Target Area 1_12:

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 44 |

Modified agricultural landscape with a combination of cropland and 'less disturbed' pockets of grassland. Grassland areas appear overgrazed. Good surface visibility across the property, even in the more grassed areas. Sporadic quartz fragments and andesite boulders occur on the property, both very infrequent and non-artefactual.



Figure 32 - General images of the proposed well ER318_Target Area 1_12 showing a mix of fields and grassland.



Figure 33 - Images of an overgrazed grassland area.



Figure 34 - Donga showing underlying sediments in profile (no artefact burial at depth).

ER318_Target Area 2_01:

Could not access the whole property due to bad roads and instructions by the farmer. Overall property is a mix of cropland and vegetated grass pockets. Poor surface visibility across the grassed areas, but no structures or graves visible. Given access issues and that a preexisting well in this area had been unsuccessful (according to the farmer), a new well location was proposed.

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 45 |



Figure 35 - General images of the proposed well location ER318_Target Area 2_01, showing mix of crop and grassland.

Alternative well location (**waypoint 016**) proposed near ER318 Target Area 2_01:

Mix of flat grassland and cropland. Good landscape visibility but poor surface visibility due to grasses. No heritage identified.



Figure 36 - General images of the new proposed well location (016), showing a mix of crop and grassland.

ER318_Target Area 3_01:

completely modified cropland covered by grasses. Flat with good landscape visibility. Small clusters of trees in the central and southern portion of the property.



Figure 37 - General images of the proposed well ER318_Target Area 3_01.

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 46 |

5 BACKGROUND RESEARCH

The previous section provided a topographical description of the proposed development area. This section seeks to describe the historical origins of the receiving environment.

The examination of heritage databases, historical data and cartographic resources represents a critical additional tool for locating and identifying heritage resources and in determining the historical and cultural context of the study area. Therefore, an internet literature search was conducted, and relevant archaeological and historical texts were also consulted. Relevant topographic maps and satellite imagery were studied.

5.1 Archival and historical maps

Topographic maps (1:50 000) for various years (1946, 1950, 1952, 1954, 1959, 1969, 1971, 1975, 1979, 1986, 1997), were available for utilisation in the background study. These maps were assessed to observe the development of the area, as well as the location of possible historical structures and burial grounds. The study area was overlain on the map sheets to identify structures or graves situated within or immediately adjacent to the study area that could possibly be older than 60 years and thus protected under Section 34 and 36 of the NHRA.

The topographical maps which were relevant to this study included: 2726CB LOSDORINGS, 2726CC VETRIVIER, 2726CD WESSELSBRON, 2726DA SKOONSPRUIT, 2726DC ODENDAALSRUS and 2727CB WESTLEIGH.

The analysis of the topographical maps demonstrates that the majority of the proposed well locations have been for the most part been within and surrounded by agricultural lands through the years. There were several structures, homesteads and farmsteads identified within the wider vicinity of some of the proposed well locations. These will be illustrated in the enlarged sections of map sheets below.

5.1.1 1: 50 000 Topographical Map 2726DA VETRIVIER - First Edition 1946

A section of the First Edition of the 2726DA Topographical Sheet is depicted in **Figure 47**. The map was compiled from aerial photography undertaken in 1945, surveyed in 1950, compiled in 1950 and drawn in 1953 by the Trigonometrical Survey Office.

Farmsteads and homesteads were identified within the surroundings of the study area. All these identified sites are likely to be at least 77 years old.

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 47 |



Figure 38 - Enlarged section of 2726DA Ed 1 1946 sheet, depicting a homestead (orange polygon) in the surroundings of the proposed well ER318_Target Area 1_03.



Figure 39 – Second enlarged section of 2726DA Ed 1 1946 sheet, depicting homesteads (orange polygon) and farmsteads (cyan polygon) in the surroundings of the proposed sites ER318_Target Area 1_07 and ER318_Target Area 1_08.

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 48 |



Figure 40 – Third enlarged section of 2726DA Ed 1 1946 sheet, depicting homesteads (orange polygon) and farmsteads (cyan polygon) in the surroundings of the proposed well ER318_Target Area 2_02.

5.1.2 1: 50 000 Topographical Map 2726CC VETRIVIER - First Edition 1950

A section of the First Edition of the 2726CC Topographical Sheet is depicted in **Figure 47**. The map was compiled from aerial photography undertaken in 1945, surveyed in 1950, compiled in 1950 and drawn in 1953 by the Trigonometrical Survey Office.

Farmsteads and homesteads were identified within the surroundings of the study area. All these identified sites are likely to be at least 73 years old.

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 49 |



Figure 41 - Enlarged section of 2726CC Ed 1 1950 sheet, depicting homesteads (orange polygon) and farmsteads (cyan polygon) in the surroundings of the proposed well ER318_Target Area 1_05.

5.1.3 1: 50 000 Topographical Map 2726CD WESSELSBRON - First Edition 1950

A section of the First Edition of the 2726CD Topographical Sheet is depicted in **Figure 47**. The map was compiled from aerial photography undertaken in 1945, surveyed in 1950, compiled in 1950 and drawn in 1952 by the Trigonometrical Survey Office.

A farmstead was identified within the surroundings of the study area. This identified farmstead is likely to be at least 73 years old.

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 50 |



Figure 42 - Enlarged section of 2726CD Ed 1 1950 sheet, depicting a farmstead (cyan polygon) in the surroundings of the proposed well ER318_Target Area 1_09.

5.1.4 1: 50 000 Topographical Map 2726DC ODENDAALSRUS - First Edition 1952

A section of the First Edition of the 2726DC Topographical Sheet is depicted in **Figure 47**. The map was compiled from aerial photography undertaken in 1952, surveyed in 1954 and drawn in 1955 by the Trigonometrical Survey Office.

A farmstead was identified within the surroundings of the study area. This identified farmstead is likely to be at least 71 years old.

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 51 |



Figure 43 - Enlarged section of 2726DC Ed 1 1952 sheet, depicting homesteads (orange polygon) and farmsteads (cyan polygon) in the surroundings of the proposed well ER318_Target Area 1_12.



Figure 44 – Second enlarged section of 2726DC Ed 1 1952 sheet, depicting homesteads (orange polygon) and structures (purple polygon) in the surroundings of the proposed well site ER318_Target Area 1_11.

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 52 |



Figure 45 – Third enlarged section of 2726DC Ed 1 1952 sheet, depicting homesteads (orange polygon), farmsteads (cyan polygon) and structures (purple polygon) in the surroundings of the proposed well ER318_Target Area 1_10.

5.1.5 1: 50 000 Topographical Map 2727CB WESTLEIGH - First Edition 1959

A section of the First Edition of the 2727CB Topographical Sheet is depicted in **Figure 47**. The map was compiled from aerial photography undertaken in 1951 and drawn in 1960 by the Trigonometrical Survey Office.

A farmstead was identified within the surroundings of the study area. This identified farmstead is likely to be at least 71 years old.

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 53 |




Figure 46 - Enlarged section of 2727CB Ed 1 1959 sheet, depicting homesteads (orange polygon) and farmsteads (cyan polygon) in the surroundings of the proposed well ER318_Target Area_3_01.

5.1.6 1: 50 000 Topographical Map 2726CB LOSDORINGS - First Edition 1969

A section of the First Edition of the 2726CB Topographical Sheet is depicted in **Figure 47**. The map was compiled from aerial photography undertaken in 1961, surveyed and drawn in 1969 by the Trigonometrical Survey Office.

Farmsteads and homesteads were identified within the surroundings of the study area. All these identified sites are likely to be at least 54 years old.

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 54 |




Figure 47 - Enlarged section of 2726CB Ed 1 1969 sheet, depicting homesteads (orange polygon) and farmsteads (cyan polygon) in the surroundings of the proposed well site ER318_Target Area 1_01.




Figure 48 - Second enlarged section of 2726CB Ed 1 1969 sheet, depicting homesteads (orange polygon) and farmsteads (cyan polygon) in the distant surroundings of the proposed well site ER318_Target Area 1_04.

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 55 |

5.2 Historical Overview of the Study Area and Surrounding Landscape

The high-level archival research focused on available information sources that were used to compile a general background history of the study area and surrounds.

The Free State has a rich archaeological and historical history going back millions of years and includes significant aspects such as Later Stone Age rock art, Battlefields and Iron Age stonewalled enclosures. The general surroundings of the study area became a melting pot of contact and conflict as it represents one of many frontiers where San hunter-gatherers, Nguni and Sotho-Tswana agro-pastoralists, Dutch Voortrekkers and British Colonists all came together. The ravages of war also swept across these plains, and in particular the South African War (1899-1902) as well as the Boer Rebellion (1914-1915).

The archaeological history of the area can broadly be divided into a Stone Age, Iron Age and Historic Period. Both the Stone and Iron Ages form part of what is referred to as the Pre-Colonial Period (Prehistoric Period) whereas the Historic Period is referred to as the Colonial Period (Historic Period).

It must be noted that such an overview, which is based on available literature and archival research, would necessarily reflect a bias toward a traditional white history of the region as this would have been the focus of publications and archival documents during the last 150 years.

Table 5 - Archaeological and Historical Overview of the Study Area and Surrounding Landscape

| DATE | DESCRIPTION |
|--|---|
| The Study Area during the Stone Age | |
| 2.5 million – 250 000 years ago | The Earlier Stone Age is the first and oldest phase identified in South Africa's archaeological history and comprises two technological phases. The earliest of these is known as Oldowan and is associated with crude flakes and hammer stones. It dates to approximately 2 million years ago. The second technological phase is the Acheulian and comprises more refined and better made stone artefacts such as the cleaver and bifacial hand axe. The Acheulian dates to approximately 1.5 million years ago. <i>No ESA sites are known from the vicinity of the study area. Stone Age material has been identified within the vicinity of rivers such as the Doring Spruit (north of Kroonstad), the Vals River (south of Kroonstad) and the Sand River (south of Ventersburg).</i> |
| 250 000 to 40 000 years ago | The Middle Stone Age is the second oldest phase identified in South Africa's archaeological history. This phase is associated with flakes, points and blades manufactured by means of the so-called 'prepared core' technique. <i>No MSA sites are known from the vicinity of the study area</i> |
| 40 000 years ago to the | The Later Stone Age (LSA) is the third archaeological phase identified and is characterised by an abundance of very small stone tools known as microliths as well as many rock art sites across the country. This period is associated with hunter-gatherers (San) as well as early pastoralists (Khoekhoe) and lasted up until - and in many cases |

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 56 |

| | |
|---|---|
| historic past | <p>a considerable number of years after – the arrival of Iron Age and European communities.</p> <p><i>No LSA sites are known from the vicinity of the study area</i></p> |
| The Study Area during the Iron Age | |
| <p>The arrival of early farming communities during the first millennium, heralded in the start of the Iron Age for South Africa. The Iron Age is that period in South Africa's archaeological history associated with pre-colonial farming communities associated with agricultural and pastoralist farming activities, metal working, cultural customs such as lobola as well as the tangible representation of the significance of cattle imprinted on their settlement layouts (known as the Central Cattle Pattern) (Huffman, 2007).</p> <p>LIA sites are known to occur in the region, in the vicinity of the Sandrivier and to the northwest of Ventersburg.</p> <p>According to the distribution map for Iron Age settlements on the Southern Highveld as published in Maggs (1976), the largest majority of such known Late Iron Age sites are located in proximity to the Sand River as well as the Erasmus Spruit. With these Late Iron Age sites located south-west of the study area, the majority comprise what is referred to as Type Z settlements, with a lesser number of Type V settlements also found. The distribution maps as published by Huffman (2007), indicate that two Iron Age facies occurred in the surroundings of the study area during roughly the same period.</p> <p>These two Iron Age facies, known as Thabeng and Makgwareng, will be presented here.</p> | |
| AD 1700 – AD 1840 | <p>The Thabeng facies of the Moloko Branch of the Urewe Tradition is one of the facies identified within the study area. The decoration on the ceramics associated with this facies is characterised by incised triangles, coloured chevrons and arcades. The Tlhaping at Dithakong, Rolong at Platberg and the Kubung from the Free State form a Southwestern Sotho-Tswana cluster that is associated with this Thabeng facies pottery and Type Z settlement layouts (Huffman, 2007).</p> <p>The Type Z settlements are one of the Late Iron Age stonewalled settlement types identified by Tim Maggs during his extensive archaeological research project on the Iron Age of the southern Highveld, which includes the present study area (Maggs, 1976). These sites are characterised by large primary enclosures enclosed by a 'discontinuous ring' of characteristic bilobial dwellings. Each of these bilobial dwellings comprises a hut at its front with a semi-circular courtyard at the back. With the area in front of the hut enclosed by a low stone wall and the courtyard at the back similarly enclosed by a smaller enclosure, the layout plan of these huts comprise two lobes, one larger than the other. The huts are defined by a ring of upright stones and are usually paved with flat stones. Unlike Type V settlements (see below), corbelled huts are rarely associated with these Type Z settlements, and appear to be the result of contact with the Type V settlements located to the east.</p> <p>While a number of Type Z sites are located within the surroundings of the study area, one of the more prominent ones is OXF1, located a short distance north-west of the town of Ventersburg. This site was excavated by Tim Maggs during the 1970s as part of his overall research project alluded to above (Maggs, 1976).</p> <p>In his conclusions on the history of his entire study area, Maggs (1976:317) states that <i>"...the conclusion seems inescapable that the Kubung were the builders of Type Z. This conclusion could be put forward on the typological evidence alone, for the Kubung are the only known off-shoot of the Rolong to have settled in our area, and the Type Z industry was clearly the work of a group related to the Rolong."</i></p> |

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 57 |




Figure 49 - This plan depicts the settlement layout of a typical Type Z site, and was recorded at site OXF 1 (Maggs, 1976:233).




Figure 50 – Artist's impression of a bilobial dwelling at site OXF 1. These bilobial dwellings represent a characteristic element of Type Z settlements (Maggs, 1976:241).

| | |
|----------------------|---|
| AD 1700 – AD 1820 | <p>The Makgwareng facies of the Blackburn Branch of the Urewe Ceramic Tradition represents the next known Iron Age period within the surroundings of the study area. The decoration on the ceramics from this facies is characterised by finely stamped triangles, rim notching and appliqué (Huffman, 2007). This facies developed from Ntsuanatsatsi south of the Vaal River and can be associated with the Type V stone walling settlement type (Huffman, 2007), the name of which is derived from Vegkop (Maggs, 1976). Van Riet Lowe (1927) was one of the</p> |
|----------------------|---|

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 58 |

first to record these structures. Dreyer (1990) also conducted excavations on Type V Late Iron Age stonewalled settlements located a short distance south-west of Winburg.

The Type V settlements comprise a core of cattle enclosures surrounded by beehive huts. Corbelled stone huts are associated with this walling type, and can be seen as characteristic. They are low stone huts located at the edge of the cattle enclosures and were where the boys herding the cattle often lived (Huffman 2007). As suggested by Huffman (2007), the corbelled huts were in fact beehive huts made of stone rather than grass and reeds. Furthermore, the presence of beehive huts at these sites necessarily indicates a Nguni association or origin with these settlements.

Based in information presently available, the best known site of this type found within the surroundings of the study area, comprises a so-called “Early Sotho Settlement, Waterval, Sandrivierhoogte” that was originally declared a National Monument and which is now registered as a Provincial Heritage Site. The site is located 63 km south-east of the present study area. The site was proclaimed a national monument by virtue of a notice in the Government Gazette on 17 December 1982. In the declaration, the site is described as a ‘Leghoya Village’ comprising corbelled huts and stonewalls. The site has since been declared a Provincial Heritage Site in terms of the National Heritage Resources Act (www.sahra.org.za).



Figure 51 – Corbelled stone huts associated with a Type V settlement (Huffman, 2007:39).

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 59 |




Figure 52 – Layout of a Type V Settlement (Huffman, 2007:38).

1820s

Across the Southern Highveld, this period was characterised by warfare and unrest. Known as the Mfecane, these years of upheaval originated primarily in the migration of three Nguni groups from present day Kwazulu-Natal into the present day Free State as a result of the conquests of the Zulu under King Shaka. The three Nguni groups were the Hlubi of Mpangazitha, the Ngwane of Matiwane and the Khumalo Ndebele (Matabele) of Mzilikazi.

In c. 1821, the Hlubi migrated across the Drakensberg Mountains in a westerly direction (Maggs, 1976) and attacked the Tlokwa of MaNthatisi along the banks of the Vaal River. This river has its source near Harrismith and flows into the Vaal River where the Vaal Dam is located today. While it is not exactly certain where MaNthatisi's settlements would have been located (in all likelihood further south), the Tlokwa fled westward as a result of the Hlubi attack and in turn attacked other groups in its path. This started a period of unrest and warfare, which rippled across the Highveld on both sides of the Vaal River (Legassick, 2010) (Lye and Murray, 1980).

The Ngwane followed closely on the Hlubi and further augmented the unrest and warfare along the southern Highveld (Legassick, 2010).

Although the effects of the migrations of the Hlubi and Ngwane would certainly have had a profound impact on the northern Free State, this was also the case in terms of the Khumalo Ndebele who would have played a significant role in the surroundings of the study area during this time.

The Khumalo Ndebele (also known as the Matabele) were also forced to leave Kwazulu-Natal and between 1823 and 1827 settled along the central Vaal River (Bergh, 1999). Mzilikazi attacked a number of Sotho-Tswana groups and settlements and incorporated them into his kingdom. As a result, his activities would have had a definite impact on the northern Free State at the time.

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 60 |



Figure 53 - King Mzilikazi of the Matabele. This illustration was made by Captain Cornwallis Harris in c. 1838 (www.sahistory.org.za).


The Early Colonial Period

The early Colonial Period within the study area and surroundings was characterised by the arrival of newcomers to the Transoraniga. The first arrivals were the Griqua followed by white Trekboers, who for the most part practiced a nomadic pastoralist way of life and were small in number. During the 1830s a mass migration of roughly 2 540 Afrikaner families (comprising approximately 12 000 individuals) from the frontier zone of the Cape Colony to the interior of Southern Africa took place. The people who took part in this Great Trek were later to be known as Voortrekkers (Visagie, 2011).

| | |
|------|---|
| 1804 | The Griqua were of European and Khoikhoi descent, and although they had been present on the Orange River for some time, they only established themselves permanently north of the river in 1804 when they settled near present-day Danielskuil (Reader's Digest, 1994). |
|------|---|

| | |
|-------------|--|
| Early 1800s | During the early 1800s, frequent droughts forced white farmers from the Cape Colony to move with their livestock across the Orange River to look for better grazing. Initially, these Trekboers first obtained permission from the Cape authorities before departing |
|-------------|--|

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 61 |

| | |
|---|--|
| | across the frontier, however with time, increasing numbers of Trekboers moved across this river into the Transorangia (as it became known) without any prior permission (Schoeman, 1980). |
| Early 1836 | The first Voortrekker party of some 70 wagons crossed over the Orange River during early 1836. More groups followed and in terms of the surroundings of the study area, established themselves along the Vet River (Schoeman, 1980). Meintjies (1973) mentions that a Voortrekker party under Hendrik Potgieter arrived along the Vet River during this time. The grazing around the Vet River was not enough for all the livestock and animals of the Voortrekkers, so they split into smaller groups with one group establishing itself in May 1836 at Blaauwdrift, on the Zand River. Apart from this historic event, the closest known tangible evidence for the Voortrekkers was a fort which they built on the northern bank of the Zand River on the farm Du Preez Leger. |
| 1837 - 1843 | In 1841 the town of Winburg was established on the banks of the Vet river. After the annexation of Natal by the British in 1843 and the subsequent dissolution of the Voortrekker Republic of Natalia, Winburg became the capital of the Voortrekkers in what is today known as the Free State (Erasmus, 2004). Winburg is located 84 km south-west of the study area. On 10 October 1968, an extensive Voortrekker Monument was opened near Winburg (www.artefacts.co.za). |
| |  |
| | <i>Figure 54 – Depiction of an ox wagon crossing a river during the Great Trek (Reader's Digest, 1994:116).</i> |
| The Mid to Late Nineteenth Century | |
| 3 February 1848 | The Orange River Sovereignty was proclaimed over the Transorangia by Great Britain and had its capital at the newly established town of Bloemfontein (www.wikipedia.org). The sovereignty came about after one-sided agreements that favoured the British Government had been reached between Great Britain on the one hand and King Moshesh of the Basotho and Adam Kok III of the Griqua on the other. Those Voortrekkers present in the Transorangia were completely by-passed by these agreements, which led to serious dismay and disappointment amongst them. In terms of the surroundings of the study area, the response of the Voortrekkers was to force the British magistrate at Winburg, one Thomas Biddulph, out of town and proclaim the Republic of Winburg (Reader's Digest, 1994). |
| 16 January 1852 | On 16 January 1852 the Sand River Convention was signed between the British Government and the Transvaal Boers. The British Government was represented by British Assistant Commissioners W.S. Hogge and C.M. Owen, whereas the Transvaal Boers were under the leadership of the Voortrekker hero of Blood/Ncome River, General Andries Pretorius. This convention formally recognised the existence and independence of the Boer Republic north of the Vaal River by the British Government. As a result, this agreement |

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 62 |

| | |
|---------------------------------|---|
| | <p>allowed for the creation of a Boer Republic, namely the <i>Zuid-Afrikaansche Republiek</i> (South African Republic) (Oberholster, 1972). The <i>Zuid-Afrikaansche Republiek</i> remained in existence until the end of the South African War in 1902.</p> <p>The site where the signing of the convention took place, was declared a monument and for many years was marked by a stone cairn and plaque (Oberholster, 1972). The present condition of the monument is not known.</p> <p>The site is located near the bridge where the N1 highway passes over the Sand River.</p> |
| 23 February 1854 | <p>The Orange River Convention was signed by representatives of Great Britain and the Boers, and resulted in the proclamation of the Boer Republic of the Orange Free State. The convention was signed at Bloemfontein (www.wikipedia.org).</p> <p>As with the proclamation of the Sovereignty, the Orange River Convention was again one-sided and did not obtain the blessing or inputs of all the major role-players in the Free State. While the Voortrekkers were excluded in 1848, the signing of the Orange River Convention in 1854 did the same to the Basotho and Griqua.</p> <p>For the next 48 years, the study area fell within the boundaries of the Boer Republic of the Orange Free State.</p> <p>Incidentally, the Orange River Convention is sometimes referred to as the Bloemfontein Convention.</p> |
| 1872 | <p>The town of Ventersburg was laid out on the farm Kromfontein in 1872. Kromfontein had originally belonged to one of the early Voortrekker leaders, namely Field-Cornet P.A. Venter. After his death in 1857, his son B.G. Venter allowed church services to be held in his father's homestead. The second Gereformeerde (Dopper) church north of the Orange River was also established at Kromfontein in 1859.</p> <p>The use of the farm for church services led to the establishment of a town. The new town was named after Field-Cornet P.A. Venter, and formal proclamation for Ventersburg took place in 1876 (Erasmus, 2004).</p> <p>Ventersburg is located 60 km south-east of the present study boundaries.</p> |
| 1890 | <p>Erasmus (2004) states that two American engineers were responsible for the original survey of sections of the proposed railway line between Bloemfontein and Johannesburg. On the farm Merriespruit they chiselled the name 'Virginia' on a boulder, presumably in honour of the American State of Virginia. When the railway line was built a few years later, the nearby railway siding was named Virginia and some years later, in 1954, the town of Virginia was also established.</p> <p>The exact position of the chiselled boulder, if it still exists today, is not presently known.</p> |
| Early 1890s | <p>The railway line between Bloemfontein and Johannesburg was built during the early 1890s, and eventually reached Johannesburg during September 1891 and Pretoria in January 1892 (Schoeman, 1980). In terms of the study area, this railway line passed to its east and in this area was built from Smaldeel (present day Theunissen) to Theron, Welgelegen and Virginia.</p> |
| 9 November 1892 – 1899 | <p>The Driekopjes Diamond Mining Company was registered. One of the founding directors of the company was the man who would become synonymous with South African diamond mining and diamonds, Sir Thomas Major Cullinan.</p> <p>The "Driekopjes" in the name of the company referred to a farm of that name north-west of Kroonstad, where diamond mining was taking place. In June 1894 the Driekopjes Diamond Mining Company also acquired an interest in the farm Welgegund from the Van Rensburg Diamond Mining Syndicate. The farm Welgegund was located within the study area, and is presently known as the farm Driekoppies 422. No information could be found on this syndicate. However, the fact that the Driekopjes Company acquired an interest from the Van Rensburg syndicate, suggests that diamond prospecting and possibly mining activities had taken place within the surrounding region before this transfer took place.</p> |

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 63 |

| | |
|--|---|
| | <p>A large number of diamonds were subsequently recovered from Welgegund. However all mining activities came to a halt with the South African War (1899 – 1902) (Helme, 1974).</p> |
| Mid 1890s | <p>During the mid 1890s two men arrived on the farm Aandenk to undertake prospecting work. Alexander Edward King Donaldson was a prospector and his associate Herbert Hinds an engineer. They excavated an 18-meter-deep shaft and took samples from their excavations for further testing and analysis. On their return journey to England, both men died when their ship, the Drummond Castle, wrecked at Ushant off France, and with it the samples they had brought from the Free State (www.sahra.org.za) (Felstar Publishers, 1968).</p> <p>The activities of these two men laid the foundation for the discovery and development of the Free State Goldfields. The farm Aandenk is located immediately south of Allanridge today.</p> |
| The South African War (1899 – 1902) | |
| <p>The discovery of diamonds and gold in the northern provinces between 1867 and 1886 had very important consequences for South Africa. After this discovery, the British, who at the time had colonized the Cape and Natal, had intentions of expanding their territory into the northern Boer republics. This led to the Anglo-Boer War (Du Preez 1977).</p> <p>The South African War was fought between the Boer Republics of the Transvaal and Free State on the one side and Great Britain on the other, but is referred to as the South African War as the victims and participants of the war were not excluded to Britain or Boer alone.</p> <p>As will be discussed in more detail below, the march of Lord Roberts from Bloemfontein to Pretoria in May and June 1900 was especially significant in terms of the study area. In particular, the so-called Battle of Zand River (7 – 10 May 1900) was fought in the surroundings of the study area.</p> | |
| 13 March 1900 – 6 May 1900 | <p>Bloemfontein, the capital of the Boer Republic of the Orange Free, was occupied by the British Army under Lord Roberts on 13 March 1900. The Boer Republic of the Orange Free State was renamed the Orange River Colony. President M. T. Steyn declared Kroonstad the new capital of the Free State government. It simultaneously became the organizing center for retreating Boer commandos.</p> <p>With the Republican forces of the Transvaal and Free State retreating northwards from Bloemfontein, Lord Roberts's eyes drifted further north, where the greatest prize of the war lay waiting, Pretoria. Lord Roberts and his staff strongly believed that once the capital of the <i>Zuid-Afrikaansche Republiek</i> fell, the war would be over.</p> <p>However, the success of the British Army required all focus on the immediate front, as the land between Bloemfontein and Pretoria was bisected by a myriad of rivers, dongas and hills, all strategically significant obstacles from where the Boer forces could implement a solid defence. The Boer forces standing between Lord Roberts and Transvaal capital were estimated by British Intelligence to comprise two main groups namely a force of between 5 000 to 6 000 burghers with 18 guns under General Louis Botha and a similarly large force in the surroundings of Kroonstad (Maurice & Grant, 1906).</p> <p>After departing from Bloemfontein, Lord Roberts's force was involved in a couple of successful actions on their way to Pretoria, including Brandfort (3 May 1900) and Vet River (4 - 6 May 1900). With the successful conclusion of the battle of Vet River, Lord Roberts and almost his entire army crossed over the river successfully, and by the evening of 6 May 1900 bivouacked at the small railway siding known as Smaldeel. The town of Theunissen is located here today (Maurice & Grant, 1906).</p> <p>A short distance to the north lay the next, and far more daunting, obstacle on Lord Roberts's march to Pretoria, the Zand (or Sand) River. It was here, at this river, that General Louis Botha, the commanders-in chief of the Transvaal republican forces, was determined to halt Lord Roberts's march on Pretoria.</p> |

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 64 |

Kroonstad remained the Free State capital until 11 May 1900, when the British were victorious at Zand River. Kroonstad remained in British hands for the rest of the war, and housed concentration camps for both Boer civilians and black people (Pretorius 2010: 225-226).



Figure 55 – Lord Frederick Sleight Roberts (left) and General Louis Botha (right). These two officers commanded the opposing forces at the Battle of Zand River (Changuion, 2001:77 & 117).

7 – 10 May 1900

On 7 May 1900 a reconnaissance of the Zand River by General Edward Hutton indicated that the northern bank of the river was held by a force of roughly 6 000 Boers supported by two heavy and eight light pieces of artillery. These estimates provided by General Hutton allowed Lord Roberts to draw up a battle plan (Maurice & Grant, 1906).

On the 9th of May 1900, Lord Roberts moved his army forward and established his headquarters at the Welgelegen Station. The movement of the British Army under Lord Roberts from a position a short distance south of the study area at Smaldeel to a position a short distance east of it, suggests that the main component of Lord Roberts's force followed the railway line and in this way skirted around the region.

Lord Roberts's battle plan focussed on securing significant drifts that provides safe crossing of his infantry over the Zand River, and especially so Junction Drift, Merriespruit, Du Preez Leger Drift (located where the bridge on the road between Theunissen and Welkom crosses the river) and De Klerks Kraal Drift. For the purposes of this discussion, the events associated with the latter two of these drifts will be discussed in more detail below.

On the morning of 9 May 1900, Lieutenant-Colonel Thomas William Porter with the 1^s Cavalry Brigade departed from Smaldeel to reconnoitre the two drifts at Du Preez Leger and De Klerks Kraal. They were assisted in this task by Major-General J.B.B. Dickson with the 4th Cavalry Brigade.

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 65 |

| | |
|--|---|
| | <p>Meanwhile, at 11 am, Major-General John French with his advance guard reached Kalkoenkrans. At Kalkoenrkans, French received word from the reconnaissance units on the river that the Du Preez Leger Drift was not held by the enemy. Seizing the opportunity to outflank the Boer positions, French immediately ordered a squadron of the Scots Greys forward to take possession of the drift, and ordered the remainder of the 1st Cavalry Brigade to follow and assist in this task. The 4th Cavalry Brigade was left at Kalkoenkrans in support. By 15h30 that afternoon the Du Preez Leger Drift was occupied by the British force, with the De Klerks Kraal Drift was taken shortly thereafter. Incidentally, the other significant drifts on the river had also been taken with similar ease.</p> <p>On the morning of 10 May 1900, Lord Roberts's army advanced on the river. On its left flank General French with the 1st Cavalry Brigade, the 4th Cavalry Brigade as well as Hutton's Mounted Infantry, crossed over the Du Preez Leger Drift from where they moved in a north-eastern direction. On the left centre of the front, the 3rd Cavalry Brigade and Henry's Mounted Infantry crossed over the drift at the railway line in proximity to present-day Virginia. The northern bank was occupied by 8 am that same morning.</p> <p>The crossing of the drifts further to the east was achieved with more difficulty, but the northern banks were also occupied a mere half an hour after the crossing over the Merriespruit Drift near the railway line.</p> <p>This meant that Lord Roberts's front comprising cavalry and mounted infantry units had successfully crossed over the Zand River early on the morning of 10 May 1900, without meeting any significant resistance. However, the fortunes of war were about to change for Lord Roberts.</p> <p>A patrol sent out by General French ran into a large Boer force of between 2 000 and 3 000 burghers moving down onto the centre of Lord Roberts's front at the Virginia Station. French ordered an attack by one squadron each from the 6th Inniskilling Dragoons, Scots Greys and Australian Horse and two troops from the 6th Dragoon Guards (Carabiniers). Their attack was focussed on the centre of the advancing Boer force on a ridge located on the farm Vredes Verdrag. Suffice to say that the battle raged for some time and the outcome was not at all clear until 14h00 that afternoon when the Boers abandoned the field of battle, allowing the British to occupy the ridge and proceed forward (Maurice & Grant, 1906).</p> <p>Further battles and actions took place to the east, near Junction Drift. However, by the afternoon of 10 May 1900, all the drifts had been successfully cleared and occupied to allow for the crossing of the Zand River by Lord Roberts's infantry (Maurice & Grant, 1906).</p> |
|--|---|

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 66 |





Figure 56 – Lord Roberts’s infantry crossing the Zand River at the conclusion of the Battle of Zand River. This photograph was in all likelihood taken during the afternoon of 10 May 1900, after all the significant drifts across the river had been cleared by the cavalry and other units. The crossing and surrounding landscape are monitored by an observation balloon (see top right). It is not possible to identify the exact drift where this crossing took place, although the remnants of a bridge foundation structure can be seen in the river bed (Raath, 2007:351).

| | |
|-------------|---|
| 10 May 1900 | <p>In a last ditch attempt to halt the British advance through the Free State, the Boer leaders decided to entrench themselves on both sides of the railway line along a ridge known as Boschrand some six miles south of Kroonstad. This strong position was supported by artillery as well. However, Lord Roberts acquired intelligence on 10 May 1900, which informed him of the strong Boer position at Boschrand. In an attempt to outflank the Boer position and at the same time place more pressure on the Boer forces and their leaders, Lord Roberts ordered General French and his cavalry to flank around Boschrand and Kroonstad, and destroy the railway line leading north out of town. Lord Roberts’s intention with this manoeuvre was to trap the majority of the Boer artillery, goods and ammunition in the town.</p> |
| 11 May 1900 | <p>Early on the morning of 11 May 1900, General French and his cavalry started on their journey to outflank the Boer position. However, he became bogged down by the Boer defenders to the west of Kroonstad, and was unable to push forward. Nonetheless, the destruction of the railway was successfully executed that evening by a small force of 50 hand-picked men of the 1st Cavalry Brigade and eight mounted Sappers, all under the command of Major A.G. Hunter-Weston and assisted by an American scout named F.R. Burnam (Maurice & Grant, 1906).</p> |



| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 67 |

| | |
|-------------|---|
| | <p>Meanwhile, on the morning of 11 May 1900, Lord Roberts's forces moved slowly forward toward Kroonstad, until their advance was halted by the Boer position at Boschrand. An artillery duel ensued between the British artillery forming part of Lord Roberts's advance and the Boer artillery ensconced at Boschrand. The artillery duel lasted until sunset, and the infantry units at the front of Lord Roberts's forces bivouacked below Boschrand while Lord Roberts established his headquarters at Geneva Station.</p> <p>That evening, the Boer positions at Boschrand and Kroonstad were evacuated and the Boer armies retreated further north (Maurice & Grant, 1906).</p> |
| 1900 - 1902 | <p>After the fall of Pretoria on 5 June 1900 and the subsequent battles of Diamond Hill (11-12 June 1900) and Bergendal (21-27 August 1900), the Boer generals decided that the only way to proceed with the war would be the implementation of a completely different strategy, a strategy based on mobility by using smaller commandos to attack and harass the British on all fronts in what was to become known as guerrilla warfare. This style of warfare had significant successes, and extended the war for nearly another two years. However, these successes also came with significant losses as the war increasingly dragged the civilian population of the Boer Republics into the carnage of war.</p> <p>No skirmishes or battles associated with the guerrilla war are known from within the study area or its immediate surroundings. This said, the study area and surroundings, as with almost the entire South Africa, experienced the effects of guerrilla warfare. For example, after reports had been received that the Boer commandoes were using Ventersburg as a storage place for food, Major-General Bruce Hamilton was ordered to burn a number of houses in town.</p> <p>Furthermore, in retaliation to the new form of warfare, the British High Command devised a strategy of building extensive blockhouse lines across the country as a way of hindering the mobility of the Boer commandoes. By December 1900, earth and stone blockhouses had been built at a number of places along the main railway line between Bloemfontein and Pretoria, including at Boschrand and Holfontein stations.</p> <p>Shortly thereafter, a number of key positions along the railway line in proximity to Kroonstad were further fortified. A soil defensive structure was erected at Boschrand while a hexagonal fort was built at Holfontein. Between December 1900 and early 1901, a number of stone blockhouses were also erected in proximity to Kroonstad, including two such stone blockhouses built by contractors at Holfontein. From early 1901 onward, the existing soil and stone defensive works along the railway line between Kroonstad and Bloemfontein were replaced by stone and corrugated iron blockhouses. For example, the non-permanent defensive works at Boschrand were replaced by a Rice-type blockhouse (Hattingh & Wessels, 1997).</p> <p>Lord Kitchener, in particular, also implemented a strategy that was to become known as scorched earth whereby Boer farms were burnt to the ground and the civilian population (both white and black) remaining on these farms forced into concentration camps. Untold hardship ensued in these camps, and many women and children died as a result of exposure, inadequate nutrition and poor medical facilities.</p> <p>While their exact localities are not known, these camps were situated along the railway line at the following stations: Holfontein, Geneva and Boschrand. It is worth noting that Campbell (1995) indicates that the</p> |

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 68 |

| | |
|--|---|
| | <p>latter two camps were two of the three largest camps during the war, and with Honing Spruit housed a combined population of an incredible 7 000 people. The closest two white concentration camps were located at Kroonstad (west of the study area) and Winburg (south of the study area) (www.angloboerwar.com).</p> |
| The Early Twentieth Century (1902 – 1913) | |
| 1904 | <p>After the South African War, renewed efforts were made to carry out gold prospecting work in the area. In 1904, a prospector named Archibald Megson arrived on the farm Aandenk, and the farmer showed him the trench where Donaldson and Hind had looked for gold. Megson opened up the old trench and continued with the excavations. At a depth of 30 meters, he found indications of gold and took a number of samples. Megson returned to Johannesburg with his samples and attempted to gain the interest of various mining houses and investors on the rand. However, with the rapid development and expansion of the Witwatersrand gold mining industry attracting all of the attention, no one seemed interested in possible gold discoveries so far away from Johannesburg (www.sahra.org.za).</p> |
| |  |
| | <p><i>Figure 57 – Archibald Megson standing in the prospecting trench on the farm Aandenk (Felstar Publications, 1968).</i></p> |
| August 1907 | <p>In August 1907, the town of Theunissen was proclaimed. This proclamation followed on a petition by farmers living in proximity to Smaldeel Siding. The town was named in honour of Commandant Helgaardt Theunissen, who led the petition and had also been the leader of the local commando during the South African War. The town of Theunissen became a municipality in 1912 (Erasmus, 2004).</p> |
| The Boer Rebellion (1914 – 1918) | |
| <p>At the end of the South African War (1899 – 1902), the Transvaal and Orange Free State republics lost their independence to the British Empire. In 1910, the Union of South Africa was established consisting of the Cape Colony, Natal, the Transvaal Colony and the Orange River Colony. General Louis Botha was appointed the Union's first prime minister and believed that South Africa's future would be best served as part of the British Commonwealth. In 1914, the South African government under General Louis Botha decided to assist Great Britain in its war with Germany. A number of Boer leaders were not happy about this turn of events, and when General Koos de la Rey was killed at a roadblock in Johannesburg, emotions reached a boiling point and rebellion broke out across the former Boer republics. This rebellion saw more than 11 000 Boer men under the leadership of some of the former Boer War generals such as De Wet, Maritz, Kemp and Beyers rebelling against the South African government and its armed forces under the leadership of former Boer War generals Louis Botha and Jan Smuts.</p> | |

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 69 |

| | |
|--|---|
| 16 November 1914 | <p>In terms of the study area, the most notable event relating to the Boer Rebellion was the battle that occurred between the commando of General De Wet and the Government forces under the command of Colonel Enslin at the Virginia railway station on 16 November 1914. This battle followed on the defeat of De Wet's rebels at Mushroom Valley, south-east of Winburg, at the hands of General Louis Botha. De Wet and 2 000 rebels managed to escape from Mushroom Valley and followed the railway line north-eastwards towards the Virginia Station on the Zand River. De Wet wanted to cross over the railway line, and as a result, a fight ensued with Colonel Enslin's forces stationed at Virginia Station. General De Wet suffered a number of casualties and 50 of his men were also taken prisoner. After the battle, De Wet and his men followed the Zand River in a western direction and crossed over the river into the Transvaal Colony in proximity to Hoopstad (Union of South Africa, 1916).</p> |
| | <div style="display: flex; justify-content: space-around;">   </div> <p><i>Figure 58 –The hardships experienced by General C.R. de Wet during the rebellion can be seen on these photographs. The one on the left shows De Wet shortly after the South African War (Van Schoor, 2007) with the image on the right depicting the general in the Bloemfontein prison after his capture late in 1914 (Raath & Langner, 2014:119).</i></p> |
| The Remainder of the Twentieth Century (1915 – Present Day) | |
| 1929 - 1933 | <p>Nearly 25 years after finding the first indications of gold on the farm Aandenk, Archibald Megson finally managed to raise the interests of possible investors in Johannesburg. In 1929, during a chance encounter with Joseph Freedman, Megson found a more welcoming response. Freedman introduced the prospector to Johannesburg attorney, Emmanuel Jacobson, and his friend Allan Roberts, a dental technician. Despite being interested in what the prospector had to say, it took almost four years before Jacobson, Roberts and Megson travelled to the Free State (Shorten, 1970).</p> <p>Allan Roberts, who was an amateur prospector, was able to trace a conglomerate outcrop all along the farm Aandenk, and incorrectly identified it as part of the Upper Witwatersrand series. The two friends returned to Johannesburg and formed a syndicate comprising themselves, F.L. Marx, Dr. E.B. Woolf, Samuel Potter and Joseph Freedman. Freedman represented the interests of the old prospector Archibald Megson in the syndicate (Shorten, 1970).</p> <p>The syndicate acquired prospecting options on 31 farms in the area and the company Wit. Extensions Limited was established by the syndicate.</p> |

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 70 |

| | |
|-------------|---|
| | <p>On 23 October 1933, drilling commenced at a point roughly 80 m from Megson's trench on the same farm Aandenk. However, by February 1935 the drilling work had to be halted due to a lack of funds without any evidence for gold-bearing reefs identified. Many years later, it was estimated that if the two friends had only managed to deepen the hole by another 400 feet, they would have become very rich men and the discoverers of the Free State goldfields. Sadly, this was not to be their fate. Allan Roberts died in such poverty in 1939 and his friends had to pay for his funeral whereas Emmanuel Jacobson had to sell all his assets to survive (Shorten, 1970). Today, the town of Allanridge (named after Allan Roberts) and a monument to the west of the road between Welkom and Bothaville are all that is left of the dreams and expectations of these two mining pioneers.</p> |
| | <div data-bbox="690 632 1052 1104" data-label="Image"> </div> <p><i>Figure 59 - The first gold prospecting borehole in the Free State was sunk on the farm Aandenk between October 1933 and February 1935. The arrows indicate the positions of Allan Roberts and his wife (Felstar Publications, 1968:11).</i></p> |
| <p>1935</p> | <p>After the failure of Wit. Extensions Limited, an agreement was reached with the Anglo-French Exploration Company to continue prospecting work at Aandenk. However, instead of continuing deeper on the same borehole, the Anglo-French Exploration Company decided to rather deflect the borehole and no results were achieved. It was later estimated that if either one of these companies had deepened the borehole by only another 400 feet, payable gold would have been discovered (Shorten, 1970).</p> <p>The agreement between Wit. Extensions Limited and Anglo-French Exploration Company came to an end and the famous geologist Dr. Hans Merensky acquired an interest in Wit. Extensions Limited. He subsequently carried out extensive prospecting work including the drilling of further boreholes. However, even these more extensive attempts by Merensky to find the Free State goldfields also failed (Shorten, 1970). Machens (2009) indicates that when news broke that the famous discoverer of inter alia South Africa's platinum reserves owned options in a company working on the Free State goldfields, the interest from investors and mining companies to this part of the Free State was further awakened.</p> |

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 71 |



Figure 60 –The famous geologist Dr. Hans Merensky, who had his role to play in the discovery of the Free State goldfields (Machens, 2009).

| | |
|---|---|
| <p>1 February 1937 – April 1939</p> | <p>After failing to discover any payable gold, Merensky sold his shares in Wit. Extensions to the Anglo American Corporation, who on 1 February 1937 established the West Rand Investment Trust. The trust also carried out an extensive drilling operation. The activities and interest of the Anglo American Corporation in this part of the Free State attracted the interest of other mining houses and investment companies, and prospecting options were taken out on a large number of farms from this area (Shorten, 1970).</p> <p>Despite all this interest, the first payable gold in the Free state was only identified in March 1939 during drilling operations by the African and European Investment Company on the farm Uitsig at a depth of 2 701 feet (Felstar Publishers, 1968). One month later, during April 1939, another discovery of payable gold was made on the farm St. Helena at a depth of 1 143 feet (Shorten, 1970).</p> <p>The discoveries of payable gold at Uitsig and St. Helena created significant excitement amongst mining companies and investors, and increasing numbers of prospecting options and eventually mines were acquired and developed. The Free State gold rush had begun.</p> |
| <p>1941</p> | <p>The first gold mining lease in the Free State was granted by the government of the Union of South Africa for the farm St. Helena in 1941, and the St. Helena Gold Mining Company was established to mine and develop the property (Felstar Publishers, 1968). A number of other gold mining companies were also established in a relatively short spate of time, including the Welkom Gold Mining Company, President Steyn Gold Mining Company and the President Brand Gold Mining Company.</p> |



Figure 61 –The first mine shaft ever sunk along the Free State goldfields, namely the No. 3 Incline Shaft at the St. Helena Gold Mine (Felstar Publishers, 1968:151).

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 72 |

| | |
|---------------------------------|--|
| 16 April 1946 | The borehole of the Blinkpoort Gold Syndicate Limited on the boundary of the farms Geduld and Friedenheim, reached payable gold in 1946. On 16 April 1946 it was announced that the gold-bearing material retrieved at a depth of 3 922 feet from this borehole assayed at an impressive 1 252 dwts per ton which was unique in the history of gold prospecting and mining in South Africa, with averages usually in the region of 250 dwts per ton. This discovery led to further interest in the Free State goldfields (Felstar Publishers, 1968). |
| 11 July 1946 – 15 April 1947 | On 11 July 1946 an application was made by the land company of Sir Ernest Oppenheimer's Anglo American Corporation, namely the South African Township and Mining and Finance Corporation, for the establishment of a new town called Welkom. After some legal and procedural processes and debate between the township applicants and its opponents (including the Odendaalsrus Town Council), the application for the establishment of the town of Welkom was approved on 15 April 1947 (Felstar Publishers, 1968). William Backhouse designed the town as a garden city with a commercial centre built around a town square and traffic circles rather than stop streets or traffic lights. More than a million trees were also planted (Erasmus 2014). |
| 1953 | After gold was discovered in the area, Odendaalsrus became a prominent town in the Free State. A railway line was built from Allanridge to Odendaalsrus in 1953 and served the two Freddie's mines (Nienaber et al. 1982). |
| 1954 | Three of the six mines surrounding Welkom had reached production stage by 1954. These were the Welkom, Western Holdings and St. Helena Mines. During the same year, the town of Virginia was laid out on the banks of the Zand River. As indicated elsewhere, the name of this town was derived from the nearby railway station, which in turn was named this after two American engineers working on the line in 1890 had carved the name "Virginia" on a boulder from a nearby hill (Erasmus 2014). |

5.3 Previous heritage impact assessment reports from the study area and surroundings

A search of the South African Heritage Resources Information System (SAHRIS) database revealed that several previous archaeological and heritage impact assessments had been undertaken within the surroundings of the study area. In each case, the results of each study are shown in bold. These previous studies are listed below in descending chronological order:

- **CTS Heritage, 2023. HERITAGE IMPACT ASSESSMENT: Proposed development of the 30MW Harmony Target Solar PV, Allanridge, Free State Province.**

The project area was located approximately 7km north-east of the proposed well location DRossouw_4. No heritage resources of scientific cultural value were identified.

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 73 |

- **Rossouw, L. 2020. Phase 1 Heritage Impact Assessment of the proposed Slovopark residential development. Brandfort, FS Province.**

The project area was located approx. 5.3km north-east of the proposed well location BSteynberg_2. The study area was already heavily transformed by agricultural practices.
- **Van Schalkwyk, J. 2020. New 132kv Power Lines Between The On-Site Substations And The Local Grid Connection For The Proposed Matjhabeng Solar Pv Phase 1 And 2 Development, Odendaalrus Region, Free State.**

The project area was located approx. 13km north-east of the proposed well location DRossouw_4. No sites of cultural significance were identified.
- **Daya, J. 2018. Heritage Impact Assessment for the Prospecting Right and Environmental Authorisation of the Proposed Western Margin Gap West Project, Bothaville, Free State Province, South Africa.**

The project area was located approx. 5.5km north-east of the proposed well location DMinnaar_1. The study area was already heavily transformed by agricultural practices.
- **De Bruyn, C. 2018. Heritage Impact Assessment the prospecting right and environmental authorisation application for Kroonstad South situated in the Free State Province.**

The project area was located in proximity to the proposed well location Tovic_3. A cemetery with several marked and unmarked graves as well as two historical farm houses were found within the project area.
- **Birkholtz, P. 2016. Heritage Study: Proposed Motuoane Hennenman Exploration Right Application.**

The project area was located approximately 4.4km east of the proposed well location Taljaard_7. Three heritage sites were identified These included two cemeteries and a poorly preserved historic farmstead.
- **Van der Walt, J. 2013a. Archaeological Impact Assessment Report for the Proposed Steynsrus (19.5MW) Photovoltaic Plant, Free State Province.**

The project area was located approximately 23km south of the present study area. Six sites of heritage significance were identified during the survey. These included the demolished remains of two residential dwellings and the foundations of a rectangular cattle kraal; A large farm labourer compound; a burial ground with 23 stone packed graves and a site with three stone cairns roughly aligned east to west that might represent graves.

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 74 |

- **Van der Walt, J. 2013b. Archaeological Impact Assessment for the proposed Heuningspruit PV1 and PV2 Solar Energy Facility near Koppies, Free State**
The project area was located approximately 23km north-north-west of the present study area. An informal cemetery was recorded.
- **Van Schalkwyk, J. 2013. Cultural heritage impact assessment for the Upgrade Of A Section Of National Route 1, Between Kroonstad And Ventersburg, Free State Province.**
The project area was located approximately 25km west of the present study area.
- **Rossouw, L. 2012. Phase 1 Heritage Impact Assessment of a Proposed New Solar Facility at Grootspuit 252 near Allanridge, FS.**
The project area was located approximately 3.3km north-east of the proposed well location DRossouw_9. No archaeological or any cultural remains were found at the site.
- **Coetzee, F. 2008. Cultural Heritage Survey of the Proposed Phakisa Housing Development, Welkom, Free State**
The project area was located approximately 14km north-east of the proposed well location DRossouw_8 . No Stone Age or Iron Age settlements, structures, features, or artefacts were recorded during the survey. One site that consisted of a mine shaft and various associated buildings and structures that probably older than 60 years were identified. No impact on the site was envisaged.
- **Dreyer C. 2008. Archaeological and Cultural Heritage Assessment of the Proposed Residential Developments at Matlwantlwang (Steynsrust), Free State.**
The project area was located approximately 24km south of the present study area. No archaeological or any cultural remains were found at the site.

5.4 Heritage Screening

A Heritage Screening Report was compiled using the DFFE National Web-based Environmental Screening Tool as required by Regulation 16(1)(v) of the Environmental Impact Assessment Regulations 2014, as amended. According to the Heritage screening report, the directly affected area has a **low** sensitivity rating (**Figure 2**). **The field work in the study area demonstrates that a burial ground and localities with sandstone boundary markers of heritage significance, warrants conservation.** Therefore, in the case of this study area, the DFFE screening tool sensitivity map is only partly supported based on the findings of this fieldwork. This is most likely is due to the level of disturbance related to agricultural practices in the study area.

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 75 |

5.4.1 Heritage sensitivity

The sensitivity maps were produced by overlying:

- Satellite Imagery;
- Current Topographical Maps;
- First edition Topographical Maps dating from the 1960's.

This enabled the identification of possible heritage sensitive areas around the proposed development area that included:

- Cluster of dwellings (farmsteads),
- Homesteads ("huts") and
- Structures/Buildings.

By superimposition and analysis, it was possible to rate these structure/areas according to age and thus their level of protection under the NHRA. Note that these structures refer to possible tangible heritage sites as listed in **Table 6**.

Table 6 - Tangible heritage site in the study area.

| Name | Description | Legislative protection |
|----------------|------------------------------|--|
| Archaeology | Older than 100 years | NHRA Sections 3 and 35 |
| Structures | Possibly older than 60 years | NHRA Sections 3 and 34 |
| Burial grounds | Graves | NHRA Sections 3 and 36 and MP Graves Act |

5.4.2 Possible Heritage Finds

The evaluation of satellite imagery and the analysis of the studies previously undertaken in the area has indicated that certain areas may be sensitive from a heritage perspective. This combined analysis of satellite imagery and previous heritage studies has assisted in the development of the following landform type to heritage find matrix (**Table 7**)

Table 7 - Landform type to heritage find matrix

| LANDFORM TYPE | HERITAGE TYPE |
|---------------------------|---|
| Crest and foot hill | LSA and MSA scatters, LIA settlements |
| Crest of small hills | Small LSA sites – scatters of stone artefacts, ostrich eggshell, pottery, and beads |
| Water holes/pans/rivers | MSA and LSA sites, LIA settlements |
| Farmsteads | Historical archaeological material |
| Ridges and drainage lines | LSA sites, LIA settlements |

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 76 |

6 FIELDWORK FINDINGS¹

The fieldwork was conducted between 29 November – 3 December 2022 by a geoarchaeologist (Dr Matt Lotter) contracted by PGS. Their movement on site was tracked by GPS and a tracklog map can be seen in **Figure 62 - Figure 68**.

During the fieldwork a total of nine heritage features and resources were identified (**Figure 69**). These consist of one burial ground (**014**), one multi-roomed house (**005; Figure 75**), one stonewalled structure (**004; Figure 78**), two localities with abandoned farm buildings (**001, 002**), two localities with sandstone fence markers (**010, 012; Figure 77**), one locality with old farm equipment (**011; Figure 76**) and an old farm entrance (**018**). See **Figure 69 - Figure 74** and the individual site descriptions as contained in **Appendix C**.

It must be noted that four alternative well locations (waypoints: 003, 015, 016 and 019) were proposed based on various specialist observations.

None of the identified heritage resources were located within proximity of the proposed well sites.

¹ Site in this context refers to a place where a heritage resource is located and not a proclaimed heritage site as contemplated under s27 of the NHRA.

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 77 |




Figure 62 - Fieldwork tracklogs (track in red). See insets below.

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 78 |




Figure 63 - Fieldwork tracklogs Map Inset A.

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 79 |




Figure 64 - Fieldwork tracklogs Map Inset B.

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 80 |




Figure 65 - Fieldwork tracklogs Map Inset C.

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 81 |




Figure 66 - Fieldwork tracklogs Map Inset D.

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 82 |




Figure 67 - Fieldwork tracklogs Map Inset E.

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 83 |



Figure 68 - Fieldwork tracklogs Map Inset F.

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 84 |




Figure 69 - Identified heritage resources within the study area. See insets below.

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 85 |




Figure 70 – Heritage Resources Map Inset A.

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 86 |




Figure 71 - Heritage Resources Map Inset B.

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 87 |




Figure 72 - Heritage Resources Map Inset C.

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 88 |



Figure 73 - Heritage Resources Map Inset D.

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 89 |




Figure 74 - Heritage Resources Map Inset E.

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 90 |



Figure 75 - Multi-roomed house recorded at waypoint 005.



Figure 76 - View of the old farm equipment recorded at waypoint 011.



Figure 77 - View of the sandstone fence markers at waypoint 010.



Figure 78 - View of the stone walled structure at waypoint 004.

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 91 |

7 IMPACT ASSESSMENT

In this section, an assessment will be made of the impact of the proposed well sites on the identified heritage sites. An overlay of all the heritage sites identified during the fieldwork over the proposed development footprint areas was made to assess the impact of the proposed project on these identified heritage sites. This overlay resulted in the following observations:

The following general observations will apply for the impact assessment undertaken in this report:

- The impact assessment rating is based on the rating scale as contained in **Appendix B**.
- Heritage sites assessed to have a low heritage significance are not included in these impact risk assessment calculations. The reason for this is that sites of low significance will not require mitigation. These sites are the two localities with abandoned farm buildings (**001, 002**), one stonewalled structure (**004**), one multi-roomed house (**005**), the old farm equipment (**011**) and the old farm entrance (**018**).
- One burial ground (**014**) and two localities with sandstone boundary/fence markers (**010, 012**) are located more than 200m away from the proposed well sites. As a result, no impact is expected from the proposed development on these sites. This means that no impact assessment will be undertaken for the sites.
- It is necessary to realise that the heritage resources located during the fieldwork do not necessarily represent all the possible heritage resources present within the area. Various factors account for this, including the subterranean nature of some heritage sites. The impact assessment conducted for heritage sites assumes the possibility of finding heritage resources during the project life and has been conducted as such.

The following impact rating tables are based on the proposed well sites within the region.

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 92 |

7.1 Impact assessment table

Implementing the impact assessment methodology as supplied by the SLR, the table below provides a quantitative assessment of the impacts of the proposed project.

Table 8 - Rating of impacts on archaeological resources

| Issue: Destruction or damage to previously unidentified archaeological resources and historical resources. | | |
|---|--|-----------------|
| Phases: Pre-Construction and Construction | | |
| Criteria | Without Mitigation | With Mitigation |
| Intensity | Low | Very Low |
| Duration | Permanent | Permanent |
| Extent | Local | Site |
| Consequence | Medium | Low |
| Probability | Conceivable | Improbable |
| Significance | Low - | Very Low - |
| Additional Assessment Criteria | | |
| Degree to which impact can be reversed | Irreversible impact. | |
| Degree to which impact may cause irreplaceable loss of resources | Heritage resources are irreplaceable. However, the implementation of a chance finds protocol will enable the monitoring and where required documentation of such resources. | |
| Degree to which impact can be avoided | High | |
| Degree to which impact can be mitigated | There is significant scope for mitigation as per the recommended mitigation measures in Section 8 below. | |
| Cumulative Impacts | | |
| Nature of cumulative impacts | The extent that the addition of this project will have on the overall impact of developments in the region on heritage resources. | |
| Extent to which a cumulative impact may arise | Unlikely. However, until a regional detailed study is commissioned by SAHRA. No further mitigations measures can be proposed other than those already recommended for the site-specific mitigation of sites in this report. | |
| Rating of cumulative impacts | Without Mitigation | With Mitigation |
| | | |
| Residual impacts | Due to the nature of heritage resources, subsurface artefact deposits are possible and can be exposed during construction activities. However, with the implementation of the approved mitigation measures as confirmed by SAHRA such finds can be successfully mitigated. | |

8 MANAGEMENT RECOMMENDATIONS AND GUIDELINES

The following section must be read in conjunction with **Table 10** of this report.

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 93 |

8.1 Construction and operational phases

The project will encompass a range of activities during the construction phase, including ground clearance and small-scale infrastructure development associated with the project.

It is possible that cultural material will be exposed during construction and may be recoverable, keeping in mind delays can be costly during construction, and as such must be minimised. Development surrounding infrastructure and construction of facilities results in significant disturbance, however holes do offer a window into the past and it thus may be possible to rescue some of the data and materials.

During the construction phase, it is important to recognize any significant material being unearthed, making the correct judgment on which actions should be taken. It is recommended that the following chance find procedure should be implemented.

8.2 Chance finds procedure

- An appropriately qualified heritage practitioner / archaeologist must be identified to be called upon in the event that any possible heritage resources or artefacts are identified.
- Should an archaeological site or cultural material be discovered during construction (or operation), the area should be demarcated, and construction activities halted.
- The qualified heritage practitioner / archaeologist will then need to come out to the site and evaluate the extent and importance of the heritage resources and make the necessary recommendations for mitigating the find and the impact on the heritage resource.
- The contractor therefore should have some sort of contingency plan so that operations could move elsewhere temporarily while the materials and data are recovered.
- Construction can commence as soon as the site has been cleared and signed off by the heritage practitioner / archaeologist.

8.3 Possible finds during construction

The study area occurs within a greater historical and archaeological site as identified during the desktop and fieldwork phase. Soil clearance for infrastructure as well as the proposed reclamation activities, could uncover the following:

- Historical structures and foundations
- Unmarked burial grounds and graves

8.4 Timeframes

It must be kept in mind that mitigation and monitoring of heritage resources discovered during construction activity will require permitting for collection or excavation of heritage resources and

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 94 |

lead times must be worked into the construction time frames. **Table 9** gives guidelines for lead times on permitting.

Table 9: Lead times for permitting and mobilisation

| Action | Responsibility | Timeframe |
|--|---|-----------|
| Preparation for field monitoring and finalisation of contracts | The contractor and service provider | 1 month |
| Application for permits to do necessary mitigation work | Service provider – Archaeologist and SAHRA | 3 months |
| Documentation, excavation and archaeological report on the relevant site | Service provider – Archaeologist | 3 months |
| Handling of chance finds – Graves/Human Remains | Service provider – Archaeologist and SAHRA | 2 weeks |
| Relocation of burial grounds or graves in the way of the development | Service provider – Archaeologist, SAHRA, local government and provincial government | 6 months |

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 95 |

8.5 Heritage Management Plan for EMPr implementation

Table 10: Heritage Management Plan for EMPr implementation

| Area and site no. | Mitigation measures | Phase | Timeframe | The responsible party for implementation | Monitoring Party (frequency) | Target | Performance indicators (Monitoring tool) |
|--|---|------------------|---|---|-------------------------------------|--|--|
| General project area | Implement a chance to find procedures in case where possible heritage finds are uncovered. | Construction | During construction | Applicant ECO Heritage Specialist | ECO (monthly / as or when required) | Ensure compliance with relevant legislation and recommendations from SAHRA under Section 34-36 and 38 of NHRA | ECO Monthly Checklist/Report |
| Burial grounds and graves (014) | As the burial ground is more than 200m away from proposed well sites, no impact is expected. However, the burial ground should be retained and avoided with a buffer zone of 50m as per SAHRA guidelines. | Construction | During Construction | Applicant Environmental Control Officer (ECO) Heritage specialist | Monthly | Ensure compliance with relevant legislation and recommendations from SAHRA under Section 36 and 38 of NHRA | ECO Monthly Checklist/Report |
| Historical Structures (001, 002, 004, 005, 018) | As the structures are more than 100m away from proposed well sites, no impact is expected. Therefore, no mitigation is required. | Pre-construction | After the approval of the EA and before construction occurs | Applicant Environmental Control Officer (ECO) Archaeologist | | Ensure compliance with relevant legislation and recommendations from SAHRA under Section 35, 36 and 38 of NHRA | ECO Monthly Checklist/Report |

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 96 |

| Area and site no. | Mitigation measures | Phase | Timeframe | The responsible party for implementation | Monitoring Party (frequency) | Target | Performance indicators (Monitoring tool) |
|--|--|------------------|---|--|------------------------------|--|--|
| Historical Objects (011) | As the farm equipment is located more than 100m away from proposed well sites, no impact is expected. Therefore, no mitigation is required. | Pre-construction | After the approval of the EA and before construction occurs | Applicant Environmental Control Officer (ECO) Archaeologist | | Ensure compliance with relevant legislation and recommendations from SAHRA under Section 35, 36 and 38 of NHRA | ECO Monthly Checklist/Report |
| Boundary/Fence Markers (010, 012) | As the boundary markers are located more than 200m away from proposed well sites, no impact is expected. Therefore, no mitigation is required. | Pre-construction | After the approval of the EA and before construction occurs | Applicant Environmental Control Officer (ECO) Archaeologist | | Ensure compliance with relevant legislation and recommendations from SAHRA under Section 35, 36 and 38 of NHRA | ECO Monthly Checklist/Report |

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 97 |

9 CONCLUSIONS AND RECOMMENDATIONS

During the fieldwork a total of nine heritage features and resources were identified. These consist of one burial ground (014), one multi-roomed house (005), one stonewalled structure (004), two localities with abandoned farm buildings (001, 002), two localities with sandstone fence markers (010, 012), one locality with old farm equipment (011) and an old farm entrance (018).

None of the identified heritage resources were located within proximity of the proposed well sites.

9.1 Historical Structures

Two localities with abandoned farm buildings (001, 002), which are located further than 200m away of a proposed well, were rated as having **low heritage significance**.

One (1) stonewalled structure (004), which are located further than 200m away of a proposed well, were rated as having **low heritage significance**.

One multi-roomed house (005) which is located further than 100m away of a proposed well, was rated as having **low heritage significance**.

An old farm entrance (018) which is located further than 200m away of a proposed well, was rated as having **low heritage significance**.

9.2 Historical Objects

One locality with old farm equipment (011) which is located further than 100m away of a proposed well, was rated as having **low heritage significance**.

9.3 Boundary/Fence Markers

Two localities with sandstone blocks (010, 012), which are located further than 200m away of a proposed well, were rated as having **medium heritage significance**.

9.4 Burial grounds and graves

One (1) burial ground (014) was rated as having **high heritage significance**; however, it is located a considerable distance (>200m) from a proposed well.

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 98 |

9.5 Mitigation measures

Mitigation measures are described in **Table 10** of this report.

9.6 General

It is the author's considered opinion that the overall impact on heritage resources will be **Low**. Provided that the recommended mitigation measures are implemented if chance finds are unearthed within the project area, the impact would be acceptably low or could be totally mitigated to the degree that the project could be approved from a heritage perspective. The management and mitigation measures as described in **Section 8** of this report have been developed to minimise the project impact on possible heritage resources.

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 99 |

10 REFERENCES

10.1 Published References

- Bergh, J.S. 1999. Geskiedenisatlas van Suid-Afrika: die Vier Noordelike Provinsies. Van Schaik, Pretoria.
- Birkholtz, P. 2016. Heritage Study: Proposed Motuoane Hennenman Exploration Right Application.
- Burger, J. A. 1985. Ned. Geref. Gemeente Steynsrus 75 (1910-1985): die wel en wee van 'n Vrystaatse Gemeente. Steynsrus: Kerkraad Ned. Geref. Kerk Steynsrus.
- Coplan, D. B. 2008. A measure of civilisation: Revisiting the Caledon valley frontier. *Social Dynamics: A journal of African studies*, vol. 26:2, pp. 116-153.
- Changuion, L. *Silence of the Guns: The History of the Long Toms of the Anglo-Boer War*. Protea Book House, Pretoria.
- Coetzee, F. 2008. Cultural Heritage Survey of the Proposed Phakisa Housing Development, Welkom, Free State
- CTS Heritage, 2023. HERITAGE IMPACT ASSESSMENT: Proposed development of the 30MW Harmony Target Solar PV, Allanridge, Free State Province.
- Daya, J. 2018. Heritage impact Assessment for the Prospecting Right and Environmental Authorisation of the Proposed Western Margin Gap West Project, Bothaville, Free State Province, South Africa.
- De Bruin, J. C. 1960. *Hennenman ('n Gedenkboek)*. Hennenman: Volkskool.
- De Bruyn, C. 2018. Heritage Impact Assessment the prospecting right and environmental authorisation application for Kroonstad South situated in the Free State Province.
- De Kock, M. G. W. 1985. *Gister is Verby! 1910-1985: Verhaal van die Ned. Geref. Gemeente Theunissen*. P.p 11 – 24.
- De Ruiter, D.J., Churchill, S.E., Brophy, J.K. and Berger, L.R. 2011. Regional Survey of Middle Stone Age Fossil Vertebrate Deposits in the Virginia-Theunissen area of the Free State, South Africa in *Navorsing van die Nasionale Museum*, vol. 27, part 1.
- Deacon, H.J. & J. Deacon. 1999. *Human Beginnings in South Africa: Uncovering the Secrets of the Stone Age*. David Philip Publishers. Cape Town.

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 100 |

- Dreyer, J.J.B. 1990. The Iron Age Prehistory of the Winburg Area, Orange Free State. Unpublished MA Dissertation, University of the Witwatersrand.
- Dreyer C. 2008. Archaeological and Cultural Heritage Assessment of the Proposed Residential Developments at Matlwantlwang (Steynsrust), Free State.
- Du Preez, S. J. Peace attempts during the Anglo Boer War until March 1901. Magister Artium thesis in History. Pretoria: University of Pretoria.
Geskiedenisatlas van Suid-Afrika. Die vier noordelike provinsies. Edited by J. S. Bergh. 1999. Pretoria: J. L. van Schaik Uitgewers
- Duncan, P. 1915. Report of the Select Committee on Rebellion (SC1 '15) Cape Town, House of Assembly.
- Erasmus, B.J. 2004. On Route in South Africa. Jonathan Ball Publishers, Johannesburg.
Felstar Publishers. 1968. Welkom: Capital of the Orange Free State Goldfields. Felstar Publishers (Pty) Ltd, Johannesburg.
- Fourie, W. 2008b. Archaeological Impact Assessments within South African Legislation in South African Archaeological Bulletin, 63(187): 77 – 85.
- Helme, N. 1974. Thomas Major Cullinan: A Biography. McGraw-Hill Book Company, Johannesburg.
- Huffman, T.N. 2007. Handbook to the Iron Age: The archaeology of Pre-Colonial Farming Societies in Southern Africa. University of KwaZulu-Natal Press, Scottsville.
- Johnson, J.P. 1910. Geological and Archaeological Notes on Orangia. Longmans, Green & Company, London.
- Kuman K & R. J. Clarke. 1986. Florisbad-New Investigations at a Middle Stone Age Hominid Site in South Africa. *Geoarchaeology: An International Journal*, Vol. 1, No. 2, 103-125 (1986). John Wiley & Sons, Inc.
- Langner, D. & A. Raath. 2014. Die Afrikanerrebellie: 1914-1915. Die Erwe van Ons Vaad're Nr. 6. Kraal Uitgewers, Pretoria.
- Legassick, M. 2010. The politics of a South African frontier: the Griqua, the Sotho-Tswana and the missionaries, 1780 – 1840. Basler Afrika Bibliographien, Basel.
- Lye, W.F. & C. Murray. 1980. Transformations on the Highveld: The Tswana and Southern Sotho. David Phillip, Cape Town.

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 101 |

Machens, E.W. 2009. Platinum, Gold and Diamonds: The adventure of Hans Merensky's discoveries. Protea Boekhuis, Pretoria.

Maggs, T.M. 1976. Iron Age Communities of the Southern Highveld. (Occasional Publication 2). Pietmaritzburg: Natal Museum.

Mason, R.J. 1969. The Oppermandrif Dam Archaeological Project: Vaal Basin in The South African Archaeological Bulletin, Vol. 24, No. 95/96, pp. 182-192.

Maurice, J.F. & M.H. Grant. 1906. History of the War in South Africa. Hurst and Blackett, London.

Mayhew, V. 1982. Reader's Digest: Illustrated Guide to Southern Africa. The Reader's Digest Association.

Meintjies, J. 1973. The Voortrekkers. Cassell, London.

Morris, D. 2008. Archaeological and Heritage Phase 1, Impact Assessment for proposed upgrading of Sishen Mine Diesel Depot Storage Capacity at Kathu, Northern Cape. Kimberley: McGregor Museum.

Mucina, L. & Rutherford, M.C. (eds) (2006). The vegetation of South Africa, Lesotho and Swaziland. Strelitzia 19. South African National Biodiversity Institute, Pretoria.

Nienaber, P. J. & Le Roux, C. J. P. 1982. Vrystaat-Fokus. Pretoria: Sigma Press (Pty) Ltd.

Oberholster, J.J. 1972. The Historical Monuments of South Africa. The Rembrandt van Rijn Foundation for Culture, Cape Town.

Pakenham, T. 1979. The Boer War. Bergvlei: Jonathan Ball Publishers.

Pretorius, F. 2010. The A to Z of the Anglo-Boer War. Lanham, Md: Scarecrow Press.

Readers Digest. 1992. Illustrated history of South Africa. The Real Story. Expanded second edition: completely updated. Cape Town: Readers Digest Association.

Raath, A.W.G. 2007. De La Rey: Die Stryd vir Vryheid. Kraal Uitgewers, Pretoria.

Rossouw, L. 2020. Phase 1 Heritage Impact Assessment of the proposed SlovoPark residential development. Brandfort, FS Province.

Rossouw, L. 2012. Phase 1 Heritage Impact Assessment of a Proposed New Solar Facility at Grootspuit 252 near Allanridge, FS.

Schoeman, K. Bloemfontein: die ontstaan van 'n stad 1846 – 1946. Human & Rousseau, Cape Town.

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 102 |

Shorten, J.R., 1970: The Johannesburg Saga. John R. Shorten (Pty) Ltd, Johannesburg.

The Mining Manual and Yearbook, 1914.

The Reader's Digest. 1994. Illustrated History of South Africa: The Real Story. The Reader's Digest Association Limited, Cape Town.

Union of South Africa, 1916. Report of the Judicial Commission of Enquiry into the Causes of and Circumstances relating to the recent Rebellion in South Africa, December 1916.
Unpublished References

Van der Walt, J. 2013a. Archaeological Impact Assessment Report for the Proposed Steynsrus (19.5MW) Photovoltaic Plant, Free State Province.

Van der Walt, J. 2013b. Archaeological Impact Assessment for the proposed Heuningspruit PV1 and PV2 Solar Energy Facility near Koppies, Free State

Van Schalkwyk, J. 2013. Cultural heritage impact assessment for the Upgrade Of A Section Of National Route 1, Between Kroonstad And Ventersburg, Free State Province.

Van Schalkwyk, J. 2020. New 132kv Power Lines Between The On-Site Substations And The Local Grid Connection For The Proposed Matjhabeng Solar Pv Phase 1 And 2 Development, Odendaalrus Region, Free State.

Van Schoor, M.C.E. 2007. Christiaan Rudolph de Wet: Krygsman en Volksman. Protea Boekhuis, Pretoria.

Visagie, J.C. 2011. Voortrekkerstamouers: 1835 – 1845. Protea Boekhuis, Pretoria.

Wadley, L. 2013. Recognizing complex cognition through innovative technology in Stone Age and Palaeolithic sites in Cambridge Archaeological Journal, 23: 163-183.

Warwick, P. 1983. Black People and the South African War: 1899 – 1902. Ravan, Johannesburg.

10.2 Newspaper Articles

Martin, S. 2010. 'Geringe som' vir kerk toe nie aanvaar. Volksblad, 16 June, p. 5.

Steyl, R. 2000. Boesman dra Boer se lyk van Slagveld. Die Burger, 17 June, p. 2.

10.3 Archival Sources

National Archive, Pretoria:

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 103 |

Free State Archives Repository. 1958. VAB_PAO_1/1/853_W8638. Provincial Secretary's Office. Orange Free State. Superintendent of Roads, and Local Works. Sluiting van publieke pad. Zuid Driefontein - Rusplaas deur CJ Kramer. Hertzogville. (Free State Archives Repository 1958)
National Archives of South Africa. 1961. SAB_URU_4173_607. Grondbrief: Onderverdeling 2 van die plaas Zuid Driefontein Nr 481 Dist Boshof, OVS CJ Kramer.

10.4 Historic Topographic Maps

All historic topographic maps used in this report were obtained from the Directorate: National Geospatial Information of the Department of Rural Development and Land Reform in Cape Town.

10.5 Internet

www.angloboerwar.com

www.nzetc.victoria.ac.za

www.sahistory.org.za

www.sahra.org.za

www.sanbi.org

www.wikipedia.org

10.6 GOOGLE EARTH

All the aerial depictions and overlays used in this report are from Google Earth.

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 104 |

APPENDIX A ENVIRONMENTAL IMPACT METHODOLOGY

SLR: IMPACT ASSESSMENT METHODOLOGY

This assessment methodology enables the assessment of biophysical, cultural, and socio-economic impacts including cumulative impacts and impact significance through the consideration of intensity, extent, duration, and the probability of the impact occurring. Consideration is also given to the degree to which impacts may cause irreplaceable loss of resources, be avoided, reversibility of impacts and the degree to which the impacts can be mitigated.

METHODOLOGY USED IN DETERMINING THE SIGNIFICANCE OF IMPACTS

Part A provides the definition for determining impact consequence (combining intensity, extent, and duration) and impact significance (the overall rating of the impact). Impact consequence and significance are determined from Part B and C. The interpretation of the impact significance is given in Part D. This methodology is utilised to assess both the incremental and cumulative project related impacts.

| PART A: DEFINITIONS AND CRITERIA | | |
|---|------------|---|
| Definition of SIGNIFICANCE | | Significance = consequence x probability |
| Definition of CONSEQUENCE | | Consequence is a function of intensity, extent, and duration |
| Criteria for ranking of the INTENSITY of environmental impacts | VH | Severe change, disturbance, or degradation. Associated with severe consequences. May result in severe illness, injury, or death. Targets, limits, and thresholds of concern continually exceeded. Habitats or ecosystems of high importance for maintaining the persistence of species or habitats that meet critical habitat thresholds. Substantial intervention will be required. Vigorous/widespread community mobilization against project can be expected. May result in legal action if impact occurs. |
| | H | Prominent change, disturbance, or degradation. Associated with real and substantial consequences. May result in illness or injury. Targets, limits, and thresholds of concern regularly exceeded. Habitats or ecosystems which are important for meeting national/provincial conservation targets. Will definitely require intervention. Threats of community action. Regular complaints can be expected when the impact takes place. |
| | M | Moderate change, disturbance, or discomfort. Associated with real but not substantial consequences. Targets, limits, and thresholds of concern may occasionally be exceeded. Habitats or ecosystems with important functional value in maintaining biotic integrity. Occasional complaints can be expected. |
| | L | Minor (Slight) change, disturbance, or nuisance. Associated with minor consequences or deterioration. Targets, limits, and thresholds of concern rarely exceeded. Habitats and ecosystems which are degraded and modified. Require only minor interventions or clean-up actions. Sporadic complaints could be expected. |
| | VL | Negligible change, disturbance, or nuisance. Associated with very minor consequences or deterioration. Targets, limits, and thresholds of concern never exceeded. Species or habitats with negligible importance. No interventions or clean-up actions required. No complaints anticipated. |
| | VL+ | Negligible change or improvement. Almost no benefits. Change not measurable/will remain in the current range. |
| | | |

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 105 |

| | | |
|---|---------------------------------|--|
| | L+ | Minor change or improvement. Minor benefits. Change not measurable/will remain in the current range. Few people will experience benefits. |
| | M+ | Moderate change or improvement. Real but not substantial benefits. Will be within or marginally better than the current conditions. Small number of people will experience benefits. |
| | H+ | Prominent change or improvement. Real and substantial benefits. Will be better than current conditions. Many people will experience benefits. General community support. |
| | VH+ | Substantial, large-scale change or improvement. Considerable and widespread benefit. Will be much better than the current conditions. Favourable publicity and/or widespread support expected. |
| Criteria for ranking the DURATION of impacts | Very Short term | Very short, always less than a year or may be intermittent (less than 1 year). Quickly reversible. |
| | Short term | Short-term, occurs for more than 1 but less than 5 years. Reversible over time. |
| | Medium term | Medium-term, 5 to 10 years. |
| | Long term | Long term, between 10 and 20 years. Likely to cease at the end of the operational life of the activity or because of natural processes or by human intervention. |
| | Very long term/permanent | Very long, permanent, +20 years. Irreversible. Beyond closure or where recovery is not possible either by natural processes or by human intervention. |
| Criteria for ranking the EXTENT of impacts | Site | A part of the site/property. Impact is limited to the immediate footprint of the activity and within a confined area. |
| | Whole site | Whole site. Impact is confined to within the project area and its nearby surroundings. |
| | Beyond site | Beyond the site boundary, affecting immediate neighbours. |
| | Local | Local area, extending far beyond site boundary. |
| | Regional / national | Regional/National. Impact may extend beyond district or regional boundaries with national implications. |

PART B: DETERMINING CONSEQUENCE – APPLIES TO POSITIVE OR ADVERSE IMPACTS

| | | EXTENT | | | | |
|-----------------------|---------------------------------|-----------------|-------------------|--|--|--------------------------|
| | | Site | Whole site | Beyond the site, affecting neighbours | Local area, extending far beyond site | Regional/National |
| INTENSITY = VL | | | | | | |
| DURATION | Very long term/permanent | Low | Low | Medium | Medium | Medium |
| | Long term | Very Low | Low | Low | Medium | Medium |
| | Medium term | Very Low | Low | Low | Low | Medium |
| | Short term | Very low | Very Low | Low | Low | Low |
| | Very short term | Very low | Very Low | Very Low | Very Low | Low |
| INTENSITY = L | | | | | | |
| DURATION | Very long term/permanent | Low | Medium | Medium | High | High |

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 106 |

| | | | | | | |
|-----------------------|---------------------------|----------|----------|-----------|-----------|-----------|
| | Long term | Low | Medium | Medium | Medium | High |
| | Medium term | Low | Low | Medium | Medium | Medium |
| | Short term | Very low | Low | Low | Medium | Medium |
| | Very short term | Very low | Very low | Low | Low | Low |
| INTENSITY = M | | | | | | |
| DURATION | Very long term /permanent | Medium | Medium | High | High | Very High |
| | Long term | Low | Medium | Medium | High | High |
| | Medium term | Low | Medium | Medium | Medium | High |
| | Short term | Low | Low | Medium | Medium | Medium |
| | Very short term | Very low | Low | Low | Low | Medium |
| INTENSITY = H | | | | | | |
| DURATION | Very long term /permanent | Medium | High | High | Very High | Very High |
| | Long term | Medium | Medium | High | High | Very High |
| | Medium term | Low | Medium | Medium | High | High |
| | Short term | Low | Medium | Medium | Medium | High |
| | Very short term | Very low | Low | Low | Medium | Medium |
| INTENSITY = VH | | | | | | |
| DURATION | Very long term /permanent | Medium | High | Very High | Very High | Very High |
| | Long term | Medium | High | High | Very High | Very High |
| | Medium term | Medium | Medium | High | High | Very High |
| | Short term | Low | Medium | Medium | High | High |
| | Very short term | Low | Low | Medium | Medium | Medium |

| PART C: DETERMINING SIGNIFICANCE - APPLIES TO POSITIVE OR ADVERSE IMPACTS | | | | | | | |
|---|---------------------|----|---------------|---------------|----------|--------|-----------|
| PROBABILITY (of exposure to impacts) | Definite/Continuous | VH | Very Low | Low | Medium | High | Very High |
| | Probable | H | Very Low | Low | Medium | High | Very High |
| | Possible/frequent | M | Very Low | Very Low | Low | Medium | High |
| | Conceivable | L | Insignificant | Very Low | Low | Medium | High |
| | Unlikely/improbable | VL | Insignificant | Insignificant | Very Low | Low | Medium |
| | | | VL | L | M | H | VH |
| CONSEQUENCE | | | | | | | |

| PART D: INTERPRETATION OF SIGNIFICANCE | | |
|--|-------------|---|
| Significance | | Decision guideline |
| Very High | Very High + | Represents a key factor in decision-making. Adverse impact would be considered a potential fatal flaw unless mitigated to lower significance. |
| High | High + | These beneficial or adverse impacts are considered to be very important considerations and must have an influence on the decision. In the case of adverse impacts, substantial mitigation will be required. |

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 107 |

| | | |
|----------------------|-------------------|---|
| Medium | Medium + | These beneficial or adverse impacts may be important but are not likely to be key decision-making factors. In the case of adverse impacts, mitigation will be required. |
| Low | Low + | These beneficial or adverse impacts are unlikely to have a real influence on the decision. In the case of adverse impacts, limited mitigation is likely to be required. |
| Very Low | Very Low + | These beneficial or adverse impacts will not have an influence on the decision. In the case of adverse impacts, mitigation is not required. |
| Insignificant | | Inconsequential, not requiring any consideration. |

ADDITIONAL ASSESSMENT CRITERIA

Additional criteria that are taken into consideration in the impact assessment process to further describe the impact and support the interpretation of significance in the impact assessment process include:

- the degree to which impacts may cause irreplaceable loss of resources;
- the degree to which impacts can be avoided;
- the degree to which impacts can be reversed;
- the degree to which the impacts can be mitigated; and
- the extent to which cumulative impacts may arise from interaction or combination from other planned activities or projects is tabulated below.

| ADDITIONAL ASSESSMENT CRITERIA | | |
|---|-----------------------------|--|
| Criteria for DEGREE TO WHICH AN IMPACT CAN BE REVERSED | IRREVERSIBLE | Where the impact cannot be reversed and is permanent. |
| | PARTIALLY REVERSIBLE | Where the impact can be partially reversed and is temporary. |
| | FULLY REVERSIBLE | Where the impact can be completely reversed. |
| Criteria for DEGREE OF IRREPLACEABLE RESOURCE LOSS | NONE | Will not cause irreplaceable loss. |
| | LOW | Where the activity results in a marginal effect on an irreplaceable resource. |
| | MEDIUM | Where an impact results in a moderate loss, fragmentation or damage to an irreplaceable receptor or resource. |
| | HIGH | Where the activity results in an extensive or high proportion of loss, fragmentation or damage to an irreplaceable receptor or resource. |
| Criteria for DEGREE TO WHICH IMPACT CAN BE AVOIDED | NONE | Impact cannot be avoided and consideration should be given to compensation and offsets. |
| | LOW | Impact cannot be avoided but can be mitigated to acceptable levels through rehabilitation and restoration. |
| | MEDIUM | Impact cannot be avoided, but the significance can be reduced through mitigation measures. |
| | HIGH | Impact can be avoided through the implementation of preventative mitigation measures. |
| Criteria for the DEGREE TO WHICH IMPACT CAN BE MITIGATED | NONE | No mitigation is possible or mitigation even if applied would not change the impact. |
| | LOW | Some mitigation is possible but will have marginal effect in reducing the impact significance rating. |
| | MEDIUM | Mitigation is feasible and will may reduce the impact significance rating. |
| | HIGH | Mitigation can be easily applied or is considered standard operating practice for the activity and will reduce the impact significance rating. |
| | UNLIKELY | Low likelihood of cumulative impacts arising. |

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 108 |

| | | |
|--|-----------------|--|
| Criteria for POTENTIAL FOR CUMULATIVE IMPACTS | POSSIBLE | Cumulative impacts with other activities or projects may arise. |
| | LIKELY | Cumulative impacts with other activities or projects either through interaction or in combination can be expected. |

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 109 |

**APPENDIX B
SITE DESCRIPTION FORMS**

| Site coordinates | | |
|------------------|-------------|------------|
| Site Number | Lat | Long |
| 001 | -27.5052733 | 26.3751930 |
| 002 | -27.7166833 | 26.2805966 |
| 004 | -27.7382677 | 26.5057686 |
| 005 | -27.683954 | 26.685843 |
| 010 | -27.689673 | 27.495495 |
| 011 | -27.695080 | 27.498058 |
| 012 | -27.693708 | 27.497268 |
| 014 | -27.715553 | 26.279787 |
| 018 | -27.681135 | 27.489154 |

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 110 |

| Site number | Lat | Lon | Description | Heritage Significance | Heritage Rating |
|-------------|-------------|------------|---|-----------------------|--------------------|
| 001 | -27.5052733 | 26.3751930 | <p>General Landscape Characteristics Grassy vegetation</p> <p>Site Conditions Disturbed</p> <p>Time Period Recent</p> <p>Site Type Structures</p> <p>Notes Abandoned farm buildings and a functional reservoir. No graves were visible or located during the field assessment. The structures are depicted at this locality on the 2726CB topographical sheet dating to 1969 (Figure 81). The structures are therefore at least 54 years old.</p> | Low | Grade 3 - C (IIIC) |

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 111 |

| Site number | Lat | Lon | Description | Heritage Significance | Heritage Rating |
|-------------|-----|-----|-------------|-----------------------|-----------------|
|-------------|-----|-----|-------------|-----------------------|-----------------|



Figure 79 – View of the structures recorded at waypoint 001.



Figure 80 – View of the reservoir and windmill associated with the structures.



Figure 81 - 2726CB topographical sheet surveyed in 1969 depicts a farmstead at the location of waypoint 001.

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 112 |

| Site number | Lat | Lon | Description | Heritage Significance | Heritage Rating |
|-------------|-------------|------------|--|-----------------------|-------------------|
| 002 | -27.7166833 | 26.2805966 | <p>General Landscape Characteristics Grassy vegetation</p> <p>Site Conditions Disturbed; Demolished</p> <p>Time Period Recent</p> <p>Site Type Structures</p> <p>Notes Abandoned farm buildings comprising 6 small multi-roomed units. Graves were identified in the northern part of this small settlement (see waypoint 014). The structures are depicted at this locality on the 2726CB topographical sheet dating to 1986 (Figure 84). The structures are therefore at least 37 years old.</p> | Low | Grade 3 - C (IIC) |

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 113 |

| Site number | Lat | Lon | Description | Heritage Significance | Heritage Rating |
|-------------|-----|-----|--|-----------------------|-----------------|
| | | |  | | |

Figure 82 - Views of the structures recorded at waypoint 002.



| | | |
|--|--|--|
|  | |  |
|--|--|--|

Figure 83 - View of building rubble.

Figure 84 - 2726CB topographical sheet surveyed in 1986 depicts several structures at the location of waypoint 002.

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 114 |

| Site number | Lat | Lon | Description | Heritage Significance | Heritage Rating |
|-------------|-------------|------------|---|-----------------------|--------------------|
| 004 | -27.7382677 | 26.5057686 | <p>General Landscape Characteristics Grassy vegetation</p> <p>Site Conditions Overgrown</p> <p>Time Period Historical Period</p> <p>Site Type Structure</p> <p>Extent 20m x 40m</p> <p>Notes Stone walled structure. There is a clump of trees to the south. Multi-roomed. Possibly historic and related to kraaling animals. No visible graves or artefacts on the surface. A plantation is depicted near this locality on the 2726DA topographical sheet dating to 1946 (Figure 87). A structure is depicted near this locality on the 2726DA topographical sheet dating to 1971 (Figure 87).</p> | Low | Grade 3 - C (IIIC) |

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 115 |


| Site number | Lat | Lon | Description | Heritage Significance | Heritage Rating |
|-------------|-----|-----|--|-----------------------|-----------------|
| | | |  | | |

Figure 85 - Views of the trees next to the structure identified at waypoint 004.

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 116 |

| Site number | Lat | Lon | Description | Heritage Significance | Heritage Rating |
|-------------|-----|-----|-------------|-----------------------|-----------------|
|-------------|-----|-----|-------------|-----------------------|-----------------|



Figure 86 - Views of the stone walled structure identified at waypoint 004.



Figure 87 - 2726DA topographical sheet surveyed in 1946 depicts a plantation next to the waypoint 004.



Figure 88 - 2726DA topographical sheet surveyed in 1971 depicts a structure next to the waypoint 004.

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 117 |

| Site number | Lat | Lon | Description | Heritage Significance | Heritage Rating |
|-------------|------------|-----------|--|-----------------------|-------------------|
| 005 | -27.683954 | 26.685843 | <p>General Landscape Characteristics Grassy vegetation</p> <p>Site Conditions Overgrown; Disturbed</p> <p>Time Period Recent</p> <p>Site Type Structures</p> <p>Notes Multi-roomed house and associated buildings. Does not appear to be historic based on construction and surface materials. Main house likely had wooden floors. Associated structures include multiple reservoirs (one still in use), animal kraaling, feeding and drinking troughs, and storage buildings. Surface finds included beer bottles and medicine bottles. Large syringa trees have grown into the walls of the house in places, which based on size could be ±30? years old.</p> <p>The structure was depicted at this locality on the 2727DA topographical sheet dating to 1971 (Figure 93). The site is therefore older than 52 years.</p> | Low | Grade 3 - C (IIC) |

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 118 |

| Site number | Lat | Lon | Description | Heritage Significance | Heritage Rating |
|-------------|-----|-----|--|-----------------------|-----------------|
| | | |  | | |

Figure 89 - General surroundings of waypoint 005.

| |
|---|
|  |
|---|



Figure 90 - Views of associated farming infrastructure at 005.

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 119 |


| Site number | Lat | Lon | Description | Heritage Significance | Heritage Rating |
|-------------|-----|-----|---|-----------------------|-----------------|
| | | |  | | |
| | | |  | | |

Figure 91 - Views of the house identified at the waypoint 005.


| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 120 |

| Site number | Lat | Lon | Description | Heritage Significance | Heritage Rating |
|-------------|------------|-----------|---|-----------------------|--------------------|
| | | |  <p>Figure 92 – Surface finds recorded at 005.</p> | | |
| | | |  <p>Figure 93 – 2727DA topographical sheet surveyed in 1971 depicts a farmstead at the location of waypoint 005.</p> | | |
| 010 | -27.689673 | 27.495495 | <p>General Landscape Characteristics Grassy vegetation</p> <p>Site Conditions Overgrown</p> <p>Time Period Historical Period</p> <p>Site Type Historical Fence/Farm marker/Boundary marker</p> <p>Notes One large sandstone fence marker was recorded.</p> | Medium | Grade 3 - B (IIIB) |


| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 121 |

| Site number | Lat | Lon | Description | Heritage Significance | Heritage Rating |
|-------------|------------|-----------|--|-----------------------|--------------------|
| | | |  <p><i>Figure 94 - Views of the boundary marker identified at waypoint 010.</i></p> | | |
| 011 | -27.695080 | 27.498058 | <p>General Landscape Characteristics Grassy vegetation</p> <p>Site Conditions Overgrown/limited visibility</p> <p>Time Period Historical Period</p> <p>Site Type Historical farm equipment</p> | Low | Grade 3 - C (IIIC) |


| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 122 |

| Site number | Lat | Lon | Description | Heritage Significance | Heritage Rating |
|---|------------|-----------|---|-----------------------|--------------------|
| | | |  | | |
| <p><i>Figure 95 - Views of the farm equipment identified at waypoint 011.</i></p> | | | | | |
| 012 | -27.693708 | 27.497268 | <p>General Landscape Characteristics Grassy vegetation</p> <p>Site Conditions Disturbed</p> <p>Time Period Historical Period</p> <p>Site Type Historical Fence/Farm marker/Boundary marker</p> <p>Notes Collapsed large sandstone markers.</p> | Medium | Grade 3 - B (IIIB) |

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 123 |

| Site number | Lat | Lon | Description | Heritage Significance | Heritage Rating |
|---|------------|-----------|---|-----------------------|--------------------|
| | | |  | | |
| <p><i>Figure 96 - Views of the boundary markers identified at waypoint 012.</i></p> | | | | | |
| 014 | -27.715553 | 26.279787 | <p>Site Type Graves</p> <p>Notes A burial ground was identified by one of the other specialists.</p> <p>Several structures including a school are depicted near this locality on the 2726CB topographical sheet dating to 1986 (Figure 97). The graves are probably associated with these structures (waypoint 002).</p> | High | Grade 3 - A (IIIA) |

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 124 |

| Site number | Lat | Lon | Description | Heritage Significance | Heritage Rating |
|-------------|------------|-----------|---|-----------------------|--------------------|
| | | |  <p><i>Figure 97 - 2726CB topographical sheet surveyed in 1986 depicts several structures near the location of waypoint 014.</i></p> | | |
| 018 | -27.681135 | 27.489154 | <p>General Landscape Characteristics Grassy vegetation</p> <p>Site Conditions Overgrown/ limited visibility</p> <p>Time Period Historical Period</p> <p>Site Type Old farm entrance</p> <p>Notes A farmstead is depicted near this locality on the 2727CB topographical sheet dating to 1975 (Figure 99).</p> | Low | Grade 3 - C (IIIC) |

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 125 |

| Site number | Lat | Lon | Description | Heritage Significance | Heritage Rating |
|-------------|-----|-----|-------------|-----------------------|-----------------|
|-------------|-----|-----|-------------|-----------------------|-----------------|



Figure 98 - View of the entrance identified at waypoint 018.



Figure 99 - 2727CB topographical sheet surveyed in 1975 depicts a farmstead associated with the entrance.

| Document | Project | Revision | Date | Page Number |
|-----------------|--------------------------|-----------------|-------------|--------------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 1 |

APPENDIX C
PGS TEAM CVS

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 2 |

WOUTER FOURIE

Professional Heritage Specialist and Professional Archaeologist and Director PGS Heritage

Summary of Experience

Specialised expertise in Archaeological Mitigation and excavations, Cultural Resource Management and Heritage Impact Assessment Management, Archaeology, Anthropology, Applicable survey methods, Fieldwork and project management, Geographic Information Systems, including *inter alia* -

Involvement in various grave relocation projects (some of which relocated up to 1000 graves) and grave “rescue” excavations in the various provinces of South Africa

Involvement with various Heritage Impact Assessments, within South Africa, including -

- Archaeological Walkdowns for various projects
- Phase 2 Heritage Impact Assessments and EMPs for various projects
- Heritage Impact Assessments for various projects
 - Iron Age Mitigation Work for various projects, including archaeological excavations and monitoring
 - Involvement with various Heritage Impact Assessments, outside South Africa, including -
- Archaeological Studies in Democratic Republic of Congo
- Heritage Impact Assessments in Mozambique, Botswana and DRC
- Grave Relocation project in DRC

Key Qualifications

BA [Hons] (Cum laude) - Archaeology and Geography - 1997

BA - Archaeology, Geography and Anthropology - 1996

Professional Archaeologist - Association of Southern African Professional Archaeologists (ASAPA)
- Professional Member

Accredited Professional Heritage Specialist – Association of Professional Heritage Practitioners (APHP)

CRM Accreditation (ASAPA) -

- Principal Investigator - Grave Relocations
- Field Director – Iron Age
- Field Supervisor – Colonial Period and Stone Age
- Accredited with Amafa KZN

Key Work Experience

2003- current - Director – Professional Grave Solutions (Pty) Ltd

2007 – 2008 - Project Manager – Matakoma-ARM, Heritage Contracts Unit, University of the Witwatersrand

2005-2007 - Director – Matakoma Heritage Consultants (Pty) Ltd

| Document | Project | Revision | Date | Page Number |
|-----------------|--------------------------|-----------------|-------------|--------------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 3 |

2000-2004 - CEO– Matakoma Consultants

1998-2000 - Environmental Coordinator – Randfontein Estates Limited. Randfontein, Gauteng

1997-1998 - Environmental Officer – Department of Minerals and Energy. Johannesburg, Gauteng

Worked on various heritage projects in the SADC region including, Botswana, Mauritius, Malawi, Zambia, Mozambique, and the Democratic Republic of the Congo

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 4 |

PROFESSIONAL CURRICULUM FOR NIKKI MANN

Name: Nikki Mann
Profession: Archaeologist
Date of birth: 1992-10-13
Parent Firm: PGS Heritage (Pty) Ltd
Position at Firm: Archaeologist
Years with firm: 2
Years of experience: 7
Nationality: South African
HDI Status: White

EDUCATION:

Name of University or Institution : University of Cape Town
Degree obtained : BSc
Major subjects : Archaeology, Environmental and Geographical Sciences
Year : 2013

Name of University or Institution : University of Cape Town
Degree obtained : BSc [Hons]
Major subjects : Archaeology
Year : 2014

Name of University or Institution : University of Cape Town
Certificate obtained : MSc – Archaeology (phytolith analysis)
Year : 2017

Professional Qualifications:

Professional Archaeologist - Association of Southern African Professional Archaeologists - Professional Member – No 472

Languages:

English
French

KEY QUALIFICATIONS

- 4 years of work in the heritage consulting field;
- 7 years working experience in archaeological excavations;
- Proven experience in report writing and report deliverables;

HERITAGE IMPACT ASSESSMENTS

South African

- HMPs for the Khangela and Umsinde WEFs and associated grid infrastructure, near Murraysburg, Western Cape. Nala Environmental. **Position:** Heritage Specialist.
- Proposed new 132kV grid connection for the authorised Emoyeni WEF, near Murraysburg, Western Cape. Nala Environmental. **Position:** Heritage Specialist.
- Proposed Apollo PV Plant, near Atlantis, Western Cape – Desktop study. TerraManzi. **Position:** Heritage Specialist.
- Proposed Eskom Witkop-Pietersburg 132kV Powerline, Limpopo. Polokwane. Acer. **Position:** Heritage Specialist.

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 5 |

- Proposed deviations to Eskom Nhlavuko-Tshebela 132kV Powerlines, Limpopo. Polokwane. Acer. **Position:** Heritage Specialist.
- Proposed Tetra4 Cluster 2 gas production project, near Welkom. EIMS. **Position:** Heritage Specialist.
- Kathu Tyre Management Plant HIA. Kathu. EXM. **Position:** Heritage Specialist.
- Kathu Borrow Pit Screening. Kathu. EXM. **Position:** Heritage Specialist.
- Harmony Kareerand Pipelines Project. Between Klerkdorp and Potchefstroom, North West Province. EIMS. **Position:** Heritage Specialist
- Black Mountain PV. Northern Cape. Uvuna. **Position:** Heritage Specialist
- Proposed amendment of existing mining activities for Kolomela Mine. South-west of Postmasburg, Northern Cape. EXM. **Position:** Heritage Specialist.
- Proposed amendment of existing mining activities for Kudumane Mine. Hotazel, Northern Cape. SRK. **Position:** Heritage Specialist.
- 10MW Chelsea Solar PV. Gqeberha, Eastern Cape. SLR. **Position:** Heritage Specialist.
- Koup 1 and Koup 2 WEF. Beaufort West, Western Cape. SiVEST. **Position:** Heritage Specialist.
- Victoria West Pipelines. Victoria West, Northern Cape. iXEng. – **Position:** Heritage Specialist.
- East Orchards Poultry Farm Project. Delmas, Mpumalanga. EcoSphere. – **Position:** Heritage Specialist.
- Gunstfontein WEF and OHL. Sutherland, Northern Cape. Savannah– **Position:** Heritage Specialist.
- Overhead power line for Oya PV Facility. Sutherland, Northern Cape. SiVEST– **Position:** Heritage Specialist.
- Infrastructure for Kudusberg WEF. Sutherland, Northern Cape. SiVEST– **Position:** Heritage Specialist.
- Proposed SKA fibre optic cable, between Beufort West and Carnarvon, Northern and Western Cape. **Position:** Heritage Specialist.
- Proposed SANSA Space Operations. Matjiesfontein, Western Cape. **Position:** Heritage Specialist
- Pienaarspoort WEF 1 and 2. North-west of Matjiesfontein, Western Cape. Savannah- **Position:** Heritage Specialist.
- Swellendam WEF. Swellendam, Western Cape. – **Position:** Heritage Specialist.
- Matjiesfontein Road Extension Project. Matjiesfontein, Western Cape. **Position:** Heritage Specialist.

MITIGATION WORK

1. 2020 – Coega Zone 10, Coega IDZ, Eastern Cape Province. Colonial Period Phase 2 Mitigation Archaeological Excavation. **Archaeologist.**
2. 2019 – 2020 - **Lesotho Highland Development Authority – Polihali Dam Project - Heritage Management Plan development and Implementation.** Mokhotlong, Kingdom of Lesotho. **Archaeologist.**
3. 2018- *Proposed development of boreholes and associated pipelines for the Langebaan Aquifer within the Hopefield Private Nature Reserve, Hopefield, Western Cape.* **Archaeologist.**

POSITIONS HELD

- **2021 – current:** Archaeologist - PGS (Pty) Ltd
- **2019 – 2020:** Archaeologist - PGS (Pty) Ltd Lesotho
- **2018 – 2020:** Contract Archaeologist – CTS Heritage

REFERENCES

| Document | Project | Revision | Date | Page Number |
|------------|--------------------------|----------|------------|-------------|
| 601HIA-002 | Rhino Oil and Gas ER 318 | 3.0 | 28/02/2023 | Page 6 |

Wouter Fourie

PGS Heritage

Tel: +27 12 332 5305

Email:

wouter@pgsheritage.co.za

Dr David Braun

George

University

Email: drbraun76@gmail.com

Washington

Nicholas Wiltshire

CTS Heritage

Tel: +27 (0)87 073 5739

Email:

nic.wiltshire@ctsheritage.com