



water & sanitation

Department:
Water and Sanitation
REPUBLIC OF SOUTH AFRICA

WESTERN CAPE PROVINCIAL OPERATIONS

Private Bag X16, Sanlamhof, 7532, 52 Voortrekker Road, Bellville, 7530. Tel: (021) 941-6000,
Fax: (021) 941-6077 www.dws.gov.za

✉ : Manavhela Tshilidzi
☎ : 021 941 6056
📁 : 27/2/1/G310/320/2

Attention: Mr. Lundie

Boschendal (Pty) Ltd
PO Box 25
GROOT DRAKENTEIN
7680

Dear Sir

BERG-OLIFANTS WATER MANAGEMENT AREA: WATER USE AUTHORISATION IN TERMS OF THE NATIONAL WATER ACT, 1998 (ACT 36 OF 1998): SECTION 21 (C) IMPEDING OR DIVERTING THE FLOW OF WATER IN A WATERCOURSE AND SECTION 21 (I) ALTERING THE BED, BANKS, COURSE OR CHARACTERISTICS OF A WATERCOURSE IN TERMS OF THE NATIONAL WATER ACT FOR THE BOSCHENDAL PORTION 10 OF FARM 1674. BOSCHENDAL PAARL RD

Your application for a water use authorisation and registration dated May 2016 bears reference.

The Department has evaluated the submitted documents and hereby confirms that the proposed water uses fall within the ambit of the General Authorisation, Government Gazette No. 40229, Notice No. 105, dated 26 August 2016. Therefore, you may continue with the water uses as permissible in terms of Section 22 (1) (a) (iii) of the National Water Act, 1998 (Act 36 of 1998). Details of the water uses which will be registered appear in Table 1.

Table 1: Water uses permissible in terms of General Authorisation

Water Uses	Property Description	Quaternary Catchment	Purpose	Co-ordinates
Sections 21 (c) & (i)	Portion 10 of Farm 1674.	G10C.	- Infilling of a 1:100 year flood line near the Dwars River.	S 33° 52' 12.7" E 18° 59' 00.9"
			- Construction of Pump station.	S 33° 52' 13.3" E 18° 58' 57.9"
			- Storm water gabion	S 33° 52' 12.7" E 18° 59' 00.9"


Find attached with this letter a copy of the relevant General Authorisation for ease of reference. This General Authorization is applicable for a period of 5 years from the date of publication of this notice unless-

- a) It is amended by the responsible authority at any review period
- b) The period is extended by a notice in a Gazette
- c) It is replaced by a general authorization in relation to a specific water resource or within a specific area; or
- d) The water user is instructed in writing by the responsible authority to apply for a license.

Your water use (s) will be registered for the basis of the Department's records and/ or billing. Once your water use (s) has been registered you need to review the certificate and inform the Department within one calendar month of any errors which may have occurred. Send the enquiries to the WARMS section, Email: warmswcape@dws.gov.za, Tel. 021 941 6273 or 021 941 6000. Please be aware that you may only commence with your activities once you received your registration certificate.

The responsibility for complying with all the provisions of the General Authorisation is vested in the water user and not any other person or body. Non-compliance constitute an offence, and it will be dealt with in terms of Section 53, 54 and 151 (2) of the National Water Act, 1998.

Yours faithfully



CHIEF DIRECTOR:

Signed By:

Designation:

Date: 21/2/2017

WESTERN CAPE

Mrs. Hester Lyons

Control Industrial Technician



water & sanitation

Department:
Water and Sanitation
REPUBLIC OF SOUTH AFRICA

WESTERN CAPE PROVINCIAL OPERATIONS

Private Bag X16, Sanlamhof, 7532, 52 Voortrekker Road, Bellville, 7530. Tel: (021) 941-6000,
Fax: (021) 941-6077 www.dws.gov.za

: Manavhela Tshilidzi
 : 021 941 6056
 : 27/2/1/G310/320/2

Attention: Mr. Lundie

Boschendal (Pty) Ltd
PO Box 25
GROOT DRAKENTEIN
7680

Dear Sir

BERG-OLIFANTS WATER MANAGEMENT AREA: WATER USE AUTHORISATION IN TERMS OF THE NATIONAL WATER ACT, 1998 (ACT 36 OF 1998): SECTION 21 (C) IMPEDING OR DIVERTING THE FLOW OF WATER IN A WATERCOURSE AND SECTION 21 (I) ALTERING THE BED, BANKS, COURSE OR CHARACTERISTICS OF A WATERCOURSE IN TERMS OF THE NATIONAL WATER ACT FOR THE BOSCHENDAL PORTION 8 OF FARM 1201. PNIEL PAARL RD

Your application for a water use authorisation and registration dated February 2017 bears reference.

The Department has evaluated the submitted documents and hereby confirms that the proposed water uses fall within the ambit of the General Authorisation, Government Gazette No. 40229, Notice No. 105, dated 26 August 2016. Therefore, you may continue with the water uses as permissible in terms of Section 22 (1) (a) (iii) of the National Water Act, 1998 (Act 36 of 1998). Details of the water uses which will be registered appear in Table 1.

Table 1: Water uses permissible in terms of General Authorisation

Water Uses	Property Description	Quaternary Catchment	Purpose	Co-ordinates
Sections 21 (c) & (i)	Portion 8 of Farm 1201.	G10C.	- Construction bulk-service pipeline.	of S 33° 53' 10.1" E 18° 57' 56.8"
			- Construction bulk-service pipeline.	of S 33° 53' 10.3" E 18° 57' 57.6"
			- Construction bulk-service pipeline.	of S 33° 53' 0.3" E 18° 58' 4.9"

			- Construction bulk-service pipeline.	of	S 33° 53' 0.5" E 18° 58' 5.4"
			- Construction bulk-service pipeline.	of	S 33° 53' 45.6" E 18° 57' 03.9"
			- Construction bulk-service pipeline.	of	S 33° 53' 36.2" E 18° 57' 12.3"
			- Construction bulk-service pipeline.	of	S 33° 53' 24.0" E 18° 57' 38.8"
			- Construction bulk-service pipeline.	of	S 33° 53' 24.3" E 18° 57' 37.9"
			- Construction bulk-service pipeline.	of	S 33° 53' 24.3" E 18° 57' 37.9"
			- Construction bulk-service pipeline.	of	S 33° 53' 0.3" E 18° 58' 4.9"
			- Construction bulk-service pipeline.	of	S 33° 53' 10.1" E 18° 58' 56.8"
			- Construction bulk-service pipeline.	of	S 33° 53' 10.3" E 18° 58' 57.6"
			- Construction bulk-service pipeline.	of	S 33° 53' 45.6" E 18° 58' 03.9"
			- Construction bulk-service pipeline.	of	S 33° 53' 36.2" E 18° 58' 12.3"
			- Construction bulk-service pipeline.	of	S 33° 53' 24.4" E 18° 58' 38.8"

Find attached with this letter a copy of the relevant General Authorisation for ease of reference. This General Authorization is applicable for a period of 5 years from the date of publication of this notice unless-

- a) It is amended by the responsible authority at any review period
- b) The period is extended by a notice in a Gazette
- c) It is replaced by a general authorization in relation to a specific water resource or within a specific area; or
- d) The water user is instructed in writing by the responsible authority to apply for a license.

Your water use (s) will be registered for the basis of the Department's records and/ or billing. Once your water use (s) has been registered you need to review the certificate and inform the Department within one calendar month of any errors which may have occurred. Send the enquiries to the WARMS section, Email: warmswcape@dws.gov.za, Tel. 021 941 6273 or 021 941 6000. Please be aware that you may only commence with your activities once you received your registration certificate.

The responsibility for complying with all the provisions of the General Authorisation is vested in the water user and not any other person or body. Non-compliance constitute an offence, and it will be dealt with in terms of Section 53, 54 and 151 (2) of the National Water Act, 1998.

Yours faithfully



CHIEF DIRECTOR:

Signed By:

Designation:

Date: 9/3/2017

WESTERN CAPE

Mrs. Hester Lyons

Control Industrial Technician