
ERSKINE STREET
ERSKINE STREET
ERSKINE STREET
AIRTH STREET
AIRTH STREET
EXISTING HOUSE
ERF 592
ERF 592
PROPOSED NEW HOSPITAL
ERF 599
ground floor slab level 54.5m
ERF 2396
proposed new entrance & exit
1:8 vehicle ramp up
1:8 vehicle ramp up
parking layout and surface as per engineers details
1:12 ramp
disabled parking bay 3300x5500mm
disabled parking bay 3300x5500mm
parking bays 2500x5500mm
parking bays 2500x5500mm
parking bays 2500x5500mm
reinforced concrete retaining wall as per engineers details
reinforced concrete retaining wall as per engineers details
reinforced concrete retaining wall as per engineers details
350mm mPVC class 34 stormwater pipe as per engineer
350mm mPVC class 34 stormwater pipe as per engineer
350mm mPVC class 34 stormwater pipe as per engineer
160mm mPVC class 34 sewer pipe as per engineer
160mm mPVC class 34 sewer pipe as per engineer
160mm mPVC class 34 sewer pipe as per engineer
stormwater outlet
sewer manhole
low voltage manhole
ex. tree
ex. electrical box
1m SIDE SPACE
1m SIDE SPACE
1m SIDE SPACE
1m SIDE SPACE
1m building line
1m building line
80.46m boundary line
3.05m DRAIN AND SEWER SERVITUDE AS PER S.G DIAGRAM
3.05m DRAIN AND SEWER SERVITUDE AS PER S.G DIAGRAM
STORMWATER MANHOLE CONNECTION POINT SWMH 17 - CL 52.00
UGU SEWER CONNECTION - SEWER MANHOLE 10 - C.L 52.00 - MIN. DEPTH 1m
A
B
C
D
2396
UMDONI MUNICIPALITY
TOWN PLANNING REQUIREMENTS
- LOT 599, SCOTTBURGH, KWAZULU NATAL
- SITE AREA : 4047m²
- STREET ADDRESS : CORNER ERSKINE & AIRTH STREETS; SCOTTBURGH
- ZONING : MEDIUM IMPACT MIXED USE
SANS 10400 CLASSIFICATION :
- E2 : HOSPITAL
F.A.R CALCULATIONS :
MAX. ALLOWABLE F.A.R. = 4047m² (1.0)
PROPOSED NEW F.A.R = 2248m² (0.55)
COVERAGE CALCULATIONS :
MAX. ALLOWABLE COVERAGE = 3237.6m² (80%)
PROPOSED NEW COVERAGE = 1243m² (30.7%)
PARKING REQUIREMENTS :
PATIENT BEDS = 40 BEDS / 1 BAY PER BED
40 PARKING BAYS REQUIRED
- 46 PARKING BAYS PROVIDED
NETT FLOOR AREA: FOR SUBMISSION
GROUND FLOOR = PLANTROOM = 1243m²
FIRST FLOOR = 1243m²
TOTAL = 2486m²
UMDONI MUNICIPALITY
BUILDING APPLICATION No. 163/17
APPROVED IN TERMS OF ACT 103 OF 1977
FIRE REQUIREMENTS
ALL FIRE REQUIREMENTS TO COMPLY IN TERMS OF SANS 10400 PART T AND PART W AND RELEVANT SANS 10400 SPECIFICATIONS
NO INDIGENOUS VEGETATION TO BE REMOVED WITHOUT PERMISSION OF THE COUNCIL
TJ Architects South Coast (Pty) Ltd
Tel +27 (0)39 6827911 Fax +27 (0)39 6827917
PO Box 53 Port Shepstone 4240
CLIENT INFORMATION
HIBISCUS HOSPITAL PROPERTY HOLDINGS (PTY)LTD
REG. No. 1999/002748/07
PROJECT INFORMATION
PROPOSED NEW 20 BED DAY HOSPITAL & 20 BED SUB-ACUTE WARDS
SCOTTBURGH PRIVATE HOSPITAL
CORNER OF AIRTH STREET & ERSKINE STREET
ERF 599 : SCOTTBURGH
DRAWING INFORMATION
MUNICIPAL APPROVAL DRAWINGS :
- SITEPLAN
DATE 2017/09/21
SCALE 1:200
SHEET SIZE A1
PS2016-12-MA-010-00 (1/6)
COPYRIGHT RESERVED
N