


TGM ENVIRONMENTAL SERVICES

PO Box 219
Groenkloof
0027

Tel: 012 346 7655
Fax: 012 346 6074
Mobile: 082 4939 616
Email: elaine@tgmenvlron.co.za

30 July 2019

Our ref: MONTANA SPRUIT

Attention: Kemmone Mofela
City of Tshwane Metropolitan Municipality
Environmental and Agriculture Management Department
Ground Floor, Block A
Tshwane House
320 Madiba Street
Pretoria
0002


012 358 7334

Dear Sir/Madam

**DRAFT BAR FOR: PROPOSED MONTANA SPRUIT CHANNEL
IMPROVEMENT – PHASE 1
REF: GAUT 002/19-20/E0055**

Attached please find 4 copies (2 hard copies and 2 electronic copies) of the Draft Basic Assessment Report for the abovementioned project.

Sincerely,


Delia de Lange
TGM Environmental Services CC

RECEIVED BY KEMMONK
MOFELA
ON 05/08/2019



TGM ENVIRONMENTAL SERVICES

PO Box 219
Groenkloof
0027

Tel: 012 346 7655
Fax: 012 346 6074
Mobile: 082 4939 616
Email: elaine@tgmenviro.co.za


28 Augustus 2019

Our ref: MONTANA SPRUIT

Attention: Mashudu Marubini
Department of Agriculture, Forestry and Fisheries
Delpen Building
Cnr Annie Botha Avenue and Union Street
Riviera
Pretoria
0184

(012) 319-7619

Dear Madam

NAME: Constance
DATE: 29/08/2019
SIGN: 

**DRAFT BAR FOR: PROPOSED MONTANA SPRUIT CHANNEL
IMPROVEMENT - PHASE 1
REF: GAUT 002/19-20/E0055**

Attached please find a copy of the Draft Basic Assessment Report for the abovementioned project.

Sincerely,


Delia de Lange
TGM Environmental Services CC

TGM Environmental Services
Director: MD Mopal (Chairperson)

TGM ENVIRONMENTAL SERVICES

PO Box 219
Groenkloof
0027

Tel: 012 346 7655
Fax: 012 346 6074
Mobile: 082 4939 616
Email: elaine@tgmenviron.co.za

30 July 2019

Our ref: MONTANA SPRUIT

Lilian Siwelane
Department of Water and Sanitation
Bothongo Plaza
15th Floor
285 Francis Baard
Pretoria
0001

012 392 1411


Dear Sir/Madam

**DRAFT BAR FOR: PROPOSED MONTANA SPRUIT CHANNEL
IMPROVEMENT - PHASE 1
REF: GAUT 002/19-20/E0055**

Attached please find a copy of the Draft Basic Assessment Report for the abovementioned project.

Sincerely,


Delia de Lange
TGM Environmental Services CC


DEPARTMENT OF WATER AND SANITATION
30/07/2019
2019-07-30
DEPARTMENT OF WATER AND SANITATION



water & sanitation

Department:
Water and Sanitation
REPUBLIC OF SOUTH AFRICA

North West Regional Office, 285 Francis Baard Street, Pretoria, Private Bag X995, Pretoria, 0001. Tel
(012) 392 1300, www.dwa.gov.za

Enquiries: A Malemela
Email: MalemelaA@dws.gov.za

Tel: 012 392-1470
Fax: 012 392-1408

Delia de Lange
P.O. Box 219
Groenkloof
0027

Dear Sir/Madam

ACKNOWLEDGEMENT OF RECEIPT OF ENVIRONMENTAL REPORT


DRAFT BAR FOR: PROPOSED MONTANA SPRUIT CHANNEL IMPROVEMENT – PHASE 1


The Department of Water and Sanitation received above mention report dated 13 August 2019. The report will be evaluated and provide comments within 60 days.

For any enquiries on the above comments, do not hesitate to contact this office on the above indicated contacts.

Yours sincerely

Water and Sanitation





agriculture and rural development

Department: Agriculture and Rural Development
GAUTENG PROVINCE

56 Eloff Street, Umnotho House, Johannesburg
P O Box 8769, Johannesburg, 2000

Telephone: (011) 240-2500

Fax: (011) 240-2700

Website: <http://www.gdard.gpg.gov.za>

Reference:	002/19-20/E0055
Enquiries:	Malesela Sehona
Telephone:	(011) 240-3048
Email:	malesela.sehona2@gauteng.gov.za

TGM Environmental Services
Email/Fax. delia@tgmenviro.co.za

Dear Sir / Madam

BA Application & Draft Basic Assessment Report: Proposed Montana Spruit Channel improvement - Phase 1

The Department acknowledges having received the BA Application & Draft Basic Assessment Report for environmental authorisation of the above-mentioned project on 23/07/2019.

You are required to submit five (5) copies (**3 full colour hard copies and 2 CDs-PDF**) of the Final Basic Assessment Report in terms of Regulation 3(4), as well as a copy of the previously submitted application form for environmental authorisation.

In terms of Regulation 45 of the EIA Regulations 2014, this application will lapse should you fail to meet any of the time-frames prescribed in terms of these regulations, unless an extension has been granted in terms of regulation 3(7).

Please draw the applicant's attention to the fact that the activity may not commence prior to an environmental authorisation being granted by the Department.

Yours faithfully

Boniswa Belot

Deputy Director: Strategic Administration Support

Date: 24/07/2019

CC: City of Tshwane: Transport, Infrastructure, Design Att:
and Construction Division

T Lebepe
Email/Fax: ThaboL@tshwane.gov.za

Delia de Lange

From: Delia de Lange [delia@tgmenviro.co.za]
Sent: Tuesday, 30 July 2019 11:16 AM
To: 'arnoldvn@telkomsa.net'; 'hannesco@tshwane.gov.za'; 'manager@trao.co.za'; 'pieterleg@telkomsa.net'; 'Darae Le Roux [Curro Head Office]'; 'deon@dfsoffice.co.za'; 'ldleeuw@hotmail.co.za'; 'Matale Mmushi'; 'ricusgroenewald@csimanagement.co.za'; 'robert@attoplex.com'; 'stephanie@environetwork.co.za'; 'theo@justimagineproperties.com'; 'thami.hadebe@transnet.net'; 'Jeremiah.Hlalethwa@transnet.net'; 'Sinenhlanhla.Dlamini@transnet.net'; 'wayleaves@sasol.com'; 'mpho.kekana@dfafrica.co.za'; 'citymanager@tshwane.gov.za'; 'nineteb@tshwane.gov.za'; 'mmadikeledi.malebe@dmr.gov.za'; 'tebogo.molokomme@gauteng.gov.za'; 'Mimi Seetelo'; 'John Wesson'; 'albert.marumo@gauteng.gov.za'; 'nomfundo.ntloko-gobodo@drdlr.gov.za'; 'lebogang.mohlahlo@dhs.gov.za'; 'lebohlang.nakana@dhs.gov.za'; 'LydiaB@daff.gov.za'; 'Gail Andrews'; 'mahlako.mmola@gauteng.gov.za'; 'Wayleave'; 'Dimitri Alben (NR)'; 'mokgadi.modise@energy.gov.za'; 'wayleaves@mtn.co.za'; 'zodwa.koalepe@gauteng.gov.za'
Subject: NOTICE OF AVAILABILITY OF DRAFT BASIC ASSESSMENT REPORT FOR PROPOSED MONTANA SPRUIT CHANNEL IMPROVEMENT- PHASE 1 (REF: GAUT 002/19-20/E0055)

Dear Interested and Affected Party

NOTICE OF AVAILABILITY OF DRAFT BASIC ASSESSMENT REPORT FOR PROPOSED MONTANA SPRUIT CHANNEL IMPROVEMENT- PHASE 1 REF: GAUT 002/19-20/E0055

We hereby notify you of the availability of the Draft Basic Assessment Report for public review and comment for the abovementioned project from **30 July 2019 to 31 August 2019**.

Should you require a copy of the report, please be so kind as to:

1. Contact Delia de Lange on 012 346 7655 or delia@tgmenviro.co.za in order to make arrangements to collect a copy at:
72 Herbert Baker Street
Groenkloof
Pretoria
0081
2. A copy of the report is also available on Dropbox. Please refer to the Dropbox Link below:
https://www.dropbox.com/sh/058n9yq6qzpgriq/AAACbEBYwYDL_-Mn8luQdi_Na?dl=0

Should you have any comments, we request that you provide your comments to our offices in writing per e-mail (delia@tgmenviro.co.za).

We would like to thank all that have participated in the Public Participation Process, and we appreciate your comments and ongoing involvement during the Environmental Authorisation process.

Regards

Delia de Lange

TGM ENVIRONMENTAL SERVICES cc
72 Herbert Baker Street , Groenkloof
P.O.BOX 219 GROENKLOOF 0027
TEL: 012 346 7655
FAX: 012 346 6074
CELL: 083 289 3240
delia@tgmenviro.co.za