


75mm thick concrete floor slab on 250 micron smooth green polyolefin damp prove membrane(fold membrane up against foundation wall. Lay membrane with 200mm lap&seals as per manufacturers specs). On 50mm thick Riversand blinding on compacted hardcore filling at optimum moisture content in layers not exceeding 170mm before compaction, to a density of at least 90% of the maximum modified AASH to density.

REVISIONS			
No	Description	By	Date
ELECTRIC FITTINGS AND LIGHTS			
REFERENCE FILE			
THIS DRAWING MUST NOT BE SCALED. CALCULATED DIMENSIONS MUST BE USED IN ALL INSTANCES. ALL LEVELS AND HEIGHTS MUST BE CHECKED AND CONFIRMED BEFORE COMMENCING ON THE SITE.			
<div><p>REGIONAL WORKS UNIT WESTERN CAPE</p><p>Regional Works Unit Western Cape Private Bag X 1 Kenwyn 7790</p></div>			
PROJECT			
PLYNTH FOR MRS MURHY AT CASTLE OF NEW HOPE CAPE TOWN			
CENTER: WESTERN CAPE			
UNIT: RWU WC			
DRAWING TITLE			
STATUE PLYNTH			
PROJECT NUMBER			
RWU WC/ 30/13/18			
DRAWING NUMBER			
01			
SCALE	DRAWN	DATE	CHECKED
1:100	ANDREI GREYLING	09/07/12	

