

## 8. REFERENCES

- Anders, A.S., 1975. Pilchard and anchovy spawning along the Cape east coast. *S. Afr. ship. news fish. ind. rev.* 30 (9): 53-57.
- Attwood CG, Petersen SL, Kerwath SE., 2011. Bycatch in South Africa's inshore trawl fishery as determined from observer records. *ICES Journal of Marine Science* 68(10), 2163–2174.
- Augustyn, C.J., Lipinski, M.R., Sauer, W.H.H., Roberts, M.J. and Mitchell-Innes, B.A., 1994. Chokka squid on the Agulhas Bank: life history and ecology. *S. Afr. J. Sci.* 90: 143-153.
- Augustyn, C.J., 1990. Biological studies on the chokker squid *Loligo vulgaris reynaudii* (Cephalopoda: Myopsida) on spawning grounds off the south-east coast of South Africa. *S. Afr. J. mar. Sci.* 9: 11-26.
- Banks, A. Best, P.B., Gullan, A., Guissamulo, A., Cockcroft, V. & K. Findlay, 2011. Recent sightings of southern right whales in Mozambique. Document SC/S11/RW17 submitted to IWC Southern Right Whale Assessment Workshop, Buenos Aires 13-16 Sept. 2011.
- Barendse, J., Best, P.B., Thornton, M., Pomilla, C. Carvalho, I. & H.C. Rosenbaum, 2010. Migration redefined ? Seasonality, movements and group composition of humpback whales *Megaptera novaeangliae* off the West Coast of South Africa. *Afr. J. mar. Sci.*, **32(1)**: 1-22.
- Beckley, L.E. and Van Ballegooyen, R.C., 1992. Oceanographic conditions during three ichthyoplankton surveys of the Agulhas Current in 1990/91. *S. Afr. J. mar. Sci.*. 12: 83-93.
- Best, P.B., 1990. Trends in the inshore right whale population off South Africa, 1969-1987. *Marine Mammal Science*, **6**: 93-108.
- Best, P.B., 2000. Coastal distribution, movements and site fidelity of right whales (*Eubalaena australis*) off South Africa, 1969-1998. *S. Afr. J. mar. Sci.*, 22: 43 – 56.
- Best, P.B., 2001. Distribution and population separation of Bryde's whale *Balaenoptera edeni* off southern Africa. *Mar. Ecol. Prog. Ser.*, 220: 277 – 289.
- Best, P.B., 2007. Whales and Dolphins of the Southern African Subregion. Cambridge University Press, Cape Town, South Africa.
- Best, P.B., Butterworth, D.S. & L.H. Rickett, 1984. An assessment cruise for the South African inshore stock of Bryde's whale (*Balaenoptera edeni*). *Report of the International Whaling Commission*, **34**: 403-423.
- Best, P.B., Findlay, K.P., Sekiguchi, K., Peddemors, V.M., Rakotonirina, B., Rossouw, A. and D. Gove, 1998. Winter distribution and possible migration routes of humpback whales *Megaptera novaeangliae* in the southwest Indian Ocean. *Mar. Ecol. Prog. Ser.* **162**: 287 - 299.
- Best, P.B. & C.H. Lockyer, 2002. Reproduction, growth and migrations of sei whales *Balaenoptera borealis* off the West Coast of South Africa in the 1960s. *South African Journal of Marine Science*, 24: 111-133.
- Best P.B., Meijer, M.A. & C. Lockyer, 2010. Killer whales in South African waters – a review of their biology. *African Journal of Marine Science*. **32**: 171–186.

- Birch, G., 1990. Phosphorite deposits on the South African continental margin and coastal terrace. In: Burnett, W.C. and S.R. Riggs (eds.) Phosphate deposits of the world, Vol. 3, Neogene to modern phosphorites. Cambridge University Press, Cambridge, UK:153-158
- Birch, G.F., 1979a. The nature and origin of mixed apatite/glaucocrite pellets from the continental shelf off South Africa. *Mar. Geol.* 29: 313-334.
- Birch, G.F., 1979b. Phosphorite pellets and rock from the western continental margin and adjacent coastal terrace of South Africa. *Mar. Geol.* 33: 91-116.
- Birch, G.F. and Rogers, J., 1973. Nature of the seafloor between Lüderitz and Port Elizabeth. *S. Afr. ship. news. fish. ind. rev.* 39 (7): 56-65.
- Bonfil, R., Meyer, M., Scholl, M.C., Johnson, R., O'Brien, S., Oosthuizen, H., Swanson, S., Kotze, D. and Paterson, M., 2005. Transoceanic migration, spatial dynamics, and population linkages of white sharks. *Science* 310: 100-103.
- Boyd, A.J. and Shillington, F.A., 1994. Physical forcing and circulation patterns on the Agulhas Bank. *S. Afr. J. Sci.* 90: 114-120.
- Boyd, A.J., Taunton-Clark, J. and Oberholster, G.P.J., 1992. Spatial features of the near-surface and midwater circulation patterns off western and southern South Africa and their role in the life histories of various commercially fished species. *S. Afr. J. mar. Sci.* 12: 189-206.
- Branch, G.M., Griffiths, C.L., Branch, M.L., and Beckley, L.E. 2010. Two Oceans. Struik Nature, Cape Town, South Africa, revised edition, 456pp
- Branch, T.A., Stafford, K.M., Palacios, D.M., Allison, C., Bannister, J.L., Burton, C.L.K., Cabrera, E., Carlson, C.A., Galletti Vernazzani, B., Gill, P.C., Hucke-Gaete, R., Jenner, K.C.S., Jenner, M.-N.M., Matsuoka, K., Mikhalev, Y.A., Miyashita, T., Morrice, M.G., Nishiwaki, S., Sturrock, V.J., Tormosov, D., Anderson, R.C., Baker, A.N., Best, P.B., Borsa, P., Brownell Jr, R.L., Childerhouse, S., Findlay, K.P., Gerrodette, T., Ilangakoon, A.D., Joergensen, M., Kahn, B., Ljungblad, D.K., Maughan, B., McEachron, R.D., McKay, S., Norris, T.F., Oman Whale And Dolphin Research Group, Rankin, S., SAMARAN, F., THIELE, D., Van Waerebeek, K. & R.M. Warneke, 2007. Past and present distribution, densities and movements of blue whales in the Southern Hemisphere and northern Indian Ocean. *Mammal Review*, 37 (2): 116-175.
- Brandão, A., Best, P.B. & D.S. Butterworth, 2011. Monitoring the recovery of the southern right whale in South African waters. Paper SC/S11/RW18 submitted to IWC Southern Right Whale Assessment Workshop, Buenos Aires 13-16 Sept. 2011.
- Breeze, H., Davis, D.S. Butler, M. and Kostylev, V. 1997. Distribution and status of deep sea corals off Nova Scotia. Marine Issues Special Committee Special Publication No. 1. Halifax, NS: Ecology Action Centre. 58 p.
- Brown, P.C., 1992. Spatial and seasonal variation in chlorophyll distribution in the upper 30m of the photic zone in the southern Benguela/Agulhas region. *S. Afr. J. mar. Sci.* 12: 515-525.
- Brown, P.C., Painting, S.J. and Cochrane, K.L., 1991. Estimates of phytoplankton and bacterial biomass and production in the northern and southern Benguela ecosystems. *S. Afr. J. mar. Sci.* 11: 537-564.
- Brouwer SL, Mann BQ, Lamberth SJ, Sauer WHH & Erasmus C (1997) A survey of the South African shore-angling fishery. *S. Afr. J. mar. Sci.* 18: 165-177.

- Buxton, C.D., 1990. The reproductive biology of *Chrysoblephus laticeps* and *C. christiceps* (Teleostei: Sparidae). *J. Zool. Lond.* 220: 497-511.
- Bustamante, R.H. & Branch, G.M., 1996. Large scale patterns and trophic structure of southern African rocky shores: the role of geographic variation and wave exposure. *Journal of Biogeography* 23: 339-351.
- Carter, R.A. and Brownlie, S., 1990. Estuaries of the Cape, Part II: Synopses of available information on individual systems. Report No. 34: Kafferkuils (CSW 24) and Duiwenshok (CSW 23). Heydorn, A.E.F. and Morant, P.D. (eds). Stellenbosch, *CSIR Research Report* 43, 86pp.
- Carter, R.A., McMurray, H.F. and Largier, J.L., 1987. Thermocline characteristics and phytoplankton dynamics in Agulhas Bank waters. *S. Afr. J. mar. Sci.* 5: 327-336.
- Christensen, M.S., 1980. Sea-surface temperature charts for southern Africa, south of 26°S. *S. Afr. J. Sci.* 76 (12): 541-546.
- Cockcroft, V.G. & V.M. Peddemors, 1990. Seasonal distribution and density of common dolphins *Delphinus delphis* off the south-east coast of southern Africa. *S. Afr. J. mar. Sci.* 9: 371-377.
- Cockcroft, V.G., Ross G.J.B. & V.M. Peddemors, 1990. Bottlenose dolphin *Tursiops truncatus* distribution in Natal's coastal waters. *South African Journal of Marine Science* 9: 1-10.
- Cockcroft, V.G., Ross G.J.B. & V.M. Peddemors, 1991. Distribution and status of bottlenose dolphin *Tursiops truncatus* on the south coast of Natal, South Africa. *S. Afr. J. mar. Sci.* 11: 203-209.
- Convention On Biological Diversity (CBD) (2013). Report of the Southern Indian Ocean regional workshop to facilitate the description of ecologically or biologically significant marine areas. UNEP/CBD/RW/EBSA/SIO/1/4. [www.cbd.int/doc/?meeting=EBSA-SIO-01](http://www.cbd.int/doc/?meeting=EBSA-SIO-01)
- Cornew, S., Stuart, V. and Beckley, L.E., 1992. Population structure, biomass and distribution of *Nyctiphanes capensis* (Euphausiacea) in the vicinity of Algoa Bay, South Africa. *S. Afr. J. Zoo.* 27 (1): 14-20.
- Cowan, G.I. (ed), 1995. *Wetlands of Southern Africa*. Department of Environmental Affairs and Tourism, Pretoria.
- Crawford, R.J.M., 1980. Seasonal patterns in South Africa's western Cape purse-seine fishery. *J. Fish. Biol.* 16 (6): 649-664.
- Crawford, R.J.M., Shannon, L.V. and Pollock, D.E., 1987. The Benguela Ecosystem. Part IV. The major fish and invertebrate resources. *Oceanogr. Mar. Biol. Ann. Rev.* 25: 353-505
- Crowther Campbell & Associates (CCA) and Centre for Marine Studies (CMS), 2001. Generic Environmental Management Programme Reports for oil and gas prospecting off the coast of South Africa, Volume 2: Baseline Environmental Report. Petroleum Agency SA, Cape Town, South Africa, Revision 2001.
- Crowther Campbell & Associates and Csir, 1998. Environmental Impact Assessment for the proposed extension of the ORIBI oil production facility and hydrocarbon exploration off the Southern Cape Coast. Report No. SOE01OE/2.
- De Decker, A.H.B., 1973. Agulhas Bank Plankton. In : Zeitzschel, B. (ed.) Ecological Studies. Analysis and Synthesis, 3: 189-219.

- De Decker, A.H.B., 1984. Near-surface copepod distribution in the South-Western Indian and South-Eastern Atlantic Ocean. *Ann. S. Afr. Mus.* 93 (5): 303-370.
- De Wet, A., 2013. *Factors affecting survivorship of loggerhead (*Caretta caretta*) and leatherback (*Dermochelys coriacea*) sea turtles of South Africa*. MSc, Nelson Mandela Metropolitan University.
- Dingle, R.V., Birch, G.F., Bremner, J.M., De Decker, R.H., Du Plessis, A., Engelbrecht, J.C., Fincham, M.J., Fitton, T, Flemming, B.W. Gentle, R.I., Goodlad, S.W., Martin, A.K., Mills, E.G., Moir, G.J., Parker, R.J., Robson, S.H., Rogers, J. Salmon, D.A., Siesser, W.G., Simpson, E.S.W., Summerhayes, C.P., Westall, F., Winter, A. & Woodborne, M.W., 1987. Deep-sea sedimentary environments around Southern Africa (South-east Atlantic and South-west Indian Oceans). *Annals of the South African Museum* 98(1).
- Dudley, S.F.J. and Simpfendorfer, C.A., 2006. Population status of 14 shark species caught in the protective gillnets off KwaZulu-Natal beaches, South Africa, 1978 – 2003. *Marine and Freshwater Research* 57: 225 – 240.
- Duncombe RAE, C.M., F.A. Shillington, J.J. Agenbag, J. Taunton-Clark and Grundlingh, M.L. 1992. An Agulhas ring in the South Atlantic Ocean and its interaction with the Benguela upwelling frontal system. *Deep-Sea Research* 39: 2009-2027.
- Dutton, P.H., Bowen, B.W., Owens, D.W., Barragan, A. and S.K. Davis, 1999. Global phylogeography of the leatherback turtle (*Dermochelys coriacea*). *Journal of Zoology*, 248, 397-409.
- Ellingsen, K.E., 2002. Soft-sediment benthic biodiversity on the continental shelf in relation to environmental variability. *Marine Ecology Progress Series*, 232: 15-27.
- Elwen, S. & P.B. Best, 2004. Environmental factors influencing the distribution of southern right whales (*Eubalaena australis*) on the South Coast of South Africa I: Broad scale patterns. *Mar. Mammal Sci.*, 20 (3): 567-582.
- Elwen, S.H., Gridley, T., Roux, J.-P., Best, P.B. and M.J. Smale, 2013. Records of Kogiid whales in Namibia, including the first record of the dwarf sperm whale (*K. sima*). *Marine Biodiversity Records*. 6, e45 doi:10.1017/S1755267213000213.
- Emanuel, B.P., Bustamante, R.H., Branch, G.M., Eekhout, S. & Odendaal, F.J., 1992. A zoogeographic and functional approach to the selection of marine reserves on the West Coast of South Africa. *South African Journal of Marine Science* 12: 341-354.
- Fernandez, A., Edwards, J.F., Rodriguez, F., Espinosa de los Moneros, A., Herraez, P., Castro, P., Jaber, J., et al., 2005. “Gas and Fat Embolic Syndrome” Involving a Mass Stranding of Beaked Whales (Family Ziphiidae) Exposed to Anthropogenic Sonar Signals. *Veterinary Pathology*, 457: 446–457.
- Findlay, K.P. 1989. The distribution of cetaceans off the coast of South Africa and South West Africa/Namibia. Unpublished MSc. Thesis, University of Pretoria Town. 110pp.
- Findlay, K.P., Best, P.B., Ross, G.J.B. and Cockcroft, V.G., 1992. The distribution of small odontocete cetaceans off the coasts of South Africa and Namibia. *S. Afr. J. mar. Sci.* 12:237-270.
- Findlay, K.P., Best, P.B., Peddemors, V.M. and D. Gove, 1994. The distribution and abundance of humpback whales on the southern and central Mozambique winter grounds. *Rep Int Whal Commn* 44: 311-320.
- Findlay, K.P. and P.B. Best, 1996a. Estimates of the numbers of humpback whales observed migrating past Cape Vidal, South Africa, 1988-1991. *Mar Mammal Sci.*, 12(3): 354-370.

- Findlay, K.P. and P.B. Best, 1996b. The Migrations of Humpback Whales past Cape Vidal, South Africa, and a Preliminary Estimate of the Population Increase Rate. *Rep Int Whal Commn.* SC/A06/HW16
- Flach, E. and Thomsen, L. 1998. Do physical and chemical factors structure the macrobenthic community at a continental slope in the NE Atlantic? *Hydrobiologia*, **375/376**: 265-285.
- Flemming, B. and Hay, R., 1988. Sediment distribution and dynamics on the Natal continental shelf. In: *Coastal ocean sciences of Natal, South Africa* (Ed. E.H. Schumann). Springer-Verlag, Berlin., 47-80.
- Fuggle, R.F. and M.A. Rabie. 1992. Environmental Management in South Africa, Juta and Co. Ltd. Johannesburg.
- Garratt, P.A., 1988. Notes on seasonal abundance and spawning of some important offshore linefish in Natal and Transkei waters, southern Africa *South African Journal of Marine Science* **7**: 1-8
- Gibbons, M.J., Abiahy, B.B., Angel, M., Assuncao, C.M.L., Bartsch, I., Best, P., Biseswar, R., Bouillon, J., Bradford-Grieve, J.M., Branch, W., Burreson, E., Cannon, L., Casanova, J.-P., Channing, A., Child, C.A., Cornelius, P.F.S., David, J.H.M., Della Croce, N., Emschermann, P., Erseus, C., Esnal, G., Gibson, R., Griffiths, C.L., Hayward, P.J., Heard, R., Heemstra, P. C., Herbert, D., Hessler, R., Higgins, R., Hiller, N., Hirano, Y.M., Kensley, B., Kilburn, R., Kornicker, L., Lambshead, J., Manning, R., Marshall, D., Mianzan, H., Monniot, C., Monniot, F., Newman, W., Nielsen, C., Patterson, G., Pugh, P., Roeleveld, M., Ross, A., Ryan, P., Ryland, J.S., Samaai, T., Schleyer, M., Schockaert, E., Seapy, R., Shiel, R., Sluys, R., Southward, E.C., Sulaiman, A., Thandar, A., van der Land, J., van der Spoel, S., van Soest, R., Vetter, E., Vinogradov, G., Williams, G. and Wooldridge, T., 1999. The taxonomic richness of South Africa's marine fauna: crisis at hand. *South African Journal of Science* **95**: 8-12.
- Griffiths, M.H., 1987. Aspects of the biology and population dynamics of the geelbek *Atractoscion aequidens* (Cuvier) (Pisces: Sciaenidae) off the South African coast. *M.Sc. thesis, Rhodes University, Grahamstown*: 149
- Groeneveld, J.C. & Branch, G.M., 2002. Long-distance migration of South African deep-water rock lobster *Palinurus gilchristi*. *Marine Ecology Progress Series* **232**: 225–238.
- Gründlingh, M.L., 1980. On the volume transport of the Agulhas Current. *Deep-Sea Res.* **27**: 557-563.
- Gründlingh, M.L. 1987. On the seasonal temperature variation in the southwestern Indian Ocean. *S. Afr. Geogr. J.*, **69 (2)**: 129-139.
- Gubili, C., Johnson, R., Gennari, E., Oosthuizen, W.H., Kotze, D., Meyer, M., Sims, D.W., Jones, C.S and Noble, L.R., 2009. Concordance of genetic and fin photo identification in the great white shark, *Carcharodon carcharias*, off Mossel Bay, South Africa. *Marine Biology*, **156 (10)**: 2199-2207.
- Hampton, I., 1992. The role of acoustic surveys in the assessment of pelagic fish resources on the South African continental shelf. In: *Benguela Trophic Functioning*, Payne, A.I.L., Brink, K.H., Mann, K.H. and Hilborn, R. (Eds.), *S. Afr. J. mar. Sci.* **12**: 1031-1050.
- Hara, M, de Wit, M, Crookes, D and T. Jayiya (2011) Socio-economic contribution of South African fisheries and their current legal, policy and management frameworks. Working Paper No. 6. Inst. Of Poverty, Land and Agrarian studies (PLAAS), University of the Western Cape.
- Harris, L.R., 2012. *An ecosystem-based spatial conservation plan for the South African sandy beaches*. PhD thesis. Nelson Mandela Metropolitan University, South Africa.

- Harrison, P., 1978. Cory's Shearwater in the Indian Ocean. *Cormorant*. 5: 19-20.
- Hays, G.C. Houghton, J.D.R., Isaacs, C. King, R.S. Lloyd, C. & P. Lovell, 2004. First records of oceanic dive profiles for leatherback turtles, *Dermochelys coriacea*, indicate behavioural plasticity associated with long-distance migration. *Animal Behaviour*, 67: 733-743.
- Heydorn, H.J., 1989. Estuaries of the Cape, Part II: Synopses of available information on individual systems. Report No. 39: Quko (CSE 56). Heydorn, A.E.F. and Morant, P.D. (eds). Stellenbosch, CSIR Research Report 437, 66pp.
- Heydorn, A.E.F. and Tinley, K.L., 1980. Estuaries of the Cape, Part 1. Synopsis of the Cape coast. Natural features, dynamics and utilization. Stellenbosch, CSIR Research Report 380.
- Hughes, G.R., 1974. The Sea Turtles of South East Africa I. Status, morphology and distributions. *Investl. Rep. Oceanogr. Res. Inst.* 35.
- Hughes, G.R., 1974a. The sea turtles of south-east Africa I: Status, morphology and distributions. Durban, South Africa: Oceanographic Research Institute.
- Hughes, G.R., 1974b. *The sea turtles of south east Africa*. PhD, University of Natal.
- Hughes, G.R., Luschi, P., Mencacci, R. & F. Papi, 1998. The 7000 km journey of a leatherback turtle tracked by satellite. *Journal of Experimental Marine Biology and Ecology*, 229: 209 - 217.
- Hutchings, L., 1994. The Agulhas Bank: a synthesis of available information and a brief comparison with other east-coast shelf regions. *S. Afr. J. Sci.* 90: 179-185.
- Hutchings L., Beckley L. E., Griffiths M.H., Roberts M. J. Sundby S. & Van Der Lingen C. 2002. Spawning on the edge: spawning grounds and nursery areas around the southern African coastline. *Marine and Freshwater Research* 53:307-318.
- Jackson, L.F. and Lipschitz, S., 1984. *Coastal sensitivity atlas of Southern Africa*. Pretoria, Department of Transport: 34 pp.
- Japp, D.W., Sims, P. and Smale, M.J., 1994. A review of the fish resources of the Agulhas Bank. *S. Afr. J. Sci.* 90: 123-134.hb
- Japp, D.W., Wilkinson, S., 2014. Assessment of the impact of the proposed bathymetry survey and seabed sediment sampling in Block 11B/12B offshore South Africa.
- Johnson, R., Bester M.N., Dudley, S.F.J., Oosthuizen, W.H., Meijer, M., Hancke, L. & E. Gennari, 2009. Coastal swimming patterns of white sharks (*Carcharodon carcharias*) at Mossel Bay, South Africa. *Environ Biol Fish*, 85: 189–200.
- Jury, M.R. and Diab, R., 1989. Wind energy potential in the Cape coastal belt. *S. Afr. Geogr. J.*, 71: 3-11.
- Jury, M.R. 1994. Meteorology of eastern Agulhas Bank. *S. Afr. J. Sci.*, 90: 109-113.
- Koch, A. & R. Johnson, 2006. White Shark abundance: not a causative factor in numbers of shark bite incidents. In NEL, D.C. & T.P. PESCHAK (eds) Finding a balance: White shark conservation and recreational safety in the inshore waters of Cape Town, South Africa; proceedings of a specialist workshop. WWF South Africa Report Series - 2006/Marine/001.
- Lambardi, P., Lutjeharms, J.R.E., Menacci, R., Hays, G.C. & P. Luschi, 2008. Influence of ocean currents on long-distance movement of leatherback sea turtles in the Southwest Indian Ocean. *Marine Ecology Progress Series*, 353: 289–301

- Largier, J.L. and Swart, V.P. 1987. East-west variation in thermocline breakdown on the Agulhas Bank. In: The Benguela and Comparable Ecosystems, Payne, A.I.L., Gulland, J.A. And Brink, K.H. (Eds.), *S. Afr. J. mar. Sci.*, 5: 263-272.
- Lauret-Stepler, M., Bourjea, J., Roos, D., Pelletier, D., Ryan, P., Ciccone, S. and H. Grizel, 2007. Reproductive seasonality and trend of Chelonia mydas in the SW Indian Ocean: a 20 yr study based on track counts. *Endangered Species Research*, 3, 217-227.
- Liversidge, R. and Le Gras, G.M., 1981. Observations of seabirds off the eastern Cape, South Africa, 1953-1963. In: *Proceedings of the symposium on birds of the sea and shore*, 1979. Cooper, J. (Ed.). 149-167.
- Lombard, A.T., Strauss, T., Harris, J., Sink, K., Attwood, C. & Hutchings, L. 2004. South African National Spatial Biodiversity Assessment 2004: Technical Report. Volume 4: Marine Component. Pretoria: South African National Biodiversity Institute.
- Lombard A.T. and Strauss T. 2004. National Spatial Biodiversity Assessment, Marine Component. Prepared for the National Botanical Institute by Dr A.T. Lombard and Ms T. Strauss, Conservation Systems.
- Luschi, P., Hays, G.C. & F. Papi, 2003a. A review of long-distance movements by marine turtles, and the possible role of ocean currents. *Oikos*, 103, 293 – 302.
- Luschi, P., Lutjeharms, J.R.E., Lambardi, P., Mencacci, R., Hughes, G.R. & G.C. Hays, 2006. A review of migratory behaviour of sea turtles off southeastern Africa. *South African Journal of Science*, 102, 51 - 57.
- Luschi, P., Sale, A., Mencacci, R., Hughes, G.R., Lutjeharms, J.R.E. & F. PAPI, 2003b. Current transport of leatherback sea turtles (*Dermochelys coriacea*) in the ocean. *Proceedings of the Royal Society: Biological Sciences*, 270, 129 - 132.
- Lutjeharms, J.R.E., 2006. *The Agulhas Current*. Springer Verlag, 314pp.
- Macleod, C.D. & A. D'amico, 2006. A review of beaked whale behaviour and ecology in relation to assessing and mitigating impacts of anthropogenic noise. *Journal of Cetacean Research and Management* 7(3): 211–221
- Mann BQ., 2000. Southern African Marine Linefish Status Reports. Oceanographic Research Institute Special Publication, Durban.
- Mann-Lang J (2000) Coastal and Marine Life – Animals: Vertebrates – Reptiles. [www.aquarium.co.za/pdf/kids/educational/3d\\_turtles.pdf](http://www.aquarium.co.za/pdf/kids/educational/3d_turtles.pdf)
- Mate, B.R., Lagerquist, B.A., Windsor, M., Geraci, J. & J.H. Prescott, 2005. Movements and dive habits of a satellite-monitoring longfinned pilot whales (*Globicephala melas*) in the northwest Atlantic. *Marine Mammal Science* 21(10): 136-144.
- Mcclurg, T.P. 1998. Benthic Macrofauna. In: Environmental Studies in the Richards Bay offshore outfalls region. Report No. 11. Surveys made during 1997. East Coast Program; Division of Water, Environment and Forestry Technology; CSIR, Durban. CSIR Report ENV/ECP/EXT:97-JEC17.
- Mcclurg, T.P., BLAIR, A. And GUMEDE, S.V. 1999. Benthic Fauna. In: Environmental Studies in the Richards Bay offshore outfalls region. Report No. 12. Surveys made during 1998. East Coast Program; Division of Water, Environment and Forestry Technology; CSIR, Durban. CSIR Report ENV/ECP/EXT:98-JEOF.

- Mcclurg, T.P., BLAIR, A. and Gumede, S.V. 2000. Benthic fauna. In: Environmental Studies in the Richards Bay offshore outfalls region. Report No. 13. Surveys made during 1999. East Coast Program; Division of Water, Environment and Forestry Technology; CSIR, Durban. CSIR Report ENV-D-C-2000-011.
- Mcclurg, T.P., BLAIR, A. and Gumede, S.V. 2001. Benthic fauna. In: Environmental Studies in the Richards Bay offshore outfalls region. Report No. 14. Surveys made during 2000. East Coast Program; Division of Water, Environment and Forestry Technology; CSIR, Durban. CSIR Report ENV-D-C-2001-015.
- Mcclurg, T.P., BLAIR, A. and Gumede, S.V. 2002. Benthic fauna. In: Environmental Studies in the Richards Bay offshore outfalls region. Report No. 15. Surveys made during 2001. East Coast Programme; Division of Water, Environment and Forestry Technology; CSIR, Durban. CSIR Report ENV-D-C-2002-003
- Mcclurg, T.P., Blair, A. and Mapukata, T. 2003. Benthic fauna. In: Environmental Studies in the Richards Bay offshore outfalls region. Report No. 16. Surveys made during 2002. East Coast Programme; Division of Water, Environment and Forestry Technology; CSIR, Durban. CSIR Report ENV-D-C-2003-003.
- Mcclurg, T.P., Blair, A. and Mapukata, T. 2004. Benthic fauna. In: Environmental Studies in the Richards Bay offshore outfalls region. Report No. 17. Surveys made during 2003. East Coast Programme; Division of Water, Environment and Forestry Technology; CSIR, Durban. CSIR Report ENV-D-C-2004-013.
- Mcclurg, T.P. and Blair, A. 2005. Benthic fauna. In: Environmental Studies in the Richards Bay offshore outfalls region. Report No. 18. Surveys made during 2004. East Coast Programme; Division of Water, Environment and Forestry Technology; CSIR, Durban. CSIR Report ENV-D-C-2005-031.
- Mcclurg, T.P. and Blair, A. 2006. Benthic fauna. In: Environmental Studies in the Richards Bay offshore outfalls region. Report No. 19. Surveys made during 2005. CSIR Report CSIR/NRE/PW/ER/2006/0068/C.
- Mcclurg, T.P. and Blair, A. 2007. Benthic fauna. In: Environmental Studies in the Richards Bay offshore outfalls region. Report No. 20. Surveys made during 2006/2007. CSIR Report CSIR/NRE/ECO/ER/2008//0027/C.
- Mcclurg, T.P. and Blair, A. 2008. Environmental studies in the Richards Bay offshore outfalls region. Report No. 21. Surveys made in 2007/2008. CSIR Report CSIR/NRE/ECO/ER/2008/ 0145/C.
- MacIissac, K., Bourbonnais, C., Kenchington, E.D., Gordon Jr. & S. GASS, 2001. Observations on the occurrence and habitat preference of corals in Atlantic Canada. In: (eds.) J.H.M. Willison, J. Hall, S.E. Gass, E.L.R. Kenchington, M. Butler, And P. Doherty. Proceedings of the First International Symposium on Deep-Sea Corals. Ecology Action Centre and Nova Scotia Museum, Halifax, Nova Scotia.
- Morant, P.D., 2013. Environmental Management Plan for the proposed marine phosphate prospecting in the Outeniqua West Licence Area on the eastern Agulhas Bank, offshore Mossel Bay. Prepared for Diamond Fields International Ltd. CSIR/CAS/EMS/ER/2013/0000/A, pp266.
- Natoli, A., Peddemors, V.M. & A.R. Hoelzel, 2008. Population structure of bottlenose dolphins (*Tursiops aduncus*) impacted by bycatch along the East Coast of South Africa. *Conservation Genetics* 9: 627–636.

- Nel, R., Punt, A.E. and G.R. Hughes, 2013. Are coastal protected areas always effective in achieving population recovery for nesting sea turtles? *PLoS one*, 8, e63525.
- O'Donoghue, S.H., Drapeau, L., Dudley, S.F.J. & V.M. Peddemors, 2010a. The KwaZulu-Natal sardine run: shoal distribution in relation to nearshore environmental conditions, 1997 to 2007. *African Journal of Marine Science* 32: 293–307.
- O'Donoghue, S.H., Drapeau, L. & V.M. Peddemors, 2010b. Broad-scale distribution patterns of sardine and their predators in relation to remotely sensed environmental conditions during the KwaZulu-Natal sardine run. *African Journal of Marine Science* 32: 279–291.
- O'Donoghue, S.H., Whittington, P.A., Dyer, B.M. & V.M. Peddemors, 2010b. Abundance and distribution of avian and marine mammal predators of sardine observed during the 2005 KwaZulu-Natal sardine run survey. *African Journal of Marine Science* 32: 361–374.
- O'Sullivan, D., 1998. Big expansion in South African abalone industry. *Austasia Aquaculture* 12 (3): 28-31.
- Oosthuizen W.H., 1991. General movements of South African (Cape) fur seals *Arctocephalus pusillus pusillus* from analysis of recoveries of tagged animals. *S. Afr. J. Mar. Sci.*, 11: 21-30.
- Pardini, A.T., Jones, C.S., Noble, L.R., Kreiser, B., Malcolm, H., Bruce, B.D., Stevens, J.D., Cliff, G., Scholl, M.C., Francis, M., Duffy, C.A.J. and Martin, A.P., 2001. Sex-biased dispersal of great white sharks. *Nature* 412: 139 – 140.
- Pearce, A.F. 1977. The shelf circulation off the East Coast of South Africa. *CSIR Professional Research Series*, 1, 220 pp.
- Pearce, A.F., Schumann, E.H. and Lundie, G.S.H. 1978. Features of the shelf circulation off the Natal Coast. *S. Afr. J. Sci.*, 74: 328-331.
- Peddemors, V.M. 1999. Delphinids of southern africa. A review of their distribution, status and life history. *J. Cetacean Res. Manage.*, 1(2): 157-166.
- Peddemors, V.M., Atkins S. & W.H. Oosthuizen, 2004. *Sousa plumbea*-Indian Ocean Humpback Dolphin. Pages 660-661. In: Friedmann Y. & B. Daly eds. *Red Data Book of the Mammals of South Africa: A Conservation Assessment*. CBSG Southern Africa, Conservation Breeding Specialist Group (SSC/IUCN), Endangered Wildlife Trust, South Africa.
- Peddemors, V.M. & W.H. Oosthuizen, 2004. *Tursiops aduncus*- Indian Ocean Bottlenose Dolphin. Pages 666-667. In: FRIEDMANN Y. & B. DALY eds. *Red Data Book of the Mammals of South Africa: A Conservation Assessment*. CBSG Southern Africa, Conservation Breeding Specialist Group (SSC/IUCN), Endangered Wildlife Trust, South Africa.
- Penry, G.S., 2010. *Biology of South African Bryde's whales*. PhD Thesis. University of St Andrews, Scotland, UK.
- Penven, P., Lutjeharms, J.R.E., Marchesiello, P., Weeks, S.J. and C. ROY, 2001. Generation of cyclonic eddies by the Agulhas Current in the lee of the Agulhas Bank. *Geophys. Res. Lett.*, 26: 1055-1058.
- Peterson, W.T., Hutchings, L., Huggett, J.A. and Largier, J.L., 1992. Anchovy spawning in relation to the biomass and the replenishment rate of their copepod prey on the western Agulhas Bank. In: *Benguela Trophic Functioning*. Payne, A.I.L., Brink, K.H., Mann, K.H. and Hilborn, R. (Eds.). *S. Afr. J. mar. Sci.*. 12: 487-500.

- Pitcher ,G.C. & D. Calder, 2000. Harmful algal blooms of the southern Benguela current: a review and appraisal of monitoring from 1989–1997. *South African Journal of Marine Science*, **22**: 255–271.
- Plön, S., 2004. The status and natural history of pygmy (*Kogia breviceps*) and dwarf (*K. sima*) sperm whales off Southern Africa. PhD Thesis. *Department of Zoology & Entomology* (Rhodes University), p. 551.
- Preston-Whyte, R.A. and Tyson, P.D., 1988. *The Atmospheric and Weather of Southern Africa*. Oxford University Press, Cape Town. 375 pp.
- Probyn, T.A. and Lucas, M.I., 1987. Ammonium and phosphorus flux through the microplankton community in Agulhas Bank waters. *S. Afr. J. mar. Sci.* 5: 209-221.
- Probyn, T.A., Mitchell-Innes, B.A., Brown, B.A., Hutchings, L. and Carter, R.A., 1994. A review of primary production and related processes on the Agulhas Bank. *S. Afr. J. Sci.* 90: 160-173.
- Pulfrich, A. 2014. Marine faunal assessment prepared for the Environmental Management Programme for proposed bathymetry surveys and seabed sediment sampling in Block11B/12B, off the south coast of South Africa.
- Quarterly economic overview of the Agriculture, Forestry and Fisheries Sector, July 2011 to September 2011 Volume 9, Number 3, December 2011. Department Agriculture, Forestry and Fisheries, Republic of South Africa.
- Quick, R and Sink, K. 2005. Specialist benthic study – PetroSA: South Coast Gas Development Project. Report prepared for CCA Environmental pp. 37.
- Roel, B.A. and Armstrong, M.J., 1991. The round herring *Etrumeus whiteheadii* and anchovy *Engraulis capensis* off the East Coast of southern Africa. *S. Afr. J. mar. Sci.* 11: 227-249.
- Roel, B.A., Hewitson, J., Kerstan, S. and Mapton, I., 1994. The role of the Agulhas Bank in the life cycle of pelagic fish. *S. Afr. J. Sci.* 90: 185-196.
- Rogers, J. and Bremner, J.M., 1991. Benguela Ecosystem Pt. VII: Marine geoscience aspects. *Oceanogr. Mar. Biol. Ann. Rev* 29: 1-85.
- Rogers, J., 1995. A comparative study of manganese nodules off southern Africa. *S. Afr. J. Geol.* 98: 208-216.
- Ross, G.J.B., 1979. Records of pygmy and dwarf sperm whales, genus *Kogia*, from southern Africa, with biological notes and some comparisons. *Annals of the Cape Province Museum (Natural History)* **11**: 259-327.
- Ross, G.J.B. 1984. The smaller cetaceans of the East Coast of southern Africa. *Ann. Cape. Prov. Mus. (nat. Hist.)*, **15 (2)**.
- Ross, G.J.B., Cockcroft V.G. & D.S. Butterworth, 1987. Offshore distribution of bottlenosed dolphins in Natal coastal waters and Algoa Bay, Eastern Cape. *S. Afr. J. Zool.* **22**: 50-56.
- Ross, G.J.B., Cockcroft, V.G., Melton D.A. & D.S. Butterworth, 1989. Population estimates for bottlenose dolphins *Tursiops truncatus* in Natal and Transkei waters. *S. Afr. J. mar. Sci.* **8**: 119-129.
- Roux, J-P., Brady, R. & P.B. Best, 2011. Southern right whales off Namibian and their relationship with those off South Africa. Paper SC/S11/RW16 submitted to IWC Southern Right Whale Assessment Workshop, Buenos Aires 13-16 Sept. 2011.

- Ryan, P.G. and Rose, B., 1989. Migrant seabirds. In: *Oceans of life off southern Africa*. Payne, A.I.L. and Crawford, R.J.M. (Eds.). Cape Town. Vlaeberg Publishers, pp. 274-287.
- Sauer, W.H.H., Smale, M.J. and Lipinski, M.R., 1992. The location of spawning grounds, spawning and shoaling behaviour of the squid *Loligo vulgaris reynaudii* (D'Orbigny) off the eastern Cape coast, South Africa. *Mar. Biol.* 114: 97-107.
- Schumann, E.H., 1998. The coastal ocean off southeast Africa, including Madagascar coastal segment (15, W). In: *The Sea*, Vol.11. Robinson, A.R. and Brink, K. (eds). John Wiley & Sons, Inc.
- Schumann, E.H. and Beekman, L.J., 1984. Ocean temperature structures on the Agulhas Bank. *Trans. R. Soc. S. Afr.* 45: 191-203.
- Schumann, E.H., Perrins, L. -A. and Hunter, I.T., 1982. Upwelling along the south coast of the Cape Province, South Africa. *S. Afr. J. Sci.* 78: 238-242.
- Schumann, E.H., Ross, G.J.B. and Goschen, W.S., 1988. Cold water events in Algoa Bay and Cape south coast, South Africa, in March/April, 1987. *S. Afr. J. Sci.* 84: 579-584.
- Shamblin, B.M., Bolten, A.B., Abreu-Grobois, F.A., Bjorndal, K.A., Cardona, L., Carreras, C.C., Clusa, M., Monzón-Argüello, C., Nairn, C.J., Nielsen, J.T., Nel, R., Soares, L.S., Stewart, K.R., Türkozan, O. & P.H. Dutton, (Submitted). Loggerhead turtle phylogeography and stock structure revisited with expanded mitochondrial control region sequences. *PLoS ONE*.
- Shannon, L.V., 1985. The Benguela ecosystem Part I. Evolution of the Benguela, physical features and processes. *Oceanogr. Mar. Biol. Ann. Rev.* 23: 105-182.
- Shaughnessy, P.D. 1977. Flock size in Sabine's Gull. *Cormorant*. 3: 17.
- Shaughnessy, P.D. 1979. Cape (South African) fur seal. In: Mammals in the Seas. *F.A.O. Fish. Ser.*, 5, 2: 37-40.
- Shelton, P.A. 1986. Life-history traits displayed by neritic fish in the Benguela Current Ecosystem. In: The Benguela and Comparable Ecosystems, Payne, A.I.L., Gulland, J.A. and Brink, K.H. (Eds.). *S. Afr. J. mar. Sci.*, 5: 235-242.
- Shipton, T. & Atkinson, L.J., 2010. Benthic specialist impact report for the proposed F-O Gas Field development off the South Coast of South Africa. Enviro-Fish Africa (Pty) Ltd, Grahamstown. 48pp
- Sink, K. and Samaai, T. 2009. Identifying Offshore Vulnerable Marine Ecosystems in South Africa. Unpublished Report for South African National Biodiversity Institute, 29 pp.
- Sink K.J., Attwood C.G., Lombard A.T., Grantham H., Leslie R., Samaai T., Kerwath S., Majiedt P., Fairweather T., Hutchings L., Van Der Lingen C., Atkinson L.J., Wilkinson S., Holness S. & Wolf T. 2012 Spatial planning to identify focus areas for offshore biodiversity protection in South Africa. Unpublished Report. Cape Town: South African National Biodiversity Institute.
- Snelgrove, P.V.R. and Butman, C.A. 1994. Animal-sediment relationships revisited: cause versus effect. *Oceanography & Marine Biology: An Annual Review*, 32: 111-177.
- Sink, K.J., Atkinson, L.J., Kerwath, S. and Samaai, T., 2010. Assessment of offshore benthic biodiversity on the Agulhas Bank and the potential role of petroleum infrastructure in offshore spatial management. Report prepared for WWF South Africa and PetroSA through a SANBI initiative 78pp.
- Sink, K.J., Boshoff, W., Samaai, T., Timm, P.G. and S. E. Kerwath, 2006. Observations of the habitats and biodiversity of the submarine canyons at Sodwana Bay. *South African Journal of Science* 102 (9): 466-474.

- Sink, K., Holness, S., Harris, L., Majiedt, P., Atkinson, L., Robinson, T., Kirkman, S., Hutchings, L., Leslie, R., Lamberth, S., Kerwath, S., Von Der Heyden, S., Lombard, A., Attwood, C., Branch, G., Fairweather, T., Taljaard, S., Weerts, S., Cowley, P., Awad, A., Halpern, B., Grantham, H. and T. Wolf, 2012a. National Biodiversity Assessment 2011: Technical Report. Volume 4: Marine and Coastal Component. South African National Biodiversity Institute, Pretoria.
- Sink, K.J., Wilkinson, S., Atkinson, L.J., Sims, P.F., Leslie, R.W. and C.G. Attwood, 2012b. The potential impacts of South Africa's demersal hake trawl fishery on benthic habitats: historical perspectives, spatial analyses, current review and potential management actions. Unpublished report, South African National Biodiversity Institute.
- Smale, M.J., Klages, N.T., David, J.H.M. and Cockroft, V.G., 1994. Predators of the Agulhas Bank. *S. Afr. J. Sci.* 90: 135-142.
- Smith MJ, Cochrane K, Japp D., 2013. Review of Significant Bycatch and "Joint Product" Species in the South African Hake-Directed Trawl Fishery. Prepared for the South African Deep Sea Trawling Industry Association. DWG document
- Snelgrove, P.V.R. and Butman, C.A. 1994. Animal-sediment relationships revisited: cause versus effect. *Oceanography & Marine Biology: An Annual Review*, 32: 111-177.
- Swart, V.P. and Largier, J.L., 1987. Thermal structure of Agulhas Bank water. In: *The Benguela and Comparable Ecosystems*, Payne, A.I.L., Gulland, J.A. and Brink, K.H. (Eds.), *S. Afr. J. mar. Sci.* 5: 243-254.
- Swart, D.H. and Serdyn, J. de V., 1981. Statistical analysis of visually observed wave data from voluntary observing ships (VOS) for the South African East Coast. Stellenbosch. NRIO. *Unpublished data*.
- Swart, D.H. and Serdyn, J. de V., 1982. Statistical analysis of visually observed wave data from voluntary observing ships (VOS) for the South African East Coast. *CSIR Report T/* (to be published).
- Tucek, J., Nel, R., Girandot, M. & G. Hughes, (Submitted). Estimating reproductive age and size of loggerhead sea turtles. *Endangered Species Research*.
- Tyack, P.L., Zimmer, W.M.X., Moretti, D., Southall, B.L., Claridge, D.E., Durban, J.W., Clark, C.W., et al., 2011. Beaked Whales Respond to Simulated and Actual Navy Sonar, 6(3). doi:10.1371/journal.pone.0017009
- Van Der Elst, R. 1976. Game fish of the East Coast of southern Africa. I: The biology of the elf *Pomatomus saltatrix* (Linneaus) in the coastal waters of Natal. *ORI Investl. Rep.*, 44. 59pp.
- Van Der Elst, R. 1981. A Guide to the Common Sea Fishes of Southern Africa. Struik, Cape Town: 367pp.\
- Van Der Elst, R. 1988. Shelf ichthyofauna of Natal. In: *Coastal ocean sciences of Natal*, South Africa (Ed. E.H. Schumann). Springer-Verlag, Berlin: 209-225.
- Van Der Lingen, C.D., Hutchings, L., Brundrit, G.B., Byrne, D.A., Duncombe RAE, C.M., Durholtz, M.D., Hunter, I., Lutjeharms, J.R.E., Shannon, L.V. and L.A. Staegemann, 2006. Report of the BCLME Southern Boundary Workshop. Cape Town, 3-5 May 2006.
- Verheyen, H.M., Hutchings, L., Huggett, J.A., Carter, R.A., Peterson, W.T. and Painting, S.J., 1994. Community structure, distribution and tropic ecology of zooplankton on the Agulhas Bank with special reference to copepods. *S. Afr. J. Sci.* 90: 154-165.

- Walker, N.D., 1986 Satellite observations of the Agulhas Current and episodic upwelling south of Africa. Deep-sea Research 33: 1083-1106.
- Wallace, B.P. & T.T. Jones, 2008. What makes marine turtles go: a review of metabolic rates and their consequences. *Journal of Experimental Marine Biology and Ecology*, **356**: 8-24.
- Wallace, J.H., Kok, H.M., Buxton, C.D. and Bennett, B., 1984. Inshore small-meshed trawling survey of the Cape South Coast. Part 1. Introduction, methods, stations and catches. *S. Afr. J. Zool.* 19 (3): 154-164.
- Weir, C.R., 2011. Distribution and seasonality of cetaceans in tropical waters between Angola and the Gulf of Guinea. *African Journal of Marine Science* **33(1)**: 1-15.
- Whitefield, A.K., Allanson, B.R. and Heinecken, T.J.E., 1983. Estuaries of the Cape, Part II: Synopses of available information on individual systems. Report No. 22: Swartvlei (CMS 11). Heydorn, A.E.F. and Grindley, J.R. (eds). Stellenbosch, CSIR Research Report 421, 62pp.
- Whitehead, H., 2002. Estimates of the current global population size and historical trajectory for sperm whales. *Marine Ecology Progress Series*, 242: 295-304.
- Zoutendyk, P. 1985. Turbid water literature review: A supplement to the 1992 Elizabeth Bay Study. *CSIR Report EMAS-I 95008*. 11pp.