

# WORKING FOR WETLANDS REHABILITATION PROGRAMME, NORTHERN CAPE

# DRAFT BASIC ASSESSMENT REPORT

DEA REF. NO.: 14/12/16/3/3/1/1137

**MARCH 2014** 











This page was left blank intentionally

aurecon

# **REPORT CONTROL SHEET**

REFERENCE NO. PROJECT NO. TITLE

AUTHORS SUPPORTED BY

CLIENT CLIENT REPRESENTATIVE REPORT STATUS REPORT NUMBER REPORT DATE DEA: 14/12/16/3/3/1/1137 109664 Working for Wetlands Rehabilitation Programme, Northern Cape: Draft Basic Assessment Ms Franci Gresse & Ms Claire Blanché Ms Nomvelo Siwela & Ms Kirsten Jones of Aurecon South Africa (Pty) Ltd SANBI Umesh Bahadur

Draft 109664/8823 MARCH 2014

Authors:

FRANCI GRESSE Senior Environmental Scientist

CLAIRE BLANCHÉ Senior Environmental Scientist

Approved by:

LOUISE CORBETT (Pr.Sci.Nat.) Associate: Environment and Advisory Services

This report is to be referred to in bibliographies as: AURECON. 2014. Working for Wetlands Rehabilitation Programme, Northern Cape: Draft Basic Assessment Report: *Report No. 8823* 

This page was left blank intentionally

# **Table of Contents**

LIST	OF ACRONYMS AND ABBREVIATIONS	X
EXE	CUTIVE SUMMARY OF THE CONTENTS OF THE BASIC ASSESSMENT REPORT	2
SEC	TION A: ACTIVITY INFORMATION	5
1.	PROJECT DESCRIPTION	5
2.	FEASIBLE AND REASONABLE ALTERNATIVES	16
3.	PHYSICAL SIZE OF THE ACTIVITY	21
4.	SITE ACCESS	22
5.	LOCALITY MAP	23
6.	LAYOUT/ROUTE PLAN	24
7.	SENSITIVITY MAP	24
8.	SITE PHOTOGRAPHS	24
9.	FACILITY ILLUSTRATION	25
10.	ACTIVITY MOTIVATION	26
11.	APPLICABLE LEGISLATION, POLICIES AND/OR GUIDELINES	31
12.	WASTE, EFFLUENT, EMISSION AND NOISE MANAGEMENT	32
13.	WATER USE	34
14.	ENERGY EFFICIENCY	34
SEC	TION B: SITE/AREA/PROPERTY DESCRIPTION	36
1.	GRADIENT OF THE SITE	39
2.	LOCATION IN LANDSCAPE	39
3.	GROUNDWATER, SOIL AND GEOLOGICAL STABILITY OF THE SITE	39
4.	GROUNDCOVER	40
5.	SURFACE WATER	40
6.	LAND USE CHARACTER OF SURROUNDING AREA	41
7.	CULTURAL/HISTORICAL FEATURES	42
8.	SOCIO-ECONOMIC CHARACTER	42
9.	BIODIVERSITY	44
SEC	TION C: PUBLIC PARTICIPATION	47
1.	ADVERTISEMENT AND NOTICE	47
2.	DETERMINATION OF APPROPRIATE MEASURES	47
4.	ISSUES RAISED BY INTERESTED AND AFFECTED PARTIES	48
5.	COMMENTS AND RESPONSE REPORT	48

6.	AUTHORITY PARTICIPATION	18
7.	CONSULTATION WITH OTHER STAKEHOLDERS	19
SECT	ION D: IMPACT ASSESSMENT	50
	IMPACTS THAT MAY RESULT FROM THE PLANNING AND DESIGN, CONSTRUCTION, OPERATIONAL, DECOMMISSIONING AND CLOSURE PHASES AS WELL AS PROPOSED MANAGEMENT OF IDENTIFIED IMPACTS AND PROPOSED MITIGATION MEASURES5	50
2.	ENVIRONMENTAL IMPACT STATEMENT	53
SECT	ION E: RECOMMENDATION OF PRACTITIONER	55
SECT	ION F: APPENDIXES	57

#### **INDEX OF FIGURES**

# WORKING FOR WETLANDS: CONTEXT DOCUMENT

#### 1. Introduction

Working for Wetlands (WfWetlands) is a government programme managed by the South African National Biodiversity Institute (SANBI), and is a joint initiative of the Departments of Environmental Affairs (DEA), Water Affairs (DWA) and Agriculture, Forestry and Fisheries (DAFF). In this way the programme is an expression of the overlapping wetland-related mandates of the three parent departments, and besides giving effect to a range of policy objectives, also honours South Africa's commitments under several international agreements, especially the Ramsar Convention on Wetlands.

The programme is mandated to rehabilitate damaged wetlands and to protect pristine wetlands throughout South Africa, with an emphasis on complying with the principles of the Expanded Public Works Programme (EPWP) and using only local Small, Medium and Micro Enterprises (SMMEs). The EPWP seeks to draw significant numbers of unemployed people into the productive sector of the economy, gaining skills while they work and increasing their capacity to earn an income.

#### 2. Wetlands and their importance

Once considered valueless wastelands that needed to be drained or converted to more useful landuse purposes, wetlands are now seen in an entirely different light. Today wetlands are more commonly perceived as natural assets and natural infrastructure able to provide a range of products, functions and services free of charge.

That which actually constitutes a wetland is often not fully understood. Common misconceptions have been that wetlands must be wet, must have a river running through them, or must always be situated in low-lying areas. The definition of a wetland is much broader and more textured: they are characterised more by soil properties and flora than by an abundance of water.

#### The National Water Act, No. 36 of 1998 defines a wetland as:

"land which is transitional between terrestrial and aquatic systems where the water table is usually at or near the surface or the land is periodically covered with water, and which land in normal circumstances supports or would support vegetation typically adapted to life in saturated soil".

#### The Ramsar Convention defines wetlands as:

"areas of marsh, fen, peatland or water, whether natural or artificial, permanent or temporary, with water that is static or flowing, fresh, brackish or salt, including areas of marine water the depth of which at low tide does not exceed 6m" (Article 1, Ramsar Convention on Wetlands. 1971).

Wetlands can therefore be seasonal and may experience regular dry spells (sometimes even staying dry for up to several years), or they can be frequently or permanently wet. Wetlands can occur in a

#### WORKING FOR WETLANDS: CONTEXT DOCUMENT

variety of locations across the landscape (Plate A), and may even occur at the top of a hill, nowhere near a river. A pan, for example, is a wetland which forms in a depression. Wetlands also come in many sizes; they can be as small as a few square metres (e.g. at a low point along the side of a road) or cover a significant portion of a country (e.g. the Okavango Delta).



Plate A: A large, seasonal wetland identifiable by the characteristic flora. This wetland contained no surface water at the time of the photograph.

Wetland ecosystems provide a range of ecological and social services which benefit people, society and the economy at large:

- Wetlands offer services such as water provision, regulation, purification and groundwater replenishment are crucial in addressing objectives of water security and water for food security.
- Wetlands play a critical role in improving the ecological health of an ecosystem by performing many functions that include flood control, water purification, sediment and nutrient retention and export, recharge of groundwater, as well as acting as vital habitats for diverse plant and animal species.
- Wetlands provide ecological infrastructure, replacing the need for municipal infrastructure by providing the same or better benefit at a fraction of the cost.
- Wetlands retard the movement of water in the landscape, which offers the dual benefit of flood control as well as a means of purification. The slow movement of water allows heavier impurities to settle and phreatic vegetation and micro-bacteria the opportunity to remove pollutants and nutrients. For these reasons, artificially created wetlands are often used in newer urban drainage systems to aid both mitigation of flooding and improvement of water quality.
- Wetlands function as valuable open spaces and create recreational opportunities for people that include hiking, fishing, boating, and bird-watching.
- Many wetlands also have cultural and spiritual significance for the communities living nearby. Commercially, products such as reeds and peat are also harvested from wetlands (Plate B).

Wetlands are thus considered to be critically important ecosystems as they provide both direct and indirect benefits to the environment and society.

ii

### WORKING FOR WETLANDS: CONTEXT DOCUMENT



Plate B: Commercial products made by locals from reeds harvested from wetlands.

#### 3. Wetland Degradation

It has been estimated that originally over 10% of the Republic of South Africa (RSA) was covered by wetlands; however, this figure decreases significantly every year owing to unsustainable land-use practices. It is estimated that more than 50% of South Africa's wetlands have been destroyed through drainage of wetlands for crops and pastures, poorly managed burning regimes, overgrazing, disturbances to wetland soils, vegetation clearing as well as industrial and urban development (including mining activities).

Although wetlands are high-value ecosystems that make up only a small fraction of the country; they rank among the most threatened ecosystems in South Africa. According to a recent Council of Scientific Research (CSIR) study,<sup>1</sup> South Africa's remaining wetlands were identified as the most threatened of all South Africa's ecosystems, with 48% of wetland ecosystem types being critically endangered, 12% endangered and 5% vulnerable. Only 11% of wetland ecosystem types are well protected, with 71% not protected at all.

The remaining wetland systems suffer from severe erosion and sedimentation, undesirable plant species and aquatic fauna infestations, unsustainable exploitation, artificial drainage and damming, and pollution. The continued degradation of wetlands will impact on biodiversity, ecological function, and the provision of ecosystem services with subsequent impacts on livelihoods and economic activity, as well as health and wellbeing of communities. In the absence of functional wetlands, the carbon cycle, the nutrient cycle and the water cycle would be significantly altered, mostly detrimentally.

Wetland rehabilitation and conservation should be at the heart of water management. It is necessary to prioritise South Africa's remaining wetlands such that those that offer valuable ecosystem services and are least impacted by current pressures or threats are offered immediate attention to avoid further loss, conversion or degradation.

<sup>&</sup>lt;sup>1</sup> Nel J.L. and Driver A. 2012. South African National Biodiversity Assessment 2011: Technical Report. Volume 2: Freshwater Component. CSIR Report Number CSIR/NRE/ECO/IR/2012/0022/A, Council for Scientific and Industrial Research, Stellenbosch.

## 4. The Working for Wetlands Programme

South Africa is a dry country, but is endowed with exceptionally rich biodiversity. The nation has a pressing reason to value the water-related services that wetlands provide. It is estimated that by 2025, South Africa will be one of fourteen African countries classified as "*subject to water scarcity*" (SANBI Working for Wetlands Strategy 2006-2010). The conservation of wetlands is fundamental to the sustainable management of water quality and quantity, and wetland rehabilitation is therefore essential to conserving water resources in South Africa.

The guiding principles of the National Water Act, No. 36 of 1998, recognise the need to protect water resources. In responding to the challenge of stemming the loss of wetlands and maintaining and enhancing the benefits they provide, government has recognised that, in order to be truly effective, strategies for wetland conservation need to include a combination of proactive measures for maintaining healthy wetlands, together with interventions for rehabilitating those that have been degraded. These objectives are currently being expressed in a coordinated and innovative way through the WfWetlands Programme.

The two main objectives of the WfWetlands Programme are **wetland conservation** in South Africa and **poverty reduction** through **job creation** and **skills development** amongst **vulnerable** and **marginalised** groups. In the 12 years since its inception, the WfWetlands Programme has invested R530 million in wetland rehabilitation and has been involved in over 900 wetlands, thereby improving or securing the health of over 70 000 hectares of wetland environment. The WfWetlands Programme currently has a budget of approximately R94 million per year, of which R32 million is allocated directly to paying wages. Being part of the Expanded Public Works Programme (EPWP), the WfWetland Programme has created more than 12 800 jobs and 2.2 million person-days of paid work. The local teams are made up of a minimum of 60% women, 20% youth and 1% disabled persons.

Wetlands are not easy ecosystems to map at a broad scale as they are numerous, often small and difficult to recognise and delineate on remotely sensed imagery such as satellite photos. The WfWetlands Programme houses the National Wetlands Inventory Project (NWI) which aims to provide clarity on the extent, distribution and condition of South Africa's wetlands. The project clarifies how many and which rivers and wetlands have to be maintained in a natural condition to sustain economic and social development, while still conserving South Africa's freshwater biodiversity.

The National Freshwater Ecosystem Priority Areas (NFEPA) has used the NWI data to produce the most comprehensive national wetland map to date, called the NFEPA Atlas. This atlas enables the planning of wetland rehabilitation on a catchment scale.

Other activities that form part of the WfWetlands Programme include:

- Raising awareness of wetlands among workers, landowners and the general public; and
- Providing adult basic education and training, and technical skills transfer (in line with the emphasis of the EPWP on training, the WfWetlands Programme has provided 168 400 days of training in vocation and life skills).

iv

#### 5. Rehabilitation interventions

The successful rehabilitation of a wetland requires that the cause of damage or degradation is addressed, and that the natural flow patterns of the wetland system are re-established (flow is encouraged to disperse rather than to concentrate). Approximately 500 interventions are implemented every year in the WfWetlands Programme. The key purposes of implementing interventions include:

- Restoration of hydrological integrity (e.g. raising the general water table or redistributing the water across the wetland area);
- Recreation of wetland habitat towards the conservation of biodiversity; and
- Job creation and social upliftment.

Typical activities undertaken within the projects include:

- Plugging artificial drainage channels created by development or historical agricultural practices to drain wetland areas for other land use purposes;
- Constructing structures (gabions, berms, weirs) to divert or redistribute water to more natural flow paths, or to prevent erosion by unnatural flow rates that have resulted from unsustainable land use practices or development; and
- Removing invasive alien or undesirable plant species from wetlands and their immediate catchments (in conjunction with the Working for Water initiative).

## Increased labour requirement for the Working for Wetlands Programme

As a result of changes to the donor fund requirements, an increase in the labour percentage requirement (42%) for the WfWetlands Programme has been experienced since 2010. The project team are thus required to investigate more labour intensive intervention options for wetland rehabilitation, and these are typically soft engineering interventions.

Methods of wetland rehabilitation may include hard engineering interventions such as:

- Earth berms or gabion systems to block artificial channels that drain water from or divert polluted water to the wetland;
- Concrete and gabion weirs to act as settling ponds, to reduce flow velocity or to re-disperse water across former wetland areas thereby re-establishing natural flow paths;
- Earth or gabion structure plugs to raise channel floors and reduce water velocity;
- Concrete or gabion structures to stabilise head-cut or other erosion and prevent gullies; and
- Gabion structures (mattresses, blankets or baskets) to provide a platform for the growth of desired wetland vegetation.

Soft engineering interventions also offer successful rehabilitation methods, and the following are often used together with the hard engineering interventions:

- The re-vegetation of stabilised areas with appropriate wetland and riparian plant species;
- The fencing off of sensitive areas within the wetland to keep grazers out and to allow for the re-establishment of vegetation;

v

- The use of biodegradable or natural soil retention systems such as eco-logs, plant plugs, grass or hay bales, and brush-packing techniques;
- In some instances, the use of appropriate fire management and burning regimes. The removal of undesirable plant and animal species; and
- Alien invasive plant clearing, which is an important part of wetland rehabilitation (and this is supported by the Working for Water Programme).

## 6. Programme, projects and phases

In order to manage the **WfWetlands Programme**, wetlands have been grouped into "projects", and each **Wetland Project** encompasses several smaller wetland systems which are each divided into smaller, more manageable and homogenous wetland units. A Wetland Project may be located within one or more quaternary catchments within a Province. SANBI is currently managing 35 Wetland Projects countrywide, and rehabilitation activities range from stabilising degradation to the more ambitious restoration of wetlands to their original conditions.

Each Wetland Project is managed in three phases over a two-year cycle as shown in the flow diagram in Plate C. The first two phases straddle the first year of the cycle and involve planning, identification, design and authorisation of interventions. The third phase is implementation, which takes place during the second year.

The first phase is the identification of suitable wetlands which require intervention. The purpose of Phase 1 and the associated reporting is to identify:

- Priority catchments and associated wetlands/ sites within which rehabilitation work needs to be undertaken; and
- Key stakeholders who will provide meaningful input into the planning phases and wetland selection processes, and who will review and comment on the rehabilitation proposals.

The **Project Team** currently comprises the SANBI Programme Manager who oversees the WfWetlands Programme and Provincial Coordinators (PCs) who oversee the identification and implementation of projects in their regions. They are supported by a small team based at the Pretoria Botanical Gardens who fulfil various roles such as planning, monitoring and evaluation, implementation, Geographical Information Systems (GIS) and training. Independent Design Engineers and Environmental Assessment Practitioners (EAPs) are appointed to undertake the planning, design and authorisation components of the project. The project team is assisted by a number of wetland ecologists who provide scientific insight into the operation of wetlands and bring expert and often local knowledge to the project teams.

vi

#### WORKING FOR WETLANDS: CONTEXT DOCUMENT

Phase 1	START       Phase 1 Assessment         1.       Identification of suitable wetlands         2.       Desktop evaluation & limited site visits         3.       Selection of priority wetlands for detailed Phase 2 assessment         4.       Landowner engagement in prioritised wetlands
Phase 2	Phase 2 Site Visits         1. Rapid wetland assessments         2. Identification of interventions         3. Gathering of engineering data
	Phase 2 Reports         1. Compilation of Basic Assessment Reports (BAR)         2. Compilation of Rehabilitation Plans         3. Public Participation Process (PPP)         4. Intervention design & Bill of Quantities         5. Environmental Authorisation (BAR)         6. DEA Approval (Rehabilitation Plans)
Phase 3	Phase 3 Implementation Support         1.       Setting out of structures         2.       Identification of training needs         3.       Completion site visit & sign-off

#### Plate C: The Working for Wetlands planning process (Phase 1 to Phase 3).

**Phase 1** commences with a catchment and wetland prioritisation process for every province. The wetland ecologist responsible for a particular province undertakes a desktop study to determine the most suitable wetlands for the WfWetlands rehabilitation efforts. The involvement of Provincial Wetland Forums and other key stakeholders is a critical component of the wetland identification processes since these stakeholders are representative of diverse groups with shared interests (e.g. from government institutions to amateur ecological enthusiasts). This phase also involves initial communication with local land-owners and other Interested and Affected Parties (I&APs) to gauge the social benefits of the work. Aerial surveys of the areas in question may be undertaken, as well as limited fieldwork investigations or site visits to confirm the inclusion of certain wetland projects or units. Once wetlands have been prioritised and agreed on by the various parties, specific rehabilitation objectives are determined for each wetland following a rapid wetland assessment undertaken by the wetland ecologist.

**Phase 2** requires site visits attended by the fieldwork team comprising a wetland ecologist, a Design Engineer, an Environmental Assessment practitioner, and a SANBI Provincial Coordinator. Other interested stakeholders or authorities, landowners and in some instances the implementing agents may also attend the site visits on some occasions. This allows for a highly collaborative approach, as options are discussed by experts from different scientific disciplines, as well as local inhabitants with deep anecdotal knowledge. While on site, rehabilitation opportunities are investigated. The details of

#### WORKING FOR WETLANDS: CONTEXT DOCUMENT

the proposed interventions are discussed, some survey work is undertaken by the engineers, and GPS coordinates and digital photographs are taken for record purposes. Furthermore, appropriate dimensions of the locations are recorded in order to design and calculate quantities for the interventions. At the end of the site visit the rehabilitation objectives together with the location layout of the proposed interventions are agreed upon by the project team.

During Phase 2, monitoring systems are put in place to support the continuous evaluation of the interventions. The systems monitor both the environmental and social benefits of the interventions. As part of the Phase 2 site visit, a maintenance inventory of any existing interventions that are damaged and / or failing and thus requiring maintenance is compiled by the PC, in consultation with the Design Engineer.

Based on certain criteria and data measurements (water volumes, flow rates, and soil types); the availability of materials such as rock; labour intensive targets; maintenance requirements etc., the interventions are then designed. Bills of quantity are calculated for the designs and cost estimates made. Maintenance requirements for existing interventions in the assessed wetlands are similarly detailed and the costs calculated. The Design Engineer also reviews and, if necessary, adjusts any previously planned interventions that are included into the historical Rehabilitation Plans.

Phase 2 also comprises a reporting component where Rehabilitation Plans are prepared for each Wetland Project. The Rehabilitation Plans include details of each intervention to be implemented, preliminary construction drawings and all necessary documentation required by applicable legislation. The Rehabilitation Plans are reviewed by various government departments, stakeholders and the general public before a specific subset of interventions are selected for implementation.

**Phase 3** requires that certain Environmental Authorisations are obtained before work can commence in the wetlands (please see subsequent sections of this document for detail on Environmental Authorisations). Upon approval of the wetland Rehabilitation Plans by DEA, DWA, and the directly affected landowners is obtained, the work detailed for the project will be implemented within a year with on-going monitoring being undertaken thereafter. The Rehabilitation Plans are considered to be the primary working document for the implementation of the project via the construction/ undertaking of interventions<sup>2</sup> listed in the Plan.

It is typically at this point in the process when the final construction drawings are issued to the Implementing Agents (IAs). Seventeen Implementing Agents are currently employed in the WfWetlands Programme and are responsible for employing contractors and their teams (workers) to construct the interventions detailed in each of the Rehabilitation Plans. For all interventions that are based on engineering designs (typically hard engineered interventions), the Design Engineer is required to visit the site before construction commences to ensure that the original design is still appropriate in the dynamic and ever-changing wetland system. The Design Engineer will assist the IAs in pegging and setting-out interventions. The setting-out activities often coincide with the Phase 1 activities for the next planning cycle. Phase 3 concludes with the construction of the interventions, but

<sup>&</sup>lt;sup>2</sup> This could include soft options such as alien clearing, eco-logs, gabion structures as well as hard structures for example weirs.

there is an on-going monitoring and auditing process that ensures the quality of interventions, the rectification of any problems, and the feedback to the design team regarding lessons learnt.

## Rehabilitation work within floodplain systems

Based on lessons learnt and project team discussions held during the National Prioritisation workshop in November 2010 SANBI took an in-principle decision regarding work within floodplain systems.

Recognising the ecosystem services provided by floodplain wetlands and the extent to which they have been transformed, SANBI do not intend to stop undertaking rehabilitation work in floodplains entirely. Instead, SANBI propose to adopt an approach to the rehabilitation of floodplain areas that takes into account the following guiding principles:

- 1. As a general rule, avoid constructing hard interventions within an active floodplain channel; and rather
- 2. Explore rehabilitation opportunities on the floodplain surface using smaller (possibly more) softer engineering options outside of the main channel.

When rehabilitation within a floodplain setting is being contemplated, it will be necessary to allocate additional planning resources, including the necessary specialist expertise towards ensuring an adequate understanding of the system and appropriate design of the interventions.

#### 7. Environmental legislation

One of the core purposes of the WfWetlands Programme is the preservation of South Africa's valuable wetland systems through rehabilitation and restoration. South Africa has rigorous and comprehensive environmental legislation aimed at preventing degradation of the environment, including damage to wetland systems. The following legislation is of relevance:

- The National Environmental Management Act, No. 107 of 1998 (NEMA)
- The National Water Act, No.36 of 1998 (NWA)
- The National Heritage Resources Act, No. 25 of 1999 (NHRA)

Development proposals within or near any wetland system are subject to thorough bio-physical and socio-economic assessment as mandatory processes of related legislation. These processes are required to prevent degradation of the environment and to ensure sustainable and environmentally conscientious development.

The WfWetlands Programme requires that both hard and soft interventions are implemented in the wetland system, and it is the activities associated with the construction of these interventions that triggers requirements for various authorisations, licenses or permits. However, it is important to note that the very objective of the WfWetlands Programme is to improve both environmental and social circumstances. The WfWetlands Programme gives effect to a range of policy objectives of environmental legislation, and also honours South Africa's commitments under several international agreements, especially the Ramsar Convention on Wetlands.

ix

# LIST OF ACRONYMS AND ABBREVIATIONS

BAR	Basic Assessment Report
BGIS	Biodiversity Geographic Information System
СВА	Critical Biodiversity Area
CEMP	Construction Environmental Management Programme
СРР	Catchment Prioritisation Process
CSIR	Council of Scientific Research
DEA	Department of Environmental Affairs
DAFF	Department of Agriculture, Forestry and Fisheries
DWA	Department of Water Affairs
EA	Environmental Authorisation
EAP	Environmental Assessment Practitioner
ECO	Environmental Control Officer
EIA	Environmental Impact Assessment
EMF	Environmental Management Framework
EPWP	Expanded Public Works Programme
ESA	Ecological Support Area
GA	General Authorisation in terms of the NWA
GIS	Geographic Information System
IA	Implementing Agent
HIA	Heritage Impact Assessment
l&APs	Interested and Affected Parties
IDP	Integrated Development Plan
M&E	Monitoring and Evaluation
MAP	Mean Annual Precipitation
NEMA	National Environmental Management Act (No.107 of 1998)
NFEPA	National Freshwater Ecosystem Priority Area
NHRA	National Heritage Resources Act (No.25 of 1999)
NID	Notification of Intent to Develop
NRMP	Natural Resource Management Programmes
NWA	National Water Act (No. 36 of 1998)
NWI	National Wetlands Inventory Project
PC	Provincial Coordinator
PET	Potential Evapotransporation
PPP	Public Participation Process
SANBI	South African National Biodiversity Institute
SDF	Spatial Development Framework
SMME	Small, Medium and Micro Enterprises
WfWetlands	Working for Wetlands



# environmental affairs

Department: Environmental Affairs REPUBLIC OF SOUTH AFRICA

(For official use only)

File Reference Number: Application Number: Date Received:

Basic assessment report in terms of the Environmental Impact Assessment Regulations, 2010, promulgated in terms of the National Environmental Management Act, 1998 (Act No. 107 of 1998), as amended.

### Kindly note that:

- 1. This **basic assessment report** is a standard report that may be required by a competent authority in terms of the EIA Regulations, 2010 and is meant to streamline applications. Please make sure that it is the report used by the particular competent authority for the activity that is being applied for.
- 2. This report format is current as of **1 September 2012**. It is the responsibility of the applicant to ascertain whether subsequent versions of the form have been published or produced by the competent authority
- The report must be typed within the spaces provided in the form. The size of the spaces provided is not necessarily indicative of the amount of information to be provided. The report is in the form of a table that can extend itself as each space is filled with typing.
- 4. Where applicable tick the boxes that are applicable in the report.
- 5. An incomplete report may be returned to the applicant for revision.
- 6. The use of "not applicable" in the report must be done with circumspection because if it is used in respect of material information that is required by the competent authority for assessing the application, it may result in the rejection of the application as provided for in the regulations.
- 7. This report must be handed in at offices of the relevant competent authority as determined by each authority.
- 8. No faxed or e-mailed reports will be accepted.
- 9. The signature of the EAP on the report must be an original signature.
- 10. The report must be compiled by an independent environmental assessment practitioner.
- 11. Unless protected by law, all information in the report will become public information on receipt by the competent authority. Any interested and affected party should be provided with the information contained in this report on request, during any stage of the application process.
- 12. A competent authority may require that for specified types of activities in defined situations only parts of this report need to be completed.
- 13. Should a specialist report or report on a specialised process be submitted at any stage for any part of this application, the terms of reference for such report must also be submitted.
- 14. Two (2) colour hard copies and one (1) electronic copy of the report must be submitted to the competent authority.
- 15. Shape files (.shp) for maps must be included on the electronic copy of the report submitted to the competent authority.

# EXECUTIVE SUMMARY OF THE CONTENTS OF THE BASIC ASSESSMENT REPORT

#### PROJECT BACKGROUND

Aurecon South Africa (Pty) Ltd (Aurecon) has been appointed by the South African National Biodiversity Institute (SANBI) to undertake the project activities and associated reporting required by the Working for Wetlands (WfWetlands), which is a government funded programme that forms part of the Expanded Public Works Programme (EPWP). The main objectives of the programme are:

- wetland conservation in South Africa; and
- poverty reduction through job creation and skills development amongst vulnerable and marginalised groups.

SANBI is currently managing 35 WfWetland Projects countrywide, including projects in the Northern Cape Province. This Basic Assessment report (BAR) provides information on the Wetland Projects proposed for the next planning cycle, 2014/2015.

#### PROJECT TEAM

The Aurecon team comprises design engineers and environmental assessment practitioners (EAPs) who undertake the planning, design and authorisation components of the project. The Aurecon Team is assisted by an external team of Wetland Ecologists who provide scientific insight into the operation of wetlands and bring expert and often local knowledge of the wetlands. The project team is also complimented by the SANBI Provincial Coordinators (PCs) who are each responsible for provincial planning and implementation.

#### NEMA REQUIREMENTS

The implementation of various interventions aimed at wetland rehabilitation require Environmental Authorisation (EA) from the Department of Environmental Affairs (DEA) in terms of Regulations pursuant to the National Environmental Management Act, No. 107 of 1998 (NEMA). Listed Activities that are relevant to this application are Government Notice Regulations GN.R 544: 11 & 18 (Listing Notice 1) and GN.R 546: 12, 13 & 16 (Listing Notice 3).t has been determined together with DEA that **Basic Assessment Report (BARs)** will be prepared for each Province where work is proposed by the WfWetlands Programme. The EA's will be inclusive of all Listed Activities within these wetland systems and will essentially authorise any typical wetland rehabilitation activities required during the WfWetlands Programme implementation phase.

The intention is that Rehabilitation Plans will be prepared every year after sufficient field work and stakeholder consultation has been undertaken in the wetlands that have an EA. These Rehabilitation Plans will be submitted to DEA for approval as a condition of the EA for the respective Provincial BAR. The Rehabilitation Plans will describe the combination and number of interventions selected to meet the rehabilitation objectives for each Wetland Project, as well as an indication of the approximate location and approximate dimensions (including footprint) of each intervention.

#### EXEMPTIONS

Aurecon has applied for an exemption from NEMA GN R.543 16(1) 'Appointment of an EAP to manage applications' in order to address the involvement of both the Aurecon Engineering Team and the Aurecon Environment and Advisory Services Team in different phases of the same project as it may be deemed to be "circumstances that may compromise the objectivity of the EAP" (Definition of Independence: GN R.543). As Exemption from "Independence" is not permitted, the Proponent has requested an Exemption from appointing an EAP.

Exemption is also applied from NEMA GN R. 543 10(2)(d)[1] which requires that the decision on the application be advertised in the same newspapers that were used at the start of the application process. The Proponent has requested an exemption from advertising the decision, and proposes an alternative: registered Interested and Affected Parties (I&APs) will be notified of the decision via email, mail or fax.

The DEA advised that an integrated process to simultaneously notify I&APs of the Basic Assessment and the exemption applications should be undertaken.

#### WETLAND PROJECTS

The following Wetland Projects are proposed in the Northern Cape Province for the 2014/2015 planning cycle:

PROJECT	WETLAND NAME	NUMBER	Lat (DDMMSS)	Long (DDMMSS)
KAMIESBERG	Ai Kleikop	F30A-03	30°17'44.20" S	18° 04'56.70''E
	Aii Schaaprivier	F30A-06	30° 18' 39.8''S	18° 06' 14.8''E
	Aiii Langvlei	F30A-08	30° 17' 28.8''S	18° 03' 10.0''E
	Aiv Natpad	F30A-09	30° 21' 12.3''S	18° 09' 31.6''E

Av Windpoort	F30A-10	30° 14' 18.6''S	18° 04' 13.6''E
Avi Kleingas	F30C-01	30° 10' 36.69" S	17° 56' 10.89''E
Avii Xharas	F50A-07	30° 20' 25.2''S	18° 06' 24.5''E
Aviii Kraaifontein	F50E-02	30° 14' 29.3''S	18° 00' 09.9''E
Aix Groenrivier	F50G-01	30° 50' 2.5" S	17° 34' 33.7''E

#### PUBLIC PARTICIPATION PROCESS (PPP)

The PPP was undertaken for the Draft BAR and to date has included the publication of an advert, and written notification to key stakeholders as per the database of registered Interested and Affected Parties (I&APs) that has been developed over the last six years. The Draft BAR will be circulated for public and stakeholders comment. Opportunity will also be provided to the relevant key stakeholders to comment on the annual Rehabilitation Plans for each Wetland Project that receives an EA, and these Rehabilitation Plans will be submitted to DEA for approval together with any comments obtained at the time.

#### **ALTERNATIVES**

The WfWetlands Programme considers site alternatives in the earlier phases of the planning cycle, and only those that meet the prioritisation criteria are selected and proposed in this Draft BAR as the Preferred Alternatives for each Wetland Project. For the purposes of this report, no feasible or reasonable site alternatives exist. Layout and technical alternatives are not applicable to a wetland rehabilitation proposal and for the purposes of this report no feasible or reasonable layout or technical alternatives exist. Alternatives that are considered in this Draft BAR are design alternatives and the "No-Go" alternative.

#### IMPACT SUMMARY

The negative environmental impacts associated with the WfWetlands Programme are largely anticipated during the construction of the various interventions. These negative impacts of implementing an intervention are mostly negligible in the context of the greater positive wetland gains that can be achieved through the intervention purpose. Negative impacts are therefore considered acceptable from an environmental perspective and can be mitigated.

The project is proposed entirely for its positive biophysical and socio-economic impacts of wetland rehabilitation and job creation/skills transfer. These positive impacts are of benefit to South Africa, and warrant the minor negative disturbances during the implementation of interventions.

#### EAP RECOMMENDATION

The EAP is of the opinion that the objectives of the WfWetlands Programme are of biophysical and socio-economic benefit, and all Listed Activities should be authorised by DEA. Provided that annual Rehabilitation Plans are submitted to DEA for approval as a condition of EA, then the EAP supports this proposal.

#### Approach to the NEMA Environmental Process

The legislation protecting the environment in South Africa was not written with the intention of preventing wetland rehabilitation efforts, but rather at curtailing development in sensitive environments. It is important to remember that the WfWetlands Programme is not a development proposal, and although this programme technically requires authorisations, licenses and permits, such rehabilitation projects were never meant to be sent through legislative processes aimed at preventing negative environmental impact.

In terms of the environmental management principles of NEMA certain activities that may have a detrimental impact on the environment (termed Listed Activities) require Environmental Authorisation (EA) from the Department of Environmental Affairs (DEA). The WfWetlands Programme will require that interventions be implemented and/or constructed in the wetland systems to ultimately restore some of the more natural wetland functions that have been lost to unsustainable land use practices or development. The implementation of interventions will trigger Listing Notices 1 and 3 (G.N. R544 and G.N R546 respectively). In order to meet the requirements of these Regulations pursuant to NEMA, it is necessary to undertake a Basic Assessment Process. It has been determined together with DEA that **Basic Assessment Report** (BARs) will be prepared for each Province where work is proposed by the WfWetlands Programme. These BARs will present all Wetland Projects that are proposed in a particular province, together with information regarding the quaternary catchments and the wetlands that have been prioritised for the next few planning cycles (anywhere from one to three planning cycles depending on the information gained through the Catchment Prioritisation Process). The EA's will be inclusive of all Listed Activities that may be triggered and will essentially authorise any typical wetland rehabilitation activities required during the WfWetlands Programme implementation phase.

The intention is that **Rehabilitation Plans** will be prepared every year after sufficient field work has been undertaken in the wetlands that have an EA. These Rehabilitation Plans will be made available to registered Interested and Affected Parties (I&APs) before being submitted to DEA for approval as a condition of the EA for each of the Provinces. The Rehabilitation Plans will describe the combination and number of interventions selected to meet the rehabilitation objectives for each Wetland Project, as well as an indication of the approximate location and approximate dimensions (including footprint) of each intervention. These interventions will vary but a booklet of typical hard engineering designs is included in Appendix C of this report. The Rehabilitation Plans will also provide site photographs in the eight major compass directions as well as photographs of the proposed locations for each intervention within each Wetland Unit.

# SECTION A: ACTIVITY INFORMATION

Has a specialist been consulted to assist with the completion of this section? **YES** NO If YES, please complete the form entitled "Details of specialist and declaration of interest" for the specialist appointed and attach in Appendix I.

# 1. PROJECT DESCRIPTION

## a) Describe the project associated with the listed activities applied for:

## Working for Wetlands

Working for Wetlands (WfWetlands) is a government funded programme that forms part of the Expanded Public Works Programme (EPWP) and is managed by the South African National Biodiversity Institute (SANBI). The main objectives of the programme are:

- a) Wetland conservation in South Africa; and
- b) Poverty reduction through job creation and skills development amongst vulnerable and marginalised groups.

Wetlands have been grouped into "Projects", and each Project encompasses several smaller wetland systems. Each Project is managed in three phases over a two-year cycle. The first two phases (Phase 1 and Phase 2) straddle the first year of the cycle and involve planning, identification, design and authorisation of interventions. The third phase (Phase 3) is implementation of specific interventions to achieve rehabilitation, and this takes place during the second year.

SANBI is currently managing 35 WfWetlands Projects countrywide, and approximately 500 interventions within these Projects will be implemented to meet the objectives of the Programme. The successful rehabilitation of a wetland requires that the cause of damage or degradation is addressed, and that the natural flow patterns of the wetland system are re-established (and flow is encouraged to disperse rather than to concentrate). Rehabilitation activities range from stabilising degradation to the more ambitious restoration of wetlands to their original conditions. Typical activities within the Projects include:

- Removing invasive alien or undesirable plant species from wetlands and their immediate catchments;
- Plugging artificial drainage channels created by development or historical agricultural practices to drain wetland areas for other land use purposes;
- Constructing structures (gabions, berms, weirs) to divert or redistribute water to more natural flow paths, or to prevent erosion by unnatural flow rates that have resulted from unsustainable land use practices or development.

For more information on the WfWetlands Programme, please refer to the WfWetlands Context Document included in the front of this report.

## Project Team

The project team currently comprises the SANBI Programme Manager who oversees the WfWetlands Programme and provincial coordinators (PCs) who oversee the identification and implementation of projects in their regions. They are supported by a small team based at the Pretoria Botanical Gardens who fulfil various roles such as finance, Geographic Information Systems (GIS) and training.

Aurecon South Africa (Pty) Ltd (Aurecon) has been appointed to undertake the project activities and associated reporting required by the WfWetlands Programme. The Aurecon team comprises Design Engineers

and environmental assessment practitioners (EAPs) who undertake the planning, design and authorisation components of the project. The Aurecon Team is assisted by an external team of Wetland Ecologists who provide scientific insight into the operation of wetlands and bring expert and often local knowledge of the wetlands. The project team is also complimented by the SANBI Provincial Coordinators (PCs) who are each responsible for provincial planning and implementation.

#### **Project activities**

The key purposes of implementing interventions include:

- Restoration of hydrological integrity (e.g. raising the general water table or redistributing the water across the wetland area);
- Recreation of wetland habitat towards the conservation of biodiversity; and
- Job creation and social upliftment.

Methods of wetland rehabilitation may include hard engineering interventions such as:

- Earth berms or gabion systems to block artificial channels that drain water from or divert polluted water to the wetland;
- Concrete weirs to act as settling ponds, to reduce flow velocity or to re-disperse water across former wetland areas thereby re-establishing natural flow paths;
- Concrete, earth or gabion structures plugs to raise channel floors and reduce water velocity;
- Concrete or gabion structures to stabilise head-cut or other erosion and prevent gullies; and
- Gabion structures (mattresses, blankets or baskets) to provide a platform for the growth of desired wetland vegetation.

Soft engineering interventions also offer successful rehabilitation methods, and the following are often used together with the hard engineering interventions:

- The re-vegetation of stabilised areas with appropriate wetland and riparian species;
- The fencing off of sensitive areas within the wetland to keep grazers out and to allow for vegetation to become re-established;
- The use of biodegradable or natural soil retention systems such as eco-logs, plant plugs, grass or hay bales, and brush-packing techniques;
- The removal of undesirable plant and animal species in conjunction with the Working for Water initiative. Alien invasive plant clearing is an important part of wetland rehabilitation;
- In some instances, the use of appropriate fire management and burning regimes.

#### **Project Location**

Wetland Projects for the 2014/2015 planning cycle were identified during the Phase 1 activities associated with the WfWetlands Programme. Catchment and wetland prioritisation assessments were undertaken by the Wetland Ecologist/s to identify priority catchments and associated wetlands within which rehabilitation work needed to be undertaken. A review was undertaken to determine local knowledge and identify existing studies of the quaternary catchments in the province. SANBI's current five year strategic plans were further used as a guide to identify wetlands, as well as data from the National Freshwater Ecosystem Priority Areas (NFEPA) project. Decisions on priority areas were informed by input from wetland forums, biodiversity/ conservation plans, municipalities, state departments and various other stakeholders.

Based on this process, the following quaternary catchments (and associated wetland systems) were identified in the Northern Cape Province:

ID	PROJECT NAME	WETLAND NUMBER	WETLAND SYSTEM
Ai		F30A-03	Kleikop
Aii		F30A-06	Schaaprivier
Aiii		F30A-08	Langvlei
Aiv		F30A-09	Natpad
Av	Kamiesberg Project	F30A-10	Windpoort
Avi		F30C-01	Kleingas
Avii		F50A-07	Xharas
Aviii		F50E-02	Kraaifontein
Aix		F50G-01	Groenrivier




Figure 1: Quarternary Catchments identified for the WfWetlands Programme 2014/2015 planning cycle in Northern Cape are: F30A, F30C, F50A, F50E and F50G

# SANBI's five year strategic plan

SANBI's five year strategic plan will be re-assessed in 2014 through a Catchment Prioritisation Process (CPP) to ensure alignment with national, regional and local conservation and rehabilitation priorities. Potential wetlands will be ranked based on their rehabilitation potential, conservation importance, alignment with other conservation initiatives and the potential functional value of the various rehabilitation initiatives. Input will be sought from key stakeholders to ensure a robust and comprehensive prioritisation process. Based on the outcome of the CPP, authorisation will be sought from the Department of Environmental Affairs for additional quaternary catchments in the Northern Cape Province and/or wetlands not included in this report.

### **Description of Northern Cape Catchments**

# A. KAMIESBERG PROJECT

The Kamiesberg wetland rehabilitation project area is located in the Northern Cape in the F30, F40F and F50 tertiary catchments and includes the Buffels (F30), Spoeg (F40) and Groen (F50) River systems. The primary objective of wetland rehabilitation in the Kamiesberg Project is to restore the natural functioning of the wetlands to re-establish the original biodiversity and provide the required ecosystem services. Kamiesberg Local Municipality is custodian of the Kamiesberg centre of endemism – a distinctive and unique bioregion that is located around the high lying region of the uplands – an area just north of the town of Garies, and constituting a key priority for conservation by virtue of the remarkable biodiversity and high levels of endemism (several plant and invertebrate species are found here that occur nowhere else in the world).

Catchments F50A and F30A (as well as some of F50B) have been identified as supporting the priority wetlands of the region. These catchments are critical high water-yield areas and the wetlands fall within two important vegetation types, Kamiesberg Granite Fynbos and Namaqualand Granite Renosterveld. Kamiesberg Granite Fynbos is restricted to the Kamiesberg Uplands, a factor making it a key element of any conservation strategy for the area. This vegetation type supports the highest number of endemic plant species, with at least 29 endemics (or near endemics) wholly restricted to or found primarily in this vegetation type. Namaqualand Granite Renosterveld is almost entirely endemic to the Kamiesberg (all but 30 hectares of its global distribution is found here). The renosterveld also supports a rich diversity of plant species, especially geophytes.

Wetlands within Namaqualand Granite Renosterveld have been identified as special habitats in need of particular conservation attention, in view of their high levels of transformation, importance in terms of biodiversity conservation, and as water sources.

The Groen and Spoeg River are important corridors linking the updlands to the lowlands and the coast. The Spoeg River is still in good natural state and should be maintained as far as possible.

In addition to hydrological/regulatory services, the wetlands also supply provisioning and cultural services. The most widespread of these is providing grazing and water for livestock. Opportunities exist for rehabilitation to contribute to securing and restoring the wetlands' capacity to continue supplying these resources. Some of the wetlands provide areas for people to watch birds and to appreciate scenic beauty, and opportunities may exist for enhancing these for the general public, e.g. through a bird hide.

## Kamiesberg: Quaternary Catchment F30A

The following wetlands were identified for inclusion in the WfWetlands Programme:

- i. Kleikop : F30A-03
- ii. Schaaprivier: F30A-06
- iii. Landvlei: F30A-08
- iv. Nadpad: F30A-09
- v. Windpoort: F30A-10

#### Ai. Kleikop: F30A-03

This wetland portion is located in a valley bottom setting and is characterized by predominantly diffuse flow (i.e. non-chanelled) and is dominated by indigenous hydric vegetation. However, multiple headcuts are present at the nickpoint at the downstream end of the unit where diffuse flow naturally transitions to channelled flow. These headcuts are slightly active, with some limited evidence of active erosion visible, placing the upstream portion under moderate threat. The rehabilitation objective of this wetland is to arrest migration of headcut erosion through the wetland.

#### Aii. Schaaprivier: F30A-06

The Schaaprivier wetland forms part of the non-perennial Schaaprivier river system and comprises a valley bottom hydrogeomorphic setting. The wetland is located 1.9km east of Leliefontein; the majority of the catchment is largely used for livestock grazing but the land adjacent to the wetland has been degraded due to extensive bare ground. The wetland ecosystem forms part of the Nouw River system, which is a tributary of the Buffels River. The wetland ecosystem is classified as Namaqualand Cape Shrubland Granite Renosterveld which is considered to be Least Threatened. There are three units within this wetland; the two main units in the wetland run along the Schaaprivier itself as a naturally channelled valley bottom; Unit 1 the upper and Unit 2 the lower. In contrast, Unit 3 comprises an unchannelled side branch of the wetland fed by a small tributary. Unit 2 shows signs of extensive recent erosion; and Unit 3 is under threat of future erosion.

The majority of the wetland's catchment comprises very rocky areas that are mapped as Namaqualand Granite Renosterveld vegetation which is classified as Least Threatened. However, there are fairly extensive footslope areas surrounding most of the wetland which comprise degraded old lands with scattered renosterbos (*Elytropappus rhinocerotis*) bushes and other hardy pioneer species and with extensive bare ground which appears compacted and shows signs of surface runoff (rills and minor gullies). Approximately two thirds of the wetland's boundary lies adjacent to such old lands and the remainder of the boundary lies adjacent to rocky areas under Namaqualand Granite renosterveld vegetation. The rehabilitation objectives for this wetland are:

- To prevent further incision of the channel in Unit 2 particularly in the portion upstream of the road crossing, and to raise the water level in the unit to close to its pre-incised level.
- Halt the advance of the headcut threatening to advance through Unit 3.
- Reduce the intensity of surface runoff delivered by the road running down the hill to the wetland
- Reduce the intensity of surface runoff delivered by the degraded lands lying adjacent to the wetland.

#### Aiii. Langvlei (Central): F30A-08

The Langvlei wetland is one of the largest known unchannelled valley bottom wetland areas in the Kamiesberg Commonage and is located approximately 3.8 km north west of Leliefontein. The wetland falls within the Nouw River system, a tributary of the Buffels River. The natural vegetation of site is mapped as Namaqualand Granite Renosterveld (FRg1) which is considered to be Least Threated while the wetland ecosystem type is Namaqualand Cape Shrubland Granite Renosterveld. Although renosterveld is abundant within the unit,

indigenous hydric species such as *Bulbinella latifolia* subsp. *latifolia* and *Ficinia nodosa* are also abundant. However, this unit is under threat from gully erosion. The unit forms part of a much larger wetland which extends a further 1.1 km in a downstream direction and 1.2 km in an upstream direction, most of which is channelled valley bottom.

The majority of the wetland's catchment comprises of very rocky areas under Namaqualand Granite Renosterveld vegetation. However, the lowest lying areas immediately surrounding and upstream of the wetland consist of cultivated lands, including currently lands and fallow/abandoned lands. Runoff and sediment delivery to the wetland is also affected by roads in the wetland's catchment and running immediately adjacent to, and across, the wetland.

The rehabilitation objective for this wetland is to halt the advance of the headcut threatening to advance through the Unit. This will be done by:

- Installing appropriate erosion control structures to deactivate the currently active multiple headcut; and
- Closing the current vehicle track crossing, as it is making the area more susceptible to erosion, and for which there is an already established much less risky alternative in the upper Langvlei wetland.

### Aiv. Natpad: F30A-09

The Natpad wetland comprises a valley bottom wetland, the wetland ecosystem is characterised by Namaqualand Cape Shrubland Granite Renosterveld. The wetland is located 8.4 km south west of Leliefontein and 9.3 km north west of Paulshoek. This wetland forms part of the Nouw River which is a tributary of the Buffels River. The wetland consists of 5 units with its lowermost point being the junction of two valleys, with most of the wetland fed by the stream of the south-to-north orientated valley (Units 1 to 3) and a short arm of the wetland (Units 4 and 5) fed by the west-to-east orientated valley. Unit 1 is the broadest of the units and is characterized by predominantly diffuse flow, although with some channelled portions. The other units are characterized by a clearly defined channel. In Units 2, 4 and 5 the channel is largely fixed by a series of bedrock controls, but in Unit 3, such controls appear to be lacking, with the result that the channel in this unit is particularly vulnerable to incision.

The majority of the wetland's catchment comprises very rocky areas under Namaqualand Granite Renosterveld vegetation, classified as Least Threatened. However, there are fairly extensive footslope areas immediately adjacent to and surrounding most of the wetland which comprise degraded old lands with scattered renosterveld (*Elytropappus rhinocerotis*) bushes and other hardy pioneer species. These old lands have extensive bare ground which appears compacted and shows signs of surface runoff (rills and minor gullies). The rehabilitation objectives for this wetland are:

- To halt further incision of the channel in Unit 3 and raise the water level in the unit to close to its preincised level;
- Re-establish perennial vegetation in Unit 3 and 4, preferably with a high abundance of indigenous hydric species;
- Deactivate the drainage furrow running alongside Unit 1; and
- Reduce the intensity of surface runoff delivered by the degraded lands lying adjacent to the wetland.

## Av. Windpoort: F30A-10

The Windpoort wetland is located 7.1 km north east of Nourivier and 14.3 km north west of Kamiestroon. The wetland ecosystem type is the Namaqualand Cape Shrubland Granite Renosterveld which is classified as

Least Threatened. The wetland comprises a channelled valley bottom wetland which eroded severely in the past, followed by a period of sediment accumulation and most recently by the active incision of the sediment and a slight lowering of the water level in the wetland. The incision is still narrow but actively deepening. The area upstream of the incision supports one of the largest stands of *Pseudoschoenus inanis* in the Kamiesberg commonage, which is harvested for building/craft purposes.

The majority of the wetland's catchment comprises very rocky areas under Namaqualand Granite Renosterveld vegetation which is classified as Least Threatened. However, the lowest lying areas immediately surrounding, and upstream the wetland comprise lands currently cultivated under oats. The rehabilitation objectives for this wetland are:

- To halt further incision of the wetland; and
- To slightly raise the overall water level in the unit to close to its pre-incised level.

### Kamiesberg: Quarternary Catchment F30

The following wetland was identified for inclusion in the WfWetlands Programme:

vi. Kleingas: F30C-01

#### Avi. Kleingas: F30C-01

The Kleingas wetland is a channelled valley bottom wetland forming part of the Buffels River System. The wetland is actively used for livestock grazing. Historically it was dominated by *Pseudoschoenus inanis*, and the wetland area immediately downstream continues to be dominated by this sedge. The majority of the wetland unit's catchment comprises rocky areas under natural vegetation. A small, recently constructed drainage furrow runs the length of the unit, which was recently cultivated.

The main impacts to this wetland unit are associated with historical cultivation of the wetland and the artificial drainage furrow which runs the length of the unit. The landowner is willing to have the constructed drainage furrow in-filled and to reduce the intensity of use of the portion. His original intention was to establish dryland crops but he has agreed to let the vegetation revert back to indigenous wetland vegetation, which could be used in the dry season for grazing.

The rehabilitation objectives for this wetland are:

- Remove the draining effect of the artificial drainage channel; and
- Encourage the establishment of perennial indigenous vegetation in the unit.

#### Kamiesberg: Quaternary Catchment F50A

The following wetland was identified for inclusion in the WfWetlands Programme:

vii. Xharas: F50A-07

#### Avii. Xharas: F50A-07

The Xharas wetland is located 3.6 km south-south east of Leliefontein and the wetland ecosystem type is the Namaqualand Cape Shrubland Granite Renosterveld which is classified as Least Threatened. The wetland unit is a channelled valley bottom wetland that is located within the Buffels River Catchment. The channel comprises a straightened artificial drainage furrow which runs the entire length of the wetland. The vegetation type is mapped as Namaqualand Granite Renosterveld vegetation which is classified as Least Threatened. Mainly *Cyperus thunbergii*, is confined to within the furrow whilst the remainder of the unit, which was

historically cultivated, is dominated by short-growing pioneer species, e.g. *Erodium sp.* The unit forms part of a much larger wetland which extends a further 390 m in a downstream direction and 700 m in an upstream direction, most of which is channelled valley bottom. Much of the upstream section has recently been rehabilitated during the 2010/2011 implementation year, while much of the lower section is in relatively good condition. The majority of the wetland's catchment comprises very rocky areas under natural vegetation however the lowest lying areas immediately surrounding and upstream of the wetland comprise cultivated lands, most of which now appear to fallow or abandoned. The main impacts to this wetland unit are associated with historic disturbance and erosion, which is now currently active. The rehabilitation objectives for this wetland are:

- Redirect some of the low flows across the wetland, thereby establishing more natural low flow flow patterns across the wetland;
- Raise the base level of the artificial drainage channel to raise the water table in the wetland to close to its original level and to allow high flows to readily flow across the wetland as they did so naturally; and
- Re-establish vigorous hydric vegetation across most of the wetland.

### Kamiesberg: Quaternary Catchment F50E

The following wetland was identified for inclusion in the WfWetlands Programme:

viii. Kraaifontein: F50E-02

#### Aviii. Kraaifontein: F50E-02

The Kraaifontien wetland is part of the Groen River system and is located 8 km south east of Kamieskroon. The wetland ecosystem type is the Namaqualand Cape Shrubland Granite Renosterveld which is classified as Least Threatened. The wetland unit is a hillslope seep, which lies immediately upstream of Kraaifontein unit 2, a channelled valley bottom. Although most of Kraaifontein unit 1 supports natural vegetation, a road within the wetland runs down the full length of the unit. Much of Kraaifontein unit 2 is occupied by a tall stand of poplars.

The majority of the wetland's catchment, including the area immediately upslope of the unit, comprises actively cultivated lands. The catchment also includes very rocky areas mapped as Namaqualand Granite Renosterveld vegetation which is classified as Least Threatened. A substantial increase in the future severity of impacts on vegetation condition is anticipated as result of a marked overall increase in the severity of erosional incision and further sediment washed into the wetland from the upslope cultivated lands and deposited in the wetland. The rehabilitation objectives for this wetland are:

- Reduce the intensity of surface flows and associated sediment delivered to the unit from the upslope cultivated lands;
- The effect of the road on flow patterns through the wetland; and
- Halt active headcut erosion within the unit.

#### Kamiesberg: Quarternary Catchment F50G

The following wetland was identified for inclusion in the WfWetlands Programme:

ix. Groenrivier: F50G-01

#### Aix. Groenrivier: F50G-01

The Groen River is an important corridor from the uplands to the lowlands and the coast. The Groenrivier estuary itself is located within the Namaqualand National Park and has good public access. The catchment is mainly comprised of rocky areas with natural vegetation but also some cultivated land and scattered urban

settlements. The estuary is characterized by *Sarcocornia* spp. saltmarsh and *Drosanthemum* sp. low shrubland and open water. The adjacent terrestrial area in which the proposed hide will be located comprises *Lebeckia cinerea / Lycium* sp. low shrubland. The estuary supports several wetland-dependent bird species including, amongst other: Black-necked Grebe, Greater Flamingo, Lesser Flamingo, South African Shelduck, Cape Teal, Ringed plover, Curlew Sandpiper, Ruff, Greenshank, Avocet, Black-winged Stilt and White-winged Black Tern.

The rehabilitation objectives for this wetland are:

- Provide enhanced public access for watching birds and appreciating the scenic beauty of the Groenrivier estuary without impacting negatively on the estuary; and
- Raise awareness amongst visitors in terms of wetlands in the overall catchment.
- b) Provide a detailed description of the listed activities associated with the project as applied for

# The WfWetlands Programme is not a development proposal

It is important to note that the very objectives of the WfWetlands Programme are to improve both environmental and social circumstances. The WfWetlands Programme gives effect to a range of policy objectives of environmental legislation, and also honours South Africa's commitments under several international agreements, especially the Ramsar Convention on Wetlands. The legislation protecting the environment in South Africa was not written with the intention of preventing wetland rehabilitation efforts, but rather of curtailing development in sensitive environments. It is important to remember that **the WfWetlands Programme is not a development proposal**, and although this programme technically requires Environmental Authorisation in terms of Regulations pursuant to the National Environmental Management Act, No. 107 of 1998, such environmentally positive rehabilitation projects shouldn't need to be assessed for negative environmental impact. Therefore legislative processes aimed at preventing negative environmental impact through development are really not applicable to a project of this nature and the project activities that trigger Listing Notices are only being undertaken to benefit the environment.

Listed activity as described in GN R.544, 545 and 546	Description of project activity
<b><u>GN R.544, Item 11:</u></b> The construction of: (i) canals; (ii) channels; (iii) bridges; (iv) dams; (v) weirs; (vi) bulk storm water outlet structures; (vii) marinas; (viii) jetties exceeding 50m <sup>2</sup> ; (ix) slipways exceeding 50m <sup>2</sup> in size; (x) buildings exceeding 50m <sup>2</sup> in size; or (xi) infrastructure or structures covering 50m <sup>2</sup> or more where such construction occurs within a watercourse or within 32m of a watercourse, measured from the edge of a watercourse, excluding where such construction will occur behind the development setback line.	<ul> <li>In order to achieve the objectives of wetland rehabilitation, changes must be made to artificial drainage lines or eroding water channels if the wetland systems are to be returned to their original statuses. The following may be necessary:</li> <li>The construction of concrete or gabion weirs within watercourses (wetlands);</li> <li>The formalisation of stream crossings to ensure that the integrity of wetland systems downstream and upstream of the crossings are protected from further degradation;</li> </ul>
	• The construction of bird hides and walkways in public

Listed activity as described in GN R.544, 545	Description of project activity
	wetlands to limit human impact, and to form part of the educational component of the project.
<b>GN R.544, Item 18:</b> The infilling or depositing of any material of more than 5m <sup>3</sup> into, or the dredging, excavation, removal or moving of soil, sand, shells, shell grit, pebbles or rock of more than 5m <sup>3</sup> from: (i) a watercourse; (ii) the sea; (iii) the seashore; (iv) the littoral active zone, an estuary or a distance of 100m inland of the high-water mark of the sea or an estuary, whichever distance is the greater - but excluding where such infilling, depositing, dredging, excavation, removal or moving; (a) is for maintenance purposes undertaken in accordance with a management plan agreed to by the relevant environmental authority; or (b) occurs behind the development setback line.	<ul> <li>In order to achieve the objectives of wetland rehabilitation, changes must be made to artificial drainage lines or eroding water channels, and banks or gullies may need to be stabilised if the wetland systems are to be returned to their original statuses. The following may be necessary:</li> <li>The construction of earth berms to correct water flow paths in artificial drainage lines, diverted stream channels or watercourses;</li> <li>The removal or addition of material to stabilise stream banks or erosion gullies.</li> </ul>
<ul> <li><u>GN R.546, Item 12:</u> The clearance of an area of 300 m<sup>2</sup> or more of vegetation where 75% or more of the vegetation cover constitutes indigenous vegetation.</li> <li>(a) Within any critically endangered or endangered ecosystem listed in terms of section 52 of the NEMBA or prior to the publication of such a list, within an area that has been identified as critically endangered in the National Spatial Biodiversity Accessment 2004.</li> </ul>	In order to achieve the objectives of wetland rehabilitation, some indigenous vegetation may need to be cleared to construct interventions. It is important to note that clearance of wetland vegetation in order to construct a number of interventions throughout the wetland system would only be proposed if the rehabilitation efforts would ultimately gain many hectares of desired wetland vegetation and habitat. Even though the interventions are intended to improve ecological status and habitats, this listing notice will be triggered because:
Assessment 2004; (b) within critically biodiversity areas identified in bioregional plans; (c) Within the literal active zone are 100 m inland from high water mark of the sea or an estuary, whichever distance is the greater, excluding where such removal will occur behind the development setback line on erven in urban areas.	<ul> <li>Wetlands may occur within an estuary;</li> <li>The cumulative clearance of more than 300m<sup>2</sup> of wetland vegetation may be necessary to construct a number of interventions throughout the wetland system;</li> <li>Wetlands may form part of critical biodiversity areas or endangered ecosystems.</li> </ul>
<u>GN R.546, Item 13:</u> The clearance of an area of 1 hectare or more of vegetation where 75% or more of the vegetative cover constitutes indigenous vegetation	In order to achieve the objectives of wetland rehabilitation, some indigenous vegetation may need to be cleared to construct interventions. It is important to note that the clearance of vegetation in order to construct interventions would only be proposed if the rehabilitation offerts would ultimately gain many besteres of desired
(a) Critical biodiversity areas and ecological support areas as identified in systematic biodiversity plans adopted by the competent authority.	efforts would ultimately gain many hectares of desired wetland vegetation and habitat. Even though the interventions are intended to improve ecological status

Listed activity as described in GN R.544, 545	Description of project activity
(b) National Protected Area Expansion Strategy	and habitats, this listing notice will be triggered because:
Focus areas.	<ul> <li>Wetlands may occur within an estuary;</li> </ul>
(c) In Eastern Cape, Free State, KwaZulu-Natal,	• The cumulative clearance of more than 1 hectare of
Limpopo, Northern Cape, Northern Cape and	indigenous vegetation may be necessary to construct
Western Cape: (i) In an estuary; (ii) Outside urban	a number of interventions throughout the wetland
areas, in: (aa) A protected area identified in terms of	system;
NEMPAA, excluding conservancies; (bb) National	• Wetlands may form part of critical biodiversity areas or
Protected Area Expansion Strategy Focus areas;	endangered ecosystems;
(cc) Sensitive areas as identified in an	
environmental management framework as	<ul> <li>Wetlands may form part of protected areas or sensitive areas;</li> </ul>
contemplated in chapter 5 of the Act and as	
adopted by the competent authority; (dd) Sites or areas identified in terms of an International	Wetlands may be located within or near national parks     ar world haritage sites
Convention; (ee) Core areas in biosphere reserves;	or world heritage sites.
(ff) Areas within 10km from national parks or world	
heritage sites or 5km from any other protected area	
identified in terms of NEMPAA or from the core area	
of a biosphere reserve; (gg) Areas seawards of the	
development setback line or within 1km from the	
high-water mark of the sea if no such development	
setback line is determined.	
<ul> <li><u>GN R.546, Item 16:</u> The construction of: (i) jetties exceeding 10m<sup>2</sup> in size; (ii) slipways exceeding 10 m<sup>2</sup> in size; (iii) buildings with a footprint exceeding 10 m<sup>2</sup> in size; or (iv) infrastructure covering 10 m<sup>2</sup> or more where such construction occurs within a watercourse or within 32m of a watercourse, measured from the edge of a watercourse, excluding where such construction will occur behind the development setback line.</li> <li>(a) In Eastern Cape, Free State, KwaZulu-Natal, Limpopo, Northern Cape and Northern Cape: (i) In an estuary; (ii) Outside urban areas, in: (aa) A</li> </ul>	<ul> <li>In order to achieve the objectives of wetland rehabilitation, some educational infrastructure may be required to limit human impact on the wetland system. Even though the interventions are intended to improve ecological status and habitats, this listing notice will be triggered because:</li> <li>Wetlands may occur within an estuary;</li> <li>Bird hides and walkways may constitute buildings with a footprint exceeding 10m<sup>2</sup> in size;</li> <li>Wetlands may form part of critical biodiversity areas or endangered ecosystems;</li> <li>Wetlands may form part of protected areas or sensitive</li> </ul>
protected area identified in terms of NEMPAA,	areas;
excluding conservancies; (bb) National Protected	• Wetlands may be located within or near national parks
Area Expansion Strategy Focus areas; (cc) World	or world heritage sites.
Heritage Sites; (dd) Sensitive areas as identified in	
an environmental management framework as	
contemplated in chapter 5 of the Act and as	
adopted by the competent authority; (ee) Sites or	
areas identified in terms of an International Convention; (ff) Critical biodiversity areas or	

Listed activity as described in GN R.544, 545	Description of project activity
ecosystem service areas as identified in systematic	
biodiversity plans adopted by the competent	
authority or in bioregional plans; (gg) Core areas in	
biosphere reserves; (hh) Areas within 10km from	
national parks or world heritage sites or 5km from	
any other protected area identified in terms of	
NEMPAA or from the core area of a biosphere	
reserve; (ii) Areas seawards of the development	
setback line or within 1km from the high-water mark	
of the sea if no such development setback line is	
determined.	

# 2. FEASIBLE AND REASONABLE ALTERNATIVES

*"alternatives"*, in relation to a proposed activity, means different means of meeting the general purpose and requirements of the activity, which may include alternatives to—

- (a) the property on which or location where it is proposed to undertake the activity;
- (b) the type of activity to be undertaken;
- (c) the design or layout of the activity;
- (d) the technology to be used in the activity;
- (e) the operational aspects of the activity; and
- (f) the option of not implementing the activity.

Describe alternatives that are considered in this application as required by Regulation 22(2)(h) of GN R.543. Alternatives should include a consideration of all possible means by which the purpose and need of the proposed activity (NOT PROJECT) could be accomplished in the specific instance taking account of the interest of the applicant in the activity. The no-go alternative must in all cases be included in the assessment phase as the baseline against which the impacts of the other alternatives are assessed.

The determination of whether site or activity (including different processes, etc.) or both is appropriate needs to be informed by the specific circumstances of the activity and its environment. After receipt of this report the, competent authority may also request the applicant to assess additional alternatives that could possibly accomplish the purpose and need of the proposed activity if it is clear that realistic alternatives have not been considered to a reasonable extent. The identification of alternatives should be in line with the Integrated Environmental Assessment Guideline Series 11, published by the DEA in 2004. Should the alternatives include different locations and lay-outs, the co-ordinates of the different alternatives must be provided. The co-ordinates should be in degrees, minutes and seconds. The projection that must be used in all cases is the WGS84 spheroid in a national or local projection.

## Approach to Alternatives for the WfWetlands Programme

**Site Alternatives:** The WfWetlands Programme considers possible site alternatives in earlier phases of the planning cycle:

Site Selection Process: All Quaternary Catchments within the Province are considered for possible wetland rehabilitation work in the earlier stages of the WfWetlands Programme (Phase 1 Catchment and Wetland

Prioritisation Processes), and only those that meet the prioritisation criteria are selected for the current planning cycle. Wetlands within the selected Quaternary Catchments undergo a similar prioritisation process, which includes a consultation component with the relevant stakeholders and interest groups, and the Wetland Projects presented in this report are those that are finally selected. Wetland Units within each Wetland Project are investigated by the Wetland Ecologist and these are selected based on their suitability in terms of the overall WfWetlands Programme objectives<sup>3</sup>. The earlier site selection processes to determine feasible and reasonable Wetland Projects are described in detail in the WfWetlands Context Document included in the front of this report.

Any wetland site alternatives are therefore already considered in the earlier phases of the WfWetlands Programme, and only the preferred alternative is presented here. For the purpose of this report, no feasible or reasonable wetland site alternatives exist.

Layout and technical alternatives: These categories of alternatives are not applicable to a wetland rehabilitation proposal (and the sections of this report pertaining to layout or technical alternatives have been greyed out).

**Other Alternatives:** One form of alternative considered during the WfWetlands Programme is a design alternative, where all possible intervention options that may achieve a desired rehabilitation objective are contemplated during the Phase 2 field work component of a particular Wetland Unit. The design team comprising a Wetland Ecologist, a Design Engineer, an EAP, and a PC (and in some instances other interested stakeholders such as authorities and/or landowners who may attend the site visit) will discuss and select the most appropriate intervention option for a particular problem. Each of the intervention options selected, as well as the determination of the most appropriate locations for these within the Wetland Unit are therefore based on expert opinion and are thus considered to be the most suitable and effective interventions to achieve the rehabilitation objectives for the wetland.

Decisions regarding the choice of interventions will only be made if Environmental Authorisation (EA) is granted for a Wetland Project. It is therefore not possible to present the preferred interventions for each Wetland Project in this report. Rather all possible types of interventions are presented here as the preferred design alternative and a booklet of possible intervention designs that are appropriate to the WfWetlands Programme is presented in Appendix C. The intention is that Rehabilitation Plans will be prepared on an annual basis and submitted to DEA for approval as a condition of the EA. The Rehabilitation Plans will describe the combination and number of interventions selected from this booklet for each Wetland Project.

**No-Go Alternative:** If the current rehabilitation proposals are not undertaken, then the only option is the "No-Go" alternative and this is presented as an alternative in this report.

## a) Site alternatives

Alternative 1 (preferred alternative)		
Coordinates for each of the preferred Wetland Projects within the selected Quaternary Catchments of the		
Northern Cape Province for the next WfWetlands Programme planning cycle are provided in the table below.		
Locality maps and GIS datasets for each of the wetlands are available in Appendix A.		

PROJECT         WETLAND NAME         NUMBER         Lat (DDMMSS)         Long (DDMMSS)
--

<sup>&</sup>lt;sup>3</sup> Wetland conservation and poverty reduction through job creation and skills development amongst vulnerable and marginalised groups.

				-	
	Ai Kleikop	F30A-03	30°17'44.20" S	18° 04'56.70"E	
	Aii Schaaprivier	F30A-06 30° 18' 39.8''S		18° 06' 14.8''E	
Kamiesberg	Aiii Langvlei	F30A-08 30° 17' 28.8"S		18° 03' 10.0"E	
	Aiv Natpad	F30A-09	F30A-09 30° 21' 12.3"S		
	Av Windpoort	F30A-10	30° 14' 18.6"S	18° 04' 13.6"E	
	Avi Kleingas	F30C-01	30° 10' 36.69" S	17° 56' 10.89"E	
	Avii Xharas	F50A-07	30° 20' 25.2''S	18° 06' 24.5''E	
	Aviii Kraaifontein	F50E-02	30° 14' 29.3"S	18° 00' 09.9''E	
	Aii Groenrivier	F50G-01	30° 50' 2.5" S	17° 34' 33.7"E	
	·	Alternative 2			
Description			Lat (DDMMS	S) Long (DDMMSS)	
		Alternative 3			
Description			Lat (DDMMS	S) Long (DDMMSS)	
L					

In the case of linear activities:

Alternative:

Latitude (S):

Longitude (E):

Alternative S1 (preferred)

- Starting point of the activity
- Middle/Additional point of the activity

• End point of the activity

- Alternative S2 (if any)
- Starting point of the activity
- Middle/Additional point of the activity
- End point of the activity Alternative S3 (if any)
- Starting point of the activity
- Middle/Additional point of the activity
- End point of the activity

For route	alternatives	that are	longer th	nan 500m	, please	provide	an addendum	with	co-ordinates	taken
every 250	) meters alon	ng the ro	ute for ea	ach alterna	ative alig	nment.				

In the case of an area being under application, please provide the co-ordinates of the corners of the site as indicated on the lay-out map provided in Appendix A.

# b) Lay-out alternatives

Alternative 1 (preferred alternative)						
N/A						
Description	Lat (DDMMSS) Long (DDMMSS)					
Alternative 2						
Description	Lat (DDMMSS) Long (DDMMSS)					
Alternative 3						
Description	Lat (DDMMSS) Long (DDMMSS)					

# c) Technology alternatives

	Alternative 1 (preferred alternative)	
N/A		
	Alternative 2	
	Alternative 3	

# d) Other alternatives (e.g. scheduling, demand, input, scale and design alternatives)

## Alternative 1 (preferred alternative)

The choice of the combination of the most appropriate interventions necessary to achieve a certain rehabilitation objective is a rigorous exercise, and the decision is informed by a number of criteria:

- Environmental Criteria hydrology, geology and soils, seasonal influences and site-specific constraints;
- Engineering Criteria bio-physical aspects, risk and liability, construction material selection;
- Social Criteria labour quota requirements, health and safety, availability of materials, skills levels and opportunity for skills development; and
- Wetland Rehabilitation Criteria stabilisation of headcuts and erosion gullies, elevation of water table, sediment trapping, eradication of problem species (among others).

The following section provides short descriptions on typical interventions (and their key motivations) generally considered for wetland rehabilitation projects. Also refer to Appendix C for a booklet of possible intervention designs that are appropriate to the WfWetlands Programme

**Concrete weirs** – This type of structure is used to address headcut and/ or channel erosion by trapping sediment and raising the local water table to encourage overland flow (i.e. rewetting a wetland).

Selection of this intervention depends on the availability of appropriate foundation material and the volume of water moving through the wetland catchment. The construction of concrete weirs also provides an opportunity for skills transfer and development.

**Gabion weirs** – This type of structure comprises packed stone or rock in wire baskets. The configuration of the gabion baskets can result in the structure performing a similar function to a concrete weir in trapping sediment and reducing flow-velocities. A gabion basket is permeable and allows for a measure of water to pass through the structure, unlike concrete. The construction of gabion weirs are more labour intensive than concrete weirs and thus favoured where site conditions are suitable. Some negative aspects associated with gabions:





rock is not always readily available, they are vulnerable to vandalism and corrosive elements in some waters; and trampling by cattle and humans (this can be alleviated by concrete capping the gabions).

**Earth berms/ plugs** – This type of structure is typically an earth mound used to divert or retain water flow. Due to the higher labour requirement for implementation, this type of intervention has received extensive consideration in the WfWetlands Programme and is therefore used in most project sites to varying degrees. It is usually considered suitable in low flow areas, but can be susceptible to cattle trampling if not properly vegetated or capped with rocks.

**Earthworks** – are usually used in areas which have been impacted by ridge/ furrow farming and involve cutting the "ridges" and filling the "furrows" wherever possible. For some projects, earthworks are required to remove old berms to restore natural overland flow, as well as to remove old roads from wetlands, seeps, pans, etc.





Alternative 2

**Alternative 3** 

#### e) No-go alternative

If the no-go alternative is pursued, the wetlands within these Wetland Projects will continue to deteriorate, resulting in an overall negative impact on aquatic and terrestrial ecosystems, habitats and species of conservation significance. In the absence of rehabilitation, the important role of these wetlands in flood attenuation, nutrient retention and water quality amelioration, as well as ecological service provision will not be realised. In many instances the current degradation issues result in severe erosion, which may impact on the agricultural or landuse potential of adjacent sites, as well as result in sedimentation and eutrophication impacts for downstream users. Please also refer to Section D for the impact assessment of the no-go alternative.

Paragraphs 3 – 13 below should be completed for each alternative.

#### 3. PHYSICAL SIZE OF THE ACTIVITY

a) Indicate the physical size of the preferred activity/technology as well as alternative activities/technologies (footprints):

#### Size of the Activity Footprint

Environmental Authorisation is sought for all listed activities that will be triggered within **entire Wetland Project areas** rather than for each intervention that is used during rehabilitation. It is important to note that the implementation of interventions trigger Listed Activities in terms of NEMA and it is normally required that footprints are provided for such activities, but these interventions are proposed to gain valuable wetland hectares and improve wetland function. Decisions regarding the choice of interventions will only be made if an EA is granted for a Wetland Project. It is therefore not possible to present the size of each preferred intervention for each Wetland Project in this report. A booklet of possible intervention designs that are appropriate to the WfWetlands Programme is presented in Appendix C.

The intention is that Rehabilitation Plans will be prepared on an annual basis, circulated for public comment, and submitted to DEA for approval as a condition of the EA. The Rehabilitation Plans will describe the combination and number of interventions selected from this booklet for each Wetland Project, as well as an indication of the approximate location and approximate dimensions (including footprint) of each intervention.

Alternative: Alternative A1<sup>4</sup> (preferred activity alternative) Alternative A2 (if any) Alternative A3 (if any) or, for linear activities:

Alternative: Alternative A1 (preferred activity alternative) Size of the activity:

m <sup>2</sup>
m <sup>2</sup>
m <sup>2</sup>

Length of the activity:

<sup>4</sup> "Alternative A.." refer to activity, process, technology or other alternatives.

Alternative A2 (if any) Alternative A3 (if any)

## b) Indicate the size of the alternative sites or servitudes (within which the above footprints will occur):

#### Size of the Site

The approximate size of each wetland within each Wetland Project is provided below, as the intention is to positively influence the entire area through the implementation of smaller interventions. It is important to note that the implementation of interventions trigger Listed Activities in terms of NEMA and it is normally required that footprints are provided for such activities, but these interventions are proposed to gain valuable wetland hectares and improve wetland function. The footprints of these interventions will be detailed in the annual Rehabilitation Plans which will be submitted to DEA for approval.

#### Alternative:

Alternative A1 (p	preferred activity alternative)		Size of the site:
PROJECT	WETLAND NAME	NUMBER	SIZE OF THE SITE
	Ai Kleikop	F30A-03	11 300 m <sup>2</sup>
	Aii Schaaprivier	F30A-06	3 700m²
	Aiii Langvlei	F30A-08	13 000m²
	Aiv Natpad	F30A-09	49 500m²
Kamiesberg	Av Windpoort	F30A-10	9 000m²
	Avi Kleingas	F30C-01	2 000 m²
	Avii Xharas	F50A-07	7 400m²
	Aviii Kraaifontein	F50E-02	4 700m²
	Aix Groenrivier	F50G-01	105 000m <sup>2</sup>

Alternative A2 (if any) Alternative A3 (if any)

#### 4. SITE ACCESS

#### Does ready access to the site exist?

If NO, what is the distance over which a new access road will be built

#### Describe the type of access road planned:

Each Wetland Project can be accessed by existing National, Municipal, Divisional, Main, Minor and/or Trunk Roads, and private access routes or farm tracks.

# YES NO

Include the position of the access road on the site plan and required map, as well as an indication of the road in relation to the site.

#### Temporary access routes

Please note that although easy access to at least one point of each of the wetlands does exists, some sections of the various wetlands may require that temporary access routes be used. No new access roads will be created, but a two-track route from the nearest road to the wetland unit will be utilised by a small utility vehicle (i.e. a bakkie may need to drive over the grass) and this route will not be permanent nor will it require the removal of any vegetation. The location of any temporary access routes will depend on a number of factors including landowner requirements, and the time of year and recent weather conditions (i.e. how wet or dry the area is) at the time the access is required. For this reason it is not possible to specify exactly where routes may be needed in this report. It can however be confirmed that the access routes will be temporary and seldom more than a few hundred metres long. Any temporary access routes will be determined and indicated in the annual Rehabilitation Plans.

#### 5. LOCALITY MAP

An A3 locality map must be attached to the back of this document, as Appendix A. The scale of the locality map must be relevant to the size of the development (at least 1:50 000. For linear activities of more than 25 kilometres, a smaller scale e.g. 1:250 000 can be used. The scale must be indicated on the map.). The map must indicate the following:

- an accurate indication of the project site position as well as the positions of the alternative sites, if any;
- indication of all the alternatives identified;
- closest town(s;)
- road access from all major roads in the area;
- road names or numbers of all major roads as well as the roads that provide access to the site(s);
- all roads within a 1km radius of the site or alternative sites; and
- a north arrow;
- a legend; and
- locality GPS co-ordinates (Indicate the position of the activity using the latitude and longitude of the centre point of the site for each alternative site. The co-ordinates should be in degrees and decimal minutes. The minutes should have at least three decimals to ensure adequate accuracy. The projection that must be used in all cases is the WGS84 spheroid in a national or local projection).

#### Locality maps

Locality maps for each Wetland Project are provided as Appendix A of this report.

#### 6. LAYOUT/ROUTE PLAN

A detailed site or route plan(s) must be prepared for each alternative site or alternative activity. It must be attached as Appendix A to this document.

The site or route plans must indicate the following:

- the property boundaries and numbers of all the properties within 50 metres of the site;
- the current land use as well as the land use zoning of the site;
- the current land use as well as the land use zoning each of the properties adjoining the site or sites;
- the exact position of each listed activity applied for (including alternatives);
- servitude(s) indicating the purpose of the servitude;
- a legend; and
- a north arrow.

#### Layout/route plan

The intention is that Rehabilitation Plans for each Wetland Project will be prepared on an annual basis and submitted to DEA for approval as a condition of the EA. The Rehabilitation Plans will provide the type, dimension and proposed location for each intervention within each Wetland Unit.

#### 7. SENSITIVITY MAP

The layout/route plan as indicated above must be overlain with a sensitivity map that indicates all the sensitive areas associated with the site, including, but not limited to:

- watercourses;
- the 1:100 year flood line (where available or where it is required by DWA);
- ridges;
- cultural and historical features;
- areas with indigenous vegetation (even if it is degraded or infested with alien species); and
- critical biodiversity areas.

The sensitivity map must also cover areas within 100m of the site and must be attached in Appendix A.

#### Sensitivity maps

The entire wetland is considered to be sensitive, and the very purpose of rehabilitation is to improve the value and function of these areas.

#### 8. SITE PHOTOGRAPHS

Colour photographs from the centre of the site must be taken in at least the eight major compass directions with a description of each photograph. Photographs must be attached under Appendix B to this report. It must be supplemented with additional photographs of relevant features on the site, if applicable.

#### Site photos

The intention is that Rehabilitation Plans for each Wetland Project will be prepared on an annual basis and submitted to DEA for approval as a condition of the EA. The Rehabilitation Plans will provide site photographs in the eight major compass directions as well as photographs of the proposed locations for each intervention within each Wetland Unit.

#### 9. FACILITY ILLUSTRATION

A detailed illustration of the activity must be provided at a scale of at least 1:200 as Appendix C for activities that include structures. The illustrations must be to scale and must represent a realistic image of the planned activity. The illustration must give a representative view of the activity.

#### Facility illustration

The WfWetlands Programme is not a development proposal and no facilities are proposed.

#### **10. ACTIVITY MOTIVATION**

Motivate and explain the need and desirability of the activity (including demand for the activity):

#### The Working for Wetlands Programme

South Africa is a dry country, but is endowed with an exceptionally rich biodiversity. The nation has a pressing reason to value the water-related services that wetlands provide: according to SANBI, South Africa will be one of fourteen African countries classified as "*subject to water scarcity*" by 2025. The conservation of wetlands is fundamental to the sustainable management of water quality and quantity, and wetland rehabilitation is therefore essential to conserving water resources in South Africa.

The guiding principles of the National Water Act, No. 36 of 1998, recognise the need to protect water resources. In responding to the challenge of stemming the loss of wetlands and maintaining and enhancing the benefits they provide, government has recognised that, in order to be truly effective, strategies for wetland conservation need to include a combination of proactive measures for maintaining healthy wetlands, together with interventions for rehabilitating those that have been degraded. These objectives are currently being expressed in a coordinated and innovative way through the WfWetlands Programme.

The two main objectives of the WfWetllands Programme are (1) **wetland conservation** in South Africa and (2) **poverty reduction** through **job creation** and **skills development** amongst **vulnerable** and **marginalised** groups. In the 12 years since its inception, the WfWetlands Programme has invested R530 million in wetland rehabilitation and has been involved in over 900 wetlands, thereby improving or securing the health of over 70 000 hectares of wetland environment. The WfWetlands Programme currently has a budget of approximately R94 million per year, of which R32 million is allocated directly to employee wages. Being part of the Expanded Public Works Programme (EPWP), WfWetlands has created more than 12 800 jobs and 2.2 million person-days of paid work. Local teams are made up of a minimum of 60% women, 20% youth and 1% disabled persons.

The WfWetlands Programme is not a development proposal, and the activities proposed are entirely motivated by the goals of wetland rehabilitation and social upliftment. This Basic Assessment seeks to gain Environmental Authorisation to undertake rehabilitation work in wetland systems. The details regarding rehabilitation interventions will be determined annually on the basis of the previous years' work, changes in the environment or community needs, and budget provisions amongst others. Annual Rehabilitation Plans will be made available for to registered I&APs for comment and submitted to the DEA for acceptance. If the WfWetlands Programme were required to undertake an Impact assessment for each year's proposed interventions, this could render the programme infeasible (both in time and budget resources) resulting in a potentially significant environmental opportunity cost.

1. Is the activity permitted in terms of the property's existing land use rights?	YES	NO	Please explain
---	-----	----	----------------

The Wetland Projects have been selected through a Catchment and Wetland Prioritisation Process because of their potential contribution to wetland conservation and water resource protection. As the WfWetlands Programme is not a development proposal, the existing land use rights are irrelevant.

(a) Provincial Spatial Development Framework (DSDF)			
(a) Provincial Spatial Development Framework (PSDF)	YES	NO	Please explair
N/A – The WfWetlands Programme is not a development proposal.			
(b) Urban edge / Edge of Built environment for the area	YES	NO	Please explair
N/A – The WfWetlands Programme is not a development proposal.			
(c) Integrated Development Plan (IDP) and Spatial Development Framework (SDF) of the Local Municipality (e.g. would the approval of this application compromise the integrity of the existing approved and credible municipal IDP and SDF?).	YES	NO	Please explair
Approval of this application would not compromise the integrity of the munic actually contribute towards additional ecological goods and services. The W with the objectives of the municipalities in that it aims to restore the hydrologi recreate wetland habitat, prevent/ halt sediment loss, enhance biodiversity and create job opportunities while also contributing to social upliftment.	fWetland ical integ	s Progr rity of w	amme is in line vetland systems,
(d) Approved Structure Plan of the Municipality	YES	NO	Please explair
N/A – The WfWetlands Programme is not a development proposal.	•	•	
	1		
(e) An Environmental Management Framework (EMF) adopted by the Department (e.g. Would the approval of this application compromise the integrity of the existing environmental management priorities for the area and if so, can it be justified in terms of sustainability considerations?)	YES	NO	Please explai
adopted by the Department (e.g. Would the approval of this application compromise the integrity of the existing environmental management priorities for the area and if so, can it be justified in terms of sustainability considerations?) Approval of this application would not compromise the integrity of the exist	ting envir		
adopted by the Department (e.g. Would the approval of this application compromise the integrity of the existing environmental management priorities for the area and if so, can it be justified in terms of sustainability considerations?)	ting envir		
adopted by the Department (e.g. Would the approval of this application compromise the integrity of the existing environmental management priorities for the area and if so, can it be justified in terms of sustainability considerations?) Approval of this application would not compromise the integrity of the exist	ting envir		al management
adopted by the Department (e.g. Would the approval of this application compromise the integrity of the existing environmental management priorities for the area and if so, can it be justified in terms of sustainability considerations?) Approval of this application would not compromise the integrity of the exist priorities. The activities proposed are in direct response to meeting these priori (f) Any other Plans (e.g. Guide Plan) N/A	ting envir	ronment	al management
adopted by the Department (e.g. Would the approval of this application compromise the integrity of the existing environmental management priorities for the area and if so, can it be justified in terms of sustainability considerations?) Approval of this application would not compromise the integrity of the exist priorities. The activities proposed are in direct response to meeting these priori (f) Any other Plans (e.g. Guide Plan)	ting envir	ronment	Please explain al management Please explain

4.	Does the community/area need the activity and the associated land use concerned (is it a societal priority)? (This refers to the strategic as well as local level (e.g. development is a national priority, but within a specific local context it could be inappropriate.)	YES	NO	Please explain
job	ng part of the Expanded Public Works Programme (EPWP), WfWetlands s and 2.2 million person-days of paid work. Teams are made up of a minir I 1% disabled persons.			
5.	Are the necessary services with adequate capacity currently available (at the time of application), or must additional capacity be created to cater for the development? (Confirmation by the relevant Municipality in this regard must be attached to the final Basic Assessment Report as Appendix I.)	YES	NO	Please explain
N/A	A – No services will be required to undertake the rehabilitation work.			
6.	Is this development provided for in the infrastructure planning of the municipality, and if not what will the implication be on the infrastructure planning of the municipality (priority and placement of services and opportunity costs)? (Comment by the relevant Municipality in this regard must be attached to the final Basic Assessment Report as Appendix I.)	YES	NO	Please explain
N/A	A – The WfWetlands Programme does not have any infrastructure requirement	ents.		I
7.	Is this project part of a national programme to address an issue of national concern or importance?	YES	NO	Please explain
ma dep	Wetlands is a government programme (similar to Working for Water, W naged by the South African National Biodiversity Institute (SANBI) on be partments of Environmental Affairs (DEA), Water Affairs (DWA), and Agr NFF), and forms part of the EPWP and Natural Resource Management Prog	half of th	ne natio Forestr	nal government y and Fisheries
8.	Do location factors favour this land use (associated with the activity applied for) at this place? (This relates to the contextualisation of the proposed land use on this site within its broader context.)	YES	NO	Please explain
	activities applied for are for the rehabilitation of degraded and threatened located within protected areas.	wetland s	systems	, many of which
9.	Is the development the best practicable environmental option for this land/site?	YES	NO	Please explain
ecc evic <b>gai</b> cun	hout the implementation of the planned rehabilitation activities the loss of w p-system services would result. The strategic importance of the WfWe denced by the distinct positive impacts associated with the programme whi $\mathbf{n}$ as wetland health and integrity is improved and the associated eco- nulative impact of wetland rehabilitation would thus be positive to both hum $\mathbf{v}$ and in the future. Based on the above information, it is clear that rehabil	etlands P ch has re services nan being	Program esulted i enhanc is and tl	me is clear as n a <b>net benefit/</b> ed. Overall the ne environment,

be the ' <b>best practicable environmental option</b> ' as a result of the positive im both the natural and socio-economic environment.	pact that	the pro	gramme has on
10. Will the benefits of the proposed land use/development outweigh the negative impacts of it?	YES	NO	Please explain
The WfWetlands Programme is not a development proposal and is pro environmental impacts.	posed e	ntirely	for its positive
11. Will the proposed land use/development set a precedent for similar activities in the area (local municipality)?	YES	NO	Please explain
N/A – The WfWetlands Programme is not a development proposal.			
12. Will any person's rights be negatively affected by the proposed activity/ies?	YES	NO	Please explain
The WfWetlands Programme is only implemented in agreement with the release I&APs (including landowners will be given an opportunity to comment on the ar			•
13. Will the proposed activity/ies compromise the "urban edge" as defined by the local municipality?	YES	NO	Please explain
N/A – The WfWetlands Programme is not a development proposal.			
14. Will the proposed activity/ies contribute to any of the 17 Strategic Integrated Projects (SIPS)?	YES	NO	Please explain
N/A – The WfWetlands Programme is not a development proposal.		1	
15. What will the benefits be to society in general and to communities?	the lo	ocal	Please explain
The WfWetlands Programme gives effect to a range of policy objectives of en- honours South Africa's commitments under several international agrees. Convention on Wetlands. The two main objectives of the programme are wetla and poverty reduction through job creation and skills development among groups. The programme forms part of the EPWP and NRMP, which seeks unemployed into the productive sector of the economy, gaining skills while capacity to earn income. The Wetland Projects are thus focused on reha appropriate use of wetlands in a way that attempts to maximise employm business and the transfer of skills to the unemployed and poor.	ments, ea and conse st vulnera to draw they wor bilitation,	special ervatior able ar signific k and conse	ly the Ramsar in South Africa and marginalised ant numbers of increasing their rvation and the
Wetland ecosystems provide a range of ecological and social services which economy at large:	benefit p	eople,	society and the
<ul> <li>Wetlands provide services such as water provision, regulation, replenishment are crucial in addressing objectives of water security and</li> </ul>			•
<ul> <li>Wetlands play a critical role in improving the ecological health of an functions that include flood control, water purification, sediment an recharge of groundwater, as well as acting as vital habitats for diverse</li> </ul>	d nutrient	t retent	tion and export,
• Wetlands provide ecological infrastructure and replace the need providing the same or better benefit at a fraction of the costs.	for muni	cipal ii	nfrastructure by
• Wetlands retard the movement of water in the landscape, which offers	s the dual	benefi	t of flood control

and water purification. The slow movement of water allows heavier impurities to settle and phreatic vegetation and micro-bacteria the opportunity to remove pollutants and nutrients. For these reasons, artificially created wetlands are often used in newer urban drainage systems to aid both mitigation of flooding and improvement of water quality.

- Wetlands function as valuable open spaces and create recreational opportunities for people that include hiking, fishing, boating, and bird-watching.
- Many wetlands also have cultural and spiritual significance for the communities living nearby. Commercially, products such as reeds and peat are also harvested from wetlands.

Without the implementation of the planned rehabilitation activities, the WfWetlands Programme objectives would not be realised; and the loss of wetland habitat and its associated eco-system and social services would be significantly greater.

16. Any other need and desirability considerations related to the proposed activity?

Overall the cumulative impact of wetland rehabilitation would be positive to both human beings and the environment, now and in the future. Based on the above information, it is clear that rehabilitating wetlands is considered to be the 'best practicable environmental option' as a result of the positive impact that the programme has on both the natural and socio-economic environment.

#### 17. How does the project fit into the National Development Plan for 2030? Please explain

Given the programme's linked wetland conservation to sustainable economic development approach, WfWetlands forms part of the EPWP and NRMP, which seeks to draw significant numbers of unemployed into the productive sector of the economy. These individuals gain skills while they work thus increasing their capacity to earn an income.

## 18. Please describe how the general objectives of Integrated Environmental Management as set out in section 23 of NEMA have been taken into account.

The vision of the WfWetlands Programme is to facilitate the protection, conservation, rehabilitation and sustainable use of wetlands in South Africa, in accordance with national policies and commitment to international conventions and regional relationships, including Section 23 of NEMA. The proposed rehabilitation activities are therefore in line with the principles of NEMA (in particular: people and their needs – particularly women and children – are placed at the forefront of development via the EPWP; the development can be considered to be socially, environmentally and economically sustainable; the environmental impacts of the activity are not unfairly distributed and the potential environmental impacts have been assessed and evaluated).

## 19. Please describe how the principles of environmental management as set out in section 2 of NEMA have been taken into account.

The WfWetlands Programme aims to facilitate the protection, conservation, rehabilitation and sustainable use of wetlands in South Africa in accordance with national policies and commitment to international conventions and regional relationships. More specifically the WfWetlands Programme is in line with Principle 4(r) of Section 2 of NEMA which notes the requirement of specific management and planning procedures to deal with sensitive and vulnerable ecosystems such as wetlands.

### 11. APPLICABLE LEGISLATION, POLICIES AND/OR GUIDELINES

List all legislation, policies and/or guidelines of any sphere of government that are applicable to the application as contemplated in the EIA regulations, if applicable:

Title of legislation, policy or guideline	Applicability to the project	Administering authority	Date
The Constitution of South Africa (Act 108)	The WfWetlands	National Government	1996
National Environmental Management Act (107)	Programme is a rehabilitation proposal that aims to	Department of Environmental Affairs	1998
National Environmental Management Act (Act 107), Amendment Act	protect and conserve South Africa's	Department of Environmental Affairs	1998
The National Water Act (Act 36)	wetland ecosystems. As such the listed legislation, policies	Department of Water Affairs	1998
Conservation of Agricultural Resources Act (Act 43)	and guidelines are of relevance to the project.	Department of Agriculture, Forestry & Fisheries	1983
Natural Heritage Resources Act (Act 25)		National Heritage Resources Agency	1999
World Heritage Conventions Act (Act 49)		Department of Environmental Affairs	1999
The National Environmental Management: Biodiversity Act (Act 10)		Department of Environmental Affairs	2004
National Environmental Management: Protected Areas Act (Act 57)		Department of Environmental Affairs	2003
The Mountain Catchments Areas Act (Act 63)		Department of Water Affairs	1970
<ul> <li>EIA Guideline Series, in particular:</li> <li>Guideline 3 – General Guide to the Environmental Impact Assessment Regulations, 2006 (DEAT 2006)</li> <li>Guideline 4 – Public Participation in support of the EIA regulations, 2006 (DEAT 2006)</li> <li>Guideline 5 – Assessment of Alternatives and Impacts, 2006 (DEAT 2006)</li> </ul>		Department of Environmental Affairs	
Namakwa District Biodiversity Sector Plan (2008)		Department of Economic Development & Environmental Affairs/ Northern Cape Tourism and Parks Agency	2008
International Conventions, in particular: <ul> <li>The Ramsar Convention</li> <li>Convention on Biological Diversity</li> <li>United Nations Conventions to Combat</li> </ul>			

Title of legislation, policy or guideline	Applicability to the project	Administering authority	Date
Desertification			
<ul> <li>New Partnership for Africa's Development (NEPAD)</li> </ul>			
<ul> <li>The World Summit on Sustainable Development (WSSD)</li> </ul>			

#### 12. WASTE, EFFLUENT, EMISSION AND NOISE MANAGEMENT

#### a) Solid waste management

Will the activity produce solid construction waste during the construction/initiation phase?

S NO

f YES, what estimated quantity will be produced per month? How will the construction solid waste be disposed of (describe)?

#### Where will the construction solid waste be disposed of (describe)?


Limited quantities of construction waste such as empty cement bags and litter may be generated. These wastes are typically collected on site and would be disposed of as per the WfWetlands Construction Environmental Management Programme (CEMP) (Appendix D of the BAR).

Material that is excavated during construction or which results from the breaking down of old structures is typically re-used on site in the construction and long-term stabilization of other interventions on site. For example, rubble from an old structure is typically used to provide backfill.

Ablution waste is usually handled through the provision of chemical toilet facilities or pit latrines (where no chemical toilet hire facilities exist). Chemical toilet waste is regularly removed by the toilet hire company and disposed of at a waste water treatment works. Toilet facilities are located out of wet areas and in line with the WfWetlands best management practices.

Please note that strict audits are carried out to ensure that the project Implementers do not generate unnecessary waste.

#### Will the activity produce solid waste during its operational phase?



If YES, what estimated quantity will be produced per month? How will the solid waste be disposed of (describe)?

If the solid waste will be disposed of into a municipal waste stream, indicate which registered landfill site will be used.

Where will the solid waste be disposed of if it does not feed into a municipal waste stream (describe)?

If the solid waste (construction or operational phases) will not be disposed of in a registered landfill site or be taken up in a municipal waste stream, then the applicant should consult with the competent authority to determine whether it is necessary to change to an application for scoping and EIA.

Can any part of the solid waste be classified If YES, inform the competent authority and rapplication for a waste permit in terms of the Is the activity that is being applied for a solid If YES, then the applicant should consult necessary to change to an application for s of the NEM:WA must also be submitted with	request a change to an application for score NEM:WA must also be submitted with this waste handling or treatment facility? with the competent authority to determin coping and EIA. An application for a waste	applica <u>YES</u> ne whet	tion. NO her it is
b) Liquid effluent			
Will the activity produce effluent, other than in a municipal sewage system?	n normal sewage, that will be disposed of	YES	NO
If YES, what estimated quantity will be proc			m <sup>3</sup>
Will the activity produce any effluent that w If YES, the applicant should consult with the		YES Pritis ne	NO
to change to an application for scoping and		7 11 15 110	,0033ai y
Will the activity produce effluent that will b facility?		YES	NO
If YES, provide the particulars of the facility:			
Facility name:			
Contact person:			
Postal address:			
Postal code: Telephone:	Cell:		
E-mail:	Fax:		
<ul> <li>c) Emissions into the atmosphere</li> <li>Will the activity release emissions into the atmosphere</li> </ul>		YES	NO
and dust associated with construction phase			
If YES, is it controlled by any legislation of a		YES	NO
If YES, the applicant must consult with the c change to an application for scoping and EI/ If NO, describe the emissions in terms of typ	Α.	t is nece	essary to
d) Waste permit			
Will any aspect of the activity produce waste	e that will require a waste permit in terms	YES	NO
of the NEM:WA? If YES, please submit evidence that an a competent authority	application for a waste permit has been	submitte	to the

#### Generation of noise e)

#### Will the activity generate noise?

YES	NO
/FS	NO

N/A

#### 13. WATER USE

#### Please indicate the source(s) of water that will be used for the activity by ticking the appropriate box(es):

Municipal	Water board	Groundwater	River, stream, dam or lake	Other	The activity will not use water
purposes during	Programme is not a construction, such to improve nationa	h potable water v	will be brought in	as is required.	•

If water is to be extracted from groundwater, river, stream, dam, lake or any other  $NI/\Delta$ natural feature, please indicate the volume that will be extracted per month: Does the activity require a water use authorisation (general authorisation or water use license) from the Department of Water Affairs?

	IN/A
-	NO

If YES, please provide proof that the application has been submitted to the Department of Water Affairs.

In terms of Section 39 of the National Water Act (No. 36 of 1998) (NWA), a General Authorisation (GA) has been granted for certain activities that are listed under the NWA that usually require a Water Use License. Such a GA exists for wetland rehabilitation as long as the activities are for conservation purposes. As some of the rehabilitation activities entail 'impeding or diverting the flow of water in a watercourse' and/ or 'altering the bed, banks, course or characteristics of a watercourse, a number of GAs for water uses will be registered with the Department of Water Affairs (DWA) for structures that would ordinarily require a Water Use License. For each planning cycle the proposed rehabilitation work will be submitted to DWA, the requisite approval sought and project monitoring reported as required.

#### 14. ENERGY EFFICIENCY

Describe the design measures, if any, which have been taken to ensure that the activity is energy efficient:

#### N/A: The WfWetlands Programme is not a development proposal.

Describe how alternative energy sources have been taken into account or been built into the design of the activity, if any:


N/A

#### SECTION B: SITE/AREA/PROPERTY DESCRIPTION

#### Important notes:

1. For linear activities (pipelines, etc) as well as activities that cover very large sites, it may be necessary to complete this section for each part of the site that has a significantly different environment. In such cases please complete copies of Section B and indicate the area, which is covered by each copy No. on the Site Plan.

Section B Copy No. (e.g. A):



This **BAR** for the Northern Cape Province presents the Wetland Projects that are proposed, together with baseline information regarding the quaternary catchments and the wetlands that have been prioritised for the next planning cycle (2014/15). If an EA is issued, it will be inclusive of all Listed Activities within these wetland systems and will essentially authorise any typical wetland rehabilitation activities required during the WfWetlands Programme implementation phase.

A Rehabilitation Plan will be prepared every year after sufficient field work has been undertaken in the authorised Northern Cape wetlands. This Rehabilitation Plan will include a specialist report prepared by the Wetland Ecologist which will provide a site description, detailed baseline information of the site, and the wetland context within the greater catchment. The Rehabilitation Plan will be circulated to registered I&APs (including landowners) for comment. The Rehabilitation Plan and Wetland Assessment Report will be submitted to DEA for approval as a condition of the EA.

Many of the questions that follow in the remainder of this Section will only be answered once more detailed investigations into each wetland have been undertaken, and a Wetland Assessment Report has been compiled.

2. Paragraphs 1 - 6 below must be completed for each alternative.

3. Has a specialist been consulted to assist with the completion of this section? **YES** NO If YES, please complete the form entitled "Details of specialist and declaration of interest" for each specialist thus appointed and attach it in Appendix I. All specialist reports must be contained in Appendix D.

Property description/physi cal address:	Province	Northern Cape
	Local Municipality	Kamiesberg Municipality
	District Municipality	Namaqualand District Municipality
	Ward Number(s)	See table below
	Farm name and number	See table below
	Portion number	See table below
	SG Code	See table below

Where a large number of properties are involved (e.g. linear activities), please attach a full list to this application including the same information as indicated above.

Current land-use zoning as per local municipality IDP/records:

See table below

In instances where there is more than one current land-use zoning, please attach a list of current land use zonings that also indicate which portions each use pertains to, to this application.

Is a change of land-use or a consent use application required?

YES NO

	Property descriptions and current land use zoning					
		KAMIESBERG PROJ	ECT			
Wetland	Ai Kleikop (F30A-03)	Aii Schaaprivier (F30A- 06)	Aiii Langvlei (F30A-08)	Aiv Natpad (F30A-09)		
Province		Norther	m Cape			
Local Municipality		Kamiesberg (NC064)				
District Municipality		Namaqualand (DC6)				
Ward Number(s)	2	2 2 2				
Farm name and number	Farm name to be provided in the annual Rehabilitation Plans. Farm number provided in attached list (refer to Appendix J)					
Portion number	Refer to Appendix J					
Land use zoning	Agriculture	Agriculture	Agriculture Agriculture			
SG Code		Refer to A	ppendix J			

	Property descriptions and current land use zoning (continued)						
		KAMIESBI	ERG PROJECT				
Wetland	Av Windpoort (F30A-10)	Avi Kleingas (F30C-01)	Avii Xharas (F50A-07)	Aviii Kraaifontein (F50E-02)	Aix Groenrivier (F50G-01)		
Province			Northern Cape				
Local Municipality		Kamiesberg (NC064)					
District Municipality	Namaqualand (DC6)						
Ward Number(s)	2 2 2 2 2 2						
Farm name and number	Farm name to be provided in the annual Rehabilitation Plans. Farm number provided in attached list (refer to Appendix J)						
Portion number	Refer to Appendix J						
Land use zoning	Agriculture Agriculture Agriculture Conservation						
SG Code	Refer to Appendix J						

#### 1. GRADIENT OF THE SITE

#### **Gradient of each Wetland Project**

Detailed site information will be provided in the respective Rehabilitation Plans which will be submitted on an annual basis to DEA for approval. The wetlands are however generally located in flat areas with a slight gradient. Wetland seeps can have a steeper gradient.

Alternative	e S1:					
Flat	1:50 – 1:20	1:20 – 1:15	1:15 – 1:10	1:10 – 1:7,5	1:7,5 – 1:5	Steeper than 1:5
Alternative	e S2 (if any):					
Flat	1:50 - 1:20	1:20 – 1:15	1:15 – 1:10	1:10 – 1:7,5	1:7,5 – 1:5	Steeper than 1:5
Alternative	e S3 (if any):					
Flat	1:50 – 1:20	1:20 – 1:15	1:15 – 1:10	1:10 – 1:7,5	1:7,5 – 1:5	Steeper than 1:5

#### 2. LOCATION IN LANDSCAPE

Indicate the landform(s) that best describes the site:

2.1 Ridgeline		2.4 Closed valley	Х	2.7 Undulating plain / low hills	
2.2 Plateau		2.5 Open valley	Х	2.8 Dune	
2.3 Side slope of hill/mountain	Х	2.6 Plain	Х	2.9 Seafront	

#### 3. GROUNDWATER, SOIL AND GEOLOGICAL STABILITY OF THE SITE

Is the site(s) located on any of the following?

	Alterna	tive S1:	Alterna (if any):	
Shallow water table (less than 1.5m deep)	YES	NO	YES	NO
Dolomite, sinkhole or doline areas	YES	NO	YES	NO
Seasonally wet soils (often close to water bodies)	YES	NO	YES	NO
Unstable rocky slopes or steep slopes with loose soil	YES	NO	YES	NO
Dispersive soils (soils that dissolve in water)	YES	NO	YES	NO
Soils with high clay content (clay fraction more than 40%)	YES	NO	YES	NO
Any other unstable soil or geological feature	YES	NO	YES	NO
An area sensitive to erosion	YES	NO	YES	NO

Alternative S3 (if any):

NO

NO

NO

NO

NO

NO

NO

NO

YES

YES

YES

YES

YES

YES

YES

YES

If you are unsure about any of the above or if you are concerned that any of the above aspects may be an issue of concern in the application, an appropriate specialist should be appointed to assist in the completion of this section. Information in respect of the above will often be available as part of the project information or at the planning sections of local authorities. Where it exists, the 1:50 000 scale Regional Geotechnical Maps prepared by the Council for Geo Science may also be consulted.

#### 4. GROUNDCOVER

Indicate the types of groundcover present on the site. The location of all identified rare or endangered species or other elements should be accurately indicated on the site plan(s).

Natural veld - good condition <sup>E</sup>	Natural veld with scattered aliens <sup>E</sup>	Natural veld with heavy alien infestation <sup>E</sup>	Veld dominated by alien species <sup>E</sup>	Gardens
Sport field	Cultivated land	Paved surface	Building or other structure	Bare soil

If any of the boxes marked with an "E "is ticked, please consult an appropriate specialist to assist in the completion of this section if the environmental assessment practitioner doesn't have the necessary expertise.

#### 5. SURFACE WATER

Indicate the surface water present on and or adjacent to the site and alternative sites?

Perennial River	YES	NO	UNSURE
Non-Perennial River	YES	NO	UNSURE
Permanent Wetland	YES	NO	UNSURE
Seasonal Wetland	YES	NO	UNSURE
Artificial Wetland	YES	NO	UNSURE
Estuarine / Lagoonal wetland	YES	NO	UNSURE

If any of the boxes marked YES or UNSURE is ticked, please provide a description of the relevant watercourse.

A wetland assessment will be undertaken by a suitably qualified wetland specialist to determine appropriate rehabilitation intervention and objectives. This report will be included in the applicable wetland rehabilitation plan.

#### 6. LAND USE CHARACTER OF SURROUNDING AREA

Indicate land uses and/or prominent features that currently occur within a 500m radius of the site and give description of how this influences the application or may be impacted upon by the application:

Natural area	Dam or reservoir	Polo fields
Low density residential	Hospital/medical centre	Filling station <sup>H</sup>
Medium density residential	School	Landfill or waste treatment site
High density residential	Tertiary education facility	Plantation
Informal residential <sup>A</sup>	Church	Agriculture
Retail commercial & warehousing	Old age home	River, stream or wetland
Light industrial	Sewage treatment plant <sup>A</sup>	Nature conservation area
Medium industrial AN	Train station or shunting yard <sup>N</sup>	Mountain, koppie or ridge
Heavy industrial AN	Railway line <sup>N</sup>	Museum
Power station	Major road (4 lanes or more) <sup>N</sup>	Historical building
Office/consulting room	Airport <sup>™</sup>	Protected Area
Military or police	Harbour	Crovovard
base/station/compound	naibuu	Graveyard
Spoil heap or slimes dam <sup>A</sup>	Sport facilities	Archaeological site
Quarry, sand or borrow pit	Golf course	Other land uses (describe)

If any of the boxes marked with an " $^{N}$  "are ticked, how will this impact / be impacted upon by the proposed activity?

If any of the boxes marked with an "An" are ticked, how will this impact / be impacted upon by the proposed activity? Specify and explain:

If any of the boxes marked with an "H" are ticked, how will this impact / be impacted upon by the proposed activity? Specify and explain:

#### Does the proposed site (including any alternative sites) fall within any of the following:

Critical Biodiversity Area (as per provincial conservation plan)	YES	NO
Core area of a protected area?	YES	NO
Buffer area of a protected area?	YES	NO
Planned expansion area of an existing protected area?	YES	NO
Existing offset area associated with a previous Environmental Authorisation?	YES	NO
Buffer area of the SKA?	YES	NO

If the answer to any of these questions was YES, a map indicating the affected area must be included in Appendix A.

#### 7. CULTURAL/HISTORICAL FEATURES

Are there any signs of culturally or historically significant elements, as defined in section 2 of the National Heritage Resources Act, 1999, (Act No. 25 of 1999), including Archaeological or paleontological sites, on or close (within 20m) to the site? If YES, explain:

ΈS	NO
Unce	ertain

As the project aims to rehabilitate wetlands threatened by erosion, no impact is expected to occur on cultural or historic features. However, should any such features be identified during the Phase 2 site visit, a heritage specialist will be consultant.

If uncertain, conduct a specialist investigation by a recognised specialist in the field (archaeology or palaeontology) to establish whether there is such a feature(s) present on or close to the site. Briefly explain the findings of the specialist:

Will any building or structure older than 60 years be affected in any way? Is it necessary to apply for a permit in terms of the National Heritage Resources Act, 1999 (Act 25 of 1999)?

YES	NO
YES	NO

If YES, please provide proof that this permit application has been submitted to SAHRA or the relevant provincial authority.

#### 8. SOCIO-ECONOMIC CHARACTER

#### a) Local Municipality

Please provide details on the socio-economic character of the local municipality in which the proposed site(s) are situated.

Level of unemployment:

Local Municipality	Unemployment Rate	Youth Unemployment Rate
Kamiesberg	30.8%	40.4%

Source: Statistics South Africa, 2011 Census (<u>http://beta2.statssa.gov.za/?page\_id=964</u>)

Economic profile of local municipality:

Income per annum	Kamiesberg
No income	10.8%
R1-R4 800	3.8%
R4 801-R9 600	5.9%
R9 601-R19 600	22.4%
R19 601-R38 200	23.9%
R38 201-R76 400	14.7%

R76 401-R153 800	9.3%
R153 801-R307 600	6.1%
R307 601-R614 400	1.9%
R614 401- R1 228 800	0.6%
R1 228 801- R2 457 6000	0.2%
R2 457 601+	0.4%

Source: Statistics South Africa, 2011 Census (http://beta2.statssa.gov.za/?page\_id=964)

Level of education:

Local Municipality	No	Some	Compl.	Some	Compl.	Higher
	Schooling	Primary	Primary	Secondary	Secondary	Educ.
Kamiesberg	0.9%	48.4%	6.9%	25.7%	6.8%	0.5%

#### b) Socio-economic value of the activity

What is the expected capital value of the activity on completion? What is the expected yearly income that will be generated by or as a result of the activity?	None	
Will the activity contribute to service infrastructure?	YES	NO
Is the activity a public amenity?	YES	NO
How many new employment opportunities will be created in the development and construction phase of the activity/ies?	~ 120*	
What is the expected value of the employment opportunities during the development and construction phase?	TBC	
What percentage of this will accrue to previously disadvantaged individuals?	~70%	
How many permanent new employment opportunities will be created during the operational phase of the activity?	None	
What is the expected current value of the employment opportunities during the first 10 years?	None	
What percentage of this will accrue to previously disadvantaged individuals?	N/A	

\* Employment opportunities are created only during the construction phase and for many of the projects there are already teams (team size averages around 20-35 individuals) working on them and therefore there aren't new work opportunities as such. However, Working for Wetland principles ensure that a very large percentage of those employed are from local communities.

#### 9. **BIODIVERSITY**

Please note: The Department may request specialist input/studies depending on the nature of the biodiversity occurring on the site and potential impact(s) of the proposed activity/ies. To assist with the identification of the biodiversity occurring on site and the ecosystem status consult http://bgis.sanbi.org or BGIShelp@sanbi.org. Information is also available on compact disc (cd) from the Biodiversity-GIS Unit, Ph (021) 799 8698. This information may be updated from time to time and it is the applicant/ EAP's responsibility to ensure that the latest version is used. A map of the relevant biodiversity information (including an indication of the habitat conditions as per (b) below) and must be provided as an overlay map to the property/site plan as Appendix D to this report.

a) Indicate the applicable biodiversity planning categories of all areas on site and indicate the reason(s) provided in the biodiversity plan for the selection of the specific area as part of the specific category)

Systematio	Systematic Biodiversity Planning Category		Category	If CBA or ESA, indicate the reason(s) for its selection in biodiversity plan
Critical Biodiversity Area (CBA)	Ecological Support Area (ESA)	Other Natural Area (ONA)	No Natural Area Remaining (NNR)	Wetland systems are considered to be of extreme importance due to the biodiversity they support and the ecological services they provide.

#### b) Indicate and describe the habitat condition on site

Habitat Condition	Percentage of habitat condition class (adding up to 100%)	Description and additional Comments and Observations (including additional insight into condition, e.g. poor land management practises, presence of quarries, grazing, harvesting regimes etc).
Natural	~40%	Most of the wetlands are located within cultivated land and most of the natural vegetation has been heavily grazed by livestock.
Near Natural (includes areas with low to moderate level of alien invasive plants)	~10%	However, agricultural activities are problematic for some of the sites.
Degraded (includes areas heavily invaded by alien plants)	0%	
Transformed (includes cultivation, dams, urban, plantation, roads, etc)	~50%	

#### c) Complete the table to indicate:

- (i) the type of vegetation, including its ecosystem status, present on the site; and
- (ii) whether an aquatic ecosystem is present on site.

Terrestrial Ecos	al Ecosystems		Aquatic Ecosystems					
Ecosystem threat	Critical		•	ding rivers,				
status as per the National	Endangered	depressions, channelled and unchanneled wetlands, flats, seeps pans, and artificial		Estuary		Coastline		
Environmental	Vulnerable			⊏Su	uary			
Management:	Least		wetland					
Biodiversity Act (Act No. 10 of 2004)	Threatened	YES	NO	UNSURE	YES	NO	YES	NO

# d) Please provide a description of the vegetation type and/or aquatic ecosystem present on site, including any important biodiversity features/information identified on site (e.g. threatened species and special habitats)

A wetland assessment will be undertaken by a wetland specialist to inform the wetland rehabilitation plan. The report will be included as an annexure to the rehabilitation plan. Below please find a summary of the wetland ecosystem and vegetation type occurring at the respective wetland systems included in this submission.

Wetland	Wetland Ecosystem Type	Wetland Ecosystem Threat Status	Vegetation Type	Ecosystem Threat Status**
Ai Kleikop F30A-03	Namaqualand Cape Shrublands Granite Renosterveld	Least Threatened	Namaqualand Granite Renosterveld	Least Threatened
Aii Schaaprivier F30A-06	Namaqualand Cape Shrublands Granite Renosterveld	Least Threatened	Namaqualand Granite Renosterveld	Least Threatened
Aiii Langvlei F30A-08	Namaqualand Cape Shrublands Granite Renosterveld	Least Threatened	Namaqualand Granite Renosterveld	Least Threatened
Aiv Natpad F30A-09	Namaqualand Cape Shrublands Granite Renosterveld	Least Threatened	Namaqualand Granite Renosterveld	Least Threatened
Av Windpoort F30A-10	Namaqualand Cape Shrublands Granite Renosterveld	Least Threatened	Namaqualand Granite Renosterveld	Least Threatened
Avi Kleingas (F30C-01)	Namaqualand Hardeveld	Least Threatened	Namaqualand Klipkoppe Shrubland	Least Threatened
Avii Xharas	Namaqualand Cape Shrublands Granite	Least	Namaqualand Granite	Least Threatened

F50A-07	Renosterveld	Threatened	Renosterveld	
Aviii Kraaifontein F50E-02	Namaqualand Cape Shrublands Granite Renosterveld	Least Threatened	Namaqualand Granite Renosterveld	Least Threatened
Aix Groenrivier (F50G-01)	Estuaries Wetland (Namaqualand Sandveld)	Least Threatened	Namaqualand Coastal Duneveld	Least Threatened

Nel J.L. and Driver A. 2012. South African National Biodiversity Assessment 2011: Technical Report. Volume 2: Freshwater Component. CSIR Report Number CSIR/NRE/ECO/IR/2012/0022/A, Council for Scientific and Industrial Research, Stellenbosch.

#### **SECTION C: PUBLIC PARTICIPATION**

#### 1. ADVERTISEMENT AND NOTICE

Publication name	Adverts were placed in The Sunday Times Afrikaans).	s (in English) and in Die Rapport (in
Date published	2 March 2014	
Site notice position	Latitude	Longitude
	To be provided in Final BAR	
Date placed	To be provided in Final BAR	

Include proof of the placement of the relevant advertisements and notices in Appendix E1.

#### 2. DETERMINATION OF APPROPRIATE MEASURES

Provide details of the measures taken to include all potential I&APs as required by Regulation 54(2)(e) and 54(7) of GN R.543.

Advertisements have been placed in *The Sunday Times* (in English) and in *Die Rapport* (in Afrikaans) on 2 March 2014 to allow I&APs the opportunity to register. Site notices have also been erected at the wetland entrances. The existing provincial I&AP database will be updated with information from new I&APs responding to advertisements and site notices. Proactive identification of I&APs and surrounding landowners was also undertaken to update the database.

An Issues Register will be maintained to record any comments received from I&APs and the responses given to these comments. The Issues Register, along with copies of written submissions, will be included in Appendix E3.

Include proof that the key stakeholder received written notification of the proposed activities as Appendix E2. This proof may include any of the following:

- e-mail delivery reports;
- registered mail receipts;
- courier waybills;
- signed acknowledgements of receipt; and/or
- or any other proof as agreed upon by the competent authority.

Proof of I&AP and key stakeholder notifications will be provided in Appendix E2 of the Final BAR.

3.

#### 4. ISSUES RAISED BY INTERESTED AND AFFECTED PARTIES

#### Summary of main issues raised by I&APs & response from EAP

To date no comments have been received from I&APs. However, an Issues Register will be maintained to record any comments received from I&APs and the responses given to these comments. The Issues Register, along with copies of written submissions, will be included in Appendix E3.

#### 5. COMMENTS AND RESPONSE REPORT

The practitioner must record all comments received from I&APs and respond to each comment before the Draft BAR is submitted. The comments and responses must be captured in a comments and response report as prescribed in the EIA regulations and be attached to the Final BAR as Appendix E3.

Please refer to the response under Section C(3).

#### 6. AUTHORITY PARTICIPATION

Authorities and organs of state identified as key stakeholders:

#### **National Authorities:**

Department of Environmental Affairs: Marine and Coastal Management Department of Agriculture, Forestry and Fisheries Department of Water Affairs Water Research Commission

#### **Provincial Authorities:**

Northern Cape Department of Environment and Nature Conservation South African Heritage Resources Agency: Northern Cape

Municipalities: Namakwa District Municipality Kamiesberg Local Municipality

Include proof that the Authorities and Organs of State received written notification of the proposed activities as Appendix E4.

In the case of renewable energy projects, Eskom and the SKA Project Office must be included in the list of Organs of State.

#### 7. CONSULTATION WITH OTHER STAKEHOLDERS

Note that, for any activities (linear or other) where deviation from the public participation requirements may be appropriate, the person conducting the public participation process may deviate from the requirements of that sub-regulation to the extent and in the manner as may be agreed to by the competent authority.

Proof of any such agreement must be provided, where applicable. Application for any deviation from the regulations relating to the public participation process must be submitted prior to the commencement of the public participation process.

A list of registered I&APs must be included as Appendix E5.

Copies of any correspondence and minutes of any meetings held must be included in Appendix E.

#### SECTION D: IMPACT ASSESSMENT

The assessment of impacts must adhere to the minimum requirements in the EIA Regulations, 2010, and should take applicable official guidelines into account. The issues raised by interested and affected parties should also be addressed in the assessment of impacts.

## 1. IMPACTS THAT MAY RESULT FROM THE PLANNING AND DESIGN, CONSTRUCTION, OPERATIONAL, DECOMMISSIONING AND CLOSURE PHASES AS WELL AS PROPOSED MANAGEMENT OF IDENTIFIED IMPACTS AND PROPOSED MITIGATION MEASURES

Provide a summary and anticipated significance of the potential direct, indirect and cumulative impacts that are likely to occur as a result of the planning and design phase, construction phase, operational phase, decommissioning and closure phase, including impacts relating to the choice of site/activity/technology alternatives as well as the mitigation measures that may eliminate or reduce the potential impacts listed. This impact assessment must be applied to all the identified alternatives to the activities identified in Section A(2) of this report.

Please Note: Please refer Section A(2)(a) of this document for more information on the selection of rehabilitation interventions.

#### A) Construction Phase

Activity	Impact summary	Significance	Proposed mitigation
Alternative 1 (preferre	ed alternative)		
GN R.544, Item 11 &	Direct impacts:		
18 GN R.546, Item 12, 13 & 16	<b>Job creation</b> One of the primary objectives of the WfWetlands Programme is to create jobs and to teach transferrable skills to unemployed members of the local community so that they can be drawn into the permanent job market.	Without mitigation: Medium (+) With mitigation: High (+)	<ul> <li>Ensure that the required Project workers are sourced from local communities and that maximum employment numbers are maintained throughout the Project duration.</li> <li>Project implementers to support local businesses (e.g. local quarry owners to obtain rock for gabions) where possible.</li> </ul>

Activity	Impact summary	Significance	Proposed mitigation
	<b>Fire risk</b> Construction usually takes place in the dry winter months when the danger of veld fires is highest. There is a possibility that construction workers could light a fire on site that could become out of control. The risk of this happening is assessed to be low, although the significance in terms of the economic damage that could be caused (especially in a commercial forestry area) is high. Adequate site supervision would considerably mitigate this impact.	Without mitigation: High (-) With mitigation: Low (-)	<ul> <li>Ensure that workers are aware of the potential for fires and the damage that could be caused.</li> <li>Ensure that a fire response procedure is in place and that all dry season work is organized in liaison with the landowners so that it fits into their firebreak/fire protection programme.</li> </ul>
	<ul> <li>Nuisance impacts <ul> <li>Construction can result in nuisance impacts, particularly for landowners. These impacts include:</li> <li>Noise from construction activities, personnel and vehicles.</li> <li>An increase in the amount of litter being generated.</li> <li>Dust.</li> <li>Security concerns such as theft or leaving gates open.</li> <li>Non-use of sanitation facilities.</li> <li>Temporary loss of access to areas due to construction activities.</li> </ul> </li> <li>Given the isolated working environment (i.e. far from communities and public routes), the relatively few number of people on site and constant supervision by the project implementer, the above impacts are likely to be of low magnitude.</li> </ul>	Without mitigation: Low (-) With mitigation: Very Low (-)	<ul> <li>All site workers to undergo environmental induction training ("toolbox talks") before undertaking work so that they are aware of the various environmental requirements.</li> <li>Landowners should be consulted regarding the placement or stockpile sites and toilets as well as access routes.</li> <li>Ensure that closed gates are kept closed. When in doubt, the landowner should be consulted.</li> <li>Follow CEMP with regards to sanitation facilities, waster management, noise and site management</li> <li>Utilise local labour wherever possible to reduce potential friction within the community caused by bringing outside personnel in.</li> <li>Ensure that all workers wear the yellow/blue attire indicative of WfWetlands personnel so that they are not mistaken for trespassers.</li> </ul>

#### Activity **Proposed mitigation** Impact summary Significance Without Impact on heritage resources • Should any heritage resource or suspected resources be No significant heritage resources within the wetlands were mitigation: identified during the Phase 2 planning site visit, a suitably identified during the desktop research, I&AP interactions or Very Low (-) qualified heritage specialist shall be consulted. site visit (where rehabilitation work has been undertaken in • Should any artefact or suspected artefact (including fossils the wetland in previous years) for the proposed projects. With mitigation: and grave sites), or any site of cultural significance be Neutral (-) encountered during construction, then the Contractor must Given the low likelihood of heritage sites being disturbed and immediately stop work in the vicinity of the artefact and alert provided that construction is immediately stopped should a the relevant authorities. The area around the discovery shall heritage resource be encountered then the magnitude of this be cordoned off until such time that work is authorised to impact should be zero. proceed. Without • Should dangerous animals be kept within a protected area/ Worker safety Alien clearing requires very specific training and involves high mitigation: nature reserve, security guards shall be provided for the risk equipment such as chainsaws. It sometimes involves Medium (-) duration of the construction period. large trees and therefore extreme caution needs to be • All site workers to undergo specific safety training before exercised. With mitigation: undertaking this work so that they are aware of the various Low (-) risks and measures to be taken in emergency situations. Furthermore, some of the wetlands are located within • Follow CEMP with regards to Occupational Health and protected areas/ nature reserves that keep dangerous Safety requirements animals that may pose a risk to site workers, e.g. buffalo, lion, rhinoceros, etc. **FLORA & FAUNA** Without Should any protected species need to be removed or Habitat disturbance mitigation: relocated, e.g. indigenous tree ferns, the appropriate permits Habitat disturbance during the construction stage is typically Medium (-) shall be required. These activities shall take place under temporary. In addition most species are relatively tolerant of strict guidance from the PC and/or appropriate authority. disturbance and would be able to utilise the similar alternative With mitigation: Should any protected species occur on site, the SANBI PC habitat available in the study area. The area of habitat loss is Low (-) and project manager or implementer must liaise prior to site also likely to be small and limited to the immediate establishment with the relevant conservation body to surroundings of the intervention being constructed. determine measures required during the construction period

Activity	Impact summary	Significance	Proposed mitigation
	<ul> <li>Disturbance of protected species</li> <li>Construction activities could potentially result in disturbance to habitats required by protected species such as bullfrogs and wattle cranes (critically endangered). It can however be almost completely mitigated by liaising with the appropriate conservation bodies whose local representatives can advise on appropriate measures and construction timeframes.</li> <li>Alien species invasion</li> <li>A potential construction-related impact on vegetation is the possibility of an increase in alien invasive species due to disturbance and weed seeds being brought in with borrow and construction material.</li> </ul>		<ul> <li>to limit potential disturbances to protected species.</li> <li>Before moving onto site the SANBI PC and project manager or implementer must liaise with the Endangered Wildlife Trust: Crane Working Group to determine if wattled cranes are known to be breeding in the project area. If cranes have been observed as being present then the advice of the Crane Working Group as to how best to proceed should be sought and discussed with the SANBI PC.</li> <li>Implement the provisions of the CEMP regarding stockpiling borrowed material and rehabilitation after construction</li> </ul>
	<b>Poaching</b> Poaching by the construction teams is possible, but can be mitigated by the fact that the teams are not resident on site and is closely supervised.		
	AQUATIC ECO-SYSTEM IMPACTS Temporary alteration to stream flow patterns Construction must often take place in areas that are permanently wet. This requires that water be diverted away from working areas, leading to temporary alterations in the current drainage characteristics. Water diversion is typically done using sand bags to slow/block flow and then a pump to remove water and discharge it further downstream. This can result in a slight drying in the working areas and may affect aquatic organisms. This will however be of a temporary	Without mitigation: Medium (-) With mitigation: Low ( - )	<ul> <li>Work shall predominantly take place during low rainfall periods.</li> <li>No foreign vegetation matter (e.g. mulch) shall be allowed on site (especially from alien species).</li> <li>Soils shall be stockpiled according to the different soil layers as per the soil profile in order not to mix layers of leached and organic soils.</li> <li>Stockpiles and revegetated areas shall be covered with mulch or cloth (geotextile) and kept moist.</li> <li>Implement the provisions of the CEMP regarding stockpile</li> </ul>

Activity	Impact summary	Significance	Proposed mitigation
	Impact summarynature and is unlikely to significantly alter flow patterns.SedimentationConstruction activities can result in additional sedimentending up in the water course (e.g. due to earthworks orbreakage of sandbags used to divert water away fromworking areas). Sediment can result in silt build-updownstream, increase the turbidity of the water and result inhabitat changes. However, as wetlands are typically low-energy systems, much of the excess sediment is likely to betrapped before it is washed far downstream. Also, given thelimited nature of the earthworks, sedimentation is notanticipated to occur to a significant degree.Pollution of water-coursesConstruction activities close to a water-course/wetland carrythe attendant risk that construction-related pollutants couldend up in the wetland system. Typical pollutants includehydrocarbons (e.g. from fuel leaks, shutter oil and lubricatingfluid spills), litter, cement and contaminated wash-downwater.Disturbance of wetland vegetation and stream banksSome disturbance to stream banks and wetland vegetationwill be inevitable in order to construct the proposedinterventions. This impact generally occurs on a small scaleand can be mitigated via good management practices		<ul> <li>Inclusion</li> <li>location and site management.</li> <li>Sandbags used to temporarily divert water shall be in good condition to prevent additional sedimentation and/failure.</li> <li>Sand/ earth to fill the bags shall be obtained from an returned to existing excavation points where feasible.</li> <li>Soil required for the construction of interventions shall the stabilised as per the engineer's recommendations counteract dispersive tendencies.</li> <li>Water abstracted above the General Authorization limit must be authorized by DWA prior to such abstraction taking place.</li> </ul>

Activity	Impact summary	Significance	Proposed mitigation
-	<ul> <li>Sourcing borrow material         Borrow material (earth and rocks) is not always sufficiently available on site, and has to be sourced elsewhere. This can have a negative biophysical impact to the area where it is sourced.         The quantities required are not such that they require a borrow pit licence. Costs increase the further one gets from site and therefore borrow material is sourced as close to site as possible. Sources include existing borrow areas on neighbouring farms, decommissioned dam walls, man-made berms which are no longer required.     </li> <li>Work within conservation areas         A number of the projects fall within conservation areas which requires a more astute attitude on the part of the implementers to the surrounding environment and the     </li> </ul>	Without mitigation: Medium (-) With mitigation: Low ( - ) Without mitigation: Medium (-)	<ul> <li>Implement the provisions of the CEMP.</li> <li>Any quantities in excess of the minimum requirements for a borrow pit licence will require authorisation through Department of Mineral Resources.</li> <li>Borrow areas will need to be properly re-sloped and revegetated after use.</li> <li>Close co-operation is required with the conservation authorities. Any specific requirements need to be included in the applicable wetland rehabilitation plan.</li> <li>Implement the provisions of the CEMP.</li> </ul>
	possible negative impacts they can have on it.  Indirect impacts:	<i>With mitigation:</i> Low ( - )	
	Job creation	Without	- Ensure that the required Dreight workers are sourced from
	The potential impact of this is significant and has a number of <b>indirect positive impacts</b> such as improvement in quality of life of the workers, increased spending in the local economy and the support of small business in the local area.	<i>mitigation:</i> Medium (+) <i>With mitigation:</i> High (+)	<ul> <li>Ensure that the required Project workers are sourced from local communities and that maximum employment number are maintained throughout the Project duration.</li> <li>Project implementers to support local businesses (e.g. local quarry owners to obtain rock for gabions) where possible.</li> </ul>
	Increased awareness of wetland importance As an indirect impact there is likely to be some increased awareness amongst the construction teams and land-owners	Without mitigation: Medium (+)	<ul> <li>Encourage landowners to become more aware of, ar educated in, the ecological values and sensitivity of th wetland environments.</li> </ul>

Activity	Impact summary	Significance	Proposed mitigation
	regarding wetland ecology and the importance of rehabilitation.	<i>With mitigation:</i> High (+)	<ul> <li>Consider the erection of a SANBI/WfWetlands information signs to describe, and increase awareness of, the activities and the 'ecological' investment taking place in the Project areas</li> </ul>
	Cumulative impacts:		
	<b>Job creation</b> Cumulatively, the impact of the WfWetlands projects is judged to be of high positive significance. The programme has a budget of over R90 million per annum, has created in the region of 1500 jobs and transferred skills to numerous previously unskilled persons.	Without mitigation: Medium (+) With mitigation: High (+)	<ul> <li>Ensure that the required Project workers are sourced from local communities and that maximum employment numbers are maintained throughout the Project duration.</li> <li>Project implementers to support local businesses (e.g. local quarry owners to obtain rock for gabions) where possible.</li> </ul>
	Increased awareness of wetland importance and biodiversity The programme is creating increased awareness amongst the construction teams and land-owners regarding wetland ecology, the importance of rehabilitation and the importance of protecting biodiversity. Also refer to the cumulative impact section under operational phase impacts.	Without mitigation: Medium (+) With mitigation: High (+)	<ul> <li>Encourage landowners to become more aware of, and educated in, the ecological values and sensitivity of the wetland environments.</li> <li>Consider the erection of a SANBI/ WfWetlands information signs to describe, and increase awareness of, the activities and the 'ecological' investment taking place in the Project areas</li> </ul>

Activity	Impact summary	Significance	Proposed mitigation
No-go option			
	Direct, Indirect and Cumulative impacts:		
	Aquatic ecosystem If the no-go alternative is pursued, then the construction- related impacts will not be realised. However, the overall impact of the no go option on the aquatic ecosystem is likely to be negative, especially in the long-term as rehabilitation activities will not take place and the existing problems (such as erosion) in the wetland will continue. Over time these existing problems are likely to have a greater negative impact than the short-term and fairly minor construction related impacts. Although the no-go option is likely to have significant long-term negative consequences, only the expected impact of the no-go in the short term (i.e. construction-related time frame) has been assessed in this section so as to facilitate comparison between the no-go and preferred alternative during the construction period. The longer term impact of the no-go is assessed in the operational phase.		<i>Note:</i> If the no go alternative is pursued, then the operational related impacts will not be realised. However, the overall impact of the no go option on the aquatic ecosystem is likely to b negative, especially in the long-term as rehabilitation activitie will not take place and the existing problems (such as erosion) i the wetland will continue. Over time these existing problems ar likely to have a greater negative impact than the short-term an fairly minor construction related impacts.
	Heritage	Neutral	
	The no-go alternative is unlikely to have a significant impact –		
	either positive or negative – due to the low likelihood of		
	disturbance to heritage resources.	Nesstael	
	Nuisance impacts	Neutral	
	Pursuing the no-go alternative will mean that the nuisance		
	impacts associated with construction will not be realised.		

Activity	Impact summary	Significance	Proposed mitigation
	Socio-economic	Medium ( - )	
	Pursuing the no-go alternative in this case will mean that the		
	positive socio-economic benefits of job creation, skills		
	transfer and support of the local economy will not be realised.		

A complete impact assessment in terms of Regulation 22(2)(i) of GN R.543 must be included as Appendix F.

### B) Operational Phase

Activity	Impact summary	Significance	Proposed mitigation			
Alternative 1 (preferre	Alternative 1 (preferred alternative)					
GN R.544, Item 11 &	Direct & Indirect impacts:					
18 GN R.546, Item 12, 13 & 16	<b>Changes in landuse</b> The increase in wetland area may have both positive and negative impacts for landowners. Wetlands are often utilised for winter grazing and an increase in wetland area will thus improve grazing conditions for the farmer. However the increase in wet areas may also make previously accessible areas inaccessible for farming purposes. The extent and magnitude of this impact will depend to a large degree on how much value each individual landowner places on wetland conservation. It is however assumed that if the landowner is willing to allow wetland rehabilitation to take place on their property that they see the value in the WfWetlands Programme and are willing to accept the increase in wetland area.	•	<ul> <li>Ensure good access for landowners in the form of crossing points</li> <li>Provision of watering points for stock to minimise extensive trampling in the wetlands (especially in the wetter times of year)</li> </ul>			

Activity	Impact summary	Significance	Proposed mitigation
Activity	Impact summary           Reduced water storage and treatment costs           Wetlands can offer valuable stream flow regulation and filtration services. By restoring wetland area it is likely that downstream users will benefit by having a more reliable and possibly cleaner source of water. In addition, by addressing erosion, wetland rehabilitation can decrease the amount of sediment downstream. This can help to reduce water treatment costs for downstream users and will also reduce	Significance         Without         mitigation:         Medium (+)         With mitigation:         Medium (+)	No mitigation measures are proposed.
	<ul> <li>the sediment costs for downstream users and will also reduce the sedimentation of downstream water storage facilities such as dams.</li> <li>Reduced soil erosion</li> <li>By reducing exposed ground surfaces and surface runoff velocity, the sediment load in surface runoff is reduced, thereby contributing to better water quality in the subcatchment area.</li> </ul>	Without mitigation: Medium (+) With mitigation: Medium (+)	No mitigation measures are proposed.
	<b>Employment</b> Ideally, the skills learned by the project team during the construction phase – such as how to work with concrete, build gabions etc – can be used to assist them to find permanent employment.	Without mitigation: Medium (+) With mitigation: Medium (+)	No mitigation measures are proposed.
	Cumulative impacts: ECOSYSTEM FUNCTIONING Restoring wetland corridors In areas where wetlands have been artificially drained, restoration can result in the re-wetting of areas and link up previously wet areas, thus creating and extending a network	Without mitigation: High (+) With mitigation:	<i>Note:</i> The interventions identified for the proposed rehabilitation project were identified during a screening process that was undertaken to ensure that the most suitable intervention was identified, developed and assessed for each rehabilitation site.

Activity	Impact summary	Significance	Proposed mitigation
	of wetland areas. These wetland corridors can provide	High (+)	During this screening process the project team also took into
	valuable refuges for wetland species and allow for greater		account environmental, social and economic considerations, as
	ecosystem connectivity.		well as the rehabilitation objectives identified for the wetland.
	Changes in water quality and quantity		Should these interventions not be implemented, the current rate
	More natural stream flow patterns within the wetland, as well		of degradation at the assessed wetlands would continue and in
	as an improvement in water quality and quantity (due to		some cases even result in the permanent loss of the integrity and
	improved ecosystem services) can be expected after		functioning of these systems. It would also not be possible to
	rehabilitation.		achieve the rehabilitation objectives identified for the wetlands
			Without the implementation of wetland rehabilitation as part of
	This improvement in water quality and a more reliable supply		the WfWetlands project, the overall programme objectives <sup>5</sup> and
	of water is particularly important given the water scarcity that		the EPWP requirements would not be realised.
	faces South Africa.		No mitigation measures are proposed.
	FLORA & FAUNA	Without	
	Increased habitat	mitigation:	Note: The interventions identified for the proposed rehabilitation
	Increasing the wetland area through rehabilitation will result	Medium (+)	project were identified during a screening process that wa
	in an increase in habitat for wetland-dependent species. This		undertaken to ensure that the most suitable intervention wa
	is a positive impact, especially in light of the fact that a	With mitigation:	identified, developed and assessed for each rehabilitation site
	number of the Northern Cape wetlands are utilised by the	Medium (+)	During this screening process the project team also took int
	vulnerable and endangered species.		account environmental, social and economic considerations, a
			well as the rehabilitation objectives identified for the wetland.
	Increased biodiversity		
	A large proportion of the natural vegetation in the greater		Should these interventions not be implemented, the current rat
	area has already been lost to forestry and agriculture.		of degradation at the assessed wetlands would continue and i
	Restoring wetland habitat will help to increase the species		some cases even result in the permanent loss of the integrity an
	richness of the overall area by encouraging the re-		functioning of these systems. It would also not be possible
	establishment of wetland species.		achieve the rehabilitation objectives identified for the wetland

<sup>5</sup> Wetland conservation and poverty reduction through job creation and skills.

Activity	Impact summary	Significance	Proposed mitigation
	<ul> <li>Obstruction of movement of aquatic biota The potential for the proposed interventions to hinder the movement of aquatic species such as fish was considered and the following noted: <ul> <li>Records from the South African Institute for Aquatic Biodiversity (SAIAB) do not indicate the presence of any red data fish species in the affected systems.</li> <li>The overall impact of the structures on aquatic biota is expected to be positive due the increase in quality and quantity of habitat.</li> <li>The interventions may help to contain the spread of alien exotic fish</li> </ul> Based on the above, fish ladders were not considered critical and were thus not designed for this system.</li></ul>		Without the implementation of wetland rehabilitation as part of the WfWetlands project, the overall programme objectives <sup>6</sup> and the EPWP requirements would not be realised. No mitigation measures are proposed.
	Change in species composition In wetlands that have been subject to desiccation, plants that are tolerant of drier conditions are likely to have become established. With the restoration of the wetland, these species are likely to be replaced with wetland-adapted vegetation. This change in composition reflects a shift back to historical species composition and is thus considered positive.		

<sup>6</sup> Wetland conservation and poverty reduction through job creation and skills.

Activity	Impact summary	Significance	Proposed mitigation
	Direct, Indirect and Cumulative impacts:		
	<b>Ecosystem functioning</b> Pursuing the no-go option would result in the current negative ecosystem impacts continuing. These impacts include desiccation, erosion, channel incision etc.	Medium ( - )	<b>Note:</b> If the no go alternative is pursued, then the operational- related impacts will not be realised. However, the overall impact of the no go option on the aquatic ecosystem is likely to be negative, especially in the long-term as rehabilitation activities
	Fauna & Flora The no go alternative would mean that the positive impacts identified above would not be realised. Continued wetland degradation and habitat loss is likely to result in exponential increase in the significance of the no go alternative, leading to an eventual loss of biodiversity and disruption of floral and faunal ecosystems. In addition, it would also negatively affect the achievement of conservation objectives for the area.		will not take place and the existing problems (such as erosion) in the wetland will continue. Over time these existing problems are likely to have a greater negative impact than the short-term and fairly minor construction related impacts.
	<b>Socio-economic</b> The no go alternative would mean that the positive impacts identified above would not be realised.	Low ( - )	

## C) Decommissioning and Closure Phase

There were no anticipated situations were any decommissioning would be required.

#### 2. ENVIRONMENTAL IMPACT STATEMENT

Taking the assessment of potential impacts into account, please provide an environmental impact statement that summarises the impact that the proposed activity and its alternatives may have on the environment <u>after</u> the management and mitigation of impacts have been taken into account, with specific reference to types of impact, duration of impacts, likelihood of potential impacts actually occurring and the significance of impacts.

#### Alternative A (preferred alternative)

IMPACT SUMMARY TABLE			
High negative	Red		
Medium negative	Green		
Low negative	Blue		
Very Low	Light Blue		
Neutral			
Positive impact	Yellow		

	Significance of Impact		
<u>Construction Phase</u> : Description of Impact	Preferred Alternative		
Description of impact	No Mitigation	With mitigation	No Go
Job creation	Medium (+)	High (+)	Medium (-)
Increased awareness of wetland importance	Medium (+)	High (+)	Medium (-)
Fire risk	High (-)	Low (-)	Neutral
Nuisance impacts	Low (-)	Very Low (-)	Neutral
Impact on heritage resources	Very Low (-)	Neutral	Neutral
Worker safety	Medium (-)	Low (-)	Neutral
Flora & Fauna	Medium (-)	Low (-)	Medium (-)
Aquatic ecosystem impacts	Medium (-)	Low (-)	Medium (-)
Sourcing borrow material	Medium (-)	Low (-)	Neutral
Work within conservation areas	Medium (-)	Low (-)	Neutral
Disturbance of wetland soil profile	Medium (-)	Low (-)	Neutral
Operational Phase: Description of Impact			
Changes in land use	Low (+) Medium (-)	Medium (+) Low (-)	Low (-)
Reduced water storage and treatment costs	Medium (+)	Medium (+)	Low (-)

Employment	Medium (+)	Medium (+)	Medium (-)
Ecosystem functioning	Medium (+)	Medium (+)	High (-)
Flora and Fauna	Medium (+)	Medium (+)	Medium (-)
Reduced soil erosion	Medium (+)	Medium (+)	Medium (-)
Public safety	Medium (-)	Low (-)	Neutral

Based on the above, it is the opinion of the EAP that the positive long-term bio-physical and socio-economic aspects of the project as a whole greatly outweigh the minor negative construction related impacts, particularly since effective mitigation measures to reduce the negative impacts exist. There are no indications to suggest that the preferred alternative will have a significant detrimental impact on the environment. Instead, a long-term positive impact is anticipated. This is discussed in further detail below:

#### **CONSTRUCTION PHASE:**

It is most likely that all identified construction related impacts would be limited to the duration of this phase. Impacts on the bio-physical environment are generally considered to be of **Medium (-)** to **Low (-)** significance, which can be reduced to **Low (-)** and **Very Low (-)** with the implementation of appropriate mitigation measures. Construction related impacts can generally be very effectively managed through the implementation and regular auditing of a CEMP. The impact on the socio-economic environment is expected to be **Medium** to **High (+)** due largely to the creation of jobs and up-skilling of local workers.

#### **OPERATIONAL PHASE:**

Potential Operational Phase related impacts for both the bio-physical and socio-economic environments are generally considered to be of **Medium to High (+)** significance. These positive impacts are expected to arise due to the following:

- Improved wetland habitat for red data species
- Improved wetland services (which has benefits for downstream as well as local users)
- Empowering of local community

#### SECTION E: RECOMMENDATION OF PRACTITIONER

Is the information contained in this report and the documentation attached hereto sufficient to make a decision in respect of the activity applied for (in the view of the environmental assessment practitioner)?



If "YES", please list any recommended conditions, including mitigation measures that should be considered for inclusion in any authorisation that may be granted by the competent authority in respect of the application.

Based on the information provided in this report, the outcome of the impact assessment and the supporting documentation it is the recommendation of the EAP that authorization be granted for the following reasons:

- The proposed rehabilitation activities are likely to have significant positive bio-physical and socioeconomic benefits, not just for the local community for the country as a whole.
- Effective mitigation measures exist to manage the limited negative impacts that were identified.
- The proposed rehabilitation activities are in line with the principles of NEMA (in particular: people and their needs – particularly women and children – are placed at the forefront of development via the EPWP; the development can be considered to be socially, environmentally and economically sustainable; the environmental impacts of the activity are not unfairly distributed and the potential environmental impacts have been assessed and evaluated).
- The WfWetlands Programme is an important part of the government's EPWP and given that the impacts of the proposed activities are not likely to be detrimental to the environment, this programme should be supported in the spirit of co-operative governance.

It is recommended that the following conditions should be included by the Department of Environmental Affairs in the Environmental Authorisation (should a positive decision be reached):

- a) Mitigation measures listed in this BAR should be referenced as conditions of approval.
- b) Construction activities must take place in accordance to the requirements of the attached CEMP, which also includes general requirements from the WfWetlands Best Management Practices Plan.
- c) Regular auditing of the CEMP must take place as per the audit checklist included in Appendix G.

With regards to the auditing and associated reporting to the authorities during the construction phase, since the programme includes comprehensive project management and monthly sites visits by the SANBI Provincial Co-ordinator (PC) the requirements for the CEMP have been worked into the Programme's Project Inspection Report which is completed monthly by the SANBI PC. The WfWetlands Programme is responsible for ensuring the compliance of it by the contracted implementers and therefore any non-compliance identified is dealt with on site by the SANBI PC directly. It is therefore recommended that a consolidated Environmental Project Inspection Report be submitted to DEA for each project on a bi-annual basis. This report would document any environmental non-compliance and corrective actions so that consideration can be given to these aspects in the following application for Environmental Authorisation.

Is an EMPr attached?

YES NO

The EMPr must be attached as Appendix G.

The details of the EAP who compiled the BAR and the expertise of the EAP to perform the Basic Assessment process must be included as Appendix H.

If any specialist reports were used during the compilation of this BAR, please attach the declaration of interest for each specialist in Appendix I.

Any other information relevant to this application and not previously included must be attached in Appendix J.

NAME OF EAP

SIGNATURE OF EAP

DATE

#### **SECTION F: APPENDIXES**

The following appendixes must be attached:

Appendix A: Maps

Appendix B: Photographs

Photographs of the wetlands will be included in the Wetland Rehabilitation Plans.

**Appendix C:** Facility illustration(s)

A Phase 2 guideline containing typical designs of the most common interventions used for wetland rehabilitation purposes has been included. Note that these drawings are not to scale and must be adapted during the design stage to suit site conditions and meet rehabilitation objectives. Where applicable, drawings of interventions identified during the Phase 2 site visit will be attached to all Wetland Rehabilitation Plans.

**Appendix D:** Specialist reports (including terms of reference)

All Rehabilitation Plans include specialist wetland assessment and specialist engineering input.

Appendix E: Public Participation

- E1 Adverts and Posters
- E2 Letters to I&AP's
- E3 Comments and Response report
- E4 Record of Commenting Authorities contacted
- E5 I&AP database

Appendix F: Impact Assessment

**Appendix G:** Environmental Management Programme (EMPr) (referred to in this report as the Construction Environmental Management Programme or CEMP)

Appendix H: Details of EAP and expertise

Appendix I: Specialist's declaration of interest

Appendix J: Additional Information

J1 - Property Information