



# FRESHWATER HABITAT IDENTIFICATION: MARALLA EAST WIND SITE

BIOTHERM ENERGY (PTY) LTD

### Draft Public

Project no: 47579 Date: January 2017

WSP | Parsons Brinckerhoff WSP House, Bryanston Place, 199 Bryanston Drive, Bryanston, 2191

Tel: +27 (0) 11 300 6085 Fax: +27 (0) 11 361 1381 www.wspgroup.com www.pbworld.com



### QUALITY MANAGEMENT

ISSUE/REVISION	FIRST ISSUE	REVISION 1	REVISION 2	REVISION 3
Remarks				
Date	28/11/2016			
Prepared by	Bruce Wickham			
Signature	Bos.			
Checked by	Colin Holmes			
Signature	Gol			
Authorised by	Greg Matthews			
Signature	WATHEWS.			
Project number	47579			
Report number	R01			
File reference	47579_R01-Maralla East-Freshwater Habitat Identification Final Report-20161128.docx			

### PRODUCTION TEAM

### **CLIENT**

Senior Associate Michael Barnes

Environmental Manager Mohammed Junaid Yusuf

### WSP | PARSONS BRINCKERHOFF

Author Bruce Wickham

Reviewer Colin Holmes

Authorisation Greg Matthews

## TABLE OF CONTENTS

1	INTRODUCTION	1
1.1	OBJECTIVES OF THE REPORT	1
1.2	STUDY APPROACH AND METHODOLOGY	1
	FRESHWATER HABITAT IDENTIFICATION	
	DELINEATION OF FRESHWATER HABITATSIMPACT METHODOLOGICAL FRAMEWORK	
4.0	ASSUMPTIONS AND LIMITATIONS	
1.3		
1.4	DECLARATION OF INDEPENDENCE	6
2	DESCRIPTION OF THE PROJECT	7
3	DESCRIPTION OF THE AFFECTED ENVIRONMENT	11
3.1	HYDROLOGY	11
3.2	VEGETATION AND LAND USE	14
3.3	SOILS AND GEOLOGY	14
4	FINDINGS – MARALLA EAST SITE	19
	CONFIRMED WETLANDS	19
5	ASSESSMENT OF IMPACTS	21
5.1	CONSTRUCTION PHASE	21
5.2	OPERATIONAL PHASE	21
5.3	DECOMMISSIONING PHASE	22
5.4	CUMULATIVE IMPACTS	22
6	MITIGATION AND MANAGEMENT MEASURES	23
7	STAKEHOLDER CONSULTATION	27
7.1	STAKEHOLDER CONSULTATION PROCESS	27
7.2	STAKEHOLDER COMMENTS AND RESPONSE	27

8	CONCLUSION33
9	PLATES34
10	REFERENCES35
TAB	LES
TABLE 1:	NATURE OR TYPE OF IMPACT4
TABLE 2:	PHYSICAL EXTENT OF IMPACT4
TABLE 3:	DURATION OF IMPACT4
TABLE 4:	MAGNITUDE OF IMPACT ON ECOLOGICAL PROCESSES4
TABLE 5:	IMPACT PROBABILITY OF OCCURRENCE5
TABLE 6:	SIGNIFICANCE WEIGHTINGS FOR EACH IMPACT5
TABLE 7:	QUATERNARY J11A CATCHMENT HYDROLOGICAL CHARACTERISTICS11
TABLE 8:	CONSTRUCTION PHASE IMPACTS21
TABLE 9:	OPERATIONAL PHASE IMPACTS21
TABLE 10:	DE-COMMISSIONING PHASE IMPACTS22
TABLE 11:	NEIGHBOURING RENEWABLE ENERGY PROJECTS COMPARISON24
TABLE 12:	MITIGATION AND MANAGEMENT MEASURES FOR POTENTIAL IMPACTS
TABLE 13:	STAKEHOLDER COMMENTS AND QUERIES AND THE ASSOCIATED RESPONSES28
FIG	URES
FIGURE 1:	REGIONAL SETTING OF THE MARALLA EAST SITE IN RELATION TO THE ENTIRE BIOTHERM PROJECT9
FIGURE 2:	
FIGURE 3:	LOCATION OF BIOTHERM SITES IN RELATION TO NEW WMA12
FIGURE 4:	
FIGURE 5:	
FIGURE 6:	LOCAL LAND COVER (LAND USE)16
FIGURE 7:	
FIGURE 8:	LOCAL GENERAL GEOLOGY18
FIGURE 9:	SENSITIVE AREAS AT MARALLA EAST AND WEST SITES20

### APPENDICES

A P P E N D I X A ENVIRONMENTAL SIGNIFICANCE FOR EACH IMPACT

A P P E N D I X B CUMULATIVE IMPACT ASSESSMENT

### 1 INTRODUCTION

BioTherm Energy (Pty) Ltd (BioTherm) have proposed the development for a renewable energy complex Maralla East in the Western Cape Province. As part of the application process for Environmental Authorisation, WSP Environmental (Pty) Ltd (WSP | Parsons Brinckerhoff) was appointed by BioTherm to undertake a Social and Environmental Impact Assessment (SEIA).

The SEIA is divided into two phases, the Scoping Phase and the Environmental Impact Assessment (EIA) Phase. This report will follow from the scoping phase, addressing the freshwater habitat systems (i.e. wetlands and watercourses) located within the project footprint, and providing a high-level assessment of the potential environmental impacts associated with the proposed development.

### 1.1 OBJECTIVES OF THE REPORT

The objective associated with the report include the following:

- Describe the background of the project and contextualise it in the natural environment. This will include identification of freshwater habitat systems located within the project footprint;
- List and assess the potential environmental impacts associated with the proposed project to the environs identified; and
- Conclude the finding of the report, highlighting any significant impacts and their corresponding mitigation and management measures, which should be considered as conditions in the authorisation.

### 1.2 STUDY APPROACH AND METHODOLOGY

The scope of work covered within this report, which entails freshwater habitat identification, forms part of the process required for BioTherm to apply as a Preferred Bidder to the Department of Environmental Affairs (DEA). The study therefore focuses on the identification and assessment of sensitive environments that may be impacted on by the proposed project.

The purpose of this report was to conduct a high-level study that identified freshwater habitat systems in the area of the proposed Maralla East Site. The potential impacts to the land and freshwater habitat systems were defined at a generic and high level. This entailed a desktop review and site visit from which an initial the scoping report was developed. The desktop review utilised available information at the time, including the following spatial information resources:

- Google Earth Pro;
- Agricultural Geo-Referenced Information System (AGIS):
- National Freshwater Ecosystem Priority Areas (NFEPA);
- à The U.S. Geological Survey (USGS);
- à The Soil Maps of Africa: European Digital Archive of Soil Maps (EuDASM);
- Hydrological features including rivers and, catchments and water management areas, and
- Existing maps and detailed project information provided by BioTherm which were available at the onset of the project.

Preliminary maps and figures were developed to use during the site visit to verify the information collected during the desktop review, through a ground-truthing exercise.

The site investigation comprised of a three-day site visit conducted between the 1<sup>st</sup> and 3<sup>rd</sup> of March 2016. The site assessments entailed a drive through of the property on which the proposed Maralla East is located. The area covered during the site visit was the operational footprint of the proposed project as well as a 500m boundary buffer. The following tasks were undertaken as part of the site investigation:

- Verification of desktop review information;
- Wetland and riparian zone identification and delineation; and,
- Soil profile characterisation and sample collection, including:
  - Soil depth and profile description (i.e. subjective moisture estimation, effective rooting depth, presence of mottling, gleying, pedocretes and soil structure);
  - Classification of soil form and family based on the Taxonomic Soil Classification System for South Africa (Macvicar, 1991);
  - Permeability based on in-situ estimation and texture properties;
  - Underlying lithology.

A handheld Global Positioning System (GPS) and camera were used in conjunction with the maps produced in the desktop review, to conduct the ground-truthing exercise. The GPS was used to delineate areas as well as verify and mark all relevant points with exact co-ordinates. Representative soil samples were collected using a hand-operated auger, where holes were drilled until the parent material/refusal was reached.

#### FRESHWATER HABITAT IDENTIFICATION

The freshwater habitat identification for the proposed Maralla East project entailed the following tasks described below:

- Desktop review to establish the baseline environmental conditions and location of wetlands marked in the National Land Cover GIS database for South Africa (SANBI – BGIS) and the National Freshwater Ecosystem Priority Areas (NFEPA);
- à Identification of wetlands, based on the Department of Water Affairs and Forestry (DWAF) publication *Updated Manual for the Identification and Delineation of Wetlands and Riparian Areas* (DWAF, 2008); and
- High-level description of the potential impacts on the identified freshwater habitats located within a 500m radius of the proposed Maralla East project footprint.

### **DELINEATION OF FRESHWATER HABITATS**

The identification and delineation of wetland habitat within 500m of the proposed site boundary initially was undertaken at a desktop level utilising available information, including amongst others topographical maps, current and historical aerial imagery, existing coverages and contour data.

Infield identification of all watercourses (freshwater habitats) in relation to the proposed site, was conducted in accordance with the methods contained in the Department of Water and Sanitation's (previously DWAF) manual 'A Practical Field Procedure for Identification and Delineation of Wetland and Riparian Areas'. The freshwater habitats were also classified in accordance with the, 'National Wetland Classification System for Wetlands and other Aquatic Ecosystems in South Africa' document developed by Ollis *et al.* (2013).

There are specific indicators utilised to determine the outer edge of a wetland during the infield investigation: position in landscape, vegetation and soil wetness (determined through soil sampling with a soil auger and the examining the degree of mottling). According to the wetland definition used in the National Water Act, vegetation is the primary indicator, which must be present under normal circumstances. However, in practice the soil wetness indicator tends to be the most important, and the other three indicators are used in a confirmatory role. Like wetlands, riparian areas can be identified using a set of indicators. The indicators for riparian areas are: landscape position; alluvial soils and recently deposited material; topography associated with riparian areas; and vegetation associated with riparian areas.

During the infield investigation, the delineation of the four identified wetlands (on a desktop level) were based on the presence of redoxymorphic soil features, soil form classification and wetland vegetation. The soils were investigated through the use of a hand auger, where the soil was drill to 0.5m or until the parent material/refusal was reached. The assessment of these indicators is described in the section below

#### IMPACT METHODOLOGICAL FRAMEWORK

The impact valuation uses a methodological framework used by WSP | Parsons Brinckerhoff to meet the combined requirements of international best practice and NEMA, Environmental Impact Assessment Regulations, 2014 (GN No. 982) (the "EIA Regulations"). As required by the EIA Regulations (2014), the determination and assessment of impacts will be based on the following criteria:

- Nature of the Impact;
- Significance of the Impact;
- a Consequence of the Impact;
- Extent of the impact;
- Duration of the Impact;
- Probability if the impact;
- a Degree to which the impact:
  - < can be reversed;
  - may cause irreplaceable loss of resources; and
  - can be avoided, managed or mitigated.

Following international best practice, additional criteria have been included to determine the significant effects. These include the consideration of the following:

- Magnitude to what extent environmental resources are going to be affected;
- Sensitivity of the resource or receptor (rated as high, medium and low) by considering the importance of the receiving environment (international, national, regional, district and local), rarity of the receiving environment, benefits or services provided by the environmental resources and perception of the resource or receptor); and
- Severity of the impact, measured by the importance of the consequences of change (high, medium, low, negligible) by considering inter alia magnitude, duration, intensity, likelihood, frequency and reversibility of the change.

It should be noted that the definitions given are for guidance only, and not all the definitions will apply to all of the environmental receptors and resources being assessed. Impact significance was assessed with and without mitigation measures in place.

Impacts are assessed in terms of the following criteria:

- The nature, a description of what causes the effect, what will be affected and how it will be affected (Table 1);
- à The physical extent, wherein it is indicated whether (Table 2);
- a The duration, wherein it is indicated whether the lifetime of the impact will be (Table 3);
- à The magnitude of impact on ecological processes, quantified on a scale from 0-10, where a score is assigned (**Table 4**); and
- The probability of occurrence, which describes the likelihood of the impact actually occurring. Probability is estimated on a scale where (**Table 5**):

Table 1: Nature or Type of Impact

NATURE OR TYPE	DEFINITION
OF IMPACT	
Beneficial /	An impact that is considered to represent an improvement on the baseline or introduces a
Positive	positive change.
Adverse /	An impact that is considered to represent an adverse change from the baseline, or
Negative	introduces a new undesirable factor.
Direct	Impacts that arise directly from activities that form an integral part of the Project (e.g. new infrastructure).
Indirect	Impacts that arise indirectly from activities not explicitly forming part of the Project (e.g. noise changes due to changes in road or rail traffic resulting from the operation of Project).
Secondary	Secondary or induced impacts caused by a change in the Project environment (e.g.
	employment opportunities created by the supply chain requirements).
Cumulative	Impacts are those impacts arising from the combination of multiple impacts from existing
	projects, the Project and/or future projects.

### Table 2: Physical Extent of Impact

SCORE	DESCRIPTION
1	The impact will be limited to the site.
2	The impact will be limited to the local area.
3	The impact will be limited to the region.
4	The impact will be national.
5	The impact will be international.

#### Table 3: Duration of Impact

SCORE	DESCRIPTION
1	A very short duration (0 to 1 years).
2	A short duration (2 to 5 years).
3	A medium term (5–15 years).
4	A long term (> 15 years).
5	Permanent.

#### Table 4: Magnitude of Impact on Ecological Processes

SCORE	DESCRIPTION
0	Small and will have no effect on the environment.
2	Minor and will not result in an impact on processes.
4	Low and will cause a slight impact on processes.
6	Moderate and will result in processes continuing but in a modified way.
8	High (processes are altered to the extent that they temporarily cease).

10	Very high and results in complete destruction of patterns and permanent cessation of
	processes.

Table 5: Impact Probability of Occurrence

SCORE	DESCRIPTION
1	very improbable (probably will not happen.
2	improbable (some possibility, but low likelihood).
3	probable (distinct possibility).
4	highly probable (most likely).
5	definite (impact will occur regardless of any prevention measures).

- à The significance, which is determined through a synthesis of the characteristics described above (refer formula below) and can be assessed as low, medium or high;
- à The status, which is described as either positive, negative or neutral;
- The degree to which the impact can be reversed;
- à The degree to which the impact may cause irreplaceable loss of resources; and
- a The degree to which the impact can be mitigated.

The significance is determined by combining the criteria in the following formula:

$$S = (E + D + M) \times P$$

**S** = Significance weighting;

**E** = Extent;

**D** = Duration;

**M** = Magnitude, and

**P** = Probability.

The significance weightings for each potential impact are as follows (**Table 6**):

Table 6: Significance Weightings for Each Impact

OVERALL SCORE	SIGNIFICANCE RATING	DESCRIPTION
< 30	Low	where this impact would not have a direct influence on the decision to develop
points		in the area
31-60	Medium	where the impact could influence the decision to develop in the area unless it is
points		effectively mitigated
> 60	High	where the impact must have an influence on the decision process to develop in
points		the area

The impact significance without mitigation measures will be assessed with the design controls in place. Impacts without mitigation measures in place are not representative of the Project's actual extent of impact, and are included to facilitate understanding of how and why mitigation measures were identified. The residual impact is what remains following the application of mitigation and management measures, and is thus the final level of impact associated with the development of the Project. Residual impacts also serve as the focus of management and monitoring activities during Project implementation to verify that actual impacts are the same as those predicted in this EIA Report.

### 1.3 ASSUMPTIONS AND LIMITATIONS

The following assumptions and limitations were identified as part of the assessment:

- à The various published data sources (i.e. aerial imagery, mapping and previous reports) have been assumed to be accurate at the time of use.
- At the time of the site investigation, the final layout routes of the powerlines and substations was not made available, and as such could not be investigated as part of the site assessment.
- à Identification of freshwater habitats in the region of the proposed Maralla East project, was limited to a high level desktop exercise.
- Owing to the extent of the site and accessibility constraints, groundtruthing was only possible in certain areas of the site. Conditions of freshwater habitat in inaccessible areas were therefore inferred based on site observations of accessible habitats.
- The site visit was limited to a 500m radius around the farm properties of the BioTherm sites viz. Esizayo, Maralla East and Maralla West. As such, only the freshwater habitats identified within the 500m buffer of the farm property that were accessible by vehicle at the time of the site visit, were investigated.
- à The site visit was conducted during the dry season for the region, making it difficult to identify and distinguish any freshwater habitats in the area due to arid nature of the region.

### 1.4 DECLARATION OF INDEPENDENCE

Bruce Wickham is a Hydrologist with an MSc from the University of KwaZulu-Natal in 2015. He joined WSP | Parsons Brinckerhoff in 2015 and has worked on various soil and wetland related projects. He is registered as a Candidate Natural Scientist – Water Resources Science with the South African Council for Natural Scientific Professions (SACNASP).

Colin Holmes is a Senior Environmental Consultant at WSP | Parsons Brinckerhoff with an MSc in Applied Environmental Science. He has also completed wetland management courses with the University of Free State. He has completed and managed numerous projects relating to wetland and riparian delineations, Present Ecological State and Ecological Importance and Sensitivity assessments, and the compilation of IWWMPs. He is registered with the South African Council for Scientific Professions – Professional Natural Scientist (Environmental Scientist) and is a SETA accredited Carbon Footprint Analyst.

Greg Matthews has 17 years of professional experience and is registered with the South African Council for Scientific Professions – Professional Natural Scientist (Environmental Scientist and Hydrological Scientist). He has been involved in numerous projects associated with the assessment of activities on both soil and water resources.

WSP | Parsons Brinckerhoff has no financial or other interest in the proposed development and will derive no benefits other than fair remuneration for consulting services provided.

- I, Greg Matthews, declare that -
- à I act as the independent specialist in this application;
- I will perform the work relating to the application in an objective manner, even if this results in views and findings that are not favourable to the applicant;
- a I declare that there are no circumstances that may compromise my objectivity in performing such work:

- I have expertise in conducting the specialist report relevant to this application, including knowledge of the Act, regulations and any guidelines that have relevance to the proposed activity;
- à I will comply with the Act, regulations and all other applicable legislation;
- à I have no, and will not engage in, conflicting interests in undertaking of the activity;
- a I undertake to disclose to the applicant and the competent authority all material information in my possession that reasonably has or may have potential of influencing – any decision to be taken with respect to the application by the competent authority; and – the objectivity of any report, plan or document to be prepared by myself for submission to the competent authority;
- à All the particulars furnished by me in this form are true and correct; and
- I realise that a false declaration is an offense in terms of regulation 71 and is punishable in terms of section 24F of the Act.

Name: Greg Matthews Sign: Date: 29/11/2016

### 2 DESCRIPTION OF THE PROJECT

The Maralla East, is located within the Western Cape Province, approximately 28 km north-west of the town of Laingsburg (**Figure 1**). Other nearby towns include Matjiesfontein and Sutherland. The site falls within the Central Karoo District Municipality DC5 and stretches over three farm properties viz. Drie Roode Heuvels RE/180; Schalkwykskraal RE/204 and Welgemoed RE/268, occupying a total area of 42.3km<sup>2</sup>. The Komsberg-Kareendoringkraal" district road off the R354 serves at the primary access route to the Maralla East Site (**Figure 1**).

This report is primarily focused towards potential activities and impacts associated with the Maralla East Site, however there are also proposed infrastructure options associated with the development (i.e. substations and power transmission lines). The associated infrastructure has been assessed in separate reports.

The Maralla East will house up to 70 wind turbines, which will produce electrical energy that will be fed directly into the national grid. The characteristics of the wind turbines includes the following:

- Up to 70 Wind Turbines, with a maximum 120 m hub height and 150 m rotor diameter;
- a Generating capacity between 1.5 to 4 MW;
- Tower footprint of 0.5 ha;
- a Operational and Maintenance building occupying an area of 0.038 ha;
- à Connection cables;
- Access roads (up to 6 m wide);
- a Sub-station (up to 132 kV), occupying an area of 2.25 ha;
- Powerlines (up to 132 kV);
- Servitude (up to 65 m);
- à Fences:
- à Permanent laydown area for turbine cranes (0.3 ha); and

a Temporary laydown areas, involved during the construction phase (12 ha).

In addition to the proposed Maralla East project, there are several potential wind energy developments earmarked in the surrounding area (**Figure 2**). This area falls within the Komsberg Wind Renewable Energy Development Zone (REDZ). These zones were identified throughout South Africa in a Strategic Environmental Assessment (SEA), as part of the Department of Environmental Affairs Strategic Integrated Project National Infrastructure Plan.

In a separate SEA - Electrical Grid Infrastructure (EGI), national power corridors were delineated for the efficient and effective expansion of the transmission infrastructure throughout South Africa. The location of the BioTherm sites (Esizayo and Maralla East and West), as well as the proposed neighbouring renewable energy developments, are strategically placed to overlap with the REDZs and EGI demarcated zones (**Figure 2**). The neighbouring developments will be factored into the EIA as part of the cumulative impact assessment. These renewable energy developer entities include:

- à Mainstream Renewable Power SA (Pty) Ltd;
- Networx Renewables (Pty) Ltd;
- African Clean Energy Developments (Pty) Ltd; and
- a G7 Renewable Energies (Pty) Ltd.




Figure 1: Regional Setting of the Maralla East Site in relation to the entire BioTherm Project




Figure 2: Proposed Neighbouring Renewable Energy Projects, REDZ and EGI

# 3 DESCRIPTION OF THE AFFECTED ENVIRONMENT

The local natural environment within which the proposed Maralla East project is located is summarised in the following section. This will include the local hydrology, natural vegetation and land use, soil type and characterisation, and a simple geological description. This will serve as basic description of the present natural conditions in the area of the proposed Maralla East project.

#### 3.1 HYDROLOGY

South Africa is divided into nine Water Management Areas (WMAs), where the proposed Maralla East wind power sites are situated in the Breede-Gouritz WMA 6 (**Figure 3**). The topography of the area comprises of mountainous hillslopes (part of the Roggeveld Mountain Range) with small patches of open rocky ground in between, and numerous watercourses and drainage channels. The hillslopes have an average gradient of 33.8 % and 1.2% on the open flat ground. The elevation of the Maralla East Site ranges from 1 103 m to 1 596 m above mean sea level (amsl) (**Figure 4**).

The Maralla East Site lies within tertiary catchment J11, in the quaternary J11A (**Figure 4**). The J11A quaternary hydrological characteristics are summarised in **Table 7**, including catchment area, Mean Annual Precipitation (MAP), Mean Annual Evaporation (MAE) and Mean Annual Runoff (MAR). The MAE largely exceeds the MAP, reinforcing the arid conditions of the region.

Table 7: Quaternary J11A Catchment Hydrological Characteristics

		CATCHMENT AREA	MAP	MAE	MAR
QUATERNA	ARY	(km²)	(mm)	(mm)	(million m <sup>3</sup> /a)
					111 /a)
J11A		438	295	1965	5.86

Source: WRC/DWA, 2012

Upon the site visit, there were several watercourses/drainage channels present within the Maralla East Site, the main river being the Kamberg which runs through the site (**Figure 4**). However, a few of the watercourses that were visited within the site were dry and only the Kamberg River exhibited small pools of water at intermittent section along the watercourse (**Plate 1**). Given the arid climatic condition of the region, majority of the watercourses are ephemeral and are likely to only convey water during infrequent high rainfall events.



Figure 3: Location of BioTherm Sites In Relation to New WMA




Figure 4: Local Hydrology and Topography

Freshwater Habitat Identification: Maralla East Wind Site BioTherm Energy (Pty) Ltd Public

### 3.2 VEGETATION AND LAND USE

Based on the Mucina and Rutherford (2006) natural vegetation classification map, the area of proposed BioTherm wind power project is mostly Central Mountain Shale Renosterveld, with a minor contribution of Koedoesberge-Moordenaars Karoo and Tanqua Escarpment Shrubland (**Figure 5**).

The Department of Agriculture, Forestry and Fisheries (DAFF) define the land use within the site, as predominantly Shrubland and Low Fynbos (DAFF, 2012) (**Figure 6**). As shown in **Figure 6**, there are fourteen freshwater habitats located within a 500 m radius of the Maralla East and West site boundaries.

Upon the site visit, the vegetation was identified as mostly shrub-like vegetation and Fynbos (**Plate 2**), which is primarily used for sheep grazing. Indigenous antelope (Springbok) were also present within site boundary.

The majority of the fourteen freshwater habitats identified as part of the desktop review, were confirmed to be cultivated (irrigated or dryland) areas and small earth-walled farm dams (**Plate 3** and **Plate 4**) upon the site visit. However, there were five different freshwater habitats (i.e. Depressional Pans) which were not originally included in the desktop review, but were identified within the Maralla East Site during the site visit (**Plate 5**).

The delineation and identification of these freshwater habitats is described in section 4 of this report. There are additional surface features present in the Maralla East Site including telecommunication mast towers, windmill-driven boreholes and small farm reservoirs.

Beyond the Maralla East Site, additional land use activities identified during the site walkover included, sheep and small scale crop farming, and the Eskom Komsberg Sub-station, located approximately several km south of the site boundary.

### 3.3 SOILS AND GEOLOGY

Based on the information included in the land type maps of South Africa (AGIS, 2007) the soils in the region of the Maralla East Site are mostly as "Glenrosa and/or Mispha forms with lime generally present in the landscape" and "miscellaneous land classes, rocky areas with miscellaneous soils" (**Figure 7**).

The general geological description of the area is based on the 1:1 000 000 geological map for Northern Cape Province, published by the Trigonometrical Survey Office in 1970 (Schifano *et.al.*, 1970). The Maralla East Site is nested in the Roggeveld Mountains range, in the Larger Cape Fold belt system. The site is located on the Beaufort Series which forms part of the Karoo system (**Figure 8**). The rock type for the series comprises of shale, mudstone, sandstone and limestone (Schifano *et al.*, 1970). Upon the site visit, it was observed that shale and mudstone were the dominant rock type for the area.




Figure 5: Local Natural Vegetation

Freshwater Habitat Identification: Maralla East Wind Site BioTherm Energy (Pty) Ltd Public




Figure 6: Local Land Cover (Land Use)

Freshwater Habitat Identification: Maralla East Wind Site BioTherm Energy (Pty) Ltd Public




Figure 7: Local Soil land Type and Soil Sampling Locations




Figure 8: Local General Geology

Freshwater Habitat Identification: Maralla East Wind Site BioTherm Energy (Pty) Ltd Public

## 4

### FINDINGS - MARALLA EAST SITE

A wetland is defined as land which is transitional between terrestrial and aquatic systems where the water table is usually at or near the surface, or the land is periodically covered with shallow water, and which land in normal circumstances supports or would support vegetation typically adapted to life in saturated soil (National Water Act, Act 36 of 1998). Riparian habitat includes the physical structure and associated vegetation of the areas associated with a watercourse which are commonly characterised by alluvial soils, and which are inundated or flooded to an extent and with a frequency sufficient to support vegetation of species with a composition and physical structure distinct from those of adjacent land areas.

There were five wetlands (i.e. Depressional Pans) which were confirmed within the Maralla East Site and a 500m radius of the site boundary. The wetlands were identified as a Depressional Pan type, based off the definition of the wetland described in DWA document *Updated Manual for the Identification and Delineation of Wetlands and Riparian Areas* (DWA, 2005), and their characteristics determined from the infield assessment.

### **CONFIRMED WETLANDS**

A total of five Depressional Pan type wetlands were identified and delineated at the Maralla East (**Figure 9**). The characteristics of the wetlands include:

- Circular/oval shape of bare earth exhibiting shrink-swell cracks, typical of clayey soils, and surface fluvial flow features indicative of overland sheet flow towards the centre of the pans after high rainfall events. Plate 5, Plate 6 and Plate 7 depicts the Depressional Pan wetlands, surface shrink-swell clay cracks and surface fluvial flow ripple patterns flowing inwards on the wetland, respectively;
- à A very hard clayey layer at 0.2 − 0.3 m, which is typical of Hardpan diagnostic soil horizon;
- à The soil from the centre of the Depressional Pan wetland exhibited a relatively high clay percentage (20%), which decreased further away from the centre (6%); and
- A well-defined ring of shrub-like vegetation around the edge of the wetland, which is indicative of the Central Mountain Shale Renosterveld natural vegetation (**Plate 5**).

The location of the four Depressional Pan in relation to the proposed infrastructure of the Maralla East wind facility is indicated in **Figure 9**. From **Figure 9** majority of the wind turbines, roads and cables fall within 500m of a watercourse and Depressional pans, yet none of infrastructure sits within 32m radius from pan.




Figure 9: Sensitive Areas at Maralla East and West Sites

### 5 ASSESSMENT OF IMPACTS

The impacts identified for the Maralla East Site are assessed in the section that follows. The methodology for defining the significance of the respective impacts is described in section 1.2 of this report. The impacts will be assessed for the construction, operational and de-commissioning phases of the project.

A cumulative impact assessment was also conducted for the neighbouring BioTherm sites and adjacent renewable energy projects. This section will provide a summary of the findings from the significance rating tables used for each impact. The process for determining the relevant significances of each impact for the various phases of the project is provided in **Appendix A**.

### 5.1 CONSTRUCTION PHASE

The anticipated impacts for the Maralla East Site during the construction phase of the project are summarised in **Table 8**. The impacts summarised below are relevant to the freshwater habitats identified within the site and 500m radius of the site boundary.

Table 8: Construction Phase Impacts

ACTIVITY	POTENTIAL IMPACT
and construction	Alterations of flow regimes of watercourses, in close proximity to the site, or that is proposed to be traversed by roads.
associated infrastructure.	Increased potential of soil erosion due to vegetation clearance, soil disturbance and a high traffic movement on site. Subsequent potential sedimentation of watercourses.
	Potential land contamination from hazardous substances. This includes spillage of concrete onto soil surface, as well as oils, fuel, grease (from construction vehicles) and sewage from temporary on-site ablution facilities.
	Potential degradation of wetland habitat due to the proposed positioning of road access

There are no fatal flaws identified for the construction phase associated with the proposed Maralla East project, other than the potential impact to Depressional pans located within 500m radius of the proposed infrastructure of wind turbines, roads and cables. Potential impacts of soil erosion and spillage of hazardous substances were both classified with a low environmental significance, before and after mitigation measures, due to the lower probability of significant erosion or spills occurring.

### 5.2 OPERATIONAL PHASE

The anticipated impacts for the Maralla East Site during the operational phase of the project are summarised in **Table 9**. The impacts summarised below are relevant to the freshwater habitats identified within the site and 500m radius of the site boundary.

**Table 9: Operational Phase Impacts** 

ACTIVITY	POTENTIAL IMPACT
Day-to-day	Loss of aesthetical value of the natural landscape.
operational	Alterations of flow regimes of watercourses, in close proximity to the site, or where the
activities during	road accesses traverse watercourses.
the normal	Increased notential of soil erosion due to vegetation clearance, and more run-off from
wind turbine	harden surfaces (i.e. roads). Subsequent potential sedimentation of watercourses.
facility, including	Potential land contamination from hazardous substances. This includes spillage of oils,
maintenance.	idel, grease (nom site operational and maintenance venicles) and permanent onsite
maintenance.	sewage systems.

Similar to the construction phase, there were no fatal flaws identified during this phase of the project, other than the potential impact to Depressional pans located within 500m radius of the proposed infrastructure of wind turbines, roads and cables. The other negative impacts of potential soil erosion and spillage of hazardous substances were assigned a low environmental significance before and after mitigation measures, due to the majority of the risk/impact being isolated to the construction phase (therefore short term) and the lower probability of significant erosion or spills occurring.

### 5.3 DECOMMISSIONING PHASE

The anticipated impacts for the Maralla East Site during the operational phase of the project are summarised in **Table 10**. The impacts summarised below are relevant to the freshwater habitats identified within the site and 500m radius of the site boundary.

Table 10: De-commissioning Phase Impacts

Астічіту	POTENTIAL IMPACT		
	Increased potential of soil erosion due to removal of wind turbine infrastructure, soil		
of the wind turbine disturbance and a high traffic movement on site.			
facility.	Alterations of flow regimes of watercourses, in close proximity to the site, or that is		
	proposed to be traversed.		
	Potential land contamination from hazardous substances. This includes spillage of oils,		
	fuel, grease (from construction vehicles) and sewage from on-site systems.		

The decommissioning phase exhibited the lowest environmental significance rating scores for the associated impacts of the proposed Maralla East project. There were no fatal flaws identified during this phase of the project, other than the potential impact to Depressional pans located within 500m radius of the proposed infrastructure of wind turbines, roads and cables. The potential for soil erosion and spillage of hazardous substances were classified as a low environmental significance rating before and after mitigation measures.

### 5.4 CUMULATIVE IMPACTS

There are a number of Environmental Authorisations (EA) (either issued or in process) in the area surrounding the Proposed Project site. It must be stressed that the fact that there are several approved EA surrounding the site does not equate to actual 'development'. The surrounding projects, except for the Preferred Bidders, are still subject to the Renewable Energy Independent Power Producer Procurement Programme (REIPPPP) bidding process like the Maralla project.

In addition to the Maralla East Site, the proposed BioTherm project includes two additional wind sites (viz. Esizayo and Maralla West) and four separate proposed renewable energy projects located within a 100 km radius from the centroid of the BioTherm sites (**Figure 2**). The footprint of all the BioTherm sites and the proposed neighbouring projects spread over several watercourses in the region. While an in-field site walkover in all these neighbouring projects is beyond the scope of this report, a high level desktop assessment was performed, counting the number of watercourses (mostly ephemeral) and wetlands that intersect the proposed footprint of the neighbouring projects. The desktop review of the proposed neighbouring projects (Including BioTherm sites) is summarised in **Table 11**.

The renewable energy projects that have received Environmental Authorisation were investigated to determine any identified potential impacts on freshwater habitats. These individual impacts were tabulated and assigned a significance rating (Low to High) which allowed for the cumulative assessment of these impacts on the landscape. Overall the cumulative impact of the proposed Maralla East Site is deemed to be of 'Low' significance (**Appendix B**).

The proposed Maralla East Site (and associated infrastructure) as well as the neighbouring renewable energy developments potentially intersect freshwater habitat systems. The turbines for

the Maralla East Site are not located within watercourses, within only a few access roads potentially requiring to traverse ephemeral watercourses. Each of these crossings should not have a regional impact on water resources therefore limiting the cumulative impact on the greater landscape. There was no fatal flaw identified for the cumulative impacts for the proposed Maralla East Site. The assessment of these potentially affected ecological features within the four neighbouring renewable energy developments is beyond the scope of this study, and will require an individual assessment for the respective projects in their own scoping and EIA studies. It is assumed that the impacts during the construction, operational and de-commissioning phases are expected to be the same as those summarised above for the Maralla East Site.

Potential impacts of soil erosion and spillage of hazardous substances were both classified with a low environmental significance, before and after mitigation measures, due to the majority of the risk/impact being isolated to the construction phase (therefore short term) and the lower probability of significant erosion or spills occurring.

# 6 MITIGATION AND MANAGEMENT MEASURES

The potential impacts identified in Section 5 of this report, have been assessed with and without mitigation and management measures. These mitigation and management measures are summarised in **Table 12**, for the construction, operation and decommissioning phases of the project.

The same mitigation and management measures are proposed for the cumulative impacts identified in the previous section, however the responsible person may differ according to the renewable energy project developer.

In addition, an aquatic specialist should be present onsite before the site preparation phase of construction to conduct an in-depth site walkover prior to any site work to assess the area for any freshwater habitats which may be affected by the actions conducted during the construction phase.

 Table 11:
 Neighbouring Renewable Energy Projects Comparison

ENERGY ENTITY	RENEWABLE ENERGY TECHNOLOGY	FOOTPRINT (KM²)	No. of Water Courses intersections	NFEPA WETLANDS INTERSECTIONS (INC. 500M RADIUS)	PARENT FARM PROPERTIES	Towns Intersected
Esizayo	Wind	61.0	4	8	<ul><li>à Aurora 285</li><li>à Aanstoot 1/72</li><li>à Joseph's Kraal 84</li></ul>	None
BioTherm Maralla West	Wind	51.62	5	11	<ul> <li>à RE/180 Drie Roode Heuvels</li> <li>à RE/181 Annex Drie Roode Heuvels</li> <li>à 1/182 Wolven Hoek</li> <li>à 2/182 Wolven Hoek</li> </ul>	None
Networx Renewables (Pty) Ltd	Unknown	118.00	4	60	<ul><li>à Brand Hoek 176</li><li>à De Kruis 153</li></ul>	None
Mainstream Renewable Power SA (Pty) Ltd	Unknown	199.12	5	82	<ul> <li>à 1/178 Van Wyks Kraal</li> <li>à 2/178 Van Wyks Kraal</li> <li>à 6/152 Tonteldoosfontein</li> <li>à 1/152 Tonteldoosfontein</li> <li>à 1/179 Schietfontenin</li> </ul>	None
African Clean Energy Developments (Pty) Ltd	Unknown	332.28	5	58	<ul> <li>à Zwanepoelshoek 184</li> <li>à Leeuwe Hoek 183</li> <li>à Orange Fontein 185</li> <li>à Orangie Fontein 203</li> <li>à 2/203 Orangie Fontein</li> <li>à 3/203 Orangie Fontein</li> <li>à 4/203 Orangie Fontein</li> <li>à Kentucky 206</li> <li>à 1/207 Volvenkop</li> <li>à De Hoop 202</li> <li>à Rheebokke Fontein 209</li> <li>à 1/209 Rheebokke Fontein</li> <li>à Standvastigheid 210</li> </ul>	None

ENERGY ENTITY	FOOTPRINT (KM²)	No. of Water Courses intersections	NFEPA WETLANDS INTERSECTIONS (INC. 500M RADIUS)	PARENT FARM PROPERTIES	Towns Intersected
G7 Renewable Energies (Pty) Ltd	449.83	9	77	<ul> <li>a RE/188 Wilgebosch Rivier</li> <li>a RE/200 Karree Bosch</li> <li>a Appels Fontein 201</li> <li>a Ek Kraal 199</li> <li>a Klipbanks Fontein 198</li> <li>a Riet Fontein 197</li> <li>a Bon Espirange 73</li> <li>a Fortuin 74</li> <li>a RE/284</li> <li>a Hartjies Kraal 77</li> <li>a Barendskraal 76</li> <li>a Brandvalley 75</li> <li>a Kabeltouw 160</li> </ul>	None

Table 12: Mitigation and Management Measures for Potential Impacts

Астіvіту	MITIGATION AND MANAGEMENT MEASURE		APPLICABLE DEVELOPMENT PHASE	INCLUDE AS CONDITION OF AUTHORISATION	MONITORING REQUIREMENTS
watercourses, in close proximity to the site, or that is proposed to be traversed.	Construction of the turbines and associated infrastructure (e.g. access roads and cables) should, where feasibly possible, occur during the dry season and the site rehabilitated before major rainfall events occur. Access roads and cables must only cross perpendicular to a watercourse and the chosen alignment must endeavour that the span across the watercourse is minimalised. Regular inspections during operation are required to ensure the structural integrity of the roads and cables. These crossings (and infrastructure located within 500m of a wetland) have a potential of requiring a Water Use Licence in terms of the National Water Act.	Site construction managers (BioTherm contractors); SHEQ representative.	Construction and Operational	Yes – all requirements of Section 21 of the NWA must be compiled with, resulting in the potential need for a water use licence application where a more in-depth freshwater habitat	A freshwater habitat specialist must conduct an indepth site walkover prior to the construction phase commencing to assess the area for any freshwater habitats which may be affected by the actions conducted during the construction phase (e.g. road construction, trenching, etc.). Any identified systems must be visibly demarcated.
(especially wind driven) due to vegetation clearance, soil disturbance and high traffic movement on site.	Areas of construction should be (where practical) limited to the extent of the project footprint, and activities outside of the site should be kept to a minimum. Traffic of construction vehicles should be kept to a minimum to reduce soil compaction, and limited to existing or proposed roadways where practical. Soils excavated during construction of the facility should be appropriately stored in stockpiles which are protected from erosion (i.e. through use of vegetation cover in the case of long-term stockpiles- this should form part of the rehabilitation process after the construction phase). Wind erosion is dominant for the region. Water erosion action is considered limited, however backfilling with soil and use of gabions or Reno Mattresses should be used where evidence of erosion is present.	managers (BioTherm contractors)	Construction, Operational and Decommissioning	low environmental significance during the construction phase	A site compliance audit should be conducted (1) prior to construction, (2) during construction on a monthly basis and (3) after rehabilitation measures have been implemented.
Potential spillage of hazardous substances such as oils, fuel,	The proper handling and storage of hazardous materials, the use of hardstanding in storage areas of hazardous substances and where spillages are possible. The use of bunding around storage of hazardous materials and proper upkeep of machinery and	managers (BioTherm	Construction, Operational and Decommissioning	low environmental significance during the construction, operational	A site compliance audit should be conducted (1) prior to construction, (2) during construction on a monthly basis and (3) after rehabilitation measures have been implemented.
	Should BioTherm be recognised as a Preferred Bidder, the required application for a Water Use Licence (WUL) in terms of Section 21 of the National Water Act (NWA) (Act 36 of 1998) may commence. This application (WULA) will require detailed functional assessments (i.e. PES, EIS and EcoServices) of freshwater habitats potentially affected by the roads and infrastructure. At this stage design details should be available allowing the freshwater specialist to assess specific areas within the site. Therefore, a more in-depth and thorough freshwater functional assessment should be conducted should BioTherm be recognised as a Preferred Bidder. The detailed freshwater habitat assessment must provide recommendations in terms of road access in relation to freshwater habitats.	managers (BioTherm contractors) and onsite specialist	Decommissioning	of the NWA must be compiled with, resulting in the potential need for a water use licence application where	A freshwater habitat specialist must conduct an indepth site walkover prior to the construction phase commencing to assess the area for any freshwater habitats which may be affected by the actions conducted during the construction phase (e.g. road construction, trenching, etc.). Any identified systems must be visibly demarcated.

## 7 STAKEHOLDER CONSULTATION

### 7.1 STAKEHOLDER CONSULTATION PROCESS

Public participation is a requirement of the S&EIR process; it consists of a series of inclusive and culturally appropriate interactions aimed at providing stakeholders with opportunities to express their views, so that these can be considered and incorporated into the S&EIR decision-making process. Effective public participation requires the prior disclosure of relevant and adequate project information to enable stakeholders to understand the risks, impacts, and opportunities of the Proposed Project.

A comprehensive stakeholder consultation process was undertaken during the scoping phase. Stakeholders were identified through existing databases, site notices, newspaper adverts and meetings. All stakeholders identified to date have been registered on the project database. All concerns, comments, viewpoints and questions (collectively referred to as 'issues') received to date have been documented and responded to in a Comment and Response Report.

There will be ongoing communication between WSP | Parsons Brinckerhoff and stakeholders throughout the S&EIR process.

### 7.2 STAKEHOLDER COMMENTS AND RESPONSE

The stakeholder's queries and comments to the Draft Environmental Scoping Report, relating to Freshwater Habitats, have been responded to in **Table 13** below.

 Table 13:
 Stakeholder Comments and Queries and the associated Responses

STAKEHOLDER DETAILS	Соммент	SPECIALIST RESPONSE
Colin Fordham (Scientific Services – Cape Nature) 17 October 2016	CapeNature agrees with the Draft Scoping Reports that a Freshwater Habitat Impact Assessment (wetland) report, should be compiled. This report must accurately delineate the extent of any freshwater resources and determine the impact that both WEFs would have on the surrounding freshwater ecosystems. Suggested Terms of Reference for this study include (but are not limited to):  à Accurate wetland or riparian system delineation and characterisation as per DWAF (2008). All WEF infrastructure and development footprints should be overlaid on this map to accurately determine the impact the WEF would have on the freshwater resources. Suitable buffers should be also being delineated and illustrated.  à In line with DWS (2014) guidelines the specialist must determine the Present Ecological State (PES) and Ecological Importance and Sensitivity (EIS) of impacted systems, which will in turn determine the DWS Recommended Ecological Category (REC)  à Identification, prediction and description of the potential impacts of that the proposed WEFs would have on the delineated wetland/riparian areas and the significance of these impacts (qualitative assessment), must be determined.  à Mitigation measures for the abovementioned identified impacts must be stated and rehabilitation measures proposed should decommissioning take place	systems within the site boundary. This is due to the extent of the site, accessibility constraints and lack of information relating to the positioning of operational and road infrastructure. Should BioTherm be recognised as a Preferred Bidder, the required application for a Water Use Licence (WUL) in terms of Section 21 of the National Water Act (NWA) (Act 36 of 1998) may commence. This application (WULA) will require detailed functional assessments (i.e. PES, EIS and EcoServices) of freshwater habitats potentially affected. Therefore, a recommendation within this freshwater identification report (Section 8) is a more in-depth and thorough freshwater functional assessment be conducted should BioTherm be recognised as a Preferred Bidder. At this stage design details should be available allowing the freshwater specialist to assess specific areas within the site. Another recommendation is that the freshwater specialist be present onsite during the construction phase of the project, and conduct an in-depth site walkover prior to any site work to assess the area for any wetlands and watercourses which may be affected by the actions conducted during the construction phase (e.g. road construction).  The potential impacts to the land and freshwater habitat systems were defined at a generic and high level. This entailed a desktop review and site visit from which an initial the scoping report was developed.  Mitigative measures are presented within this report. Further site-specific mitigative measures must be included in the abovementioned full functional assessment.
Adri La Meyer  Western Cape Department of Environmental Affairs and Development Planning (WC DEADP)	feature namely the Roggeveld River which has been identified as vulnerable to any form of disturbance and development impact (Todd, May2016). This Directorate	operational and road infrastructure. Should BioTherm be recognised as a Preferred Bidder, the required WULA in terms of NWA may commence. This

STAKEHOLDER DETAILS	Соммент	SPECIALIST RESPONSE
17 October 2016	ecological and hydrological buffer. which will prevent any potential impacts on the system.  The EIA phase should include an appropriate specialist assessment of the impacts on the aquatic feature or system and other potential impacts on the drainage lines. wetlands and riparian zones on the development site.  The final layout should be informed by the findings of the aforementioned assessment in such a way that it limits the impact on the receiving aquatic environment and delineate watercourses and wetlands. including river crossing as for as possible.  The physical removal of riparian zones and disturbance to any alluvial watercourses and wetlands should be avoided.  This Directorate supports the use of existing roads regardless if these cross any wetlands to minimise the scale of any potential impacts due to activities that are associated with the proposed development.  This Directorate does not support any transmission line towers. substations or construction camps within the delineated watercourses and associated buffers.  Any potential impacts on the sub-surface drainage lines. as a result of cut and fill activities should be firstly avoided by sound placement of the proposed wind turbines or be minimised through a conservative design and layout approach which takes due cognisance of the site specific biophysical attributes.as well as the broad-scale ecological environment (e.g. corridor connectivity).	report. At this stage design details should be available allowing the freshwater specialist to assess specific areas within the site and determine proximity of the structures to freshwater systems. Another recommendation is that the freshwater specialist be present onsite during the construction phase of the project, and conduct an in-depth site walkover prior to any site work to assess the area for any wetlands and watercourses which may be affected by the actions conducted during the construction phase (e.g. road construction).  Agreed, as far as possible physical removal of riparian zones and disturbance to any alluvial watercourses and wetlands must be avoided.  Agreed, as far as possible the existing road network must be utilised.  Noted.  Noted.  Noted, the abovementioned detailed freshwater habitat assessment must provide recommendations in terms of placement of the wind turbines (and associated infrastructure) in relation to freshwater habitats.
Ms Mmamohale Kabasa  Department of Environmental Affairs  13 October 2016	It is noted that the property is affected by numerous watercourses and NFEPA wetlands, and that activities that may trigger Section 19 and Section 21 of the National Water Act No. 36 of 1998 were applied for/included in the application form. Please note that a separate hydrological impact assessment must be conducted to assess the impacts of the proposed development on the surface hydrology of the area.	systems within the site boundary. This is due to the extent of the site, accessibility constraints and lack of information relating to the positioning of operational and road infrastructure. Should BioTherm be recognised as a Preferred Bidder, the required WULA in terms of NWA may commence. This

STAKEHOLDER DETAILS	Соммент	SPECIALIST RESPONSE
	The terms of reference for the study must include, inter alia the following:  a Identification and sensitivity rating of all surface water courses for the impact phase of the proposed development;  a Identification, assessment of all potential impacts to the water courses and suggestion of mitigation measures; and,  Recommendations on the preferred placement of the parabolic troughs and all associated infrastructure and preference must be provided to the avoidance of the watercourses on the property.	more in-depth and thorough freshwater functional assessment be conducted should BioTherm be recognised as a Preferred Bidder. Appropriate buffers for the identified systems must then form part of the in-depth assessment report. At this stage design details should be available allowing the freshwater specialist to assess specific areas within the site and determine proximity of the structures to freshwater systems. Another recommendation is that the freshwater specialist be present onsite during the construction phase of the project, and conduct an in-depth site walkover prior to any site work to assess the area for any wetlands and watercourses which may be affected by the actions conducted during the construction phase (e.g. road construction).
C Schwartz  Department of Water and Sanitation  Northern Cape Region (Lower Orange Water Management Area)  25 October 2016	Any spillage of any hazardous materials including diesel that may occur during construction and operation must be	<ul> <li>Noted. Spill response has been addressed within the site-specific EMPr. It is specified that all major spills are reported to the DWS immediately. A representative onsite must be trained in the use of the spill kit stop, contain and remove contamination, to prevent further pollution of the environment.</li> <li>Agreed. It is understood that if BioTherm become the preferred bidder then the Water Use Licence Application (WULA) process will proceed. This will then require a full functional assessment (i.e. PES, EIS and EcoServices) of the freshwater habitats that may potentially be impacted upon by the proposed development. At this stage design details should be available allowing the freshwater specialist to assess specific areas within the site and determine proximity of the structures to freshwater systems.</li> <li>Stormwater management and erosion control have been addressed within this report and the site-specific EMPr. A stormwater management plan must be compiled and approved by DWS.</li> </ul>

STAKEHOLDER DETAILS	Соммент	SPECIALIST RESPONSE
Phakamani Buthelezi Breede-Gouritz Catchment Management Agency (BGCMA)	No operation is allowed within 100m of a water resource or 1:100 year floodline whichever is the greatest. If the proposed activity falls within these criteria, you need to apply for water use licence to ensure that the riparian ecological status of the water resource will not be negatively impacted.	systems within the site boundary. This is due to the extent of the site, accessibility constraints and lack of information relating to the positioning of operational and road infrastructure. Should BioTherm be recognised as a Preferred Bidder, the required WULA in terms of NWA may commence. This application (WULA) will require detailed functional assessments (i.e. PES,
18 November 2016	Refer to page 117 of your report. The crossing of watercourses constitutes a Water use Authorisation in terms of section 21 of the National Water Act (NWA) 1998 (Act No. 36 of 1996). Please submit a Water Use License application to this Agency.	EIS and EcoServices) of freshwater habitats potentially affected. Therefore, a recommendation within this freshwater identification report (Section 8) is a more in-depth and thorough freshwater functional assessment be conducted should BioTherm be recognised as a Preferred Bidder. Appropriate buffers for the identified systems must then form part of the in-depth assessment report which will require flood line information. At this stage design details
	Please note that no water maybe abstracted from any surface water body and groundwater unless authorised by this Agency.	should be available allowing the freshwater specialist to assess specific areas within the site and determine proximity of the structures to freshwater systems (including the 1:100 flood line). Another recommendation is that the freshwater specialist be present onsite during the construction phase of the
	Please note that any development within 500m from the boundary of any wetland requires a water use license according to this Department's regulations	project, and conduct an in-depth site walkover prior to any site work to assess the area for any wetlands and watercourses which may be affected by the actions conducted during the construction phase.
	No surface, ground or stormwater may be polluted as a result of any activities on site.	à Noted.
	The rehabilitation of the site must ensure that this final conditions of the site is environmentally acceptable and that there will be no adverse long term effects on the	The source of water will be from the local municipality and trucked in using water bowsers. Should the need arise to use water from the site urgently for workers, it will be sourced from the nearest farmer.
	surrounding environment especially the water resources.   it is a surrounding environment especially the water resources.	This will also have to be taken into consideration during the in-depth
	water authorisation will be required before any water is stored.	Noted. Mitigative measures are presented within this report. Further site-
	Please note that all requirements as stipulated in the National Water Act (NWA) 1998 (Act No 36 of 1998) must	Tanolonal accocomonic
	be adhered to.  à Please note that this Agency reserves the right to amend	Noted. The rehabilitation must be monitored by a suitably qualified specialist to ensure it is successful. Any storage triggering the need for a WUL in terms of Section 21(b) of NWA must be included in the WULA.
	and/or add to the comments made above in the light of subsequent information received.	à Noted.
		à Noted.

STAKEHOLDER DETAILS	Соммент	SPECIALIST RESPONSE
Mr Sabelo Malaza  Department of Environmental Affairs  1st December 2016	It is noted that the property is affected by numerous watercourses and NFEPA wetlands and that activities, which may trigger Section 19 and Section 21 of the National Water Act No. 36 of 1998, were applied for/included in the application form. Please note that a separate hydrological impact assessment must be conducted to assess the impacts of the proposed development on surface hydrology of the area. The terms of reference of the study must include, inter alia, the following:  a Identification and sensitivity rating of all surface water courses for the impact phase of the proposed development;  development;  Recommendation, assessment of all potential impacts to the water courses and suggestion of mitigation measures; and,  Recommendations on the preferred placement of the parabolic troughs and all associated infrastructure and preference must be provided to the avoidance of the watercourses on the property.	systems within the site boundary. This is due to the extent of the site, accessibility constraints and lack of information relating to the positioning of operational and road infrastructure. Should BioTherm be recognised as a Preferred Bidder, the required WULA in terms of NWA may commence. This application (WULA) will require detailed functional assessments (i.e. PES, EIS and EcoServices) of freshwater habitats potentially affected. Therefore, a recommendation within this freshwater identification report (Section 8) is a more in-depth and thorough freshwater functional assessment be conducted should BioTherm be recognised as a Preferred Bidder. Appropriate buffers for the identified systems must then form part of the in-depth assessment report. At this stage design details should be available allowing the freshwater specialist to assess specific areas within the site and determine proximity of the structures to freshwater systems. Another recommendation is that the freshwater specialist be present onsite during the construction phase of the project, and conduct an in-depth site walkover prior to any site work to assess the area for any wetlands and watercourses which may be affected by the actions conducted during the construction phase (e.g. road construction).

## 8 CONCLUSION

There were five freshwater habitat systems identified within a 500m radius of the Maralla East Site. All of the pans sit within 500m of the proposed wind facility infrastructure, and should be given consideration before the construction phase of the project commences.

There are no fatal flaws anticipated for the proposed Maralla East project, from a freshwater habitat perspective (assuming that the proposed wind facility infrastructure takes into account the identified Depressional pans). It is recommended that the mitigation and management measures outlined in this report be followed throughout all phases of the project.

Indirect impacts of increased soil erosion are expected at the site given the dry environment of the region. Furthermore, spillage of hazardous substances onto the land as a result of the activities of the Maralla East project, is a possibility. However, all these potential impacts were classified with a low environmental significance risk, should the appropriate mitigation measure be followed during the construction, operational and decommissioning phases of the project.

This report provides an initial high-level identification of the freshwater habitat systems within the site boundary. This is due to the extent of the site, accessibility constraints and lack of information relating to the positioning of operational and road infrastructure. Should BioTherm be recognised as a Preferred Bidder, the required application for a Water Use Licence (WUL) in terms of Section 21 of the National Water Act (NWA) (Act 36 of 1998) may commence. This application (WULA) will require detailed functional assessments (i.e. PES, EIS and EcoServices) of freshwater habitats potentially affected. Therefore, it is recommended that a more in-depth and thorough study be conducted by an aquatic specialist should BioTherm be recognised as a Preferred Bidder.

It is also recommended that an aquatic specialist must conduct an in-depth site walkover prior to the construction phase commencing, after the proposed construction footprint has been confirm and demarcated. This is to assess the footprint for any freshwater habitats, allowing for slight alterations in the footprint, to prevent any impacts on the freshwater habitats due to the actions conducted during the construction phase.

## 9 PLATES



Plate 1: Ephemeral main watercourse



Plate 2 : Natural vegetation with grazing sheep



Plate 3: Irrigated cultivated grazing land



Plate 4: Earth-wall dam with water



Plate 5: Depressional Pan



Plate 6 : Surface shrink-swell cracks on Depressional Pan



Plate 7: Multi directional surfaceflow features on the edge of the Depressional Pan

# 10 REFERENCES

- AGIS. (2007). AGIS Agricultural Geo-Referenced Information System. Retrieved March 10, 2016, from AGIS Agricultural Geo-Referenced Information System Web site: http://www.agis.agric.za/agisweb/agis.html.
- Bailie, R., Armstrong, R., & Reid, D. (2007). The Bushmanland Group supracrustal succession, Aggeneys, Bushmanland, South Africa: Provenance, age of deposition and metamorphism. SOUTH AFRICAN JOURNAL OF GEOLOGY Volume 110, 59-86.
- Chamber of Mines of South Afica/Coaltech. 2007, November. *Guidelines for the Rehabilitation of Mined Land. Guidelines for the Rehabilitation of Mined Land.* Johannesburg, Gauteng, South Africa: Chamber of Mines of South Afica/Coaltech.
- DWAF (2008). *Updated Manual for the Identification and Delineation of Wetlands and Riparian Areas*, prepared by M. Rountree, A. L. Batchelor, J. MacKenzie and D. Hoare. Stream Flow Reduction Activities, Department of Water Affairs and Forestry, Pretoria, South Africa.
- à Fujihara Industry Co. (2001). *Revised standard soil color charts*. Fujihara Industry Company, Tokyo, Japan.
- Macvicar, C. N. (1991). Soil Classification: A Taxonomic System for South Africa. Pretoria: Department of Agricultural Development.
- Mining Technology. 2016. Gamsberg-Skorpion Integrated Project. Retrieved May 2016, from Mining Technology website, <a href="http://www.mining-technology.com/projects/gamsbergskorpion-integrated-project/">http://www.mining-technology.com/projects/gamsbergskorpion-integrated-project/</a>.
- Mucina, L., & Rutherford, M. C. (2006). The vegetation of South Africa, Lesotho, and Swaziland. Strelitzia 19. Pretoria: South African National Biodiversity Institute.
- Schifano, G., Eeden van, O. R., & Coertze, F. J. (1970). The Soil Maps of Africa: European Digital Archive of Soil Maps EuDASM. Retrieved March 7, 2016, from The Soil Maps of Africa: European digital archive of soil maps EuDASM Web site: http://eusoils.jrc.ec.europa.eu/esdb\_archive/EuDASM/Africa/maps/afr\_za2003\_4toge.htm
- à The Local Government Handbook. Retrieved May 2016, from The Local Government Handbook website: <a href="http://www.municipalities.co.za/provinces/view/7/northern-cape">http://www.municipalities.co.za/provinces/view/7/northern-cape</a>.
- USGS U.S Geological Survey. (2009). USGS. Retrieved March 10, 2016, from USGS Website: 
   <a href="http://www.usgs.gov/">http://www.usgs.gov/</a>.
- Van der Molen, W. H., Beltran, J. M., & Ochs, W. J. (2007). Annex 1: Estimating soil hydrological characteristics from soil texture and structure. In W. H. van der Molen, J. M. Beltran, & W. J. Ochs, Guidelines and computer programs for the planning and design of land drainage systems (pp. 115 116). Rome: Food and Agriculture Organisation of the United Nations.
- à WSP. 2016. Water Assessment Report for The Letsoai Solar Facilities Letsoai CSP Site 1. Project: BioTherm, Project No. 47579, Report Number: R03.
- Wischmeier, W H; Johnson, C H and Cross, V A. (September-October 1971). A soil erodibility nomograph for farmland and construction sites. Journal of Soil and Water Conservation, Vol. 26, No 5, pp 189-193, September-October 1971
- WRC Water Research Commission. 2008. Wetland Management Series: Wet-EcoServices, a technique for rapidly assessing ecosystem services supplied by wetlands. Report No. TT339/08. Water Research Commission, Pretoria, South Africa

# Appendix A

**ENVIRONMENTAL SIGNIFICANCE FOR EACH IMPACT** 

## {insert specialist filed here}

				Constructio	on Phase							
				Maralla	East							
Potential Impact		Extent (E)	Duration (D)	Magnitude (M)	Probability (P)		gnificance (E+D+M)*P)	Status (+ve or -ve)	Confidence			
	Nature of impact:		Direct and Indirect									
	Without Mitigation	2	2	8	4	48	Medium	-	Medium			
Alterations of flow regimes of watercourses, in close proximity to the site, or that is proposed to be traversed by roads	degree to which impact can be reversed:		High									
	degree of impact on irreplaceable resources:		Low									
	Mitigation Measures		nstruction of the road infrastructure should occur during the dry season and disturbed areas rehabilitated before ajor rainfall events occur. Roads must only cross perpendicular to a watercourse and the chosen alignment must									
	With Mitigation	2	2	4	3	24	Low	-	Medium			
	Nature of impact:	Direct and Indirect										
	Without Mitigation	2	2	4	3	24	Low	-	Medium			
entail vegetation clearance	degree to which impact can be reversed:	High										
traffic movement on site,	degree of impact on irreplaceable resources:				Low							
potential for soil erosion	Mitigation Measures			•			the project footprint, and cles should be kept to a					
	With Mitigation	1	2	2	2	10	Low	-	Medium			
	Nature of impact:					Indirect						
	Without Mitigation	2	2	2	2	12	Low	-	Medium			

DOTABLISI CHIIISAA OT	degree to which impact can be reversed:				High						
construction vehicles, and sewage from on-site sanitation systems	degree of impact on irreplaceable resources:		Low								
samtation systems	Mitigation Measures		The proper handling and storage of hazardous materials, the use of hardstanding in storage areas of hazardous ubstances and where spillages are possible. The use of bunding around storage of hazardous materials and proper								
	With Mitigation	1	2	0	1	3	Low	-	Medium		
	Nature of impact:					Direct					
	Without Mitigation	2	2	6	4	40	Medium				
o o	degree to which impact can be reversed:				High						
habitat due to the proposed positioning of road access	degree of impact on irreplaceable resources:		Low								
	Mitigation Measures		The WULA application will require detailed functional assessments (i.e. PES, EIS and EcoServices) of freshwater habitats potentially affected by the site and roads. At this stage design details should be available allowing the								
	With Mitigation	1	2	4	3	21	Low				
	Nature of impact:										
	Without Mitigation										
	degree to which impact can be reversed:										
	degree of impact on irreplaceable resources:										
	Mitigation Measures										
	With Mitigation					_					
	Nature of impact:										
	Without Mitigation										
	degree to which impact can be reversed:										

	degree of impact on irreplaceable resources:								
	Mitigation Measures								
	With Mitigation								
	Nature of impact:								
	Without Mitigation								
	degree to which impact can be reversed:								
	degree of impact on irreplaceable resources:								
	Mitigation Measures								
	With Mitigation								
	Nature of impact:								
	Without Mitigation								
	degree to which					•			
	degree of impact on irreplaceable resources:								
	Mitigation Measures								
	With Mitigation								
			N	/Jaralla Eas	t - No-Go				
Potential Impact	Mitigation	Extent	Duration	Magnitude	Probability	Si	gnificance	Status	Confidence
Potentiai impact	Mitigation	(E)	(D)	(M)	(P)	(S=	(E+D+M)*P)	(+ve or -ve)	Confidence
	Nature of impact:								
	Without Mitigation								
	degree to which impact can be reversed:								
	degree of impact on irreplaceable resources:								

								ı	
Mitigation Measures									
With Mitigation									
Nature of impact:									
Without Mitigation									
degree to which									
impact can be									
reversed:									
degree of impact on irreplaceable									
resources:									
Mitigation Measures									
With Mitigation									
Nature of impact:									
Without Mitigation									
degree to which									
impact can be									
reversed: degree of impact on									
irreplaceable									
resources:									
Mitigation Measures									
			T	T	T	I			
With Mitigation									
Nature of impact:			Г				I		
Without Mitigation degree to which									
impact can be									
reversed:									
degree of impact on									
irreplaceable									
resources:									
Mitigation Measures									
With Mitigation									
Nature of impact:									
Without Mitigation									

1						
	degree to which					
	impact can be					
	reversed:					
	degree of impact on					
	irreplaceable					
	resources:					
	Mitigation Measures					
	Wittigation Weasures		 			
	With Mitigation					
	Nature of impact:					
	Without Mitigation					
	degree to which					
	impact can be					
	reversed:					
	degree of impact on					
	irreplaceable					
	resources:					
	Mitigation Measures					
	iviitigation ivieasures					
	With Mitigation					
	Nature of impact:					
	Without Mitigation					
	degree to which		l	l.		
	impact can be					
	reversed:					
	degree of impact on					
	irreplaceable					
	resources:					
	Mitigation Measures					
	With Mitigation					
	Nature of impact:					
	Without Mitigation					
	degree to which					
	impact can be					
	reversed:					

degree of impact on irreplaceable resources:				
Mitigation Measures				
With Mitigation				

## {insert specialist filed here}

				Operation	al Phase						
				Maralla	East						
Potential Impact		Extent (E)	(E) (D) (M) (P) (S=(E+D+M)*P) (+ve or -ve)								
	Nature of impact:		Direct and Indirect								
Vogotation cloarance for	Without Mitigation	2	4	4	3	30	Low	-	Medium		
Vegetation clearance for wind turbines and roads, soil disturbance and stockpiles, and increased traffic movement on site, resulting in a higher potential for soil erosion	degree to which impact can be reversed:				High						
	degree of impact on irreplaceable resources:		Low								
•	Mitigation Measures		Areas of disturbance should be (where practical) limited to the extent of the project footprint, and activities utside of the site should be kept to a minimum. Traffic of maintenance vehicles should be kept to a minimum to								
	With Mitigation	1	4	2	2	14	Low	-	Medium		
	Nature of impact:		Indirect								
	Without Mitigation	2	4	2	2	16	Low	-	Medium		
hazardous substances such	degree to which impact can be reversed:				High						
maintenance vehicles, and sewage from on-site in sanitation systems	degree of impact on irreplaceable resources:				Low						
	Mitigation Measures						anding in storage areas storage of hazardous ma				
	With Mitigation	1	4	2	1	7	Low	-	Medium		

	Nature of impact:				D	irect and Indire	ect					
	Without Mitigation	2	5	6	4	52	Medium	-	Medium			
	degree to which impact can be reversed:				High							
whore the read accesses	degree of impact on irreplaceable resources:		Low									
	Mitigation Measures		s must only cross perpendicular to a watercourse and the chosen alignment must endeavour that the span loss the watercourse is minimalised. The proposed road infrastructures (e.g. culverts) should be positioned									
	With Mitigation Nature of impact:	2	1	2	2	10	Low	-	Medium			
	Without Mitigation											
	degree to which impact can be reversed:											
	degree of impact on irreplaceable resources:											
	Mitigation Measures											
	With Mitigation Nature of impact:											
	Without Mitigation											
	degree to which impact can be reversed:											
	degree of impact on irreplaceable resources:											
	Mitigation Measures											
	With Mitigation Nature of impact:											
	Without Mitigation											

	degree to which impact can be reversed:							
	degree of impact on irreplaceable resources:							
	Mitigation Measures							
	With Mitigation Nature of impact:							
	Without Mitigation							
	degree to which impact can be reversed:							
	degree of impact on irreplaceable resources:							
	Mitigation Measures							
	With Mitigation							
			Λ	/laralla Eas				
Potential Impact	Mitigation	Extent (E)	Duration (D)	Magnitude (M)	Probability (P)	gnificance (E+D+M)*P)	Status (+ve or -ve)	Confidence
	Nature of impact:							
	Without Mitigation							
	degree to which impact can be reversed:					•		
	degree of impact on irreplaceable resources:							
	Mitigation Measures							
	With Mitigation Nature of impact:							

Without Mitigation				
degree to which impact can be reversed:				
degree of impact on irreplaceable resources:				
Mitigation Measures				
With Mitigation Nature of impact:				
Without Mitigation				
degree to which impact can be reversed:				
degree of impact on irreplaceable resources:				
Mitigation Measures				
With Mitigation Nature of impact:				
Without Mitigation				
degree to which impact can be reversed:				
degree of impact on irreplaceable resources:				
Mitigation Measures				
With Mitigation Nature of impact:				
Without Mitigation				

impac revers	e to which et can be sed:				
degre- irrepla resoul	e of impact on aceable rces:				
Mitiga	ation Measures				
With	Mitigation				
Natur	e of impact:				
	out Mitigation				
impac revers					
degree irrepla resour	e of impact on aceable rces:				
Mitiga	ation Measures				
With	Mitigation				
Natur	e of impact:				
	out Mitigation				
impac revers					
degre- irrepla resoul	e of impact on aceable rces:				
	ation Measures				
With	Mitigation				
Natur	e of impact:				
	out Mitigation				
	e to which ct can be sed:				

degree of impact on irreplaceable resources:				
Mitigation Measures				
With Mitigation				

## {insert specialist filed here}

			De	commissio	ning Phase							
				Maralla	East							
Potential Impact		Extent (E)	Duration (D)	Magnitude (M)	Probability (P)		gnificance (E+D+M)*P)	Status (+ve or -ve)	Confidence			
	Nature of impact:				D	irect and Indire	ct					
	Without Mitigation	2	2	4	3	24	Low	-	Medium			
•	impact can be reversed:				High							
and a high traffic	degree of impact on irreplaceable resources:				Low							
	Mitigation Measures		Areas of disturbance should be (where practical) limited to the extent of the project footprint, and activities utside of the site should be kept to a minimum. Traffic of de-construction vehicles should be kept to a minimum									
	With Mitigation	1	2	2	2	10	Low	-	Medium			
	Nature of impact:					Indirect			1			
	Without Mitigation	2	2	2	2	12	Low	-	Medium			
Potential spillage of hazardous substances such as oils, fuel, grease from	degree to which impact can be reversed:				High							
maintenance vehicles, and sewage from on-site sanitation systems	degree of impact on irreplaceable resources:				Low							
	Mitigation Measures		The proper handling and storage of hazardous materials, the use of hardstanding in storage areas of hazardous substances and where spillages are possible. The use of bunding around storage of hazardous materials and									
	With Mitigation	1	2	0	1	3	Low	-	Medium			

	Nature of impact:				D	irect and Indire	ect						
	Without Mitigation	2	3	6	5	55	Medium	-	Medium				
Alterations of flow regimes of watercourses, in close proximity to the site, or	reversed:				High								
that is proposed to be traversed.	degree of impact on irreplaceable resources:		Low										
	Mitigation Measures						ntely to ensure no residund monitoring its implem						
	With Mitigation	2	1	2	2	10	Low	-	Medium				
	Nature of impact:					Direct							
	Without Mitigation	2	3	6	5	55	Medium	-					
Temporary & Permanent degradation of wetland/riparian habitat	degree to which impact can be reversed:		High										
due to the proposed traversing roads	degree of impact on irreplaceable resources:				Low								
	Mitigation Measures						ately to ensure no residund monitoring its implement						
	With Mitigation	2	1	2	2	10	Low	-					
	Nature of impact:												
	Without Mitigation												
	degree to which impact can be reversed:												
	degree of impact on irreplaceable resources:												
	Mitigation Measures												
	With Mitigation Nature of impact:												
	Without Mitigation												

	degree to which impact can be reversed:							
	degree of impact on irreplaceable resources:							
	Mitigation Measures							
	With Mitigation Nature of impact:							
	Without Mitigation							
	degree to which impact can be reversed:							
	degree of impact on irreplaceable resources:							
	Mitigation Measures							
	With Mitigation							
				∕laralla Eas				
Potential Impact	Mitigation	Extent (E)	Duration (D)	Magnitude (M)	Probability (P)	gnificance (E+D+M)*P)	Status (+ve or -ve)	Confidence
	Nature of impact:							
	Without Mitigation							
	degree to which impact can be reversed: degree of impact on							
	irreplaceable							
	Mitigation Measures							
	With Mitigation Nature of impact:							
	Without Mitigation							

impac revers	e to which et can be sed:				
degre- irrepla resoul	e of impact on aceable rces:				
Mitiga	ation Measures				
With	Mitigation				
Natur	e of impact:				
	out Mitigation				
impac revers					
degree irrepla resour	e of impact on aceable rces:				
Mitiga	ation Measures				
With	Mitigation				
Natur	e of impact:				
	out Mitigation				
impac revers					
degre- irrepla resoul	e of impact on aceable rces:				
	ation Measures				
With	Mitigation				
Natur	e of impact:				
	out Mitigation				
	e to which ct can be sed:				

degree of impact irreplaceable resources:	on				
Mitigation Measu	ures				
With Mitigation Nature of impact	,				
Without Mitigation					
degree to which impact can be reversed:					
degree of impact irreplaceable resources:	on				
Mitigation Measu	ures				
With Mitigation Nature of impact					
Without Mitigation					
degree to which impact can be reversed:					
degree of impact irreplaceable resources:	on				
Mitigation Measu	ures				
With Mitigation Nature of impact	:				
Without Mitigation					
degree to which impact can be reversed:					
degree of impact irreplaceable resources:	on				

	Mitigation Measures				
	With Mitigation				

## {insert specialist filed here}

			(	Cumulative	e Impacts								
				Maralla	East								
Potential Impact		Extent (E)	Duration (D)	Magnitude (M)	Probability (P)	Si (S=	Status (+ve or -ve)	Confidence					
	Nature of impact:					Direct							
	Without Mitigation	2	2	8	5	60	Medium						
degradation/loss of wetland/riparian habitat due to the proposed positioning of infrastructure	degree to which impact can be reversed:		High										
	degree of impact on irreplaceable resources:		Low										
	Mitigation Measures		The WULA application will require detailed functional assessments (i.e. PES, EIS and EcoServices) of freshwater habitats potentially affected by the site and powerlines. At this stage design details should be available allowing										
	With Mitigation	1	2	4	3	21	Low						
	Nature of impact:				D	irect and Indire	ect	-					
Vagatation clearance for	Without Mitigation	2	4	4	3	30	Low	-	Low				
Vegetation clearance for wind turbines and roads, soil disturbance and stocknillos, and increased	degree to which impact can be reversed:				High								
traffic movement on site, resulting in a higher potential for soil erosion	degree of impact on irreplaceable resources:				Low								
	Mitigation Measures						he respective project fo enance vehicles should						
	With Mitigation	1	4	2	2	14	Low	-	Low				

	Nature of impact:		Indirect									
	Without Mitigation	2	4	2	2	16	Low	-	Low			
Potential spillage of hazardous substances such as oils, fuel, grease from	reversed:				High							
maintenance vehicles, and sewage from on-site sanitation systems	degree of impact on irreplaceable resources:		Low									
	Mitigation Measures		The proper handling and storage of hazardous materials, the use of hardstanding in storage areas of hazardous substances and where spillages are possible. The use of bunding around storage of hazardous materials and									
	With Mitigation Nature of impact:	1	4	2	1	7	Low	-	Low			
	Without Mitigation											
	degree to which impact can be reversed:											
	degree of impact on irreplaceable resources:											
	Mitigation Measures											
	With Mitigation Nature of impact:											
	Without Mitigation											
	degree to which impact can be reversed:											
	degree of impact on irreplaceable resources:											
	Mitigation Measures											
	With Mitigation Nature of impact:											
	Without Mitigation											

	degree to which impact can be reversed:								
	degree of impact on irreplaceable resources:								
	Mitigation Measures								
	With Mitigation								
	Nature of impact:				T		T		
	Without Mitigation								
	degree to which impact can be reversed:								
	degree of impact on irreplaceable resources:								
	Mitigation Measures								
	With Mitigation								
	Nature of impact:		l	1	1	ı	T		
	Without Mitigation								
	degree to which impact can be reversed:								
	degree of impact on irreplaceable resources:								
	Mitigation Measures								
	With Mitigation								
			<b>N</b>	/Jaralla Eas	t - No-Go				
Potential Impact	Mitigation	Extent (E)	Duration (D)	Magnitude (M)	Probability (P)		gnificance (E+D+M)*P)	Status (+ve or -ve)	Confidence
	Nature of impact:	\-/	\-/	()			· , ,	,	

Without Mitigation				
degree to which impact can be reversed:				
degree of impact on irreplaceable resources:				
Mitigation Measures				
With Mitigation Nature of impact:				
Without Mitigation				
degree to which impact can be reversed:				
degree of impact on irreplaceable resources:				
Mitigation Measures				
With Mitigation Nature of impact:				
Without Mitigation				
degree to which impact can be reversed:				
degree of impact on irreplaceable resources:				
Mitigation Measures				
With Mitigation Nature of impact:				
Without Mitigation				
			1	

impac revers	ee to which ct can be sed:					
degre irrepla resou	ee of impact on aceable irces:					
Mitiga	ation Measures					
With	Mitigation					
Natur	re of impact:					
	out Mitigation					
impac revers						
degre irrepla resou	ee of impact on aceable urces:					
Mitiga	ation Measures					
With	Mitigation					
Natur	re of impact:					
	out Mitigation					
impac revers		·				
degre irrepla resou	ee of impact on aceable urces:					
	ation Measures					
With	Mitigation					
Natur	re of impact:					
	out Mitigation					
	ee to which ct can be sed:					

degree of impact on irreplaceable resources:				
Mitigation Measures				
With Mitigation				
Nature of impact:				
Without Mitigation				
degree to which				
impact can be				
reversed:				
degree of impact on				
irreplaceable				
resources:				
Mitigation Measures				
With Mitigation				

# Appendix B

**CUMULATIVE IMPACT ASSESSMENT** 



#### **BIOTHERM – CUMULATIVE ASSESSMENT**

#### **APPROACH**

The Department of Environmental Affairs (DEA) has requested that a detailed cumulative assessment is undertaken for each of the proposed BioTherm projects. The cumulative assessment must take the specialist studies from the surrounding Environmental Authorisations into account.

In order to ensure that a consolidated cumulative assessment can be developed for each project, a template has been produced to ensure that the specialist studies across the disciplines utilise the same approach.

Each specialist discipline will be required to compile the table below and provide a qualitative discussion on the overall cumulative impact of the projects in the study area.

#### **MASTER ASSUMPTIONS**

The following assumptions and limitations have been identified in relation to the above approach:

- Due to the number of different significance rating methodologies utilised across the various projects, significance ratings have been simplified to include only Low, Medium and High ratings.
- a In the event that specialist studies were unable to be obtained, this has been noted.
- Solar All approved and ongoing environmental authorisations within a 70km radius above been considered
- Wind All approved and ongoing environmental authorisations within an 80 radius above been considered



Table 1: Cumulative Impacts – Wind Surface Water

PROPOSED DEVELOPMENT NAME	DEA REFERENCE	CURRENT EA STATUS		EXTENT	NT PROPOSED CAPACITY	FARMS	IMPACTS										PROPOSED  MEASURES	MITIGATIO
DEVELOT MIENT TVAME		EA STATUS					Constr	uction		Operat	ion		ļ	Decommissioning			- IVIEASURES	
							Watercourses and wetlands	Water erosion	Sediment, leaks and spills	Watercourse sedimentation	Water erosion	Sediment, leaks and spills		Sediment, leaks and spills	Water erosion			
Proposed 280 MW Gunstfontein Wind Energy Project	14/12/16/3/3/2/395	S&EIR	Networx Eolos Renewables (Pty) Ltd	12 000	280 MW													
Proposed development of renewable energy facility at the Sutherland site, Western and Northern Cape.	12/12/20/1782/AM1	S&EIR	Mainstream Power Sutherland	28 600	811 MW													
Proposed Hidden Valley Wind Energy Facility, Northern Cape	12/12/20/2370/2	S&EIR	Hidden Valley Wind- African Clean Energy Developments (Pty) Ltd		150 MW		L	L		L	L							
Proposed Hidden Valley wind energy facility , Northern cape	12/12/20/2370/3	S&EIR	Hidden Valley Wind- African Clean Energy Developments (Pty) Ltd		150 MW		L	L		L	L							
Proposed Hidden Valley wind energy facility, Northern cape	12/12/20/2370/1	S&EIR	Hidden Valley Wind- African Clean Energy Developments (Pty) Ltd		150MW		L	L		L	L							
Proposed Hidden Valley wind energy facility, Northern cape	12/12/20/2370	S&EIR	Hidden Valley Wind- African Clean Energy Developments (Pty) Ltd		650 MW		L	L		L	L							
Proposed Construction Of The 140Mw Roggeveld Wind Farm Within The Karoo Hoogland Local Municipality Of The Northern Cape Province And Within The Laingsburg Local Municipality Of The	12/12/20/1988/1/AM1	Amendment	G7 Renerable Energies (Pty) Ltd	26 529	140 MW				L			L		L				



í	•	i		1	4												• ***	BRINCKERHOFF
PROPOSED DEVELOPMENT NAME	PROPONENT	EXTENT	PROPOSED CAPACITY	FARMS	IMPACTS								PROPOSED MEASURES	MITIGATION				
DEVELOT MENT NAME		EA STATUS			CALACITI		Constru	uction			Operati	on		Deco	mmissio	ning	MEAGUNES	
					Watercourses and wetlands	Water erosion	Sediment, leaks and spills		Watercourse sedimentation	Water erosion	Sediment, leaks and spills	Sediment, leaks	Water erosion					
Western Cape Province																		
Proposed Photovoltaic (PV) Solar Energy Facility On A Site South Of Sutherland, Within The Karoo Hoogland Municipality Of The Namakwa District Municipality, Northern Cape Province	12/12/20/2235	BAR	Inca Komsberg Wind (Pty) Ltd	2	10 MW													
Proposed establishment of the Suurplaat wind energy facility and associated infrastructure on a site near Sutherland, Western Cape and Northern Cape.	12/12/20/1583	S&EIR	Moyeng Energy (Pty) Ltd	28 600	120 MW													
Proposed establishment of the Witberg Bay wind energy facility, Laingsburg Local Municipality, Central Karoo District, Western cape	12/12/20/1966/A2	Amendment	Witberg Wind Power (Pty) Ltd		Unknown													
Proposed renewable energy facility at Konstabel	12/12/20/1787	S&EIR	South Africa Mainstream Renewable Power Development		170 MW													
Proposed development of a renewable Energy facility at Perdekraal, Western Cape - Split 1	12/12/20/1783/2/AM1	Amendment	South Africa Mainstream Renewable Power Development		Unknown													
Proposed Touwsrivier Solar energy facility	12/12/20/1956	S&EIR	Unknown	215	36 MW			Н				Н			L			
				Total Ha	Total MW								·					
				128 276	2667 MW													
Significance Totals per impact	Significance Rating						Total H	lectare	s per ir	npact								

Footer 3/4

<b>WSP</b>	PARSONS BRINCKERHOFF
------------	-------------------------

		CURRENT EA STATUS			PROPOSED CAPACITY	FARMS	IMPACTS										Proposed Measures	MITIGATION
DEVELOPINENT INAME		LASIAIUS			CAPACITY		Construction			Operation			Decommissioning			WEASURES		
					Watercourses and wetlands	Water erosion	Sediment, leaks and spills		Watercourse sedimentation	Water erosion	Sediment, leaks and spills	Sediment, leaks and spills	Water erosion					
	High Significance							215				215						
	Medium Significance																	
	Low Significance						35 330	35 330	26 529		35 330	35 330	26 529	26 529	215			
	Positive Impacts																	

The following EAs surrounding the solar developments have been either withdrawn or have lapsed and are therefore not been considered as part of the cumulative impact assessment:

PROPOSED DEVELOPMENT NAME	DEA REFERENCE	CURRENT EA STATUS	PROPONENT	EXTENT	PROPOSED CAPACITY	FARMS
Proposed wind energy facility near Komsberg, Western Cape	12/12/20/2228	S&EIR	Inca Komsberg Wind (Pty) Ltd		300 MW	
Proposed wind and solar project near Laingsburg, Western Cape	12/12/20/2328	S&EIR	Unknown		50 MW	

Footer 4/4