



## **environmental affairs**

Department:  
Environmental Affairs  
**REPUBLIC OF SOUTH AFRICA**

Private Bag X 447 · PRETORIA · 0001 · Fedsure Building · 315 Pretorius Street · PRETORIA  
Tel (+ 27 12) 310 3911 · Fax (+ 2712) 322 2682

**NEAS Reference: DEA/EIA/0000925/2012**

**DEA Reference: 14/12/16/3/3/2/258/2**

**Enquiries: Matlodi Mogorosi**

**Telephone: 012-395-1779 Fax: 012-320-7539 E-mail: mmogorosi@environment.gov.za**

Mr Paul Warneant  
SunCorp/Solar Reserve JV  
P.O. Box 837  
**CAPE TOWN**  
7985

Fax no: 086-691-8011

### **PER FACSIMILE / MAIL**

Dear Mr Warneant

#### **APPLICATION FOR ENVIRONMENTAL AUTHORISATION IN TERMS OF THE NATIONAL ENVIRONMENTAL MANAGEMENT ACT, 1998: GN R.543, 544 AND 545: CONSTRUCTION OF THE HERTZOGVILLE PHOTOVOLTAIC 2 SOLAR FACILITY AND ASSOCIATED INFRASTRUCTURE PHASE 2 (75MW) ON THE REMAINDER OF FARM ALBERT 986 NEAR HERTZOGVILLE, WITHIN THE TOKOLOGO LOCAL MUNICIPALITY, FREE STATE PROVINCE**

With reference to the above application, please be advised that the Department has decided to accept the final Environmental Impact Report (EIR) dated June 2012 and grant authorisation. The Environmental Authorisation (EA) and reasons for the decision are attached herewith.

In terms of regulation 10(2) of the Environmental Impact Assessment Regulations, 2010 (the Regulations), you are instructed to notify all registered interested and affected parties, in writing and within 12 (twelve) days of the date of the EA, of the Department's decision in respect of your application as well as the provisions regarding the submission of appeals that are contained in the Regulations.

Your attention is drawn to Chapter 7 of the Regulations, which prescribes the appeal procedure to be followed. This procedure is summarised in the attached document. Kindly include a copy of this document with the letter of notification to interested and affected parties.

Should the applicant or any other party wish to appeal any aspect of the decision a notice of intention to appeal must be lodged by all prospective appellants with the Minister, within 20 days of the date of the EA, by means of one of the following methods:

By facsimile: 012 320 7561;

By post: Private Bag X447,  
Pretoria, 0001; or

By hand: 2nd Floor, Fedsure Building, North Tower,  
Cnr. Lilian Ngoyi (Van der Walt) and Pretorius Streets, Pretoria.

If the applicant wishes to lodge an appeal, it must also serve a copy of the notice of intention to appeal on all registered interested and affected parties as well as a notice indicating where, and for what period, the appeal submission will be available for inspection, should you intend to submit an appeal.

Please include the Department (*Attention: Director: Integrated Environmental Authorisations*) in the list of interested and affected parties, notified through your notification letter to interested and affected parties, for record purposes.

**Appeals must be submitted in writing to:**

Mr T Zwane, Senior Legal Administration Officer (Appeals), of this Department at the above mentioned addresses or fax number. Mr Zwane can also be contacted at:

Tel: 012-310-3929

Email: [tzwane@environment.gov.za](mailto:tzwane@environment.gov.za)

The authorised activity/ies shall not commence within twenty (20) days of the date of signature of the authorisation. Further, please note that the Minister may, on receipt of appeals against the authorisation or conditions thereof suspend the authorisation pending the outcome of the appeals procedure.

Yours sincerely



**Mr Mark Gordon**  
**Chief Director: Integrated Environmental Authorisations**  
**Department of Environmental Affairs**  
Date: 28/09/2012

CC:	Ms J Thomas	Savannah Environmental (Pty) Ltd	Tel: 011-656-3237	Fax: 086-684-0547
	Mr M Walaza	Free State Department of Economic Development, Tourism & Environmental Affairs	Tel: 051-400-9417	Fax: 051-400-9523
	Mr LMA Mofokeng	Tokologo Local Municipality	Tel: 053-541-0014	Fax: 053-541-0360
	Mr T Zwane	Appeals Authority (DEA)	Tel: 012-310-3929	Fax: 012-320-7561
	Mr S Malaza	Compliance Monitoring (DEA)	Tel: 012-310-3397	Fax: 012-320-5744

**APPEALS PROCEDURE IN TERMS OF CHAPTER 7 OF THE NEMA EIA REGULATIONS, 2010 (THE REGULATIONS) AS PER GN R. 543 OF 2010 TO BE FOLLOWED BY THE APPLICANT AND INTERESTED AND AFFECTED PARTIES UPON RECEIPT OF NOTIFICATION OF AN ENVIRONMENTAL AUTHORISATION (EA)**

<b>APPLICANT</b>	<b>INTERESTED AND AFFECTED PARTIES (IAPs)</b>
1. Receive EA from the relevant Competent Authority (the Department of Environmental Affairs [DEA]).	1. Receive EA from Applicant/Consultant.
2. Within 12 days of date of the EA notify all IAPs of the EA and draw their attention to their right to appeal against the EA in terms of Chapter 7 of the Regulations.	2. N/A.
3. If you want to appeal against the EA, submit a notice of intention to appeal within 20 days of the date of the EA with the Minister of Water and Environmental Affairs (the Minister).	3. If you want to appeal against the EA, submit a notice of intention to appeal within 20 days of the date of the EA. with the Minister of Water and Environmental Affairs (the Minister).
4. After having submitted your notice of intention to appeal to the Minister, provide each registered IAP with a copy of the notice of intention to appeal within 10 days of lodging the notice.	4. After having submitted your notice of intention to appeal to the Minister, provide the applicant with a copy of the notice of intention to appeal within 10 days of lodging the notice.
5. The Applicant must also serve on each IAP: <ul style="list-style-type: none"> <li>• a notice indicating where and for what period the appeal submission will be available for inspection.</li> </ul>	5. Appellant must also serve on the Applicant within 10 days of lodging the notice, <ul style="list-style-type: none"> <li>• a notice indicating where and for what period the appeal submission will be available for inspection by the applicant.</li> </ul>
6. The appeal must be submitted in writing to the Minister within 30 days after the lapsing of the period of 20 days provided for the lodging of the notice of intention to appeal.	6. The appeal must be submitted to the Minister within 30 days after the lapsing of the period of 20 days provided for the lodging of the notice of intention to appeal.
7. Any IAP who received a notice of intention to appeal may submit a responding statement to that appeal to the Minister within 30 days from the date that the appeal submission was lodged with the Minister.	7. An Applicant who received notice of intention to may submit a responding statement to the appeal to the Minister within 30 days from the date that the appeal submission was lodged with the Minister.

**NOTES:**

1. **An appeal against a decision must be lodged with:-**
  - a) the Minister of Water and Environmental Affairs if the decision was issued by the Director- General of the Department of Environmental Affairs (or another official) acting in his/ her capacity as the delegated Competent Authority;
  - b) the Minister of Justice and Constitutional Development if the applicant is the Department of Water Affairs and the decision was issued by the Director- General of the Department of Environmental Affairs (or another official) acting in his/ her capacity as the delegated Competent Authority;
2. **An appeal lodged with:-**
  - a) the Minister of Water and Environmental Affairs must be submitted to the Department of Environmental Affairs;
  - b) the Minister of Justice and Constitutional Development must be submitted to the Department of Environmental Affairs;
3. **An appeal must be:-**
  - a) submitted in writing;
  - b) accompanied by:
    - a statement setting out the grounds of appeal;
    - supporting documentation which is referred to in the appeal; and
    - a statement that the appellant has complied with regulation 62 (2) or (3) together with copies of the notices referred to in regulation 62.



**environmental affairs**

Department:  
Environmental Affairs  
REPUBLIC OF SOUTH AFRICA

## Environmental Authorisation

In terms of regulation 36 of the Environmental Impact Assessment Regulations, 2010

**CONSTRUCTION OF THE HERTZOGVILLE PHOTOVOLTAIC 2 SOLAR FACILITY AND  
ASSOCIATED INFRASTRUCTURE PHASE 2 (75MW) ON THE REMAINDER OF FARM ALBERT  
986 NEAR HERTZOGVILLE, WITHIN THE TOKOLOGO LOCAL MUNICIPALITY, FREE STATE  
PROVINCE**

Lejweleputswa District Municipality

<b>Authorisation register number:</b>	<i>14/12/16/3/3/2/258/2</i>
<b>NEAS reference number:</b>	<i>DEA/EIA/0000925/2012</i>
<b>Last amended:</b>	<i>First issue</i>
<b>Holder of authorisation:</b>	<i>SUNCORP/SOLAR RESERVE JV</i>
<b>Location of activity:</b>	<i>FREE STATE PROVINCE: Within Remainder of farm Albert 986</i>

This authorisation does not negate the holder of the authorisation's responsibility to comply with any other statutory requirements that may be applicable to the undertaking of the activity.

## Decision

The Department is satisfied, on the basis of information available to it and subject to compliance with the conditions of this environmental authorisation, that the applicant should be authorised to undertake the activities specified below.

Non-compliance with a condition of this authorisation may result in criminal prosecution or other actions provided for in the National Environmental Management Act, 1998 and the EIA regulations.

Details regarding the basis on which the Department reached this decision are set out in Annexure 1.

## Activities authorised

By virtue of the powers conferred on it by the National Environmental Management Act, 1998 (Act 107 of 1998) and the Environmental Impact Assessment Regulations, 2010 the Department hereby authorises –

### **SUNCORP/SOLAR RESERVE JV**

with the following contact details –

Mr. P Warméant

SunCorp/Solar Reserve JV

P.O. Box 837

**CAPE TOWN**

7985

Tel: (021) 789 2175

Fax: (086) 691 8011

Cell: (079) 138 8284

E-mail: pwarmeant@lando.co.za



to undertake the following activities (hereafter referred to as "the activity") indicated in Listing Notices 1 and 2 (GN R. 544 & 545):

Listed activities	Activity/Project description
<p><u>GN R. 544 Item 10:</u>  <i>The construction of facilities or infrastructure for the transmission and distribution of electricity-</i>  <i>(i) outside urban areas or industrial complexes with a capacity of more than 33 but less than 275 kilovolts.</i></p>	<p>The construction of a 132kV overhead power line from the proposed solar facility to the Eskom grid.</p>
<p><u>GN R. 544 Item 11:</u>  <i>The construction of:</i>  <i>(iii) bridges;</i>  <i>(vi) bulk storm water outlet structures;</i>  <i>(x) buildings exceeding 50 square metres in size; or</i>  <i>(xi) infrastructure or structures covering 50 square metres or more where such construction occurs within a watercourse or within 32 metres of a watercourse, measured from the edge of a watercourse, excluding where such construction will occur behind the development setback line.</i></p>	<p>The proposed construction of the PV solar facility may impede on drainage lines.</p>
<p><u>GN R. 544 Item 13:</u>  <i>The construction of facilities or infrastructure for the storage, or for the storage and handling, of a dangerous good, where such storage occurs in containers with a combined capacity of 80 but not exceeding 500 cubic metres.</i></p>	<p>The facility may require the storage of a dangerous good.</p>
<p><u>GN R. 544 Item 18:</u>  <i>The infilling or depositing of any material of more than 5 cubic metres into, or the dredging, excavation, removal or moving of soil, sand, shell grit, pebbles or rock of more than 5 cubic metres from:</i>  <i>(i) a watercourse;</i>  <i>but excluding where such infilling, depositing, dredging, excavation, removal or moving;</i>  <i>(a) is for maintenance purposes undertaken in accordance with a management plan agreed to by the relevant environmental authority; or</i></p>	<p>There is potential removal of soil or other material from a watercourse.</p>

Listed activities	Activity/Project description
<i>(b) occurs behind the development setback line.</i>	
<u>GN R. 545 Item 1:</u> <i>The construction of facilities or infrastructure for the generation of electricity where the electricity output is 20 megawatts or more</i>	The proposed PV solar facility will have a generating capacity of 150MW for both phases.
<u>GN R. 545 Item 15:</u> <i>Physical alteration of undeveloped, vacant or derelict land for residential, retail, commercial, recreational, industrial or institutional use where the total area to be transformed is 20 hectares or more; except where such physical alteration takes place for:</i> <i>(i) linear development activities;</i> <i>(ii) agriculture or afforestation where activity 16 in this Schedule will apply.</i>	The proposed PV facility will occupy an area greater than 20ha for commercial electricity generation to be sold to Eskom.

as described in the Environmental Assessment Report (EIR) dated June 2012 at:

Alternative S1	Latitude (S)	Longitude (E)
	28° 12' 0.95"	25° 34' 59.29"

- for the Hertzogville photovoltaic 2 facility and associated infrastructure phase 2 (75MW) on the remainder of farm Albert 986 near Hertzogville, within the Tokologo Local Municipality of the Lejweleputswa District Municipality in the Free State Province, hereafter referred to as "the property".

The infrastructure associated with this facility includes:

- An array of PV panels (up to 2m in height);
- Mounting structures to be either rammed steel piles or piles with pre-manufactured concrete footings to support the PV panels;
- Internal access roads;
- Cabling between the project components, to be lain underground where practical;
- Upgrade of the Hertzogville 132/22kV Rural sub-station which is located on the farm Albert 986;
- A 132kV power line to connect to the Hertzogville 132/22kV Rural sub-station;

- Fencing;
- Workshop area for maintenance and storage; and
- Office, toilets and water storage tanks.

## Conditions of this Environmental Authorisation

### Scope of authorisation

1. The preferred site alternative (S1) is approved.
2. Authorisation of the activity is subject to the conditions contained in this authorisation, which form part of the environmental authorisation and are binding on the holder of the authorisation.
3. The holder of the authorisation is responsible for ensuring compliance with the conditions contained in this environmental authorisation. This includes any person acting on the holder's behalf, including but not limited to, an agent, servant, contractor, sub-contractor, employee, consultant or person rendering a service to the holder of the authorisation.
4. The activity authorised may only be carried out at the property as described above.
5. Any changes to, or deviations from, the project description set out in this authorisation must be approved, in writing, by the Department before such changes or deviations may be effected. In assessing whether to grant such approval or not, the Department may request such information as it deems necessary to evaluate the significance and impacts of such changes or deviations and it may be necessary for the holder of the authorisation to apply for further authorisation in terms of the regulations.
6. This activity must commence within a period of three (3) years from the date of issue of this authorisation. If commencement of the activity does not occur within that period, the authorisation lapses and a new application for environmental authorisation must be made in order for the activity to be undertaken.
7. Commencement with one activity listed in terms of this authorisation constitutes commencement of all authorised activities.
8. The holder of an environmental authorisation must notify the competent authority of any alienation, transfer and change of ownership rights in the property on which the activity is to take place.
9. This environmental authorisation does not negate the holder of the authorisation's responsibility to comply with any other statutory requirements that may be applicable to the undertaking of the activity.



### **Notification of authorisation and right to appeal**

10. The holder of the authorisation must notify every registered interested and affected party, in writing and within 12 (twelve) calendar days of the date of this environmental authorisation, of the decision to authorise the activity.
11. The notification referred to must –
  - 11.1. specify the date on which the authorisation was issued;
  - 11.2. inform the interested and affected party of the appeal procedure provided for in Chapter 7 of the Environmental Impact Assessment Regulations, 2010;
  - 11.3. advise the interested and affected party that a copy of the authorisation will be furnished on request; and
  - 11.4. give the reasons of the competent authority for the decision.
12. The holder of the authorisation must publish a notice –
  - 12.1. informing interested and affected parties of the decision;
  - 12.2. informing interested and affected parties where the decision can be accessed; and
  - 12.3. drawing the attention of interested and affected parties to the fact that an appeal may be lodged against this decision in the newspaper(s) contemplated and used in terms of regulation 54(2)(c) and (d) and which newspaper was used for the placing of advertisements as part of the public participation process.

### **Management of the activity**

13. The Environmental Management Programme (EMPr) submitted as part of the Application for EA is hereby approved. This EMPr must be implemented and adhered to.
14. The provisions of the approved EMPr including recommendations and mitigation measures in the EIR and specialist studies are an extension of the conditions of this EA. Therefore, non-compliance with them would constitute non-compliance with this EA.

### **Monitoring**

15. The applicant must appoint a suitably experienced independent Environmental Control Officer (ECO) for the construction phase of the development that will have the responsibility to ensure that

the mitigation/rehabilitation measures and recommendations referred to in this authorisation are implemented and to ensure compliance with the provisions of the EMPr.

- 15.1. The ECO shall be appointed before commencement of any authorised activity.
- 15.2. Once appointed, the name and contact details of the ECO must be submitted to the *Director: Compliance Monitoring* of the Department.
- 15.3. The ECO shall keep record of all activities on site, problems identified, transgressions noted and a task schedule of tasks undertaken by the ECO.
- 15.4. The ECO shall remain employed until all rehabilitation measures, as required for implementation due to construction damage, are completed and the site is ready for operation.
- 15.5. Records relating to monitoring and auditing must be kept on site and made available for inspection to any relevant and competent authority in respect of this development.

#### **Recording and reporting to the Department**

16. All documentation e.g. audit/monitoring/compliance reports and notifications, required to be submitted to the Department in terms of this authorisation, must be submitted to the *Director: Compliance Monitoring* at the Department.
17. The holder of the authorisation must submit an environmental audit report to the Department within 30 days of completion of the construction phase (i.e. within 30 days of site handover) and within 30 days of completion of rehabilitation activities.
18. The environmental audit report must indicate the date of the audit, the name of the auditor and the outcome of the audit in terms of compliance with the environmental authorisation conditions as well as the requirements of the EMPr.
19. Records relating to monitoring and auditing must be kept on site and made available for inspection to any relevant and competent authority in respect of this development.

#### **Commencement of the activity**

20. The authorised activity shall not commence within twenty (20) days of the date of signature of the authorisation.
21. An appeal under section 43 of the National Environmental Management Act (NEMA), Act 107 of 1998 (as amended), does not suspend an environmental authorisation or exemption, or any provisions or conditions attached thereto, or any directive, unless the Minister, MEC or delegated organ of state directs otherwise.

22. Should you be notified by the Minister of a suspension of the authorisation pending appeal procedures, you may not commence with the activity until such time that the Minister allows you to commence with such an activity in writing.

#### **Notification to authorities**

23. Fourteen (14) days written notice must be given to the Department that the activity will commence. Commencement for the purposes of this condition includes site preparation. The notice must include a date on which it is anticipated that the activity will commence, as well as a reference number. This notification period may coincide with the notice of intent to appeal period.

#### **Operation of the activity**

24. Fourteen (14) days written notice must be given to the Department that the activity operational phase will commence.

#### **Site closure and decommissioning**

25. Should the activity ever cease or become redundant, the applicant shall undertake the required actions as prescribed by legislation at the time and comply with all relevant legal requirements administered by any relevant and competent authority at that time.

#### **Specific conditions**

##### Vegetation, wetlands and water resources

26. All PV arrays must be located at least 100m from the edge of any highly sensitive areas.
27. No exotic plants may be used for rehabilitation purposes; only indigenous plants of the area may be utilised.
28. Cleared alien vegetation must not be dumped on adjacent intact vegetation during clearing but should be temporarily stored in a demarcated area.
29. Removal of alien invasive species or other vegetation and follow-up procedures must be in accordance with the Conservation of Agricultural Resources Act, 1983 (Act 43 of 1983).
30. The applicant must obtain a Water Use Licence from the Department of Water Affairs (DWA) prior to the commencement of the project should the applicant impact on any water resource. A copy of

the license must be submitted to the Director: Integrated Environmental Authorisations at the Department.

#### Roads and transportation

31. Existing road infrastructure must be used as far as possible for providing access to the proposed PV arrays positions. Where no road infrastructure exists, new roads should be placed within existing disturbed areas or environmental conditions must be taken into account to ensure the minimum amount of damage is caused to natural habitats.
32. A transportation plan must be developed, particularly for the transport of PV components, main assembly cranes and other large pieces of equipment. A permit must be obtained from the relevant transport department for the transportation of all components (abnormal loads) to the sites.
33. A traffic management plan must be prepared for the site access roads to ensure that no hazards would result from the increased truck traffic and that traffic flow would not be adversely impacted.
34. Signs must be placed along construction roads to identify speed limits, travel restrictions, and other standard traffic control information. To minimize impacts on local commuter, consideration should be given to limiting construction vehicles travelling on public roadways during the morning and late afternoon commute time.
35. Roads must be designed so that changes to surface water runoff are avoided and erosion is not initiated.
36. Construction vehicles carrying materials to the site should avoid using roads through densely populated built-up areas so as not to disturb existing retail and commercial operations.

#### Noise

37. The applicant must ensure that the National Noise Control Regulations and SANS10103:2008 are adhered to and reasonable measures to limit noise from the work site are implemented.
38. The applicant must ensure that the construction staff working in areas where the 8-hour ambient noise levels exceed 75dBA must wear ear protection equipment.
39. The applicant must ensure that all equipment and machinery are well maintained and equipped with silencers.

#### Visual resources and other infrastructures

40. A lighting engineer must be consulted to assist in the planning and placement of light fixtures in order to reduce visual impacts associated with glare and light trespass.

#### Human health and safety

41. A health and safety programme must be developed to protect both workers and the general public during construction, operation and decommissioning of the energy facility. The programme must establish a safety zone for PV components from residences and occupied buildings, roads, right-of-ways and other public access areas that is sufficient to prevent accidents resulting from the operation of the PV components.

#### Hazardous materials and waste management

42. An effective monitoring system must be put in place during the construction phase of the development to detect any leakage or spillage of all hazardous substances during their transportation, handling, use and storage. The applicant must ensure that precautionary measures are in place to limit the possibility of oil and other toxic liquids from entering the soil or storm water system.

#### Excavation and blasting activities

43. Underground cables and internal access roads must be aligned as much as possible along existing infrastructure to limit damage to vegetation and watercourses.
44. Foundations and trenches must be backfilled with originally excavated materials as much as possible. Excess excavation materials must be disposed of only in approved areas or, if suitable, stockpiled for use in reclamation activities.
45. Borrow materials must be obtained only from authorized and permitted sites.
46. Anti-erosion measures such as silt fences must be installed in disturbed areas.

#### Historical / cultural / paleontological resources

47. The discovery of previously undetected subterranean heritage remains on the terrain must be reported to the South African Heritage Resources Agency or the archaeologist.

#### **General**

48. A copy of this authorisation and the approved EMPr must be kept at the property where the activity will be undertaken. The authorisation and approved EMPr must be produced to any authorised official of the Department who requests to see it and must be made available for inspection by any employee or agent of the holder of the authorisation who works or undertakes work at the property.



49. The holder of the authorisation must notify both the *Director: Integrated Environmental Authorisations* and the *Director: Compliance Monitoring* at the Department, in writing and within 48 (forty eight) hours, if any condition of this authorisation cannot be or is not adhered to. Any notification in terms of this condition must be accompanied by reasons for the non-compliance.
50. National government, provincial government, local authorities or committees appointed in terms of the conditions of this authorisation or any other public authority shall not be held responsible for any damages or losses suffered by the applicant or his successor in title in any instance where construction or operation subsequent to construction be temporarily or permanently stopped for reasons of non-compliance by the applicant with the conditions of authorisation as set out in this document or any other subsequent document emanating from these conditions of authorisation.

Date of environmental authorisation: 28/09/2012



Mr Mark Gordon

Chief Director: Integrated Environmental Authorisations  
Department of Environmental Affairs

## Annexure 1: Reasons for Decision

### 1. Information considered in making the decision

In reaching its decision, the Department took, *inter alia*, the following into consideration -

- a) The information contained in the EIR dated June 2012;
- b) The comments received from the Department of Water Affairs, SANRAL, the Department of Police, Roads & Transport (Free State), Tokologo Local Municipality, and interested and affected parties as included in the EIR dated June 2012;
- c) Mitigation measures as proposed in the EIR dated June 2012 and the EMPr;
- d) The information contained in the specialist studies contained within Appendices E-I of the EIR;
- e) Findings of the site visit conducted on 06 August 2012; and
- f) The objectives and requirements of relevant legislation, policies and guidelines, including section 2 of the National Environmental Management Act, 1998 (Act 107 of 1998).

### 2. Key factors considered in making the decision

All information presented to the Department was taken into account in the Department's consideration of the application. A summary of the issues which, in the Department's view, were of the most significance is set out below.

- a) Details provided of the qualifications of the Environmental Assessment Practitioner (EAP).
- b) The findings of all the specialist studies conducted and their recommended mitigation measures.
- c) The need and desirability of the proposed development.
- d) Description of the environment that may be affected by the activity and the manner in which the physical, biological, social, economic and cultural aspects of the environment may be affected by the proposed activity.
- e) Relevant legislation, guidelines and policies considered in the undertaking of the Environmental Impact Assessment process.
- f) Identification of impacts and the methodology used in assessing those impacts.
- g) The public participation process undertaken.

### 3. Findings

After consideration of the information and factors listed above, the Department made the following findings -

- a) The need and desirability for the proposed development was clearly defined.
- b) The EIR dated June 2012 adequately describes the environment that may be affected by the activity and the manner in which the physical, biological, social and cultural aspects of the environment may be affected by the proposed activity.
- c) The identification and assessment of impacts are detailed in the EIR dated June 2012 and sufficient assessment of the key identified issues and impacts have been completed.
- d) Relevant specialist studies were conducted. The studies have assessed the specific impacts and recommended adequate mitigation measures.
- e) The procedure followed for impact assessment is adequate for the decision-making process.
- f) The proposed mitigation of impacts identified and assessed adequately curtails the identified impacts.
- g) Public participation was undertaken and the applicant has satisfied the minimum requirements as prescribed in the EIA Regulations, 2010 for public involvement.
- h) EMPr measures for the pre-construction, construction and rehabilitation phases of the development were proposed and included in the EIR and will be implemented to manage the identified environmental impacts during the construction process.
- i) Findings of the site visit conducted by the Department indicate no significant environmental features on site.

In view of the above, the Department is satisfied that, subject to compliance with the conditions contained in the environmental authorisation, the proposed activity will not conflict with the general objectives of integrated environmental management laid down in Chapter 5 of the National Environmental Management Act, 1998 and that any potentially detrimental environmental impacts resulting from the proposed activity can be mitigated to acceptable levels. The application is accordingly granted.