

**Environmental Impact Assessment for the  
proposed Ubuntu Wind Energy Project near  
Jeffrey's Bay, Eastern Cape:  
Final Environmental Impact Assessment Report**

# **Chapter 15: References**



# Contents

---

## CHAPTER 15. REFERENCES

15-2

## CHAPTER 15. REFERENCES

- Adamson, R.S. 1934. Fossil plants from Fort Grey near East London. *Annals of the South African Museum* 31, 67-96.
- Alexander, G. & Marais, J. 2007. *A Guide to the Reptiles of Southern Africa*, Struik Publishers. Cape Town, 408 pp.
- Almond, J.E. 1998a. Trace fossils from the Cape Supergroup (Early Ordovician – Early Carboniferous) of South Africa. *Journal of African Earth Sciences* 27 (1A): 4-5.
- Almond, J.E. 1998b. Early Palaeozoic trace fossils from southern Africa. *Tercera Reunión Argentina de Icnología, Mar del Plata, 1998, Abstracts* p. 4.
- Almond, J.E. 2010. Palaeontological heritage impact assessment of the Coega IDZ, Eastern Cape Province, 112 pp. *Natura Viva* cc, Cape Town.
- Almond, J.E. 2008. Palaeozoic fossil record of the Clanwilliam Sheet area (1: 250 000 geological sheet 3218), 42 pp. Report produced for the Council for Geoscience, Pretoria.
- Almond, J.E., de Klerk, W.J. & Gess, R. 2008. Palaeontological heritage of the Eastern Cape. Draft report for SAHRA, 20 pp. *Natura Viva* cc, Cape Town.
- Altamont Pass Avian Monitoring Team. 2008. Bird Fatality Study at Altamont Pass Wind Resource Area October 2005 – September 2007. Draft Report prepared for the Alameda County Scientific Review Committee.
- Anderson, J.M. & Anderson, H.M. 1985. Palaeoflora of southern Africa. *Prodromus of South African megaflores, Devonian to Lower Cretaceous*, 423 pp, 226 pls. Botanical Research Institute, Pretoria & Balkema, Rotterdam.
- Anon. (a) 2003. Wind Energy – The Facts. Volume 4: Environment. The European Wind Energy Association (EWEA), and the European Commission's Directorate General for Transport and Energy (DG TREN). pp182-184. ([www.ewea.org/documents/](http://www.ewea.org/documents/)).
- Anon. (b) 2000. National Wind Co-ordinating Committee – Avian Collisions with Turbines: A summary of existing studies and comparisons to other sources of avian collision mortality in the United States. [www.awea.org](http://www.awea.org).
- Arnett, E.B., Brown, K., Erickson, W.P., Fiedler, J., Henry, T.H., Johnson, G.D., Kerns, J., Kolford, R.R., Nicholson, C.P., O'Connell, T., Piorkowski, M., Tankersly, J.R., 2008. Patterns of fatality of bats at wind energy facilities in North America. *Journal of Wildlife Management* 72:61 - 78
- Australia Environmental Protection Agency - Wind farms - environmental noise guidelines. July 2009.
- Avian Powerline Interaction Committee (APLIC). 1994. Mitigating bird collisions with power lines: the state of the art in 1994. Edison Electric Institute. Washington DC.
- Baerwald, E.F., D'Amours, G.H., Klug, B.J., Barclay R.M.R., 2008. Barotrauma is a significant cause of bat fatalities at wind turbines. *Current Biology* 18(16) R696
- Baerwald, E.F., Edworthy, J., Holder, M., Barclay, R.M.R., 2009. A large-scale mitigation experiment to reduce bat fatalities at wind energy farms. *Journal of Wildlife Management* 73: 1077-1081
- Barclay, R.M.R., Baerwald, E.F., Gruver, J.C, 2007. Variation in bat and bird fatalities at wind energy facilities: assessing the effects of rotor size and tower height. *Canadian Journal of Zoology* 85:381-387

Chapter 15 : References

- Barnes, K.N. (ed.) 2000. The Eskom Red Data Book of Birds of South Africa, Lesotho and Swaziland. *BirdLife South Africa*, Johannesburg.
- Barrios, L. & Rodriguez, A. 2004. Behavioural and environmental correlates of soaring-bird mortality at on-shore wind turbines. *J. Appl. Ecol.* 41: 72–81.
- Bell Acoustic Consulting. Low frequency noise and infrasound from Wind turbine generators: A literature review. George Bellhouse. June 2004.
- Binneman, J.N.F. 1985. Research along the south eastern Cape coast. In: Hall, S.L. & Binneman, J.N.F. Guide to archaeological sites in the eastern and north eastern Cape. pp. 117-134. Grahamstown: Albany Museum.
- Binneman, J.N.F. 1996. The symbolic construction of communities during the Holocene Later Stone Age in the south-eastern Cape. Unpublished D.Phil. thesis: University of the Witwatersrand.
- Binneman, J.N.F. 2001. An introduction to a Later Stone Age coastal research project along the south-eastern Cape coast. *Southern African Field Archaeology* 10:75-87.
- Binneman, J.N.F. 2005. Archaeological research along the south-eastern Cape coast part1: open-air shell middens. *Southern African Field Archaeology* 13 & 14:49-77.
- Binneman, J.N.F. 2007. Archaeological research along the south-eastern Cape coast part2, caves and shelters: Kabeljous River Shelter 1 and associated stone tool industries. *Southern African Field Archaeology* 15 & 16:57-74.
- Boucot, A.J., Caster, K.E., Ives, D. & Talent, J.A. 1963. Relationships of a new Lower Devonian terebratuloid (Brachiopoda) from Antarctica. *Bulletin of American Paleontology* 46, No. 207: 81-123, pls. 16-41.
- Bourquin, O. 1987. The recent geographical range extension of *Hemidactylus mabouia mabouia*. *Lammergeyer* 38: 12-14.
- Boyles, J.G., Cryan, P.M., McCracken, G.F., Kunz, T.H.: Economic Importance of Bats in Agriculture; AAAS; *SCIENCE* VOL 332, <http://www.sciencemag.org/> downloaded on April 1, 2011.
- Branch, W.R. 1988a. Terrestrial reptiles and amphibians. In: A Field Guide to the Eastern Cape Coast, R. A. Lubke, F. W. Gess and M. N. Bruton (eds.), Grahamstown Centre for the Wildlife Soc. S. Afr., 251-264.
- Branch, W.R. (ED.) 1988b. South African Red Data Book - Reptiles and Amphibians. S. Afr. Nat. Sci. Prog. Rpt 151: i-iv, 242pp.
- Branch, W.R. 1998. Field Guide to the Snakes and other Reptiles of Southern Africa. Rev. ed. Struik Publ., Cape Town, 399pp.
- Branch, W.R. 2002. The Conservation Status of South Africa's Threatened Reptiles. pp 89-103. In: "The State of South Africa's Species" Proceedings of a conference held at the Rosebank Hotel in Johannesburg 4 - 7 September 2001, Endangered Wildlife Trust and WWF-SA.
- Broquet, C.A.M. 1992. The sedimentary record of the Cape Supergroup: a review. In: De Wit, M.J. & Ransome, I.G. (Eds.) Inversion tectonics of the Cape Fold Belt, Karoo and Cretaceous Basins of Southern Africa, pp. 159-183. Balkema, Rotterdam.
- Carette, M., Zapata-Sanchez, J.A., Benitez, R.J., Lobon, M. & Donazar, J.A. (In press) Large scale risk-assessment of wind farms on population viability of a globally endangered long-lived raptor. *Biol. Cons.* (2009), doi: 10.1016/j.biocon.2009.07.027.
- Centre for Sustainable Energy, 2002. Martin's Hill Wind Farm Tourism Survey. *Centre for Sustainable Energy*. Available at: <http://www.cse.org.uk/projects/view/1019> [Accessed May

Chapter 15 : References

- 10, 2010].
- Chittenden, Nicks, de Villiers Africa (CNdV). 2005. Provincial Spatial Development Framework (draft). Provincial Administration: Western Cape, Cape Town.
- Chittenden, Nicks, de Villiers Africa (CNdV). 2006. Strategic Initiative to Introduce Commercial Land Based Wind Energy Development to the Western Cape: Towards a Methodology for Wind Energy Site Selection. Report prepared for DEA&DP, Provincial Government of the Western Cape.
- Coastal & Environmental Services, 2010. *Proposed Lushington Park Wind Energy Facility, Kidd's Beach, Eastern Cape Province of South Africa*, East London, South Africa: CES. Available at:  
<http://www.cesnet.co.za/downloads/Reports/Lushington%20Park/Lushington%20Park%20D%20SR.pdf> [Accessed April 10, 2011].
- Cooper, M.R. 1986. Facies shifts, sea-level changes and event stratigraphy in the Devonian of South Africa. *South African Journal of Science* 82: 255-258.
- Council on Environmental Quality (CEQ). 1997. Considering Cumulative Effects under the National Environmental Policy Act. Council on Environmental Quality. Executive Office of the President, Washington, D.C.
- Cowling, R.M.; Pressey, R.L.; Lombard, A.T.; Heijnis, C.E.; Richardson, D.M. and Cole, N. 1999. *Framework for a conservation plan for the Cape Floristic Region*. IPC Report 9902. Institute for Plant Conservation, University of Cape Town.
- Cowling, R.M, and Heijnis, C.E. 2001. *Broad Habitat Units as biodiversity entities for conservation planning in the Cape Floristic Region*. *S. Afr. J. Bot.* 67: 15-38.
- Cowling R.M., Lombard A.T., Rouget M., Kerley G.I.H., Wolf T., Sims-Castley R., Knight A., Vlok J.H.J., Pierce S.M., Boshoff A.F., Wilson, S.L. 2003. *A Conservation Assessment for the Subtropical Thicket Biome*. *TERU Report 43*. University of Port Elizabeth.
- CSIR (2010): Environmental Impact Assessment for the Jeffrey's Bay Wind Project: Draft Environmental Impact Assessment. Report Number: CSIR Report No. STEL GEN 8085.
- CSIR (2010): Environmental Impact Assessment for the Jeffrey's Bay Wind Project: Draft Scoping Report. Report Number: GWDMS STEL GEN 7630.
- CSIR, 2011. *Environmental Impact Assessment for the proposed Ubuntu Wind Energy Project near Jeffrey's Bay*, Eastern Cape, Final Scoping Report, Jeffrey's Bay, South Africa: CSIR.
- De Beer, C.H. 2002. The stratigraphy, lithology and structure of the Table Mountain Group. In: Pietersen, K. & Parsons, R. (Eds.) A synthesis of the hydrogeology of the Table Mountain Group – formation of a research strategy. *Water Research Commission Report No. TT 158/01*, pp. 9-18.
- De Beer, C.H., Gresse, P.G., Theron, J.N. & Almond, J.E. 2002. The geology of the Calvinia area. Explanation to 1: 250 000 geology Sheet 3118 Calvinia. 92 pp. Council for Geoscience, Pretoria.
- De Lucas, M., Janss, G.F.E., Whitfield, D.P. & Ferrer, M. 2008. Collision fatality of raptors in wind farms does not depend on raptor abundance. *Journal of Applied Ecology* 45, 1695 – 1703.
- De Villiers CC, Driver A, Clark B, Euston-Brown DIW, Day EG, Job N, Helme NA, Holmes PM, Brownlie S and Rebelo AB. 2005. *Fynbos Forum: Ecosystem Guidelines for Environmental Assessment in the Western Cape*. Fynbos Forum and Botanical Society of South Africa, Kirstenbosch.
- DEFRA – United Kingdom A Review of Published Research on Low Frequency Noise and its Effects. Geoff Leventhall. 2003



Chapter 15 : References

- Degraw, S., 2009. Giant Wind Turbine. *World's Toughest Fixes*. Available at: <http://channel.nationalgeographic.com/series/worlds-toughest-fixes/4218/Overview> [Accessed February 1, 2010].
- Dennis Moss Partnership. 2003. Eden District Municipality Spatial Development Framework. Eden District Municipality, George.
- Department of Minerals and Energy (DME). 2003. White Paper on Renewable Energy. DME, Pretoria
- Die Burger. 27 September 2005.
- Dingle, R.V., Siesser, W.G. & Newton, A.R. 1983. Mesozoic and Tertiary geology of southern Africa. viii + 375 pp. Balkema, Rotterdam.
- doi:[http://www.esajournals.org/doi/abs/10.1890/1540-9295\(2007\)5%5B315:EIOWED%5D2.0.CO;2](http://www.esajournals.org/doi/abs/10.1890/1540-9295(2007)5%5B315:EIOWED%5D2.0.CO;2)
- Drewitt, A.L. & Langston, R.H.W. 2006. Assessing the impacts of wind farms on birds. *Ibis* 148, 29-42.
- DTI – United Kingdom The measurement of low frequency noise at 3 UK Wind Farms. Hayes Mackenzie. 2006
- Du Plooy, P. 2009. Quoted in Get smart: G8 should promote energy efficiency – WWF. Available at <http://www.panda.org.za/article.php?id=530> (visited on 22 February 2010).
- Du Toit, A. 1954. The geology of South Africa. xii + 611pp, 41 pls. Oliver & Boyd, Edinburgh.
- EDR, 2009. *Shadow flicker modeling report for the Steuben Wind Project, Towns of Hartsville and Hornellsville, Steuben County, New York*, Steuben County, New York: Environmental Design and Research, Landscape Architecture, Planning, Environmental Services, Engineering and Surveying, P. C. (EDR). Available at: [http://www.eon.com/en/downloads/Appendix\\_M\\_Shadow\\_Flicker\\_Modeling\\_Report.pdf](http://www.eon.com/en/downloads/Appendix_M_Shadow_Flicker_Modeling_Report.pdf) [Accessed October 17, 2009].
- Engelbrecht, L.N.J., Coertze, F.J. & Snyman, A.A. 1962. Die geologie van die gebied tussen Port Elizabeth en Alexandria, Kaapprovinsie. Explanation to geology sheet 3325 D Port Elizabeth, 3326 C Alexandria and 3425 B, 54pp., 8 pls. Geological Survey of South Africa / Council for Geosciences, Pretoria.
- Environomics. 2011. Strategic environmental framework for the optimal location of wind farms in the coastal provinces of South Africa (phase 1 for refit 1). Report to the DEA, Pretoria.
- Everaert, J., Devos, K. & Kuijken, E. 2001. Windtrubines en vogels in Vlaanderen: Voorlopige Onderzoeksresultaten En Buitenlandse Bevindingen [Wind Turbines and Birds in Flanders (Belgium): Preliminary Study Results in a European Context]. Instituut Voor Natuurbehoud. Report R.2002.03. Brussels B.76pp. Brussels, Belgium: Institut voor Natuurbehoud.
- EWEA eds., 2009. *Wind Energy - The Facts: A guide to the technology, economics and future of wind power*, Earthscan. Available at: <http://www.wind-energy-the-facts.org/>.
- filmsfromyes2wind, 2010. Delivery and assembly of a wind turbine, Available at: [http://www.youtube.com/watch?v=r0DZUDQyw\\_0&feature=youtube\\_gdata\\_player](http://www.youtube.com/watch?v=r0DZUDQyw_0&feature=youtube_gdata_player) [Accessed September 26, 2010].
- Fox, A.D., Desholm, M., Kahlert, J., Christensen, T.K. & Krag Petersen, I.B. 2006. Information needs to support environmental impact assessments of the effects of European marine offshore wind farms on birds. In *Wind, Fire and Water: Renewable Energy and Birds*. *Ibis* 148 (Suppl. 1): 129–144
- Frantál, B. & Kunc, J., 2010. Wind turbines in tourism landscapes: Czech Experience. *Annals of Tourism Research*, In Press, Corrected Proof. Available at: <http://www.sciencedirect.com/science/article/B6V7Y-51JN6GC->

Chapter 15 : References

- 1/2/f855eb8bb282d4636abac6d4a03d7ddf [Accessed November 29, 2010].
- Friedmann, Y., Daly, B., (Eds) 2004. *Red data book of the mammals of South Africa: a conservation assessment*. CBSG Southern Africa, Conservation Breeding Specialist Group (SSC/IUCN), Endangered Wildlife Trust, South Africa. Pp 722.
- Frost, D. 1985. *Amphibian species of the World*. Association of Systematic Collections, Kansas.
- Gipe, P., 1995. Design as if People Matter: Aesthetic Guidelines for the Wind Industry. *Design as if People Matter: Aesthetic Guidelines for the Wind Industry*. Available at: <http://www.wind-works.org/articles/design.html> [Accessed September 22, 2008].
- Glasgow Caledonian University (GCU). 2008. The economic impacts of wind farms on Scottish tourism. A report for the Scottish Government. GCU, Glasgow.
- GLVIA, 2002. *Guidelines for Landscape and Visual Impact Assessment* 2nd ed., United Kingdom: Spon Press.
- Goedhart, M.L. & Hattingh, J. 1997. The geology of the Coega river mouth and proposed adjacent industrial development zone, Eastern Cape. Report No. 1997-0008, 1-6 pp including appendices, maps. Council for Geoscience, Pretoria.
- Gold Coast Desalination Alliance (GCDA) – 2006 Environmental Impact Assessment Queensland Desalination Plant (Chapter 11).
- Golding, J. 2002. Workshop Proceedings: *Revision of the national list of protected trees as per section 12, National Forests Act of 1998*. Roodeplaat. Pretoria.
- Graham, J.B., Stephenson, J.R. & Smith, I.J., 2009. Public perceptions of wind energy developments: Case studies from New Zealand. *Energy Policy*, 37(9), pp.3348-3357. Available at: [Accessed November 13, 2009].
- Gresse, P.G. & Theron, J.N. 1992. The geology of the Worcester area. Explanation of geological Sheet 3319. 79 pp, tables. Council for Geoscience, Pretoria.
- Groenewald, Y. 2010. Answer is Blowing in the Wind. Article in the Mail & Guardian Newspaper, 15 February 2010.
- Harrison, J.A., Drewitt, D.G., Underhill, L.G., Herremans, M., Tree, A.J., Parker, V & Brown, C.J. (eds). 1997. The atlas of southern African birds. Vol. 1&2. BirdLife South Africa, Johannesburg.
- Haughton, S.H. & Rogers, A.W. 1924. The volcanic rocks south of Zuurberg. *Transactions of the Royal Society of South Africa* 11, 235-249.
- Haughton, S.H. 1928. The geology of the country between Grahamstown and Port Elizabeth. An explanation of Cape Sheet No. 9 (Port Elizabeth), 45 pp. Geological Survey / Council for Geoscience, Pretoria.
- Haughton, S.H. 1935. The geology of portion of the country east of Steytlerville, Cape Province. An explanation of Sheet No. 150 (Sundays River), 35 pp. Geological Survey / Council for Geoscience, Pretoria.
- Haughton, S.H., Frommurze, H.F. & Visser, D.J.L. 1937. The geology of portion of the coastal belt near the Gamtoos Valley, Cape Province. An explanation of Sheets Nos. 151 North and 151 South (Gamtoos River), 55 pp. Geological Survey / Council for Geoscience, Pretoria.
- Hill, R.S. 1991. Lithostratigraphy of the Baviaanskloof Formation (Table Mountain Group), including the Kareedouw Sandstone Member. South African Committee for Stratigraphy, Lithostratigraphic Series No 12, 6 pp. Council for Geoscience, Pretoria.
- Hiller, N. 1992. The Ordovician System in South Africa: a review. In Webby, B.D. & Laurie, J.R. (Eds.) *Global perspectives on Ordovician geology*, pp 473-485. Balkema, Rotterdam.

Chapter 15 : References

- Hiller, N. & Theron, J.N. 1988. Benthic communities in the South African Devonian. In: McMillan, N.J., Embry, A.F., & Glass, D.J. (Eds.) Devonian of the World, Volume III: Paleontology, Paleocology and Biostratigraphy. Canadian Society of Petroleum Geologists, Memoir No. 14, pp 229-242.
- Hockey P.A.R., Dean W.R.J., and Ryan P.G. 2005. Robert's Birds of Southern Africa, seventh edition. Trustees of the John Voelcker Bird Book Fund, Cape Town.
- Hoeg, O.A. 1930. A psilophyte in South Africa. Det Kongelige Norske Videnskabers Selskab Forhandlinger Band III (24), 92-94.
- Hoehn, B., Wisner, R., Cappers, P., Thayer, M. & Sethi, G. 2009. The Impact of Wind Power Projects on Residential Property Values in the United States: A Multi-Site Hedonic Analysis. Report Nr. LBNL-2829E prepared for the Office of Energy Efficiency and Renewable Energy, U.S. Department of Energy. Prepared by Berkeley National Laboratory, Environmental Energy Technologies Division, Berkeley, California.
- Holland, H. 2011. Visual Impact Assessment: Ubuntu Wind Energy Project. Report to the CSIR, Stellenbosch.
- Horn, J. W., Arnett, E.B., Kunz, T.H. 2008. Behavioural responses of bats to operating wind turbines. *Journal of Wildlife Management* 72:123 -132
- Horner, MacLennan and Envision, 2006. *Visual representation of windfarms, good practice guidance*, Scotland: Scottish Natural Heritage.
- Howell, J.A. & DiDonato, J.E. 1991. Assessment of avian use and mortality related to wind turbine operations: Altamont Pass, Alameda and Contra Costa Counties, California, September 1988 Through August 1989. Final report prepared for Kenentech Windpower.
- Hunt, W.G. 2001. Continuing studies of golden eagles at Altamont Pass. Proceedings of the National Avian-Wind Power Planning Meeting IV.
- Hunt, W.G., Jackman, R.E., Hunt, T.L., Driscoll, D.E. & Culp, L. 1999. A Population Study of Golden Eagles in the Altamont Pass Wind Resource Area: Population Trend Analysis 1994–97. Report to National Renewable Energy Laboratory, Subcontract XAT-6-16459–01. Santa Cruz: University of California.
- Huntley, B. Green, R.E Collingham, YC and Willis SG. 2007. *A climatic atlas of European Breeding Birds*. Lynx Edicions, Barcelona.
- Huso, M.P. and Hayes, J.P. 2010: Effectiveness of Changing Wind Turbine Cut-in Speed to reduce Bat fatalities at Wind Facilities, Final Report, Bats and Wind Energy cooperative and the Pennsylvania Game Commission.
- Illenberger, W.K. & Burkinshaw, J.R., 2008. Coastal dunes and dunefields. In *Geomorphology of the Eastern Cape: South Africa*. Grahamstown, South Africa: NISC South Africa, pp. 85-106.
- Infrasound Toxicological Summary November 2001- Infrasound -Brief Review of Toxicological Literature
- International Finance Corporation – 2007 General EHS Guidelines: Environmental Noise.
- ISO 9613-2 - Acoustics – Attenuation of sound during propagation outdoors. Part 2 – General method of calculation.
- Jenkins A R; Van Rooyen C S; Smallie J J; Anderson M D & Smit H A. 2011. Best practice guidelines for avian monitoring and impact mitigation at proposed wind energy development sites in southern Africa. Endangered Wildlife Trust and Birdlife South Africa.
- Jobert, A., Laborgne, P. & Mimler, S., 2007. Local acceptance of wind energy: Factors of success identified in French and German case studies. *Energy Policy*, 35(5), pp.2751-2760. Available at: [Accessed May 10, 2010].



Chapter 15 : References

- Johnson, M.R. 1976. Stratigraphy and sedimentology of the Cape and Karoo sequences in the Eastern Cape Province. Unpublished PhD thesis, Rhodes University, Grahamstown, xiv + 335 pp, 1pl.
- Johnson, M.R. *et al.*, 2006. Sedimentary rocks of the Karoo Supergroup. In *The Geology of South Africa*. Geological Society of South Africa, Johannesburg/Council of Geoscience, Pretoria, pp. 461-499.
- Johnson, M.R., Theron, J.N. & Rust, I.C. 1999. Table Mountain Group. South African Committee for Stratigraphy, Catalogue of South African Lithostratigraphic Units 6: 43-45. Council for Geoscience, Pretoria.
- Johnston, A., 2001. Wind Energy Projects in SA. *Environment South Australia*. Available at: <http://www.ccsa.asn.au/esa/wind.htm> [Accessed September 4, 2008].
- Kemp, A.C. 1995. Aspects of the breeding biology and behaviour of the Secretarybird *Sagittarius serpentarius* near Pretoria, South Africa. *Ostrich* 66: 61-68.
- Kemper, N. P. 2001. *Riparian Vegetation Index*. Water Research Commission.
- Klein, H. 2002. *Legislation regarding harmful plants in South Africa*. PPRI Leaflet Series: Weeds Biocontrol , 12, 1-4.
- Kleynhans, C. 2000. *Desktop estimates of the ecological importance and sensitivity categories (EISC), default ecological management classes (DEMC), present ecological status categories (PESC), present attainable EMC (present AEMC), and best AEMC for quat. Catchments in SA*. Institute for Water Quality Studies.
- Kleynhans CJ, Mackenzie J, Louw MD. 2007. *Module F: Riparian Vegetation Response Assessment Index in River EcoClassification: Manual for EcoStatus Determination (version 2)*. Joint Water Research Commission and Department of Water Affairs and Forestry report. WRC Report.
- Kouga Local Municipality (KLM). 2007. Integrated Development Plan: 2007 - 2012. Kouga Local Municipality, Jeffrey's Bay.
- Kouga Local Municipality (KLM). 2010. Integrated Development Plan Review 2010/2011. Kouga Local Municipality, Jeffrey's Bay.
- Kruckenbergh, H. & Jaene, J. 1999. Zum Einfluss eines Windparks auf die Verteilung weidender Bläßgänse im Rheiderland (Landkreis Leer, Niedersachsen). *Natur Landsch.* 74: 420-427.
- Kunz, H.T., and M.B. Fenton, 2005; *Bat Ecology*, University of Chicago Press, USA
- Kunz, T.H., Arnett, E.B., Ecrickson, W.P., Hoar, A.R., Johnson, G.D., Larkin, R.P., Strickland, D.S., Thresher, R.W., Tuttle, M.D., 2007: Ecological impacts of wind energy development on bats: questions, research needs, and hypotheses. *Frontiers in Ecology and the Environment* 5: 315-324.
- Laidler, P.W. 1947. The evolution of Middle Palaeolithic technique at Geelhoutboom, near Kareedouw, in the southern Cape. *Transactions of the Royal Society of South Africa*.
- Langston, R.H.W. & Pullan, J.D. 2003. Wind farms and birds: an analysis of the effects of wind farms on birds, and guidance on environmental assessment criteria and site selection issues. Report written by Birdlife International on behalf of the Bern Convention. Council Europe Report T-PVS/Inf
- Larsen, J.K. & Madsen, J. 2000. Effects of wind turbines and other physical elements on field utilization by pink-footed geese (*Anser brachyrhynchus*): A landscape perspective. *Landscape Ecol.* 15: 755-764.
- Le Roux, F.G. 1987. Note on fluvial deposits overlying the Tertiary Alexandria Formation in the Algoa Basin. *Annals of the Geological Survey of South Africa* 21, 77-81.

Chapter 15 : References

- Le Roux, F.G. 1989. Lithostratigraphy of the Bluewater Bay Formation. Lithostratigraphic Series, South African Committee for Stratigraphy, 10, 9 pp. Council for Geoscience, Pretoria.
- Le Roux, F.G. 2000. The geology of the Port Elizabeth – Uitenhage area. Explanation of 1: 50 000 geology Sheets 3325 DC and DD, 3425 BA Port Elizabeth, 3325 CD and 3425 AB Uitenhage, 3325 CB Uitenhage Noord and 3325 DA Addo, 55pp. Council for Geoscience, Pretoria.
- Lombard, A., Wolf, T., & Cole, N. 2003. *GIS coverages and spatial analysis for the Subtropical Ecosystem Planning (STEP) project*. Port Elizabeth: University of Port Elizabeth.
- Lothian, A., 2008. Scenic perceptions of the visual effects of wind farms on South Australian landscapes. *Geographical Research*, 46(2), p.196–207.
- Low, A.B. and Rebelo, A.G. 1996. *Vegetation of South Africa, Lesotho and Swaziland*. Department of Environmental Affairs and Tourism, Pretoria.
- Lubke, R.A., Gess, F.W. & Bruton, M.N. 1988. *A field guide to the Eastern Cape Coast*. Grahamstown centre of the Wildlife Society of Southern Africa.
- Lubke, R. de Moor, I. 1998. *A Field Guide to the Eastern and Southern Cape Coasts*. University of Cape Town Press. Cape Town. 519 pp
- Macrae, C. 1999. Life etched in stone. Fossils of South Africa. 305pp. The Geological Society of South Africa, Johannesburg.
- Madders, M. & Whitfield, D. P. 2006. Upland raptors and the assessment of wind farm impacts. *Ibis* (2006), 148, 43 – 56.
- Majeke, B. *et al.*, 2002. Updated National Land-Cover Database of South Africa. In Proceedings of Map Africa 2006. Map Africa 2006. Johannesburg, South Africa: CSIR. Available at: [http://www.gisdevelopment.net/technology/survey/maf06\\_19abs.htm](http://www.gisdevelopment.net/technology/survey/maf06_19abs.htm) [Accessed May 24, 2010].
- Malan, J.A. & Theron, J.N. 1989. Nardouw Subgroup. Catalogue of South African lithostratigraphic units, 2 pp. Council for Geoscience, Pretoria.
- Malan, J.A., Theron, J.N. & Hill, R.S. 1989. Lithostratigraphy of the Goudini Formation (Table Mountain Group). South African Committee for Stratigraphy, Lithostratigraphic Series No. 2, 5pp.
- Marais, J. 2004. *A Complete Guide to the Snakes of Southern Africa*, Struik Publishers. Cape Town.
- Marchant, J.W. 1974. Trace-fossils and tracks in the upper Table Mountain Group at Milner Peak, Cape Province. *Transactions of the Geological Society of South Africa* 77: 369-370.
- Marquard, A., Merven, B. and Tyler, E. 2008. Costing a 2020 Target of 15% Renewable Electricity for South Africa. Report to WWF by the Energy Research Centre, University of Cape Town, Cape Town.
- Maud, R.R. & Botha, G.A. 2000. Deposits of the South Eastern and Southern Coasts. Pp. 19-32 in Partridge, T.C. & Maud, R.R. (Eds.) *The Cenozoic of Southern Africa*. Oxford Monographs on Geology and Geophysics No 40. Oxford University Press. Oxford, New York.
- McCallum, M.L. 2007. Amphibian Decline or Extinction? Current Declines Dwarf Background Extinction Rate. *Journal of Herpetology*, Vol. 41, No. 3, pp. 483–491
- McCarthy, T. & Rubidge, B., 2006. *The Story Of Earth & Life: A Southern African Perspective on a 4.6-Billion-Year Journey*, Struik Publishers.
- McLachlan, I.R. & McMillan, I.K. 1976. Review and stratigraphic significance of southern Cape Mesozoic palaeontology. *Transactions of the Geological Society of South Africa*. 79: 197-212.

Chapter 15 : References

- Minter L.R., Burger M., Harrison J.A., Braack, H.H., Bishop, P.J. & Kloepfer, D. 2004. (eds.). *Atlas and Red Data Book of the Frogs of South Africa, Lesotho and Swaziland*. SI/MAB Series #9. Smithsonian Institution, Washington, DC.
- Monadjem, A., Taylor, P.J., Cotterill, F.P.D., Schoeman, M.C., 2010: *Bats of Southern and Central Africa: A Biogeographic and Taxonomic Synthesis*. University of the Witwatersrand, Johannesburg.
- Mucina, L., & Rutherford, M. 2006. *The Vegetation of South Africa, Lesotho and Swaziland*. Pretoria: South African Biodiversity Institute.
- Municipal Demarcation Board. 2003. Municipal Profiles. Available at <http://www.demarcation.org.za/municprofiles2003/index.html>. (visited on 12 April 2010).
- NER (National Energy Regulator) 2004. Electricity supply statistics for South Africa 2004. NER, Pretoria.
- NERSA (National Energy Regulator of South Africa). 2009. South Africa Renewable Energy Feed-In Tariff (REFITT): Regulatory Guidelines 26 March 2009. NERSA, Pretoria.
- NFO WorldGroup. 2003. Investigation into the potential impact of wind farms on tourism in Wales. Report to the Wales Tourism Board. NFO WorldGroup, Edinburgh.
- Oberholzer, B., 2005. *Guideline for involving visual & aesthetic specialists in EIA processes*, Cape Town: CSIR, Provincial Government of the Western Cape, Department of Environmental Affairs & Development. Available at: [http://www.capegateway.gov.za/Text/2005/10/5\\_deadp\\_visual\\_guideline\\_june05.pdf](http://www.capegateway.gov.za/Text/2005/10/5_deadp_visual_guideline_june05.pdf).
- Oosthuizen, R.D.F. 1984. Preliminary catalogue and report on the biostratigraphy and palaeogeographic distribution of the Bokkeveld Fauna. *Transactions of the Geological Society of South Africa* 87: 125-140.
- Orloff, S. & Flannery, A. 1992. Wind turbine effects on avian activity, habitat use and mortality in Altamont Pass and Solano County Wind Resource Areas, 1989–91. California. Energy Commission.
- Pearce-Higgins J.W, Stephen L, Langston R.H.W, Bainbridge, I.P.& R Bullman. The distribution of breeding birds around upland wind farms. *Journal of Applied Ecology* 2009, 46, 1323–1331
- Pedersen, M.B. & Poulsen, E. 1991. Impact of a 90 m/2MW wind turbine on birds. Avian responses to the implementation of the Tjaereborg wind turbine at the Danish Wadden Sea. *Danske Vildtundersøgelser* Hæfte 47. Rønde, Denmark: Danmarks Miljøundersøgelser.
- Phillips, K., 1994. *Tracking the vanishing frogs*. Penguin Books, New York, 244.
- Pierce, S.M. 2003. The STEP Mapbook, part of: The STEP Handbook. Integrating the natural environment into land use decisions at the municipal level: towards sustainable development. *Terrestrial Ecology Research Unit Report No. 47*. University of Port Elizabeth, South Africa.
- Plumstead, E.P. 1967. A general review of the Devonian fossil plants found in the Cape System of South Africa. *Palaeontologia africana* 10: 1-83, 25 pls.
- Plumstead, E.P. 1969. Three thousand million years of plant life in Africa. *Transactions of the Geological Society of South Africa*, Annexure to Volume 27, 72 pp, 25 pls.
- Pote, J. & Marshall, M. 2011. Ecological Specialist Study: Ubuntu Wind Energy Project. Report to the CSIR, Stellenbosch.
- Renewable Energy Research Laboratory - Department of Mechanical and Industrial Engineering. University of Massachusetts at Amherst. A White Paper on Wind Turbine Acoustic Noise. Authors: Anthony L. Rogers, Ph.D. James F. Manwell, Ph.D. Sally Wright. Amended January 2006

Chapter 15 : References

- Retief, E.F. 2011a. List of Priority Species for Wind Farms. Birdlife South Africa Johannesburg. Unpublished report.
- Retief, E.F. 2011b. List of Priority Species for Wind Farms (updated). Birdlife South Africa Johannesburg. Unpublished report.
- Roberts, D.L. 2003. Age, genesis and significance of South African coastal belt silcretes. Council for Geoscience Memoir 95, 61 pp. Pretoria.
- Roberts, D.L. *et al.*, 2006. Coastal Cenozoic deposits. In *The Geology of South Africa*. pp. 605-628.
- Roberts, D.L., Bamford, M. & Millsted, B. 1997. Permo-Triassic macro-plant fossils in the Fort Grey silcrete, East London. *South African Journal of Geology* 100, 157-168.
- Roberts, D.L., Vilvoen, J.H.A., Macey, P., Nhleko, L., Cole, D.I., Chevallier, L., Gibson, L. & Stapelberg, F. 2008. The geology of George and its environs. Explanation to 1: 50 000 scale sheets 3322CD and 3422AB, 76 pp. *Council for Geoscience*, Pretoria.
- Rogers, A.W. & du Toit, A.L. 1909. An introduction to the geology of the Cape Colony, 491. Longmans, Green and Co., London etc.
- Rossouw, P.J., Meyer, E.I., Mulder, M.P. & Stocken, C.G. 1964. Die geologie van die Swartberge, die Kangovallei en die omgewing van Prins Albert, K.P. Explanation to geology sheets 3321B (Gamkapaort) and 3322A (Prins Albert), 96pp, 2 pls. Geological Survey, Pretoria.
- Rubidge, B.S., de Klerk, W.J. & Almond, J.E. 2008. Southern Karoo Margins, Swartberg and Little Karoo. Palaeontological Society of South Africa, 15th Biennial Meeting, Matjiesfontein. Post-conference excursion guide, 35 pp.
- Rudner, J. 1968. Strandloper pottery from South and South West Africa. *Annals of the South African Museum* 49:441-663
- Rust, I.C. 1967. On the sedimentation of the Table Mountain Group in the Western Cape province. Unpublished PhD thesis, University of Stellenbosch, South Africa, 110 pp.
- Rust, I.C. 1981. Lower Palaeozoic rocks of Southern Africa. In: Holland, C.H. (Ed.) *Lower Palaeozoic rocks of the world. Volume 3: Lower Palaeozoic of the Middle East, Eastern and Southern Africa, and Antarctica*, pp. 165-187. John Wiley & Sons Ltd, New York.
- Rutherford, M.C. and Westfall, R.H. 1994. *Biomes of southern Africa: an objective categorization*. National Botanical Institute, Pretoria. 94 pp.
- Salgado, I. 2010. Long Queue for Slice of Renewable Energy Cake. Article in the Cape Times Business Report Supplement, 26 October 2010.
- Scott, L. 1976a. Palynology of Lower Cretaceous deposits from the Algoa Basin (Republic of South Africa). *Pollen et Spores* 18(4), 563-609, pls. 1-11.
- Scott, L. 1976b. Palynology of the Lower Cretaceous deposits (the Uitenhage Series) from the Algoa Basin. *Palaeoecology of Africa* 7, 42-44.
- Scottish Natural Heritage. 2010. Use of Avoidance Rates in the SNH Wind Farm Collision Risk Model. SNH Avoidance Rate Information & Guidance Note.
- Setplan, 2002. Map No. D2, Spatial Development Framework Landuse.
- Shone, R.W. 1976. The sedimentology of the Mesozoic Algoa Basin. Unpublished MSc thesis, University of Port Elizabeth, 48 pp.
- Skinner, J.D. & Smithers, R. H. N., 1990. *The Mammals of the Southern African subregion*. new ed. University of Pretoria, Pretoria. 769p
- Smallwood, S. 2008. Mitigation in US wind farms. In: Documentation of International Workshop on Birds of Prey and Wind Farms. 21<sup>st</sup> and 22<sup>nd</sup> of October 2008, Berlin. Michael Otto Institut im

Chapter 15 : References

- NABU.
- Smithers, R. H. N., 1986. South African Red Data Book - Terrestrial Mammals. S. Afr. Nat. Sci. Prog. Rpt. 125, 214p.
- Söhnge, A.P.G. 1934. The Worcester Fault. Transactions of the Geological Society of South Africa 37, 253-277.
- South Africa - GNR.154 of January 1992: Noise control regulations in terms of section 25 of the Environment Conservation Act (ECA), 1989 (Act No. 73 of 1989)
- South Africa - GNR.155 of 10 January 1992: Application of noise control regulations made under section 25 of the Environment Conservation Act, 1989 (Act No. 73 of 1989)
- South Africa - SANS 10103:2008 Version 6 - The measurement and rating of environmental noise with respect to annoyance and to speech communication.
- South Africa - SANS 10210:2004 Edition 2.2 – Calculating and predicting road traffic noise
- South Africa - SANS 10357:2004 Version 2.1 - The calculation of sound propagation by the Concawe method
- Southern African Bird Atlas Project 2. <http://sabap2.adu.org.za>.
- Stanton, C., 1996. *The Landscape Impact and Visual Design of Windfarms*, Edinburgh College of Art.
- Statistics SA. 2002. Census 2001. Stats SA, Pretoria.
- Statistics SA. 2007. Measuring Poverty in South Africa. Stats SA, Pretoria.
- Statistics SA. 2008. Community Survey 2007. Stats SA, Pretoria
- Stewart, G.B., Coles, C.F. & Pullin, A.S. 2004. Effects of Wind Turbines on Bird Abundance. Systematic Review no. 4. Birmingham, UK: Centre for Evidence-based Conservation.
- Stewart, G.B., Pullin, A.S. & Coles, C.F. 2007. Poor evidence-base for assessment of windfarm impacts on birds. *Environmental Conservation*. 34, 1-11.
- Stewart, W., Cowling, R., Martin, A., du Preez, D., & Lombard, A. 2004. *A Biodiversity Conservation Assessment and Framework for an Open Space System for the Nelson Mandela Metropole, Cape Floristic Region, South Africa*. A report of the C.A.P.E. Project for the Table Mountain Fund (WWF-SA).
- Stewart, W.I., Cowling, R.M., Du Preez, D.R., Martin, A.P. & Lombard, A.T. 2003. *Framework for a Conservation Plan for the Nelson Mandela Metropole, Cape Floristic Region, South Africa*, 1<sup>st</sup> Edition. Unpublished Technical Report to the Table Mountain Fund: WWF-SA.
- Stillwater Sciences, Rainey, W., Pierson, E., Corbon, C., 2003: *Sacramento River Ecological Indicators Pilot Study*, Final, The Nature Conservancy, Chico, USA.
- Stoffberg, S. 2011. Bats Specialist Study: Ubuntu Wind Energy Project. Report to the CSIR, Stellenbosch.
- Stuart, C.T & Stuart, M.D. 2000. *A Field Guide to the Tracks & Signs of Southern and East African Wildlife*. 3<sup>rd</sup> ed. Struik Publishers, Cape Town.
- Swart, B. 1950. Morphological aspects of the Bokkeveld Series at Wuppertal, Cape Province. *Annals of the University of Stellenbosch* 26 Series A10: 413-479.
- Swedish Environmental Protection Agency – Noise Annoyance from Wind Turbines – a Review. Authors: Eja Pedersen, Högskolan i Halmstad. August 2003.
- Tankard, A.J. & Barwis, J.H. 1982. Wave-dominated deltaic sedimentation in the Devonian Bokkeveld Basin of South Africa. *Journal of Sedimentary Petrology* 52, 0959-0974.



Chapter 15 : References

- Tankard, A., Welsink, H., Aukes, P., Newton, R. & Stettler, E. 2009. Tectonic evolution of the Cape and Karoo Basins of South Africa. *Marine and Petroleum Geology* 3, 1-35.
- Tankard, A.J., Jackson, M.P.A., Ericksson, K.A., Hobday, D.K., Hunter, D.R. & Minter, W.E.L. 1982. Crustal evolution of Southern Africa – 3.8 billion years of earth history. xv + 523 pp. Springer Verlag, New York.
- Taylor, P.J., 2000. *Bats of Southern Africa*. Natal University Press, Scottsville. Pp 206.
- Thamm, A.G. & Johnson, M.R. 2006. The Cape Supergroup. In: Johnson, M.R., Anhaeusser, C.R. & Thomas, R.J. (Eds.) *The geology of South Africa*, pp. 443-459. Geological Society of South Africa, Marshalltown.
- The Herald. 24 March 2008.
- Thelander, C.G., Smallwood, K.S. & Rugge, L. 2003. Bird Risk Behaviours and Fatalities at the Altamont Pass Wind Resource Area. Report to the National Renewable Energy Laboratory, Colorado.
- Theron, J.N. 1972. The stratigraphy and sedimentation of the Bokkeveld Group. Unpublished DSc thesis, University of Stellenbosch, 175pp, 17pls.
- Theron, J.N. & Loock, J.C. 1988. Devonian deltas of the Cape Supergroup, South Africa. In: McMillan, N.J., Embry, A.F. & Glass, D.J. (Eds.) *Devonian of the World, Volume I: Regional syntheses*. Canadian Society of Petroleum Geologists, Memoir No. 14, pp 729-740.
- Theron, J.N. & Thamm, A.G. 1990. Stratigraphy and sedimentology of the Cape Supergroup in the Western Cape. Guidebook, Geocongress '90, Geological Society of South Africa, PR2, pp1-64.
- Theron, J.N. & Johnson, M.R. 1991. Bokkeveld Group (including the Ceres, Bidouw and Traka Subgroups). *Catalogue of South African Lithostratigraphic Units* 3: 3-5.
- Theron, J.N., Wickens, H. DE V. & Gresse, P.G. 1991. Die geologie van die gebied Ladismith. Explanation to 1: 250 000 geology sheet 3320, 99 pp. Council for Geoscience, Pretoria.
- Toerien, D.K. & Hill, R.S. 1989. The geology of the Port Elizabeth area. Explanation to 1: 250 000 geology Sheet 3324 Port Elizabeth, 35 pp. Council for Geoscience, Pretoria.
- University of Groningen - 11th International Meeting on Low Frequency Noise and Vibration and its Control. Do wind turbines produce significant low frequency sound levels? GP. van den Berg. September 2003.
- UPEI, 2008. UPEI's Tourism Research Centre releases study on wind energy. UPEI - *University of Prince Edward Island*. Available at: <http://www.upei.ca/news/upeis-tourism-research-centre-releases-study-wind-energy> [Accessed May 10, 2010].
- Van der Merwe, C. 2009. Non-renewable electricity levy comes into force, despite objections. Article in *Engineering News* online edition, 10 July 2009
- Van der Merwe, I.J., Davids, A.J., Ferreira, S., Swart, G.P. & Zietsman, H.L. 2005. Growth Potential of Towns in the Western Cape (2004). Report to the Provincial Government of the Western Cape, Department of Environmental Affairs & Development Planning, Cape Town.
- Van Rooyen, C. 2011. Avifauna Assessment: Ubuntu Wind Energy Project. Report to the CSIR, Stellenbosch.
- Van Rooyen, C.S. 2011. Kerrie Fontein and Darling Wind Farm, Western Cape. Bird Impact Assessment Study.
- Van Wyk B, van Wyk P. 1997. *Field Guide to Trees of Southern Africa*. Struik Publishers. Cape Town. 536 pp

Chapter 15 : References

- Van Wyk E, Oudtshoorn F. 2006. Guide to grasses of Southern Africa. Briza Publications, Pretoria. 288 pp
- Van Zyl, H.W., de Wit, M.P. & Leiman, A. 2005. Guideline for involving economists in EIA processes: Edition 1. CSIR Report No ENV-S-C 2005 053 G. Republic of South Africa, Provincial Government of the Western Cape, Department of Environmental Affairs & Development Planning, Cape Town.
- Vanderplank, H.J. 1999. Wildflowers of the Port Elizabeth Area: Gamtoos to Swartkops Rivers (The Coastal Bush and Fynbos Region). Bluecliff Publishing, Hunters Retreat. 216 pp
- Victor, J.E., and Dold, A.P. 2003. *Threatened plants of the Albany centre of Floristic Endemism, South Africa*. SAJSci. 99:437-446.
- Vissering, J., 2005. *Wind Energy and Vermont's Scenic Landscape*, Vermont. Available at: [http://publicservice.vermont.gov/energy-efficiency/ee\\_files/wind/vissering\\_report.pdf](http://publicservice.vermont.gov/energy-efficiency/ee_files/wind/vissering_report.pdf) [Accessed September 4, 2008].
- Vlok, H., & Euston-Brown, D. 2002. *The patterns within, and the ecological processes that sustain the subtropical thicket vegetation in the planning domain for the Subtropical Thicket Ecosystem, South Africa*. Port Elizabeth: University of Port Elizabeth.
- Williams, B. 2011. Noise Specialist Study: Ubuntu Wind Energy Project. Report to the CSIR, Stellenbosch.
- World Health Organization – Guidelines for Community Noise. 1999
- Young, D.J. Harrison, J.A. Navarro, R.A. Anderson, M.D. & B.D. Colahan (ed). 2003. Big Birds on Farms: Mazda CAR Report 1993 – 2001. Avian Demography Unit. University of Cape Town.

**Footnotes:**

- Briefing notes for President Thabo Mbeki on the outcome of the July Cabinet Lekgotla, Pretoria. 27 July 2008. Available online: <http://www.info.gov.za/speeches/2008/08072816151001.htm>. Accessed 2 December 2010.
- Department of Energy. Available online: [www.info.gov.za/view/DownloadFileAction?id=124574](http://www.info.gov.za/view/DownloadFileAction?id=124574). Accessed 2 December 2010.
- Executive Summary of the Draft Integrated Electricity Resource Plan for South Africa - 2010 to 2030*. Available online: [http://www.doe-irp.co.za/content/Executive\\_Summary\\_Draft\\_IRP2010\\_8Oct2010.pdf](http://www.doe-irp.co.za/content/Executive_Summary_Draft_IRP2010_8Oct2010.pdf). Department of Energy. Accessed 1 December 2010.
- Government Notice No. R.721. *Government Gazette* 32378. 5 August 2009.
- <http://www.nersa.org.za/Admin/Document/Editor/file/Electricity/Consultation/Documents/Review%20of%20Renewable%20Energy%20Feed-In%20Tariffs%20Consultation%20Paper.pdf>. Accessed 29 March 2011.
- <http://www.iea.org/co2highlights/>

Chapter 15 : References

[http://www.sunearthtools.com/dp/tools/CO2-emissions-calculator.php?lang=de#txtCO2\\_3](http://www.sunearthtools.com/dp/tools/CO2-emissions-calculator.php?lang=de#txtCO2_3)

Hughes, A, Haw, M, Winkler, H, Marquard, A. And Merven, B. (2007) *Energy emissions: a modelling input into the long-term mitigation scenarios process. LTMS Input Report 1*. Energy Research Centre, University of Cape Town.

*Medium Term Risk Mitigation Plan (MTRM) for Electricity in South Africa - 2010 to 2016*. [http://www.doe-irp.co.za/content/Medium\\_Term\\_Risk\\_Mitigation\\_Project\\_Phase\\_1.pdf](http://www.doe-irp.co.za/content/Medium_Term_Risk_Mitigation_Project_Phase_1.pdf). Department of Energy. Accessed 1 December 2010.

NERSA. *Rules on selection criteria for renewable energy projects under the REFIT programme*. Available online: <http://www.nersa.org.za/Admin/Document/Editor/file/Electricity/Legislation/Regulatory%20Rules/RULES%20FOR%20SELECTION%20CRITERIA%2019%20Feb10.pdf>. Accessed 3 November 2010.

South Africa Renewable Energy Feed-in Tariff (REFIT). Regulatory Guidelines 26 March 2009. Government Notice No. 382. *Government Gazette 32122. 17 April 2009*.