



TIMBER BEAM



FLOOR LEVEL



PLAN

NOTE:

- A. SUPPLIER AND INSTALLER TO BE MEMBER OF AAAMSA.
- B. ALL OPENINGS TO BE CHECKED ON SITE.
- C. ALL WORK TO BE CARRIED OUT IN ACCORDANCE WITH NBR'S AND INSTALLATION TO CONFORM WITH SABS SEPC.
- D. ALL GLAZING TO COMPLY WITH PART N OF NBR'S.
- E. SHOP DRAWINGS TO BE APPROVED BY ARCHITECT PRIOR TO MANUFACTURE AND INSTALLATION.

WINDOW TYPE 01	QUANTITY : x6
OPENING SIZE	1800mm HIGH X 700mm WIDE OPENING, TO BE CHECKED ON SITE PRIOR TO MANUFACTURE.
DESCRIPTION	ALUMINIUM FRAME TOP-HUNG WINDOW TO BE FITTED INTO AN EXISTING OPENING, TIMBER LINTOL, BRICK SIDES, TIMBER CILL.
IRONMONGERY	PVC CASEMENT HANDLES AS STANDARD
GENERAL	
GLAZING	TO COMPLY WITH PART N OF NBR'S
FINISH	EPOXY POWDER COAT FINISH COLOUR CATEGORY X2. COLOUR; WHITE

Lindsay Napier architect <i>P.O.Box 474 Hillcrest 3650</i> <i>tel : 0836608521</i> <i>pr arch 5320</i>	PROPOSED REFURBISHMENT OF GORDON ROAD SCHOOL WINDOW TYPE 01	SCALE : 1:50 DATE : 27/11/2022 PROJECT NO. : 22-76/WS01
--	---	--