Transnet Capital Projects Carlton Centre 150 Commissioner Street Johannesburg P.O. Box 72501 Parkview, Johannesburg 2122 South Africa T +27 11 308 3001 F +27 11 308 2638



The Assistant Director Department: Environment Private Bag 6093 Kimberley 8300

Dear Ms Sekepane

RE: ENVIRONMENTAL MANAGEMENT PLAN FOR THE ESTABLISHMENT OF THE BELMONT BORROW PIT ON THE FARM BELMONT 191, PIXLEY KA SEME DISTRICT MUNICIPALITY, NORTHERN CAPE

This letter serves to introduce an Environmental Management Plan (EMP) with various appendices for the proposed establishment of the **Belmont Borrow Pit**.

Five hard copies and **one** electronic copy of this submission are enclosed as requested in our meeting on 29 October 2012 at the DMR's offices in Kimberley.

Background

Transnet SOC Limited (Transnet) requires borrow material for various civil and structural activities as part of the Ngqura 16 Mtpa Manganese Rail Project. The project comprises of the upgrading and extension of the rail infrastructure and associated infrastructure at various locations between Hotazel in the Northern Cape and the Port of Ngqura in the Eastern Cape. The Department: Environmental Affairs issued environmental authorisations for the project in November 2009 (Reference 12/12/20/1241).

Structure of this EMP Submission

This EMP is specific to the Belmont Borrow Pit, which is required for earthworks material for construction of railway formations, construction of level crossing ramps and use in the formation subsidence repair between Modderrivier and Heuningneskloof.

Government Notice R762 (GN R762), in terms of Section 106(1) of the MPRDA, exempts any organ of state (such as Transnet) from applying for rights and/or permits required for the development of borrow pits and other mining activities (therefore exempt from sections 16,20, 22 and 27 of the said Act). However, in terms of Section 106(2), organs of state must submit an EMP for approval by the Minister in terms of Section 39(4). Section 39(3) sets out the minimum required information that must be contained in such an EMP, including baseline information regarding the affected environment, an assessment of the potential impacts of the proposed activity, as well as measures to mitigate and rehabilitate the potential impacts.

This EMP has been undertaken in accordance with the requirements of the Regulations promulgated in terms of the Minerals and Petroleum Resources Development Act of 2002.

The structure of the EMP is as follows:

Transnet SOC Ltd Registration Number 1990/000900/30 Carlton Centre 150 Commissioner Street Johannesburg P.O. Box 72501 Parkview, Johannesburg South Africa, 2122 T +27 11 308 3000 F +27 11 308 2638

Directors: Directors: ME Mkwanazi (Chairman) B Molefe* (Group Chief Executive) NK Choubey[#] MA Fanucchi Y Forbes HD Gazendam NBP Gcaba MP Malungani BD Mkhwanazi T Mnyaka N Moola MP Moyo NR Ntshingila IM Sharma IB Skosana E Tshabalala DLJ Tshepe A Singh' (Acting Chief, Financial Officer) Executive "Indian"

www.transnet.net

Group Company Secretary: ANC Ceba

FORM: PRO-FAT-0075-Rev. 06

- Letter of Introduction (this letter)
- EMP for the Belmont Borrow Pit
 - Appendix A:
 - Appendix A1: Copy of Government Notice No. R. 762 (Exemption of Organs of State From Certain Provisions of the Mineral and Petroleum Resources Development Act, 2002)
 - Appendix A2: Correspondence with the DMR office in Kimberley
 - Appendix A3: Transnet SOC Limited Certificate of Incorporation
 - Appendix B: Belmont borrow pit layout, locality plans, maps, and photos
 - Appendix C: Final EIA Report and Public participation documentation (2009)
 - Appendix D: DEA Environmental Authorisation (2009 EIA)
 - Appendix E: Specialists reports
 - Appendix E1: Air Quality
 - Appendix E2: Heritage Impact Assessment
 - Appendix E3: Social Impact Assessment
 - Appendix E4: Terrestrial Ecology Assessment
 - Appendix F: Transnet control documents
 - Appendix F1: SES
 - Appendix F2: CEMP
 - Appendix F3: Method Statement for the Belmont borrow pit
 - Appendix F4: HMP
 - Appendix G: Title deed for Belmont 191 Ptn 15
 - Appendix H: Undertaking to provide financial provision and Confirmation of Rehabilitation cost allocation

Your consideration of the information in this submission would be appreciated. Please do not hesitate to contact us should you wish to discuss any of the information or if you require additional information.

Yours sincerely,

Project Director

Date: 25/03/29//3



NAME OF APPLICANT: Transnet (SOC) Ltd

REFERENCE NUMBER:

ENVIRONMENTAL MANAGEMENT PLAN

SUBMITTED
IN TERMS OF SECTION 39 AND OF REGULATION 52 OF
THE MINERAL AND PETROLEUM RESOURCES
DEVELOPMENT ACT, 2002,
(ACT NO. 28 OF 2002) (the Act)

STANDARD DIRECTIVE

Applicants for prospecting rights or mining permits, are herewith, in terms of the provisions of Section 29 (a) and in terms of section 39 (5) of the Mineral and Petroleum Resources Development Act, directed to submit an Environmental Management Plan strictly in accordance with the subject headings herein, and to compile the content according to all the sub items to the said subject headings referred to in the guideline published on the Departments website, within 60 days of notification by the Regional Manager of the acceptance of such application. This document comprises the standard format provided by the Department in terms of Regulation 52 (2), and the standard environmental management plan which was in use prior to the year 2011, will no longer be accepted.

IDENTIFICATION OF THE APPLICATION IN RESPECT OF WHICH THE ENVIRONMENTAL MANAGEMENT PLAN IS SUBMITTED.

ITEM	COMPANY CONTACT DETAILS
Name	Mr Rudie Basson
Tel no	011 239 5565
Fax no:	011 612 4528
Cellular no	083 270 5613
E-mail address	Rudie.basson@transnet.net
Postal address	PO Box 72501, Parkview, Johannesburg, 2122

ITEM	CONSULTANT CONTACT DETAILS (If applicable)
Name	Mr Evert Jacobs
Tel no	011 844 1508
Fax no:	011 612 9613
Cellular no	082 326 9325
E-mail address	ejacobs@hatch.co.za
Postal address	Private Bag X20, Gallo Manor, 2052

Transnet (SOC) Ltd (hereafter referred to as 'Transnet') is a parastatal organisation and is deemed an "Organ of State" as stipulated in Government Notice R762 (25 June 2004) (See Appendix A). Based on this and discussions with the Department of Mineral Resources (DMR) in Kimberley, Transnet is therefore exempted from certain provisions of the Act (Sections 16,20, 22 and 27) and will have to follow an abbreviated authorisation process for new/dormant borrow pits. This abbreviated process involves the completion of an Environmental Management Plan (EMP) (this document) for the Belmont borrow pit on Ptn 15 of the Farm Belmont 191 (See Appendix G for the Title Deed). Transnet have an approved Environmental Impact Assessment/Environmental Management Plan (EIA/EMP) for the Proposed Upgrade of the Transnet Railway Line between Hotazel and the Port of Ngqura in July 2009 (See Appendix D for the DEAT Record of Decision). The borrow pits have been briefly addressed in EIA/EMP which has been appended to this EMP (Appendix C).

1 REGULATION 52 (2): Description of the environment likely to be affected by the proposed prospecting or mining operation

1.1 The environment on site relative to the environment in the surrounding area.

The Belmont borrow pit is located on the Farm Belmont 191 north of the existing Kimberley to De Aar manganese ore railway line and to the west of Belmont Station. This borrow pit is within the boundaries of an existing borrow pit area which was used many years ago. The borrow pit is situated within the Transnet rail reserve and the area is regarded as highly disturbed. A summary of the description of the environment in terms of the biophysical, social and cultural heritage aspects has been given below for this section of the railway line. More detail can be obtained from the Final EIA report (Appendix C).




Figure 1: Locality map of the Belmont borrow pit

The biophysical environment

Geology and Topography

The proposed borrow pit site is located within the boundaries of an existing borrow pit area historically used for obtaining formation repair material. The altitude at the borrow pit site is approximately 1200 meters above sea level. To the west of the borrow pit area, the gradient rises to an altitude of approximately 1210 meters above sea level and to the east, the gradient reduces gradually towards a valley. The topography of the immediate vicinity of the borrow site is flat. The borrow pit area is located on geology of the Ecca Group Shales.

Surface and Groundwater

The river systems encountered along the railway line include the Riet River, the Orange River and the Hondeblafspruit. The shortest distance from the Riet River and Orange River to the borrow pit is 40 km and 25 km respectively. The groundwater vulnerability has been classified as low to moderate (based on the Aquifer Classification Map of South Africa (1998)) and groundwater sensitivity classified as low (Figure 2) in the project area.

Flora

The vegetation in the borrow pit area is dominated by the Northern Upper Karoo which has an ecological status of least threatened¹ in terms of the National Spatial Biodiversity Assessment (NSBA). This vegetation type consists of shrubland dominated by dwarf karoo shrubs, grasses, and Acacia mellifera subsp. detinens (Blackthorn tree). It is flat to gently sloping, with isolated hills of Upper Karoo Hardeveld in the south and Vaalbos Rocky Shrubland in the northeast. Key species within this vegetation type include Lycium cinereum, Chrysocoma ciliata, Gnidia polycephala, Pentzia calcarea, Thesium hystrix, Aristida adscensionis, Aristida congesta, Aristida diffusa, Eragrostis lehmanniana, and Stipagrostis obtusa. The area in and around the proposed borrow pit is of low ecological importance. This area is degraded and highly disturbed/transformed with little ecological function and generally very poor in species diversity (most species are exotic or weeds).

¹ The NSBA has four categories for rating of ecosystem status. In decreasing order of severity, these are: Critically Endangered, Endangered, Vulnerable and Least Threatened.




Figure 2: Groundwater Sensitivity map from Hotazel to De Aar (Final EIA, 2009, Appendix C)




Figure 3: River ecological status of the area from Hotazel to De Aar. (Final EIA, 2009, Appendix C)

Fauna

A number of avifauna and mammal species were identified within the project area. It can be expected that small mammals including various rodent species, heptofaunal species and macro invertebrates utilise the borrow pit site. According to the specialist ecology study compiled as part of the 2009 EIA, the site is not considered to have high faunal activity or to have suitable habitat for protected invertebrate species.

The Socio-economic environment

The proposed borrow pit area is located in the Pixley Ka-Seme District Municipality in the Northern Cape. This district is predominantly rural in nature and is sparsely populated. Approximately 58 percent of the population are below the age of 30 years. According to Stats SA (2011), the majority of the population are classified as Coloured (62 percent), 27 percent are Black and 10 percent are White. The majority (78 percent) of the population speak Afrikaans as a first language.

The key economic sectors are agriculture, community services, trade/tourism, construction and private households. This District has the largest wool producing area in the country and has a long history of sheep farming. There is a growing trend towards game farming, resulting in further job losses in the agricultural sector.

More than 75 percent of the households have access to electricity and the level of water service provision is high with 97 percent of all households in the District having access to water services. In terms of housing, 83 percent live in formal housing, 11 percent in informal housing and only 2 percent in traditional housing.

The information above refers to the surrounding areas, however, it is important to note that the borrow pit will be located within the Transnet rail reserve. The immediate surroundings are agricultural in nature.

The Cultural/Heritage environment

The heritage impact assessment undertaken as part of the EIA did not identify any significant heritage resources within the development footprint area. However, it should be noted that the Belmont area is part of a South African War cultural landscape and potentially, artefacts related to this time period could be exposed during the borrow pit operations. Historical railway station buildings and rock art engraving sites occur within one to five kilometres of the borrow pit location. Figure 4 below indicates the closest site of heritage importance to the borrow pit. These will not be affected by the re-commissioning of the borrow pit however, it is possible that heritage objects may be uncovered during earthmoving activities. A heritage management plan is available (Appendix F) that provides guidance

in terms of the steps that should be taken if heritage objects are uncovered during the borrow pit's operation.




Figure 4: Heritage sites located in the vicinity of the Belmont borrow pit area

1.2 The specific environmental features on the site applied for which may require protection, remediation, management or avoidance.

The area within which the existing Belmont borrow pit is situated is severely disturbed and is situated within the existing rail reserve. There are no protected areas within a 5 km radius of the site. The vegetation in the borrow pit area is dominated by the Northern Upper Karoo which has an ecological status of least threatened (Figure 5).

1.3 Map showing the spatial locality of all environmental, cultural/heritage and current land use features identified on site.

A higher resolution of the map below has also been included in Appendix B.




Figure 5: Sensitivity map of the area in and around the Belmont borrow pit

1.4 Confirmation that the description of the environment has been compiled with the participation of the community, the landowner and interested and affected parties

A public participation process was carried out as part of the EIA conducted in 2009 (Appendix C). Borrow pits in general have been discussed in this assessment and the public were made aware during the EIA process that the project would require several borrow pits along the length of the railway line. Since the Belmont borrow pit area is on Transnet land and is within the rail reserve, specific consultation with interested and affected parties was not applicable in this case however, landowners of the farm portions adjacent to the area on which the borrow pit is located, were contacted and informed about the proposed activities in February 2013 (See Figure 6 for the farm portions adjacent to the borrow pit site). The general landscape was included in the EIA process and therefore communities and affected parties along the length of the railway line had the opportunity to provide input into the classification of the surrounding environment.

A Stakeholder Engagement Plan (SEP) is currently being prepared for the Kimberley to De Aar section of the railway line. As part of the preparation of this plan, all indirectly affected landowners will be further consulted with regarding the re-commissioning of the Belmont borrow pit.




Figure 6: Farm portions adjacent to the Belmont borrow pit site.

- 2 REGULATION 52 (2) (b): Assessment of the potential impacts of the proposed prospecting or mining operation on the environment, socioeconomic conditions and cultural heritage.
- 2.1 Description of the proposed prospecting or mining operation.

2.1.1 The main prospecting activities (e.g. access roads, topsoil storage sites and any other basic prospecting design features)

The material from the borrow pit will be used for earthworks material for construction of railway formations, construction of level crossing ramps and use in the formation subsidence repair between Modderrivier and Heuningneskloof. The main equipment that will be used to achieve this will be a 22 ton excavator, backactor and $10 \, \mathrm{m}^3$ tipper.

The main activities involved in the re-commissioning of the Belmont borrow pit include:

- Staking out of the borrow pit area prior to vegetation clearing following which, the vegetation would be cleared from the site.
- Topsoil, where possible, will be stripped to a depth of 200 mm and stockpiled separately from the other soil layers.
- Excavation of materials by ripping and loading with the excavator directly onto the haul vehicle. The material will be transported along the existing gravel road which runs adjacent to the railway line.
- Any material which is not suitable for borrow material will be stockpiled separately and used for in the rehabilitation of the site.

2.1.2 Plan of the main activities with dimensions

The borrow pit dimensions are as follows:

- Footprint (in hectares): Estimated at 1.5 ha
- Maximum depth (in meters): 5 m
- Anticipated volume (in cubic meters): 53 000 m³

The site layout plan has been included in Appendix B.

2.1.3 Description of construction, operational, and decommissioning phases.

The main phases associated with borrow pit development include construction, operation, rehabilitation and closure. A brief description of each one of these phases is given below:

Construction:

The borrow pit area will be staked out prior to vegetation clearing after which, the vegetation will be cleared from the site. Where topsoil is present, this will be stripped to a depth of 200 mm and stockpiled separately in piles.

Operation:

The borrow pit material will be excavated by means of ripping and loading with an excavator and then stockpiled before being loaded onto haul vehicles. The material will be transported along the existing gravel access road which runs adjacent to the railway line within the Transnet rail reserve.

Rehabilitation and closure:

The objective of this phase is to restore the disturbed area as closely as possible to its original state through rehabilitation. The material which cannot be used for the repair of the rail track formation will be used in the reshaping of the site during rehabilitation. Drainage outputs would also be provided to ensure that no water pools within the borrow pit excavations. The stockpiled topsoil will be spread evenly over the disturbed area to a depth of 100 mm where possible. The borrow pit sites would then be revegetated with suitable indigenous grass species.

2.1.4 Listed activities (in terms of the NEMA EIA regulations)

It is not anticipated that the re-commissioning of this borrow pit will trigger any activities in terms of NEMA however, in order to satisfy this section of the EMP, a list of potential listed activities which could be triggered for normal borrow pit scenarios have been highlighted in the table below together with an explanation of why they are not applicable in this case.

In addition to this, the activities listed in the table below are listed in terms of GN R544 and GN R546 as per the new NEMA EIA Regulations updated in 2010. They are an update to the activities which were approved in terms of the previous NEMA Regulations (GN R386 and GN R387) in November 2009. A complete list of the approved activities can be found in the Environmental Authorisation (previously known as the Record of Decision) in Appendix D.

Potential Triggered Activity No. And description	Relevance
	GN R544
13. The construction of facilities or infrastructure for	Not relevant. The contractor will provide temporary tanks on stands

the storage, or for the storage with a capacity of 2 cubic meters and handling, of a dangerous each for storage of diesel at the site good, where such storage in a bunded area. The combined occurs in containers with a capacity of these temporary tanks will combined capacity of 80 but not exceed 80 cubic meters. not exceeding 500 cubic metres Not relevant. Transnet is an Organ of 19. Any activity which requires a prospecting right or renewal State and therefore, in terms of GN thereof in terms of section 16 R762, is exempted from these and 18 respectively of the activities for borrow pits. Mineral and Petroleum Resources Development Act 2002 (Act No. 28 of 2002) 20. Any activity requiring a Not relevant. Transnet is an Organ of mining permit in terms of State and therefore, in terms of GN section 27 of the Mineral and R762, is exempted from these Petroleum Resources activities. Development Act, 2002 (Act No. 28 of 2002) or renewal thereof. **GN R546** 4. Construction of a road wider Not relevant. A gravel access road than 4 m with a reserve less already exists. This will be used for than 13.5 m... transport of the borrow material from (a) Northern Cape the pit to the section of the railway (ii) All areas outside urban line where it is needed. No lengthening or widening of this road areas is anticipated to be required. 10. The construction of Not relevant. The contractor will facilities or infrastructure for provide temporary tanks on stands with a capacity of 2 cubic meters the storage, or for the storage and handling, of a dangerous each for storage of diesel at the site in a bunded area. The combined good, where such storage occurs in containers with a capacity of these temporary tanks will combined capacity of 30 but not exceed 30 cubic meters. This not exceeding 80 cubic activity will also not take place within metres... or near any protected area or within 100 m of a watercourse. (a) Northern Cape (ii) Outside all urban areas 13. The clearance of an area of Not relevant. The existing borrow pit 1 hectare or more of vegetation area has been significantly disturbed where 75% or more of the and would not require substantial vegetation cover constitutes clearing of indigenous vegetation. In indigenous vegetation... addition to this, there are no protected areas within a 5 km radius (c) Northern Cape

(ii) All areas outside urban	of the site.	
areas		

2.2 Identification of potential impacts

(Refer to the guideline)

As mentioned in section 2.1.4 above, the re-commissioning of the Belmont borrow pit is not likely to trigger any activities in terms of NEMA. Sections 2.2.1 to 2.2.4 below have therefore been completed to only consider the impacts relating to the main activities (identified in section 2.1.1 above) revolving around the borrow pit during the construction, operation, decommissioning and closure phases.

The impacts associated with the railway line and associated infrastructure for which the borrow pit is required, as well as the impacts of the borrow pits themselves (Section 7.14 of the Final Environmental Impact Report) were assessed through the Environmental Impact Assessment (EIA), conducted in terms of Chapter 5 of the National Environmental Management Act 107 of 1998 between 2008–2009 (See Appendix C).

2.2.1 Potential impacts per activity and listed activities.

The table below highlights the potential impacts which may occur per activity for each of the phases of the borrow pit's existence:

Phase	Activity	Impact	Impact Description
Construction	Clearing of vegetation	Loss of vegetation communities (negative impact)	Vegetation clearing within the borrow pit area may lead to the loss of vegetation communities.
		Loss of faunal diversity and richness (negative impact).	Clearing of vegetation in the borrow pit area may directly affect faunal habitat. Indirect loss of diversity and species richness is associated with habitat loss.
		Dust nuisance (negative	The generation of dust through site clearance and earthworks

		impact).	could pose a nuisance to social receptors in proximity to the borrow pit site.
		Soil erosion (negative impact).	Soil erosion may occur as a result of vegetation clearing within the rail reserve where the borrow pit is located.
		Noise disturbance (negative impact).	Noise disturbance could result from the use of machinery during vegetation clearing.
		Removal of declared invader and weed species (Positive impact)	During vegetation clearing within the borrow pit area alien invasive and weed species will be removed.
		Contamination of soil and groundwater resources (negative impact)	Contamination of soil and groundwater due to potential major fuel spillage from construction machinery.
	Stockpiling of topsoil	Soil erosion (negative impact).	Soil erosion may occur if the topsoil stockpiles are not shaped and re-vegetated appropriately.
		Contamination of soil and groundwater resources (negative impact)	Contamination of soil and groundwater due to potential fuel spillage from machinery used to stockpile the topsoil.
		Dust nuisance (negative impact).	The generation of dust during stockpiling could pose a nuisance to social receptors in proximity to the borrow pit site.
		Noise disturbance (negative impact).	Noise disturbance could result from the use of machinery during stockpiling.
Operation	Excavation of borrow material	Dust nuisance (negative impact).	The generation of dust through the excavation of the borrow material and transport on the gravel road could pose a

			and a control of the second of
			nuisance to social receptors in
		Service Proc	proximity to the borrow pit site.
		Noise	Noise disturbance could result
		disturbance	from the use of machinery
		(negative	during excavation.
		impact).	
		Contamination	Contamination of soil and
		of soil and	groundwater due to potential
		groundwater	fuel spillage from excavation
		resources	machinery and haul vehicles.
		(negative	
		impact)	
Decommissioning	Rehabilitation	Spread or	Patches of disturbed soil can be
and closure	rendomedion	colonisation of	vulnerable to colonisation by
and closure		invasive alien	weeds which can prohibit
		species and	natural succession of the local
		weed taxa	
		5.61	indigenous vegetation during
		(negative	rehabilitation.
	:	impact)	
		Dust nuisance	The generation of dust through
		(negative	spreading of the topsoil during
		impact).	rehabilitation.
		Contamination	Contamination of soil and
		of soil and	groundwater due to potential
		groundwater	fuel spillage from machinery
		resources	used for rehabilitation.
		(negative	9
		impact)	

2.2.2 Potential cumulative impacts.

The following potential cumulative impacts have been identified:

Cumulative impact	Impact Description		
Incremental noise from a	Both the activities taking		
number of separate	place on the railway line		
developments	between Kimberley and De		
	Aar (re-electrification of the		
	line) and the excavation of the		
	borrow pit will generate noise		
	which together would result in		
	an increased noise impact.		

Combined effect of the	The noise, dust and visual
individual impacts on	impacts from the borrow pit
surrounding receptors	activities will collectively have a greater impact on
	surrounding receptors than
	they would in isolation.

2.2.3 Potential impact on heritage resources

The heritage impact assessment undertaken as part of the EIA did not identify any significant cultural features at the borrow pit site however, the potential impacts on heritage resources have been highlighted in the table below. The impacts (if any) are likely to be confined to the construction phase only. A Phase 1 Heritage Impact Assessment (HIA) has been included in Appendix E.

Phase	Phase Activity Impact		Phase Activity		Impact Description
Construction	Clearing of vegetation	Loss of or disturbance to archaeological, paleontological or cultural sites (negative impact).	Construction activities may result in the disturbance, damage or destruction of sites of medium to high cultural significance (as defined in the National Heritage Resource Act 25 of 1999) or sites of paleontological importance. In addition to this, the Kimberley to De Aar section of the line is part of a cultural landscape. Any type of development (including borrow pits) can have an impact on the cultural sense of place.		

2.2.4 Potential impacts on communities, individuals or competing land uses in close proximity.

This is not applicable as the borrow pit is within the existing rail reserve and is situated more than 50 meters from the nearest built structure (fence, house etc). The closest sensitive receptor is approximately 25 km away.

2.2.5 Confirmation that the list of potential impacts has been compiled with the participation of the landowner and interested and affected parties.

A public participation process was carried out as part of the EIA conducted in 2009 (Appendix C). Borrow pits in general have been discussed in this assessment as well as in the public information documents (BIDs etc) and the public were made aware during the EIA process that the project would require several borrow pits along the length of the railway line. Since the Belmont borrow pit area is on Transnet land and is within the rail reserve, specific consultation with interested and affected parties was not applicable in this case however, landowners of the farm portions adjacent to the area on which the borrow pit is located, were contacted and informed about the proposed activities in February 2013 (See Figure 6 for the farm portions adjacent to the borrow pit site). The general landscape was included in the EIA process and therefore communities and affected parties along the length of the railway line had the opportunity to provide input into the classification of the surrounding environment.

A Stakeholder Engagement Plan (SEP) is currently being prepared for the Kimberley to De Aar section of the railway line. As part of the preparation of this plan, all indirectly affected landowners will be further consulted with regarding the re-commissioning of the Belmont borrow pit.

2.2.6 Confirmation of specialist report appended. (Refer to guideline)

The following relevant specialist reports, which are in line with the baseline information and proposed activities, have been included as appendices to this EMP:

- Air Quality Report: Appendix E1
- Phase I Heritage Impact Assessment- Kimberley to De Aar: Appendix E2
- Social Impact Assessment Report: Appendix E3
- Terrestrial Ecology Report: Appendix E4
- 3 REGULATION 52 (2) (c): Summary of the assessment of the significance of the potential impacts and the proposed mitigation measures to minimise adverse impacts.
 - 3.1 Assessment of the significance of the potential impacts

3.1.1 Criteria of assigning significance to potential impacts

The impact assessment methodology for assigning significance to potential impacts was included in the Final Impact Assessment Report (Appendix C) and is shown below:

E4 IMPACT ASSESSMENT METHODOLOGY AND POTENTIAL IMPACTS

The purpose of impact assessment and mitigation is to identify and evaluate the significance of potential positive and negative impacts on identified receptors and resources according to defined assessment criteria; to develop and describe measures that will be taken to avoid, minimise, mitigate/compensate for any potential adverse effects; and to seek opportunities to enhance potential benefits; and to report the significance of the residual impacts that remain following mitigation/compensation and/or optimisation/enhancement.

An impact is essentially any change (whether positive or negative) to a resource or receptor brought about by the presence of the project component or by the execution of a project related activity. There are a number of ways that impacts may be described and quantified.

Broadly, impacts can be described as positive or negative, direct, indirect or cumulative. The impacts are then assessed in terms of their significance. There is no statutory definition of 'significance' and its determination is, therefore, somewhat subjective. However, it is generally accepted that significance is a function of the magnitude of the impact and the likelihood of the impact occurring.

The following matrix ($Table\ E4.1$) can be used to determine the impact significance.

Table E4.1 Example of significance rating matrix

		SIGNIFICA	NCE RATING		
	LIKELIHOOD	Negligible	l.ow	Medium	High
H	Negligible	Negligible	Negligible	Minor	Minor
GNITUDE	Low	Negligible	Negligible	Minor	Minor
CON	Medium	Negligible	Minor	Moderate	Moderate
¥	High	Minar	Moderate	Major	Major

In Table E4.2, the various definitions for significance of an impact are given.

Table E4.2 Significance definitions

Impact significance	Definition
Major impact	An impact of major significance is one where an accepted limit or standard may be exceeded, or large magnitude impacts occur to highly valued/ sensitive resource/ receptors. A goal of the EIA process is to get to a position where the Project does not have any major residual negative impacts (especially not those endured into the long term or extending over a large area) and major positive impacts are enhanced as far as possible. For some aspects, however, there may be major residual negative impacts after all practicable mitigation options have been

	exhausted (i.e. ALARP has been applied). (e.g. visual impact of a development).
	It is then the function of regulators and stakeholders to weigh such negative impacts against the positive impacts in coming to a decision on the Project
Moderate impact	An impact of moderate significance is one within accepted limits and standards. The emphasis for moderate impacts is on demonstrating that the negative impact has been reduced to a level that is as low, or positive impact enhanced as far as reasonably practicable (ALARP). This does not necessarily mean that moderate regative impacts have to be reduced to 'minor' impacts, but that moderate impacts are being managed effectively and efficiently. In the same way, moderate positive impacts may not be able to be enhanced to have major positive impact.
Minor impact	An impact of minor significance is one where an effect will be experienced, but the impact magnitude is small (with and without mitigation) and, for negative impacts, well within accepted standards, and/or the receptor is of low sensitivity/value.
Negligible impact	Negligible impact (or insignificant impact) is where a resource or receptor (including people) will not be affected in any way by a particular activity, or the predicted effect is deemed to be 'negligible' or 'imperceptible' or is indistinguishable from natural background variations.

Table 4.3 Colour scale for significance ratings

Negative ratings	Positive ratings
Negligible	Negligible
Minor	Mirror
Modegate	Moderate
Magor	Major

For a more in-depth description of the impact assessment methodology see Outper 3 of the EtR

E4.1.1 Potential Construction Phase Impacts

Table E4.3 summarises all the potential biophysical and socio-economic negative and positive impacts assessed for the construction phase of the Project. For a more detailed description of the impacts and relevant mitigation measures see Chapter 7 of the EIR.

Table E4.4 Summary of potential impacts associated with the construction phase (premitigation)

Project component	Impact significance	Impact description
Loops	1 major regative impact	Spread/colonisation of invasive alien species and weed taxa
	5 moderate negative impacts	Loss of vegetation communities. Loss of faunal diversity and richness. Loss of protected invertebrate species. Disturbance to riparian zone.

3.1.2 Potential impact of each main activity in each phase, and corresponding significance assessment. The potential impacts of each main activity associated with the various phases of the borrow pit's development have been

assessed in accordance with the methodology above. The results of the significance assessment have been included in the impact table below:

Phase	Activity	Impact	Significance	Explanation of Significance Rating
			Rating	
Construction	Clearing of	Loss of vegetation	Minor	The area to be impacted on has a
	vegetation	communities (negative		small footprint and is already severely
		impact): Vegetation clearing		disturbed. Vegetation communities
		within the borrow pit area may		situated on the borrow pit land, if
		lead to the loss of vegetation		any, are minimal and are unlikely to
		communities.		be of the same composition (which is
				also poor) as those in undisturbed
				areas. Therefore clearing of this land
				would have a minor impact on
				vegetation communities.
		Loss of faunal diversity and	Minor	The area to be impacted on has a
		richness (negative impact):		small footprint and is already severely
		Clearing of vegetation in the		disturbed. Vegetation communities
		borrow pit may directly affect		on the borrow pit land, if any, are
		faunal habitat. Indirect loss of		minimal and are unlikely to be of the
		diversity		same composition (which is also poor)
		and species richness is		as those in undisturbed areas. As a
		associated with habitat		result of this, the potential habitat
		loss.		which this vegetation could provide
				would be minimal. Therefore clearing

		of this land would have a minor impact on habitat loss.
	Moderate	Due to the dry climate in the Northern Cape, substantial dust could be generated during the excavation activities. This dust could be blown onto the adjacent properties or irritate receptors thereby deeming this a moderate impact. However, the nearest social receptor to the borrow pit is approximately 50 km away.
Soil erosion (negative impact): Soil erosion may occur as a result of vegetation clearing within the rail reserve where the borrow pit is located.	Minor	The area to be cleared has a minor footprint and is already severely degraded. Additional clearing is unlikely to cause significant soil erosion as all soil and material which will be cleared will be stockpiled correctly.

impact): Noise disturbance		(generally flat), the noise generated
could result from the use of		by the excavation machinery could
machinery during vegetation		carry and impact on the nearest
clearing.		receptor which is approximately 50
		km away.
Removal of	Moderate	This is a moderate positive impact
Declared invader and weed		because any invader and weed
species (Positive impact):		species which have not been cleared
During vegetation clearing		as part of Transnet's maintenance of
within the borrow pit area		the railway servitude will be removed
alien invasive and weed		from the land during the construction
species will be removed.		phase of the borrow pit's operation.
Loss of or disturbance to	Moderate	Belmont is part of a South African
archaeological,		War cultural landscape and
paleontological or cultural		potentially, artefacts related to this
sites (negative impact):		time period could be exposed during
Construction activities may		the borrow pit operations.
result in the disturbance,		
damage or destruction of		
sites of medium to high		
cultural significance (as		
defined in the NHRA) or		
sites of paleontological		2
importance. In addition to		
this, the Kimberley to De Aar		
section of the line is part of a		
cultural landscape. Any type		

		of development (including		
		borrow pits) can have an		
		impact on the cultural sense		
		of place.		
		Contamination	Moderate	Fuel spillage during refuelling and oil
		of soil and		spills from poorly maintained
2		groundwater		machinery can seep into the newly
		resources (negative impact):		exposed ground and eventually into
		Contamination of soil and		the groundwater. This impact is
		groundwater due to potential		moderate as it is can be managed
		fuel spillage from construction		effectively and efficiently to minimise
		machinery.		or prevent the impact on the
				contamination of soil and
				groundwater.
	Stockpiling of	Soil erosion (negative impact):	Moderate	Newly stockpiled topsoil is vulnerable
	topsoil	Soil erosion may occur if the		to erosion by flash floods and winds.
		topsoil stockpiles are not		Although the likelihood is low, this
		shaped and re-vegetated		will impact on the amount of topsoil
		appropriately.		which will be available for
				rehabilitation if this is not managed
				correctly.
		Contamination	Moderate	Fuel spillage as a result of oil spills
		of soil and		from poorly maintained machinery
		groundwater		can seep into the newly exposed
		resources (negative impact):		ground and eventually into the
		Contamination of soil and		groundwater. This impact is moderate
		groundwater due to potential		as it is can be managed effectively

		fuel spillage from machinery		and efficiently to minimise or prevent
		used to stockpile the topsoil.		the impact on the contamination of
				soil and groundwater.
		Dust nuisance (negative	Moderate	Due to the dry climate in the
		impact): The generation of		Northern Cape, substantial dust
		dust		could be generated during the
		During stockpiling could pose		excavation activities. This dust could
		a nuisance to social receptors		be blown onto the adjacent
		in proximity to the borrow pit		properties or irritate receptors
		site.		thereby deeming this a moderate
				impact. However, the nearest social
				receptor to the borrow pit is
				approximately 50 km away.
		Noise disturbance (negative	Moderate	Due to the topography of the land
		impact): Noise disturbance		(generally flat), the noise generated
		could result from the use of		by the excavation machinery could
		machinery during stockpiling.		carry and impact on the nearest
				receptor which is approximately 50
				km away.
Operation	Excavation of	Dust nuisance (negative	Moderate	Due to the dry climate in the
	borrow	impact): The generation of		Northern Cape, substantial dust
	material	dust through the excavation of		could be generated during the
		the borrow material and		excavation activities. This dust could
		transport on the gravel road		be blown onto the adjacent
		could pose a nuisance to		properties or irritate receptors
		social receptors in proximity		thereby deeming this a moderate
		to the borrow pit site.		impact. However, the nearest social

				receptor to the borrow pit is approximately 50 km away.
		Noise disturbance (negative	Moderate	Due to the topography of the land
		impact): Noise disturbance		(generally flat), the noise generated
		could result from the use of		by the excavation machinery could
		machinery during excavation.		carry and impact on the nearest
				receptor which is approximately 50
				km away.
		Contamination	Moderate	Fuel spillage as a result of oil spills
		of soil and		from poorly maintained machinery
		groundwater		can seep into the newly exposed
		resources (negative impact):		ground and eventually into the
		Contamination of soil and		groundwater. This impact is moderate
		groundwater due to potential		as it is can be managed effectively
		fuel spillage from excavation		and efficiently to minimise or prevent
		machinery and haul vehicles.		the impact on the contamination of
				soil and groundwater.
Decommissioning	Rehabilitation	Spread or colonisation of	Minor	The area which is to be disturbed will
and closure		invasive alien species and		be used continuously. Therefore,
		weed taxa (negative impact):		there will not be sufficient time for
		Patches of disturbed soil can		weeds and other plants to colonise
		be vulnerable to colonisation		the area.
		by weeds which can prohibit		
		natural succession of the local		
		indigenous vegetation during		
		rehabilitation.		
		Dust nuisance (negative	Moderate	Due to the dry climate in the

impact): The generation of		Northern Cape, substantial dust
dust through spreading of the		could be generated during the
topsoil during rehabilitation.		rehabilitation activities. This dust
		could be blown onto the adjacent
		properties or irritate receptors
		thereby deeming this a moderate
		impact. However, the nearest social
		receptor to the borrow pit is
		approximately 50 km away.
Contamination	Moderate	Fuel spillage as a result of oil spills
of soil and		from poorly maintained machinery
groundwater		can seep into the newly exposed
resources (negative impact):		ground and eventually into the
Contamination of soil and		groundwater. This impact is moderate
groundwater due to potential		as it is can be managed effectively
fuel spillage from machinery		and efficiently to minimise or prevent
used for rehabilitation.		the impact on the contamination of
		soil and groundwater.

3.1.3 Assessment of potential cumulative impacts.

The potential impacts of the possible cumulative impacts identified in Section 2.2.2 above have been assessed in accordance with the methodology in section 3.1.1. The results of the significance assessment have been included in the impact table below:

Cumulative impact	Impact Description	Significance rating
Incremental noise	Both the activities taking	Moderate
from a number of	place on the railway line	
separate	between Kimberley and	
developments	De Aar (re-electrification	
	of the line) and the	
	excavation of the borrow	
	pit will generate noise	
,	which together would	
	result in an increased	
	noise impact.	
Combined effect of	The noise, dust and	Moderate
the individual	visual impacts from the	
impacts on	borrow pit activities will	
surrounding	collectively have a	
receptors	greater impact on	
	surrounding receptors	
	than they would in	
8	isolation.	

3.2 Proposed mitigation measures to minimise adverse impacts.

3.2.1 List of actions, activities, or processes that have sufficiently significant impacts to require mitigation.

According to the definitions for significance ratings in section 3.1.1, any activity with anything greater than and including a significance rating of 'Minor' should require mitigation. Based on this, the activities requiring mitigation for each phase are:

1) Construction:

- Clearing of vegetation
- Stockpiling of topsoil

2) Operation:

- Excavation of borrow material

3) Decommissioning and closure:

- Rehabilitation

3.2.2 Concomitant list of appropriate technical or management options
(Chosen to modify, remedy, control or stop any action, activity, or process which will cause significant impacts on the environment, socioeconomic conditions and historical and cultural aspects as identified. Attach detail of each technical or management option as appendices)

Environmental Specification (Appendix F1) and Transnet's Construction Environmental Management Plan (Appendix F2) mitigated or managed. This information has been sourced from the Final BIA (Appendix C), Transnet's Standard The table below includes the activity as well as the significant impacts associated with it as well as how it will be as well as the Heritage Management Plan (Appendix F4):

Phase	Activities	Impact		Mitigation/Management
Construction	Clearing of	Loss of vegetation	į	The footprint of the vegetation removal will
	vegetation	communities (negative	Parchago.	be limited to that absolutely necessary for
		impact): Vegetation clearing		the operation
	Stockpiling	within the borrow pit area	ı	The available topsoil will be appropriately
	of topsoil	may lead to the loss of		stockpiled (in mounds not exceeding 2m in
		vegetation communities.		height) and reused in the rehabilitation
				process to facilitate regrowth of the
			-	vegetation after the operation is complete.
		Loss of faunal diversity and	1	The footprint of the vegetation removal will
		richness (negative impact):		be limited to that absolutely necessary for
		Clearing of vegetation in the		the operation. The footprint of the area to be
		borrow pit may directly		lost is already minimal.
		affect faunal habitat.		
		Indirect loss of diversity		
		and species richness is		
		associated with habitat		
		loss.		
		Dust nuisance (negative	1	The movement of vehicles and machinery will

	impact): The generation of		be restricted to the authorised access roads
	dust		and vehicle's will be limited to travel at
	through site clearance and		speeds not exceeding 20 km/h
	earthworks could pose a	1	Dust suppression with soil stabilisers and
	nuisance to social receptors		additional measures will be used if dust
	in proximity to the borrow		becomes a nuisance.
	pit site.	Í	Construction and operations personnel will be
			trained to report excessive dust conditions so
			that these can be managed quickly and
			effectively.
0	Soil erosion (negative	Ĺ	The footprint of the vegetation removal will
	impact): Soil erosion may		be limited to that absolutely necessary for
	occur as a result of		the operation. Rehabilitation will commence
	vegetation clearing within		soonest after the completion of the activities.
	the rail reserve where the		
	borrow pit is located.		
	Noise disturbance (negative	1	Operations will be limited to daylight hours
	impact): Noise disturbance	1	Vehicles will be maintained in accordance
	could result from the use of		with the manufacturer's specifications to
	machinery during vegetation		reduce the noise impacts from the equipment.
	clearing.		The Contractor will be required to
			demonstrate that the maintenance record of
			the vehicles he/she intends to use (including
			noise reduction measures such as bafflers) is
			up to date prior to accessing the site.

Removal of	lof	1	Monitoring of the vegetation growth in the
declared			borrow pit area will be undertaken by the
invader and	and		EO. This will allow for identification of
weed sp	weed species (Positive		invader and weed species growth and prompt
impact)	impact): During vegetation		an early reaction to this.
clearing			
within t	within the borrow pit area		
alien inv	alien invasive and weed		
species	species will be removed.		
Loss of	Loss of or disturbance to	ij	If an artefact on site is uncovered during the
archaeological,	logical,		operations, all work will be stopped
paleont	paleontological or cultural		immediately and the EO as well as the
sites (no	sites (negative impact):		professional archaeologist will be informed of
Constru	Construction activities may		the discovery. SAHRA will be contacted and
result ir	result in the disturbance,		work will only recommence once clearance
damage	damage or destruction of		has been given in writing by the
sites of	sites of medium to high		archaeologist. The procedures as specified in
cultural	cultural significance (as		the HMP will be followed (Appendix F4).
defined	defined in the NHRA) or		
sites of	sites of paleontological		
importance.	nce.		
Contamination	ination	Ţ	Limited quantities of fuel and oils will be
of soil and	pu		stored on site. Storage will be done within
groundwater	vater		adequately bunded areas to prevent soil and
resource	resources (negative impact):		water contamination
Contam	Contamination of soil and	ı	Servicing of vehicles will take place off-site
groundw	groundwater due to potential	1	Dip trays will be placed whenever vehicles

		fuel spillage from		are refuelled, serviced and at night when
		construction machinery.		vehicles are not in use.
			1	Vehicles will be maintained in accordance
				with the manufacturer's specifications. The
	W			Contractor will be required to demonstrate
				that the maintenance record of the vehicles
				he/she intends using is up to date prior to
				accessing the site.
			f	Any spillage will be immediately attended to,
				reported and recorded.
			1	A spill response kit will be available on site at
				all times and contractors' employees will be
				trained in the use of the kit.
Operation	Excavation	Dust nuisance (negative	T	The movement of vehicles and machinery will
	of borrow	impact): The generation of		be restricted to the authorised access roads
	material	dust		and vehicle's will be limited to travel at
		through the excavation of		speeds not exceeding 20 km/h
		the borrow material and	1	Dust suppression with soil stabilisers and
		transport on the gravel road		additional measures will be used if dust
		could pose a nuisance to		becomes a nuisance.
		social receptors in proximity	Í	Construction and operations personnel will be
		to the borrow pit site.		trained to report excessive dust conditions so
				that these can be managed quickly and
				effectively.
		Noise disturbance (negative	t	Operations will be limited to daylight hours

impact): Noise disturbance	f,	Vehicles will be maintained in accordance
could result from the use of		with the manufacturer's specifications. The
machinery during excavation.		Contractor will be required to demonstrate
		that the maintenance record of the vehicles
		he/she intends using is up to date prior to
		accessing the site.
Contamination	1	Limited quantities of fuel and oils will be
of soil and		stored on site. Storage will be done within
groundwater		contained areas to prevent soil and water
resources (negative impact):		contamination. All fuelling facilities will be
Contamination of soil and		placed in bunded areas.
groundwater due to potential	Ï	Servicing of vehicles will take place off-site
 fuel spillage from excavation		where possible
machinery and haul vehicles.	1	Dip trays will be placed whenever vehicles
		are refuelled, serviced and at night when
		vehicles are not in use.
	1	Vehicles will be maintained in accordance
		with the manufacturer's specifications. The
		Contractor will be required to demonstrate
		that the maintenance record of the vehicles
		he/she intends using is up to date prior to
		accessing the site.
	1	Any spillage will be immediately attended to,
		reported and recorded.
	1	A spill response kit will be available on site at
		all times and contractor's employees will be

				trained in the use of the kit.
Decommissioning	Rehabilitatio	Spread or colonisation of	j	Regular monitoring of vegetation growth
and closure	u	invasive alien species and		especially on the topsoil stockpile and areas
		weed taxa (negative impact):		surrounding the access roads and proposed
		Patches of disturbed soil can		borrow site will be undertaken by the EO.
		be vulnerable to colonisation	1	Invaders will be removed at least on a
		by weeds which can prohibit		monthly basis.
		natural succession of the		
		local indigenous vegetation		
		during rehabilitation.		
		Dust nuisance (negative	1	Dust suppression with soil stabilisers and
		impact): The generation of		additional measures to control dust.
		dust through spreading of	Į.	Construction and operations personnel will be
		the topsoil during		trained to report excessive dust conditions so
		rehabilitation.		that these can be managed quickly and
				effectively.
		Contamination	1	Vehicles will be maintained in accordance
		of soil and		with the manufacturer's specifications. The
		groundwater		Contractor will be required to demonstrate
		resources (negative impact):		that the maintenance record of the vehicles
		Contamination of soil and		he/she intends using is up to date prior to
		groundwater due to potential		accessing the site.
		fuel spillage from machinery	1	Any spillage will be immediately attended to,
		used for rehabilitation.		reported and recorded.
			1	A spill response kit will be available on site at
				all times and contractor's employees will be

3.2.3 Review the significance of the identified impacts (After bringing the proposed mitigation measures into consideration).

The significance of the identified impacts post-mitigation has been included in the table below:

Phase	uded in the table Activity	Impact Significa	
T HOSO	rictivity	·mpoor	Rating
Construction	Clearing of	Loss of vegetation	Negligible
	vegetation	communities (negative	
		impact): Vegetation clearing	
		within the borrow pit area may	
		lead to the loss of vegetation	
		communities.	
		Loss of faunal diversity and	Minor
		richness (negative impact):	
		Clearing of vegetation in the	
	12	borrow pit may directly affect	
		faunal habitat.	
		Indirect loss of diversity	
		and species richness is	
		associated with habitat	
		loss.	
		Dust nuisance (negative	Negligible
		impact): The generation of	
		dust through site clearance	
		and earthworks could pose a	
		nuisance to social receptors in	
		proximity to the borrow pit	
		site.	NI I WI
		Soil erosion (negative impact):	Negligible
		Soil erosion may occur as a	
		result of vegetation clearing within the rail reserve where	
		the borrow pit is located.	
		Noise disturbance (negative	Minor
		impact): Noise disturbance	WIIIOI
		could result from the use of	
		machinery during vegetation	
		clearing.	
		cicaring.	
		Removal of	Negligible
		declared	
		invader and	
		weed species (Positive	
		impact): During vegetation	
		clearing	

29		within the borrow pit area	
		alien invasive and weed	
		species will be removed.	
		Loss of or disturbance to	Minor
		archaeological,	
		paleontological or cultural	
		sites (negative impact):	
		Construction activities may	
		result in the disturbance,	1
		damage or destruction of	
		sites of medium to high	
		cultural significance (as	
		defined in the NHRA) or	
		sites of paleontological	
		importance. In addition to	
		this, the Kimberley to De Aar	*
:		section of the line is part of a	
		cultural landscape. Any type	
		of development (including	
		borrow pits) can have an	
		impact on the cultural sense	
		of place. Contamination	Minon
		of soil and	Minor
}		groundwater	
		resources (negative impact):	
		Contamination of soil and	
		groundwater due to potential	
		fuel spillage from construction	
		machinery.	
	Stockpiling of	Soil erosion (negative impact):	Minor
	topsoil	Soil erosion may occur if the	
		topsoil stockpiles are not	
		shaped and re-vegetated	
		appropriately.	
		Contamination	Minor
		of soil and	
		groundwater	
		resources (negative impact):	
		Contamination of soil and	
		groundwater due to materalial	
		groundwater due to potential	
		groundwater due to potential fuel spillage from machinery used to stockpile the topsoil.	

		Dust nuisance (negative impact): The generation of dust During stockpiling could pose a nuisance to social receptors in proximity to the borrow pit site. Noise disturbance (negative impact): Noise disturbance could result from the use of machinery during stockpiling.	Minor
Operation	Excavation of	Dust nuisance (negative	Minor
	borrow	impact): The generation of	
	material	dust through the excavation of	
		the borrow material and	
		transport on the gravel road	
		could pose a nuisance to	
		social receptors in proximity to the borrow pit site.	
		Noise disturbance (negative	Minor
9		impact): Noise disturbance	WILLION
		could result from the use of	
		machinery during excavation.	
		Contamination	Minor
		of soil and groundwater	
		resources (negative impact): Contamination of soil and	
		groundwater due to potential	
		fuel spillage from excavation	
		machinery and haul vehicles.	
Decommissioning	Rehabilitation	Spread or colonisation of	Minor
and closure		invasive alien species and	
		weed taxa (negative impact):	
		Patches of disturbed soil can	
		be vulnerable to colonisation	
		by weeds which can prohibit	
		natural succession of the local	
		indigenous vegetation during rehabilitation.	,
		Dust nuisance (negative	Minor
		impact): The generation of	
		dust through spreading of the	

topsoil during rehabilitation.			
Contamination	Minor		
of soil and			
groundwater			
resources (negative impact):			
Contamination of soil and			
groundwater due to potential			
fuel spillage from machinery			
used for rehabilitation.			

4 REGULATION 52 (2) (d): Financial provision. The applicant is required to-

4.1 Plans for quantum calculation purposes.

(Show the location and aerial extent of the aforesaid main mining actions, activities, or processes, for each of the construction operational and closure phases of the operation).

This plan is shown in Figure 7 below and has been included in Appendix B.

4.2 Alignment of rehabilitation with the closure objectives

(Describe and ensure that the rehabilitation plan is compatible with the closure objectives determined in accordance with the baseline study as prescribed).

The closure objectives for the borrow pits include:

- 1) Rehabilitation of access roads
- 2) Rehabilitation of the pit including final voids and ramps
- 3) General surface rehabilitation (laying and spreading of topsoil and reseeding)
- 4) Maintenance and aftercare of the rehabilitated area

Costing for the closure objectives has been provided in Section 4.3 below and these objectives are in line with the rehabilitation plan as discussed in the Final EIA (Appendix C), Transnet's Standard Environmental Specification (Appendix F1) and Transnet's Construction Environmental Management Plan (Appendix F2).




Figure 7: Belmont borrow pit layout

4.3 Quantum calculations.

(Provide a calculation of the quantum of the financial provision required to manage and rehabilitate the environment, in accordance with the guideline prescribed in terms of regulation54 (1) in respect of each of the phases referred to).

The table below is a calculation of the quantum of the financial provision required to manage and rehabilitate the environment:

M	fline: BELMONT BORROW PIT (TRANSNET LIMITED)					Location: Date:	Belmont, 1 05/03/201	Northern Cape 13
	Risk Class Area Sensitivity	C Med						
No.	Description	Unit	Α	В	С	D		E=A*B*C*D
			Quantity	Master Rate	Multiplication Factor	Weighting Factor 1	,	Amount (rands)
1 (Dismantling of processing plant and related structures including overland conveyors and powerlines)	m³		6.82	0.00	0.00	R	*
2(A) D	Demolition of steel buildings and structures	m _s		95.00	0.00	0.00	R	=
2(B) D	Demolition of reinforced concrete buildings and structures	m²		140.00	0.00	0.00	R	
3 F	Rehabilitation of access roads	m²	90	17.00	1.00	1.10	R	1 683.00
4(A) D	Demolition and rehabilitation of electrified railway lines	m		165.00	0.00	0.00	R	
4(B) D	Demolition and rehabilitation of non-electrified railway lines	m		90.00	0.00	0.00	R	2
5 D	Demolition of housing and/or administration facilities	m²		190.00	0.00	0.00	R	5
6 C	Opencast rehabilitation including final voids and ramps	ha	1.5	96 700.00	0.52	1.10	R	82 968.60
7 S	Sealing of shafts, adits and inclines	m ³		51.00	0.00	0.00	R	=
B(A) R	Rehabilitation of overburden and spoils	ha		66 400.00	0.00	0.00	R	-
	tehabilitation of processing waste deposits and evaporation londs (basic salt-producing waste)	ha		82 700.00	0.00	0.00	R	=
H H	Rehabilitation of processing waste deposits and evaporation	ha		240 200.00	0.00	0.00	R	
	onds (acidic, metal-rich waste) Rehabilitation of subsided areas	ha		55 600.00	0.00	0.00	R	•
10 G	Seneral surface rehabilitation	ha	1.5	52 600.00	1.00	1.10	R	86 790.00
11 B	Ner diversions	ha		52 600.00	0.00	0.00	R	
12 F	encing	m		60.00	0.00	0.00	R	-
13 W	Vater management	ha		20 000.00	0.00	0.00	R	
	to 3 years of maintenance and aftercare	ha	1.5	7 000.00	1.00	1.10	R	11 550.0
100000 100	Specialist study	Sum		0.00	0.00	0.00	R	2
- SEE	specialist studies (soil remediation)	ha		0.00	0.00	0.00	R	
.00	position statute (our emodulatory				195×401	s 1 to 15 above)	1988	182 991.60
					(
					We	ighting Factor 2		1.05
						Subtotal 1		192 141.1
								354 3 133
T		6.0% 1	f Subtotal 1 >	100 000 000				
1 P	reliminary and General	- Normation of	f Subtotal 1 <			7	R	23 056.9
2 0	Contingency			of Subtotal 1			R	19 214.1
			12020					27.71
						SubTotal 2	R	234 412.2
			(Subto	tal 1 plus sum of	management a			
			8		N N	Add Vat (14%)	R	32 817.7
					G	RAND TOTAL	R	267 229.9
					(Subt	total 2 plus VAT)		

4.4 Undertaking to provide financial provision

(Indicate that the required amount will be provided should the right be granted).

The undertaking to provide financial provision is attached in Appendix H.

5 REGULATION 52 (2) (e): Planned monitoring and performance assessment of the environmental management plan.

5.1 List of identified impacts requiring monitoring programmes.

The main impacts requiring monitoring programmes will occur during the construction phase and the rehabilitation and closure phase. The impacts and the associated monitoring plans have been tabulated below:

Phase	Impact	Management/monitoring plan
Construction	Loss of vegetation communities (negative impact) Loss of faunal diversity and richness (negative impact)	CEMP (Appendix F2) and SES (Appendix F1) and HMP (Appendix F4)
	Dust nuisance (negative impact)	
-	Soil erosion (negative impact) Noise disturbance (negative impact)	٠
	Removal of declared invader and weed species (Positive impact)	
	Loss of or disturbance to archaeological, paleontological or cultural sites (negative impact)	
	Contamination of soil and groundwater resources (negative impact)	
Decommissioning and closure	Spread or colonisation of invasive alien species and weed taxa (negative impact):	Vegetation monitoring plan as part of the rehabilitation plan and

Patches of disturbed soil can be vulnerable to colonisation by weeds which can prohibit natural succession of the local indigenous vegetation during rehabilitation.	SES (Appendix F1)
Dust nuisance (negative impact)	SES (Appendix F1)
Contamination of soil and groundwater resources (negative impact)	SES (Appendix F1)

5.2 Functional requirements for monitoring programmes.

Where relevant either a TCP or the Contractor's Environmental Officer (EO) will be required to implement the monitoring programmes for the construction, operation, decommissioning and closure phases.

An allowance has been made in the Calculation of the Quantum (Section 4.3 of this document) for the rehabilitation monitoring plan to implemented for three years after the borrow pit has been rehabilitated.

5.3 Roles and responsibilities for the execution of monitoring programmes.

The roles and responsibilities for execution of the monitoring programmes are detailed in the CEMP (Appendix F2) and explained briefly below:

Role	Responsibility
Transnet Capital Projects	Approval of monitoring programmes and
Environmental Manager	environmental training and awareness
	programmes.
Transnet Capital Projects	Ensures that all environmental monitoring
Environmental Officer	programmes are carried out in accordance to
	protocols and schedules.
Contractor's Environmental	Ensures the contractors compliance with the
Officer	CEMP and SES.
Environmental Auditor	An environmental auditor will be appointed to
	ensure, among other things, that the
	monitoring plans have been implemented
	correctly.

5.4 Committed time frames for monitoring and reporting.

The committed times frames for monitoring and reporting during the construction and post closure phases are:


Construction: 12 months from the start of construction.

Vegetation monitoring (Post closure): Three years post closure

6 REGULATION 52 (2) (f): Closure and environmental objectives.

6.1 Rehabilitation plan (Show the areas and aerial extent of the main prospecting activities, including the anticipated prospected area at the time of closure).

The area to be affected is shown in the plan below. This is also included in Appendix B.



6.2 Closure objectives and their extent of alignment to the pre-mining environment.

The closure objectives for the borrow pits include:

- 1) Rehabilitation of access roads
- 2) Rehabilitation of the pit including final voids and ramps
- 3) General surface rehabilitation (laying and spreading of topsoil and reseeding)
- 4) Maintenance and aftercare of the rehabilitated area

The vegetation in the borrow pit area is dominated by the Northern Upper Karoo which has an ecological status of least threatened in terms of the National Spatial Biodiversity Assessment (NSBA). The area in and around the proposed borrow pit is of low ecological importance. The area is degraded and highly disturbed/transformed with little ecological function and generally very poor in species diversity (most species are exotic or weeds). Rehabilitation of this area, will in most likelihood, restore it to a better state than that at pre-construction.

6.3 Confirmation of consultation

(Confirm specifically that the environmental objectives in relation to closure have been consulted with landowner and interested and affected parties).

A public participation process was carried out as part of the Environmental Impact Assessment for the Proposed Upgrade of the Transnet Railway Line between Hotazel and the Port of Ngqura in July 2009 (See Appendix C for a copy of this report). Borrow pits in general have been discussed in this assessment as well as in the public information documents (BIDs etc) and the public were made aware that the project would require several borrow pits along the length of the line as part of the EIA process. The CEMP (Appendix F2) was included in the EIA. The CEMP makes reference to closure and site cleanup.

The Belmont borrow pit area is on Transnet land and is within the rail reserve. Transnet are therefore the landowner and by default have agreed to the closure objectives (See Undertaking to provide financial provision for closure in Appendix H). Specific consultation with interested and affected parties was therefore not applicable in this case, however, landowners of the farm portions adjacent to the area on which the borrow pit is located, were contacted and informed about the proposed activities in February 2013 (See Figure 6 for the farm portions adjacent to the borrow pit site). The general landscape was included in the EIA process and therefore communities and affected parties along the length of the railway line had the opportunity to provide input into the classification of the surrounding environment.

A Stakeholder Engagement Plan (SEP) is currently being prepared for the Kimberley to De Aar section of the railway line. As part of the preparation of this plan, all indirectly affected landowners will be further consulted with regarding the re-commissioning of the Belmont borrow pit.

7 REGULATION 52 (2) (g): Record of the public participation and the results thereof.

7.1 Identification of interested and affected parties.

7.1.1 Name the community or communities identified, or explain why no such community was identified.

Areas around the Belmont borrow pit are mostly farm land. A few trading stores occur at Belmont station and surrounds. No community resides on the borrow pit land itself. Informal settlers reside in Transnet housing and old station buildings.

7.1.2 Specifically state whether or not the Community is also the landowner

The applicant (Transnet) is the landowner.

7.1.3 State whether or not the Department of Land Affairs have been identified as an interested and affected party

The Department of Land Affairs were not consulted with as part of the 2009 EIA as there were no new borrow pit areas being explored. The Belmont pit is an existing borrow pit which needs to be re commissioned.

7.1.4 State specifically whether or not a land claim is involved

No land claims are involved.

7.1.5 Name the Traditional Authority identified

No Traditional Authorities exist in this specific area.

7.1.6 List the Landowners identified by the applicant (Traditional and Title Deed owners)

Transnet is both the owner and the applicant in this case. The title deed is attached in Appendix G.

7.1.7 List the lawful occupiers of the land concerned

Transnet owns the land on which the Belmont borrow pit is situated. There are no occupants on the land where the borrow pit is situated.

7.1.8 Explain whether or not other persons (including on adjacent and non-adjacent properties) socio-economic conditions will be directly affected by the proposed prospecting or mining operation and if not, explain why not.

The directly impacted area is farm land. Due to the small scale of this operation it is not anticipated that the borrow bit operations will have an effect on the socio-economic conditions of the people residing on adjacent and non-adjacent properties.

7.1.9 Name the Local Municipality

Siyancuma Municipality

7.1.10 Name the relevant Governmental Departments, agencies and institutions responsible for the various aspects of the environment and for infrastructure which may be affected by the proposed project

The relevant authorities which would be affected by the borrow pit's development include:

- Department of Environmental Affairs
- Department of Mineral Resources
- South African Heritage Resources Agency
- Department of Agriculture
- Ngwao Boswa Kapa Bokoni Heritage Northern Cape (this was done recently and not as part of the 2009 process)
- The South African National Roads Agency
- Pixley Ka Seme District Municipality
- Siyancuma Local Municipality

7.1.11 Submit evidence that the landowner or lawful occupier of the land in question, and any other interested and affected parties including those listed above, were notified.

All public documentation, including letters from the relevant Authorities, interested and affected parties proving that they were notified about the project has been appended to the Final EIA Report in Appendix C. An update to the 2009 public participation for the Kimberley to De Aar section of the railway line will be conducted in 2013.

7.2 The details of the engagement process.

A separate public participation process was not held for the borrow pits. These were incorporated into the public participation process for the project as a whole. A Stakeholder Engagement Plan (SEP) is currently being prepared for the Kimberley to De Aar section of the railway line. As part of the preparation of this plan, all indirectly affected landowners will be further consulted with regarding the recommissioning of the Belmont borrow pit. In addition to this, landowners of the farm portions adjacent to the area on which the borrow pit is located, were contacted and informed about the proposed activities in February 2013 (See Figure 6 for the farm portions adjacent to the borrow pit site).

The information below is an indication of what took place for the project as a whole in 2009.

7.2.1Description of the information provided to the community, landowners, and interested and affected parties.

The information provided included:

- A description of the proposed project activities
- The project location
- A description of the EIA process as well as the various phases within this process
- A list of the possible issues which have been identified

The following activities were conducted as part of the public participation process to ensure that information regarding the proposed project was communicated to as many parties as possible:

- A Background Information Document (BID) was distributed to stakeholders in English, Afrikaans, isiXhosa and Setswana throughout the EIA process. The BID also invited potential stakeholders to register their interest in the Project.
- The Project was advertised in seven local newspapers and two regional newspapers between the end of July and September 2008. Advertisements were placed in English, Afrikaans and isiXhosa. These adverts informed the public of the Project and requested them to register as Interested and Affected Parties (I&APs) if they would like to participate in the EIA process. Respondents to the advert were included on the project database. The adverts also invited stakeholders to attend various public meetings.
- Site notices were placed at strategic locations (such as municipal offices, libraries and post offices) in 16 towns within or in proximity to the project area. The notices provided information about the Project, the contact details of the consultant and details of the public meetings.
- Eight public meetings were held at various locations within the project area. Each public meeting started with an open house exhibit for the attendees to view various posters and to interact with the project team on a one-on-one basis, followed by a formal public meeting including a more detailed presentation on the Project and then a question and answer session The meetings provided stakeholders with an opportunity to raise any issues or concerns regarding the Project proposal.

7.2.2List of which parties indentified in 7.1 above that were in fact consulted, and which were not consulted.

The parties consulted with included:

Department of Environmental Affairs

- Department of Agriculture
- South African Heritage Resources Agency
- Ngwao Boswa Kapa Bokoni Heritage Northern Cape (this was done recently and not as part of the 2009 process)
- The South African National Roads Agency
- Pixley Ka Seme District Municipality
- Siyancuma Local Municipality

The parties not consulted with include:

- Department of Mineral Resources
- Department of Land Affairs

Consultation with the DMR was not relevant at the time when the Final EIA was being compiled due to the project not being mining related. Borrow pit permits were also not being applied for at the time. It is for this reason that the DMR have been contacted now and consulted with regarding the Belmont borrow pit (See Appendix A2 for communication with the DMR).

The Department of Land Affairs were not consulted with as part of the 2009 EIA as there were no new borrow pit areas being explored. The Belmont borrow pit is an existing borrow pit which needs to be re commissioned.

7.2.3List of views raised by consulted parties regarding the existing cultural, socio-economic or biophysical environment.

Comments raised by the various parties have been included as an annex to the Final EIA in Appendix C. These views are once again, based on the project as a whole and not specifically on the borrow pits. A summarised list of the views has been listed below:

Views on the current socio economic environment:

 The existing local communities are poor, therefore the project must benefit the local communities.

- Unemployment levels are high in the Northern Cape therefore the project must create employment opportunities.
- Skills levels in the province are low therefore Transnet must invest in capacity building.
- Manganese dust and other dust will have an impact on human health.
- Increased rail traffic may lead to increased accidents.

Views on the current biophysical environment:

- The project may put strain on the already limited water resources in the area
- Endangered and indigenous plants may be lost during the clearing of vegetation.
- Increased train traffic may impact on birds breeding closer to the railway line.

Views on the cultural environment:

 There are a few heritage resources within the project area (See Figure 4 for the closest receptor). Permits are required for the alteration of structures older than 60 years and archaeological sites older than 100 years.

7.2.4List of views raised by consulted parties on how their existing cultural, socio-economic or biophysical environment potentially will be impacted on by the proposed prospecting or mining operation.

Comments raised by the various parties have been included as an annex to the Final EIA in Appendix C. Relevant views pertained to how the existing environment will be impacted on by the borrow pits include:

Views on the current socio economic environment:

- Generation of dust from the access roads will have an impact on human health.
- Transnet should be careful when buying privately owned land because there are some land restitution issues that need resolving in the province.

Views on the current biophysical environment:

 Endangered and indigenous plants may be lost during the clearing of vegetation.

Views on the cultural environment:

• There are a few heritage resources within the project area. Permits are required for the alteration of structures older than 60 years and archaeological sites older than 100 years. SAHRA has recently indicated that they require a Phase 1 Impact Assessment which is focused on the borrow pit areas. This has been included in Appendix E.

7.2.5Other concerns raised by the aforesaid parties.

No other concerns pertaining specifically to borrow pits were raised by the aforesaid parties.

7.2.6Confirmation that minutes and records of the consultations are appended.

The minutes and records of the consultations have been included in the Annexes of the Final EIA Report in Appendix C.

7.2.7Information regarding objections received.

No objections were received for this project.

7.3 The manner in which the issues raised were addressed.

All responses to the issues raised by the various parties have been addressed in the Issues and Responses Report which has included as an annex to the Final EIA in Appendix C. All issues raised in e-mails and phone calls have also been captured in this report and addressed here.

8 SECTION 39 (3) (c) of the Act: Environmental awareness plan.

8.1 Employee communication process

(Describe how the applicant intends to inform his or her employees of any environmental risk which may result from their work).

This will be achieved through Environmental Awareness Training presented in section 4.13 of the SES document (Appendix F1). In addition to this, all site personnel should be given a copy of the SES which describes the minimum standards for environmental management to which they must comply. The SES must be read in conjunction with the CEMP (Appendix F2).

All contractors will be required to adhere to the Method statement which has been developed for the Belmont borrow pit (See Appendix F3).

8.2 Description of solutions to risks

(Describe the manner in which the risk must be dealt with in order to avoid pollution or degradation of the environment)t.

Transnet's solution is to anticipate the risk and then compile a management guideline in order to minimise the risk from occurring. Various management guidelines have been included in the SES (Appendix F1) including those for:

- Waste management
- Refuelling
- Dust management
- Storm water management
- Noise management
- Protection of heritage resources

If however, and environmental incident does occur, the CEMP (in Appendix F2) details how these incidences are categorised and how they are dealt with in order to prevent further damage to the environment. These procedures are managed through the construction manager who is assisted by the environmental manager and environmental officer.

8.3 Environmental awareness training.

(Describe the general environmental awareness training and training on dealing with emergency situations and remediation measures for such emergencies).

Before the commencement of any work on site through an induction process, the Contractor's site management staff shall attend an environmental awareness—training course presented by TCP's Environmental Officer (EO). Training of the appropriate personnel will help ensure that all environmental regulations and requirements are followed and are defined in the relevant Method Statement to be prepared by the Contractor. The training should be

conducted, as far as it is possible, in the employees' language of choice and shall include as a minimum:

- Explanation of how to protect the environment from the effects of construction by making the personnel aware of the sensitive environmental resources.
- Employees' roles and responsibilities, including emergency preparedness.
- Explanation of the mitigation measures that must be implemented when carrying out their activities.
- Training of personnel to recognise potential environmental problems, i.e. spills, and communicate the problem to the correct person for solution.

All individuals on the Project site will need to have a minimum awareness of environmental requirements and responsibilities. However, not all need to have the same degree of awareness. The required degree of knowledge is greatest for personnel in the Safety, Health and Environmental Sections and the least for manual personnel. Environmental issues that occur on site will be included in toolbox talks.

The Contractor shall keep a record of all the environmental related training of the personnel.

9 SECTION 39 (4) (a) (iii) of the Act: Capacity to rehabilitate and manage negative impacts on the environment.

9.1 The annual amount required to manage and rehabilitate the environment.

(Provide a detailed explanation as to how the amount was derived)

Due to the nature and scale of this activity (constant uses of the entire borrow pit area), rehabilitation does not take place on an annual basis but rather once the activity is completed. The amount which has been calculated is the amount which has been committed to the effective rehabilitation of the borrow pit area at a time where it is no longer needed. The table below shows the various activities which will be required as part of the borrow pit's rehabilitation. The amounts for each activity have been calculated separately:

		CALCULA	ATION OF T	HE QUANTL				
	Mine: BELMONT BORROW PIT (TRANSNET LIMITED)					Location: Date:	Belmor 05/03/2	nt, Northern Cape 2013
	Risk Class Area Sensitivity	C Med						
No.	Description	Unit	Α	В	С	D	5-12-5	E=A'B'C'D
			Quantity	Master Rate	Multiplication Factor	Weighting Factor 1		Amount (rands)
3	Rehabilitation of access roads	m ²	90	17.00	1.00	1.10	R	1 683.00
6	Opencast rehabilitation including final voids and ramps	ha	1.5	96 700.00	0.52	1.10	R	82 968.60
10	General surface rehabilitation	ha	1.5	52 600.00	1.00	1.10	R	86 790.00
14	2 to 3 years of maintenance and aftercare	ha	1.5	7 000.00	1.00	1.10	R	11 550.00
		g nev i	f Cubatal 1	100 000 000	We	ighting Factor 2 Subtotal 1	_	1.05 192 141.18
1	Pretiminary and General	SHOWER MAN	f Subtotal 1 >		We		_	
1 2	Pretiminary and General Contingency	SHOWER MAN	f Subtotal 1 <		We		R	192 141.1 23 056.9
6		SHOWER MAN	f Subtotal 1 < 10.0%	100 000 000 6 of Subtotal 1	700	Subtotal 1	R R	192 141.11 23 056.9 19 214.1:
6		SHOWER MAN	f Subtotal 1 < 10.0%	100 000 000	700	Subtotal 1	R	192 141.11 23 056.9 19 214.1: 234 412.2
6		SECTION 1	f Subtotal 1 < 10.0%	100 000 000 6 of Subtotal 1	l management au	Subtotal 1 SubTotal 2	R R	192 141.18

9.2 Confirmation that the stated amount correctly reflected in the Prospecting Work Programme as required.

(Specifically confirm that the stated amount has been adequately provided for in the corresponding budget reflected in the Prospecting Work Programme as required in Accordance with Regulation 7 (1) (j) (ii)).

This has been included in Appendix H.

10 REGULATION 52 (2) (h): Undertaking to execute the environmental

management plan.

Herewith I, the person whose name and identity number is stated below, confirm that I am the person authorised to act as representative of the applicant in terms of the resolution submitted with the application, and confirm that the above report comprises EIA and EMP compiled in accordance with the guideline on the Departments official website and the directive in terms of sections 29 and 39 (5) in that regard, and the applicant undertakes to execute the Environmental management plan as proposed.

Full Names and Surname	Rudolph Johan Basson
Identity Number	511772 5117 082