

Anja Albertyn

From: Mail Delivery System <Mailer-Daemon@securemail-pl-mx25.synaq.com>
To: ayabulela.ngoxo@agr.ecprov.gov.za; louanne.bouth@agr.ecprov.gov.za;
dorcas.pillay@agr.ecprov.gov.za; lumkile.ngada@agr.ecprov.gov.za
Sent: 15 June 2018 17:48
Subject: Delivery delayedInitial Notification for the Proposed Highlands Wind Energy Facilities

Delivery is delayed to these recipients or groups:

ayabulela.ngoxo@agr.ecprov.gov.za

louanne.bouth@agr.ecprov.gov.za

dorcas.pillay@agr.ecprov.gov.za

lumkile.ngada@agr.ecprov.gov.za

Subject: Initial Notification for the Proposed Highlands Wind Energy Facilities

This message hasn't been delivered yet. Delivery will continue to be attempted.

Diagnostic information for administrators:

Generating server: securemail-pl-mx25.synaq.com

ayabulela.ngoxo@agr.ecprov.gov.za
gbr1.gov.za

Remote Server returned '<gbr1.gov.za #4.0.0 smtp; 451 Temporary local problem - please try later>'

louanne.bouth@agr.ecprov.gov.za

gbr1.gov.za

Remote Server returned '<gbr1.gov.za #4.0.0 smtp; 451 Temporary local problem - please try later>'

dorcas.pillay@agr.ecprov.gov.za

gbr1.gov.za

Remote Server returned '<gbr1.gov.za #4.0.0 smtp; 451 Temporary local problem - please try later>'

lumkile.ngada@agr.ecprov.gov.za

gbr1.gov.za

Remote Server returned '<gbr1.gov.za #4.0.0 smtp; 451 Temporary local problem - please try later>'

Original message headers:

Return-Path: <Highlands@arcusconsulting.co.za>
Received: from mail.arcusconsulting.co.uk ([212.38.72.98])
by securemail-pl-mx25.synaq.com with esmtps (TLSv1.2:AES256-SHA:256)
(Exim 4.90_1)
(envelope-from <Highlands@arcusconsulting.co.za>)
id 1FTUPq-00028C-M9; Thu, 14 Jun 2018 17:44:21 +0200
Received: from arcus01.Arcus.local (10.0.0.1) by arcus01.Arcus.local
(10.0.0.1) with Microsoft SMTP Server (TLS) id 15.0.1320.4; Thu, 14 Jun 2018
16:43:40 +0100
Received: from arcus01.Arcus.local ([:1]) by arcus01.Arcus.local ([:1]) with
mapi id 15.00.1320.000; Thu, 14 Jun 2018 16:43:40 +0100
From: Highlands <Highlands@arcusconsulting.co.za>
Subject: Initial Notification for the Proposed Highlands Wind Energy
Facilities
Thread-Topic: Initial Notification for the Proposed Highlands Wind Energy
Facilities
Thread-Index: AdQD9G2MEzrZigNRYk4L5fb+sgPLQAAaKYw
Disposition-Notification-To: Highlands <Highlands@arcusconsulting.co.za>
Return-Receipt-To: <Highlands@arcusconsulting.co.za>
Date: Thu, 14 Jun 2018 15:43:39 +0000
Message-ID: <f874403c33664b84bd50b544be5b79c1@arcus01.Arcus.local>
References: <0145c78c35dc40c7b8c8744b159989a5@arcus01.Arcus.local>
In-Reply-To: <0145c78c35dc40c7b8c8744b159989a5@arcus01.Arcus.local>
Accept-Language: en-GB, en-US
Content-Language: en-US
X-MS-Has-Attach: yes
X-MS-TNEF-Correlator:
x-ms-exchange-messagesentrepresentingtype: 1
x-ms-exchange-transport-fromentityheader: Hosted
x-originating-ip: [196.22.229.227]
Content-Type: text/plain
MIME-Version: 1.0
X-IS-SYNAQ-MX: mail.arcusconsulting.co.uk ([212.38.72.98])
X-SYNAQ-Pinpoint-Information: Please contact Internet Solutions for more information
X-SYNAQ-Pinpoint-ID: 1FTUPq-00028C-M9
X-SYNAQ-Pinpoint: Found to be dean
X-SYNAQ-Pinpoint-SpamCheck: not spam (too large)
X-Pinpoint-From: highlands@arcusconsulting.co.za
X-Spam-Flag: NO



**Initial Notification
for the P..**

Anja Albertyn

From: Microsoft Outlook
kerrynm@ewt.co.za
Sent: 14 June 2018 21:49
Subject: Delivery delayedInitial Notification for the Proposed Highlands Wind Energy Facilities

Delivery is delayed to these recipients or groups:

kerrynm@ewt.co.za (kerrynm@ewt.co.za)

Subject: Initial Notification for the Proposed Highlands Wind Energy Facilities

This message hasn't been delivered yet. Delivery will continue to be attempted.

The server will keep trying to deliver this message for the next 1 days, 19 hours and 54 minutes. You'll be notified if the message can't be delivered by that time.

Diagnostic information for administrators:

Generating server: arcus01.Arcus.local
Receiving server: ewt.co.za (::1)

kerrynm@ewt.co.za

Remote Server at ewt.co.za (::1) returned '400 4.4.7 Message delayed'
14/06/2018 19:38:42 - Remote Server at ewt.co.za (::1) returned '441 4.4.1 Error encountered while communicating with primary target IP address: "Failed to connect. Winsock error code: 10061, Win32 error code: 10061." Attempted failover to alternate host, but that did not succeed. Either there are no alternate hosts, or delivery failed to all alternate hosts. The last endpoint attempted was ::1:25'

Original message headers:

Received: from arcus01.Arcus.local (10.0.0.1) by arcus01.Arcus.local (10.0.0.1) with Microsoft SMTP Server (TLS) id 15.0.1320.4; Thu, 14 Jun 2018 16:43:40 +0100
Received: from arcus01.Arcus.local (::1) by arcus01.Arcus.local (::1) with mapi id 15.00.1320.000; Thu, 14 Jun 2018 16:43:40 +0100
From: Highlands <Highlands@arcusconsulting.co.za>
Subject: Initial Notification for the Proposed Highlands Wind Energy Facilities
Thread-Topic: Initial Notification for the Proposed Highlands Wind Energy Facilities
Thread-Index: ADQD9GG2MEzZjgNRYk4L5fb+sgPLQAAaKYw
Disposition-Notification-To: Highlands <Highlands@arcusconsulting.co.za>
Return-Receipt-To: <Highlands@arcusconsulting.co.za>
Date: Thu, 14 Jun 2018 15:43:39 +0000
Message-ID: <f874403c33664b84bd50b544be5b79c1@arcus01.Arcus.local>
References: <0145c78c35dc40c7b8c8744b159989a5@arcus01.Arcus.local>
In-Reply-To: <0145c78c35dc40c7b8c8744b159989a5@arcus01.Arcus.local>

Accept-Language: en-GB, en-US
Content-Language: en-US
X-MS-Has-Attach: yes
X-MS-TNEF-Correlator:
x-ms-exchange-messagesentrepresentingtype: 1
x-ms-exchange-transport-fromentityheader: Hosted
x-originating-ip: [196.22.229.227]
Content-Type: multipart/mixed;
boundary=" _008_f874403c33664b84bd50b544be5b79c1arcus01Arcuslocal_"
MIME-Version: 1.0



**Initial Notification
for the P..**

Anja Albertyn

From: Mail Delivery System <Mailer-Daemon@gbri.gov.za>
To: angie.majongile@dot.ecprov.gov.za
Sent: 14 June 2018 17:44
Subject: Undeliverable: Initial Notification for the Proposed Highlands Wind Energy Facilities

Delivery has failed to these recipients or groups:

angie.majongile@dot.ecprov.gov.za

A problem occurred while delivering this message to this email address. Try sending this message again. If the problem continues, please contact your helpdesk.

Diagnostic information for administrators:

Generating server: gbri1.gov.za

angie.majongile@dot.ecprov.gov.za
Remote Server returned '< #5.0.0>'

Original message headers:

Return-Path: <Highlands@arcusconsulting.co.za>
Received: from securemail-pl-mx25.synqa.com ([196.35.198.137])
by gbri1.gov.za with esmtp (Exim 4.89 (FreeBSD))
(envelope-from <Highlands@arcusconsulting.co.za>)
id 1FTUQ7-0009M3-QJ
for angie.majongile@dot.ecprov.gov.za; Thu, 14 Jun 2018 17:44:21 +0200
Received: from mail.arcusconsulting.co.uk ([212.38.72.98])
by securemail-pl-mx25.synqa.com with esmtps (TLSv1.2:AES256-SHA:256)
(Exim 4.90 1)
(envelope-from <Highlands@arcusconsulting.co.za>)
id 1FTUFq-0004wO-0K
for angie.majongile@dot.ecprov.gov.za; Thu, 14 Jun 2018 17:44:10 +0200
Received: from arcus01.Arcus.local (10.0.0.1) by arcus01.Arcus.local
(10.0.0.1) with Microsoft SMTP Server (TLS) id 15.0.1320.4; Thu, 14 Jun 2018
16:43:40 +0100
Received: from arcus01.Arcus.local ([:1]) by arcus01.Arcus.local ([:1]) with
mapl id 15.00.1320.000; Thu, 14 Jun 2018 16:43:40 +0100
From: Highlands <Highlands@arcusconsulting.co.za>
Subject: Initial Notification for the Proposed Highlands Wind Energy
Facilities
Thread-Topic: Initial Notification for the Proposed Highlands Wind Energy
Facilities
Thread-Index: AdQD9GG2MEzrzJgNRYk4L5fb+sgPLQAAakYw
Disposition-Notification-To: Highlands <Highlands@arcusconsulting.co.za>
Return-Receipt-To: <Highlands@arcusconsulting.co.za>
Date: Thu, 14 Jun 2018 15:43:39 +0000
Message-ID: <E874403c33664b84bd50b54be5b79c1@arcus01.Arcus.local>
References: <0145c78c35dc40c7b8c8744b159989a5@arcus01.Arcus.local>
In-Reply-To: <0145c78c35dc40c7b8c8744b159989a5@arcus01.Arcus.local>
Accept-Language: en-GB, en-US
Content-Language: en-US

X-MS-Has-Attach: yes
X-MS-TNEF-Correlator:
x-ms-exchange-messagesentrepresentingtype: 1
x-ms-exchange-transport-fromentityheader: Hosted
x-originating-ip: [196.22.229.227]
Content-Type: text/plain
MIME-Version: 1.0
X-IS-SYNAQ-MX: mail.arcusconsulting.co.uk ([212.38.72.98])
X-SYNAQ-Pinpoint-Information: please contact Internet Solutions for more information
X-SYNAQ-Pinpoint-ID: 1FTUFq-0004wO-0K
X-SYNAQ-Pinpoint: Found to be clean
X-SYNAQ-Pinpoint-SpamCheck: not spam (too large)
X-Pinpoint-From: highlands@arcusconsulting.co.za
X-Spam-Flag: NO
X-Exim-DSN-Information: Due to administrative limits only headers are returned

Anja Albertyn

From: Microsoft Outlook
fransbotha@uff.co.za
To: fransbotha@uff.co.za
Sent: 14 June 2018 17:56
Subject: Undeliverable: Initial Notification for the Proposed Highlands Wind Energy Facilities

za-smtp-1.mimecast.co.za rejected your message to the following email addresses:

fransbotha@uff.co.za (fransbotha@uff.co.za)

A problem occurred while delivering this message to this email address. Try sending this message again. If the problem continues, please contact your helpdesk.

**za-smtp-1.mimecast.co.za gave this error:
Invalid Recipient - <https://community.mimecast.com/docs/DOC-1369#550>**

Diagnostic information for administrators:

Generating server: arcus01.Arcus.local
Total retry attempts: 1

fransbotha@uff.co.za
za-smtp-1.mimecast.co.za
Remote Server returned '550 Invalid Recipient - <https://community.mimecast.com/docs/DOC-1369#550>'

Original message headers:

Received: from arcus01.Arcus.local (10.0.0.1) by arcus01.Arcus.local (10.0.0.1) with Microsoft SMTP Server (TLS) id 15.0.1320.4; Thu, 14 Jun 2018 16:40:10 +0100
Received: from arcus01.Arcus.local ([:1]) by arcus01.Arcus.local ([:1]) with mapi id 15.00.1320.000; Thu, 14 Jun 2018 16:40:10 +0100
From: Highlands <Highlands@arcusconsulting.co.za>
Subject: Initial Notification for the Proposed Highlands Wind Energy Facilities
Thread-Topic: Initial Notification for the Proposed Highlands Wind Energy Facilities
Thread-Index: AqQD9GG2MEzrzJgNRYk4L5fb+sgPLQAPduQ
Disposition-Notification-To: Highlands <Highlands@arcusconsulting.co.za>
Return-Receipt-To: <Highlands@arcusconsulting.co.za>
Date: Thu, 14 Jun 2018 15:40:09 +0000
Message-ID: <714f86353f0d4ac4be708f57cc27299earcus01.Arcus.local>
References: <0145c78c35dc40c7b8c8744b159989a5@arcus01.Arcus.local>
In-Reply-To: <0145c78c35dc40c7b8c8744b159989a5@arcus01.Arcus.local>
Accept-Language: en-GB, en-US
Content-Language: en-US
X-MS-Has-Attach: yes
X-MS-TNEF-Correlator:
x-ms-exchange-messagesentrepresentingtype: 1
x-ms-exchange-transport-fromentityheader: Hosted
x-originating-ip: [196.22.229.227]
Content-Type: multipart/mixed;

Anja Albertyn

From: POSTMASTER@sat.co.za
Sent: 14 June 2018 17:54
To: Highlands
Subject: Delivery Failure

The message you sent to isatmail.co.za/blu001-mb72 was rejected because it would exceed the quota for the mailbox.

The subject of the message follows:
Initial Notification for the Proposed Highlands Wind Energy

Anja Albertyn

From: postmaster@ecdspd.gov.za
To: Vuyokazi.sangoni@ecdspd.gov.za
Sent: 14 June 2018 17:45
Subject: Undeliverable: Initial Notification for the Proposed Highlands Wind Energy Facilities

Delivery has failed to these recipients or groups:

Vuyokazi.sangoni@ecdspd.gov.za

The email address you entered couldn't be found. Please check the recipient's email address and try to resend the message. If the problem continues, please contact your helpdesk.

Diagnostic information for administrators:

Generating server: DSDSRVBHIEXC02.ecdspd.gov.za

Vuyokazi.sangoni@ecdspd.gov.za
Remote Server returned '5.1.1 smtp;550 5.1.1 RESOLVER.ADR.RecipNotFound; not found'

Original message headers:

Received: from DSDSRVBHIEXC02.ecdspd.gov.za (10.219.31.245) by DSDSRVBHIEXC02.ecdspd.gov.za (10.219.31.245) with Microsoft SMTP Server (TLS) id 15.0.1263.5; Thu, 14 Jun 2018 17:45:24 +0200
Received: from gbrl.gov.za (10.219.31.249) by DSDSRVBHIEXC02.ecdspd.gov.za (10.219.31.245) with Microsoft SMTP Server id 15.0.1263.5 via Frontend Transport; Thu, 14 Jun 2018 17:45:24 +0200
Received: from securemail-pl-mx25.synqa.com ([196.35.198.137]) by gbrl.gov.za with esmtp (Exim 4.89 (FreeBSD)) (envelope-from <Highlands@arcusconsulting.co.za>) id 1fTUR9-000CHx-4D for Vuyokazi.sangoni@ecdspd.gov.za; Thu, 14 Jun 2018 17:45:23 +0200
Received: from mail.arcusconsulting.co.uk ([212.38.72.98]) by securemail-pl-mx25.synqa.com with esmtps (TLSv1.2:AE5256-8HA:256) (Exim 4.90.1) (envelope-from <Highlands@arcusconsulting.co.za>) id 1fTUPq-0005p5-37 for Vuyokazi.sangoni@ecdspd.gov.za; Thu, 14 Jun 2018 17:44:07 +0200
Received: from arcus01.Arcus.local (10.0.0.1) by arcus01.Arcus.local (10.0.0.1) with Microsoft SMTP Server (TLS) id 15.0.1320.4; Thu, 14 Jun 2018 16:43:40 +0100
Received: from arcus01.Arcus.local ([:1]) by arcus01.Arcus.local ([:1]) with mapi id 15.00.1320.000; Thu, 14 Jun 2018 16:43:40 +0100
From: Highlands <Highlands@arcusconsulting.co.za>
Subject: Initial Notification for the Proposed Highlands Wind Energy Facilities
Thread-Topic: Initial Notification for the Proposed Highlands Wind Energy Facilities
Thread-Index: AqOD9G2MEzrzJgNRYk4L5fb+sgPIQAAkYw
Date: Thu, 14 Jun 2018 15:43:39 +0000
Message-ID: <f874403c33664b84bd50b544be5b79c1@arcus01.Arcus.local>
References: <0145c78c35dc40c7b8c8744b159989a5@arcus01.Arcus.local>

In-Reply-To: <0145c78c35dc40c7b8c8744b159989a5@arcus01.Arcus.local>
Accept-Language: en-GB, en-US
Content-Language: en-US
X-MS-Has-Attach: yes
X-MS-TNEF-Correlator:
X-ms-exchange-messagesentrepresentingtype: 1
x-ms-exchange-transport-fromentityheader: Hosted
x-originating-ip: [196.22.229.227]
Content-Type: multipart/mixed;
boundary="_008_f874403c33664b84bd50b544be5b79c1arcus01ArcusLocal_"
MIME-Version: 1.0
X-IS-SYNAQ-MX: mail.arcusconsulting.co.uk ([212.38.72.98])
X-SYNAQ-Pinpoint-Information: Please contact Internet Solutions for more information
X-SYNAQ-Pinpoint-ID: 1fTUPq-0005p5-37
X-SYNAQ-Pinpoint: Found to be clean
X-SYNAQ-Pinpoint-SpamCheck: not spam (too large)
X-Pinpoint-From: highlands@arcusconsulting.co.za
X-Spam-Flag: NO
To: Undisclosed recipients:
Return-Path: Highlands@arcusconsulting.co.za

Anja Albertyn

From: postmaster@nersa.org.za
To: thembani.bukula@nersa.org.za
Sent: 14 June 2018 17:44
Subject: Undeliverable: Initial Notification for the Proposed Highlands Wind Energy Facilities

Delivery has failed to these recipients or groups:

thembani.bukula@nersa.org.za

The email address you entered couldn't be found. Please check the recipient's email address and try to resend the message. If the problem continues, please contact your helpdesk.

Diagnostic information for administrators:

Generating server: nersa.org.za

thembani.bukula@nersa.org.za
Remote Server returned '< 5.1.1 smtp;550 5.1.1 RESOLVER.ADR.RecipNotFound; not found>'

Original message headers:

Received: from ES1000.nersa.org.za (10.1.1.71) by NERSASRVEXC01.nersa.local (10.1.1.28) with Microsoft SMTP Server id 14.2.247.3; Thu, 14 Jun 2018 17:43:25 +0200
Received: from ES1000.nersa.org.za (localhost.localdomain [127.0.0.1]) by localhost (Email Security Appliance) with SMTP id 378C766B284D_B228D56B; Thu, 14 Jun 2018 15:44:22 +0000 (GMT)
Received: from mail.arcusconsulting.co.uk (mail.arcusconsulting.co.uk [212.38.72.98]) (using TLSv1.2 with cipher ECDHE-RSA-AES256-SHA384 (256/256 bits)) (Client CN "mail.arcusconsulting.co.uk", Issuer "mail.arcusconsulting.co.uk" (not verified)) by ES1000.nersa.org.za (Sophos Email Appliance) with ESMTPS id 9040A66E010F_B228D43F; Thu, 14 Jun 2018 15:44:02 +0000 (GMT)
Received: from arcus01.Arcus.local (10.0.0.1) by arcus01.Arcus.local (10.0.0.1) with Microsoft SMTP Server (TLS) id 15.0.1320.4; Thu, 14 Jun 2018 16:43:40 +0100
Received: from arcus01.Arcus.local ([:1]) by arcus01.Arcus.local ([:1]) with mapi id 15.00.1320.000; Thu, 14 Jun 2018 16:43:40 +0100
From: Highlands <Highlands@arcusconsulting.co.za>
Subject: Initial Notification for the Proposed Highlands Wind Energy Facilities
Thread-Topic: Initial Notification for the Proposed Highlands Wind Energy Facilities
Thread-Index: AqQD9GG2MEzr7jgNRyK4L5fb+sgPLQAAkYw
Disposition-Notification-To: Highlands <Highlands@arcusconsulting.co.za>
Return-Receipt-To: <Highlands@arcusconsulting.co.za>
Date: Thu, 14 Jun 2018 15:43:39 +0000
Message-ID: <f874403c33664b84bd50b544be5b79c1@arcus01.Arcus.local>
References: <0145c78c35dc40c7b8c8744b159989a5@arcus01.Arcus.local>
In-Reply-To: <0145c78c35dc40c7b8c8744b159989a5@arcus01.Arcus.local>
Accept-Language: en-GB, en-US
Content-Language: en-US

Anja Albertyn

From: postmaster@daff.gov.za
To: Thokob@daff.gov.za
Sent: 14 June 2018 17:45
Subject: Undeliverable: Initial Notification for the Proposed Highlands Wind Energy Facilities

Delivery has failed to these recipients or groups:

Thokob@daff.gov.za
The recipient's mailbox is full and can't accept messages now. Please try resending this message later, or contact the recipient directly.

The following organization rejected your message: PTAEXCH1.nda.agric.za.

Diagnostic information for administrators:

Generating server: ptaexch1.nda.agric.za
Thokob@daff.gov.za
PTAEXCH1.nda.agric.za
Remote Server returned '<PTAEXCH1.nda.agric.za #5.2.2 smtp:554 5.2.2 mailbox full>: STOREDRV.Deliver:Exception:QuotaExceededException.MailException.ShutoffQuotaExceeded; Failed to process message due to a permanent exception with message Cannot open mailbox /o=Department van Landbou/ou=Exchange Administrative Group (FYDIBOHF2SPDLT)/cn=Configuration/cn=Servers/cn=PTAEXCH1/cn=Microsoft System Attendant. 16.55847:7E000000, 17.43559:0000000500100000000003E0000000000000000000, 20.52176:000F28850700000000000000, 20.50032:000F288577170000000000000, 255.22326:00000000, 255.27962:FE000000, 255.17082:DD040000, 0.26937:000000000, 4.21921:DD040000, 255.27962:FA000000, 255.1494:00000000, 0.50608:0F010480, 5.29818:0000000037366135336263312D353865312D346535392D6133965652D6133303830313232313963660000000000, 1.29920:03000000, 7.29828:648737130000000000000000, 7.29832:0034331300000000000000000000, 4.45884:DD040000, 4.29880:DD040000, 1.36108:03000000, 4.29888:DD040000, 1.56872:FE000000, 4.42712:DD040000, 5.10786:0000000031352E30302E313332302 E3030303 A707461657863683100, 255.1750:00000000, 0.26849:00000000, 255.21817:DD040000, 0.26297:00000000, 4.16585:DD040000, 0.32441:00000000, 4.1706:DD040000, 0.24761:00000000, 4.20665:DD040000, 0.25785:00000000, 4.29881:DD040000 [Stage: CreateSession]>

Original message headers:

Received: from PTAEXCH1.nda.agric.za (2002:9bf0:60a5::9bf0:60a5) by PTAEXCH1.nda.agric.za (2002:9bf0:60a5::9bf0:60a5) with Microsoft SMTP Server (TLS) id 15.0.1320.4; Thu, 14 Jun 2018 17:44:28 +0200
Received: from agrimx2.nda.agric.za (155.240.97.143) by PTAEXCH1.nda.agric.za (155.240.96.165) with Microsoft SMTP Server id 15.0.1320.4 via Frontend Transport; Thu, 14 Jun 2018 17:44:28 +0200
Received: from cluster-s.mailcontrol.com (unknown [196.216.238.190]) by Forcepoint Email with ESMTPS id D330CCFE023DC0D693F6; Thu, 14 Jun 2018 17:44:27 +0200 (CAT)
Received: from rly09s.srv.mailcontrol.com (localhost [127.0.0.1]) by rly09s.srv.mailcontrol.com (MailControl) with ESMTTP id w5EEFi0eJ057780; Thu, 14 Jun 2018 16:44:24 +0100

X-MS-Has-Attach: yes
X-MS-TNEF-Correlator:
x-ms-exchange-transport-representingtype: 1
x-originating-ip: [196.22.229.227]
Content-Type: multipart/mixed;
boundary=" _008_f874403c33664b84bd50b544be5b79c1arcus01ArcusLocal_ "
MIME-Version: 1.0
X-Sophos-SenderHistory:
ip=212.38.72.98,fs=0,da=98645832,mc=1,sc=0,hc=1,sp=0,fso=57383968,re=99,sd=0,hd=0
X-Sophos-ESA: [ESI000.nersa.org.zal 4.3.2.1, Antispam-Engine: 2018050300.03.03.000,
Antispam-Data: 2018.6.14.152716
X-SASI-RCODE: 200
X-SEA-Spam: Gauge=XIII, Probability=13%, Report='
FRAUD_X3_LARGE_BODY -1, FRAUD_X3_1, FRAUD_IP_XOIP 0.5, RETURN_RECEIPT 0.5, HTML_70_90 0.1, FROM_NAME_ONE_WORD 0.05, BODYTEXT_SIZE 3000 MORE 0, BODYTEXT_SIZE 3000 LESS 0, BODY_SIZE_10000_PLUS 0, DO_S_H 0, IN_REP_TO 0, LEGITIMATE_SIGNS 0, MISSING_HEADERS 0, MSG_THREAD 0, MULTIPLE_APP_ATT 0, NO_URI_HTTPS 0, PDF_ATTACHED 0, PDF_ATTACHED_1 0, REFERENCES 0, SPF_NONE 0, TO_MALFORMED 0, WEBMAIL_SOURCE 0, WEBMAIL_XOIP 0, WEBMAIL_X_IP_HDR 0, ANY_URI 0, ATTACHMENT_SIZE_100K_PLUS 0, CP_URI_IN_BODY 0, CT 0, CTYPE_HAS_BOUNDARY 0, CTYPE_MULTIPART_0, CTYPE_MULTIPART_MIXED 0, DQ_IP_FSO_LARGE 0, DQ_IP_HIST 0, DQ_S_IP_HIST_1 0, DQ_S_IP_HIST_2 0, DQ_S_IP_100K 0, DQ_S_IP_10K 0, DQ_S_IP_1K 0, DQ_S_IP_HD 0, DQ_S_IP_MC 1 0, EMBEDDED_IMG 0, FRAUD_COMMON 0, FRAUD_CONTACT_NUM 0, FRAUD_REPLY 0, FRAUD_SUBJ_A 0, HAS_ATTACHMENT 0, HAS_ATTACHMENT1 0, HAS_ATTACHMENT2 0, HAS_ATTACHMENT3 0, HAS_FROM 0, HAS_HTML 0, HAS_MSGID 0, HAS_XOIP 0, HTML_AHREF_TAG 0, HTML_TAG_DIV 0, HTML_TAG_IMG_X2 0, HTML_TAG_TABLE 0, IMG_ATTACHED 0, IN_REP_TO 0, MIME_HTML 0, MIME_TEXT_H 0, MIME_TEXT_H1 0, MIME_TEXT_H2 0, MIME_TEXT_P 0, MIME_TEXT_P1 0, MIME_TEXT_P2 0, MIME_VERSION 0, MSGID_32HEX 0, MULTIPLE_URI_TEXT 0, NOTIFICATION_TO 0, PHISH_SPEAR_STRUCTURE_1 0, PHISH_SPEAR_SUBJ_ALERT 0, PNG_WIDTH_100 0, REFERENCES 0, RETURN_RECEIPT_TO 0, SAME_MSGID 0, STYLE_RAWARE_NEG 0, STYLE_TAG 0, SUBJ_ALPHA_END 0, TAG_EXISTS_HTML 0, URI_IN_BODY 0, URI_NOT_IMG 0, URI_NO_PATH 0, URI_NS , URI_WITHOUT_PATH 0'
To: Undisclosed recipients:
Return-Path: highlands@arcusconsulting.co.za
X-C2ProcessedOrg: 9953b9e9-bb95-4968-a215-adc7f2e61346

Received: from localhost.localdomain [localhost.localdomain [127.0.0.1]]
by rly09s.srv.mailcontrol.com (MailControl) id w5EFiOLo057774;
Thu, 14 Jun 2018 16:44:24 +0100
Received: from mail.arcusconsulting.co.uk (mail.arcusconsulting.co.uk [212.38.72.98])
by rly09s-eth0.srv.mailcontrol.com (envelope-sender
<Highlands@arcusconsulting.co.za>) (MIMEDefang) with ESMTP id w5EFi4oL056680
(TLS bits=256 verify=FAIL); Thu, 14 Jun 2018 16:44:24 +0100 (BST)
Received: from arcus01.Arcus.local [10.0.0.1] by arcus01.Arcus.local
(10.0.0.1) with Microsoft SMTP Server (TLS) id 15.0.1320.4; Thu, 14 Jun 2018
16:43:40 +0100
Received: from arcus01.Arcus.local ([:1]) by arcus01.Arcus.local ([:1]) with
mapid id 15.00.1320.000; Thu, 14 Jun 2018 16:43:40 +0100
From: Highlands <Highlands@arcusconsulting.co.za>
Subject: Initial Notification for the Proposed Highlands Wind Energy
Facilities
Thread-Topic: Initial Notification for the Proposed Highlands Wind Energy
Facilities
Thread-Index: AqQD9GG2MEzrZjgNRYk4L5fb+sgPLQAAkYw
Disposition-Notification-To: Highlands <Highlands@arcusconsulting.co.za>
Return-Receipt-To: <Highlands@arcusconsulting.co.za>
Date: Thu, 14 Jun 2018 15:43:39 +0000
Message-ID: <f874403c33664b84bd50b544be5b79c1@arcus01.Arcus.local>
References: <0145c78c35dc40c7b8c8744b159989a5@arcus01.Arcus.local>
In-Reply-To: <0145c78c35dc40c7b8c8744b159989a5@arcus01.Arcus.local>
Accept-Language: en-GB, en-US
Content-Language: en-US
X-MS-Has-Attach: yes
X-MS-TNEF-Correlator:
x-ms-exchange-messagesentrepresentingtype: 1
x-ms-exchange-transport-fromentityheader: Hosted
x-originating-ip: [196.22.229.227]
Content-Type: multipart/mixed;
boundary="_008_f874403c33664b84bd50b544be5b79c1@arcus01.Arcus.local_"
MIME-Version: 1.0
X-MailControl-Inbound:
X-MailControl-ReportSpam:
KxdwFl0erf7REHfgVan2XGgPGDug6aFcZ96uiQkx8Pc+OijZRmmedO!lywhVDlXo
https://www.mailcontrol.com/sr/z+rUaVst3LLWQxILzJ5p91z1W7T+J+dmytviyyJ5f8K9AK4uzfAQB1v
W8baejsdnGfT2CF25Yy2dVIK6w14Q==
X-HeloDomain: cmx5MPLzlnNdydi5tYw1sY29udHJvbc5jB20=
X-Scanned-By: MailControl 44278.2033 (www.mailcontrol.com) on 10.83.1.119
To: Undisclosed recipients:;
Return-Path: Highlands@arcusconsulting.co.za

Anja Albertyn

From: postmaster@daff.gov.za
To: PalesaM@daff.gov.za
Sent: 14 June 2018 17:45
Subject: Undeliverable: Initial Notification for the Proposed Highlands Wind Energy Facilities

Delivery has failed to these recipients or groups:

PalesaM@daff.gov.za

Your message wasn't delivered due to a permission or security issue. It may have been rejected by a moderator, the address may only accept email from certain senders, or another restriction may be preventing delivery.

Diagnostic information for administrators:

Generating server: ptaexch1.nda.agric.za

PalesaM@daff.gov.za

Remote Server returned '< #5.7.1 smtp;550 5.7.1 RESOLVER.RST.NotAuthorized; not authorized>'

Original message headers:

Received: from PTAEXCH1.nda.agric.za (2002:9bf0:60a5::9bf0:60a5) by
PTREXCH1.nda.agric.za (2002:9bf0:60a5::9bf0:60a5) with Microsoft SMTP Server
(TLS) id 15.0.1320.4; Thu, 14 Jun 2018 17:44:28 +0200
Received: from agrimx2.nda.agric.za (155.240.97.143) by PTAEXCH1.nda.agric.za
(155.240.96.165) with Microsoft SMTP Server id 15.0.1320.4 via Frontend
Transport; Thu, 14 Jun 2018 17:44:28 +0200
Received: from cluster-s.mailcontrol.com (unknown [196.216.238.190])
by Forcepoint Email with ESMTPS id D330CCEf023DC0D683F6;
Thu, 14 Jun 2018 17:44:27 +0200 (CAT)
Received: from rly09s.srv.mailcontrol.com (localhost [127.0.0.1])
by rly09s.srv.mailcontrol.com (MailControl) with ESMTP id w5EFFiOLo057774;
Thu, 14 Jun 2018 16:44:24 +0100
Received: from localhost.localdomain (localhost.localdomain [127.0.0.1])
by rly09s.srv.mailcontrol.com (MailControl) id w5EFFiOLo057774;
Thu, 14 Jun 2018 16:44:24 +0100
Received: from mail.arcusconsulting.co.uk (mail.arcusconsulting.co.uk [212.38.72.98])
by rly09s-eth0.srv.mailcontrol.com (envelope-sender
<Highlands@arcusconsulting.co.za>) (MIMEDefang) with ESMTP id w5EFi4oL056680
(TLS bits=256 verify=FAIL); Thu, 14 Jun 2018 16:44:24 +0100 (BST)
Received: from arcus01.Arcus.local [10.0.0.1] by arcus01.Arcus.local
(10.0.0.1) with Microsoft SMTP Server (TLS) id 15.0.1320.4; Thu, 14 Jun 2018
16:43:40 +0100
Received: from arcus01.Arcus.local ([:1]) by arcus01.Arcus.local ([:1]) with
mapid id 15.00.1320.000; Thu, 14 Jun 2018 16:43:40 +0100
From: Highlands <Highlands@arcusconsulting.co.za>
Subject: Initial Notification for the Proposed Highlands Wind Energy
Facilities
Thread-Topic: Initial Notification for the Proposed Highlands Wind Energy
Facilities
Thread-Index: AqQD9GG2MEzrZjgNRYk4L5fb+sgPLQAAkYw

Disposition-Notification-To: Highlands <Highlands@arcusconsulting.co.za>
Return-Receipt-To: <Highlands@arcusconsulting.co.za>
Date: Thu, 14 Jun 2018 15:43:39 +0000
Message-ID: <f874403c33664b84bd50b544be5b79c1@arcus01.Arcus.Local>
References: <0145c78c35dc40c7b8c8744b159989a5@arcus01.Arcus.Local>
In-Reply-To: <0145c78c35dc40c7b8c8744b159989a5@arcus01.Arcus.Local>
Accept-Language: en-GB, en-US
Content-Language: en-US
X-MS-Has-Attach: yes
X-MS-TNEF-Correlator:
x-ms-exchange-messagesentrepresentingtype: 1
x-ms-exchange-transport-fromentityheader: Hosted
x-originating-ip: [196.22.229.227]
Content-Type: multipart/mixed;
 boundary="_008_f874403c33664b84bd50b544be5b79c1@arcus01.Arcus.Local_"
MIME-Version: 1.0
X-MailControl-Inbound:
KxdwFl0erf7REhfgVan2XGfGDug6aFcZ96uiQkx8Pc+O1jZRmncd01lywhVDLXo
X-MailControl-ReportSpam:
https://www.mailcontrol.com/sr/z+rUaVst3LLWQxILzU5p91z1W7T+J+dmyvtviyyU5f8K9Ak4uzfAQ0B1v
WSbaejSDnGTFt2CF25Yy2dVlKq6wL4Q==
X-HelloDomain: cmx5MPDlZunNydi5tYw1sY29udHJvbc5jb20=
X-Scanned-By: MailControl 44278.2033 (www.mailcontrol.com) on 10.83.1.119
To: Undisclosed recipients:
Return-Path: Highlands@arcusconsulting.co.za

Anja Albertyn

From: Microsoft Outlook
vbaduza@sahra.org.za
To: 14 June 2018 17:44
Subject: Undeliverable: Initial Notification for the Proposed Highlands Wind Energy Facilities

mx-01-us-west-2-prod.hydra.sophos.com rejected your message to the following email addresses:

vbaduza@sahra.org.za (vbaduza@sahra.org.za)

Your message wasn't delivered due to a permission or security issue. It may have been rejected by a moderator, the address may only accept email from certain senders, or another restriction may be preventing delivery.

mx-01-us-west-2-prod.hydra.sophos.com gave this error:
<vbaduza@sahra.org.za>: Recipient address rejected: Access denied

Diagnostic information for administrators:

Generating server: arcus01.Arcus.local

vbaduza@sahra.org.za

mx-01-us-west-2-prod.hydra.sophos.com

Remote Server returned '554 5.7.1 <vbaduza@sahra.org.za>: Recipient address rejected: Access denied'

Original message headers:

Received: from arcus01.Arcus.local (10.0.0.1) by arcus01.Arcus.local (10.0.0.1) with Microsoft SMTP Server (TLS) id 15.0.1320.4; Thu, 14 Jun 2018 16:43:40 +0100
Received: from arcus01.Arcus.local ([:1]) by arcus01.Arcus.local ([:1]) with mapi id 15.00.1320.000; Thu, 14 Jun 2018 16:43:40 +0100
From: Highlands <Highlands@arcusconsulting.co.za>
Subject: Initial Notification for the Proposed Highlands Wind Energy Facilities
Thread-Topic: Initial Notification for the Proposed Highlands Wind Energy Facilities
Thread-Index: AdQD9G2MEzrJgNRyK4L5fb+sgPLOAAkYw
Disposition-Notification-To: Highlands <Highlands@arcusconsulting.co.za>
Return-Receipt-To: <Highlands@arcusconsulting.co.za>
Date: Thu, 14 Jun 2018 15:43:39 +0000
Message-ID: <f874403c33664b84bd50b544be5b79c1@arcus01.Arcus.Local>
References: <0145c78c35dc40c7b8c8744b159989a5@arcus01.Arcus.Local>
In-Reply-To: <0145c78c35dc40c7b8c8744b159989a5@arcus01.Arcus.Local>
Accept-Language: en-GB, en-US
Content-Language: en-US
X-MS-Has-Attach: yes
X-MS-TNEF-Correlator:
x-ms-exchange-messagesentrepresentingtype: 1
x-ms-exchange-transport-fromentityheader: Hosted
x-originating-ip: [196.22.229.227]

Content-Type: multipart/mixed;
boundary="_008_f874403c33664b84bd50b544be5b79c1arcus01Arcuslocal_"
MIME-Version: 1.0

Anja Albertyn

From: Microsoft Outlook
ClaireT@L2B.co.za
To: ClaireT@L2B.co.za
14 June 2018 17:44
Subject: Undeliverable: Initial Notification for the Proposed Highlands Wind Energy Facilities

mail.l2b.co.za rejected your message to the following email addresses:

ClaireT@L2B.co.za (ClaireT@L2B.co.za)

The email address you entered couldn't be found. Please check the recipient's email address and try to resend the message. If the problem continues, please contact your helpdesk.

**mail.l2b.co.za gave this error:
Recipient unknown <ClaireT@L2B.co.za>**

Diagnostic information for administrators:

Generating server: arcus01.Arcus.local
ClaireT@L2B.co.za
mail.l2b.co.za
Remote Server returned '550 5.1.1 Recipient unknown <ClaireT@L2B.co.za>'

Original message headers:

Received: from arcus01.Arcus.local (10.0.0.1) by arcus01.Arcus.local (10.0.0.1) with Microsoft SMTP Server (TLS) id 15.0.1320.4; Thu, 14 Jun 2018 16:43:40 +0100
Received: from arcus01.Arcus.local ([:1]) by arcus01.Arcus.local ([:1]) with mapl id 15.00.1320.000; Thu, 14 Jun 2018 16:43:40 +0100
From: Highlands <Highlands@arcusconsulting.co.za>
Subject: Initial Notification for the Proposed Highlands Wind Energy Facilities
Thread-Topic: Initial Notification for the Proposed Highlands Wind Energy Facilities
Thread-Index: AdQD9G2MEzrZjgNRYK4L5fb+sgPLQAakYw
Disposition-Notification-To: Highlands <Highlands@arcusconsulting.co.za>
Return-Receipt-To: <Highlands@arcusconsulting.co.za>
Date: Thu, 14 Jun 2018 15:43:39 +0000
Message-ID: <f874403c33664b84bd50b544be5b79c1@arcus01.Arcus.local>
References: <0145c78c35dc40c7b8c8744b159989a5@arcus01.Arcus.local>
In-Reply-To: <0145c78c35dc40c7b8c8744b159989a5@arcus01.Arcus.local>
Accept-Language: en-GB, en-US
Content-Language: en-US
X-MS-Has-Attach: yes
X-MS-TNEF-Correlator:
x-ms-exchange-messagesentrepresentingtype: 1
x-ms-exchange-transport-fromentityheader: Hosted
x-originating-ip: [196.22.229.227]
Content-Type: multipart/mixed;
boundary="_008_f874403c33664b84bd50b544be5b79c1arcus01Arcuslocal_"
MIME-Version: 1.0

Anja Albertyn

From: Microsoft Outlook
lerato.sebiloane@edgta.gov.za
To: 14 June 2018 17:44
Subject: Undeliverable: Initial Notification for the Proposed Highlands Wind Energy Facilities

securemail-pl-mx25.synaq.com rejected your message to the following email addresses:

lerato.sebiloane@edgta.gov.za (lerato.sebiloane@edgta.gov.za)

A problem occurred while delivering this message to this email address. Try sending this message again. If the problem continues, please contact your helpdesk.

**securemail-pl-mx25.synaq.com gave this error:
rejected because recipient verify failed - user not found**

Diagnostic information for administrators:

Generating server: arcus01.Arcus.local
lerato.sebiloane@edgta.gov.za
securemail-pl-mx25.synaq.com
Remote Server returned '550 rejected because recipient verify failed - user not found'

Original message headers:

```
Received: from arcus01.Arcus.local (10.0.0.1) by arcus01.Arcus.local
(10.0.0.1) with Microsoft SMTP Server (TLS) id 15.0.1320.4; Thu, 14 Jun 2018
16:43:40 +0100
Received: from arcus01.Arcus.local ([:11]) by arcus01.Arcus.local ([:11]) with
mapl id 15.00.1320.000; Thu, 14 Jun 2018 16:43:40 +0100
From: Highlands <Highlands@arcusconsulting.co.za>
Subject: Initial Notification for the Proposed Highlands Wind Energy
Facilities
Thread-Topic: Initial Notification for the Proposed Highlands Wind Energy
Facilities
Thread-Index: AdQD9GG2MEzrZjgNRYK4L5fb+sgPLOAAakYw
Disposition-Notification-To: Highlands <Highlands@arcusconsulting.co.za>
Return-Receipt-To: <Highlands@arcusconsulting.co.za>
Date: Thu, 14 Jun 2018 15:43:39 +0000
Message-ID: <f874403c33664b84bd50b544be5b79c1@arcus01.Arcus.local>
References: <0145c78c35dc40c7b8c8744b159989a5@arcus01.Arcus.local>
In-Reply-To: <0145c78c35dc40c7b8c8744b159989a5@arcus01.Arcus.local>
Accept-Language: en-GB, en-US
Content-Language: en-US
X-MS-Has-Attach: yes
X-MS-TNEF-Correlator:
x-ms-exchange-messagesentrepresentingtype: 1
x-ms-exchange-transport-fromentityheader: Hosted
x-originating-ip: [196.22.229.227]
Content-Type: multipart/mixed;
boundary="._008_f874403c33664b84bd50b544be5b79c1@arcus01.Arcus.local_"
MIME-Version: 1.0
```

Anja Albertyn

From: Microsoft Outlook
mzolisi.matutu@srac.ecprov.gov.za
To: 14 June 2018 17:44
Subject: Undeliverable: Initial Notification for the Proposed Highlands Wind Energy Facilities

securemail-pl-mx25.synaq.com rejected your message to the following email addresses:

mzolisi.matutu@srac.ecprov.gov.za (mzolisi.matutu@srac.ecprov.gov.za)

A problem occurred while delivering this message to this email address. Try sending this message again. If the problem continues, please contact your helpdesk.

**securemail-pl-mx25.synaq.com gave this error:
rejected because recipient verify failed - user not found**

Diagnostic information for administrators:

Generating server: arcus01.Arcus.local
mzolisi.matutu@srac.ecprov.gov.za
securemail-pl-mx25.synaq.com
Remote Server returned '550 rejected because recipient verify failed - user not found'

Original message headers:

```
Received: from arcus01.Arcus.local (10.0.0.1) by arcus01.Arcus.local
(10.0.0.1) with Microsoft SMTP Server (TLS) id 15.0.1320.4; Thu, 14 Jun 2018
16:43:40 +0100
Received: from arcus01.Arcus.local ([:11]) by arcus01.Arcus.local ([:11]) with
mapl id 15.00.1320.000; Thu, 14 Jun 2018 16:43:40 +0100
From: Highlands <Highlands@arcusconsulting.co.za>
Subject: Initial Notification for the Proposed Highlands Wind Energy
Facilities
Thread-Topic: Initial Notification for the Proposed Highlands Wind Energy
Facilities
Thread-Index: AdQD9GG2MEzrZjgNRYK4L5fb+sgPLOAAakYw
Disposition-Notification-To: Highlands <Highlands@arcusconsulting.co.za>
Return-Receipt-To: <Highlands@arcusconsulting.co.za>
Date: Thu, 14 Jun 2018 15:43:39 +0000
Message-ID: <f874403c33664b84bd50b544be5b79c1@arcus01.Arcus.local>
References: <0145c78c35dc40c7b8c8744b159989a5@arcus01.Arcus.local>
In-Reply-To: <0145c78c35dc40c7b8c8744b159989a5@arcus01.Arcus.local>
Accept-Language: en-GB, en-US
Content-Language: en-US
X-MS-Has-Attach: yes
X-MS-TNEF-Correlator:
x-ms-exchange-messagesentrepresentingtype: 1
x-ms-exchange-transport-fromentityheader: Hosted
x-originating-ip: [196.22.229.227]
Content-Type: multipart/mixed;
boundary="._008_f874403c33664b84bd50b544be5b79c1@arcus01.Arcus.local_"
MIME-Version: 1.0
```

x-originating-ip: [196.22.229.227]
Content-Type: multipart/mixed;
boundary="_008_f874403c33664b84bd50b544be5b79c1arcus01ArcusLocal_"
MIME-Version: 1.0

Anja Albertyn

From: Microsoft Outlook
rudzani.nemukula@wessa.co.za
To: 14 June 2018 17:44
Sent: Undeliverable: Initial Notification for the Proposed Highlands Wind Energy Facilities
Subject:

DB5EUR01FT054.mail.protection.outlook.com rejected your message to the following email addresses:

rudzani.nemukula@wessa.co.za (rudzani.nemukula@wessa.co.za)

A communication failure occurred during the delivery of this message. Please try resending the message later. If the problem continues, contact your helpdesk.

DB5EUR01FT054.mail.protection.outlook.com gave this error:
[rudzani.nemukula@wessa.co.za]: Recipient address rejected: Access denied [DB5EUR01FT054.eop-EUR01.prod.protection.outlook.com]

Diagnostic information for administrators:

Generating server: arcus01.Arcus.local
rudzani.nemukula@wessa.co.za
DB5EUR01FT054.mail.protection.outlook.com
Remote Server returned '550 5.4.1 [rudzani.nemukula@wessa.co.za]: Recipient address rejected: Access denied [DB5EUR01FT054.eop-EUR01.prod.protection.outlook.com]'

Original message headers:

Received: from arcus01.Arcus.local (10.0.0.1) by arcus01.Arcus.local (10.0.0.1) with Microsoft SMTP Server (TLS) id 15.0.1320.4; Thu, 14 Jun 2018 16:43:40 +0100
Received: from arcus01.Arcus.local ([:1]) by arcus01.Arcus.local ([:1]) with mapi id 15.00.1320.000; Thu, 14 Jun 2018 16:43:40 +0100
From: Highlands <Highlands@arcusconsulting.co.za>
Subject: Initial Notification for the Proposed Highlands Wind Energy Facilities
Thread-Topic: Initial Notification for the Proposed Highlands Wind Energy Facilities
Thread-Index: AqQD9GG2MErzZjgNRYk4L5fb+sgPLQAAakYw
Disposition-Notification-To: Highlands <Highlands@arcusconsulting.co.za>
Return-Receipt-To: <Highlands@arcusconsulting.co.za>
Date: Thu, 14 Jun 2018 15:43:39 +0000
Message-ID: <F874403c33664b84bd50b544be5b79c1@arcus01.Arcus.local>
References: <0145c78c35dc40c7b8c8744b159989a5@arcus01.Arcus.local>
In-Reply-To: <0145c78c35dc40c7b8c8744b159989a5@arcus01.Arcus.local>
Accept-Language: en-GB, en-US
Content-Language: en-US
X-MS-Has-Attach: yes
X-MS-TNEF-Correlator:
x-ms-exchange-messagesentrepresentingtype: 1
x-ms-exchange-transport-fromentityheader: Hosted

Anja Albertyn

From: Microsoft Outlook
phumla@gcis.co.za
To: phumla@gcis.co.za
Sent: 14 June 2018 17:44
Subject: Undeliverable: Initial Notification for the Proposed Highlands Wind Energy Facilities

Delivery has failed to these recipients or groups:

phumla@gcis.co.za (phumla@gcis.co.za)

The domain name in the email address is incorrect. Check the address.

Diagnostic information for administrators:

Generating server: arcus01.Arcus.local

phumla@gcis.co.za
Remote Server returned '554 5.4.4 SMTPSEND.DNS.NonExistentDomain; nonexistent domain'

Original message headers:

```
Received: from arcus01.Arcus.local (10.0.0.1) by arcus01.Arcus.local (10.0.0.1) with Microsoft SMTP Server (TLS) id 15.0.1320.4; Thu, 14 Jun 2018 16:43:40 +0100
Received: from arcus01.Arcus.local ([:1]) with mapi id 15.00.1320.000; Thu, 14 Jun 2018 16:43:40 +0100
From: Highlands <Highlands@arcusconsulting.co.za>
Subject: Initial Notification for the Proposed Highlands Wind Energy Facilities
Thread-Topic: Initial Notification for the Proposed Highlands Wind Energy Facilities
Thread-Index: AqQD9GG2MEzrz7jgNRYk4L5fb+sgPLQAakYw
Disposition-Notification-To: Highlands <Highlands@arcusconsulting.co.za>
Return-Receipt-To: <Highlands@arcusconsulting.co.za>
Date: Thu, 14 Jun 2018 15:43:39 +0000
Message-ID: <f874403c33664b84bd50b544be5b79c1@arcus01.Arcus.local>
References: <0145c78c35dc40c7b8c8744b159989a5@arcus01.Arcus.local>
In-Reply-To: <0145c78c35dc40c7b8c8744b159989a5@arcus01.Arcus.local>
Accept-Language: en-GB, en-US
Content-Language: en-US
X-MS-Has-Attach: yes
X-MS-TNEF-Correlator:
x-ms-exchange-messagesentrepresentingtype: 1
x-ms-exchange-transport-fromentityheader: Hosted
x-originating-ip: [196.22.229.227]
Content-Type: multipart/mixed;
    boundary="_008_f874403c33664b84bd50b544be5b79c1arcus01Arcus.local_"
MIME-Version: 1.0
```

Anja Albertyn

From: Microsoft Outlook
kerryn@savingcranes.org.za
To: kerryn@savingcranes.org.za
Sent: 14 June 2018 17:44
Subject: Undeliverable: Initial Notification for the Proposed Highlands Wind Energy Facilities

Delivery has failed to these recipients or groups:

kerryn@savingcranes.org.za (kerryn@savingcranes.org.za)

The domain name in the email address is incorrect. Check the address.

Diagnostic information for administrators:

Generating server: arcus01.Arcus.local

kerryn@savingcranes.org.za
Remote Server returned '554 5.4.4 SMTPSEND.DNS.NonExistentDomain; nonexistent domain'

Original message headers:

```
Received: from arcus01.Arcus.local (10.0.0.1) by arcus01.Arcus.local (10.0.0.1) with Microsoft SMTP Server (TLS) id 15.0.1320.4; Thu, 14 Jun 2018 16:43:40 +0100
Received: from arcus01.Arcus.local ([:1]) with mapi id 15.00.1320.000; Thu, 14 Jun 2018 16:43:40 +0100
From: Highlands <Highlands@arcusconsulting.co.za>
Subject: Initial Notification for the Proposed Highlands Wind Energy Facilities
Thread-Topic: Initial Notification for the Proposed Highlands Wind Energy Facilities
Thread-Index: AqQD9GG2MEzrz7jgNRYk4L5fb+sgPLQAakYw
Disposition-Notification-To: Highlands <Highlands@arcusconsulting.co.za>
Return-Receipt-To: <Highlands@arcusconsulting.co.za>
Date: Thu, 14 Jun 2018 15:43:39 +0000
Message-ID: <f874403c33664b84bd50b544be5b79c1@arcus01.Arcus.local>
References: <0145c78c35dc40c7b8c8744b159989a5@arcus01.Arcus.local>
In-Reply-To: <0145c78c35dc40c7b8c8744b159989a5@arcus01.Arcus.local>
Accept-Language: en-GB, en-US
Content-Language: en-US
X-MS-Has-Attach: yes
X-MS-TNEF-Correlator:
x-ms-exchange-messagesentrepresentingtype: 1
x-ms-exchange-transport-fromentityheader: Hosted
x-originating-ip: [196.22.229.227]
Content-Type: multipart/mixed;
    boundary="_008_f874403c33664b84bd50b544be5b79c1arcus01Arcus.local_"
MIME-Version: 1.0
```

Anja Albertyn

From: Microsoft Outlook
To: jac@gbgroup.com
Sent: 14 June 2018 17:34
Subject: Undeliverable: Initial Notification for the Proposed Highlands Wind Energy Facilities

CY1NAM02FT016.mail.protection.outlook.com rejected your message to the following email addresses:

jac@gbgroup.com (jac@gbgroup.com)

A communication failure occurred during the delivery of this message. Please try resending the message later. If the problem continues, contact your helpdesk.

**CY1NAM02FT016.mail.protection.outlook.com gave this error:
[jac@gbgroup.com]: Recipient address rejected: Access denied [CY1NAM02FT016.eop-nam02.prod.protection.outlook.com]**

Diagnostic information for administrators:

Generating server: arcus01.Arcus.local

jac@gbgroup.com
CY1NAM02FT016.mail.protection.outlook.com
Remote Server returned '550 5.4.1 [jac@gbgroup.com]: Recipient address rejected: Access denied [CY1NAM02FT016.eop-nam02.prod.protection.outlook.com]'

Original message headers:

Received: from arcus01.Arcus.local (10.0.0.1) by arcus01.Arcus.local (10.0.0.1) with Microsoft SMTP Server (TLS) id 15.0.1320.4; Thu, 14 Jun 2018 16:33:41 +0100
Received: from arcus01.Arcus.local ([:1]) by arcus01.Arcus.local ([:1]) with mapi id 15.00.1320.000; Thu, 14 Jun 2018 16:33:41 +0100
From: Highlands <Highlands@arcusconsulting.co.za>
Subject: Initial Notification for the Proposed Highlands Wind Energy Facilities
Thread-Topic: Initial Notification for the Proposed Highlands Wind Energy Facilities
Thread-Index: AqQD9GG2MErzZjgnRyK4L5fb+sgPLQ=
Disposition-Notification-To: Highlands <Highlands@arcusconsulting.co.za>
Return-Receipt-To: <Highlands@arcusconsulting.co.za>
Date: Thu, 14 Jun 2018 15:33:40 +0000
Message-ID: <0145c78c35dc40c7b8c8744b159989a5@arcus01.Arcus.local>
Content-Language: en-GB, en-US
X-MS-Has-Attach: yes
X-MS-TNEF-Correlator:
x-ms-exchange-messagesentrepresentingtype: 1
x-ms-exchange-transport-fromentityheader: Hosted
x-originating-ip: [196.22.229.227]
Content-Type: multipart/mixed;

APPENDIX 3: SITE NOTICE BOARD & POSTERS PLACEMENTS

NOTIFICATION OF ENVIRONMENTAL AUTHORISATION PROCESS: PROPOSED HIGHLANDS WIND ENERGY FACILITIES AND ASSOCIATED GRID CONNECTIONS, EASTERN CAPE PROVINCE

Notice is hereby given of a Public Participation Process (PPP) to be undertaken in terms of the National Environmental Management Act, 1998 (Act No. 107 of 1998), as amended.

DEA Reference Numbers: To be allocated upon submission of application.


Nature and Location of Activity: WKN Windcurrent South Africa (Pty) Ltd is proposing development of the Highlands Wind Energy Facilities (WEF), and associated electrical grid infrastructure, located approximately 20 km west of Somerset East in the Eastern Cape Province, and entirely within the Cookhouse Renewable Energy Development Zone (REDZ). The Proposed Development will comprise of 3 phases with a combined total of up to 49 wind turbines and a combined maximum generating capacity of 150 MW.

Six applications for Basic Assessment (BA) processes for the three proposed WEF phases and three grid connections will be submitted to the competent authority, the Department of Environmental Affairs (DEA), for a decision. A combined Public Participation Programme (PPP) for the six BA applications is being undertaken.

Applicable NEMA Listed Activities: LN1 GN R327 11(i); 14; 19; 24(ii); 27; & 56(ii). LN2 GN R325 1; 6 & 15. LN3 GN R324 4 (a)(i)(ee); 10(a)(i)(ee); 12(a)(ii) & 18(a)(i)(ee).

Should you wish to be registered as an Interested and Affected Party (I&AP) and/or receive more information on the project, please respond to this notification by submitting your name, interest in the project, email address, postal address and telephone number as well as any comments in writing to the below address.

Contact: Anja Albertyn
 Arcus Consultancy Services South Africa
 Office 220 Cube Workspace
 Cnr Long Street and Hans Strijdom Road, Cape Town, 8001
 Telephone: +27 21 412 1529
 Fax: +27 86 762 2885
 Email: highlands@arcusconsulting.co.za
 Arcus Reference: 2780 Highlands



Correspondence throughout the remainder of the PPP Process will only be distributed to Registered I&APs. Registration is possible throughout the BA Process.

KENNI SGEWING VAN OMGEWINGSMAGTIGINGSPROSES: VOORGESTELDE HIGHLANDS-WINDKRAGAAANLEG EN GEPAARDGAANDE INFRASTRUKTUUR IN DIE OOS-KAAP

Kennis word hiermee gegee dat 'n Proses van Openbare Deelname (PPP) ingevolge die Wet op Nasionale Omgewingsbestuur, 1998 (Wet Nr. 107 van 1998), soos gewysig, onderneem word.

DEA se verwysingsnommer: Sal toegeken word by indiening van aansoek.


Aard en ligging van aktiwiteit: WKN Windcurrent South Africa (Edms.) Bpk. stel die konstruksie van die Highlands-windkragaanleg (WEF), en gepaardgaande kragnetwerk-infrastruktuur voor. Hierdie ontwikkelings is sowat 20 km wes van Somerset-Oos in die Oos-Kaap geleë en val heeltemal binne die Cookhouse-ontwikkelingsone vir Hernubare Energie (REDZ). Die voorgestelde ontwikkeling sal uit drie fases bestaan, met 'n gesamentlike totaal van tot 49 windturbines en 'n gesamentlike maksimum opwekkingsvermoë van 150 MW.

Ses aansoeke vir basiese assesseringsprosesse (BA) vir die drie voorgestelde WEF-fases en drie netwerkverbindings sal vir 'n besluit daaroor aan die bevoegde owerheid, die Departement van Omgewingsake (DEA), voorgelê word. 'n Gesamentlike openbaredeelnameproses (PPP) vir die ses aansoeke word onderneem.

NEMA Gelyste aktiwiteite: LN1 GN R327 11 (i); 14; 19; 24 (ii); 27; & 56 (ii). LN2 GN R325 1; 6 & 15. LN3 GN R324 4 (a)(i)(ee); 10(a)(i)(ee); 12(a)(ii) & 18(a)(i)(ee).

Indien u geregistreer wil word as 'n Belanghebbende en Geaffekteerde Party (B&GP) en/of verdere inligting wil ontvang, stuur asseblief u naam, belang by die projek, e-posadres, posadres en telefoonnommer, asook enige skriftelike kommentaar aan die adres hieronder.

Kontakpersoon: Anja Albertyn
 Arcus Consultancy Services South Africa
 Kantoor 220 Cube Workspace
 h/v Langstraat en Hans Strijdom Road, Kaapstad, 8001
 Telefoon: +27 21 412 1529
 Faks: +27 86 762 2885
 E-pos: highlands@arcusconsulting.co.za
 Arcu-verwysing: 2780 Highlands



Inligtingstukke sal gedurende die res van die PPP en die BA-proses slegs aan geregistreerde B&GP's versprei word. Registrasie is regdeur die BA-proses moontlik.

Site Notice, Location (1)



Site Notice, Location (2)



NOTIFICATION OF ENVIRONMENTAL AUTHORISATION PROCESS: PROPOSED HIGHLANDS WIND ENERGY FACILITIES AND ASSOCIATED GRID CONNECTIONS, EASTERN CAPE PROVINCE

Notice is hereby given of a Public Participation Process (PPP) to be undertaken in terms of the National Environmental Management Act, 1998 (Act No. 107 of 1998), as amended.

DEA Reference Numbers: To be allocated upon submission of application.


Nature and Location of Activity: WKN Windcurrent South Africa (Pty) Ltd is proposing development of the Highlands Wind Energy Facilities (WEF), and associated electrical grid infrastructure, located approximately 20 km west of Somerset East in the Eastern Cape Province, and entirely within the Cookhouse Renewable Energy Development Zone (REDZ). The Proposed Development will comprise of 3 phases with a combined total of up to 49 wind turbines and a combined maximum generating capacity of 150 MW.

Six applications for Basic Assessment (BA) processes for the three proposed WEF phases and three grid connections will be submitted to the competent authority, the Department of Environmental Affairs (DEA), for a decision. A combined Public Participation Programme (PPP) for the six BA applications is being undertaken.

Applicable NEMA Listed Activities: LN1 GN R327 11(i); 14; 19; 24(ii); 27; & 56(ii). LN2 GN R325 1; 6 & 15. LN3 GN R324 4 (a)(i)(ee); 10(a)(i)(ee); 12(a)(ii) & 18(a)(i)(ee).

Should you wish to be registered as an Interested and Affected Party (I&AP) and/or receive more information on the project, please respond to this notification by submitting your name, interest in the project, email address, postal address and telephone number as well as any comments in writing to the below address.

Contact: Anja Albertyn
 Arcus Consultancy Services South Africa
 Office 220 Cube Workspace
 Cnr Long Street and Hans Strijdom Road, Cape Town, 8001
 Telephone: +27 21 412 1529
 Fax: +27 86 762 2885
 Email: highlands@arcusconsulting.co.za
 Arcus Reference: 2780 Highlands



Correspondence throughout the remainder of the PPP Process will only be distributed to Registered I&APs. Registration is possible throughout the BA Process.

KENNI SGEWING VAN OMGEWINGSMAGTIGINGSPROSES: VOORGESTELDE HIGHLANDS-WINDKRAGAAANLEG EN GEPAARDGAANDE INFRASTRUKTUUR IN DIE OOS-KAAP

Kennis word hiermee gegee dat 'n Proses van Openbare Deelname (PPP) ingevolge die Wet op Nasionale Omgewingsbestuur, 1998 (Wet Nr. 107 van 1998), soos gewysig, onderneem word.

DEA se verwysingsnommer: Sal toegeken word by indiening van aansoek.


Aard en ligging van aktiwiteit: WKN Windcurrent South Africa (Edms.) Bpk. stel die konstruksie van die Highlands-windkragaanleg (WEF), en gepaardgaande kragnetwerk-infrastruktuur voor. Hierdie ontwikkelings is sowat 20 km wes van Somerset-Oos in die Oos-Kaap geleë en val heeltemal binne die Cookhouse-ontwikkelingsone vir Hernubare Energie (REDZ). Die voorgestelde ontwikkeling sal uit drie fases bestaan, met 'n gesamentlike totaal van tot 49 windturbines en 'n gesamentlike maksimum opwekkingsvermoë van 150 MW.

Ses aansoeke vir basiese assesseringsprosesse (BA) vir die drie voorgestelde WEF-fases en drie netwerkverbindings sal vir 'n besluit daaroor aan die bevoegde owerheid, die Departement van Omgewingsake (DEA), voorgelê word. 'n Gesamentlike openbaredeelnameproses (PPP) vir die ses aansoeke word onderneem.

NEMA Gelyste aktiwiteite: LN1 GN R327 11 (i); 14; 19; 24 (ii); 27; & 56 (ii). LN2 GN R325 1; 6 & 15. LN3 GN R324 4 (a)(i)(ee); 10(a)(i)(ee); 12(a)(ii) & 18(a)(i)(ee).

Indien u geregistreer wil word as 'n Belanghebbende en Geaffekteerde Party (B&GP) en/of verdere inligting wil ontvang, stuur asseblief u naam, belang by die projek, e-posadres, posadres en telefoonnommer, asook enige skriftelike kommentaar aan die adres hieronder.

Kontakpersoon: Anja Albertyn
 Arcus Consultancy Services South Africa
 Kantoor 220 Cube Workspace
 h/v Langstraat en Hans Strijdom Road, Kaapstad, 8001
 Telefoon: +27 21 412 1529
 Faks: +27 86 762 2885
 E-pos: highlands@arcusconsulting.co.za
 Arcu-verwysing: 2780 Highlands




Inligtingstukke sal gedurende die res van die PPP en die BA-proses slegs aan geregistreerde B&GP's versprei word. Registrasie is regdeur die BA-proses moontlik.


Blue Crane Route Municipality, Pearston



Pearston Police Station




Ernst van Heerden Library, Pearston




Post Office, Pearston




Local Store (2), Pearston





Somerset East Local Municipality



Somerset East Police Station



Langenhoven Library, Somerset East





Spar, Somerset East



Blue Lizard Café, Somerset East



Hardware Store, Somerset East



GPS Co-ordinates of Site Notice and Poster Placement

GPS Co-ordinates	Location
32°41'23.8"S 25°21'54.7"E	Site Notice location 1
32°41'23.8"S 25°21'54.7"E	Site Notice location 2
32°34'57.6"S 25°08'22.9"E	Pearston Municipality
32°34'51.4"S 25°08'15.9"E	Pearston SAPS
32°34'56.3"S 25°08'17.0"E	Pearston Ernst van Heerden Library
32°34'56.2"S 25°08'17.4"E	Pearston Post Office
32°34'57.6"S 25°08'21.7"E	Pearston Local Store
32°43'10.3"S 25°34'59.6"E	Somerset East Municipality
32°43'06.7"S 25°35'27.2"E	Somerset East Police Station
32°43'14.4"S 25°35'06.5"E	Somerset East Langenhoven library
32°43'08.0"S 25°35'21.7"E	Somerset East Spar
32°43'53.1"S 25°34'59.1"E	Somerset East Cafe
32°43'07.3"S 25°35'22.1"E	Somerset East Hardware

APPENDIX 4: ADVERTISEMENTS

APPENDIX 5: ORIGINAL COMMENTS & RESPONSES

Anja Albertyn

From: Highlands
Sent: 18 June 2018 15:58
To: 'Info'; Shane October
Cc: Highlands
Subject: RE: Initial Notification for the Proposed Highlands Wind Energy Facilities

Dear Ms Becker,

We have added Mr Shane October to the database of Interested & Affected Parties, and he will receive all future notifications regarding the Highlands Wind Energy Facilities project.

Kind Regards,

Anja Albertyn
Environmental Practitioner

Tel: +27 (0) 21 412 1529
Email: highlands@arcusconsulting.co.za

Arcus
Office 220 Cube Workspace
Cnr Long Street and Hans Strijdom Road
Cape Town
8001

www.arcusconsulting.co.za



From: Info [<mailto:info@ecpta.co.za>]
Sent: 15 June 2018 07:08
To: Shane October <Shane.October@ecpta.co.za>
Cc: Highlands <Highlands@arcusconsulting.co.za>
Subject: FW: Initial Notification for the Proposed Highlands Wind Energy Facilities

Dear Shane

Kindly see below and respond/direct this mail accordingly please

Kind Regards,

Emma Becker
Reservations Supervisor
Tel: +27 43 492 0881
Email: Emma.Becker@ecpta.co.za



East London | Eastern Cape | South Africa

From: Highlands <Highlands@arcusconsulting.co.za>
Sent: Thursday, 14 June 2018 17:44
Subject: Initial Notification for the Proposed Highlands Wind Energy Facilities

Dear Interested & Affected Party,

RE: Application for Environmental Authorisation for the proposed Highlands Wind Energy Facilities and Associated Infrastructure in the Eastern Cape Province

You are receiving this notification, as you have been identified as an interested & affected party for the proposed development. This email provides notification of the proposed development and is the first step in the Public Participation Process (PPP).

Please find attached for your interest the Highlands Wind Energy Facility Initial Notification letter for interested & Affected Parties in Afrikaans and English.

Should you wish to no longer receive notifications for the abovementioned projects, please respond accordingly.

Please do not hesitate to contact me, should you have any further concerns or requirements.

Kind Regards,

Anja Albertyn, MSc, Pr. Sci. Nat
Environmental Practitioner

Tel: +27 (0) 21 412 1533
Email: highlands@arcusconsulting.co.za

Arcus
Office 220 Cube Workspace
Cnr Long Street and Hans Strijdom Road
Cape Town
8001

www.arcusconsulting.co.za



Disclaimer

The information contained in this communication from the sender is confidential. It is intended solely for use by the recipient and others authorized to receive it. If you are not the recipient, you are hereby notified that any disclosure, copying, distribution or taking action in relation of the contents of this information is strictly prohibited and may be unlawful.

This email has been scanned for viruses and malware, and may have been automatically archived by Mimecast Ltd, an innovator in Software as a Service (SaaS) for business. Providing a safer and more useful place for your human generated data. Specializing in; Security, archiving and compliance. To find out more [Click Here](#).

Anja Albertyn

From: Highlands
Sent: 18 June 2018 16:48
To: 'Shaun Williams'; Highlands
Cc: Frans Botha
Subject: RE: Initial Notification for the Proposed Highlands Wind Energy Facilities

Dear Mr Williams,

We have added the emails for Jac Jordaan, Andre Botha and Frans Botha to the I&AP database as requested. We have also emailed them the initial notification letter. They will be included in all future notifications regarding the Highlands Wind Energy facilities projects.

Would you be able to indicate which farm portions or farm names you and they are part of in the area? We have a Jac Jordaan down as a project landowner contact for National Government farms but are uncertain if this is the same individual. Frans Botha is registered as a surrounding landowner contact for Purple Lily Pty Ltd. Any details would be greatly appreciated.

Kind Regards,

Anja Albertyn
Environmental Practitioner

Tel: +27 (0) 21 412 1529
Email: highlands@arcusconsulting.co.za

Arcus
Office 220 Cube Workspace
Cnr Long Street and Hans Strijdom Road
Cape Town
8001

www.arcusconsulting.co.za



From: Shaun Williams [mailto:shaun.williams@uff.co.za]
Sent: 18 June 2018 12:27
To: Highlands <Highlands@arcusconsulting.co.za>; Office <office@arcusconsulting.co.za>
Cc: Frans Botha <frans.botha@uff.co.za>
Subject: FW: Initial Notification for the Proposed Highlands Wind Energy Facilities

Dear Anja,

Please refer to the attached documents, for any correspondence or information needed please contact Jac Jordaan and Andre' Botha as per below.

You can cc Frans Botha (CFO) and myself in the emails as I'm the accountant working on the project in the area.

Andre Botha – andre.botha@uff.co.za
Jac Jordaan - jacjordaanboerdery@gmail.com cell: 073 856 7179

Thanks and regards

Shaun Williams
C : +27 82 464 8184
T : +27 21 421 2129
W : www.uff.co.za
E : shaun.williams@uff.co.za

OFFICE 201, 30 HUDSON STREET, WATERKANT 8001, CAPE TOWN, SOUTH AFRICA

UFF AGRICULTURAL ASSET MANAGEMENT (PTY) LTD TRADING AS UFF AFRICAN AGRICULTURAL INVESTMENTS. AFFILIATED WITH OLD MUTUAL INVESTMENT GROUP.
THIS COMMUNICATION IS SUBJECT TO CERTAIN RESTRICTIONS AND DISCLAIMERS. CLICK [HERE](#) FOR MORE INFO | TO FOLLOW US ON LINKEDIN CLICK [HERE](#)



Anja Albertyn

From: Highlands
18 June 2018 15:56
To: 'Grant Abrahamson'; Highlands
Cc: 'Tony Barbour'
Subject: RE: Initial Notification for the Proposed Highlands Wind Energy Facilities

Dear Mr Abrahamson,

You received the first official notification for the proposed Highlands WEFs. Please submit all comments and concerns to myself as soon as possible for inclusion and consideration in the basic assessment report. This report will then be made available to the public for 30 days for your review and further comment. You will be notified when it is available. At this point we estimate that the public review period for the Basic Assessment Report will start sometime in September.

I also forward all comments to the social specialist, Tony Barbour, who will be conducting a social impact assessment study for the proposed development. He may also contact you for additional input for inclusion in his report.

Please do not hesitate to contact me with any further queries.

Kind Regards,

Anja Albertyn
Environmental Practitioner

Tel: +27 (0) 21 412 1529
Email: highlands@arcusconsulting.co.za

Arcus
Office 220 Cube Workspace
Cnr Long Street and Hans Strijdom Road
Cape Town
8001

www.arcusconsulting.co.za



From: Grant Abrahamson [<mailto:grant@eastcapesafaris.co.za>]
Sent: 15 June 2018 15:22
To: Highlands <Highlands@arcusconsulting.co.za>
Subject: RE: Initial Notification for the Proposed Highlands Wind Energy Facilities

Dear Anja

Thank you for your email. This is the first I hear of the project after having noticed that there is a test tower that was erected on the farm Highlands which neighbours my property.

Please let me know with whom I should talk to with regards some issues with the project from an environmental basis and from my tourism business venture which will be influenced by such a project.

Look forward to hearing from you.

Regards
Grant Abrahamson

From: Highlands [<mailto:Highlands@arcusconsulting.co.za>]
Sent: 14 June 2018 05:40 PM
Subject: Initial Notification for the Proposed Highlands Wind Energy Facilities

Dear Surrounding Landowner,

RE: Application for Environmental Authorisation for the proposed Highlands Wind Energy Facilities and Associated Infrastructure in the Eastern Cape Provinces

You are receiving this notification, as you have been identified as a surrounding landowner for the proposed development. This email provides notification of the proposed development and is the first step in the Public Participation Process (PPP).

Please find attached for your interest the Highlands Wind Energy Facility Initial Notification letter for Surrounding Landowners in Afrikaans and English.

Should you wish to no longer receive notifications for the abovementioned projects, please respond accordingly.

Please do not hesitate to contact me, should you have any further concerns or requirements.

Kind Regards,

Anja Albertyn, MSc, Pr. Sci. Nat
Environmental Practitioner

Tel: +27 (0) 21 412 1533
Email: highlands@arcusconsulting.co.za

Arcus
Office 220 Cube Workspace
Cnr Long Street and Hans Strijdom Road
Cape Town
8001

www.arcusconsulting.co.za



Anja Albertyn

From: John Geeringh <GeerinJH@eskom.co.za>
Sent: 19 June 2018 09:30
To: Highlands
Subject: RE: Initial Notification for the Proposed Highlands Wind Energy Facilities

Thanks, I will check
John

From: Highlands [mailto:Highlands@arcusconsulting.co.za]
Sent: 18 June 2018 03:47 PM
To: John Geeringh
Cc: Highlands
Subject: RE: Initial Notification for the Proposed Highlands Wind Energy Facilities

Dear Mr Geeringh,

Thank you for your comments. The Eskom requirements will be forwarded to the developer for consideration in the design of the project. I have attached a kml of the proposed development layout for your further comment :

Highlands_WEFs_20180525.kmz

Kindly confirm if the proposed layout complies with Eskom requirements.

Thank you very much,

Anja Albertyn
Environmental Practitioner

Tel: +27 (0) 21 412 1529
Email: highlands@arcusconsulting.co.za

Arcus
Office 220 Cube Workspace
Cnr Long Street and Hans Strijdom Road
Cape Town
8001

www.arcusconsulting.co.za




From: John Geeringh [mailto:GeerinJH@eskom.co.za]
Sent: 15 June 2018 09:23
To: Highlands <Highlands@arcusconsulting.co.za>
Subject: RE: Initial Notification for the Proposed Highlands Wind Energy Facilities

Please send me KMZ files of the proposed development and proposed Grid connections. Please find attached Eskom requirements for works at or near Eskom infrastructure and servitudes. Please take specific note of the setback distances for Turbines from Eskom infrastructure as per the attached Setbacks document. Should the Developer

want to encroach on these setback distances, permission must be requested from Eskom in writing, and a decision on the matter will be communicated in writing to the Developer.

Kind regards

John Geeringh (Pr Sci Nat)
Senior Consultant Environmental Management
Land Development and Management
Group Capital
Megawatt Park, D1Y42, Maxwell Drive, Sunninghill, Sandton.
P O Box 1091, Johannesburg, 2000.
Tel: 011 516 7233
Cell: 083 632 7663
Fax: 086 661 4064
E-mail: john.geeringh@eskom.co.za



From: Highlands [mailto:Highlands@arcusconsulting.co.za]

Sent: 14 June 2018 05:44 PM

Subject: Initial Notification for the Proposed Highlands Wind Energy Facilities

Dear Interested & Affected Party,

RE: Application for Environmental Authorisation for the proposed Highlands Wind Energy Facilities and Associated Infrastructure in the Eastern Cape Province

You are receiving this notification, as you have been identified as an interested & affected party for the proposed development. This email provides notification of the proposed development and is the first step in the Public Participation Process (PPP).

Please find attached for your interest the Highlands Wind Energy Facility Initial Notification letter for Interested & Affected Parties in Afrikaans and English.

Should you wish to no longer receive notifications for the abovementioned projects, please respond accordingly.

Please do not hesitate to contact me, should you have any further concerns or requirements.

Kind Regards,

Anja Albertyn, MSc, Pr. Sci. Nat
Environmental Practitioner

Tel: +27 (0) 21 412 1533
Email: highlands@arcusconsulting.co.za

Arcus
Office 220 Cube Workspace
Cnr Long Street and Hans Strijdom Road
Cape Town



NB: This Email and its contents are subject to the Eskom Holdings SOC Ltd EMAIL LEGAL NOTICE which can be viewed at http://www.eskom.co.za/Pages/Email_Legal_Spam_Disclaimer.aspx
 NB: This Email and its contents are subject to the Eskom Holdings SOC Ltd EMAIL LEGAL NOTICE which can be viewed at http://www.eskom.co.za/Pages/Email_Legal_Spam_Disclaimer.aspx

	scot	Technology
--	------	------------

Title: Renewable Energy Generation Plant Setbacks to Eskom Infrastructure
 Unique Identifier: 240-65559775

Alternative Reference Number: N/A

Area of Applicability: Power Line Engineering

Documentation Type: Guideline

Revision: 0

Total Pages: 8

Next Review Date: N/A

Disclosure Classification: **CONTROLLED DISCLOSURE**

Compiled by 	Approved by 	Authorised by
J W Chetty Mechanical Engineer Date: 20/02/2014	V Naidoo Chief Engineer (Lines) Date: 24/02/2014	R A Vajeth Acting Snr Manager (Lines) Date: 27/2/2014

Supported by SCOT/ISC

R Vajeth
 SCOT/ISC/ Chairperson
 Date: 27/2/2014

PCM Reference: 240-65132732 LINE ENGINEERING SERVICES
 SCOT Study Committee Number/Name: OVER-HEAD LINES

CONTENTS

	Page
EXECUTIVE SUMMARY	3
1. INTRODUCTION	4
2. SUPPORTING CLAUSES	4
2.1 SCOPE	4
2.1.1 Purpose	4
2.1.2 Applicability	5
2.2 NORMATIVE/INFORMATIVE REFERENCES	5
2.2.1 Normative	5
2.2.2 Informative	5
2.3 DEFINITIONS	5
2.3.1 Disclosure Classification	6
2.4 ABBREVIATIONS	6
2.5 ROLES AND RESPONSIBILITIES	6
2.6 PROCESS FOR MONITORING	6
2.7 RELATED/SUPPORTING DOCUMENTS	6
3. DOCUMENT CONTENT	6
3.1 INTERNATIONAL SETBACK COMPARISON	6
3.2 ESKOM APPROACH FOR WIND FARMS	7
4. AUTHORISATION	8
5. REVISIONS	8
6. DEVELOPMENT TEAM	9

FIGURES

Figure 1: Horizontal Axis Wind Turbine	8
--	---

EXECUTIVE SUMMARY

In recent decades, the use of wind turbines, concentrated solar plants and photovoltaic plants have been on the increase as it serves as an abundant source of energy. This document specifies setbacks for wind turbines and the reasons for these setbacks from infrastructure as well as setbacks for concentrated solar plants and photovoltaic plants. Setbacks for wind turbines employed in other countries were compared and a general setback to be used by Eskom was suggested for use with wind turbines and other renewable energy generation plants.

1. INTRODUCTION

During the last few decades, a large amount of wind turbines have been installed in wind farms to accommodate for the large demand of energy and depleting fossil fuels. Wind is one of the most abundant sources of renewable energy. Wind turbines harness the energy of this renewable resource for integration in electricity networks. The extraction of wind energy is its primary function and thus the aerodynamics of the wind turbine is important. There are many different types of wind turbines which will all exhibit different wind flow characteristics. The most common wind turbine used commercially is the Horizontal Axis Wind Turbine. Wind flow characteristics of this turbine are important to analyse as it may have an effect on surrounding infrastructure.

Wind turbines also cause large turbulence downwind that may affect existing infrastructure. Debris or parts of the turbine blade, in the case of a failure, may be tossed behind the turbine and may lead to damage of infrastructure in the wake path.

This document outlines the minimum distances that need to be introduced between a wind turbine and Eskom infrastructure to ensure that debris and / or turbulence would not negatively impact on the infrastructure.

Safety distances of wind turbines from other structures as implemented by other countries were also considered and the reasons for their selection were noted.

Concentrated solar plants and photovoltaic plants setbacks away from substations were also to be considered to prevent restricting possible power line access routes to the substation.

2. SUPPORTING CLAUSES

2.1 SCOPE

This document provides guidance on the safe distance that a wind turbine should be located from any Eskom power line or substation. The document specifies setback distances for transmission lines (220 kV to 765 kV), distribution lines (6.6 kV to 132 kV) and all Eskom substations. Setbacks for concentrated solar plants and photovoltaic plants are also specified away from substations.

2.1.1 Purpose

Setbacks for wind turbines and power lines / substations are required for various reasons. These include possible catastrophic failure of the turbine blade that may release fragments and which may be thrown onto nearby power lines that may result in damage with associated unplanned outages. Turbulence behind the turbine may affect helicopter flight during routine Eskom live line maintenance and

inspections that may lead to safety risk of the aircraft / personnel. Concentrated solar plants and photovoltaic plants setback away from substations were required to prevent substations from being boxed in by these renewable generation plants limiting line route access to the substations.

2.1.2 Applicability

This document is applicable to the siting of all new and existing wind turbines, concentrated solar plants and photovoltaic plants near power lines and substations.

2.2 NORMATIVE/INFORMATIVE REFERENCES

2.2.1 Normative

1. <http://www.envir.ec.orb.gov/class=file?action=preview/id=1170403:Hiiumaa+Turbulence+Impact+EMD.pdf>.
2. <http://www.energy.ca.gov/2005publications/CFC-500-2005-184/CFC-500-2005-184.PDF>.
3. <http://www.adamscountywind.com/Revised%20Site/Windmills/Adams%20County%20Ordinance/Adams%20County%20Wind%20Ord.htm>
4. http://www.dsireusa.org/incentives/incentive.cfm?Incentive_Code=PA11R&RE=1&EE=1
5. <http://www.wind-watch.org/documents/european-setbacks-minimum-distance-between-wind-turbines-and-habitations/>
6. <http://www.publications.parliament.uk/pa/ld/201011/ldbills/017/11017.1-1.html>
7. http://www.caw.ca/assets/pdf/Turbine_Safety_Report.pdf
8. Rogers J, Slegers N, Costello M. (2011) A method for defining wind turbine setback standards. Wind energy 10.1002/we.468

2.2.2 Informative

None

2.3 DEFINITIONS

Definition	Description
Setback	The minimum distance between a wind turbine and boundary line/dwelling/road/infrastructure/servitude etc.
Flicker	Effect caused when rotating wind turbine blades periodically cast shadows
Tip Height	The total height of the wind turbine ie. Hub height plus half rotor diameter (see Figure1)

CONFIDENTIAL INFORMATION

When downloaded from the EDMS, this document is unclassified and the confidentiality rests with the user to ensure it is in line with the information security and protection policy.

2.3.1 Disclosure Classification

Controlled disclosure: controlled disclosure to external parties (either enforced by law, or discretionary).

2.4 ABBREVIATIONS

Abbreviation	Description
None	

2.5 ROLES AND RESPONSIBILITIES

All personnel involved in the positioning wind turbines, concentrated solar plants and photovoltaic plants near power lines/substations must follow the setbacks outlined in this guideline.

2.6 PROCESS FOR MONITORING

Approval by Eskom in writing.

2.7 RELATED/SUPPORTING DOCUMENTS

None

3. DOCUMENT CONTENT**3.1 INTERNATIONAL SETBACK COMPARISON**

Wind Turbine setbacks employed by various countries were considered. It was found that setbacks were determined for various reasons that include noise, flicker, turbine blade failure and wind effects. The distances (setbacks) varied based on these factors and were influenced by the type of infrastructure

Wind turbine setbacks varied for roads, power lines, dwellings, buildings and property and it was noted that the largest setbacks were employed for reasons of noise and flicker related issues [1-7]. Very few countries specified setbacks for power lines.

The literature survey [1-7], yielded information about studies and experiments were conducted to determine the distance that a broken fragment from a wind turbine might be thrown. Even though of low probability of hitting a power line [5.0×10^{-5} [9]], the distances recorded were significant [750m¹⁶]

Setbacks were thus introduced to prevent any damage to Eskom infrastructure.

Wind turbines may also cause changes in wind patterns with turbulent effects behind the hub. These factors dictate the wind turbine setbacks specified in this document.

Concentrated solar plants and photovoltaic plants also can limit access into the substation for power lines of all voltages. A setback distance must therefore be employed to prevent the substation from being boxed in by these generation plants. These setback distances are specified in this document.

3.2 ESKOM REQUIRED SETBACKS

- Eskom requires a setback distance of 3 times the tip height of the wind turbine from the edge of the closest Eskom servitude (including vacant servitudes) for transmission lines.
- Eskom requires a setback distance of 1 times the tip height of the wind turbine from the edge of the closest Eskom servitude (including vacant servitudes) for distribution Lines.
- Eskom must be informed of any proposed wind turbine, concentrated solar plants and photovoltaic activity within a 5 km radius of a substation. No wind turbine structure shall be built within a 2 km radius of the closest point of the substation. Where concentrated solar plants and photovoltaic structures fall within a 2 km radius of the closest point of a substation, Eskom should be informed in writing during the planning phase of the construction of such plant or structure.
- Applicants must show that Eskom radio telecommunication systems (mainly microwave systems) will not be affected in any way by wind turbines.




Figure 1: Horizontal Axis Wind Turbine

4. AUTHORISATION

This document has been seen and accepted by:

Name & Surname	Designation
V Naidoo	Chief Engineer
Dr P H Pretorius	Electrical Specialist
J Geeringh	Snr Consultant Environ Mngt
B Haridass	Snr Consultant Engineer
R A Vajeth	Acting Snr Manager (Lines)

5. REVISIONS

Date	Rev.	Compiler	Remarks
November 2013	0	J W Chetty	First Publication - No renewable energy generation plant setback specification in existence

6. DEVELOPMENT TEAM

The following people were involved in the development of this document:

- Jonathan W Chetty (Mechanical Engineer)
- Vivendhra Naidoo (Chief Engineer)
- Dr Pieter H Pretorius (Electrical Specialist)
- John Geeringh (Snr Consultant Environ Mngt)
- Bharat Haridass (Snr Consultant Engineer)
- Riaz A Vajeth (Acting Snr Manager (Lines))

CONTROLLED DISCLOSURE

When downloaded from the EDMS, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

CONTROLLED DISCLOSURE

When downloaded from the EDMS, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the system.

Anja Albertyn

From: Highlands
21 June 2018 09:43
To: 'Side by Side Safaris'
Subject: RE: Initial Notification for the Proposed Highlands Wind Energy Facilities

Good day,
The email paul@bosberg.co.za has been added to our database under Side by Side Trust. All future notifications regarding the Highlands Wind Energy Facilities will be sent to that address.

Please could you let us know if you wish to no longer receive notifications at info@sidebysidesafaris.com.

Kind Regards,

Anja Albertyn
Environmental Practitioner

Tel: +27 (0) 21 412 1529
Email: highlands@arcusconsulting.co.za

Arcus
Office 220 Cube Workspace
Cnr Long Street and Hans Strijdom Road
Cape Town
8001

www.arcusconsulting.co.za



From: Side by Side Safaris [mailto:info@sidebysidesafaris.com]
Sent: 20 June 2018 19:16
To: Highlands <Highlands@arcusconsulting.co.za>
Cc: Highlands <Highlands@arcusconsulting.co.za>
Subject: Re: Initial Notification for the Proposed Highlands Wind Energy Facilities

Paul@bosberg.co.za

Få Outlook til iOS

From: Highlands <Highlands@arcusconsulting.co.za>
Sent: Tuesday, June 19, 2018 9:54:28 AM
To: info@sidebysidesafaris.com
Cc: Highlands
Subject: Initial Notification for the Proposed Highlands Wind Energy Facilities

Dear Surrounding Landowner,

RE: Application for Environmental Authorisation for the proposed Highlands Wind Energy Facilities and Associated Infrastructure in the Eastern Cape Provinces

You are receiving this notification, as you have been identified as a surrounding landowner for the proposed development. This email provides notification of the proposed development and is the first step in the Public Participation Process (PPP).

Please find attached for your interest the Highlands Wind Energy Facility Initial Notification letter for Surrounding Landowners in Afrikaans and English.

Should you wish to no longer receive notifications for the abovementioned projects, please respond accordingly.

Please do not hesitate to contact me, should you have any further concerns or requirements.

Kind Regards,

Anja Albertyn, MSc, Pr. Sci. Nat
Environmental Practitioner

Tel: +27 (0) 21 412 1533
Email: highlands@arcusconsulting.co.za

Arcus
Office 220 Cube Workspace
Cnr Long Street and Hans Strijdom Road
Cape Town
8001

www.arcusconsulting.co.za



Anja Albertyn

From: Microsoft Outlook
To: Side by Side Safaris
Sent: 21 June 2018 09:43
Subject: Relayed: RE: Initial Notification for the Proposed Highlands Wind Energy Facilities

Delivery to these recipients or groups is complete, but no delivery notification was sent by the destination server:

[Side by Side Safaris \(info@sidebysidesafaris.com\)](mailto:info@sidebysidesafaris.com)

Subject: RE: Initial Notification for the Proposed Highlands Wind Energy Facilities



RE: Initial Notification for ...

Anja Albertyn

From: Highlands
Sent: 03 July 2018 11:50
To: 'RoxanneM@l2b.co.za'
Subject: RE: 2780 Highlands

Dear Roxanne,

A project description, locality map and proposed development plan was included in the initial notification letter and serves as the BID.

You will receive a link to the Draft Basic Assessment Report as soon as it is available for public review. Electronic copies on CD and hardcopies will be made available upon request.

Let me know if you have any further queries or comments at this stage.

Kind Regards,

Anja Albertyn
Environmental Practitioner

Tel: +27 (0) 21 412 1529
Email: highlands@arcusconsulting.co.za

Arcus
Office 220 Cube Workspace
Cnr Long Street and Hans Strijdom Road
Cape Town
8001

www.arcusconsulting.co.za



From: Roxanne Mustard [<mailto:RoxanneM@l2b.co.za>]
Sent: 02 July 2018 08:22
To: Highlands <Highlands@arcusconsulting.co.za>
Subject: Re: 2780 Highlands

Good day Anja

Thank you so much. Has there been a BID document drawn up for this project?

Your assistance will be greatly appreciated.

Have a great day further!

Kind Regards,

Roxanne Mustard
Regional Content Researcher
Projects Department

Leads 2 Business (www.L2B.co.za)
Tel: 033 343 1130 or 0860 836337 (0860 TENDER)
Fax: 033 343 5882

This e-mail is for the intended addressee only. If you have received it in error, please notify the sender by e-mail. Dissemination or copying is prohibited unless permitted by the sender, and then only by the intended addressee. Whilst reasonable measures are used to guard against the transmission of malicious code, no liability is accepted for its transmission. If this e-mail is not related to the business of Cedrus Internet Solutions (Pty) Ltd, it is sent by the above mentioned in their individual capacity and not on behalf of Cedrus Internet Solutions (Pty) Ltd.

Please note that any views expressed in this email may be those of the originator and do not necessarily reflect those of Cedrus Internet Solutions (Pty) Ltd.

On 27/06/2018 10:14, Highlands (Highlands@arcusconsulting.co.za) wrote:

Dear Roxanne,

Thank you very much for registering as an I&AP for the Highlands Wind Energy Facilities project. You will receive all notifications regarding the application process for environmental authorisations.

Should you have any comments or queries regarding the projects or process please do not hesitate to contact me.

Kind Regards,

Anja Albertyn
Environmental Practitioner

Email: highlands@arcusconsulting.co.za

Arcus

Office 220 Cube Workspace
Cnr Long Street and Hans Strijdom Road
Cape Town
8001

www.arcusconsulting.co.za



Tel: +27 (0) 21 412 1529

and then only by the intended addressee. Whilst reasonable measures are used to guard against the transmission of malicious code, no liability is accepted for its transmission. If this e-mail is not related to the business of Cedrus Internet Solutions (Pty) Ltd, it is sent by the above mentioned in their individual capacity and not on behalf of Cedrus Internet Solutions (Pty) Ltd.

Please note that any views expressed in this email may be those of the originator and do not necessarily reflect those of Cedrus Internet Solutions (Pty) Ltd.

From: Roxanne Mustard [<mailto:RoxanneM@l2b.co.za>]
Sent: 27 June 2018 09:02
To: Highlands <Highlands@arcusconsulting.co.za>
Subject: 2780 Highlands

Good day

Please may I register as a I&AP:

Roxanne Mustard

Following the progress of this project.

Hilton branch

Tel: +27 (0)860 836 337

Fax: +27 (0)33

Postal address:

PO Box 1091

Hilton

KZN

3245

Physical address: The Quarry Office Park, Block G, Section 2,
330 Old Howick Road,

Hilton

KZN

3245

(South Africa)

Your assistance and time will be greatly appreciated.

Have a great day further!

--

Kind Regards,

Roxanne Mustard
Regional Content Researcher
Projects Department

Leads 2 Business (www.L2B.co.za)

Tel: 033 343 1130 or 0860 836337 (0860 TENDER)

Fax: 033 343 5882

This e-mail is for the intended addressee only. If you have received it in error, please notify the sender by e-mail. Dissemination or copying is prohibited unless permitted by the sender,

Anja Albertyn

From: Microsoft Outlook
To: RoxanneM@l2b.co.za
Sent: 03 July 2018 11:50
Subject: Relayed: RE: 2780 Highlands

Delivery to these recipients or groups is complete, but no delivery notification was sent by the destination server:

RoxanneM@l2b.co.za (RoxanneM@l2b.co.za)

Subject: RE: 2780 Highlands



RE: 2780
Highlands

Anja Albertyn

From: Highlands
Sent: 28 June 2018 13:59
To: 'Nico Lombard'
Subject: RE: Wind farm

Dear Mr Lombard,

Thank you very much for registering as an I&AP for the Highlands Wind Energy Facilities project. You will receive all notifications regarding the application process for environmental authorisations.

Should you have any comments or queries regarding the projects or process please do not hesitate to contact me.

Kind Regards,

Anja Albertyn
Environmental Practitioner

Tel: +27 (0) 21 412 1529
Email: highlands@arcusconsulting.co.za

Arcus
Office 220 Cube Workspace
Cnr Long Street and Hans Strijdom Road
Cape Town
8001

www.arcusconsulting.co.za



From: Nico Lombard [<mailto:nlombard@cacadudevelopment.co.za>]

Sent: 27 June 2018 14:40

To: Highlands <Highlands@arcusconsulting.co.za>

Subject: Wind farm

Will you please register the Cacadu District Development Agency as an interested and affected party for the proposed Highlands wind farm.

Nico Lombard
0823294545

P O Box 197
Somerset East
5850

Thank You.

Nico Lombard
Cacadu District Development Agency
Manager Renewable Energy
0823294545

Anja Albertyn

From: smartgov@drdlr.gov.za
Sent: 03 July 2018 09:58
To: Highlands
Subject: INITIAL NOTIFICATION FOR THE PROPOSED HIGHLANDS WIND ENERGY FACILITIES
Attachments: Letter.pdf

Dear Sir/Madam

Kindly find attached a letter acknowledging the receipt of your correspondence.

Kind regards

Ms Fhatuwani Sarah Magwaba



**rural development
& land reform**
Department
Rural Development and Land Reform
REPUBLIC OF SOUTH AFRICA

OFFICE OF THE DIRECTOR GENERAL
Private Bag X833, Pretoria, 0001; 184 Jeff Masekela Street, Pretoria, 0001
Tel: 012 312 8911; Fax: 012 323 6072; Email: DGOffice@drdlr.gov.za

Reference: T2018-0507

A Albertyn
Office 220 Cube Workspace
Cnr Long Street and Hans Strijdom Road
CAPE TOWN
8001

As per Email: Highlands@arcusconsulting.co.za

Dear Sir/Madam

INITIAL NOTIFICATION FOR THE PROPOSED HIGHLANDS WIND ENERGY FACILITIES

I acknowledge with thanks receipt of your email dated 14 June 2018, regarding the above mentioned subject matter.

Kindly note that the matter has been brought to the attention of the Chief Director: EC, Provincial Shared Service Centre: Mr Zukile Pityi for further attention and response.

Should you wish to make a follow up on this, kindly contact Ms Aphwe Fayindlala, Tel: 043 700 7003 Email: aphwe.fayindlala@drdlr.gov.za

Kind regards

Ms Fhatuwani Sarah Magwaba

For Office of the Director General
Department of Rural Development and Land Reform
DATE: 3 July 2018

Anja Albertyn

From: Highlands
Sent: 03 July 2018 11:22
To: 'smartgov@drdlr.gov.za'; 'aphwe.fayindlala@drdlr.gov.za'
Subject: RE: INITIAL NOTIFICATION FOR THE PROPOSED HIGHLANDS WIND ENERGY FACILITIES

Dear Ms Magabwa,

Thank you for your acknowledgment of receipt. Ms Aphwe Fayindlala has been added to our I&AP database and will be included in all future correspondence and notifications.

Kind Regards,

Anja Albertyn
Environmental Practitioner

Tel: +27 (0) 21 412 1529
Email: highlands@arcusconsulting.co.za

Arcus
Office 220 Cube Workspace
Cnr Long Street and Hans Strijdom Road
Cape Town
8001

www.arcusconsulting.co.za



From: smartgov@drdlr.gov.za [mailto:smartgov@drdlr.gov.za]

Sent: 03 July 2018 09:58

To: Highlands <Highlands@arcusconsulting.co.za>

Subject: INITIAL NOTIFICATION FOR THE PROPOSED HIGHLANDS WIND ENERGY FACILITIES

Dear Sir/Madam

Kindly find attached a letter acknowledging the receipt of your correspondence.

Kind regards

Ms Fhatuwani Sarah Magwaba

Anja Albertyn

From: postmaster@GMS.local
To: smartgov@drdlr.gov.za
Sent: 03 July 2018 11:23
Subject: RE: INITIAL NOTIFICATION FOR THE PROPOSED HIGHLANDS WIND ENERGY FACILITIES

Your message has been delivered to the following recipients:

smartgov@drdlr.gov.za

Subject: RE: INITIAL NOTIFICATION FOR THE PROPOSED HIGHLANDS WIND ENERGY FACILITIES



RE: INITIAL NOTIFICATION F...

Anja Albertyn

From: postmaster@GMS.local
To: aphive.fayindlala@drdlr.gov.za
Sent: 03 July 2018 11:23
Subject: RE: INITIAL NOTIFICATION FOR THE PROPOSED HIGHLANDS WIND ENERGY FACILITIES

Your message has been delivered to the following recipients:

aphive.fayindlala@drdlr.gov.za

Subject: RE: INITIAL NOTIFICATION FOR THE PROPOSED HIGHLANDS WIND ENERGY FACILITIES



RE: INITIAL NOTIFICATION F...

Anja Albertyn

From: Leonard Shaw (LS) <LeonardS@openserve.co.za>
Sent: 13 July 2018 14:45
To: Highlands
Subject: RE: Initial Notification for the Proposed Highlands Wind Energy Facilities

Follow Up Flag: Follow up
Flag Status: Flagged

Good day Anja

We looked at the proposed farm and it will not interfere with our "radio" networks. If you need a response in accordance with the provisions of Section 29(1) (b) of Electronic Communications Act no. 36 of 2005 ("the Act") please let me know.

Kind regards,

Leonard Shaw

Senior Manager: Access Master Planning
61 Oak Avenue, Gate 2, Highveld, Centurion 0157
Private Bag X881, Pretoria, Gauteng, 0001
T: +27 12 311 2012, C: +27 81 428 6729

This e-mail is subject to the Telkom electronic communication legal notice, available at:
<http://www.telkom.co.za/TelkomEMailLegalNotice.PDF>



Tel: +27 (0) 21 412 1533
Email: highlands@arcusconsulting.co.za

Arcus

Office 220 Cube Workspace
Cnr Long Street and Hans Strijdom Road
Cape Town
8001

www.arcusconsulting.co.za



From: Highlands [mailto:Highlands@arcusconsulting.co.za]

Sent: 14 June 2018 05:44 PM

Subject: Initial Notification for the Proposed Highlands Wind Energy Facilities

Dear Interested & Affected Party,

RE: Application for Environmental Authorisation for the proposed Highlands Wind Energy Facilities and Associated Infrastructure in the Eastern Cape Province

You are receiving this notification, as you have been identified as an interested & affected party for the proposed development. This email provides notification of the proposed development and is the first step in the Public Participation Process (PPP).

Please find attached for your interest the Highlands Wind Energy Facility Initial Notification letter for Interested & Affected Parties in Afrikaans and English.

Should you wish to no longer receive notifications for the abovementioned projects, please respond accordingly.

Please do not hesitate to contact me, should you have any further concerns or requirements.

Kind Regards,

Anja Albertyn, MSc, Pr. Sci. Nat
Environmental Practitioner