



TerraAfrica

SOIL. AGRICULTURE. ENVIRONMENT.

Agricultural Assessment for the Proposed Kleinzee Solar PV Facility and associated grid connection infrastructure Project

Submitted by TerraAfrica Consult cc

Mariné Pienaar

25 April 2023



Table of Contents

1. Introduction	1
2. Details of the specialist	2
3. Purpose and objectives of the agricultural assessment	4
4. Terms of Reference.....	5
5. Legislative framework of the assessment	5
6. Agricultural Sensitivity	6
7. Methodology.....	9
7.1 Assessment of available data	9
8. Study gaps, limitations and assumptions	12
9. Baseline description	12
9.1 Soil properties	12
10. Impact assessment.....	22
10.1 Project description.....	22
10.2 Impact significance rating and Cumulative Impact.....	23
10.3 Cumulative impact assessment and rating	27
11 Mitigation and management measures	30
12 Acceptability statement.....	33
13 Reference list	34



List of Figures

Figure 1: Locality of the proposed Kleinzee solar PV facility development area and alternative grid connection solutions.....	3
Figure 2 Agricultural Combined Sensitivity of the Kleinzee Solar PV Facility development area (generated by Savannah Environmental, 2021)	7
Figure 3 High Potential Agricultural Areas, IR-Irrigated fields, RF-Rainfed crops.....	8
Figure 4 Locality of on-site soil classification and observation points within the Kleinzee Solar PV Facility development area and grid connection alternatives	10
Figure 5 Soil classification map of the Kleinzee Solar PV Facility development area.....	13
Figure 6 A- Coega soil form, B-Namib soil form.	14
Figure 7 Land capability classification of the Kleinzee Solar PV Facility development area (data source: DALRRD, 2016)	15
Figure 8 Land capability for the proposed Kleinzee solar PV facility development area and grid connection alternatives.	17
Figure 10 Grazing capacity of the proposed Kleinzee solar PV facility development area and grid connection (data source: DALRRD, 2018).....	18
Figure 11 Photographic example of vegetation within the development area.....	19
Figure 12 Agricultural sensitivity rating of the proposed Kleinzee Solar PV Facility development area and grid connection alternatives.	21
Figure 13 Layout of the Kleinzee Solar PV Facility facility's infrastructure.....	23
Figure 14 Renewable energy projects within a 30km radius around the proposed Kleinzee solar PV facility.	32

List of Tables

Table 1 GNR 320 requirements of an Agricultural Assessment (Low to Medium Sensitivity).....	4
Table 2 Assessment of cumulative impact of decrease in areas available for livestock farming	28
Table 3 Assessment of cumulative impact of areas susceptible to soil erosion	28
Table 4 Assessment of cumulative impact of areas susceptible to soil compaction	29
Table 5 Assessment of cumulative impact of increased risk of soil pollution	29



1. Introduction

Terra-Africa Consult cc has been appointed by Savannah Environmental (Pty) Ltd, to undertake an agricultural assessment for the proposed construction of the Kleinzee solar PV facility near Komaggas in the Northern Cape (Figure 1).

The development of a solar photovoltaic (PV) facility with a generating capacity of up to 200MW is proposed by Energy Team (Pty) Ltd on a site located approximately 20km west of the town of Komaggas, and 24km southeast of Kleinzee. The project is located in the Nama Khoi Local Municipality within the Namakwa District Municipality, Northern Cape. The solar PV development will be known as the Kleinzee Solar PV Facility. The Kleinzee Solar PV Facility is located within Focus Area 8 of the Renewable Energy Development Zones (REDZ), which is known as the Springbok REDZ, and within the Northern Corridor of the Strategic Transmission Corridors.

The infrastructure associated with the 200MW solar PV facility will include:

- » Solar PV array comprising PV modules and mounting structures
- » Inverters and transformers
- » Low voltage cabling between the PV modules to the inverters
- » 33kV cabling between the project components and the facility substation
- » 132kV onsite facility substation
- » 132kV power line to connect to the grid at Zonnequa Collector Substation within a 300m wide and 8.5km long corridor
- » Battery Energy Storage System (BESS)
- » Site offices and maintenance buildings, including workshop areas for maintenance and storage
- » Laydown areas
- » Site access and internal roads.

The power generated by Kleinzee Solar PV Facility will be sold to Eskom and will feed into the national electricity grid. Ultimately, Kleinzee Solar PV facility and the associated grid connection infrastructure is intended to be part of the renewable energy projects portfolio for South Africa, as contemplated in the Integrated Resources Plan (IRP) and Renewable Energy Independent Power Producer Procurement (REIPPPP) Programme.



2. Details of the specialist

Mariné is a scientist registered with the South African Council for Natural Scientific Professions (SACNASP) and is specialised in the fields of Agricultural Science and Soil Science. Her SACNASP Registration Number is 400274/10. Mariné holds a BSc. degree in Agricultural Science (with specialisation in Plant Production) from the University of Pretoria and a MSc. Degree in Environmental Science from the University of the Witwatersrand. She has consulted in the subject fields of soil, agriculture, pollution assessment and land use planning for the environmental sector of several African countries including Botswana, Mozambique, Democratic Republic of Congo, Liberia, Ghana and Angola. She has also consulted on the soil and agricultural assessment of a gas infrastructure project in Afghanistan. Mariné's project experience conducting assessments for renewable energy projects include solar and wind energy facilities in the Western, Northern and Eastern Cape as well as the North West, Free State and KwaZulu Natal Provinces. Her contact details are provided in Appendices 1 and 2 attached.

Jan-Dirk is a candidate scientist registered with the South African Council for Natural Scientific Professions (SACNASP) and is specialized in the fields of Agricultural Science and Soil Science. His SACNASP registration number is 400274/13. Jan-Dirk holds a BSc. Degree in Agricultural Science (with specialization in Soil Science) from the University of the Free State and a MSc. Degree in Soil Science from the University of the Free State.

The full details and contact details of the specialist is attached as Appendix 1 – Specialist Declaration of Independence.






Figure 1: Locality of the proposed Kleinzee solar PV facility development area and alternative grid connection solutions.



3. Purpose and objectives of the agricultural assessment

The purpose of the agricultural assessment is to ensure that the sensitivity of the site from the perspective of agricultural production to the proposed development, is sufficiently considered. To meet this objective, site sensitivity verification must be conducted, of which the results must meet the following objectives:

- It must confirm or dispute the current land use and the environmental sensitivity as was indicated by the National Environmental Screening Tool.
- It must contain proof in the form of photographs of the current land use and environmental sensitivity pertaining to the study field.
- All data and conclusions are submitted together with the Environmental Impact Assessment Report (prepared in accordance with the NEMA regulations) for the proposed project.

According to GNR 320, the agricultural assessment that is submitted must meet the following requirements, it must:

- be applicable to the preferred site and the proposed development footprint;
- confirm that the site is of "low" or "medium" sensitivity for agriculture; and
- indicate whether or not the proposed development will have an unacceptable impact on the agricultural production capability of the site.

The following checklist is supplied as per the requirements of GNR 320, detailing where in the report the various requirements have been addressed:

Table 1 GNR 320 requirements of an Agricultural Assessment (Low to Medium Sensitivity)

Requirement	Report reference
3.1. The agricultural assessment must be prepared by a soil scientist or agricultural specialist registered with the SACNASP.	Page 2 & Appendix 2
3.2. The agricultural assessment must:	Section 9
3.2.1. be applicable to the preferred site and proposed development footprint;	
3.2.2. confirm that the site is of "low" or "medium" sensitivity for agriculture; and	Section 9.4
3.2.3. indicate whether or not the proposed development will have an unacceptable impact on the agricultural production capability of the site.	Section 10.2
3.3. The agricultural assessment must contain, as a minimum, the following information:	Page 2, Appendices 1, 2 and 3
3.3.1. contact details and relevant experience as well as the SACNASP registration number of the soil scientist or agricultural specialist preparing the assessment including a curriculum vitae;	
3.3.2. a signed statement of independence;	Appendix 1
3.3.3. a map showing the proposed development footprint (including supporting infrastructure) with a 50m buffered development envelope, overlaid on the agricultural sensitivity map generated by the screening tool;	Figure 2



3.3.4. confirmation from the specialist that all reasonable measures have been taken through micro-siting to avoid or minimise fragmentation and disturbance of agricultural activities;	Section 12
3.3.5. a substantiated statement from the soil scientist or agricultural specialist on the acceptability, or not, of the proposed development and a recommendation on the approval, or not, of the proposed development;	Section 12
3.3.6. any conditions to which the statement is subjected;	Section 12
3.3.7. in the case of a linear activity, confirmation from the agricultural specialist or soil scientist, that in their opinion, based on the mitigation and remedial measures proposed, the land can be returned to the current state within two years of completion of the construction phase;	
3.3.8. where required, proposed impact management outcomes or any monitoring requirements for inclusion in the EMPR; and	Section 11
3.3.9. a description of the assumptions made as well as any uncertainties or gaps in knowledge or data.	Section 8
3.4. A signed copy of the agricultural assessment must be appended to the Basic Assessment Report or Environmental Impact Assessment Report.	Submitted as part of final report

4. Terms of Reference

In addition to the requirements stipulated in GNR 320, the following Terms of Reference, as stipulated by Savannah, apply to the agricultural assessment:

- to ensure a thorough assessment, that includes both the desktop assessment of databases and aerial photography; a description of the on-site verification of the land capability of the area; and the soil forms present in the development area.
- identify and assess potential impacts on both agricultural potential and soil resulting from the proposed project.
- identify and describe potential cumulative soil, land capability impacts resulting from the proposed project in relation to proposed and existing developments in the surrounding area; and
- recommend mitigation, management and monitoring measures, to minimise impacts and/or optimise benefits associated with the proposed project.

5. Legislative framework of the assessment

The report follows the protocols as stipulated for agricultural assessment in Government Notice 320 of 2020 (GNR 320). This Notice provides the procedures and minimum criteria for reporting in terms of Sections 24(5)(a) and (h) and 44 of the National Environmental Management Act (No. 107 of 1998) (NEMA). It replaces the previous requirements of Appendix 6 of the Environmental Impact Assessment Regulations of NEMA. In addition to the specific requirements of GN320 for this study, the following South African legislation is also considered



applicable to the interpretation of the data and conclusions made with regards to environmental sensitivity and the conservation of soil resources of the project area:

- the Conservation of Agricultural Resources Act (No 43 of 1983) (CARA) states that the degradation of the calculated land capability of soil is illegal. CARA requires the protection of land against soil erosion and the prevention of water logging and salinization of soils by means of suitable soil conservation works to be constructed and maintained. The utilization of marshes, water sponges and watercourses are also addressed; and
- the National Water Act (No 36 of 1998) (NWA) deals with the protection of water resources (i.e. wetlands and rivers). Hydric soils with wetland land capability are not part of the proposed development area and the NWA is therefore not applicable.


6. Agricultural Sensitivity

The combined Agricultural Sensitivity of the proposed project area was determined by using the National Environmental Screening Tool (www.screening.environment.gov.za). The screening report was generated by Savannah Environmental on 17 October 2022. The requirements of GNR 320 stipulate that a 50m buffered development envelope must be assessed with the screening tool. The map depicted in Figure 2 shows the agricultural sensitivity of the Kleinzee PV and Daisy PV development area; and a buffered area of at least 1km around the proposed development area. The results provided by the screening tool indicate that the largest part of the development consists of land with Low agricultural sensitivity (refer to Figure 2). The Kleinzee project has a Medium agricultural sensitivity to the western part of the study area.

Low agricultural sensitivity areas are allocated to areas with Very low (class 01 and 02), Low-Very low (class 03 and 04), and Low (class 05) land capabilities, while Medium agricultural sensitivity is allocated to Low-Moderate (class 06 and 07) and Moderate (class 08) land capabilities.

In alignment with the CARA, the Department of Agriculture, Land Reform and Rural Development (DALRRD) developed spatial data that depict High Potential Agricultural Areas (HPAAs) of the different provinces of South Africa (DALRRD, 2019). According to the DALRRD, these areas can be defined as: "*large, relative homogeneous portions of high value agricultural land that has the potential to sustainably, in the long-term, contribute significantly to the production of food.*" No High Potential Agricultural Areas are found close to the site. Irrigation and Rain fed crops are found near Vredendal approximately 300km away.






Very High sensitivity	High sensitivity	Medium sensitivity	Low sensitivity
		X	

Sensitivity Features:

Sensitivity	Feature(s)
Low	Land capability;01. Very low/02. Very low/03. Low-Very low/04. Low-Very low/05. Low
Medium	Land capability;06. Low-Moderate/07. Low-Moderate/08. Moderate

Figure 2 Agricultural Combined Sensitivity of the Kleinzee Solar PV Facility development area (generated by Savannah Environmental, 2021)





Legend

Type

- IR
- RF



Figure 3 High Potential Agricultural Areas, IR-Irrigated fields, RF-Rainfed crops.



7. Methodology

The different steps that were followed to gather the information used for the compilation of this report is outlined below. The methodology is in alignment with the requirements of GNR 320.

7.1 Assessment of available data

The most recent aerial photography of the area available from Google Earth was obtained. The satellite imagery was used to analyse the terrain of the proposed project area and the surrounding area. The analysis considered the typical terrain units and landscape features, such as existing roads, farm infrastructure and areas where land degradation may be present. The proposed development area was also superimposed on three different raster data sets obtained from the National Department of Agriculture, Land Reform and Rural Development (DALRRD). The data sets are:

- The Refined Land Capability Evaluation Raster Data for South Africa that was developed using a spatial evaluation modelling approach (DALRRD, 2016).
- The long-term grazing capacity for South Africa 2018 that present the long-term grazing capacity of an area with the understanding that the veld is in a relatively good condition (South Africa, 2018).
- The Northern Cape Field Crop Boundaries show no crop production areas are present within the development area. The field crop boundaries include rainfed annual crops outside the development area (DALRRD, 2019).

7.2 Site assessment

The site visit was conducted on the 20th of October 2022. The soil profiles were examined to a maximum depth of 1.4 m using a hand-held auger. Observations on site were made regarding soil texture, structure, colour, and soil depth at each survey point. The locality of each survey point is shown in. A cold 10% hydrochloric acid solution was used on site to test for the presence of carbonates in the soil. Qfield, which is a GPS program, was used to log the coordinates of each of the survey points. The soils are described using Soil Classification: A Natural and Anthropogenic System for South Africa (Soil Classification Working Group, 2018).



**Legend**

BESS	O&M
Kleinzee Solar PV	Onsite substation
Main access road (8m)	Hardened area
Main Project road (6m)	Kleinzee 132kv line
Authorized Zonnequa Collector Substation	
Observations	



Figure 4 Locality of on-site soil classification and observation points within the Kleinzee Solar PV Facility development area and grid connection alternatives

Other observations made during the site visit include recording the presence of farm buildings, cattle handling facilities and water troughs. The larger area around the study area was also assessed by driving through the area to gain an understanding of the agro ecosystem within which the study area functions. Photographic evidence of soil properties, current land uses



and farm infrastructure were taken with a digital camera and presented in Section 9 of the report.

7.3 Impact assessment methodology

Following the methodology prescribed by Savannah Environmental (Pty) Ltd., the direct, indirect and cumulative impacts associated with the project have been assessed in terms of the following criteria:

- The **nature**, which shall include a description of what causes the effect, what will be affected and how it will be affected.
- The **extent**, wherein it will be indicated whether the impact will be local (limited to the immediate area or site of development) or regional, and a value between 1 and 5 will be assigned as appropriate (with 1 being low and 5 being high):
- The **duration**, wherein it will be indicated whether:
 - the lifetime of the impact will be of a very short duration (0–1 years) – assigned a score of 1;
 - the lifetime of the impact will be of a short duration (2-5 years) - assigned a score of 2;
 - medium-term (5–15 years) – assigned a score of 3;
 - long term (> 15 years) - assigned a score of 4; or
 - permanent - assigned a score of 5;
- The **magnitude**, quantified on a scale from 0-10, where 0 is small and will have no effect on the environment, 2 is minor and will not result in an impact on processes, 4 is low and will cause a slight impact on processes, 6 is moderate and will result in processes continuing but in a modified way, 8 is high (processes are altered to the extent that they temporarily cease), and 10 is very high and results in complete destruction of patterns and permanent cessation of processes.
- The **probability of occurrence**, which shall describe the likelihood of the impact actually occurring. Probability will be estimated on a scale of 1–5, where 1 is very improbable (probably will not happen), 2 is improbable (some possibility, but low likelihood), 3 is probable (distinct possibility), 4 is highly probable (most likely) and 5 is definite (impact will occur regardless of any prevention measures).
- the **significance**, which shall be determined through a synthesis of the characteristics described above and can be assessed as low, medium or high; and
- the **status**, which will be described as either positive, negative or neutral.
- the degree to which the impact can be reversed.
- the degree to which the impact may cause irreplaceable loss of resources.
- the *degree to which the impact can be mitigated*.

The **significance** is calculated by combining the criteria in the following formula:

$$S = (E + D + M)P$$

S = Significance weighting



E = Extent
D = Duration
M = Magnitude
P = Probability

The **significance weightings** for each potential impact are as follows:

- < 30 points: Low (i.e. where this impact would not have a direct influence on the decision to develop in the area),
- 30-60 points: Medium (i.e. where the impact could influence the decision to develop in the area unless it is effectively mitigated),
- 60 points: High (i.e. where the impact must have an influence on the decision process to develop in the area).

8. Study gaps, limitations and assumptions

All assumptions made with the interpretation of the baseline results and anticipated impacts, are listed below:

- It is assumed that the development footprint will be within the project area of 559.49 ha that was assessed in this report.
- It is assumed that the project area will be fenced off and excluded as land available for any future farming activities; and
- It is further assumed that the activities for the construction and operation of the infrastructure are limited to that typical for the construction and operation of a solar PV facility, inclusive of the infrastructure listed in Section 10.1.

No other information gaps, limitations and assumptions have been identified.

9. Baseline description

9.1 Soil properties

The soil profiles classified within the Kleinzee Solar PV Facility development area and Grid connection consist of the Namib and Coega soil form. The positions of the soil forms are depicted in Figure 5 and a description of each soil form is provided following Figure 5.



**Legend**

■ BESS	■ O&M
■ Kleinzee Solar PV	■ Onsite substation
■ Main access road (8m)	■ Hardened area
— Main Project road (6m)	— Kleinzee 132kv line
■ Authorized Zonnequa Collector Substation	

Soil forms

■ Coega-115.71ha
■ Namib-443.78ha



Figure 5 Soil classification map of the Kleinzee Solar PV Facility development area.

The Namib was found in the Kleinzee solar PV area, authorized collector substation and in the northern parts of the grid connection. The Namib had a yellow brown regic sand and was also non calcareous. The Coega soil form was shallow with depths of 0.4m and was found in the grid connection and main project road.






Figure 6 A- Coega soil form, B-Namib soil form.



9.2 Land capability

The position of the different land capability classes within the development area are depicted in Figure 7.




Figure 7 Land capability classification of the Kleinzee Solar PV Facility development area (data source: DALRRD, 2016)



The largest part of the Kleinzee solar PV facility development area and grid connection consists of land with Low (Class 05) land capability. This land capability class is present within the entire boundary of the development area while small areas in the center section of the PV facility consisting of land with Low-Moderate (Class 06) land capability. The Grid connection, authorized collector substation and main project road falls in areas with a Low (Class 05) land capability. Only the far southern part of the grid connection has areas where a Low-Moderate (Class 06) land capability is present.

9.3 Agricultural potential and land use

Following the classification of the soil and the consideration of the soil properties and limiting factors to rainfed crop production, the land capability of the soil within the development area was determined. The land capability of the area is depicted in Figure 8

The total area assessed, has Very low-Low land capability (559.49 ha). The land capability was calculated by using 30% terrain and soil, and 40% climate capability of the area. The calculations showed that Very low-Low (class 03) land capability has been assigned to soils of the Namib and Coega soil form because of the regic sand and shallow depth of the Coega that has a very low water holding capacity. The low land capabilities of the soils within the development area are confirmed by the absence of crop field boundaries within the Kleinzee Solar PV Facility development area.

Following the metadata layer obtained from DALRRD, the long-term grazing capacity of the entire project area is 45 ha/LSU (see Figure 9). The ideal grazing capacity is an indication of the long-term production potential of the vegetation layer growing in an area. More specifically, it relates to its ability to maintain an animal with an average weight of 450 kg (defined as 1 Large Stock Unit (LSU)), with an average feed intake of 10 kg dry mass per day over the period of approximately a year. This definition includes the condition that this feed consumption should also prevent the degradation of the soil and the vegetation. The grazing capacity is therefore expressed in several hectares per LSU (ha/LSU) (DALRRD, 2018).

Using the long-term grazing capacity of 45 ha/LSU, the Kleinzee solar PV facility development area of 559.49 ha can provide forage to 12 head of cattle. The grazing capacity is very low in comparison to the grazing capacity of the rest of the country. The area is dominated by shrubs and no livestock was observed during the site visit.



**Legend**

■ BESS	■ O&M
■ Kleinzee Solar PV	■ Onsite substation
■ Main access road (8m)	■ Hardened area
— Main Project road (6m)	— Kleinzee 132kv line
■ Authorized Zonnequa Collector Substation	


Land capability

■ Very Low-Low (3)-559.49ha
--



Figure 8 Land capability for the proposed Kleinzee solar PV facility development area and grid connection alternatives.



**Legend**

	BESS		O&M	Grazing capacity
	Kleinzee Solar PV		Onsite substation	ha/LSU
	Main access road (8m)		Hardened area	45
	Main Project road (6m)		Kleinzee 132kv line	60
	300m corridor			



Figure 9 Grazing capacity of the proposed Kleinzee solar PV facility development area and grid connection (data source: DALRRD, 2018).





Figure 10 Photographic example of vegetation within the development area.



9.4 Sensitivity analysis

Following the consideration of all the desktop and gathered baseline data above, the findings of the report are not the same as the Environmental Screening Tool. The soil forms present within the project area are of the Namib and Coega soil forms, which has a deep regic sand up to 1.4 m and shallow depths because of the hard carbonate. The area has historically not been used for crop production, as confirmed by the field crop boundary data of DALRRD (2019) (see **Error! Reference source not found.**). No irrigation infrastructure, such as centre pivots or drip irrigation, are present within the development area.

The area is not currently used for livestock farming and the proposed Kleinzee solar PV facility development area can only support 12 head of cattle at the long-term grazing capacity of 45 ha/LSU (DALRRD, 2018). Considering the soil properties, land capability and agricultural potential of the development area, a **Low agricultural sensitivity** (see Figure 11) is allocated to the area. Soil in the project area will have Low sensitivity, depending on the successful implementation of mitigation measures to prevent soil erosion, compaction, and pollution. The significance of the impacts and mitigation measures proposed are discussed in **Section 10**.



**Legend**

[Cyan Box]	BESS	[Yellow Box]	O&M
[White Box]	Kleinzee Solar PV	[Purple Box]	Onsite substation
[Grey Box]	Main access road (8m)	[Light Purple Box]	Hardened area
[Red Box]	Main Project road (6m)	[Blue Line]	Kleinzee 132kv line
[Red Box]	Authorized Zonnequa Collector Substation		

Sensitivity

[Green Box]	Low-559.49ha
-------------	--------------



Figure 11 Agricultural sensitivity rating of the proposed Kleinzee Solar PV Facility development area and grid connection alternatives.



10. Impact assessment

10.1 Project description

The infrastructure associated with the 200MW solar PV facility will include:

- » Solar PV array comprising PV modules and mounting structures
- » Inverters and transformers
- » Low voltage cabling between the PV modules to the inverters
- » 33kV cabling between the project components and the facility substation
- » 132kV onsite facility substation
- » 132kV power line to connect to the grid at Zonnequa Collector Substation within a 300m wide and 8.5km long corridor
- » Battery Energy Storage System (BESS)
- » Site offices and maintenance buildings, including workshop areas for maintenance and storage
- » Laydown areas
- » Site access and internal roads.

The power generated by Kleinzee Solar PV Facility will be sold to Eskom and will feed into the national electricity grid. Ultimately, Kleinzee Solar PV facility and the associated grid connection infrastructure is intended to be part of the renewable energy projects portfolio for South Africa, as contemplated in the Integrated Resources Plan (IRP) and Renewable Energy Independent Power Producer Procurement (REIPPPP) Programme.






Figure 12 Layout of the Kleinzee Solar PV Facility facility's infrastructure.

10.2 Impact significance rating and Cumulative Impact

The most significant impacts of the proposed project on soil and agricultural productivity will occur during the construction phase when the vegetation is removed, and the soil surface is prepared for the delivery of materials and assembly of the infrastructure. During the operational phase, the risk remains that soil will be polluted by the waste generated or in the case of a spill incident. During the decommissioning phase, soil will be prone to erosion when the infrastructure is removed from the soil surface.

Below follows the rating of the significance of each of the impacts for each of the project phases.

10.2.1 Construction phase

Impact: Change in land use from livestock farming to energy generation



Nature: Prior to construction of the project infrastructure, the PV development area will be fenced off and livestock farming will be excluded from the area. The area where the access road and gridline will be constructed will be stripped of vegetation and will no longer be suitable for livestock grazing.

	Without mitigation	With mitigation
Extent	Local (1)	Local (1)
Duration	Medium duration (3)	Medium duration (3)
Magnitude	Moderate (6)	Low (4)
Probability	Definite (4)	Definite (4)
Significance	Medium (40)	Medium (32)
Status (positive or negative)	Negative	Negative
Reversibility	Moderate	Moderate
Irreplaceable loss of resources?	Yes	Yes
Can impacts be mitigated?	No	N/A

Mitigation:

- Vegetation clearance must be restricted to areas where infrastructure is constructed.
- No materials removed from development area must be allowed to be dumped in nearby livestock farming areas.
- Prior arrangements must be made with the landowners to ensure that livestock and game animals are moved to areas where they cannot be injured by vehicles traversing the area.
- No boundary fence must be opened without the landowners' permission.
- All left-over construction material must be removed from site once construction on a land portion is completed.
- No open fires made by the construction teams are allowable during the construction phase.

Residual Impacts:

The residual impact from the construction of the Kleinzee PV facility and associated infrastructure is considered medium.

Cumulative Impacts:

Any additional infrastructure development in support of the Kleinzee PV facility, will result in additional areas where grazing veld will be disturbed.

Impact: Soil erosion

Nature: All areas where vegetation is removed from the soil surface in preparation for the infrastructure construction will result in exposed soil surfaces that will be prone to erosion. Both wind and water erosion are a risk, as the area falls within a region that experiences strong winds.

	Without mitigation	With mitigation
Extent	Local (1)	Local (1)
Duration	Medium-term (3)	Medium-term (3)
Magnitude	Moderate (6)	Low (4)
Probability	Probable (3)	Improbable (2)
Significance	Medium (30)	Low (16)
Status (positive or negative)	Negative	Negative
Reversibility	Low	Low
Irreplaceable loss of resources?	Yes	No
Can impacts be mitigated?	Yes	N/A

Mitigation:

- Land clearance must only be undertaken immediately prior to construction activities and only within the development footprint;
- Unnecessary land clearance must be avoided;
- Level any remaining soil removed from excavation pits (where the PV modules will be mounted) that remained on the surface, instead of allowing small stockpiles of soil to remain on the surface;



- Where possible, conduct the construction activities outside of the rainy season; and
- Stormwater channels must be designed to minimise soil erosion risk resulting from surface water runoff.

Residual Impacts:

The residual impact from the construction and operation of the project on the susceptibility to erosion is considered low.

Cumulative Impacts:

Any additional infrastructure development in support of the project will result in additional areas exposed to soil erosion through wind and water movement.

Impact: Soil compaction

Nature: The clearing and levelling of land for construction of the infrastructure will result in soil compaction. In the area where the access roads, substation and grid connection will be constructed, topsoil will be removed, and the remaining soil material will be deliberately compacted to ensure a stable surface prior to construction.

	Without mitigation	With mitigation
Extent	Local (1)	Local (1)
Duration	Medium-term (3)	Medium-term (3)
Magnitude	Moderate (6)	Low (4)
Probability	Probable (3)	Improbable (2)
Significance	Medium (30)	Low (16)
Status (positive or negative)	Negative	Negative
Reversibility	Low	Low
Irreplaceable loss of resources?	Yes	No
Can impacts be mitigated?	Yes	N/A

Mitigation:

- Vehicles and equipment must travel within demarcated areas and not outside of the construction footprint;
- Unnecessary land clearance must be avoided;
- Materials must be off-loaded and stored in designated laydown areas;
- Where possible, conduct the construction activities outside of the rainy season; and
- Vehicles and equipment must park in designated parking areas.

Residual Impacts:

The residual impact from the construction and operation of the project on soil compaction is considered low.

Cumulative Impacts:

Any additional infrastructure development in support of the project, will result in additional areas exposed to soil compaction.

Impact: Soil pollution

During the construction phase, construction workers will access the land for the preparation of the terrain and the construction of the thermal plant and access road. Potential spills and leaks from construction vehicles and equipment and waste generation on site can result in soil pollution.

Nature: The following construction activities can result in the chemical pollution of the soil:

1. Petroleum hydrocarbon (present in oil and diesel) spills by machinery and vehicles during earthworks and the removal of vegetation as part of site preparation;
2. Spills from vehicles transporting workers, equipment, and construction material to and from the construction site;
3. The accidental spills from temporary chemical toilets used by construction workers;
4. The generation of domestic waste by construction workers;
5. Spills from fuel storage tanks during construction;
6. Pollution from concrete mixing;



7. Pollution from road-building materials; and 8. Any construction material remaining within the construction area once construction is completed.		
Extent	Without mitigation	With mitigation
Duration	Local (1)	Local (1)
Magnitude	Short-term (2)	Short-term (2)
Probability	Moderate (6)	Low (4)
Significance	Low (4)	Improbable (2)
Status (positive or negative)	Medium (36)	Low (14)
Reversibility	Negative	Negative
Irreplaceable loss of resources?	Low	Low
Can impacts be mitigated?	Yes	No
Mitigation:		
<ul style="list-style-type: none"> Maintenance must be undertaken regularly on all vehicles and construction/maintenance machinery to prevent hydrocarbon spills; Any waste generated during construction must be stored into designated containers and removed from the site by the construction teams; Any left-over construction materials must be removed from site; The construction site must be monitored by the Environmental Control Officer (ECO) to detect any early signs of fuel and oil spills and waste dumping; Ensure battery transport and installation by accredited staff / contractors; and Compile (and adhere to) a procedure for the safe handling of battery cells during transport and installation. 		
Residual Impacts:		
The residual impact from the construction and operation of the proposed project will be low to negligible.		
Cumulative Impacts:		
Any additional infrastructure that will be constructed to strengthen and support the operation of the Kleinzee PV facility and waste not removed to designated waste sites will increase the cumulative impacts associated with soil pollution in the area.		

10.2.2 Operational phase

Impact: Soil erosion

During the operational phase, staff and maintenance personnel will access the project area daily. The following impacts on soil are expected for this phase:

Nature: The areas where vegetation was cleared will remain at risk of soil erosion, especially during a rainfall event when runoff from the cleared surfaces will increase the risk of soil erosion in the areas directly surrounding the project area.		
Extent	Without mitigation	With mitigation
Duration	Local (1)	Local (1)
Magnitude	Medium-term (3)	Medium-term (3)
Probability	Moderate (6)	Low (4)
Significance	Probable (3)	Improbable (2)
Status (positive or negative)	Medium (30)	Low (16)
Reversibility	Negative	Negative
Irreplaceable loss of resources?	Low	Low
Can impacts be mitigated?	Yes	No
Mitigation:		



- The area around the project, including the internal access roads, must regularly be monitored to detect early signs of soil erosion on-set; and
- If soil erosion is detected, the area must be stabilised using geo-textiles and facilitated re-vegetation.

Residual Impacts:

The residual impact from the operation of the project on the susceptibility to erosion is considered low.

Cumulative Impacts:

Any additional infrastructure that will be constructed to strengthen and support the operation of the project will result in additional areas exposed to soil erosion through wind and water movement.

Impact: Soil pollution

Nature: During the operational phase, potential spills and leaks from maintenance vehicles and equipment and waste generation on site can result in soil pollution. Also, any spillages around the workshop area or damaged infrastructure, such as inverters and transformers, can be a source of soil pollution.

	Without mitigation	With mitigation
Extent	Local (1)	Local (1)
Duration	Short-term (2)	Short-term (2)
Magnitude	Moderate (6)	Low (4)
Probability	Low (4)	Improbable (2)
Significance	Medium (36)	Low (14)
Status (positive or negative)	Negative	Negative
Reversibility	Low	Low
Irreplaceable loss of resources?	Yes	No
Can impacts be mitigated?	Yes	N/A

Mitigation:

- Maintenance must be undertaken regularly on all vehicles and maintenance machinery to prevent hydrocarbon spills;
- No domestic and other waste must be left at the site and must be transported with the maintenance vehicles to an authorised waste dumping area; and
- Regularly monitor areas alongside the roads, parking area and workshop for any signs of oil, grease and fuel spillage or the presence of waste.

Residual Impacts:

The residual impact from the operation of the proposed project will be low to negligible.

Cumulative Impacts:

The operation of any additional infrastructure to strengthen and support the operation of the Kleinzee PV facility and waste not removed to designated waste sites will increase the cumulative impacts associated with soil pollution in the area.

10.2.3 Decommissioning phase

The decommissioning phase will have the same impacts as the construction phase i.e. soil erosion, soil compaction and soil pollution. It is anticipated that the risk of soil erosion will especially remain until the vegetation growth has re-established in the area where the project infrastructure was decommissioned.

10.3 Cumulative impact assessment and rating

“Cumulative Impact”, in relation to an activity, means the past, current and reasonably foreseeable future impact of an activity, considered together with the impact of activities associated with that activity that in itself may not be significant, but may become significant



when added to existing and reasonably foreseeable impacts eventuating from similar or diverse activities¹.

The role of the cumulative assessment is to test if such impacts are relevant to the proposed project in the proposed location (i.e. whether the addition of the proposed project in the area will increase the impact). This section should address whether the construction of the proposed project will result in:

- unacceptable risk;
- unacceptable loss;
- complete or whole-scale changes to the environment or sense of place; and
- unacceptable increase in impact.

The proposed project will be located within a 30km radius of three wind farm facilities and 1 PV facility that already have been granted Environmental Authorisation (see Figure 13). The cumulative impacts of the proposed project in addition to the authorised solar developments are rated and discussed below.

Table 2 Assessment of cumulative impact of decrease in areas available for livestock farming

Nature: Decrease in areas with suitable land capability for cattle farming.		
	Overall impact of the proposed project considered in isolation	Cumulative impact of the project and other projects in the area
Extent	Local (1)	Regional (2)
Duration	Short duration - 2-5 years (2)	Long-term (4)
Magnitude	Low (4)	Low (4)
Probability	Highly likely (4)	Highly likely (4)
Significance	Low (28)	Medium (40)
Status (positive/negative)	Negative	Negative
Reversibility	High	Low
Loss of resources?	Yes	Yes
Can impacts be mitigated?	Yes	No
Confidence in findings: High.		
Mitigation: The only mitigation measure for this impact is to keep the footprints of all renewable energy facilities as small as possible and to manage the soil quality by avoiding far-reaching soil degradation such as erosion.		

Table 3 Assessment of cumulative impact of areas susceptible to soil erosion

Nature: Increase in areas susceptible to soil erosion		
	Overall impact of the proposed project considered in isolation	Cumulative impact of the project and other projects in the area
Extent	Local (1)	Regional (2)
Duration	Medium-term (3)	Medium-term (3)
Magnitude	Moderate (6)	Moderate (6)
Probability	Probable (3)	Probable (3)
Significance	Medium (30)	Medium (33)

¹ Unless otherwise stated, all definitions are from the EIA Regulations 2014 (GNR 326).



Status (positive/negative)	Negative	Negative
Reversibility	Low	Low
Loss of resources?	Yes	Yes
Can impacts be mitigated?	Yes	No
Confidence in findings:		
High.		
Mitigation:		
Each of the projects should adhere to the highest standards for soil erosion prevention and management, as defined in Sections 11.1.1 and 11.1.2. above.		

Table 4 Assessment of cumulative impact of areas susceptible to soil compaction

Nature:		
Increase in areas susceptible to soil erosion		
	Overall impact of the proposed project considered in isolation	Cumulative impact of the project and other projects in the area
Extent	Local (1)	Regional (2)
Duration	Medium-term (3)	Medium-term (3)
Magnitude	Low (4)	Low (4)
Probability	Improbable (2)	Probable (3)
Significance	Low (16)	Low (27)
Status (positive/negative)	Negative	Negative
Reversibility	Low	Low
Loss of resources?	No	No
Can impacts be mitigated?	Yes	Yes
Confidence in findings:		
High.		
Mitigation:		
Each of the projects should adhere to the highest standards for soil compaction prevention and management, as defined in Sections 11.1.1 and 11.1.2 above.		

Table 5 Assessment of cumulative impact of increased risk of soil pollution

Nature:		
Increase in areas susceptible to soil pollution		
	Overall impact of the proposed project considered in isolation	Cumulative impact of the project and other projects in the area
Extent	Local (1)	Regional (2)
Duration	Short-term (2)	Short-term (2)
Magnitude	Moderate (6)	Moderate (6)
Probability	Probable (3)	Probable (3)
Significance	Low (27)	Medium (30)
Status (positive/negative)	Negative	Negative
Reversibility	Low	Low
Loss of resources?	Yes	Yes
Can impacts be mitigated?	Yes	No
Confidence in findings:		
High.		
Mitigation:		
Each of the projects should adhere to the highest standards for soil pollution prevention and management, as defined in Sections 11.1.1 and 11.1.2. above.		



11 Mitigation and management measures

The objective of the mitigation and management measures presented below is to reduce the risk of soil degradation that will in turn affect the ability of soils within the project site to support the natural vegetation and provide ecosystem services.

Prevention and management of soil erosion:

Project component/s	<ul style="list-style-type: none"> • Construction of infrastructure • Construction of the access road
Potential Impact	Soil particles can be removed from the area through wind and water erosion
Activity/risk source	The removal of vegetation in areas where infrastructure will be constructed.
Mitigation: Target/Objective	To avoid the onset of soil erosion that can spread into other areas

Mitigation: Action/control	Responsibility	Timeframe
<ul style="list-style-type: none"> • Limit vegetation clearance to only the areas where the surface infrastructure will be constructed. • Avoid parking of vehicles and equipment outside of designated parking areas. • Plan vegetation clearance activities for dry seasons (late autumn, winter and early spring). • Design and implement a Stormwater Management System where run-off from surfaced areas is expected. • Re-establish vegetation along the access road to reduce the impact of run-off from the road surface. 	Environmental Officer / SHEQ division	During the entire construction, operational and decommissioning phases

Performance Indicator	No visible signs of soil erosion around the project infrastructure
Monitoring	<ul style="list-style-type: none"> • Regular inspections around the constructed infrastructure to detect early signs of soil erosion developing. • When signs of erosion are detected, the areas must be rehabilitated, using a combination of geo-textiles and re-vegetation to prevent the eroded area(s) from expanding.

Prevention and management of soil pollution:

Project component/s	<ul style="list-style-type: none"> • Construction of infrastructure • Daily activities and maintenance during the operational phase
Potential Impact	Potential fuel and oil spills from vehicles and waste generation can cause soil pollution.




Activity/risk source	<ul style="list-style-type: none"> Petroleum hydrocarbon (present in oil and diesel) spills by machinery and vehicles during earthworks and the removal of vegetation as part of site preparation. Spills from vehicles transporting workers, equipment, and construction material to and from the construction site. The accidental spills from temporary chemical toilets used by construction workers. The generation of domestic waste by construction workers. Spills from fuel storage tanks during construction. Pollution from concrete mixing. Pollution from road-building materials. Any construction material remaining within the construction area once construction is completed. Containment breaches related to the battery units and any inadvertent chemical exposure therefrom.
Mitigation: Target/Objective	To avoid soil pollution that can harm the surrounding environment and human health.

Mitigation: Action/control	Responsibility	Timeframe
<ul style="list-style-type: none"> Maintenance must be undertaken regularly on all vehicles and construction/maintenance machinery to prevent hydrocarbon spills. Any waste generated during construction must be stored in designated containers and removed from the site by the construction teams. Any left-over construction materials must be removed from site. Ensure battery transport and installation by accredited staff / contractors. Compile (and adhere to) a procedure for the safe handling of battery cells during transport and installation. 	Environmental Officer / SHEQ division	During the entire construction, operational and decommissioning phases

Performance Indicator	<ul style="list-style-type: none"> No visible signs of waste and spills within the project site. No accumulation of contaminants in the soils of the project site.
Monitoring	<ul style="list-style-type: none"> Regular inspections of vehicles and equipment that enter the project site. Analysis of soil samples around high-risk areas to determine whether soil contaminants are present. In the case that soil pollution is detected, immediate remediation must be done.





12 Acceptability statement

Following the data analysis and impact assessment above, the proposed Kleinzee solar PV facility and associated infrastructure is considered an acceptable development within the area that was assessed for the purpose of compiling the agricultural assessment report.

No irrigation pivots or rainfed crops were observed during the site visit, and is confirmed by the field crop boundaries. Furthermore, the grazing capacity (according to DALRRD, 2018) is 45 ha/LSU, indicating that the proposed development area of 559.49 ha has forage to feed 12 head of cattle. No livestock was observed during the site visit.

The soil forms present within the development area consist of the Namib soil form which have deep regic sands with depths of 1.4 m and shallow Coega soil form. The soils had a Very low-Low (class 03) land capability due to the regic sand of the Namib and shallow depth of the Coega. Taking these factors as well as the arid climate into consideration, a Low sensitivity is allocated to the development area.

I confirm that all reasonable measures have been taken to avoid or minimize fragmentation and disturbance of agricultural activities, provided that the mitigation measures provided in this report are implemented.

It is my professional opinion that this application be considered favourably, permitting that the mitigation measures are followed to prevent soil erosion and soil pollution and to minimise impacts on the veld quality of the farm portions that will be affected. The project infrastructure should also remain within the proposed project area that will be fenced off.



13 Reference list

Crop Estimates Consortium, 2019. *Field crop boundary data layer (NC province)*, 2019. Pretoria. Department of Agriculture, Land Reform and Rural Development.

Department of Agriculture, Land Reform and Rural Development, 2018. *Long-term grazing capacity for South Africa: Data layer*. Government Gazette Vol. 638, No. 41870. 31 August 2018. Regulation 10 of the Conservation of Agricultural Resources Act (CARA): Act 43 of 1983. Pretoria. Government Printing Works.

Department of Agriculture, Land Reform and Rural Development, 2016. *National land capability evaluation raster data: Land capability data layer*, 2016. Pretoria.

Land Type Survey Staff, 1972 – 2006. *Land Types of South Africa data set*. ARC – Institute for Soil, Climate and Water. Pretoria.

The Soil Classification Working Group, 2018. *Soil Classification – Taxonomic System for South Africa*. Dept. of Agric., Pretoria.



APPENDIX 1 – DECLARATION OF INDEPENDENCE AND SPECIALIST DETAILS



environmental affairs

Department:
Environmental Affairs
REPUBLIC OF SOUTH AFRICA

DETAILS OF THE SPECIALIST, DECLARATION OF INTEREST AND UNDERTAKING UNDER OATH

File Reference Number: NEAS Reference Number: Date Received:	(For official use only) DEA/EIA/

Application for authorisation in terms of the National Environmental Management Act, Act No. 107 of 1998, as amended and the Environmental Impact Assessment (EIA) Regulations, 2014, as amended (the Regulations)

PROJECT TITLE

KLEINZEE SOLAR PV FACILITY

Kindly note the following:

1. This form must always be used for applications that must be subjected to Basic Assessment or Scoping & Environmental Impact Reporting where this Department is the Competent Authority.
2. This form is current as of 01 September 2018. It is the responsibility of the Applicant / Environmental Assessment Practitioner (EAP) to ascertain whether subsequent versions of the form have been published or produced by the Competent Authority. The latest available Departmental templates are available at <https://www.environment.gov.za/documents/forms>.
3. A copy of this form containing original signatures must be appended to all Draft and Final Reports submitted to the department for consideration.
4. All documentation delivered to the physical address contained in this form must be delivered during the official Departmental Officer Hours which is visible on the Departmental gate.
5. All EIA related documents (includes application forms, reports or any EIA related submissions) that are faxed; emailed; delivered to Security or placed in the Departmental Tender Box will not be accepted, only hardcopy submissions are accepted.

Departmental Details

Postal address:
 Department of Environmental Affairs
 Attention: Chief Director: Integrated Environmental Authorisations
 Private Bag X447
 Pretoria
 0001

Physical address:
 Department of Environmental Affairs
 Attention: Chief Director: Integrated Environmental Authorisations
 Environment House
 473 Steve Biko Road
 Arcadia

Queries must be directed to the Directorate: Coordination, Strategic Planning and Support at:
 Email: EIAAdmin@environment.gov.za



1. SPECIALIST INFORMATION

Specialist Company Name:	TerraAfrica Consult CC		
B-BBEE	Contribution level (indicate 1 to 8 or non-compliant)	4	Percentage Procurement recognition
Specialist name:	Mariné Pienaar		
Specialist Qualifications:	MSc. Environmental Science (Wits) ; BSc. (Agric) Plant Production (UP)		
Professional affiliation/registration:	SACNASP Registration No:400274/10 Soil Science Society of South Africa ; IAIAsa		
Physical address:	Farm Strydpoort 403, Ottosdal, 2610		
Postal address:	P.O. Box 433, Ottosdal		
Postal code:	2610	Cell:	082 828 3587
Telephone:	082 828 3587	Fax:	N/A
E-mail:	mpienaar@terraafrica.co.za		

2. DECLARATION BY THE SPECIALIST

I, Mariné Pienaar, declare that –

- I act as the independent specialist in this application;
- I will perform the work relating to the application in an objective manner, even if this results in views and findings that are not favourable to the applicant;
- I declare that there are no circumstances that may compromise my objectivity in performing such work;
- I have expertise in conducting the specialist report relevant to this application, including knowledge of the Act, Regulations and any guidelines that have relevance to the proposed activity;
- I will comply with the Act, Regulations and all other applicable legislation;
- I have no, and will not engage in, conflicting interests in the undertaking of the activity;
- I undertake to disclose to the applicant and the competent authority all material information in my possession that reasonably has or may have the potential of influencing - any decision to be taken with respect to the application by the competent authority; and - the objectivity of any report, plan or document to be prepared by myself for submission to the competent authority;
- all the particulars furnished by me in this form are true and correct; and
- I realise that a false declaration is an offence in terms of regulation 48 and is punishable in terms of section 24F of the Act.

Signature of the Specialist

TerraAfrica Consult

Name of Company:

2023-04-25

Date

Details of Specialist, Declaration and Undertaking Under Oath

Page 2 of 3



3. UNDERTAKING UNDER OATH/ AFFIRMATION

I, MARINE PIENAAR, swear under oath / affirm that all the information submitted or to be submitted for the purposes of this application is true and correct.

Signature of the Specialist

TERRA AFRICA CONSULT CC

Name of Company

25/04/2023

Date

Signature of the Commissioner of Oaths

25 April 2023

Date

25/04/2023

Commissioner of Oaths (RSA)
Stephanus Francois Kasselman
59 Kruger street Wolmaransstad 2630
Tel: 018 896 1320 Fax: 018 896 1395

Jacques Swart & Kie

BTW: 4960 2610 24
Voortrekkerstraat 98, Postbus 635
Ottosdal 2610
Tel nr: 018 571 0783
Epos: info@jsnkaccountants.co.za



APPENDIX 2 - CURRICULUM VITAE OF SPECIALIST

MARINÉ PIENAAR

Specialist Scientist



+2782-828-3587



mpienaar@terraafrica.co.za



linkedin.com/in/marinepienaar



Wolmaransstad,
South Africa

EXPERTISE

Soil Quality Assessment

Soil Policy and Guidelines

Agricultural Agro-Ecosystem Assessment

Sustainable Agriculture

Data Consolidation

Land Use Planning

Soil Pollution

Hydropedology

EDUCATION

MASTER'S DEGREE

Environmental Science
University of Witwatersrand
2010 – 2018

BACHELOR'S DEGREE

Agricultural Science
University of Pretoria
2001 – 2004

PROFESSIONAL PROFILE

I contribute specialist knowledge on agriculture and soil management to ensure long-term sustainability of projects in Africa. For the past thirteen years, it has been my calling and I have consulted on more than 200 projects. My clients include environmental and engineering companies, mining houses, and project developers. I enjoy the multi-disciplinary nature of the projects that I work on and I am fascinated by the evolving nature of my field of practice. The next section provide examples of the range of projects completed. A comprehensive project list is available on request.

PROJECT EXPERIENCE

Global Assessment on Soil Pollution

Food and Agricultural Organisation (FAO) of the United Nations (UN)

Author of the regional assessment of Soil in Sub-Saharan Africa. The report is due for release in February 2021. The different sections included:

- Analysis of soil and soil-related policies and guidelines for each of the 48 regional countries
- Description of the major sources of soil pollution in the region
- The extent of soil pollution in the region and as well as the nature and extent of soil monitoring
- Case study discussions of the impacts of soil pollution on human and environmental health in the region
- Recommendations and guidelines for policy development and capacitation to address soil pollution in Sub-Saharan Africa

Data Consolidation and Amendment

Range of projects: Mining Projects, Ronowal Energy

These projects included developments where previous agricultural and soil studies are available that are not aligned with the current legal and international best practice requirements such as the IFC Principles. Other projects are expansion projects or changes in the project infrastructure layout. Tasks on such projects include the incorporation of all relevant data, site verification, updated baseline reporting and alignment of management and monitoring measures.

Project examples:

- Northam Platinum's Boysendal Mine, South Africa
- Musonoi Mine, Kolwezi District, Democratic Republic of Congo
- Polihali Reservoir and Associated Infrastructure, Lesotho
- Kaiha 2 Hydropower Project, Liberia
- Aquarius Platinum's Kroondal and Marikana Mines



MARINÉ PIENAAR

Specialist Scientist

PROFESSIONAL MEMBERSHIP

South African Council for
Natural Scientific
Professions (SACNASP)

Soil Science Society of
South Africa (SSSA)

Soil Science Society of
America (SSSA)

Network for Industrially
Contaminated Land in
Africa (NICOLA)

LANGUAGES

English (Fluent)

Afrikaans (Native)

French (Basic)

PRESENTATIONS

There is spinach in my fish pond
TEDx Talk

Available on YouTube



Soil and the Extractive Industries
Session organiser and presenter
Global Soil Week, Berlin (2015)



How to dismantle an atomic bomb
Conference presentation (2014)
Environmental Law Association (SA)

PROJECT EXPERIENCE (continued)

Agricultural Agro-Ecosystem Assessments

Range of projects: Renewable Energy, Industrial and Residential Developments, Mining, Linear Developments (railways and power lines)

The assessments were conducted as part of the Environmental and Social Impact Assessment processes. The assessment process includes the assessment of soil physical and chemical properties as well as other natural resources that contributes to the land capability of the area.

Project examples:

- Mocuba Solar PV Development, Mozambique
- Italthal Railway between Tete and Quelimane, Mozambique
- Lichtenburg PV Solar Developments, South Africa
- Manica Gold Mine Project, Mozambique
- Khunab Solar PV Developments near Upington, South Africa
- Bomi Hills and Mano River Mines, Liberia
- King City near Sekondi-Takoradi and Appolonia City near Accra, Ghana
- Limpopo-Lipadi Game Reserve, Botswana
- Namoya Gold Mine, Democratic Republic of Congo

Sustainable Agriculture

Range of projects: Policy Development for Financial Institutions, Mine Closure Planning, Agricultural Project and Business Development Planning

Each of the projects completed had a unique scope of works and the methodology was designed to answer the questions. While global indicators of sustainable agriculture are considered, the unique challenges to viable food production in Africa, especially climate change and a lack of infrastructure, in these analyses.

Project examples:

- Measurement of sustainability of agricultural practices of South African farmers – survey design and pilot testing for the LandBank of South Africa
- Analysis of the viability of avocado and mango large-scale farming developments in Angola for McKinsey & Company
- Closure options analysis for the Tshipi Borwa Mine to increase agricultural productivity in the area, consultation to SLR Consulting
- Analysis of risks and opportunities for farm feeds and supplement suppliers of the Southern African livestock and dairy farming industries
- Sustainable agricultural options development for mine closure planning of the Carmutte Diamond Mine, Angola



MARINÉ PIENAAR

Specialist Scientist

PROFESSIONAL DEVELOPMENT

Contaminated Land Management 101 Training Network for Industrially Contaminated Land in Africa
2020

Intensive Agriculture in Arid & Semi-Arid Environments CINADCO/MASHAV R&D Course, Israel
2015

World Soils and their Assessment Course ISRIC – World Soil Information Centre, Netherlands
2015

Wetland Rehabilitation Course University of Pretoria
2010

Course in Advanced Modelling of Water Flow and Solute Transport in the Vadose Zone with Hydrus University of KwaZulu-Natal
2010

Environmental Law for Environmental Managers North-West University Centre for Environmental Management
2009

PROJECT EXPERIENCE (continued)

Soil Quality Assessments

Range of projects: Rehabilitated Land Audits, Mine Closure Applications, Mineral and Ore Processing Facilities, Human Resettlement Plans

The soil quality assessments included physical and chemical analysis of soil quality parameters to determine the success of land rehabilitation towards productive landscapes. The assessments are also used to understand the suitability for areas for Human Resettlement Plans

Project examples:

- Closure Planning for Yuctolux Colliery
- Soil and vegetation monitoring at Kingston Vale Waste Facility
- Exxaro Belfast Resettlement Action Plan Soil Assessment
- Soil Quality Monitoring of Wastewater Irrigated Areas around Matimba Power Station
- Keaton Vangatfontein Colliery Bi-Annual Soil Quality Monitoring

REFERENCES

 NATALIA RODRIGUEZ EUGENIO
Soil Pollution Specialist
FAO of the UN
+3906-5705-0134
Natalia.rodriguezeugenio@fao.org

 VERNON SIEMELINK
Director
Eco Elementum
+2772-196-9928
vernon@ecoe.co.za

 JO-ANNE THOMAS
Director
Savannah Environmental
+2711-656-3237
joanne@savannahsa.com

 RENEE JANSE VAN RENSBURG
Environmental Manager
CIGroup
+2782-496-9038
reneejvr@cigroup.za.com



APPENDIX 3 – PROOF OF SACNASP REGISTRATION OF SPECIALIST



herewith certifies that

Mariné Pienaar

Registration Number: 400274/10

is a registered scientist

in terms of section 20(3) of the Natural Scientific Professions Act, 2003

(Act 27 of 2003)

in the following field(s) of practice (Schedule 1 of the Act)

Soil Science (Professional Natural Scientist)

Agricultural Science (Professional Natural Scientist)

Effective 20 October 2010

Expires 31 March 2024



Chairperson

Chief Executive Officer

To verify this certificate scan this code



