



windows									
	WINDOW NUMBER	Quantity	NO. SIDES SUPPORTED	MAX PANE SIZE	MANUFACTURER	PRODUCT CODE	LINTEL	GLAZING MATERIAL	FRAME
	W01	1	4	0.06	SWARTLAND	SB4SP	2No. 106x75x2700 PRECAST CONCRETE LINTELS	3mm MONOLITHIC ANNEALED GLASS	TIMBER SMALL PANE CASEMENT
	W02	1	4	0.06	SWARTLAND	SC4SP	2No. 106x75x2700 PRECAST CONCRETE LINTELS	3mm MONOLITHIC ANNEALED GLASS	TIMBER SMALL PANE CASEMENT
	W03	1	4	2.2		CUSTOM MADE		6mm TOUGHENED SAFETY GLASS	TIMBER

NOTE

1. ALL SAFETY GLAZING MUST BE PERMANENTLY AND INDELIBLY MARKED. THE MARKING MUST BE VISIBLE EACH INDIVIDUAL PANE AFTER GLAZING.
2. FIXED SHOWER PANELS TO BE MAX 2 SQUARE METRES AND 6mm TOUGHENED SAFETY GLASS SHOWER DOORS AND PANELS SUPPORTING DOORS TO BE MAXIMUM 1.5 SQUARE METRES. 6MM TOUGHENED SAFETY GLASS.
3. ANY MIRRORS USED AS A FACING TO A CUPBOARD DOOR LESS THEN 800mm ABOVE THE FLOOR LEVEL MUST BE MADE OF TOUGHENED SAFETY GLASS.
4. TIMBER WINDOW FRAMES

PROJECT
**PROPOSED ADDITIONS AND ALTERATIONS
 TO EXISTING DWELLING FOR
 STEVEN AND BELINDA BOAST
 AT 4 OLD MILL WAY
 ON PTN 4 OF ERF 946 DURBAN NORTH**

WINDOW AND DOOR SCHEDULE

BUILDING CLASSIFICATION H4



PA

OWNERS SIGNATURE

PLEASE NOTE CALCULATIONS HAVE BEEN DONE TO ENSURE THAT WINDOWS COMPLY WITH SANS 10400 XA. NO CHANGES SHOULD BE MADE TO WINDOWS. IF CHANGES ARE MADE TO THE WINDOWS NEW CALCULATIONS WILL NEED TO BE DONE AT THE OWNERS EXPENSE.

APOL DESIGN & CONSTRUCTION		NIKKI POLLARD PROFESSIONAL SENIOR ARCHITECTURAL TECHNOLOGIST <small>SACAP REG. No. ST0251 MEMBER OF SAIAA REG. NO. 31855</small>	
DATE: 10/06/2013	SCALE 1:100	1 CLARENDON DRIVE DURBAN NORTH <small>CELL. 072 634 6239 TEL: 031 265 0772 EMAIL nikipollard@eastcoastsa.net</small>	
DRAWING NUMBER BOAST-04-2013-02			REV 0