

PROSPECTING WORK PROGRAMME

SUBMITTED FOR A PROSPECTING RIGHT APPLICATION WITH
BULK SAMPLING



mineral resources

Department:
Mineral Resources
REPUBLIC OF SOUTH AFRICA

Name of Applicant:

**MORGENSON
MINING CC**

REG NR: 2000/046717/23

NOOITGEDACHT 66

REGISTRATION DIVISION: KIMBERLEY RD

NORTHERN CAPE

AS REQUIRED IN TERMS OF SECTION 16 READ TOGETHER WITH REGULATION 7(1) OF
THE MINERAL AND PETROLEUM RESOURCES DEVELOPMENT ACT (ACT 28 OF 2002)

1. REGULATION 7.1 (a)

FULL PARTICULARS OF THE APPLICANT

Table 1: Applicant's Contact Details


ITEM	COMPANY CONTACT DETAILS
Name	Morgenson Mining CC
Tel no	053 963 2008
Fax no	053 963 2009
Cellular no	083 297 6070
Email address	twomoons@eafritronics.co.za
Postal address	P.O. Box 754 Schweizer-Reneke 2630

Table 2: Consultant's Details

ITEM	CONSULTANT CONTACT DETAILS (If applicable)
Name	Japie van Zyl Attorneys
Tel no	053 963 2008
Fax no	053 963 2009
Cellular no	082 924 6687
Email address	japie@japievzylprok.co.za
Postal address	P.O. Box 960 Schweizer-Reneke 2780

2. REGULATION 7(1)(b)

PLAN CONTEMPLATED IN REGULATION 2(2) SHOWING THE LAND TO WHICH THE APPLICATION RELATES



See annexure "A"

3. REGULATION 7(1)(c)

THE REGISTERED DESCRIPTION OF THE LAND TO WHICH THE APPLICATION RELATES

- The remaining extent of the farm Nooitgedact 66
Registration Division: Kimberley RD
Extent: 3171.0104 hectares
Title Deed: T404/1977

2. Portion 6 of the farm Nooitgedacht 66
 Registration Division: Kimberley RD
 Extent: 1449.5964 hectares
 Title Deed: T2119/1981
 ("Property")

4. REGULATION 7(1)(d) and (e)

THE MINERAL OR MINERALS TO BE PROSPECTED FOR

Table 4.1: Minerals to be prospected for

ITEM	DETAIL
Type of mineral(s)	Diamonds Alluvial (DA) Diamonds General (D)
Type of mineral continued	n/a
Locality (Direction and distance from nearest town)	The property is located approximately 15.9km South East of Barkly West in the Northern Cape Province.
Extent of the area required for prospecting	4620.6068 hectares
Geological formation	The area is underlain by the following geological types. Outcrops of the andesitic lavas of the Ventersdorp Supergroup, which is mostly overlain by calcrete, occur in isolated patches as rocky hills. Outcrops of tillite of the Dwyka Formation and shale of the Prince Albert Formation (Karoo Sequence) occur in the north-north-western part of the study area. The largest part of the study area is underlain by Aeolian sand and sometimes alluvial gravels of tertiary to recent age covering Dwyka tillite. Surface limestones occur sporadically in

the area. During the 1920s relatively rich diamond deposits were found in the ancient gravel filled water course of the Vaal River within area. The heaps of mixed gravel still present in the area attest to the disturbance to which it was subjected.

The larvas are green to grey-green in colour. The non-amygdaloidal varieties occur within the study area. The amygdaloidal, which comprise quartz, agate, chalcedony and carnelian are a major source of the Vaal Rover agates. Stratigraphically the larvas belong to the Allenridge formation and represents the uppermost volcanic stage of the Ventersdorp Supergroup. Quartzites of the Bothaville formation which underlies the ilenridge formation, rarely outcrop within the study area and are usually exposed where alluvial diggings have removed the surficial deposits.

The older gravels within the study area occur in channels or so-called "sluits". One prominent "sluit" is found within the study area, however there exists no evidence in the literature to suggest that the channels are sites of eroded kimberlite dykes.

The area forms further part of the old Palaeo River Valley which flowed from north to south and the Vaal River. The


country rocks are lavas of the Ventersdorp supergroup and remnants of the Dwyka Tillite and Shale. The anticipated deposits are situated in channels and are covered in calcrete in some places. The deposits normally consists of thick medium to coarse grained fluvial gravels of mixed lithological composition. (Lava, Dolomite, Fe-shale, Chert, Quartzite, Agate, Quartz etc)

The deposit is further an alluvial gravel deposit situated on bedrock of shale and greywacke of the Dwyka formation. The gravel is underlain by quartzite and shale of the schmidtsdrif formation of the Transvaal Sequence, as well as carboniferous shale and tillite of the Dwyka Formation of the Karoo Sequence Rock Sequence. Rock types of both sequences found on the deposit are horizontally or near horizontally bedded, and are not conducive to pothole formation. Outcrops of rocks of the Transvaal sequence occur along the western and southern boundaries of the deposit. Deflation Gravel, Sand, Scree, Pebbly sand, Sandy Gravel, Gravel, Boulder gravel and Bedrock are found.


4.2 Description why the Geological formation substantiates the minerals to be prospected for (provide a justification as to why the geological formation supports the possibility that the minerals applied for could be found therein)

There are various operational alluvial diamond mines adjacent to these properties such as on which applications for prospecting rights have been lodged. In house information exist which substantiate the reasons for this application.

4.3 Attach a geological map that justifies the description why there is a possibility that the minerals applied for could occur on the land concerned.



GEOLOGICAL LEGEND GEOLOGIESE LEGENDE



na	Alluvial diamondiferous gravel
na	Alluviale diamantdraende gruis
Qc	Calcrete, calcified pedane and surface limestone Kalkreëet, verkalkte pandoen en oppervlakkalksteen
~	Alluvium and scree Alluvium en glooingspui
Qs	Sand: Red and grey aeolian dune sand Sand: Rooi en grys eoliese duinsand
	Kimberlite pipe (+), fissure (- -) Kimberlietyp (+), -spriet (- -)
Jd	Dolerite: dolerite dyke shown as (—) Doleriet: dolerietgang aangetoon deur (—)
Pa	Mudstone, sandstone Moddersteen, sandsteen
Ppr	Shale Skalie
Pt	Shale, siltstone, sandstone Skalie, siltsteen, sandsteen
Pw	White-weathering carbonaceous shale Witverwerende koolstofhoudende skalie
C-Pd	Tillite, sandstone, mudstone, shale Tiliet, sandsteen, moddersteen, skalie
di	Diabase dyke (—) Diabaegang (—)
Vgf	Coarsely crystalline recrystallised dolomite with interbedded chert and limestone Grofkristallyne hergekristalliseerde dolomiet met tussengelaagde chert en kalksteen
Vgu	Fine-grained dolomite and stromatolitic limestone with interbedded chert; banded-iron-formation marker at the top (—) Fynkorrelrige dolomiet en stromatolitiese kalksteen met tussengelaagde chert; gestreepte ysterformasie marker aan die bokant (—)
Vk	Quartz-porphry dyke (—) Kwartsporfiergang (—)
Vsb	Oolitic, pisolitic and stromatolitic limestone with interbedded dolomite, siltstone and shale Oolitiese, pisolitiese en stromatolitiese kalksteen met tussengelaagde dolomiet, siltsteen en skalie
Vsc	Shale with interbedded dolomite and limestone Skalie met tussengelaagde dolomiet en kalksteen
Vsm	Dolomite with stromatolitic limestone, quartzite, shale, flagstone and chert Dolomiet met stromatolitiese kalksteen, kwartsiet, skalie, plaveissteen en chert
W	Siltstone, shale, quartzite, gritstone and conglomerate Siltsteen, skalie, kwartsiet, grintsteen en konglomeraat
Ra	Andesite, in places amygdaloidal and/or porphyritic; quartzite and conglomerate lens near bottom (—) Andesiet, op plekke amandelhoudend en/of porfirities; kwartsiet-en-konglomeraatlens naby onderkant (—)
Rb	Quartzite, conglomerate Kwarsiet, konglomeraat
Rm	Quartz-porphry Kwartsporfier
Rr	Andesite, dacite, volcanic breccia, tuff, chert Andesiet, dasiet, vulkaniese breksie, tuf, chert
ZA	Granite, gneiss, amphibolite, pegmatite Graniet, gneis, amfiboliet, pegmatiet

5. REGULATION 7(1)(f)

A DESCRIPTION OF HOW THE MINERAL RESOURCE AND MINERAL DISTRIBUTION OF THE PROSPECTING AREA WILL BE DETERMINED

5.1 SITE VISIT

A formal site visit will be done within 90 days after the prospecting right was executed.

5.2 DESKTOP STUDIES

Desktop studies will be undertaken after a site investigation was done to determine the target areas including the identification of any infrastructure to be build and any potential problems that may need to be addressed.

5.3 PITTING

Pits will be digged by an excavator to look for gravel. If gravel is found, the applicant will determine the composition and quality of the gravel.

5.4 TRENCHES

The applicant will proceed with this way of prospecting by means of the open cast / trenching method, simultaneously or after pitting depending on the information obtained from the earlier work done. The trenches will be digged to remove and to wash the gravel. It will be washed by 1 x 16 feet washing pan to determine diamond proceeds per 100 ton of gravel.

5.5 CONSOLIDATION AND INTERPRETATION OF RESULTS DATA

All data will be consolidated and processed to determine the diamond bearing resource on the property. This will be a continuous process throughout the prospecting work program.

REGULATION 7(1)(h)

ALL PLANNED PROSPECTING ACTIVITIES MUST BE CONDUCTED IN PHASES AND WITHIN SPECIFIC TIMEFRAMES

PHASE	PROSPECTING METHOD	0 - 3	4 - 6	7 - 48	49-60
1	Site Visit	x			
2	Desktop Studies		X		
3	Pitting			X	
4	Trenches			X	
5	Consolidation and interpretation of results data; Preparation of mining				X

	right application or renewal of the prospecting right.				
--	--	--	--	--	--

REGULATION 7(1)(i)

TECHNICAL DATA DETAILING THE PROSPECTING METHOD OR METHODS TO BE IMPLEMENTED AND THE MINE REQUIRED FOR EACH PHASE OF THE PROPOSED PROSPECTING OPERATION

PHASE 1 – SITE VISIT

GENERAL	A site visit will be conducted within 3 months after execution of the Prospecting Right. It is envisaged that the information will be obtained from the site visit to do the desktop studies and other prospecting activities.
TIMEFRAME	0-3 months
COSTS	R10 000
TECHNICAL SUPPORT	Environmental Consultant – Milnex 189 CC Geologist – Pierre de Jager

PHASE 2– DESKTOP STUDIES

1.	GENERAL	Desktop studies will be undertaken after the site investigation has been done to determine the target areas including the identification of any infrastructure to be built and any potential problems that may need to be addressed.
2.	TIMEFRAME	3 months (4 -6)
3.	COSTS	R10 000
4.	TECHNICAL SUPPORT	Environmental Consultant – Milnex 189 CC Geologist – Pierre de Jager

PHASE 3 – PITTING

1.	GENERAL	<p>The information obtained from the desktop studies will be used to draw up a pitting map. The location and GPS coordinates of where pits will be digged, will be indicated on this map (pitting location map). Pits will then be digged by an excavator on these mapped coordinated points. If gravel is found the applicant will determine the composition and quality of the gravel. It is envisaged that the pits will determine the location and intersection of mineralization.</p> <p>It is planned that only 50 pits will be excavated a year. It may be more if the process is quicker than planned for. No more than 100 pits shall be excavated in total. The total area disturbed for a year is ± 0.06 hectares.</p>
2.	TIMEFRAME	42 months
3.	NUMBER OF PITS	200
4.	EXTENT	5m x 3m x 5m
5.	CALCULATION	Area: 4620.6068 hectares Pit every 23 hectares
6.	COSTS	R1000 x 200 = R200 000.00
7.	TECHNICAL SUPPORT	Environmental Consultant – Milnex 189 CC Geologist – Pierre de Jager 1 x 933 Lui Gong Excavator

PHASE 4 – TRENCHES

1.	GENERAL	The applicant will proceed with this way of prospecting by means of the open cast / trenching method, simultaneously or after pitting
----	---------	---

		<p>and depending on the results. The location where the trenches will be digged, will be determined after the gravel has been located by conducting the desktop studies and the digging of pits. The trenches will be digged on the parts of the property where the gravel is located. Trenches will be sited on the resource map according to the coordinate of each of the trenches made. The trenches will be digged to remove and wash the gravel. It will be washed by a 16 feet washing pan to determine diamond proceeds per 100 ton of gravel. The trenches will be sited to determine the geological representivity. Overburden will be stripped and placed next to the trench as determined in the EMP. Gravel will be removed and transported to the plant to be washed. Tailings will be returned to the excavation to fill it up. Hereafter overburden will be dumped in the excavation where after topsoil will be placed in the excavation.</p> <p>It is planned that approximately 10 trenches will be digged a year. No more than 0.8 hectares will be disturbed a year.</p> <p>Taken into account the trenches and the pits no more than 0.6 hectares shall be disturbed a year. Rehabilitation will be done concurrently.</p>
2.	TIMEFRAME	42 months
3.	NUMBER OF TRENCHES	50
4.	EXTENT	50m x 30m x 5m
5.	CALCULATION	Area: 4620.6068 hectares Trench every 92 hectares
6.	COSTS	R6, 000 x 50 = R300 000.00

7.	TECHNICAL SUPPORT	1 x 400 kva John Deere Generator 1 x 500 Kva Volvo Generator 1 x Finlay 883 + Screen 1 x Finlay 663 Screen 1 x Bell B25 Dumper 1 x Bell B30 Dumper 1 x Bell B30 Dumper 1 x Bell B40 Dumper 1 x 933 Lui Gong Excavator 1 x 933 Lui Gong Excavator 1 x 933 Lui Gong Excavator 1 x 856 Lui Gong Front End Loader 1 x 856 Lui Gong Front End Loader 1 x 856 Lui Gong Front End Loader 1 x 856 Lui Gong Front End Loader 4 x 16 Ft Washing Pan 1 x Man 26 480kw Truck with Trailer 1 x Dyna 3 Ton 1 x Tata Bus 32 Seater 1 x Mahindra LDV 1 x Toyota D4D 3.0 1 x Toyota D4D 3.0
8.	TONS TO BE WASHED	50m x 30m x 2m x 2.2 x 50 = 330, 000 tons

PHASE 5– CONSOLIDATION AND INTERPRETATION

1.	GENERAL	All data will be consolidated and processed to determine the diamond bearing resource on the property. This will be a continuous process throughout the prospecting work. Each phase of prospecting will be followed by desktop studies involving interpretation and modeling of all data gathered and how the applicant will proceed with the work program in terms of activity, quantity, resources expenditures and duration. A pre-feasibility study will be done to determine the preliminary economic assessment of the resource and to determine whether additional evaluation of the deposit will be warranted to increase confidence in the resource estimation. Prospecting work will be conducted by a multi-
----	---------	--

		disciplinary team to determine whether the resource can be viable exploited and if the results can support an application for a mining right.
2.	TIMEFRAME	12 months
3.	COSTS	R50 000
4.	TECHNICAL SUPPORT	Environmental Consultants, Geologist – Pierre de Jager

Table 5.1 The table below incorporates the information required in respect of Regulations 7(1)(f), 7(1)(h) and 7(1)(i):

Phase	Activity	Skill(s) required	Timeframe	Outcome	Timeframe for outcome	What technical expert will sign off on the outcome?
One	Non-Invasive Prospecting Site Visit	Environmental Consultant, geologist	Month 0 – 3	Finalization of the prospecting work to be done	Month 3	Environmental Consultants – Milnex Geologist – Pierre de Jager
Two	Non-Invasive Prospecting Desktop Studies	Environmental Consultant, geologist	Month 4 - 6	The finalization of the map for pitting	Month 6	Milnex – Environmental Consultants
Three	Invasive Prospecting Pitting	Environmental Consultant, geologist	Month 7 - 48	Obtaining information about location of the gravel and where bulk samples will be made	Month 48	Milnex - Environmental Consultants Geologist - Pierre de Jager
Four	Invasive Prospecting Trenches	Environmental Consultant, Machine Operators, Pan Operators, Mine Health and Safety, Environmental	Month 7 - 48	The determination of the diamond resource bearing resource, the extent of the resource, the life of mine, diamond proceeds per 100 tons of gravel washed (cpht) and average price per carat for the diamonds	Month 48	Milnex - Environmental Consultants Geologist – Pierre de Jager
Five	Non-Invasive Prospecting Consolidation and interpretation of results	Environmental Consultant,geologist	Month 49 – 60	The extent of the resource, The life of mine	Month 60	Milnex - Environmental Consultants Geologist - Pierre de Jager

6 REGULATION 7 (1)(g)

A DESCRIPTION OF THE PROSPECTING METHOD OR METHODS TO BE IMPLEMENTED

(i) DESCRIPTION OF PLANNED NON-INVASIVE ACTIVITIES:

(These activities do not disturb the land where prospecting will take place e.g. aerial photography, desktop studies, aeromagnetic surveys, etc)

1. Site Visit

A formal site visit will be done within 90 days after the prospecting right was executed.

2. Desktop Studies

Desktop studies will be undertaken after the site investigation has been done to determine the target areas including the identification of any infrastructure to be build and any potential problems that may need to be addressed.

3. Consolidation and interpretation of results data

All data will be consolidated and processed to determine the diamond bearing resource on the property. This will be a continuous process throughout the prospecting work program.

(ii) DESCRIPTION OF PLANNED INVASIVE ACTIVITIES:

(These activities result in land disturbances e.g. sampling, drilling, bulk sampling, etc)

1. Pitting

After the desktop studies, the applicant will use the info to draw a pitting map. The location and GPS coordinates of where the first pits will be digged, will be indicated on the map also referred to as a pitting location map. Pits will then be digged by an excavator at these mapped coordinated points. If gravel is found, the applicant will determine the composition and quality of the gravel. For proper evaluation of the composition and the quality of the gravel it is necessary for the applicant

to dig these prospecting pits. It is envisaged that the pits will determine the location and intersection of mineralization. The location of the further pits to be digged will be determined as pits are digged.

2. Trenches

The applicant will proceed with this way of prospecting by means of the open cast / trenching method, simultaneously or after pitting. The location of the trenches will be determined after the gravel has been located by conducting the desktop studies and the digging of pits. The trenches will be digged on the parts of the property where the gravel is located. Trenches will be sited on the resource map according to the coordinate of each of the trenches made. The trenches will be digged to remove and wash the gravel. It will be washed by a 1 x 16 feet washing pans to determine diamond proceeds per 100 ton of gravel. The trenches will be sited to determine the geological representivity. Overburden will be stripped and placed next to the trench as determined in the EMP. Gravel will be removed and transported to the plant to be washed. Tailings will be returned to the excavation to fill it up. Hereafter overburden will be dumped in the excavation where after topsoil will be placed in the excavation.

Commitment to provide addendums in respect of additional prospecting activities

I herewith commit to provide the Department of Mineral Resources with an addendum in respect of both the EM Plan and Prospecting Work Program regarding any future in-fill prospecting required but not described above, prior to undertaking such activities. The addendum will cover all the Regulations as per the Prospecting Work Program.

I agree that the addendums will provide for similar activities only and if the scope changes I would be required to apply in terms of Section 102 of the MPRDA for an amendment of the Prospecting Work Program.

ACCEPT	X
--------	---

(iii) DESCRIPTION OF PRE-FEASIBILITY STUDIES

(Activities in this section includes but are not limited to: initial, geological modeling, resource determination, possible future funding models, etc)

All data will be consolidated and processed to determine the diamond bearing resource on the property. This will be a continuous process throughout the prospecting work program.

(iv) DESCRIPTION OF BULK SAMPLING ACTIVITIES

This activity requires that an application in terms of Section 20 of the Act is specifically included in your application for a prospecting right and cannot be proceeded with if such permission is not specifically granted.

See annexure “C” for an application in terms of Section 20 of the Act

Table 6.1: Bulk Sampling Activities

ACTIVITY		DETAILS		
Number of pits/trenches planned		200 Pits ; 50 Trenches		
Dimensions of pits/trenches, per pit/trench	Number of pits/trenches	Length	Width	Depth
	200 pits	5m	x 3m	x 5m
	50 trenches	50m	x 30m	x 5m
Locality		The locality of the trenches will only be determined after the field mapping has been done and the pits have been dug.		
Volume Overburden (Waste)		50m x 30m x 3m x 50 = 225 000m ³		
Volume Ore		50m x 30m x 2m x 50 = 150 000m ³		
Density Overburden		2.2		
Density Ore		1.8		
Phase(s) when bulk sampling will be required		Phase 4		

Timeframe(s)	Pitting: 42 months Trenches: 42 months
---------------------	---

Commitment to provide for an addendum in respect of additional bulk sampling activities

I herewith commit to provide the Department of Mineral Resources with an addendum to the Prospecting Work Program, and an Environmental Management Plan for approval prior to undertaking any future bulk sampling activities not described above.

ACCEPT	X
---------------	----------

7 REGULATION 7(1)(j)(i)

DETAILS WITH DOCUMENTARY PROOF OF THE APPLICANT’S TECHNICAL ABILITY OR ACCESS THERETO TO CONDUCT THE PROPOSED PROSPECTING OPERATION

7.1 Competencies to be employed in terms of the Mine Health and Safety Act

COMPETENCIES TO BE EMPLOYED
Mine Manager
Equipment Manager
Safety Officer
Electricians
Operators
Environmental Consultants
Geologist

I herewith confirm that I, in Table 9.1 have budgeted and financially provided for the required skills listed above.

CONFIRMED	X
------------------	----------

7.2 List of Appropriate equipment at your disposal (If applicable)

Table D: Appropriate Equipment available

1 x 400 kva John Deere Generator
1 x 500 Kva Volvo Generator
1 x Finlay 883 + Screen
1 x Finlay 663 Screen
1 x Bell B25 Dumper
1 x Bell B30 Dumper
1 x Bell B30 Dumper
1 x Bell B40 Dumper
1 x 933 Lui Gong Excavator
1 x 933 Lui Gong Excavator
1 x 933 Lui Gong Excavator
1 x 856 Lui Gong Front End Loader
1 x 856 Lui Gong Front End Loader
1 x 856 Lui Gong Front End Loader
1 x 856 Lui Gong Front End Loader
4 x 16 Ft Washing Pan
1 x Man 26 480kw Truck with Trailer
1 x Dyna 3 Ton
1 x Tata Bus 32 Seater
1 x Mahindra LDV
1 x Toyota D4D 3.0
1 x Toyota D4D 3.0

7.3 Technical skills provided Free of Charge

7.3.1 Information (CV's) in respect of skills already acquired

- Environmental Consultants – annexure “D”
- CV'S of workers – annexure “E”
- Geologist – Pierre de Jager annexure “F”

7.3.2 Copy of the relevant contractual agreements between the service provider and the applicant relative to the duration of the planned prospecting period, where applicable

- Environmental Consultants – see annexure “D”
- CV'S of workers – “E”
- Geologist – Pierre de Jager - “F”

7.3.3 All other evidence of Technical Ability

List of Equipment and Employees

8 REGULATION 7 (1)(j)(ii)

DETAILS WITH DOCUMENTARY PROOF OF A BUDGET AND DOCUMENTARY PROOF OF THE APPLICANT’S FINANCIAL ABILITY OR ACCESS THERETO

As proof of the applicant’s financial ability or access thereto, the following documents are annexed:

- Letter of undertaking – annexure “G”
- Financial statements – annexure “H”
- Memorandum of Agreement – annexure “I”

9 REGULATION 7 (1)(k)

A COST ESTIMATE OF THE EXPENDITURE TO BE INCURRED FOR EACH PHASE OF THE PROPOSED PROSPECTING OPERATION

Table 9.1

ACTIVITY	YEAR 1 Expenditure	YEAR 2 Expenditure	YEAR 3 Expenditure	YEAR 4+5 Expenditure
PHASE 1				
Site Visit	R10 000	-	-	-
PHASE 2				
Desktop Studies	R10 000	-	-	-
PHASE 3				
Pitting	R28, 571	R57, 142	R57, 142	R57, 142
PHASE 4				
Trenches	R42, 857	R85, 714	R85, 714	R85, 714
PHASE 5				
Pre-Feasibility				R50, 000
Labour	R50, 000	R60, 000	R70, 000	R85, 000

Rehabilitation	R50, 000	R70, 000	R80, 000	R100, 000
Diesel & Maintenance	R40, 000	R80, 000	R100, 000	R100, 000
Annual Total	R231,428	R352, 856	R392,856	R477,856
			Total Budget	R1,454, 996

10 FINANCIAL ABILITY TO GIVE EFFECT TO THE WORK PROGRAMME

10.1 The amount required to finance the Work Program

From the proposed budget it can be assumed that the amount of R1, 454,996.00 would be required to finance the Work Program.

10.2 Detail regarding the financing arrangements

- Letter of undertaking – annexure “G”
- Financial Statements – annexure “H”

10.3 Confirmation of supporting evidence appended

- Financial Statements – annexure “H”

11 Confirmation of the availability of funds to implement the proposed project

- Financial Statements – “H”

12 I herewith confirm that I have budgeted and financially provided for the total budget as identified in Regulation 7(1)(k).

CONFIRMED	X
------------------	----------

13 REGULATION 7(1)(m)

UNDERTAKING, SIGNED BY THE APPLICANT, TO ADHERE TO THE PROPOSALS AS SET OUT IN THE PROSPECTING WORK PROGRAMME

Table 13.1

Herewith I, the person whose name and identity number is stated below, confirm that I am the Applicant or the person authorized to act as representative of the Applicant in terms of the resolution submitted with the application, and undertake to implement this prospecting work program and adhere to the proposals set out herein.	
Full Names and Surname	JACOBUS SMIT
Identity Number	590620 5091 088
Date	23 NOVEMBER 2016

ANNEXURE C

APPLICATION IN TERMS OF SECTION 20 (2) PERMISSION TO REMOVE AND DISPOSE OF MINERALS

Name of applicant: MORGENSON MINING CC
Reg number: 2000/046717/23
Postal address: P.O. Box 754
Schweizer-Reneke
2780
Telephone number: 083 2904913
Fax number: 053 963 2009

Description of area applied for:

1. The remaining extent of the farm Nooitgedact 66
Registration Division: Kimberley RD
Extent: 3171.0104 hectares
Title Deed: T404/1977
2. Portion 6 of the farm Nooitgedacht 66
Registration Division: Kimberley RD
Extent: 1449.5964 hectares
Title Deed: T2119/1981
("Property")

The applicant hereby applies for permission to remove and dispose for own account of bulk samples of alluvial diamonds and diamonds general found on the above mentioned area.

Signed at Schweizer-Reneke on 23 November 2016.

APPLICANT

ANNEXURE G: UNDERTAKING

UNDERTAKING OF JACOBUS SMIT

I, Jacobus Smit hereby undertakes to fund the application for a prospecting right in terms of sections 16 and 17 of the Mineral and Petroleum Resources Development Act and to prospect for diamonds on:

1. The remaining extent of the farm Nooitgedact 66
Registration Division: Kimberley RD
Extent: 3171.0104 hectares
Title Deed: T404/1977

2. Portion 6 of the farm Nooitgedacht 66
Registration Division: Kimberley RD
Extent: 1449.5964 hectares
Title Deed: T2119/1981
("Property")

It is confirmed that there is money available for the conducting of the prospecting activities. This money will be made solely available for the conducting of the prospecting activities.

See the financial statements of J Smit attached to the application as proof of availability of funding.

Signed at Schweizer-Reneke on 23 November 2016

APPLICANT