

TRAFFIC IMPACT ASSESSMENT

FOR THE PROPOSED DEVELOPMENT OF A 400MW
SOLAR PHOTOVOLTAIC (PV) FACILITY AND
ASSOCIATED INFRASTRUCTURE (PHASE 3) ON
THE REMAINDER OF FARM GOEDE HOOP 26C,
PORTION 3 OF FARM GOEDE HOOP 26C AND OTHER
PROPERTIES, BETWEEN DE AAR & HANOVER,
EMTHANJENI LOCAL MUNICIPALITY, PIXLEY KA SEME
DISTRICT MUNICIPALITY, NORTHERN CAPE
PROVINCE, SOUTH AFRICA.

Project No.: STUR0352

FINAL REPORT
SEPTEMBER 2022

PREPARED BY: PREPARED FOR:

STURGEON CONSULTING (PTY) LTD
7 Waterberg Crescent
Clara Anna Fontein
Durbanville
7550

ECOLEGES ENVIRONMENTAL CONSULTANTS
PO Box 516
Machadodorp
1170

CONTACT PERSON:

CONTACT PERSON:

Annebet Krige Tel no: +27 (84) 610 0233 Mr Shaun MacGregor Tel no: +27 (64) 885 2240

www.sturgeonsa.co.za

STURGEON Consulting (PTY) LTD (Reg No. 2015/059313/07)
Director: A Krige (Pr Eng) | Associate: SJ Larratt (Pr Tech Eng)
7 Waterberg Crescent, Clara Anna Fontein, Durbanville, 7550

DOCUMENT CONTROL SHEET

DATE	REPORT	AUTHORED BY:	APPROVED BY:
	STATUS		
		NAME	NAME
		Lize Neethling	Annebet Krige, Pr. Eng
	Draft for		
August 2022	comment	SIGNATURE	SIGNATURE
		- Aig	Adrige
		NAME	NAME
		Lize Neethling	Annebet Krige, Pr. Eng
September 2022	Final Report	SIGNATURE	SIGNATURE
		- Aig	Atrige

TITLE:

TRAFFIC IMPACT ASSESSMENT FOR THE PROPOSED DEVELOPMENT OF A 400MW SOLAR PV FACILITY AND ASSOCIATED INFRASTURCTURE (PHASE 3) ON SEVERAL PORTIONS OF FARMS BETWEEN DE AAR & HANOVER, EMTHANJENI LOCAL MUNICIPALITY, PIXLEY KA SEME DISTRICT MUNICIPALITY, NORTHERN CAPE PROVINCE, SOUTH AFRICA

	1110111102,00011111111011
CARRIED OUT BY:	COMMISSIONED BY:
Sturgeon Consulting	Ecoleges Environmental Consultants
7 Waterberg Crescent	PO Box 516
Clara Anna Fontein	Machadodorp
Durbanville	1170
7550	
Mrs Annebet Krige	Mr Shaun MacGregor
Tel: +27 84 610 0233	Tel: +27 64 885 2240
Email: annebet@sturgeonsa.co.za	Email: <u>shaun@ecoleges.co.za</u>

SYNOPSIS:

This report assesses the key transportation issues pertaining to the proposed development of a 400MW Solar PV facility and associated infrastructure (Phase 3) on several portions of farms in the Hanover District in the Northern Cape Province.

DECLARATION OF INDEPENDENCE

This report was compiled by Mrs Annebet Krige and Mrs Lize Neethling of Sturgeon Consulting, both who hereby declare that they acted as independent consultants and have no business, financial, personal or other interest in the proposed development project, application or appeal in respect of which we were appointed other than fair remuneration for work performed in connection with the activity, application or appeal. There are no circumstances that compromise the objectivity of our performing such work. The CV of the lead author that performed the core duties are contained in Annexure A.

Annebet Krige, Pr Eng

Lize Neethling, B Eng

TABLE OF CONTENTS

1.	INTI	RODUCTION	1
	1.1	APPOINTMENT AND BACKGROUND	1
	1.2	LOCALITY	1
	1.3	SCOPE OF WORKS	2
	1.4	METHODOLODY	3
	1.5	LEGISLATION WITH REGARDS TO TRAFFIC STUDIES	3
	1.6	STUDY PURPOSE	4
	1.7	APPROVED PROPOSED DEVELOPMENT IN THE STUDY AREA	5
2.	PRC	DJECT DESCRIPTION	7
	2.1	PROJECT PHASING	7 7
	2.2	TRANSPORTATION REQUIREMENTS	8
3.	EXIS	STING ROAD NETWORK	9
	3.1	POSSIBLE ROUTE ALTERNATIVES	9
	3.2	ROAD NETWORK IN THE SITE VICINITY 3.2.1 National Road 10 (N10) 3.2.2 District Road (Burgerville Road) 3.2.3 Internal Roads. 3.2.4 General Comments / Notes.	11 12
	3.3	ROAD CONDITION	12
4.	SITE	ACCESS CONSIDERATIONS	14
	4.1	PRIMARY ACCESS LOCATION	
	4.2	SECONDARY ACCESS LOCATION	
5.	EXIS	STING TRAFFIC CONDITIONS	17
6.	TRIF	P GENERATION RATES	19
	6.1	CONSTRUCTION PHASE	19

	6.2	OPERATIONAL PHASE	20
	6.3	DECOMMISSIONING PHASE	20
7.	TRIP	GENERATION SUMMARY	21
	7.1	TRIP GENERATION SUMMARY FOR PROPOSED 400MW FACILITY	21
	7.2	TRIP GENERATION SUMMARY FOR MULTIPLE FACILITIES	. 22
8.	TRA	FFIC IMPACT ASSESSMENT SUMMARY	. 24
	8.1	TRAFFIC IMPACT ASSESSMENT SUMMARY FOR PROPOSED 400MW FACILITY	
	8.2	TRAFFIC IMPACT ASSESSMENT SUMMARY FOR MULTIPLE FACILITIES	ES24
9.	CON	NCLUSIONS AND RECOMMENDATIONS	. 27

September 2022

LIST OF FIGURES

Figure 1: Locality Plan	2
Figure 2: Phase 3 Footprint	2
Figure 3: Proposed and Approved Solar Facilities in the Vicinity of the Subject Property	6
Figure 4: Preferred Route	9
Figure 5: Alternative Route 1	10
Figure 6: Alternative Route 2	10
Figure 7: Road Network	11
Figure 8: N10	11
Figure 9: Burgerville Gravel Road	12
Figure 10: Primary Site Access Location	14
Figure 11: Shoulder Sight Distance (SSD) at Existing Access along N10	15
Figure 12: Site Access Location	15
Figure 13: Shoulder Sight Distance (SSD) at Existing Access along Burgerville Road	16
Figure 14: Location of Count Station	17
Figure 15: SANRAL Station 1300 Historic Count Information	18
LIST OF TABLES	
Table 1: Affected Farm Portions	1
Table 2: Proposed and Approved Solar and Wind Facilities in the Vicinity of the Subj	
Table 3 Station 1300 Count Data	17
Table 4: Rating of Traffic Related Impacts	24
Table 5: Rating of Cumulative Traffic Related Impacts	25

ACRONYMS

TIA - Traffic Impact Assessment

TIS - Traffic Impact Statement

vph - Vehicles per hour

vpd - Vehicles per day

COTO - Committee of Transport Officials

AMP - Access Management Plan

RCAM - Road Classification and Access Management Manual

LOS - Level of Service

AM - Morning

PM - Afternoon

EIA - Environmental Impact Assessment

BAR - Basic Assessment Report

PV - Photovoltaic

MW - Megawatt

REDZ - Renewable Energy Development Zone

SEF - Solar Energy Facility

September 2022 vii



1. INTRODUCTION

1.1 APPOINTMENT AND BACKGROUND

Sturgeon Consulting (Pty) Ltd was appointed by Ecoleges Environmental Consultants on behalf of Soventix South Africa (Pty) Ltd to conduct a Traffic Impact Assessment (TIA) for the proposed construction of a 400MW Solar Photovoltaic (PV) facility and associated infrastructure on the remainder of Farm Goede Hoop 26C, Portion 3 of Farm Goede Hoop 26C and other properties between De Aar & Hanover, Emthanjeni Local Municipality, Pixley Ka Seme District Municipality, Northern Cape Province, South Africa.

The 400MW Solar PV facility will be Phase 3 of the entire solar development on the subject properties. The first phase of the project included an application for a 225MW solar PV facility for which environmental authorisation was obtained in April 2018. An additional application will also be made for Phase 2 of the solar development, which will include a 300 MW Solar Photovoltaic (PV) facility. A separate TIA will be submitted for this project.

1.2 LOCALITY

The site is located to the north-east of the N10, approximately 28km north-west from Hanover and 35km south-east from De Aar. The farm portions that will be affected by the proposed application is shown in **Table 1**.

Farm/ Erf No Portion No Farm Name **Property Type GOEDE HOOP** 0 26 Farm 2 **GOEDE HOOP** 26 0 Farm Portion 3 3 **GOEDE HOOP** 26 Farm Portion

Table 1: Affected Farm Portions

Please refer to Figure 1 for the Locality Plan.

September 2022





Figure 1: Locality Plan

The footprint of the proposed Phase 3 of the development in relation to the approved Phase 1 and the extent of the affected farm portions is shown in **Figure 2** below.



Figure 2: Phase 3 Footprint

1.3 SCOPE OF WORKS

This TIA will investigate the transportation implications associated with the abnormal load vehicles transporting components to the site and the transportation of



construction materials, equipment and workers to the site during the construction, operational and decommissioning phases.

1.4 METHODOLODY

The broad methodology adopted for this specialist study is as follows:

- Site visit 24 March 2022
- Literature review and internet research.
- Traffic data collection (Traffic volumes along the N10 provided by SANRAL)
- Data analysis
- Evaluation of initial proposed access configurations
- Liaison with client and/or project team
- Fine tune analysis
- Preparation of report and figures

1.5 LEGISLATION WITH REGARDS TO TRAFFIC STUDIES

A TIA is required to determine what impact a new development's traffic will have on the existing road network and whether or not this development can be accommodated by the existing transport system. The purpose of a TIA is to support sustainable development by protecting the overall integrity of the transport system for the benefit of all users.

The South African Committee of Transport Officials (COTO), TMH16 Manual, Volume 1, states that in terms of the manual, a TIA must be undertaken when "An application is submitted for a change in land use, and the highest total of additional hourly vehicular trip generation (including pass-by and diverted trips) as a result of the application exceeds 50 trips per hour".

From the *TMH16*, the Constitution of the Republic of South Africa empowers a Municipality to govern, on its own initiative, the local government affairs of its community, subject to national and provincial legislation. According to the constitution, the Municipality has executive authority in respect of, and has the right to administer, inter alia, the local government matters listed in Part B of Schedule 4 and Part B of Schedule 5, which includes municipal roads. The Municipality also has the right to exercise any power concerning a matter reasonably necessary for, or incidental to, the effective performance of its functions.

In terms of Section 152(1) of the Constitution, the objects of local government include, inter alia, to ensure provision of services to communities in a sustainable manner and to promote social and economic development. Section 153 emphasises that in its budgeting and planning processes, the Municipality must give priority to the basic needs of the community and to promote social and economic development of the community.



Municipal development planning in South Africa is regulated by the *Municipal Systems Act (Act No 32 of 2000)*. This act requires the preparation and adoption of Integrated Development Plans (IDPs) to guide and regulate all planning and development in the Municipality. The *National Land Transport Act NLTA (Act No 5 of 2009)* requires the integration of land transport planning with the land development process and the preparation of integrated transport plans which constitutes the transport component of the integrated development plans of municipalities. These integrated transport plans include the regulation and provision of transport infrastructure for all modes of transport. According to the National Land Transport Act, property developments within a transport area are subject to traffic impact and transport assessments.

The National Land Transport Act 5 of 2009 (NLTA) Section 38 does not set out any regulation as to what is required in a TIA. However, Section 38(2b) of the act states that "developments on property within the area of the planning authority are subject to traffic impact assessments and public transport assessments as prescribed by Minister."

The National Road Traffic Act 93 of 1996 (NRTA) provides for road traffic matters to be applied uniformly throughout the Republic and for matters connected therewith.

1.6 STUDY PURPOSE

The primary purpose of this report is to evaluate the expected traffic impact of the proposed Solar Photovoltaic (PV) facility and associated electrical grid infrastructure with the main focus on access and traffic distribution during the Construction, Operational and Decommissioning phases of the project. In other words, the objective of the TIA is to assess the impact of the activities of the proposed PV facility on the existing external road network surrounding the development during these phases. The report identifies the preferred access route to the site, comments on the condition of the existing roads in the vicinity of the site, identifies possible access points to the site and recommends road improvements to minimise the impact on the surrounding road network where necessary.

This TIA addresses the following traffic and transportation related implications of the proposed PV facility:

- Locality of the site for the proposed PV facility;
- Existing traffic volumes on N10;
- Acceptability from a traffic safety point of view of the location of the access route to the proposed facility;
- Risk posed by construction and operational vehicles; and
- Based on existing volumes of traffic, recommendations for mitigations measures for traffic impacts where relevant.

In terms of limitation of this TIA, it should be noted that this report does not address the internal traffic circulation for the PV facility.



The TIA will be developed in line with the guidelines of the Manual of Traffic Impact Studies (RR93/635) published by the Department of Transport in 1995 and TMH16 Volume 1 & Volume 2, South African Traffic Impact and Site Traffic Assessment Standards and Requirements Manual, October 2020 published by the Committee of Transport Officials (COTO).

1.7 APPROVED PROPOSED DEVELOPMENT IN THE STUDY AREA

The Department of Forestry, Fisheries and the Environment has requested that all applications for other solar PV facilities in the vicinity of the site be included along with all existing built developments. The following applications and developments are located within a 30km radius from the proposed solar PV facility and are listed on the Renewable Energy (RE) Environmental Impact Assessment Application Map that was produced in collaboration between the National Department of Environmental Affairs (DEA), the Council for Scientific and Industrial Research (CSIR) and the Centre of Renewable and Sustainable Energy Studies (CRSES). Refer to **Table 2** and **Figure 3** for the identified facilities that will be included.

Table 2: Proposed and Approved Solar and Wind Facilities in the Vicinity of the Subject Property

Map Number	DFFE Reference	Project Name	Type of Facility	Size
1	14/12/16/3/3/2/311	Proposed Oasis wind energy facility project located near De Aar, Northern Cape	BES	-
2	12/12/20/2463/1/AM4	The Wind Energy Facility (North and South) Situated On The Plateau Near De Aar, Northern Cape Province	WEF	258MW
3	14/12/16/3/3/2/278	Proposed Castle wind energy facility project, located near De Aar, Northern Cape	WEF	140MW
4	14/12/16/3/3/2/280	Proposed Zingesele wind energy fcaility project, located near De Aar, Northern Cape	WEF	-
5	14/12/16/3/3/2/744	Proposed PV facility on farm Jakhalsfontein near De Aar	SF	-
6	14/12/16/3/3/2/741	Proposed PV facility on farm Caroluspoort near De Aar	SF	300MW
7	12/12/20/1651/A2	Proposed establishment of a wind power generating facility near De Aar, Northern Cape.	WEF	100,5MW
8	14/12/16/3/3/2/483/AM1	Proposed Badenhorst Dam solar PV3 plant near De Aar, Emathanjeni Local Municipality, Northren Cape	SF	75MW
9	14/12/16/3/3/2/382/7	Proposed Solar Power Generation Facility in the remaining extent of the farm Vetlaagte 4, De Aar, Northern Cape Province	SF	75MW
10	12/12/20/2250	The Proposed Construction Of A Solar Energy Facility in The Emthanjeni Local Municipality In The Northern Cape Province	SF	-
11	14/12/16/3/3/2/640	The Proposed Establishment of an 86mw Photovoltaic Solar Facility on Portion 4 of The Farm Rooilyf No. 389, Registration Division, Zf Mcgawu Local Municipality, in the Northern Cape Province	SF	86MW



Map Number	DFFE Reference	Project Name	Type of Facility	Size
12	12/12/20/2497	Proposed Construction Of The Inyanga Energy Project 2, Farm Riet Fountain No 6, De Aar, Northern Cape	SF	75MW
13	12/12/20/2258/4	The Proposed Establishment Of Photovoltaic (Solar Power) Farms In The Northern Cape Province	SF	100MW
14a	?	Proposed Development of a Solar PV Facility on several portions of farms in the Hanover District. Phase 1	SF	225MW
14b*	In Process	Proposed Development of a Solar PV Facility on several portions of farms in the Hanover District. Phase 2	SF	300MW
14c	In Process	Proposed Development of a Solar PV Facility on several portions of farms in the Hanover District. Phase 3	SF	400MW

^{*} Study Facility for this Traffic Impact Assessment




Figure 3: Proposed and Approved Solar Facilities in the Vicinity of the Subject Property



2. PROJECT DESCRIPTION

2.1 PROJECT PHASING

The project can be divided into the following three main phases:

- Construction Phase;
- Operational Phase; and
- Decommissioning Phase.

2.1.1 Construction Phase

It is anticipated that construction of the 400MW solar PV facility will take place in subphases of 100MW each. Construction of each 100MW facility typically takes between 12 - 15 months to be completed. The construction phase for the proposed 400MW solar PV facility is therefore expected to be approximately 48 to 60 months.

The main activities that will form part of the construction phase are:

- Removal of vegetation for the proposed infrastructure;
- Excavations for solar panel infrastructure and associated infrastructure;
- Establishment of a laydown area for equipment;
- Stockpiling of topsoil and cleared vegetation;
- Creation of employment opportunities and associated transport of employees to and from site;
- Transportation of material and equipment to site, and personnel to and from site; and
- Construction of the solar field, 132 kV power line and additional infrastructure.

Furthermore, it is expected that the construction equipment will include at least:

- Water tankers;
- Graders;
- Tipper trucks;
- Drilling rigs (down to 2m);
- Mobile pile ramming machines (down to 3m at the most). Each pile is 4 to 9m apart;
- Rock crushing plant;
- Excavators;
- TLBs;
- Concrete mixers;
- Compaction equipment;
- Light delivery vehicles; and
- Heavy delivery vehicles (for the transformers).

2.1.2 Operational Phase

The following activities will occur during the operational phase:



- The generation of electricity from the proposed solar facility and supply of electricity to the substation; and
- Cleaning of panels and maintenance of the solar field and infrastructure.
- During the life span of the project (approximately 20 years), on-going cleaning and maintenance will be required on a scheduled basis.

2.1.3 Decommissioning Phase

The main aim of the decommissioning is to return the land to its original, preconstruction condition. Should the unlikely need for decommissioning arise (i.e. if the actual solar facility becomes outdated or the land needs to be used for other purposes), the decommissioning procedure will be undertaken and the site will be rehabilitated and returned to its pre-construction state.

2.2 TRANSPORTATION REQUIREMENTS

During the project cycle, it is anticipated that the following vehicles will need to access the site:

- Building materials are to be transported by single-unit trucks within the road freight limitations of South Africa.
- Solar panels, frames and inverters are to be transported in 40-foot containers (which have exterior dimensions of 12.19m long x 2.44m wide x 2.59m high) on double axle trucks within the road freight limitations of South Africa.
- Workers from the surrounding area will be transported by minibus taxi/shuttle/bus or private car.
- Transformers will be transported by abnormal load trucks for which a permit will
 need to be applied for in terms of Section 81 of the National Road Traffic Act
 and authorisation needs to be obtained from the relevant road authorities to
 modify the road reserve to accommodate turning movements at intersections.



3. EXISTING ROAD NETWORK

3.1 POSSIBLE ROUTE ALTERNATIVES

There are three options for the haulage of imported materials to the proposed PV facility as shown in the figures below. The preferred option will be the route from the Port of Ngqura as shown in **Figure 4**. The route is the shortest and fastest route to the site and is approximately 445km and follows the N2 from the Port and then turns north onto the N10 past Hanover and up to the access at Burgerville Road.




Figure 4: Preferred Route

The first alternative option will be the route from the Cape Town Harbour as shown in **Figure 5**. This route is approximately 730km and follows the N1 from the harbour and then turns north at Hanover onto the N10 up to the access at Burgerville Road.






Figure 5: Alternative Route 1

The second alternative option will be the route from the Port of Saldanha as shown in **Figure 6**. This route is approximately 805km and follows the N7 from the Port and then turns east past Calvinia. At Britstown, the N10 will be followed, past De Aar up to the access at Burgerville Road.




Figure 6: Alternative Route 2



3.2 ROAD NETWORK IN THE SITE VICINITY

The broader road network in the vicinity of the site is shown in **Figure 7** below.




Figure 7: Road Network

3.2.1 National Road 10 (N10)

The N10 is a Class 1 rural principal arterial with an approximate width of 10.5m in the vicinity of the site. The N10 is a two-lane undivided road with one lane per direction and paved shoulders. The N10 is a national interprovincial road linking Gqeberha in the south with Hanover and De Aar in the north and runs all the way north-west, past Upington to the eastern Namibian border.



Figure 8: N10



3.2.2 District Road (Burgerville Road)

Burgerville Road is a gravel two-lane undivided road with one lane per direction and an approximate width of 7.1m. Burgerville Road runs parallel to the northwestern boundary of the property for approximately ±4.5km before crossing over the existing railway line, whereafter the road runs south-eastbound parallel to the railway line through the property.



Figure 9: Burgerville Gravel Road

3.2.3 Internal Roads

Two (2) m-wide two-track access roads totalling an estimated \pm 400 km will be placed between the parallel arrays during the construction phase. It is assumed that the total length of two-track access roads will be equal to the total length of solar arrays, that is 400 km.

3.2.4 General Comments / Notes

Existing roads will be upgraded (graded 5 to 6 m wide, imported material, shaped for runoff, and compacted), including the servitude road under the Eskom 132 kV powerline. New roads will also be built (graded, imported material, shaped for runoff, and compacted) to access the construction camp, operational area, components of the PV system, such as the field transformers, on-site substation, and distribution line. Except for passing lanes, upgraded and new access roads will be 5-6 m wide and total an estimated \pm 9,8 km and \pm 11,3 km, respectively. Up to six (6) road crossings will be required to access the four different PV Blocks of the Solar PV facility, which is fragmented by the watercourse. Passing lanes up to \pm 8 m wide and \pm 30 m long will be placed at strategic areas on new roads.

3.3 ROAD CONDITION

Existing road infrastructure is well developed in the area and thus well connected to surrounding major centres via regional routes. The combination of national roads and first and second order roads provides good inter- and intra- regional accessibility. The South African National Roads Agency (SANRAL) is responsible for the maintenance of



the national roads which are in a good condition, however heavy traffic contribute significantly to the deterioration of the road surfaces.

During the site visit it was noted that the national roads maintained by SANRAL were in a good condition, while the gravel provincial roads in the vicinity of the site were in a fair to poor condition. Road freight, transport, specifically heavy vehicle transport, significantly contributed to the deterioration of the road surfaces and the maintenance of these roads are not always adequate.



4. SITE ACCESS CONSIDERATIONS

4.1 PRIMARY ACCESS LOCATION

The primary access to the proposed 400MW solar PV facility will be taken along the N10, from the existing Burgerville Road as shown in **Figure 10** below. This access will be the only access used during the construction phase, operational phase and decommissioning phase.




Figure 10: Primary Site Access Location

4.1.1 Shoulder Sight Distance (SSD)

According to the TRH17 Geometric Design of Rural Roads, April 1988 for a design speed of 120km/h shoulder sight distances of 240m, 355m and 450m is required for a Passenger vehicle (P), a Single-Unit Truck (SU) and a Single-Unit Truck plus Trailer (SU+T), respectively. The site visit and photos taken at the existing access location indicated that shoulder sight distance to the left will be sufficient. Sight distance to the right was measured as approximately 320m which is sufficient for Passenger vehicles (P). To ensure the safe exit of Single-Unit Trucks (SU) and especially Single-Unit Truck plus Trailers (SU+T), it is proposed that appropriate traffic accommodation be placed on the eastern approach of the N10, indicating a construction access ahead with a possible flagman to alert drivers and slow them down. Refer to Figure 11.






Figure 11: Shoulder Sight Distance (SSD) at Existing Access along N10

4.2 SECONDARY ACCESS LOCATION

Direct access to the proposed 400MW solar PV facility will be taken from the existing farm access to the property along the Transnet servitude road, approximately 4.65km southeast of where the Burgerville Road crosses the railway line, as shown in **Figure 12** below. This access will be the only access to Phase 3 of the proposed project used during the construction phase, operational phase and decommissioning phase.



Figure 12: Site Access Location

4.2.1 Shoulder Sight Distance (SSD)

According to the TRH17 Geometric Design of Rural Roads, April 1988 for a design speed of 80km/h, shoulder sight distances of 160m, 240m and 305m is required for a Passenger vehicle (P), a Single-Unit Truck (SU) and a Single-Unit Truck plus Trailer



(SU+T), respectively. The site visit and photos taken at the access location indicated that shoulder sight distance will be sufficient and can be seen in **Figure 13**.




Figure 13: Shoulder Sight Distance (SSD) at Existing Access along Burgerville Road



5. EXISTING TRAFFIC CONDITIONS

SANRAL has a permanent counting station (Station 1300) along the N10, approximately 14.6km north-west from Hanover and approximately 44.6km south-east from De Aar. The location of the counting station is indicated in **Figure 14** below. SANRAL provided the traffic count information for the above-mentioned count station along the N10.



Figure 14: Location of Count Station

A summary of the Average Daily Traffic (ADT), Percentage Trucks and Highest volume on the road recorded yearly from 2007 (when the station was installed) is shown in **Table 3** and **Figure 15** below.

Year	Average Traffic (ADT) (two-way)	Percentage Trucks (two-way)	Highest daily volume on the road (two-way)
2007	435	14.4%	102
2008	430	15.4%	75
2009	441	14.3%	70
2010	470	14.6%	100
2011	522	18.4%	86
2012	468	12.7%	86
2013	530	18.6%	118
2014	524	15.9%	84
2015	532	14.2%	88
2016	571	14.7%	89
2017	566	14.7%	85
2018	561	14.9%	87
2019	584	16.1%	90

Table 3 Station 1300 Count Data

September 2022



Year	Average Traffic (ADT) (two-way)	Percentage Trucks (two-way)	Highest daily volume on the road (two-way)
2020	600	29.4%	107
2021	790	36.0%	106
2022	1018	48.7%	186




Figure 15: SANRAL Station 1300 Historic Count Information

From the above information, it can be concluded that the growth rate from the recorded 2007 to 2022 ADT values is approximately 6% per annum. A significant increase in ADT and heavy vehicle traffic is evident from 2020 onwards. This can possibly be attributed to increased mining activities and renewable energy projects. It should however be noted that the capacity of a Class 1 road is in the order of **2000 vehicles per hour** and therefore the traffic volumes recorded on this road is still significantly less than the capacity of the road.



6. TRIP GENERATION RATES

The trip generation rates discussed below are based on similar studies that have been undertaken for Solar Energy Facilities and the associated electrical infrastructure (collector substation and transmission line). The trip generation rates discussed below relates to the anticipated trip generation rates associated with the 400MW Solar PV Facility.

6.1 CONSTRUCTION PHASE

It is expected that the Construction Phase for each of the proposed PV Plants will be 48 months due to the magnitude of the proposed plant.

For each 100MW, the following number of truck trips (one-way) are expected:

- Panels = 273 truck trips
- Mounting Structure = 300 truck trips
- Inverters = 13 truck trips
- Field Transformers = 12 truck trips
- Cable and Battery Operating System (BOS) = 120 truck trips

It is assumed that each 100MW sub-phase of the project will be constructed over a 12-month period. Therefore, based on a 12-month construction period per sub-phase (i.e. 52 weeks), and a 6 day work week ($52 \times 6 = 312$ work days), this could result in approximately **3 daily truck trips (one-way).** This number of daily trips could therefore be expected for the duration of the project, i.e. 48 months.

It is also expected that approximately 13 single unit trucks carrying construction materials will visit the site on a daily basis, resulting in 13 daily single unit truck trips (one-way).

Furthermore, it is expected that 300 workers will be transported to the site daily. This number could increase to 650 workers for short periods during the peak construction phase. For the purposes of this study, an average of 300 workers per day was however used. The workers will be transported to/from the site by 15-seater minibus taxis from the surrounding areas resulting in approximately 20 daily staff minibus taxi trips (one-way). Experience has shown that during the construction period, approximately 2 daily private vehicle trips are expected to come to/from the site from supervisors or senior personnel. Therefore, a total of 22 daily staff trips (one-way) are expected.

Water will also be required during the construction phase for the installation of the solar panels, dust control along the gravel roads and potable water. Only borehole water will be utilised. For the purposes of this study, an additional 1 daily water truck trip (oneway) to be used for dust control along the gravel roads will be taken into account.



Based on the above, a total of **39 one-way trips per day, i.e. 78 trips in total per day (two-way)** are expected during the 48 month period construction phase.

6.2 OPERATIONAL PHASE

It is expected that the Operational Phase will take place during the life span of the project (approximately 20 years). During this time, it is anticipated that 1 - 2 light load trucks will visit the site on a daily basis. This will equate to 2 daily light load truck trips (one-way).

It is expected that approximately 55 workers will be transported to the site daily by 15-seater minibus taxis from the surrounding areas, resulting in 4 daily staff trips. Furthermore, it was assumed that 2 daily private vehicle trips will be generated by supervisors or senior personally commuting to the site by private vehicles. Resulting in a total of 6 daily staff trips (one-way).

It is estimated that approximately 600 000 litres of water will be required for cleaning the solar panels, which must be done 4 times per year. This will relate to approximately 1 daily 12 kilolitre water truck trips ((600 000 x 4) / (52 weeks x 5 days)) for cleaning the solar panels. Furthermore, it is also anticipated that the gravel district road be watered daily to suppress dust during operation depending on traffic volumes. However, only borehole water will be utilised. For the purposes of this study, an additional 1 daily water truck trip (one-way) to be used for dust control along the gravel roads will be taken into account.

Based on the above, a total of **9 one-way trips per day, i.e. 18 trips in total per day (two-way)** are expected during the operational phase.

6.3 DECOMMISSIONING PHASE

The Decommissioning Phase will generate similar trips as the Construction Phase over a similar time period of 48 months. This includes 3 daily truck trips (one-way) trips for the transportation of the solar panels, 13 daily single unit truck trips (one-way), for the transportation of construction materials, 22 daily staff trips (one-way) and 1 daily water truck trip (one-way).

Based on the above, a total of **39 one-way trips per day, i.e. 78 trips in total per day (two-way)** are expected during the 48 month period decommissioning phase.



7. TRIP GENERATION SUMMARY

7.1 TRIP GENERATION SUMMARY FOR PROPOSED 400MW FACILITY

From the trip generation information gathered in **Paragraph 6** the following traffic impacts should be considered:

- Potential congestion and delays on the surrounding road network;
- Potential impact on traffic safety and increase in accidents with other vehicles or animals;
- Potential change in the quality of the surface condition of the roads; and
- Potential noise and dust pollution.

The number of additional daily trips per 400MW solar PV plant and associated electrical grid infrastructure are summarised below. These trips can be expected for the duration of the construction period and decommissioning phase (48 months) and for the operational phase of the project (20 - 30 years).

Construction Phase - 78 Daily Trips (two-way)

- 6 daily truck trips
- 26 daily light load trips
- 44 daily staff transport trips
- 2 daily water truck trips

Operational Phase - 18 Daily Trips (two-way)

- 4 daily light load truck trips
- 12 daily staff transport trips
- 2 daily water truck trips

<u>Decommissioning Phase - 78 Daily Trips (two-way)</u>

- 6 daily truck trips
- 26 daily light load trips
- 44 daily staff transport trips
- 2 daily water truck trips

It is anticipated that the 400MW PV facility will have a 48 to 60 month construction period. From the SANRAL Station 1300 historic traffic information, the AM and PM peak hour trips each constitute approximately 7% of the daily traffic. This relates to approximately an additional 6 trips on the road network during the peak hours for the construction and decommissioning phase and approximately an additional 2 trips on the road network during the peak hours for the operational phase. The additional trips during the construction, operational and decommissioning phases will have an insignificant traffic impact on the surrounding road network.



However, possible mitigation measures to address the daily traffic impact are listed below:

- Dust control of the gravel roads.
- Regular maintenance of the gravel access roads.
- Upgrading of the internal farm access road (i.e. internal private roads leading off the Burgerville Road) to suitable standards as specified by the civil engineer and regular maintenance of the access road during all phases of the project, especially during the construction and decommissioning phases.
- The route to the site should be further investigated to ensure that the abnormal loads are not obstructed at any point by geometric, height and width limitations along the route.
- The applicable permits to transport the abnormal loads should be obtained.

7.2 TRIP GENERATION SUMMARY FOR MULTIPLE FACILITIES

Should construction of the facilities listed in **Paragraph 1.7**, **Table 2**, commence at exactly the same time, the cumulative daily trips that can be anticipated are summarised below. For consistency and to simplify the calculations, the following assumptions were made:

- Each facility will be constructed at a rate of 100MW per year;
- Each facility will generate the same trips per 100MW as the study facility;
- Regardless of the size of the facility, only 100MW of the facility are constructed at a time;
- The facilities which sizes are not known, i.e. Map Number 1, 4, 5 and 10 will be disregarded;
- The following facilities will be taken into account: Map Number 2, 3, 6, 7, 8, 9, 11, 12, 13, 14a, 14b and 14c. This equals a total of 12 facilities; and
- Facilities less than 100MW will be assigned the same trips as the 100MW facilities.

Construction Phase - 936 Daily Trips (two-way)

- 72 daily truck trips
- 312 daily light load trips
- 528 daily staff transport trips
- 24 daily water truck trips

Operational Phase - 216 Daily Trips (two-way)

- 48 daily light load truck trips
- 144 daily staff transport trips
- 24 daily water truck trips

Decommissioning Phase - 936 Daily Trips (two-way)

72 daily truck trips



- 312 daily light load trips
- 528 daily staff transport trips
- 24 daily water truck trips

Based on the above trip generation rates, an additional 66 trips could be expected on the road network during the peak hours for the construction and decommissioning phase. For the operational phase, an additional 16 trips could be expected on the road network during the peak hours. It is important to note that these trips can be expected on the main road network, i.e along the National Routes (N10) and not on the access road (Burgerville Road) to the proposed 400MW facility. As noted in **Paragraph 5**, the capacity of a Class 1 rural road is in the order of 2000 vehicles per hour (two-way) and the road has sufficient spare capacity to accommodate the additional trips.

However, possible mitigation measures to address the daily traffic impact are listed below:

- Stagger delivery trips and schedule deliveries outside of the peak traffic periods.
- Staff trips should also occur outside of the peak hours where possible.
- The route to each site should be further investigated to ensure that the abnormal loads are not obstructed at any point by geometric, height and width limitations along the route.
- The applicable permits to transport the abnormal loads should be obtained.



8. TRAFFIC IMPACT ASSESSMENT SUMMARY

8.1 TRAFFIC IMPACT ASSESSMENT SUMMARY FOR PROPOSED 400MW FACILITY

The impacts associated with the traffic generation of the proposed 400MW PV facility are summarised in **Table 4** below:

Table 4: Rating of Traffic Related Impacts

Impact	Impact Criteria		Significance and Ranking (Pre- Mitigation)	Potential mitigation measures	Significance and Ranking (Post- Mitigation)	Confidence Level
CONSTRUCTIO	N AND DECOMM	ISIONING PHAS	E			•
Congestion	Status	Neutral	Very Low Risk	Stagger delivery trips and	Very Low (5)	High
and Delays on	Spatial Extent	Local	/ Impact	schedule trips outside of		
road network	Duration	Medium	(5)	peak hours.		
		Term				
	Consequence	Slight				
	Probability	Likely				
	Reversibility	High	1			
	Irreplaceability	Replaceable				
Condition of	Status	Neutral	Very Low Risk	Regular maintenance of	Very Low (5)	High
road surface	Spatial Extent	Local	/ Impact (5)	access road by the		
	Duration	Medium		contractor. Ensure access		
		Term		roads are restored to		
	Consequence	Slight		original pre-construction		
	Probability	Likely		road condition.		
	Reversibility	High				
	Irreplaceability	Replaceable				
Dust Pollution	Status	Neutral	Low Risk /	Dust control of gravel	Low (4)	High
	Spatial Extent	Local	Impact (4)	roads. Speed control by		
	Duration	Medium		speed limit road signage.		
		Term				
	Consequence	Moderate				
	Probability	Likely				
	Reversibility	High				
	Irreplaceability	Replaceable				
Noise	Status	Neutral	Low Risk /	Stagger delivery trips.	Low (4)	High
Pollution	Spatial Extent	Local	Impact (4)			
	Duration	Medium				
		Term				
	Consequence	Moderate				
	Probability	Likely				
	Reversibility	High				
	Irreplaceability	Replaceable				
OPERATIONAL	PHASE					
The traffic gener	rated during the o	perational phas	e will not have a	significant impact on the surr	ounding road ne	twork.

8.2 TRAFFIC IMPACT ASSESSMENT SUMMARY FOR MULTIPLE FACILITIES

The cumulative impacts of all the proposed renewable energy facilities that were included in the vicinity were considered and assessed. It is however very unlikely that all projects will occur at the same time, as all these projects will be subject to a highly



competitive bidding process and only a few projects would be allowed to enter into a power purchase agreement with Eskom at a time. Construction will most likely be staggered based on project and site-specific issues.

The biggest traffic impact associated with renewable energy facilities is during the construction phase (and similarly during the decommissioning phase). During the operational phase, the trips added to the road network is expected to be insignificant. It should be noted that all the applications for abnormal load transport are considered by the applicable authorities, and they will ensure that the trips are staggered on the road network to limit possible delays.

The impacts associated with the cumulative traffic generation of the renewable energy facilities within a 30km radius of the proposed 400MW solar photovoltaic facility are summarised in **Table 5** below:

Table 5: Rating of Cumulative Traffic Related Impacts

Impact	Impact (Significance and Ranking (Pre- Mitigation)	Potential mitigation measures	Significance and Ranking (Post- Mitigation)	Confidence Level
CONSTRUCTION A	ND DECOMMISIC	NING PHASE				
Congestion and Delays on road network	Spatial Extent Duration Consequence Probability	Neutral Local Medium Term Substantial Very	Low Risk / Impact (4)	Stagger delivery trips and schedule trips outside of peak hours.	Very Low (5)	High
	Reversibility Irreplaceability	Unlikely High Replaceable				
Potential impact on traffic safety and increase in accidents with other vehicles and animals	Status Spatial Extent Duration Consequence Probability Reversibility Irreplaceability	Neutral Local Medium Term Moderate Likely High Replaceable	Low Risk / Impact (4)	Speed control by means of stop and go system and speed limit road signage.	Low (4)	High
Condition of road surface	Status Spatial Extent Duration Consequence Probability Reversibility Irreplaceability	Neutral Local Medium Term Substantial Very Unlikely High Replaceable	Low Risk / Impact (4)	Regular maintenance of access roads by the contractor. Ensure access roads are restored to original pre-construction road condition.	Very Low (5)	High
Dust Pollution	Status Spatial Extent Duration Consequence	Neutral Local Medium Term Severe	Low Risk / Impact (4)	Dust control of gravel roads. Speed control by means of stop and go system and speed limit road signage.	Low (4)	High



Impact	Impact Criteria		Significance and Ranking (Pre- Mitigation)	Potential mitigation measures	Significance and Ranking (Post- Mitigation)	Confidence Level
	Probability	Very				
		Unlikely				
	Reversibility	High				
	Irreplaceability	Replaceable				
Noise Pollution	Status	Neutral	Low Risk /	Stagger delivery trips.	Low (4)	High
	Spatial Extent	Local	Impact (4)			
	Duration	Medium				
		Term				
	Consequence	Severe				
	Probability	Very				
		Unlikely				
,	Reversibility	High]			
	Irreplaceability	Replaceable	1			
OPERATIONAL PH	ASE		•	1		•
The traffic generate	ed during the oper	ational phase w	ill not have a sig	nificant impact on the surr	ounding road ne	twork.

September 2022



9. CONCLUSIONS AND RECOMMENDATIONS

Sturgeon Consulting (Pty) Ltd prepared this Transport Impact Assessment (TIA) for the proposed construction and operation of the 400MW solar photovoltaic (PV) facility on several portions of farms in the Hanover District, Emthanjeni Local Municipality, Northern Cape Province. This report summarises the existing transportation conditions within the site vicinity and provides an assessment of the transportation impacts of the proposed development on the surrounding transport system.

From the traffic impact investigation and discussions in the report the following conclusions can be made:

- The main gravel road, Burgerville Road, in the vicinity of the proposed development is in a fair to poor condition.
- The main surfaced road, the N10, in the vicinity of the proposed development is in a good condition.
- The preferred route for the haulage of imported materials is from the Port of Ngqura along the N10.
- The primary access to the proposed facility will be from the N10 along the Burgerville Road.
- Direct access to the proposed development will be taken off Burgerville Road at the existing access to the subject property, approximately ±4.65km southeast of where Burgerville Road crosses the railway line.
- The access complies with sight distance requirements.
- Existing traffic information for 2022 indicates that the N10 carries an ADT of
 1018 vpd (two-way) with the highest hourly volume being 186 vph (two-way).
- The N10 operates well below the capacity of 2000 vehicles per hour for a Class 1 principal arterial with two lanes.
- Traffic will be generated during the Construction, Operational and Decommissioning phases of the project.
- During the Construction and Decommissioning phases, an additional 78 daily trips (two-way) and 6 peak hour trips (two-way) will be generated by the 400MW solar PV facility.
- The following traffic impacts are related to the trips generated during the Construction and Decommissioning phases:
 - o Potential congestion and delays on the surrounding road network
 - Potential impact on traffic safety and increase in accidents with other vehicles or animals
 - o Potential change in the quality of the surface condition of the roads
 - o Potential noise and dust pollution.
- Traffic generated during the Operational phase will have an insignificant traffic impact on the surrounding road network

The mitigation measures to address the traffic impact are recommended:



- Stagger delivery trips and schedule deliveries outside of the peak traffic periods.
- Staff trips should also occur outside of the peak hours where possible.
- Dust control of the gravel roads.
- Speed limits be implemented to ensure reduced speeds along the roads.
- Regular maintenance of the gravel external access roads by the contractor during the construction period and the operator during the operational phase.
- Upgrading of the internal access road to suitable standards as specified by the civil engineer and regular maintenance of the access road during all phases of the project, especially during the construction and decommissioning phases.
- The route to the site should be further investigated to ensure that the abnormal loads are not obstructed at any point by geometric, height and width limitations along the route.
- The applicable permits to transport the abnormal loads should be obtained.

No other remedial or mitigation measures will be required to accommodate the additional traffic generated by the proposed Solar Photovoltaic Facility.

Provided that the above recommendations are adhered to, the proposed development of the 400MW Solar PV facility (Phase 3) can be supported from a traffic engineering perspective.



REFERENCES

- 1. Department of Transport, Guidelines for Traffic Impact Studies, Report No. PR93/645, Pretoria, 1995.
- 2. Department of Transport, South African Trip Generation Rates, Report No. RR92/228, Pretoria, 1995.
- 3. Committee of Transport Officials (COTO), South African Trip Data Manual, TMH 17, Committee Draft 2.2, August 2020.
- 4. Committee of Transport Officials (COTO), South African Traffic Impact and Site Traffic Assessment Manual Standards and Requirements Manual, Volume 2 TMH 16, Committee Draft 2.0, October 2020.
- 5. Committee of Transport Officials (COTO), South African Traffic Impact and Site Traffic Assessment Manual, Volume 1 TMH 16, Committee Draft 2.0, May 2018.
- 6. SANRAL Geometric Design Guide
- 7. Department of Transport, TRH17, Geometric Design of Rural Roads, 1988



APPENDIX A: CURRICULUM VITAE OF ANNEBET KRIGE

September 2022



GENERAL INFORMATION:

Name : **ANNEBET KRIGE**Date of Birth : 20 November 1984

Marital Status : Married
Home Language : Afrikaans
Profession : Civil Engineer

Specialism : Transport Planning and Traffic Engineering

Joined Sturgeon : 2018
Nationality : South African

Years' Experience : 15+

Qualifications : M Eng (Transportation), B Eng (Civil)

Professional Associations : Engineering Council of South Africa (ECSA): Professional Engineer

(20150161)

South African Institution of Civil Engineering (SAICE): Member

(206324)

KEY EXPERTISE:

AnneBet Krige is registered as a Professional Civil Engineer with the Engineering Council of South Africa (ECSA). Over the past 15 years, she has gained extensive knowledge in the Civil Engineering field and currently works as a Traffic Engineer for Sturgeon Consulting. She obtained her Masters' Degree in Transportation Engineering from the University of Stellenbosch in 2010 and specialises in this field.

Expertise & Specialised Skills:

AnneBet has gained extensive experience in the following fields:

- Traffic Studies and Transportation Planning (Statements, Assessments, Parking Studies);
- Design of Non-Motorised Transport Facilities;
- Design and Upgrading of Traffic Signals;
- Traffic Accommodation Plans;
- Design of Civil Engineering Infrastructure for various developments (Water, Sewerage, Stormwater, Roads);
- Rehabilitation and Reseal of existing National and Provincial Roads;
- Construction of new Roads;
- Tender Documentation.
- Contract Administration

EMPLOYMENT RECORD:

2021 - Present Director, Sturgeon Consulting2018 - 2021 Associate, Sturgeon Consulting

2011 - 2018 Traffic Engineer, Element Consulting Engineers

2006 - 2011 Engineer in Training, EFG Engineers



KEY QUALIFICATIONS/EDUCATION:

2010 : M Eng (Transportation), University of Stellenbosch

2006 : B Eng (Civil), University of Stellenbosch

PROFESSIONAL AFFILIATIONS

Professional Engineer, Engineering Council of South Africa (ECSA) - 20150161 - 1 May 2015

PROJECT EXPERIENCE - TRANSPORTATION ENGINEERING (TRAFFIC STUDIES)

Kudu De Aar		ABO Wind
Traffic Impact Study for the proposed PV Fari	m	
Role & Responsibilities:	Traffic Engineer	
Completed/Current: Current	Study Value: R150 000	

Soventix De Aar		Soventix
Traffic Impact Study for the proposed PV Far	m	
Role & Responsibilities:	Traffic Engineer	
Completed/Current: Current	Study Value: R90 000	

Onverwacht Oudtshoorn	Uhambiso Consult
Traffic Impact Study for the proposed Reside	ential Development on Farm Onverwacht 143, Oudtshoorn
Role & Responsibilities:	Traffic Engineer
Completed/Current: 2022	Study Value: R40 000

Bredasdorp Golf Course Developme	ent	CK Rumboll
Traffic Impact Study for the proposed	d Bredasdorp Golf Course Development	
Role & Responsibilities:	Traffic Engineer	
Completed/Current: 2022	Study Value: R80 000	

Duiker Eiland		CK Rumboll
Traffic Impact Study for the Propose	d Housing Development, St Helena Bay	
Role & Responsibilities:	Traffic Engineer	
Completed/Current: 2022	Study Value: R80 000	

BSM 57/21 Botmaskop Feasibility Study	Stellenbosch Municipality
Feasibility Study for the Botmaskop Housing	Development
Role & Responsibilities:	Traffic Engineer
Completed/Current: 2021	Study Value: R45 000

COCT341C/2018/19 Framework Tender for the Built Environment		CoCT
Traffic Impact Statement for the Wallacedene Container Market		
Role & Responsibilities:	Traffic Engineer	
Completed/Current: 2022	Study Value: R60 000	

sturgeonsa.wix.com/sturgeon-consulting



COCT341C/2018/19 Framework Tender for the Built Environment		CoCT
Traffic Impact Statement for the Atlantis Heritage Market		
Role & Responsibilities:	Traffic Engineer	
Completed/Current: 2021	Study Value: R80 000	

Diemersfontein Intersection Analysi	s	Diemersfontein HOA
Traffic Study for the signalisation of the Diemersfontein / Piet Retief Street intersection, Paarl		et intersection, Paarl
Role & Responsibilities:	Traffic Engineer	
Completed/Current: 2022	Study Value: R55 000	

Vierlanden Special Needs School		Edu-Play
Traffic Impact Study for the Proposed	Edu-Play, Vierlanden	
Role & Responsibilities:	Traffic Engineer	
Completed/Current: 2021	Study Value: R35 000	

Curro Medidian Access Study		Curro Holdings
Access Study for an additional access	s at Curro Meridian, Pinehurst	
Role & Responsibilities:	Traffic Engineer	
Completed/Current: 2022	Study Value: R30 000	

Beaumont Housing Development, Botrivier		Theewaterskloof Municipality
Traffic Impact Study for the proposed Beau	mont Housing Development, Botrivier	•
Role & Responsibilities:	Traffic Engineer	
Completed/Current: 2021	Study Value: R50 000	

Bottling Plant Farm Kaaldraai		Normandien Farms
Traffic Impact Study for the proposed Water	Bottling Plant, Tulbagh	
Role & Responsibilities:	Traffic Engineer	
Completed/Current: 2021	Study Value: R35 000	

CampusKey Stellenbosch		CampusKey
Traffic Impact Statement for Student	Housing Development	
Role & Responsibilities:	Traffic Engineer	
Completed/Current: 2021	Study Value: R10 000	

Ceres PV Farms		Veroniva Energy
Traffic Impact Assessment for nine 17	5MW Solar Photo Voltaic Farms, Tankwa Karoo)
Role & Responsibilities:	Traffic Engineer	
Completed/Current: 2021	Study Value: R57 000	

Oshakati		Element Namibia
Traffic Impact Assessment for the proposed (Oshakati Mall Development	
Role & Responsibilities:	Traffic Engineer	
Completed/Current: 2021	Study Value: R48 900	

Bergriver Housing Tender		Bergriver Municipality
Traffic Impact Assessment for the proposed I	Bergriver Housing Developments	
Role & Responsibilities:	Traffic Engineer	
Completed/Current: 2021	Study Value: R217 500	

sturgeonsa.wix.com/sturgeon-consulting



Van Kervel Special School	Uhambiso Consult
Traffic Impact Assessment for the Upgrading	and Extension of the Van Kervel Special School, George
Role & Responsibilities:	Traffic Engineer
Completed/Current: 2020	Study Value: R33 220

Monwabisi Park		City of Cape Town
Traffic Impact Assessment for the Mor	wabisi Park Informal Settlement	
Role & Responsibilities:	Traffic Engineer	
Completed/Current: 2020	Study Value: R180 550	

Loop Street Signs		Wide Open Platform
Traffic Opinion for the proposed LED Screen	for 97 and 220 Loop Street, Cape Town	
Role & Responsibilities:	Traffic Engineer	
Completed/Current: 2019	Study Value: R42 900	

Sunningdale Saint Square	Camalus Developments (Pty) Ltd
Traffic Impact Statement for the Prop	posed Apartments on Erf 38099, Sunningdale
Role & Responsibilities:	Traffic Engineer
Completed/Current: 2019	Study Value: R27 900

Mamre Service Station		Plan Africa Consulting
Traffic Impact Assessment for the proposed	Rezoning of Erf 615, Mamre	
Role & Responsibilities:	Traffic Engineer	
Completed/Current: 2019	Study Value: R34 700	

Erf 13811, Wellington	Nortje & De Villiers Consulting Engineers
Traffic Impact Assessment for the propose	ed Provence Development, Wellington
Role & Responsibilities:	Traffic Engineer
Completed/Current: 2019	Study Value: R54 400

Allesverloren Lifestyle Village	Latitude Property Solutions
Traffic Impact Assessment for the propose	d Allesverloren Lifestyle Estate Development, Riebeeck Wes
Role & Responsibilities:	Traffic Engineer
Completed/Current: 2019	Study Value: R71 900

Langebaanweg Truck Stop	West Coast Petroleum (Pty) Ltd
Access Investigation / Traffic Impact Assessment for the proposed Langebaanweg Truck Stop	
Role & Responsibilities:	Traffic Engineer
Completed/Current: 2020	Study Value: R89 800

Erf 11919, Paarl		Van der Sluys Projects
Traffic Impact Assessment for the proposed F	Retail Development on Erf 11919, Paarl	
Role & Responsibilities:	Traffic Engineer	
Completed/Current: 2020	Study Value: R136 900	

Erf 8383, Milnerton		Headland Planners (Pty) LLtd
Traffic Impact Assessment for the Proposed I	Fruit and Veg Retail Development	
Role & Responsibilities:	Traffic Engineer	
Completed/Current: 2019	Study Value: R60 500	

sturgeonsa.wix.com/sturgeon-consulting



Abbotsdale	CK Rumboll and Partners
Traffic Impact Assessment for the Industrial [Development on Portion A of Erf 373, Abbotsdale
Role & Responsibilities:	Traffic Engineer
Completed/Current: 2019	Study Value: R60 100

Grootfontein - Tsumkwe Feasibility Study	Pregon Consulting Engineers
Feasibility Study for the Upgrade to Bitur	men Standard of M0074: Grootfontein - Tsumkwe
Role & Responsibilities:	Traffic Engineer
Completed/Current: Current	Study Value: R163 600

Eros Traffic Study, Windhoek		Element Namibia
Traffic Impact Study for the densifica	ition of Eros, Windhoek	
Role & Responsibilities:	Traffic Engineer	
Completed/Current: 2019	Study Value: R37 900	

Paarl East Housing Development		Aurecon
Traffic Impact Study for the development of 650 housing opportunities		
Role & Responsibilities:	Traffic Engineer	
Completed/Current: 2018	Study Value: R61 750	

Bella Riva Lifestyle Development	
Traffic Impact Study for Bella Riva Lifestyle Development (5875 unit)	
Role & Responsibilities:	Traffic Engineer
Completed/Current: Current	Study Value: R172 000

Mahama Infill Housing Development		ACE Consulting
Traffic Impact Study for the Mahama Infill Housing Project		
Role & Responsibilities:	Traffic Engineer	
Completed/Current: 2018	Study Value: R157 500	

Blueberry Hill Housing Development	1	Nadeson Consulting
Traffic Impact Study for the developmen	t of 3500 housing opportunities	
Role & Responsibilities:	Traffic Engineer	
Completed/Current: 2019	Study Value: R182 000	

Design of Jip de Jager Road	
Traffic Impact Study for the Design of Jip de Jager Road	
Role & Responsibilities:	Traffic Engineer
Completed/Current: 2018	Study Value: R175 000

Brentwood Park	
Traffic Impact Study for the Brentwood Park GAP Housing Development	
Role & Responsibilities:	Traffic Engineer
Completed/Current: 2017	Study Value: R75 000

Curro Windhoek	
Traffic Impact Study for Curro WInc	hoek
Role & Responsibilities:	Traffic Engineer
Completed/Current: 2017	Study Value: R75 000



Schaapkraal		
Traffic Impact Study for the Schaapkraal GAP Housing Development, Mitchells Plain		
Role & Responsibilities:	Traffic Engineer	
Completed/Current: 2017	Study Value: R75 000	

Trekoskraal		
Traffic Impact Study for the Trekoskraal Development, West Coast		
Role & Responsibilities:	Traffic Engineer	
Completed/Current: 2017	Study Value: R70 000	

Sleeper Site, East London		
Traffic Study for the Developmenet of the Sleeper Site, East London		
Role & Responsibilities:	Traffic Engineer	
Completed/Current: 2017	Study Value: R255 000	

Worcester Traffic Study		
Traffic Study at Pre-Determined intersections in Worcester		
Role & Responsibilities:	Traffic Engineer	
Completed/Current: 2017	Project Value: R537 000	

PV Farm Hanover		
Traffic Impact Statement for the Proposed Solar PV Farm, Hanover		
Role & Responsibilities:	Traffic Engineer	
Completed/Current: 2017	Study Value: R38 500	

Welgedaan Residential Development		
Traffic Impact Study for the Welgedaan Residential Development, Saldanha		
Role & Responsibilities:	Traffic Engineer	
Completed/Current: 2017	Study Value: R49 000	

Malmesbury Sand Mine	Tip Trans Logistix
Traffic Impact Statement for a Sand Mine	, Malmesbury
Role & Responsibilities:	Traffic Engineer
Completed/Current: 2017	Study Value: R24 500

Richards Bay Traffic Signals	City of uMhlathuze
Appointment of a Traffic Consultant to	conduct a study to warrant the installation of Traffic Signals
Role & Responsibilities:	Traffic Engineer
Completed/Current: 2017	Study Value: R 167 500

Strand Storage Facilities		Asla Devco
Traffic Impact Study for the proposed Sto	orage and Office	Facilities in Strand
Role & Responsibilities:	Traffic Engineer	•
Completed/Current: 2017	Study Value: R3	3 500

Dube Tradeport	Dube Tradeport
Traffic Impact Study for Dube Tradep	port, Durban
Role & Responsibilities:	Traffic Engineer
Completed/Current: Current	Study Value: R80 000



Laguna Mall	Milprops 365
Traffic Impact Study for Laguna Mall, Lan	gebaan
Role & Responsibilities:	Traffic Engineer
Completed/Current: Current	Study Value: R28 000

Turfhall Primary School	Orrie, Welby-Solomon & Associates
Traffic Impact Study for Turfhall Pri	mary School
Role & Responsibilities:	Traffic Engineer
Completed/Current: 2016	Study Value: R38 000

Curro Uitzicht	Curro Holdings
Traffic Impact Study for the develo	pment of a Curro Castle in Uitzicht
Role & Responsibilities:	Traffic Engineer
Completed/Current: 2016	Study Value: R35 000



PROJECT EXPERIENCE - TRANSPORTATION ENGINEERING (TRAFFIC SIGNAL DESIGN)

Food Lovers Market, Milnerton	FLM
Design and installation of Traffic Signals	for Food Lovers Market, Milnerton
Role & Responsibilities:	Traffic Engineer
Completed/Current: Current	Project Value: R 150 000

Diemersfontein Traffic Signals	Diemersfontein HOA
Design and installation of Traffic Signals at the Piet Retief / Diemersfontein Access Intersection, Paarl	
Role & Responsibilities:	Traffic Engineer
Completed/Current: Current	Project Value: R 120 000

Brackengate Industrial Development		Redefine Properties / VDVM
Design and installation of Traffic Signals along Cilmor Road, Stikland		
Role & Responsibilities: Traffic Engineer		
Completed/Current: 2018	Contract Value: R	R 2 000 000

Medway Road Upgrade, Richards Bay	Richards Bay IDZ	
Upgrading of Traffic Signals at the John Ross Highway / Medway Road intersection, Richards Bay		
Role & Responsibilities:	Traffic Engineer	
Completed/Current: 2018	Contract Value: R500 000	

Cape Town CBD	City of Cape Town: TCT
Upgrading of Traffic Signal Layouts in Ca	ape Town
Role & Responsibilities:	Traffic Engineer
Completed/Current: 2017	Contract Value: Unknown

Erf 16161, Paarl	Asla
Design and Installation of Traffic Signals for Erf 16161, Paarl	
Role & Responsibilities:	Traffic Engineer
Completed/Current: 2013	Contract Value: Unknown

Buhrein, Kraaifontein	
Design and Installation of Traffic Signals for Buhrein, Kraaifontein	
Role & Responsibilities:	Assistant Traffic Engineer
Completed/Current: 2011	Contract Value: R700 000

Shoprite, Mossel Bay	
Design and Installation of Traffic Signals	s for Shoprite, Kwanonqaba, Mossel Bay
Role & Responsibilities:	Assistant Traffic Engineer
Completed/Current: 2011	Contract Value: R600 000

	Shoprite DC, Brackenfell	
Design and Installation of Traffic Signals for Shoprite DC, Brackenfell		for Shoprite DC, Brackenfell
Role & Responsibilities: Assi		Assistant Traffic Engineer
	Completed/Current: 2010	Contract Value: R800 000



PROJECT EXPERIENCE - GENERAL TRANSPORTATION ENGINEERING

Bonnievale Speed Survey		WCG
Speed Limit Survey for TR32/1, Bonnievale		
Role & Responsibilities:	Traffic Engineer	
Completed/Current: 2021	Study Value: R70 000	

Road Safety Audit	Namibia Roads Authority
Road Safety Audit for T0602: Gobabis	to Buitepos
Role & Responsibilities:	Traffic Engineer
Completed/Current: 2016	Contract Value:

Non-Motorised Transport, City of Cape	Town City of Cape Town
Implementation of the Non-Motorised 7	Transport programme to the City of Cape Town
Role & Responsibilities:	Traffic Engineer
Completed/Current: 2016	Contract Value: R50m

Westbury Pedestrian Bridge, Johannesb	ourg Johannesburg Development Agency
Traffic Accommodation Plan for the cons	struction of the Westbury Pedestrian Bridge, Johannesburg
Role & Responsibilities:	Traffic Engineer
Completed/Current: 2014	Contract Value: Unknown

Erven 13259 and 13585, Brackenfell		Group 5 Property Development	
Traffic Accommodation Plan for the	e development of Erve	en 13259 and 13585, Brackenfell	
Role & Responsibilities:	Traffic Enginee	er	
Completed/Current: 2014	Contract Value	: R550 000	

Lakeview and Klipspruit BRT Stations, So	weto Johannesburg Roads Authority
Non-motorised Transport for Lakeview a	nd Klipspruit BRT Stations, Soweto
Role & Responsibilities:	Traffic Engineer / Design Engineer
Completed/Current: 2014	Contract Value: R35 million

Traffic Calming, Stellenbosch	Stellenbosch Municipality
Stellenbosch Traffic Calming Planning	
Role & Responsibilities:	Assistant Traffic Engineer
Completed/Current: 2013	Contract Value: Unknown

Traffic Accommodation, Cape Town	Group 5
Traffic Accommodation plan for the upg	rading of intersections in Cape Town CBD
Role & Responsibilities:	Traffic Engineer
Completed/Current: 2013	Contract Value: Unknown



PROJECT EXPERIENCE - REHABILITATION / RESEAL / NEW ROAD CONSTRUCTION

Upgrading of Medway Road, Richards	Bay
Upgrading of Medway Road	
Role & Responsibilities:	Assistant Engineer
Completed/Current: Current	Contract Value: R50 million

Trunk Road 32 between N2 and Herbertsdale		Provincial Government Western (
The Reseal / Rehabilitation of a section of Main Road 342 be		ween km 7.72 and Herbertsdale
Role & Responsibilities: Assistant Engineer		
Completed/Current: Current Contract Value: Unk		nown

National Route 7, Garies		SANRAL
Repair and Reseal of National Route	7 Section 7 between Garies and km 60	
Role & Responsibilities:	Assistant Engineer	
Completed/Current: Current	Contract Value: R101.4 million	

National Route 7, Okiep		SANRAL
Repair and Reseal of National Route	7 Section 7 to 8 b	etween km 60 and Okiep
Role & Responsibilities:	Assistant Engine	er
Completed/Current: Current	Contract Value:	R95.5 million

Roads P122/1, P249/1, P39/1, P241/1(D405) and K111, Muldersdrift		
Rehabilitation of Roads P122/1, P249/1, P39/1, P241/1(D405) and K111, Muldersdrift		
Role & Responsibilities: Assistant Engineer		
Completed/Current: Current Contract Value: Unknown		

Trunk Road 32 between Ashton and Swellendam		Provincial Government Western Cape
The Reseal of Trunk Road 32 Section 1 between Ashton and Swellendam, Main Road 283 and Divisional Road 1329		Swellendam, Main Road 283 and Divisional Road
Role & Responsibilities:	Assistant Engineer	
Completed/Current: 2014	Contract Value: R6	0.8 million

National Route 14 Section 1 betwee Pofadder	en Witputs and		SANRAL
Repair and reseal N14 between Witputs and Pofadder		•	
Role & Responsibilities:	Assistant Engine	eer	
Completed/Current: 2013	Contract Value:	R70.3 million	

National Route 14 Section 2 between Bladgrond and Kakamas	
Repair and reseal: National route 14 Section 2 between Bladgrond (Km 59.00) and Kakamas 9Km 131.00)	
Role & Responsibilities:	Assistant Engineer
Completed/Current: 2014	Contract Value: R89.1 million



PROJECT EXPERIENCE: CIVIL INFRASTRUCTURE

Sitari, Somerset West		
Civil Engineering Services for Sitari Fields, Somerset West		
Role & Responsibilities:	Assistant Resident Engineer	
Completed/Current: Current	Contract Value: R350m	

Van der Stel, Stellenbosch	
Upgrading of the Van der Stel Sport Complex parking area	
Role & Responsibilities:	Resident Engineer
Completed/Current: 2012	Contract Value: R700 000

CSP Plant, Upington	
Access to the proposed CSP Plant	
Role & Responsibilities:	Design Engineer
Completed/Current: 2012	Contract Value: Unknown

Droogfontein, Kimberley	
Upgrading of the existing access to the proposed PV Farm, Droogfontein, Kimberley	
Role & Responsibilities:	Design Engineer
Completed/Current: 2012	Contract Value: Unknown

Robben Island		
Repair & Maintenance of Water and Sewerage works on Robben Island		
Role & Responsibilities:	Assistant Resident Engineer	
Completed/Current: 2011	Contract Value: R12 million	

KFC Observatory	
Civil Engineering Services for KFC, Observatory	
Role & Responsibilities:	Assistant Resident Engineer
Completed/Current: 2010	Contract Value: R300 000

Blue Downs Development		
Upgrading of Roads and Accesses for the Blue Downs Development		
Role & Responsibilities:	Assistant Design Engineer	
Completed/Current: 2010	Contract Value: R12 million	

Shoprite, Strand	
Construction of Broadway Shoprite Access Road, Strand	
Role & Responsibilities:	Resident Engineer
Completed/Current: 2010	Contract Value: R950 000

Checkers, Burgundy		
Civil Infrastructure for Checkers, Burgundy Estate		
Role & Responsibilities:	Assistant Design Engineer, Assistant Resident Engineer	
Completed/Current: 2009	Contract Value: R44 million	