

CLOSURE PLAN IN SUPPORT OF THE ENVIRONMENTAL AUTHORISATION FOR THE PROPOSED PROSPECTING RIGHT APPLICATION FOR COAL, PSEUDO COAL, SAND, CLAY AND ANTHRACITE ON FARMS VLAKDRIFT 322, PORTIONS 1,2,3,4 AND THE REMAINING EXTENT AND ROOIPOORT 391, PORTIONS 1,2,3,4,5,6 AND 7 UNDER THE CITY OF EMADLANGENI LOCAL MUNICIPALITY, KWAZULU NATAL PROVINCE.

PROJECT REFERENCE: KZN30/5/1/1/2/10771PR

PROPONENT: K2018268260 (SOUTH AFRICA) PTY LTD



OCTOBER 2018

Table of Contents

LIST OF ABBREVIATIONS	4
APPLICANTS DETAILS.....	5
EAP DETAILS.....	5
EXPERTISE OF EAP	5
1. INTRODUCTION.....	7
1.2 Closure Objectives	10
2. REGULATORY REQUIREMENTS.....	10
3. DESCRIPTION OF THE RECEIVING ENVIRONMENT	13
3.1 Geology.....	13
3.2 Climate.....	15
3.3 Topography	15
3.4 Soils & Land Capability	17
3.5 Natural vegetation	18
3.6 Fauna	19
3.7 Surface water.....	20
3.8 Groundwater	21
3.9 Regional socio-economic structure	22
3.10 Location, Population and distribution	23
3.11 Major economic activities and sources of employment:.....	24
3.12 Employment	24
3.13 Access to Basic Services.....	Error! Bookmark not defined.
4 CLOSURE VISION, OBJECTIVES AND TARGETS	25
5 ALTERNATIVES CONSIDERED	25
5.1 Preferred Alternative: Rehabilitation/ Backfill of boreholes.....	25
6 CLOSURE ASSUMPTIONS	26
7 FINAL LAND USE	27
8 CLOSURE AND REHABILITATION ACTIVITIES	27
8.1 Infrastructure	27
8.2 Boreholes.....	28
8.3 Roads and parking areas.....	28

8.4	Remediation of Contaminated Areas	28
8.5	Vegetation	29
8.6	Waste Management.....	29
9	ENVIRONMENTAL RISK ASSESSMENT	29
10	CLOSURE COST ESTIMATION.....	35
11	MONITORING AND AUDITING.....	37
12	CONCLUSIONS	38

List of Tables

Table 1	legislation and its Implications to the Closure Plan	11
Table 2	Significance rating	30
Table 3	Methodology.....	31
Table 4	Outcome of Risk Assessment	32
Table 5	Closure Quantum	36

List of Figures

Figure 1	Locality map	9
Figure 2	Geology of the Site.....	14
Figure 3	Vegetation Map	19
Figure 4	Surface Water on site.....	21

LIST OF ABBREVIATIONS

BAR	Basic Assessment Report
DMR	Department of Mineral Resources
DWS	Department of Water and Sanitation
EIA	Environmental Impact Assessment
EMPr	Environmental Management Programme Report
EMS	Environmental Management System
IWULA	Integrated Water Use Licence Application
NEMA	National Environmental Management Act (Act 107 of 1998)
SANAS	South African National Accreditation System
SCC	Species of Special Concern

DRAFT

APPLICANTS DETAILS

NAME OF APPLICANT	K2018268260 (SOUTH AFRICA) PTY LTD
TELEPHONE	+27(0) 11 783 7993
FAX MAIL NUMBER	+27(0) 11 594 9159
POSTAL ADDRESS	P O Box 230 Pinegowrie,2123
PHYSICAL ADDRESS	7 th Floor, Fredman Towers, 13 Fredman Drive, Sandton 2196
E-MAIL ADDRESS	sn@sitatunga.com
FILE REFERENCE NUMBER SAMRAD	KZN30/5/1/1/2/10771PR

EAP DETAILS

Name of EAP	Sarah Wanless
Telephone	+27(0)11 783 7993
Fax to email	+27(0) 11 594 9159
Email Address	sw@sitatunga.com
EXTERNAL REVIEWER DETAILS	
Name	Ruan Mostert
Telephone	072 774 7831
Address	Private Bag X37, Postnet Suite 594, Lynnwood Ridge, 0040
Email Address	ruan@ecolead.co.za

EXPERTISE OF EAP

Name	Details
Niketiwe Dlamini	<p>Summary of Qualifications:</p> <ul style="list-style-type: none">• BA in Geography and Law• Bachelor of Laws• BSc Honours in Geography <p>Summary of Experience:</p> <p>Sarah has 2 years' experience in Prospecting and drafting BARs and EMP reports. As part of her duties as an environmental officer she is tasked with assessing the social, environmental and heritage components of potential new projects, stakeholder management, GIS mapping and analysis and environmental management reporting for BARs and EMPs.</p>
Ruan Mostert	Summary of Qualifications
External Reviewer	<ul style="list-style-type: none">• Masters in Environmental Management

Name	Details
	<ul style="list-style-type: none"><li data-bbox="483 243 902 275">• BSc Honours in Conservation Ecology <p data-bbox="435 310 678 342"><u>Summary of Experience:</u></p> <p data-bbox="435 380 1511 722">Ruan has participated in the completion of a variety of environmental projects throughout South Africa, including BAR's, EIAs and EMPR's for construction projects, mining houses, industrial developments as well as infrastructure and has more than 11 years' experience as an Environmental Assessment Practitioner. His experience also includes the completion of Section 24G applications, Environmental Management Plans, EMPR's for prospecting and mining right applications, environmental audit reports, acting as an Environmental Control Officer (ECO) compiling monthly environmental compliance audits for construction sites, implementing and maintaining ISO 14 001 Environmental Management Systems and acting as an external ISO 14001 auditor. Due to the wide variety of projects he has been involved in, he has gained experience in a wide range of environmental disciplines.</p>

DRAFT

1. INTRODUCTION

The proposed Roodipoort prospecting project is located in the Kwazulu Natal Province. The project falls within the Emadlangeni Local Municipality. The project area is located 11km South East of Volksrust, refer to Figure 1. K201826860 (South Africa) (Pty) Ltd proposes to prospect for Coal, Pseudo coal, sand, clay and anthracite on Rooipoort 393, portions 1,2,3,4,5,6 and 7 and Vlakdrift 322, portions 1,2,3,4 and the remaining extent.


The prospecting activities will include the following activities:

- Literature survey- which will be a comprehensive review of published and unpublished work from secondary data sources. Time will be spent reviewing books, journals, government publications etc.
- Geological Mapping will be conducted such that accurate and meaningful structural and geological data may be derived from it and to communicate information gathered from the desktop study with mapping results.
- Borehole planning will involve drilling program design and implementation procedures to ensure that drilling is conducted as safe and economic as possible. This phase will include cooperation between the drilling contractor, services contractors, geologists and other technical specialists. The planning process will also ensure that the health and safety of all working on the drilling sites and the environment are protected.
- All core samples collected throughout drilling will be submitted to a SANAS-accredited laboratory for comprehensive analyses and metallurgical recovery tests aimed at determining coal quality. The coal samples will be analysed for moisture, ash, volatile matter, fixed carbon, calorific value and sulphur.
- Geophysical wireline logging: Down hole geophysics will be conducted on specific boreholes to allow for stratigraphic correlation, for core recovery calculations and to aid in the interpretation and sampling of the various coal seams. Wireline logging is performed by lowering a 'logging tool' on the end of a wireline into a borehole and recording physical properties using a variety of sensors.
- Geological 3D modelling: After the extent and development of the coal seams are investigated by drilling, the acquired data will be modelled using geological modelling software. Geological 3D modelling includes integration of diverse types of observations into 3D geo-models using geological mapping data, borehole data and interpretations and any other field data.

- Environmental management and rehabilitation: Environmental management will include the maintenance and improvement of the state of the environment to ensure that the ecosystem is protected and maintained for equitable use by future human generations, and also, maintain ecosystem integrity. Rehabilitation on the other hand includes returning the land to some degree of its former state after drilling.

These proposed prospecting activities requires an environmental authorization in terms of the National Environmental Management Act (Act No. 107 of 1998) (NEMA as amended) and will follow a Basic Assessment Process in terms of NEMA Regulations 982 (as amended). The NEMA Regulations Pertaining to the Financial Provision for Prospecting, Exploration, Mining or Production Operation (GNR 114) requires that a final rehabilitation, decommissioning and mine closure plan is developed which includes the determination of financial provision to guarantee the availability of sufficient funds to undertake rehabilitation and remediation of the adverse environmental impacts of mining.

DRAFT



TITLE: Regional Locality
PROJECT: Rooipoort
DRAWN BY: Sarah Wanless
 Environmental Officer
DATE: September 2018



Prospecting Area

	X	Y
A	29.985013	-27.445927
B	29.99892	-27.442232
C	30.015298	-27.450268
D	30.015428	-27.463041
E	30.01484	-27.464236
F	30.015442	-27.472648
G	30.013806	-27.476373
H	30.012092	-27.478156
I	30.007514	-27.475762
J	30.004322	-27.472915
K	30.002801	-27.471917
L	29.997872	-27.465628
M	29.988297	-27.46521
N	29.987173	-27.467086
O	29.983122	-27.467227
P	29.976218	-27.462531
Q	29.970147	-27.461854
R	29.971365	-27.437547
S	29.965803	-27.434319
T	29.969698	-27.417857
U	29.994243	-27.387631
X	30.016179	-27.397486
W	30.016514	-27.402525
X	30.006556	-27.41509
Y	30.002678	-27.416041

Coordinate System: GCS WGS 1984
 Datum: WGS 1984
 Units: Degree



Figure 1 Locality map

1.1 Closure Objectives

Prospecting activities are anticipated to last for over a period of three years. The objective of this document is to present the final rehabilitation, decommission and closure plan for the proposed project. This closure plan therefore covers the footprint area of the proposed activities associated with the prospecting activities.

This report provides a plan that is measurable and auditable for K2018268260 (South Africa) (Pty) Ltd and to the Department of Mineral Resources (DMR). A plan that takes into consideration the final land-use of the site, indicating what infrastructure and activities will ultimately be decommissioned, closed, removed and remediated and indicating monitoring, auditing and reporting requirements.

The objectives of the rehabilitation, decommissioning and closure plan are to:

- provide the vision, objectives, targets and criteria for final rehabilitation, decommissioning and closure of the project;
- explain the risk assessment approach and outcomes and link closure activities to risk rehabilitation;
- detail the closure actions that clearly indicate the measures that will be taken to mitigate and/or manage identified risks and describes the nature of residual risks that will need to be monitored and managed post closure;
- commit to a schedule, budget, roles and responsibilities for final rehabilitation, decommissioning and closure of each relevant activity or item of infrastructure;
- detailing the full closure costs for the life of project; and
- outlining monitoring, auditing and reporting requirements.

2 REGULATORY REQUIREMENTS

There are a number of legal and regulatory frameworks with which K2018268260 must comply with, the following are key legislation which could materially affect rehabilitation and closure:

Table 1 legislation and its Implications to the Closure Plan

LEGISLATION	IMPLICATIONS FOR CLOSURE
<p>The Constitution of the Republic of South Africa. In terms of Section 24 of the Constitution “Everyone has the right to an environment that is not harmful to their health or well-being; and to have the environment protected, for the benefit of present and future generations.”</p>	<p>Constitutional requirement to ensure that the Plan includes measures that protect the rights of people to an environment that is not harmful to health or well-being post closure.</p>
<p>National Environment Management Act (Act 107, 1998) Sections 28 (1) and (3) of NEMA set out the duty of care principle, which is applicable to all types of pollution and must be taken into account in considering any aspects of potential environmental degradation. Every person who causes, has caused or may cause significant pollution or degradation of the environment must take reasonable measures to prevent such pollution or degradation from occurring, continuing or recurring, or, in so far as such harm to the environment is authorised by law or cannot reasonably be avoided or stopped, to minimise and rectify such pollution or degradation of the environment.</p>	<p>The measures required in terms of subsection (1) may include measures to - Investigate, assess and evaluate the impact on the environment; Inform and educate employees about the environmental risks of their work and the manner in which their tasks must be performed to avoid causing significant pollution or degradation of the environment; Cease, modify or control any act, activity or process causing the pollution or degradation; Contain or prevent the movement of pollutants or the causes of degradation; Eliminate any source of the pollution or degradation; or Remedy the effects of the pollution or degradation</p>
<p>Environmental Impacts Assessment Regulations, 2014 These regulations were developed for the preparation, evaluation, submission, processing and consideration of, and decision on, applications for environmental authorisations.</p>	<p>Any new EIAs or BAs for mining activities will be required to consider closure during planning and to include a closure plan and closure estimate to support an authorisation application.</p>
<p>National Environment Management: Waste Act (Act 59 of 2008) Part 8 of Chapter 4 of the Act indicates the requirement to identify the status and risk of contaminated sites and provides a legal mechanism for remediation activities to be instigated and controlled.</p>	<p>Contamination resulting from operational activities will require remediation, with the final soil quality meeting requirements as specified in the Acts Regulations.</p>
<p>NEMA Regulations pertaining to the Financial Provision for Prospecting, Exploration, Mining or Production Operations. The purpose of these Regulations is to regulate and determine financial provision as contemplated in the Act for the costs associated with the undertaking of management, rehabilitation and remediation of environmental impacts from prospecting, exploration, mining or production operations through the lifespan of such operations and latent or residual environmental impacts that may become known in the future. The Regulations also include detailed descriptions of the wording required in the documentation to support the provisioning for liability using Bank Guarantees and Trust Funds. Finally, the legislation also provides detailed on the information to be contained in the following plans: Annual rehabilitation plan Final rehabilitation, decommissioning and mine closure plan Environmental risk assessment report Care and maintenance plan</p>	<p>Closure planning process will need to be expanded to include Annual rehabilitation plan, Final rehabilitation, decommissioning and mine closure plan, Environmental risk assessment report Care and maintenance plan.</p>

<p>The National Environment Management: Air Quality Act, 2004. This Act regulates atmospheric pollution. The Act came into full effect on 1 April 2010 and entrusts the Department of Environmental Affairs with the task of preventing pollution and ecological degradation, while at the same time promoting justifiable economic and social development. Metropolitan and District Municipalities are charged with issuing atmospheric emission licenses for certain listed activities. It must be shown that the best practical means are being employed to limit air pollution before these certificates will be issued. Penalties and criminal sanctions are imposed for noncompliance with the National Management: Air Quality Act.</p>	<p>Other aspects of the NEMAQA such as monitoring and application of management/mitigation measures may apply during closure.</p>
<p>The National Environmental Management: Biodiversity Act, 2004: The Act seeks amongst other things, to manage and conserve biological diversity, to protect certain species and ecosystems, to ensure the sustainable use of biological resources and to promote the fair and equitable sharing of benefits arising from bio-prospecting involving those resources. The NEM: BA includes a Regulation related to the management of threatened and protected species. A similar Regulation is applied to Threatened Ecosystems. NEM: BA has a set of norms and standards for the development of management plans for both species (e.g. Threatened or Migratory Species) and ecosystems (Endangered or Critically Endangered).</p>	<p>If relevant species or threatened ecosystems are presence on the mine concession, a management plan must be developed in alignment with these norms and standards.</p>
<p>National Water Act Section 19 of the NWA sets out the principles for “an owner of land, a person in control of land or a person who occupies or uses land” to:</p> <ul style="list-style-type: none"> • Cease, modify or control any act or process causing pollution; • Comply with any prescribed waste standard or management practice; • Contain or prevent the movement of pollutants; • Eliminate any source of pollution; • Remedy the effects of the pollution; and • Remedy the effects of any disturbance to the bed and banks of a watercourse 	<p>This places the obligation to mitigate any aspects that cause or have caused pollution as well as to remediate any residual contaminated water at closure.</p>
<p>Mine Health and Safety Act, 1996: This Act deals with the protection of the health and safety of persons in the mining industry but has some implications for environmental issues due to the need for environmental monitoring within mine operations and maintenance of mine residue deposits.</p>	<p>All closure activities will have to be undertaken in a safe manner where the Health and Safety of all workers involved in closure activities is protected.</p>

3 DESCRIPTION OF THE RECEIVING ENVIRONMENT

3.1 Geology

Ermelo Coalfield stretches from Carolina in the north to Wakkerstroom in the south, a distance of some 150km and the east-west extent of the field is some 80km, from about 25km east of Standerton, eastwards to Sheepmoor. It is bounded by the Witbank Coalfield in the north west, Highveld in the west and Utrecht Coalfield to the south.

Anthracite has been mined in the Piet Retief, Ermelo, Wakkerstroom areas, but essentially the Coalfield generates bituminous coal. It hosts up to eight coal seams within the middle Ecca Group sediments of the Karoo Supergroup, but not all are present in the various sectors.

There are four coal seams which are the most important: A Seam; B Seam, C upper and C lower or Eland, Alfred, Gus and Dundas, depending on which sector is being exploited.

DRAFT





Figure 2 Geology of the Site


3.2 Climate

Volkstrust's climate is classified as warm and temperate. The summers are much rainier than the winters in Volkstrust. The climate here is classified as Cwb by the Köppen-Geiger system. The average annual temperature in Volkstrust is 14.7 °C. The average annual rainfall is 795 mm. The least amount of rainfall occurs in June. The average in this month is 9 mm. The greatest amount of precipitation occurs in January, with an average of 131 mm.

CLIMATE GRAPH // WEATHER BY MONTH VOLKSRUST



AVERAGE TEMPERATURE VOLKSRUST



3.3 Topography

The area associated with the proposed prospecting area is characterized as having flat/slightly undulating areas in the north with a ridge that runs through the middle of the property. Drainage lines to streams also influence the topographical profile of the site. There are no extreme and/or extraordinary topographical features present.

3.4 Soils & Land Capability

The land Capability for the Prospecting Area was determined using the EIA Screening Tool and is characterized as being “Very High” in terms of Agriculture Theme Sensitivity. Please see Figure 3 and Table 2 below for further explanation.

Table 2: Sensitivity Features

Sensitivity	Feature(s)
High	Land capability;09. Moderate-High/10. Moderate-High
High	Annual Crop Cultivation / Planted Pastures Rotation;Land capability;06. Low-Moderate/07. Low-Moderate/08. Moderate
High	Annual Crop Cultivation / Planted Pastures Rotation;Land capability;01. Very low/02. Very low/03. Low-Very low/04. Low-Very low/05. Low
High	Annual Crop Cultivation / Planted Pastures Rotation;Land capability;09. Moderate-High/10. Moderate-High
Low	Land capability;01. Very low/02. Very low/03. Low-Very low/04. Low-Very low/05. Low
Medium	Land capability;06. Low-Moderate/07. Low-Moderate/08. Moderate
Very High	Pivot Irrigation;Land capability;09. Moderate-High/10. Moderate-High
Very High	Pivot Irrigation;Land capability;06. Low-Moderate/07. Low-Moderate/08. Moderate




Figure 3: Agriculture Theme Sensitivity – determining Land Capability

3.5 Natural vegetation

The prospecting area is comprised of majority grassland but also consists of Savanna biome too. The characteristics of each is outlined below:

The prospecting area is situated in the grassland biome. The grassland biome, occupying 26% of South Africa, is centrally located in the country. Environmental gradients exist, causing the floristic composition, vegetation dynamics and ecosystem functioning to vary considerably across this biome, despite the relatively uniform vegetation structure. These gradients include a rainfall gradient ranging from 400 to >1200 mm per year, a temperature gradient from frost free to snow in winter and altitude ranging from sea level to 3300 m (O'Connor & Bredenkamp 2003). Grasslands are important to the livestock industry, and agricultural scientists historically produced considerable research on this biome.

The Savanna Biome is the largest Biome in southern Africa, occupying 46% of its area, and over one-third the area of South Africa. It is well developed over the lowveld and Kalahari region of South Africa and is also the dominant vegetation in Botswana, Namibia and Zimbabwe. It is characterized by a grassy ground layer and a distinct upper layer of woody plants. Where this upper layer is near the ground the vegetation may be referred to as Shrubveld, where it is dense as Woodland, and the intermediate stages are locally known as Bushveld.

The grass layer is dominated by C 4-type grasses, which are at an advantage where the growing season is hot, but where rainfall has a stronger winter component, C 3-type grasses dominate. The shrub-tree layer may vary from 1 to 20 m in height, but in Bushveld typically varies from 3 to 7 m. The shrub-tree element may come to dominate the vegetation in areas which are being overgrazed.

Most of the savanna vegetation types are used for grazing, mainly by cattle or game. In the southernmost savanna types, goats are the major stock. In some types crops and subtropical fruit are cultivated. These mainly include the Clay Thorn Bushveld (14), parts of Mixed Bushveld (18), and Sweet Lowveld Bushveld (21). Urbanization is not a problem, perhaps because the hot, moist climate and diseases (sleeping sickness, malaria) hindered urban development.




Figure 3 Vegetation Map

3.6 Fauna

The fauna expected observed in the study area are, for the most part, typical grassland species and representative of grassland animal communities that are widespread in the regional areas.

There is a total of five South African Red Data faunal species of special concern (SSC) that have the potential to occur within general area; namely *Proteles cristatus* (aardwolf), *Felis lybic* (African wild cat), *Cochlitoma simplex* (Thukela Agate Snail), *Doratogonus minor* (Minor Black Millipede) and *Durbania amakosa* subs. *natalensis* (Amakosa Rocksitter).

Faunal SCC are expected to occur within the region surrounding the study area, therefore should any prospecting activities take place, care should be taken to minimise habitat disturbance and avoid collision with these specie during invasive prospecting activities.

3.7 Surface water

The project site is located within the Thukela catchment covers the majority of the District and is drained in a southerly direction by the Buffalo River and several tributaries including the Ngogo Ncandu, and Ngagane Rivers to the south and the Slangspruit, Dorpspruit, Doringspruit and Wasbank Rivers to the north.

In terms of NEMA a 32m buffer zone is prescribed to all the watercourses. In addition, (in terms of NEMA) any activities falling within 32m of the watercourse boundary will trigger a listed activity. Any activities proposed within the watercourse and associated buffer zones, including rehabilitation, must be authorised by the DWS in terms of Section 21 (c) & (i) of the National Water Act (Act 36 of 1998). According to GN 704 of the National Water Act (Act 36 of 1998), the activity footprint must fall outside of the 1:100-year flood line of the watercourses or 100m from the edge of the features, whichever distance is the greatest. An addition 100m buffer has therefore been prescribed to all water courses.

The SANBI mining and biodiversity guidelines (2013) recommend a 1km buffer around FEPA priority rivers or wetlands in which mining or prospecting activities should be avoided as far as possible. No prospecting activities should be carried out within 100m of any of the watercourses. The 1km, 100m and 32m zones of applicability around the delineated watercourses are indicated in Figure 10 below.




Figure 4 Surface Water on site

3.8 Groundwater

There is a data deficiency for groundwater studies in the area, therefore the exact status of groundwater availability is not known. Groundwater is an essential resource for rural and farming communities for consumption, agriculture and other domestic purposes and there is potential to harvest groundwater resources throughout the municipality but there are clear indications that this resource may be contaminated. The availability of uncontaminated groundwater is the basis for meeting water supply needs.

3.9 Regional socio-economic structure

A socio-economic profile of the municipality is very critical in assisting a municipality with how to plan and properly utilise its resources. It also assists developers in identifying gaps in the local municipality and where their focus should be in terms of social responsibility projects. A socio-economic profile is an important tool that provides data on three primary areas of concern, ie. Social Services, Economic Services and Spatial/Developmental Services. The Socio-Economic profile of Emadlangeni Local Municipality is as follows:

Table 2 Households and Services

Households/Services	Census 2011(Stats SA)	Community Survey 2016
Total households	6252	6668
Female headed household	38.8%	45.3%
Access to piped water	27%	59.3%
Access to electricity	48.5%	51.3%
Access to sanitation	28.5%	34.8%
Tenure status (% owned)	34.1%	74%

Table 3 Poverty rate

Category	Census 2011 (Stats SA)	Community Survey 2018
Unemployment Rate	37.6%	28.6%

Table 4 Education

Highest Level of Education	Census 2011 (Stats SA)	Community Survey 2016
No schooling (aged 20+)	14.9%	11%
% completed matric (aged 20+)	20.1%	28%

% completed higher education	23.4%	34.6%
------------------------------	-------	-------

Table 5 Housing

Community Survey 2016	
	Percentage
Formal dwelling	65%
Traditional dwelling	31%
Farm	4%

3.10 Location, Population and distribution

The importance of demography lies in its contribution to helping government and society better prepare to deal for the issues and demands of population growth, aging and migration. The statistics and predictions resulting from demographic studies can, for example, aid in the development of adequate school systems, estimate the required funding for senior services and develop workable healthcare systems. A wide variety of social outcomes are impacted by demographic processes and distributions.

The total population of the Emadlangeni Local Municipality is 36,869 (Community Survey, 2016). The following tables indicate population distribution and composition.

Table 6 Population Distribution

Settlements	Census 2011
Urban formal	92.3%
Traditional/Rural	5.5%
Farms	2.2%

Table 7 Population Composition

Persons proportion	Census 2011
Young (0-14 years)	23.2%
Working age (15-64 years)	71.9%
Elderly (65 years or older)	4.9%
Sex ratio (men/100 women)	99
Dependency ratio	39

3.11 Major economic activities and sources of employment

The Amajuba district contributed 3.5% of the total provincial GVA in 2011. The manufacturing sector contributed 25.5% of the district GVA, while the sector contribution to provincial GVA was 21%. This further emphasises the importance of the sector and ensuring its sustainable growth. However, the Amajuba District experienced negative growth (-1.6%) compared to the average annual growth in the province of 0.4%. Emadlangeni contributed 3.5% to district GVA in manufacturing. Most manufacturing industries are concentrated in Newcastle (Amajuba Growth and Development Plan: 62).

Agriculture accounts for approximately 4.4% of the provincial GVA, and has grown in the province on average by approximately 3.2% over the past 5 years. Agriculture contributes 2.1% towards the district economy, and has declined dramatically by about -8.3% per annum on average (Amajuba Growth and Development Plan). Furthermore, the sector contributes about 2% to formal employment in the district. The main commercial crops that are produced in Amajuba include Maize, soybeans, peanuts, wheat, drybeans, potatoes, cabbage and barley. Agricultural activities include crop farming, dairy production, aquaculture, poultry and livestock. Emadlangeni contributed 28% of the total agricultural output in the district (Amajuba Growth and Development Plan: 67).

3.12 Employment

Youth unemployment was high at about 46.4% during Census 2011 above the average official unemployment rate for the municipality which was found to be 37.6%. It is a major issue for the City and is highlighted by the City's annual household income profile. According to the 2016 Community Survey data, 12 per cent of households have no source of income and approximately 86 per cent of households in the City earn an annual income of less than R76

401. Even though the employment figures are still higher than average, overall there was noted improvement in the employment figures when comparing the two censuses, i.e Census 2001 and Census 2011 data sets (No recent dataset on Employment and Income Levels were available from STATS SA.).

CLOSURE VISION, OBJECTIVES AND TARGETS

The closure vision for the proposed project is to establish a safe, stable and non-polluting post-prospecting landscape that can facilitate integrated, self-sustaining and value generating opportunities, thereby leave a lasting positive legacy. This plan is aimed at achieving the following targets:

- Creating a safe, physically stable rehabilitated landscape that limits long-term erosion potential and environmental degradation;
- Sustaining long term catchment yield and water quality;
- Focusing on establishing a functional post-prospecting landscape that enables self-sustaining agricultural practices where possible;
- To encourage, where appropriate, the re-instatement of terrestrial and aquatic wetland biodiversity

4 ALTERNATIVES CONSIDERED

Considering that this is a prospecting application, the proposed Roodepoort prospecting project is not complex and the risks associated with prospecting are understood and can be mitigated at closure. Alternative options for closure are limited. There are only two options that have been considered as activity alternatives for the closure plan:

Preferred Alternative: Closure/ Backfill of boreholes with overburden removed during drilling

Alternative 1: To Leave boreholes open, in-order to allow for groundwater recharge by surface run-off

4.1 Preferred Alternative: Rehabilitation/ Backfill of boreholes

Rehabilitation is the restoration of a disturbed area that has been degraded as a result of activities such as mining, road construction or waste disposal, to a land use in conformity with the original land use before the activity started. This also includes aesthetical considerations, so that a

disturbed area will not be visibly different to the natural environment. This also involves maintaining physical, chemical and biological ecosystem processes in degraded environments, hence the preferred option of backfilling the boreholes with the overburden removed during development and cover with growth medium to establish vegetation. This option has several advantages as discussed below:

Advantages

- The site will be aesthetically acceptable;
- The site will blend in with the environment;
- The site will go back to being a suitable habitat for fauna and flora;
- The site will be safe and pollution free;
- Revegetating the site will ensure that the site is non-erodible.

Opting for alternative 1, which is to leave boreholes without backfilling poses a risk in that, these boreholes may fill in with water, which may become attractive to wildlife and communities leading to drowning and the risk of being trapped in the declines. To mitigate these risks, it is necessary to backfill. Treatment technologies should be used to prevent decanting.

5 CLOSURE ASSUMPTIONS

This closure plan has been developed based on limited available information including environmental data. Some of the information currently available may need to be supplemented during the operational period. Therefore, a number of assumptions were made about general conditions, and closure and rehabilitation of the facilities at the site to develop the proposed closure actions. As additional information is collected during operations, these assumptions will be reviewed and revised as appropriate.

The assumptions used to prepare this plan include the following:

- The closure period will commence once the last planned weight of coal has been extracted from the site for laboratory testing;
- The proposed prospecting sites will be adhered to minimise the potential impacts;
- Vegetation establishment will be in line with a project area's indigenous vegetation
- Water management infrastructure developed for the operational phase will be retained for closure /end of the life of the project as necessary;

- There are limited opportunities for any infrastructure to be built on site and if any infrastructure is built, it will be of limited benefit to the community. Therefore, all buildings will be demolished;
- All hazardous and domestic waste will be transported offsite for disposal in licensed landfills;
- No roads are anticipated to be constructed to access the site, existing roads will be used as far as possible. Where access tracks have been developed in cases where there are no roads, these will be rehabilitated and closed as part of normal closure actions.

7. FINAL LAND USE

Post closure land use, will return to being agricultural activities. This will include livestock farming, cultivation and plantations. The built-up environment on these farms will not be disturbed during prospecting activities and these will continue to exist post closure.

8. CLOSURE AND REHABILITATION ACTIVITIES

The rehabilitation actions intended to be undertaken at the end of the life of the proposed prospecting activities are described below. These actions are designed to comply with the objectives of this plan which are derived from NEMA GN 1147.

8.1 Infrastructure

All infrastructures will be decommissioned and the footprints rehabilitated for the establishment of vegetation. Material inventories will be managed near the end of prospecting activities to minimize any surplus materials at closure. Where practicable, equipment and materials with value not needed for post-closure operations will be sold and or removed from the site. Equipment with scrap or salvage value will be removed from the site and sold to recyclers.

A soil contamination investigation will be conducted on completion of demolition activities. The purpose of this is to identify areas of possible contamination and design and implement appropriate remedial measures to ensure that the soil contaminants are removed.

Closure actions will include:

- All power and water services to be disconnected and certified as safe prior to commencement of any decommissioning works;
- All remaining inert equipment and decommissioning waste will be disposed to the nearest licensed general waste disposal facility;
- Salvageable equipment will be removed and transported offsite prior and during decommissioning;
- All tanks, pipes and sumps containing hydrocarbons to be flushed or emptied prior to removal to ensure no hydrocarbon/chemical residue remains;

8.2 Boreholes

Closure of boreholes will entail backfilling with overburden stripped ahead of prospecting activities. All overburden should be replaced into the borehole void and the final surface reshaped to simulate surrounding topography while ensuring that the surface is free draining.

Once backfilling is complete a growth medium cover will be placed and vegetation will be established. There may be a requirement to include sacrificial erosion protection measures on the surface while vegetation is being established.

8.3 Roads and parking areas

Existing roads will be used as far as possible. Closure actions concerning roads and parking areas will include:

- Removal of all signage, fencing, shade structures, traffic barriers, etc.;
- All 'hard top' surfaces to be ripped along with any concrete structures;
- All potentially contaminated soils are to be identified and demarcated for later remediation; and
- All haul routes that have been treated with saline dust suppression water need to be treated, with the upper surface ripped and removed to designated contaminant disposal areas.

8.4 Remediation of Contaminated Areas

All soil, contaminated with hydrocarbons, will be identified, excavated, if possible to at least 200 mm below the contaminated zone and then treated.

- All tanks, pipes and sumps containing hydrocarbons will be flushed or emptied;
- Removed soils will be managed as determined by the nature and extent of the contamination;
- Liquid storage tanks will be emptied, the structure removed/demolished and sub-surface holes filled; and
- All equipment in which chemicals have been stored or transported will be cleaned and disposed of in a suitable disposal facility.

8.5 Vegetation

Successful revegetation will help control erosion of soil resources, maintain soil productivity and reduce sediment loading in streams utilizing non-invasive plants that fit the criteria of the habitat (e.g. soils, water availability, slope and other appropriate environmental factors). Invasive species will be avoided and the area will be managed to control the spread of these species.

To counter the effects of erosion, naturally occurring grassland species will be planted on slopes. These species will provide soil holding capacity and reduce runoff velocity. The flatter areas will be re-vegetated with the objective of creating a sustainable ecosystem. The occurrence of protected plant species will need to be determined before vegetation is removed and the required permits will be obtained for either destruction or relocation.

8.6 Waste Management

Waste management activities will include:

- Hazardous waste will be managed as per the Minimum Requirements for Handling, Classification and Disposal of Hazardous Waste.
- Non-hazardous will be disposed in the nearby licensed landfill site;
- Scrap and waste steel will be sold to recyclers.
- It may be necessary to fence temporary salvage yards for security reasons, particularly where these are located close to public roads.

9. ENVIRONMENTAL RISK ASSESSMENT

Risks associated with the closure of the prospecting activities are described and a determination was taken to assess the nature of the risk and then risk is ranked according to predetermined criteria for probability and consequence. Five categories were considered to describe the nature of the risk. The nature of the risk was assessed to fall into one of the following categories:

- Health and Safety
- Environment
- Financial
- Legal and regulatory obligations
- Reputational, Social or Community

Once the risks had been captured the probability of the risk occurring as well as the consequence of the risk occurring were rated according to the criteria presented below. A matrix listing the probability and consequence is then used to numerically rank the risk and determine whether the risk level is: High, Moderate to high, Moderate, Moderate to low or Low.

Table 8 Significance rating

Score out of 100	Significance
1 to 20	Low
21 to 40	Moderate to Low
41 to 60	Moderate
61 to 80	Moderate to high
81 to 100	High

Table 9 Methodology

The status of the impact		
Status	Description	
Positive:	a benefit to the holistic environment	
Negative:	a cost to the holistic environment	
Neutral:	no cost or benefit	
The duration of the impact		
Score	Duration	Description
1	Short term	Less than 2 years
2	Short to medium term	2 – 5 years
3	Medium term	6 – 25 years
4	Long term	26 – 45 years
5	Permanent	46 years or more
The extent of the impact		
Score	Extent	Description
1	Site specific	Within the site boundary
2	Local	Affects immediate surrounding areas
3	Regional	Extends substantially beyond the site boundary
4	Provincial	Extends to almost entire province or larger region
5	National	Affects country or possibly world
The reversibility of the impact		
Score	Reversibility	Description
1	Completely reversible	Reverses with minimal rehabilitation & negligible residual affects
3	Reversible	Requires mitigation and rehabilitation to ensure reversibility
5	Irreversible	Cannot be rehabilitated completely/rehabilitation not viable
The magnitude (severe or beneficial) of the impact		
Score	Severe/beneficial effect	Description
1	Slight	Little effect - negligible disturbance/benefit
2	Slight to moderate	Effects observable - environmental impacts reversible with time
3	Moderate	Effects observable - impacts reversible with rehabilitation
4	Moderate to high	Extensive effects - irreversible alteration to the environment
5	High	Extensive permanent effects with irreversible alteration
The probability of the impact		
Score	Rating	Description
1	Unlikely	Less than 15% sure of an impact occurring
2	Possible	Between 15% and 40% sure of an impact occurring
3	Probable	Between 40% and 60% sure that the impact will occur
4	Highly Probable	Between 60% and 85% sure that the impact will occur
5	Definite	Over 85% sure that the impact will occur
The Consequence		= Magnitude + Spatial Scale + Duration + Reversibility.
The Significance		= Consequence x Probability.

Table 10 Outcome of Risk Assessment

Where Significance = Consequence x Probability															
RISK ISSUES DURING CLOSURE	WHAT IS THE ROOT CAUSE OF THE HAZARD?	WHAT ARE THE CONSEQUENCE S?	BEFORE IMPLEMENTATION OF CLOSURE STRATEGY					SIGNIFICANCE RATING	CONCEPTUAL CLOSURE STRATEGY	AFTER IMPLEMENTATION OF CLOSURE STRATEGY					SIGNIFICANCE RATING
			E	D	R	M	P			E	D	I	R	P	
HEALTH AND SAFETY															
Boreholes or excavations which are not properly backfilled may pose health and safety risks such as injuries to animals and local community members accessing the site during post closure activities	Leaving excavations opened	Injuries and loss of livestock	1	2	1	3	3	Negative Moderate Low risk (21)	A security fence including a perimeter fence should be retained to limit access during decommissioning. Once prospecting activities are completed, backfilling should be undertaken as soon as practicable possible	1	2	1	3	2	Negative Low risk (14)
ENVIRONMENTAL															
Operational and decommissioning activities may result in soil being contaminated.	Dismantling of oil storage tanks, and oil drips from machinery.	Change in soil properties	1	2	1	3	3	Negative Moderate low risk (21)	Operational impacts will be remediated as far as possible during operation phase. During closure, contaminated soils with coal particulates and	1	2	1	3	2	Negative low risk (14)

									hydrocarbon will be removed and disposed according to regulatory requirements.							
FINANCIALS																
Delaying closure once prospecting activities are complete may allow for vandalism and interference of infrastructure which may lead to costlier remedial measures being implemented when closure actions are undertaken.	Poor security on site	Loss of equipment	1	2	3	3	3	Negative Moderate low risk (27)	Appropriate security measures will be retained to secure infrastructure until infrastructure can be demolished.	1	2	3	3	2		Negative low risk (18)
Closure material balance not sufficient to implement closure actions leading to environmental impacts remaining unmitigated.	Poor storage of subsurface material	Loss of indigenous backfill material	1	2	3	3	3	Negative Moderate low risk (27)	Material designated for closure will be protected within the operational foot print of the site. However, in the event that insufficient closure material is available, alternative sources will be investigated.	1	2	3	3	2		Negative low risk (18)
The closure quantum has been significantly underestimated and that funds insufficient funds are available to mitigate impacts at closure resulting in legal	Underestimating impacts	Poor rehabilitation of site	1	2	2	3	3	Negative Moderate low risk (24)	K2018268260 will continually evaluate closure liability and will adjust estimates as more information becomes	1	2	2	3	2		Negative low risk (16)

obligations not being discharged.										available relating to operational impacts requiring mitigation, residual and latent closure risks, closure actions and rates for the implementation of the closure actions.							
REPUTATION, SOCIAL OR COMMUNITY																	
Risk that labour expectations are not achieved if there are no livelihood replacement opportunities, leading to unrest of those who loose employment.	Closure of project	Loss of livelihood	2	2	3	2	2		Negative Low risk (18)	Continual engagement with internal stakeholders will be undertaken as described in the Social Labour Plan to assist with the transition to the post closure period.	2	2	3	2	1		Negative low risk (9)

10. CLOSURE COST ESTIMATION

The liability for closure of the aspects associated with the prospecting activities has been determined using the approach advocated by the Department of Mineral Resources (DMR) Guideline Document for the Evaluation of the Quantum of Closure-Related Financial Provisions (2005). The approach to calculating the closure quantum as specified in the DMR Guideline which was utilised in this assessment is as summarized in Table 11 below.

DRAFT

Table 11 Closure Quantum

No.:	Description:	Unit:	A Quantity	B Master rate	C Multiplication factor	D Weighing factor 1	E=A*B*C*D Amount (Rands)
			Step 4.5	Step 4.3	Step 4.3	Step 4.4	
3	Access Roads	m ²	0	R34.05	1	1.1	R0.00
10	General Surface Rehabilitation	ha	0.5	R105372.05	1	1.1	R57954.62
		Subtotal 1	Weighing factor 2 (step 4.4)			1.05	R60852.36
			According to Peri-urban				
		(Sum of total items 3 and 10 multiplied by weighing factors)					
1	Preliminary and General	Add 12% of Subtotal 1 if Subtotal 1 is less than R100,000,000.00					R7302.28
2	Contingencies	10% of Subtotal 1					R6085.24
		Subtotal 2					R74239.88
		VAT (15%)					R11 135.98
		(Subtotal plus VAT)				GRAND TOTAL	<u>R85 375.86</u>

11. MONITORING AND AUDITING

In terms of auditing and monitoring the following will be conducted:

- Internal monitoring, auditing and reporting – a review undertaken by K2018268260 to update the plan to account for changes to the environment and risk profile and to update the liability assessment to reflect liability at that point in time;
- External monitoring, auditing and reporting – a review undertaken by the financial auditors as part of the annual financial/accounting audit to determine that the plan is appropriate and that the quantum of the liability is included in the operations provisions;
- Legislated audits – these are the auditing requirements of the Act, Regulation, EMPr and EA. Pertinent aspects relating to closure, such as changes to the risk assessment, changes in closure options and changes in the quantum of the liability will be reported

The findings from the various audits will be captured in the company's Environmental Management System (EMS) and responsibilities and timelines allocated to the rectification of the findings, as practical. Once addressed, these findings will be closed out, only after a second party has assessed that the finding is appropriately addressed.

The objective of the monitoring programme will be to track the recovery of the site in accordance with the overall closure objectives. The anticipated monitoring will include:

- Surface water: Quality monitoring against parameters as required by DWS
- Groundwater: Quality monitoring of aquifers against the parameters required by DWS
- Erosion monitoring: This will take the form of developing a representative reference site on the disturbed footprints and undertaking visual and topographic assessments to determine erosion rate.
- Vegetation establishment: Vegetation condition will be monitored using standard field techniques to determine whether the vegetation has been established with a species composition and density similar to that of the site prior to prospecting activities.
- Photographic records should be maintained together with findings, follow up actions and close out records as part of the company's Environmental Management System.

12. CONCLUSIONS

K2018268260 (Pty) Ltd will provide for the closure liability associated with the project through the purchase of a Bank Guarantee as allowed by the Financial Provision for Prospecting, Exploration, Mining or Production Operations Regulations, with the Bank Guarantee provided to the DMR following authorisation of the project.

DRAFT