

29 February 2016

Your Ref: 4613; NWREAD EIA Ref: NWP/EIA/62/2013; DEA WMLA Ref: 12/9/11/L1392/7;  
SMS Ref: FOU-POT-12-05-02

**South African Heritage Resources Agency**

PO Box 4637

Cape Town

8001

Attention: Ragna Redelstorff

**RESPONSE TO COMMENTS RECEIVED: CHUBBY CHICK  
RENDERING FACILITY: APPLICATION FOR ENVIRONMENTAL  
AUTHORISATION, WASTE MANAGEMENT-, WATER USE-  
AND ATMOSPHERIC EMISSION- LICENSES**

We hereby acknowledge receipt of SAHRA's comments for the Chubby Chick rendering facility project.

Mr Anton Pelser of APelser Archaeological Consulting was appointed to undertake the necessary site investigation and assessment for the proposed project. His findings, as contained in the document *Anton Pelser. November 2015. Letter of Exemption for Full HIA & Short Report on Site Visit on 6th of November 2015*, indicated that the area where the wastewater collection tank is to be constructed has been extensively disturbed and that, from a Cultural Heritage perspective, the development should be allowed to continue without the required full Phase 1 HIA.

Mr Pelser's *Letter of Exemption for Full HIA & Short Report* was submitted to SAHRA for review via the SAHRIS website on the 16<sup>th</sup> of November 2015.

Regards,



Lizette Crous  
*Environmental Assessment Practitioner*