

DOCUMENT CLASSIFICATION: CONTROLLED DISCLOSURE
ENVIRONMENTAL IMPACT ASSESSMENT AND
WATER USE FOR DISTRIBUTION ACTIVITIES

Unique Identifier: 34-926

Type: DPC

Revision: DRAFT DA

Page: 1 of 13

Annex B - Distribution Environmental Screening Document (DESD)

(Informative)

Rectification Powerlines and Ancillary Services

Ratified and accepted by

Environmental Practitioner


Environmental Specialist

Head of Engineering Survey

(one signature please)

Accepted by Land Owner/s/Users

I have seen the completed document and accept the
recommendations made



X

X

Form completed by K. Mudam Assessor's

Signature: 

In consultation with: X. PALACELOS Signature: 

CAPACITY (e.g. land owner, specialist):

DATE COMPLETED: X. 4. 11. 2015

Instructions

1. Fill the report in as neatly and completely as possible.
 2. Where the question / statement is not applicable mark N/A.
 3. Indicate sensitive areas on a map and/or spanning plans.
 4. When in doubt, consult the Environmental Practitioner in your region.
- The purpose of this DESD is to:
- Determine whether or not the project should be subject to R543 -7, published in terms of the National Environmental Management Act 107 of 1998.
 - Identify and mitigate the negative impact of Eskom's activities to a minimum in line with both Legislation and Eskom's Environmental Policies.
 - This report is a guide to Route Selection, Construction and Field Services.

NOTE Complete the report before the survey!!!

This is not an office exercise.

Extra sheets of paper may be added and referenced if insufficient space has been provided.

ESKOM COPYRIGHT PROTECTED

When downloaded from the IARC WEB, this document is uncontrolled and the responsibility rests with the user
to ensure it is in line with the authorised version on the WEB.

X. 

Annex B
(continued)

1 Project description

Project name/Survey Request MINOR RETIC Area BOORMFONTIEM
Project number S.H.R. 155.0154.87 File number
Rural scheme/ Feeder KLIPGAT Voltage 22
Supply from KOENDESKOP
(scheme name, pole numbers for tee-off)
Supply to K.K. 13/124/29/24
(Farm name, etc.)

2 Properties traversed

Farm name BOORMFONTIEM
Registration number and Division 498 KB Sub-division
Compilation number 2427DC Line length (m) 954.8540m
Farm name
Registration number and Division Sub-division
Compilation number Line length/Site area (m²)

3 Brief description of the surrounding area

Its a bush area, which need bush clearing.

Could the proposed project have an impact on or be constrained by any of the following environmental aspects?

Encircle the appropriate aspect, giving a description of the present state as well as an indication of the possible negative impact. Note that mitigating measures for these impacts are to be included in the Environmental Management Programme.

✓

Annex B
(continued)

4 Physical environment

4.1 Water: streams rivers dams wetlands Springs floodplains OTHER

Present condition: *Good but in*

Potential impact (e.g. threat of pollution): *NO*

4.2 Soil: sandy Rocky clayey OTHER

Present condition: *Good*

Potential impact (e.g. of erosion): *NO*

4.3 Topography mountains ridges hills Valley Ravines dongas OTHER

Present condition: *Its Good.*

Potential impact (e.g. of erosion): *NO*

Comments/mitigating measures:

They must not plant a pole in a donga

DOCUMENT CLASSIFICATION: CONTROLLED DISCLOSURE
ENVIRONMENTAL IMPACT ASSESSMENT AND
WATER USE FOR DISTRIBUTION ACTIVITIES

Unique Identifier: 34-926
Type: DPC
Revision: DRAFT 0A
Page: 4 of 13

Annex B
(continued)

5 Natural environment
5.1 Flora: indigenous Protected exotic OTHER

Brief description and conservation status (e.g. rare, etc., mention trees/bush/grass)

Potential impact (e.g. permit applications) N/A

5.2 Fauna: mammals Birds OTHER

Brief description and conservation status:

(e.g. rare, protected, etc., mention giraffe, elephants, eagles, vultures, etc., mention migratory paths)
The area is a game farm.

Potential impact (e.g. threat of electrocution, collision, etc) N/A

Comments/mitigating measures:

Undesirable. F&F is needed and Graffe Camp.

6 Social environment

6.1 Restricted areas: nature/game reserves hiking trails tourism routes parks recreational areas
Residential areas green belts sacred/holy grounds OTHER

Brief description It a game farm.

ESKOM COPYRIGHT PROTECTED

Annex B
 (continued)

Potential impact e.g. threat of encroachment, etc. *APD*

6.2 Visual aesthetics: easily seen Hidden partially.....

Brief description *The line will be seen easily seen!*

Potential impact

6.3 Natural heritage:	cultural significance	archaeological objects	monuments	palaeontological objects
	graves	Meteorites	Ruins	OTHER.....

Note: Should any natural heritage resource as listed above, or as defined in the National Heritage Resource Act, No 25 of 1999 be identified, the requirements of Act 25 of 1999 shall be followed by notifying the SAHRA. If line or access road length exceeds 300m SAHRA shall be notified.

Potential impact

Comments/mitigating measures

7 Economic environment

7.1 Land use:	crops	Orchards	grazing	crop spraying
	game farming	forestry areas	mining	OTHER

Brief description

ESKOTM COPYRIGHT PROTECTED

DOCUMENT CLASSIFICATION: CONTROLLED DISCLOSURE
ENVIRONMENTAL IMPACT ASSESSMENT AND
WATER USE FOR DISTRIBUTION ACTIVITIES

Unique Identifier: 24-036
Type: DFC
Revision: DRAFT DA
Page: 6 of 13

Annex B
(continued)

Potential impact *N/O*

7.1.1 Commercial: factories Shops OTHER

Brief description *I did not see it.*
Potential impact *N/O*

7.1.2 Infrastructure: roads railways communications air fields
pipelines sewage OTHER

Brief description: *There is existing power line near.*

Potential impact *N/O*

Comments/mitigating measures:
..... *N/O*

ESKOM COPYRIGHT PROTECTED

When downloaded from the IARC WEB, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorised version on the WEB.

Y

(Signature)

DOCUMENT CLASSIFICATION: CONTROLLED DISCLOSURE
ENVIRONMENTAL IMPACT ASSESSMENT AND
WATER USE FOR DISTRIBUTION ACTIVITIES

Unique Identifier: 34-229
Type: DPC
Revision: DRAFT 0A
Page: 7 of 13

Annex B
(continued)

What impact will this project have on elements 4 to 7?

1. Physical
 No impact (0) Medium impact (2) High impact (4)
2. Natural
 No impact (0) Medium impact (2) High impact (4)
3. Social
 No impact (0) Medium impact (2) High impact (4)

Overall impact:

This section addresses the overall environmental impact of the project. The impacts as assessed in the above three spheres (physical, natural and social) need to be considered to determine the overall impact

0 2 4
No impact Medium impact High impact

If the overall impact is between 2 and 4, contact the Environmental Management Officer or the Environmental Senior Superintendent.

Alternatives

Have alternative routes been discussed with the relevant land owners/ or users?

Yes
 No

Detailed study

Is an environmental assessment required in terms of Regulation R543?

Yes
 No

Should a permit application be made to DWA?

Yes
 No

Should the SAHRA be notified?

Yes
 No

ESKOM COPYRIGHT PROTECTED

Annex B - Environmental Management Plan

(continued)

1 General conditions

- 1.1 The Eskom project manager or co-ordinator shall be responsible for ensuring that the land owners have been informed before any work is carried out on site. Contractors shall find out if the landowners have been informed before moving onto site.
- 1.2 No fences, gates or locks shall be damaged to obtain access onto a line route. Arrangements shall be made in advance to obtain permission for access.
- 1.3 Use of private roads shall be arranged in advance. Any damage to private roads shall be repaired at the contractor's expense and to the satisfaction of the landowner. This shall be the responsibility of the project manager or co-ordinator.
- 1.4 Gates shall be left as they are found, i.e. closed gates shall be kept closed and open gates shall be left open. Gates to adjacent properties or onto public roads shall be closed at all times. Any Eskom gates installed on the line route shall be kept closed and locked except while stringing is taking place. Open gates shall be guarded to prevent animals straying and unauthorised persons and vehicles entering into adjacent camps or properties.
- 1.5 Permission shall be obtained from landowners before any water is used.
- 1.6 No fires shall be lit on private property. If fires are lit on Eskom's property or in the construction camp, provision shall be made that no accidental fires are started. No firewood shall be collected in the veld.
- 1.7 If activities that can cause a fire are carried out, fire extinguishers shall be available on site and in the construction camp.
- 1.8 No property may be accessed after normal working hours except with the permission of the landowner. Privacy shall be respected at all times.
- 1.9 Eskom, Eskom's contractors and their employees shall at all times be courteous towards landowners, tenants and the local community.
- 1.10 Eskom, Eskom's contractors and their employees shall not cause damage to property, crops or animals. Activities that may cause conflict with landowners, tenants, the local work force or the local community shall be avoided. Should conflict arise it shall be immediately reported to the Eskom project manager or co-ordinator.
- 1.11 Vehicles shall be driven at a moderate speed on private roads and stay within the statutory speed limit on public roads.
- 1.12 All movement of vehicles shall take place on the established Eskom servitude road or on private roads as agreed in advance. Keep to existing tracks. No movement shall take place through the veld. Special care shall be taken to prevent excess damage during wet weather.

ESKOM® COPYRIGHT PROTECTED

DOCUMENT CLASSIFICATION: CONTROLLED DISCLOSURE
ENVIRONMENTAL IMPACT ASSESSMENT AND
WATER USE FOR DISTRIBUTION ACTIVITIES

Unique Identifier: 84-028

Type: DPC

Revision: DRAFT 0A

Page: 9 of 43

Annex B
(continued)

- 1.13 If any vehicle should get stuck, the damage shall be repaired immediately so that no deep ruts remain.
- 1.14 Any damage to private property shall immediately be reported to Eskom and the owner. The damage shall be rectified immediately if possible and/or appropriate compensation shall be paid to the owner at the discretion of the project manager/co-ordinator in consultation with the property owner. A record of damages and rectifying action shall be kept. The landowner's satisfaction with the outcome of rectifying action shall be obtained in writing.
- 1.15 A proper system of waste management shall be instituted in the construction camp. This entails that sufficient waste bins are available on site and in the construction camp. The waste shall be dumped at an approved waste disposal site. No containers, scrap metal, conductor etc. shall be left on site.
All scrap shall be removed and taken to an appropriate disposal site. No oil, diesel or other chemicals shall be spilled or discarded anywhere. If an accidental spill occurs, it shall be reported immediately and cleaned to the satisfaction of Eskom and the landowner. No waste shall be left in the veld or on the line route.
- 1.16 Washing and toilet facilities shall be provided on site and in the construction camp. The facilities shall comply with Eskom standards and shall have the approval of the landowner.
- 1.17 No human excrement shall be left in the veld. If no toilet facilities are available such waste shall be buried *immediately*.
- 1.18 Herbicides shall only be applied with Eskom's permission and in accordance with the Eskom Policy on Herbicides ESKPBAA04.
- 1.19 Camp and office sites shall be dismantled and removed after completion of the construction phase of the project. The site shall be rehabilitated to as close as possible to its original condition to the satisfaction of the landowner, which shall be in writing.
- 1.20 All excavations shall be enclosed to prevent animals or people from accidentally falling into excavations.
- 1.21 No trees shall be cut or removed without prior permission from the landowner. Permits shall be obtained for the cutting and removal protected trees (protected trees shall be dealt with in 2, Special conditions).
- 1.22 Should any natural heritage object be found, or exposed during excavations, all work shall be terminated immediately and the finding reported to the Project Manager who shall inform the Eskom Environmental Practitioner and the SAHRA.

ESKOM COPYRIGHT PROTECTED

DOCUMENT CLASSIFICATION: CONTROLLED DISCLOSURE
ENVIRONMENTAL IMPACT ASSESSMENT AND
WATER USE FOR DISTRIBUTION ACTIVITIES

Unique Identifier: 84-376
Type: DEC
Revision: DRAFT 0A
Page: 10 of 13

Annex B
(continued)

2 Special conditions

(Specific issues identified during the scoping as needing attention i.e. erosion berms, bird flappers, protected trees, etc.).

*ES a gravel from Gussatte Camp &
bank stable 1st needed.*

ESKOM COPYRIGHT PROTECTED

When downloaded from the IARC WEB, this document is uncontrolled and the responsibility rests with the user
to ensure it is in line with the authorised version on the WEB.

HANDOVER DOCUMENT:

**PERMITS AND LICENSES ASSOCIATED WITH NEW ESKOM Dlx 11-132 kV
 PROJECTS AND MAINTENANCE PROJECTS REQUIRING ENVIRONMENTAL
 PERMITS AND LICENCES**

NEW PROJECTS (A-D)

A) National Environmental Management Act No. 107 of 1998

Section	Description	Y/N	If Yes [Land Development] Have you submitted an application to DEA?	Project Management Has the Environmental Authorisation been obtained?
24	Is this a listed activity according to the Environmental Impact Assessment or Waste regulations?		Y N	Y N
30	Is this activity being carried out under an emergency?		Y N	

B) National Water Act No. 36 of 1998

Section	Description	Y/N	If Yes [Land Development] Have you applied for a water use license from DWA?	Project Management Has the license been obtained?
21 (c)	Can this activity be deemed to divert the flow of water in a watercourse?		Y N	Y N
21 (f)	Can this activity be deemed to be altering the bed, banks, course or characteristics of a watercourse (e.g. wetlands, rivers, springs etc)?		Y N	Y N

C) National Heritage Resources Act No. 25 of 1999

Section	Description	Y/N	If Yes [Land Development] Have you applied for a license from the applicable heritage authority?	Project Management Has the license been obtained?
34	Are you likely to disturb any structure that is older than 60 years, archaeological or palaeontological site or any meteorite or grave?		Y N	Y N
38	Is the power line or access road longer than 300m?		Y N	

ESKOM® COPYRIGHT PROTECTED

D) National Forests Act No. 84 of 1998

Section	Description	Y/N	If Yes [L and Development] Have you applied for a license from the regional Department of Agriculture, Forestry and Fisheries?	Project Management Has the license been obtained?
7	Are you likely to cut, disturb, damage or destroy any indigenous, living tree in, or remove or receive any such tree from, a <u>natural forest</u> ?		Y N	Y N
15	Are you likely to cut, disturb, damage, destroy or remove any protected tree or collect, remove, transport, export, purchase, sell, donate any <u>protected tree</u> ?		Y N	Y N
	Are you likely to encounter a <u>champion tree</u> ?		Y N	Y N

E) Mineral Resource Development Act (Act 28 of 2002)

Section	Description	Y/N	If Yes [L and Development] Have you applied for a permit from the regional Department of Mineral Resources?	Project Management Has the license been obtained?
	Do you need to obtain material from a borrow pit?		Y N	Y N

OPERATION AND MAINTENANCE PROJECTS (A-B).

A) National Forests Act No. 84 of 1998

Section	Description	Y/N	If Yes [Field Services] Have you applied for a license from the regional Department of Agriculture, Forestry and Fisheries?	Project Management/Field Services Has the license been obtained?
7	Are you likely to cut, disturb, damage or destroy any indigenous, living tree in, or remove or receive any such tree from, a <u>natural forest</u> ?		Y N	Y N
15	Are you likely to cut, disturb, damage, destroy or remove any protected tree or collect, remove,		Y N	Y N

ESKOM COPYRIGHT PROTECTED

	transport, export, purchase, sell, donate any protected free?			
	Are you likely to encounter a <u>champion free</u> ?	Y	Has the permit been obtained?	Y
		N		N

E) National Water Act No. 36 of 1998

Section	Description	Y/N	If Yes [Field Services]	Project Management/ Field Services
21 (c)	Can this activity be deemed to <u>divert the flow of water in a watercourse (e.g. repairing a cable)?</u>		Have you applied for a water use license from DWA?	Has the license been obtained? Y N
21 (f)	Can this activity be deemed to be altering the <u>bed, banks, course or characteristics of a watercourse (e.g. wetlands, rivers, springs etc)?</u>		Have you applied for a water use license from DWA?	Has the license been obtained? Y N

COMMENTS

Signed by: _____
 Date: _____

Designation: _____