



ARCUS CONSULTANCY SERVICES SOUTH AFRICA (PTY) LTD

Proposed Construction of the 390MW San Kraal Wind Energy Facility near Noupoort, Northern Cape Province

Visual Impact Assessment Report – Impact Phase

Issue Date: 22 January 2018 Version No.: 3 Project No.: 14198

Date:	22 January 2018	
	Proposed Construction of the 390MW San Kraal Wind Energy	
Document Title:	Facility near Noupoort, Northern Cape Province: Visual Impact	
	Assessment Report – Impact Phase	
	Kerry Schwartz	
	BA (Geography), University of Leeds	
Author:		
	Stephan Jacobs	
	B.Sc. (Hons) Environmental Management & Analysis (UP)	
	B.Sc. Environmental Sciences (UP)	
Version Number:	#3	
	Andrea Gibb	
Checked by: B.Sc. (Hons) Environmental Management (UNISA)		
	BSc Landscape Architecture Cum Laude (UP)	
Approved:	Tarryn Curtis	
Signature:	Terts	
For:	SiVEST Environmental Division	

COPYRIGHT IS VESTED IN SIVEST IN TERMS OF THE COPYRIGHT ACT (ACT 98 OF 1978) AND NO USE OR REPRODUCTION OR DUPLICATION THEREOF MAY OCCUR WITHOUT THE WRITTEN CONSENT OF THE AUTHOR



environmental affairs

Department: Environmental Affairs REPUBLIC OF SOUTH AFRICA

DETAILS OF SPECIALIST AND DECLARATION OF INTEREST

File Reference Number: NEAS Reference Number: Date Received:

(For official	use only)	
10/10/00/	r 10/0/11/	1

12/12/20/ or 12/9/11/L DEA/EIA

Application for integrated environmental authorisation and waste management licence in terms of the-

- (1) National Environmental Management Act, 1998 (Act No. 107 of 1998), as amended and the Environmental Impact Assessment Regulations, 2014; and
- (2) National Environmental Management Act: Waste Act, 2008 (Act No. 59 of 2008) and Government Notice 921, 2013

PROJECT TITLE

Proposed 390MW San Kraal Wind Energy Facility near Noupoort in Umsobomvu Local Municipality in the Northern Cape Province

Specialist:	SiVEST Environmental		
Contact person:	Andrea Gibb		
Postal address:	P.O. Box 2921, Rivonia		
Postal code:	2128	Cell:	072 587 6525
Telephone:	011 798 0638	Fax:	011 803 7272
E-mail:	andreag@sivest.co.za		·
Professional	None		
affiliation(s) (if any)			
Project Consultant:	SiVEST Environmental		
Contact person:	Andrea Gibb		
Postal address:	P.O. Box 2921, Rivonia		
Postal code:	2128	Cell:	072 587 6525
Telephone:	011 798 0638	Fax:	011 803 7272
E-mail:	andreag@sivest.co.za		

4.2 The specialist appointed in terms of the Regulations_

I, _____ Andrea Gibb , declare that -

General declaration:

I act as the independent specialist in this application;

I will perform the work relating to the application in an objective manner, even if this results in views and findings that are not favourable to the applicant;

I declare that there are no circumstances that may compromise my objectivity in performing such work;

I have expertise in conducting the specialist report relevant to this application, including knowledge of the Act, Regulations and any guidelines that have relevance to the proposed activity;

I will comply with the Act, Regulations and all other applicable legislation;

I have no, and will not engage in, conflicting interests in the undertaking of the activity;

I undertake to disclose to the applicant and the competent authority all material information in my possession that reasonably has or may have the potential of influencing - any decision to be taken with respect to the application by the competent authority; and - the objectivity of any report, plan or document to be prepared by myself for submission to the competent authority;

all the particulars furnished by me in this form are true and correct; and

I realise that a false declaration is an offence in terms of regulation 48 and is punishable in terms of section 24F of the Act.

Signature of the specialist:

SiVEST Environmental

Name of company (if applicable):

13 September 2017

Date:

4.2 The specialist appointed in terms of the Regulations_

I, _____, declare that -____, declare that -_____,

General declaration:

I act as the independent specialist in this application;

I will perform the work relating to the application in an objective manner, even if this results in views and findings that are not favourable to the applicant;

I declare that there are no circumstances that may compromise my objectivity in performing such work;

I have expertise in conducting the specialist report relevant to this application, including knowledge of the Act, Regulations and any guidelines that have relevance to the proposed activity;

I will comply with the Act, Regulations and all other applicable legislation;

I have no, and will not engage in, conflicting interests in the undertaking of the activity;

I undertake to disclose to the applicant and the competent authority all material information in my possession that reasonably has or may have the potential of influencing - any decision to be taken with respect to the application by the competent authority; and - the objectivity of any report, plan or document to be prepared by myself for submission to the competent authority;

all the particulars furnished by me in this form are true and correct; and

I realise that a false declaration is an offence in terms of regulation 48 and is punishable in terms of section 24F of the Act.

Schalluh

Signature of the specialist:

SiVEST Environmental

Name of company (if applicable):

13 September 2017

Date:

4.2 The specialist appointed in terms of the Regulations_

I, _____ Stephan Jacobs , declare that -

General declaration:

I act as the independent specialist in this application;

I will perform the work relating to the application in an objective manner, even if this results in views and findings that are not favourable to the applicant;

I declare that there are no circumstances that may compromise my objectivity in performing such work;

I have expertise in conducting the specialist report relevant to this application, including knowledge of the Act, Regulations and any guidelines that have relevance to the proposed activity;

I will comply with the Act, Regulations and all other applicable legislation;

I have no, and will not engage in, conflicting interests in the undertaking of the activity;

I undertake to disclose to the applicant and the competent authority all material information in my possession that reasonably has or may have the potential of influencing - any decision to be taken with respect to the application by the competent authority; and - the objectivity of any report, plan or document to be prepared by myself for submission to the competent authority;

all the particulars furnished by me in this form are true and correct; and

I realise that a false declaration is an offence in terms of regulation 48 and is punishable in terms of section 24F of the Act.

Signature of the specialist:

SiVEST Environmental

Name of company (if applicable):

13 September 2017

Date:

CONTENTS OF THE SPECIALIST REPORT – CHECKLIST FOR APPENDIX 6 (SPECIALIST REPORTS) OF GNR 326

Regulation GNR 326 of 4 December 2014, as amended 7 April 2017,	Section of Report
Appendix 6	
(1) A specialist report prepared in terms of the 2014 EIA Regulations (as a	amended) must contain—
(a) details of –	Section 1.4. Specialist
 the specialist who prepared the report; and 	CV's are included in
ii. the expertise of that specialist to compile a specialist report	Appendix B.
including a <i>curriculum vitae</i> ;	
(b) a declaration that the specialist is independent in a form as may be	Page iii - vi
specified by the competent authority;	
(c) an indication of the scope of, and the purpose for which, the report was	Section 1
prepared;	Section
(cA) an indication of the quality and age of base data used for the	Section 1.5
specialist report;	Section 3
(cB) a description of existing impacts on the site, cumulative impacts of	Section 3
the proposed development and levels of acceptable change;	Section 4
	Section 5
	Section 7
(d) the duration, date and season of the site investigation and the	Section 1.5.1
relevance of the season to the outcome of the assessment;	Section 3
(e) a description of the methodology adopted in preparing the report or	
carrying out the specialised process inclusive of equipment and modelling	Section 1.5
used;	
(f) details of an assessment of the specific identified sensitivity of the site	Section 3
related to the proposed activity or activities and its associated structures	Section 5
and infrastructure, inclusive of a site plan identifying site alternatives;	Section 6
	Section 7
(g) an identification of any areas to be avoided, including buffers;	Section 6
(h) a map superimposing the activity including the associated structures	
and infrastructure on the environmental sensitivities of the site including	Section 6
areas to be avoided, including buffers;	
(i) a description of any assumptions made and any uncertainties or gaps	Section 1.3
in knowledge;	06010111.0
(j) a description of the findings and potential implications of such findings	Section 5
on the impact of the proposed activity or activities;	Section 8
	Section 7
	Section 8
	Section 9
(k) any mitigation measures for inclusion in the EMPr;	Section 7.6

(I) any con	ditions for inclusion in the environmental authorisation;	N/A
	monitoring requirements for inclusion in the EMPr or ental authorisation;	N/A
(n) a reasc	oned opinion—	
.,	nether the proposed activity, activities or portions thereof should a authorized;	
(iA) re and	garding the acceptability of the proposed activity or activities;	
(ii)	if the opinion is that the proposed activity, activities or portions thereof should be authorised, any avoidance, management and mitigation measures that should be included in the EMPr or Environmental Authorization, and where applicable, the closure plan;	Section 10.1
. ,	ription of any consultation process that was undertaken during a of preparing the specialist report;	Details of any consultation process that was undertaken during the course of preparing the specialist report is included in Appendix D.
	nmary and copies of any comments received during any on process and where applicable all responses thereto; and	All correspondence / feedback regarding the visual environment received to date is included in Section 7.2 as well as in Appendix D .
(q) any oth	ner information requested by the competent authority	No information regarding the visual study has been requested from the competent authority.
protocol or	a government notice gazetted by the Minister provides for any r minimum information requirement to be applied to a specialist requirements as indicated in such notice will apply.	N/A

ARCUS CONSULTANCY SERVICES SA (PTY) LTD

PROPOSED CONSTRUCTION OF THE 390MW SAN KRAAL WIND ENERGY FACILITY NEAR NOUPOORT, NORTHERN CAPE PROVINCE

VISUAL IMPACT ASSESSMENT REPORT – IMPACT PHASE

Contents

Page

1	INTRODUCTION	1
1.1	Project Description	1
1.2	Site Location	<u>6</u>
1.3	Assumptions and Limitations	9
1.4	Specialist Credentials	<u>13</u>
1.5	Assessment Methodology	_18
2	FACTORS INFLUENCING VISUAL IMPACT	_20
2.1	Subjective experience of the viewer	_20
2.2	Visual environment	20
2.3	Type of visual receptor	_21
2.4	Viewing distance	_21
3	VISUAL CHARACTER AND SENSITIVITY OF THE STUDY AREA	22
3.1	Physical and Land Use Characteristics	_22
3.2	Visual Character	.54
3.3	Visual Sensitivity	58
4 ASS	GENERIC VISUAL IMPACTS ASSOCIATED WITH THE WEF AND SOCIATED INFRASTRUCTURE	.60
Arcus Consultancy Services SA (Pty) Ltd prepared by: SiVEST Environmental Division Proposed 390MW San Kraal Wind Energy Facility – EIA Phase VIA Report		

4.1	Wind Energy Facilities	60
5	SENSITIVE VISUAL RECEPTORS	64
5.1	WIND ENERGY FACILITY RECEPTORS	65
5.2	POWER LINE RECEPTORS	79
6	VISUAL SENSITIVITY ANALYSIS	86
7		88
7.3	Visual Modelling	99
7.4	Night Time Impacts	108
7.5	Visual Impacts of Associated Infrastructure	
7.6	Overall Visual Impact Rating	
8		119
9	COMPARATIVE ASSESSMENT OF ALTERNATIVES	132
10	CONCLUSION	137
10.1	Visual Impact Statement	140
11	REFERENCES	141

List of Figures

Figure 1: Typical components of a wind turbine
Figure 2: Conceptual wind farm electricity generation process showing electrical
connections4
Figure 3: Regional Context Map7
Figure 4: Locality Map
Figure 5: Diagram illustrating diminishing visual exposure over distance
Figure 6: View of the topography within the wider study area around the site proposed for
the San Kraal WEF showing the mix of very flat plains (typical of much of the Karoo), as well as areas of much greater relief, including isolated dolerite-capped "koppies" and hilly terrain
Figure 7: View of the town of Noupoort from the N9 national route showing the hills / "koppies" which flank the town to the east

Figure 9: View of the area to the north the town of Noupoort showing the flat Karoo plains
and isolated "koppies" which this area is characterised by
Figure 10: View of the area to the west of the town of Noupoort showing the flat Karoo
plains and isolated "koppies" which this area is characterised by
Figure 11: View of the terrain to the south of the town of Noupoort which is more hilly in
character as a result of the more incised nature of the topography
Figure 12: View of the terrain to the east of the town of Noupoort which is more hilly in
character as a result of the more incised nature of the topography
Figure 13: Topography Map
Figure 14: Slope Map
Figure 15: View of an area of flat relief found within the wider study area around the site
proposed for the San Kraal WEF which is characterised by wide ranging vistas
Figure 16: View from within an incised valley in the south-western section of the visual
assessment zone which shows the limited viewshed from within this area
Figure 17: View from within a higher-lying part of the study area / visual assessment zone
where a much wider view or vista is available over a wide area
Figure 18: Map showing the potential visual influence of the proposed WEF based on the
worst case turbine layout
Figure 19: Typical vegetation cover found within the wider study area as well as within
the proposed San Kraal WEF application site
Figure 20: Example of some of the tree species (some relatively large and some low)
which can be found in parts of the study area / visual assessment zone
Figure 21: Example of tall trees that have been established around a farmhouse in the
area
Figure 22: Vegetation Classification Map40
Figure 23: Typical view of the sheep farming activities which are dominant within the study
area41
Figure 24: Typical view of an area within the wider study area which is characterised by
cultivation42
Figure 25: Example of typical pastoral elements (such as livestock enclosures / camps
and windmills) which can be found within parts of the study area / visual assessment zone,
especially in areas where livestock rearing and other agricultural practices are taking
place
Figure 26: View of the town of Noupoort. The wind turbines of the Noupoort Wind Farm
are visible on the hills / "koppies" to the east of this town
Figure 27: View of the N9 national route which traverses the study area / visual
assessment zone in a north-south direction
Figure 28: View of the railway line which traverses the study area / visual assessment
zone in a north-south direction
Figure 29: View of the N10 national route which runs through the south-western section
of the study area / visual assessment zone in an east-west direction
Figure 30: View of the R389 gravel road. Only a small section of this road is found within
the northern part of the study area / visual assessment zone (near the town of Nouport)
and runs in an east-west direction
Figure 31: View of the Noupoort Wind Farm which can be found in the north-eastern
sector of the study area / visual assessment zone and is directly adjacent to the proposed
San Kraal WEF
Figure 32: View of the wind turbines of the Noupoort Wind Farm which can be found in
the north-eastern sector of the study area / visual assessment zone and can be seen from

within the town of Noupoort as well as from other parts of the study area / visual Figure 33: Typical natural or 'pastoral' visual character found within the rural or Figure 34: Example of high levels of human transformation which is evident in the vicinity Figure 36: View from within the town of Noupoort showing the urban visual character. 55 Figure 37: View toward the Noupoort Wind Farm from the northern section of the N9 Figure 38: View of some of the various hilly / mountainous terrain which occurs within the application site and within the wider study area......57 Figure 39: View of the main guestroom / guesthouse facility at The Dairy BnB (VR 28). Figure 40: View of the backpacker's accommodation facility at The Dairy BnB (VR 28)67 Figure 41: View of the typical pastoral elements and other anthropogenic elements (such Figure 42: View towards the proposed San Kraal WEF Application Site from VR 28 (The Dairy BnB) showing the largely natural /scenic views with pastoral elements present. The screening factors surrounding this receptor are expected to block most views towards the Figure 43: View towards the town of Noupoort from VR 28 (The Dairy BnB). The town is slightly visible from this receptor and is expected to reduce the visual character of the area Figure 44: View of the entrance of the Carlton Heights Lodge (VR 36) which is accessible via the N9 and N10 national routes......71 Figure 45: View of the accommodation facilities (farmhouse) which can be found at the Figure 46: View towards the proposed San Kraal WEF Application Site from VR 36 showing the largely natural / scenic views from this receptor, as well as the series of tall trees located to the north-east of the main questhouse (towards the proposed San Kraal WEF) which are expected to obscure most views towards the proposed development. 73 Figure 47: View of the existing power lines which are visible from VR 36......74 Figure 48: Sensitive and Potentially Sensitive Visual Receptors within the WEF Study Figure 49: View from the N10 national route showing the largely untransformed nature of the south-western section of the visual assessment zone for the power line corridor. ...82 Figure 50: View of some of the existing power lines which are visible from parts of the N9 national route......83 Figure 51: View of some of the typical tall linear anthropogenic elements which can be seen from the N9 and N10 national routes.84 Figure 52: Sensitive and Potentially Sensitive Visual Receptors within the Power Line Study Area85 Figure 54: Existing view to the south-east (SE) from VR 28 – The Dairy BnB, towards the proposed San Kraal WEF turbine locations (approximately 4.4km from the nearest Figure 55: Visually modelled post-construction view to the south-east (SE) from VR 28 -The Dairy BnB, towards the proposed San Kraal WEF turbine locations (approximately

Figure 56: Existing view (to the west) towards the proposed San Kraal WEF turbine locations from the eastern section of the visual assessment zone (within the San Kraal WEF application site), approximately 1.2km from the nearest proposed turbine location

Figure 57: Visually modelled post-construction view (to the west) towards the proposed San Kraal WEF turbine locations from the eastern section of the visual assessment zone (within the San Kraal WEF application sire), approximately 1.2km from the nearest Figure 58: Existing view (to the south-west) towards the proposed San Kraal WEF turbine locations from the north-eastern section of the visual assessment zone, showing the existing Noupoort Wind Farm......104 Figure 59: Visually modelled post-construction view (to the south-west) towards the proposed San Kraal WEF turbine locations from the north-eastern section of the visual assessment zone, approximately 3km from the nearest proposed turbine location 105 Figure 60: Existing view to the north north-east (NNE) from VR 36 – Carlton Heights Lodge, towards the proposed San Kraal WEF turbine locations (approximately 6km from Figure 61: Visually modelled post-construction view to the north north-east (NNE) from VR 36 – Carlton Heights Lodge, towards the proposed San Kraal WEF turbine locations Figure 62: View of the series of tall trees found to the north-east (NE) of the main guesthouse at VR 36 which are expected to provide a moderate amount of screening108 Figure 63: Renewable energy facilities proposed within a 35km radius of the San Kraal

List of Tables

Table 1: Environmental factors used to define visual sensitivity of the study area59 Table 2: Visual receptor locations sensitive and/or potentially sensitive to the proposedSan Kraal WEF75
Table 3: Visual receptor locations sensitive and/or potentially sensitive to the proposed
132kV power line linking the proposed San Kraal WEF to the proposed Umsobomvu MTS Substation 79
Table 4: Visual receptor locations potentially sensitive to the proposed Dual Turn-In lines
connection the proposed Umsobomvu Substation with the existing 400kV power lines 81
Table 5: Visual assessment matrix used to rate the impact of the proposed development
on sensitive and potentially sensitive visual receptors 90
Table 6: Ratings scores 92
Table 7: Visual impact of the proposed WEF development on sensitive and potentially
sensitive visual receptors within the study area / visual assessment zone 93
Table 8: Visual impact of Preferred Power Line Corridor Alternative on sensitive and
potentially sensitive visual receptors within the study area / visual assessment zone 95
Table 9: Visual impact of Power Line Corridor Alternative 2 on sensitive and potentially
sensitive visual receptors within the study area / visual assessment zone 96
Table 10: Visual impact of Power Line Corridor Alternative 1 on sensitive and potentially
sensitive visual receptors within the study area / visual assessment zone 97
Table 11: Rating of visual impacts of the proposed San Kraal WEF during construction
112
Table 12: Rating of visual impacts of the infrastructure associated with the San Kraal WEF
during construction 112

 Table 13: Rating of cumulative visual impacts as a result of the San Kraal WEF in addition to the other renewable energy developments (including associated infrastructure) proposed nearby during construction
 113

 Table 14: Rating of visual impacts of the proposed San Kraal WEF during operation
 115

 Table 15: Rating of visual impacts of the infrastructure associated with the San Kraal WEF during operation
 116

 Table 16: Rating of cumulative visual impacts of the San Kraal WEF in addition to the other renewable energy developments (including associated infrastructure) proposed nearby during operation
 117

 Table 17: Renewable energy developments proposed within a 35km radius of the San Kraal WEF
 119

 Table 18: Literature Review - Summary of Final Significance Ratings of Other Visual Impact Assessments / Studies Undertaken for the Other nearby Proposed Renewable Energy Developments
 128

 Table 19: Comparative Assessment of Alternatives
 132

 Table 20: Literature Review - Detailed Table with Visual Impacts taken into Consideration, Proposed Mitigation Measures and Significance Rating of Visual Impacts after Mitigation for Nearby Proposed Renewable Energy Developments
 146

Appendices

Appendix A: Impact Rating Methodology

Appendix B: Specialist CV's

Appendix C: **Table 20:** Literature Review - Detailed Table with Visual Impacts taken into Consideration, Proposed Mitigation Measures and Significance Rating of Visual Impacts after Mitigation for Nearby Proposed Renewable Energy Developments

Appendix D: Correspondence / feedback regarding the visual environment received to date

GLOSSARY OF TERMS

ABBREVIATIONS

DEIAR	Draft Environmental Impact Assessment Report
DoE	Department of Energy
DTM	Digital terrain model
DSR	Draft Scoping Report
EIA	Environmental Impact Assessment
FEIAR	Final Environmental Impact Assessment Report
FSR	Final Scoping Report
GIS	Geographic Information System
I&AP	Interested and/or Affected Party
kV	Kilovolt
MTS	Main Transmission Substation
MW	Megawatt
NGI	National Geo-spatial Information
O&M	Operation & Maintenance
REIPPP	Renewable Energy Independent Power Producer Programme
ROD	Record of Decision
SANBI	South African National Biodiversity Institute
VIA	Visual Impact Assessment
WEF	Wind Energy Facility

DEFINITIONS

Anthropogenic feature: An unnatural feature as a result of human activity.

Aspect: Direction in which a hill or mountain slope faces.

Cultural landscape: A representation of the combined worlds of nature and of man illustrative of the evolution of human society and settlement over time, under the influence of the physical constraints and/or opportunities presented by their natural environment and of successive social, economic and cultural forces, both external and internal (World Heritage Committee, 1992).

Sense of place: The unique quality or character of a place, whether natural, rural or urban. It relates to uniqueness, distinctiveness or strong identity.

Scenic route: A linear movement route, usually in the form of a scenic drive, but which could also be a railway, hiking trail, horse-riding trail or 4x4 trail.

Sensitive visual receptors: An individual, group or community that is subject to the visual influence of the proposed development and is adversely impacted by it. They will typically include locations of human habitation and tourism activities.

Study area: The study area is assumed to encompass a zone of 8km (not factoring the curvature of the earth's surface) from the proposed turbine locations and 5km from the proposed power line corridors, and is also referred to as the visual assessment zone.

Vantage point: A point in the landscape from where a particular project or feature can be viewed.

Viewpoint: A point in the landscape from where a particular project or feature can be viewed.

Viewshed: The outer boundary defining a visual envelope, usually along crests and ridgelines.

Visual assessment zone: The visual assessment zone / study area is assumed to encompass a zone of 8km (not factoring the curvature of the earth's surface) from the proposed turbine locations and 5km from the proposed power line corridors.

Visual character: The physical elements and forms and land use related characteristics that make up a landscape and elicit a specific visual quality or nature. Visual character can be defined based on the level of change or transformation from a completely natural setting.

Visual contrast: The degree to which the development would be congruent with the surrounding environment. It is based on whether or not the development would conform with the land use, settlement density, forms and patterns of elements that define the structure of the surrounding landscape.

Visual envelope: A geographic area, usually defined by topography, within which a particular project or other feature would generally be visible.

Visual exposure: The relative visibility of a project or feature in the landscape.

Visual impact: The effect of an aspect of the proposed development on a specified component of the visual, aesthetic or scenic environment within a defined time and space.

Visual receptors: An individual, group or community that is subject to the visual influence of the proposed development but is not necessarily adversely impacted by it. They will typically include commercial activities and motorists travelling along routes that are not regarded as scenic.

Visual sensitivity: The inherent sensitivity of an area to potential visual impacts associated with a proposed development. It is based on the physical characteristics of the area (visual character), spatial distribution of potential receptors, and the likely value judgements of these receptors towards the new development, which are usually based on the perceived aesthetic appeal of the area.

ARCUS CONSULTANCY SERVICES SA (PTY) LTD

PROPOSED CONSTRUCTION OF THE 390MW SAN KRAAL WIND ENERGY FACILITY NEAR NOUPOORT, NORTHERN CAPE PROVINCE

VISUAL IMPACT ASSESSMENT REPORT – IMPACT PHASE

1 INTRODUCTION

San Kraal Wind Power (Pty) Ltd is proposing to construct a wind energy facility (WEF) near Noupoort in the Northern Cape Province. In accordance with the Department of Energy's (DoE's) Renewable Energy Independent Power Producer Procurement Programme ('REIPPPP') bid requirements, InnoWind (Pty) Ltd (hereafter referred to as InnoWind) established San Kraal Wind Power (Pty) as a Special Purpose Vehicle (SPV) that will be used to own all the authorisations, contracts, permits and licenses required to lawfully build and operate the Proposed San Kraal Wind Power (Pty). InnoWind has appointed Arcus Consultancy Services SA (Pty) Ltd (hereafter referred to as Arcus) to undertaken the required Environmental Impact Assessment (EIA). The proposed development will consist of a 390MW generation capacity WEF with associated infrastructure referred to as San Kraal WEF.

SiVEST has been appointed to undertake a visual impact assessment (VIA) for the proposed construction of the San Kraal WEF as part of the EIA study being conducted by Arcus. During the Scoping Phase of the EIA, a scoping-level visual impact assessment study was conducted to identify key visual issues relating to the development of the wind farm within this context and determine the potential extent of the visual impact. This was done by characterising the visual environment of the area and identifying areas of potential visual sensitivity that may be subject to visual impacts. This visual assessment undertaken during the EIA phase focuses on the potentially sensitive receptor locations, and provides an assessment of both the magnitude and significance of the visual impacts associated with the proposed development.

1.1 **Project Description**

Although the entire assessed site for the proposed San Kraal WEF is approximately 10 512 hectares (ha) in extent, the nature of the terrain and the exclusion of sensitive areas identified by

several specialist studies during the EIA process has greatly reduced the amount of land available for the proposed WEF development. The actual footprint of the proposed WEF, including wind turbines and associated infrastructure, will be placed strategically within this buildable area and is estimated to occupy less than 1% of the application site. The electricity generated by the proposed WEF will be fed into the national grid at the proposed Umsobomvu Main Transmission Substation (MTS) via a proposed 132kV power line.

At this stage, it is proposed that the development will consist of up to 78 wind turbines and associated infrastructure with a total generation capacity of 390MW. As mentioned above, the generated electricity will be fed into the national grid at the proposed Umsobomvu MTS via a 132kV power line with a length of approximately 23km, depending on the route alternative selected.

1.1.1 Turbines

The size of the wind turbines will depend on the development area and the total generation capacity that can be produced as a result. The wind turbines are likely to have a hub height of up to 150m, a rotor diameter of up to 150m and a blade length of up to 75m (Figure 1). Each wind turbine will have a foundation as well as a hardstand area / platform which will be required for turbine crane usage. There will be up to 78 wind turbines constructed with a capacity of up to 390MW. The electrical generation capacity for each turbine will range between 3MW and 5MW, depending on the final turbine type selected for the proposed development.




Figure 1: Typical components of a wind turbine

1.1.2 WEF Electrical Infrastructure

The electrical infrastructure includes a new on-site medium voltage/132kV substation (180 000m²) known as the San Kraal Substation, and an on-site switching station (10 000m²) connected by way of an overhead medium voltage cable (approximately 4km in length). The proposed wind turbines will be connected to the proposed on-site switching station by way of medium voltage underground cables (**Figure 2**) except where a technical assessment of the proposed design suggests that overhead lines are more appropriate such as over rivers, gullies and long runs. As mentioned, the proposed WEF will connect to the national grid by way of a 132kV power line, with a maximum length of approximately 23km, linking the on-site substation to the proposed Umsobomvu MTS 132/400kV Substation. Proposed Dual Turn-In lines will link the proposed Umsobomvu Substation

to the existing Hydra/Poseidon 400kV power lines. This includes a short 400kV line corridor that will run from the Umsobomvu Substation to the existing 400kV Eskom Grid, via a loop-in-loop-out connection. An EA for the proposed Dual Turn-In Lines already exists and formed part of the Umsobomvu Record of Decision (ROD). Despite the fact that these Dual Turn-In lines form part of a split EA amendment that will separate the Eskom infrastructure, they have been assessed as part of this VIA.

A power line corridor of approximately 1km wide is being assessed for the proposed overhead medium voltage power line as well as for the 132kV power lines to allow flexibility when determining the final route alignment of these power lines. In addition, a 100m area surrounding the proposed Umsobomvu Substation forms part of each corridor alternative, and has been assessed as part of each. Thereby, each grid alternative has the option of entering the substation from any direction (e.g. if the grid approaches the Umsobomvu Substation from the north, but needs to enter a bay in the south, then the 100m area allows the option of going around the substation in order to enter at the south). It should be noted that three (3) power line corridor alternatives for the proposed 132kV power line have been assessed in conjunction with three (3) corridor options for the proposed Turn-In lines.




Figure 2: Conceptual wind farm electricity generation process showing electrical connections

1.1.3 Roads

Internal access roads with a maximum width of 14m are initially being proposed for the construction phase. This is however only temporary as the width of the proposed internal access roads will be reduced to approximately 8m for maintenance purposes during the operational phase.

1.1.4 **Operations and Maintenance Facilities**

The operation and maintenance (O&M) facilities will be located on the proposed San Kraal Substation site which is approximately 180 000m² in extent.

1.1.5 Batching Plant, Temporary Lay Down Area and Construction Compound

Two (2) site alternatives with an area of 90 000m² have been proposed for the batching plant, temporary laydown area and construction compound. A comparative assessment of alternatives has been undertaken for these two (2) proposed site alternatives.

1.1.6 Other Temporary Infrastructure

Other temporary infrastructure will include an area of approximately 7500m² per turbine to accommodate site camps and temporary laydown areas.

The key technical details of the infrastructural components are presented below:

- Up to 78 turbines with a generation capacity between 3 5MW and a rotor diameter of up to 150m, a hub height of up to 150m and blade length of up to 75m;
- Foundations (up to 25 x 25m) and hardstands associated with the wind turbines; •
- Internal access roads of between 8m (during operation) and 14m (during construction) wide to each turbine;
- Medium voltage underground electrical cables will be laid to transmit electricity generated • by the wind turbines to the on-site switching station or substation;
- Overhead medium voltage cables between turbine rows where necessary;
- An on-site switching station (10 000m²); .
- An 4km medium voltage overhead line connecting the on-site switching station with the onsite medium voltage/132kV substation;
- An on-site substation and OMS complex (180 000m²) to facilitate stepping up the voltage • from medium to high voltage (132kV) to enable the connection of the WEF to the proposed

Umsobomvu WEF 132/400kV Substation, and the generated power will be fed into the national grid;

- A 23km 132kV high voltage overhead power line from the on-site substation to the proposed 400kV Umsobomvu substation to the national grid;
- Three (3) Dual Turn-In line alternatives which will link the proposed Umsobomvu Substation to the existing Hydra/Poseidon 400kV power lines. This includes a short 400kV line corridor that will run from the Umsobomvu Substation to the existing 400kV Eskom Grid, via a loop-in-loop-out connection. As mentioned, an EA for the proposed Dual Turn-In lines already exists and formed part of the Umsobomvu ROD;
- Two (2) 90 000m² alternative areas for batching plants, temporary laydown area and construction compound;
- Temporary infrastructure including a site camp; and
- A laydown area approximately 7500m² in extent, per turbine.

1.2 Site Location

The proposed WEF is located approximately 8km south-east of the town of Noupoort within the Northern Cape Province. The application site is located in the Umsobomvu Local Municipality (LM), although a small portion of the application site extends across the Municipal/Provincial Boundary into Inxuba Yethemba LM within the Eastern Cape Province (**Figure 3**). The application site comprises several farms and is approximately 10 512 ha in extent. As shown in **Figure 4** below, the actual footprint of the proposed WEF development is estimated to be less than 1% of this area.




Figure 3: Regional Context Map

Arcus Consultancy Services SA (Pty) Ltdprepared by: SiVEST Environmental DivisionProposed 390MW San Kraal Wind Energy Facility – EIA Phase VIA Report

Version No. 3




Figure 4: Locality Map

Arcus Consultancy Services SA (Pty) Ltd prepared by: SiVEST Environmental Division Proposed 390MW San Kraal Wind Energy Facility – EIA Phase VIA Report

Version No. 3

1.3 Assumptions and Limitations

- The identification of visual receptors has been based on a combination of desktop • assessment as well as field-based observation. Initially Google Earth imagery was used to identify potential receptors within the study area. Thereafter a site visit was undertaken from the 11th to the 14th of September 2017 in order to verify the sensitive visual receptors within the study area and assess the visual impact of the development from these receptor locations. Due to the extensive area covered by the study area, a number of broad assumptions have been made in terms of the sensitivity of the receptors to the proposed development. It should be noted that not all receptor locations would necessarily perceive the proposed development in a negative way. This is usually dependent on the use of the facility and the economic dependency on the scenic quality of views from the facility. Sensitive receptor locations typically include sites that are likely to be adversely affected by the visual intrusion of the proposed development. They include; tourism facilities and scenic locations within natural settings. The presence of a receptor in an area potentially affected by the proposed development does not thus necessarily mean that a visual impact will be experienced.
- Wind turbines are very large structures by nature and could impact on receptors that are located relatively far away, particularly in areas with very flat terrain. Given the nature of the receiving environment and the height of the proposed wind turbines, the study area or visual assessment zone is assumed to encompass a zone of 8km from the proposed WEF i.e. an area of 8km (not factoring the curvature of the earth's surface) from the proposed turbine locations. This 8km limit on the visual assessment zone was applied because distance is a critical factor when assessing visual impacts and although the WEF may still be visible beyond 8km, the degree of visual impact would diminish considerably. As such the need to assess the impact on potential receptors beyond this distance would not be warranted. From this distance haze may impede views toward the structures, making them appear to blend with the horizon and reducing the visual contrast between the turbines and the landscape.
- In assessing the potential visual impacts for the proposed 132kV power line, the study area or visual assessment zone is assumed to encompass a zone of 5km from the proposed development – i.e. all areas within a 5km radius of the power line alternatives.
- During the site visit, it was observed that a few of the farmsteads / residential dwellings identified via desktop means (i.e. Google Earth) during the scoping phase of this study have been abandoned. No further assessment was therefore undertaken from these abandoned farmsteads / residential dwellings and they were eliminated from the list of potentially sensitive receptor locations for the purpose of this EIA phase study.

- Some receptors identified during the scoping phase of this study were found to be farmsteads on properties which form part of the proposed development and the owners of these properties would benefit financially from the proposed development. These farmsteads would therefore not be visually sensitive to the proposed WEF and were eliminated from the list of potentially sensitive receptor locations for the purpose of this EIA phase study. It should however be noted that some of these farmsteads were not eliminated from the list of potentially sensitive receptor locations as they are still currently occupied (either by the owners or tenants) and according to the socio-economic specialist, could still perceive the proposed WEF in a negative light. In addition, these farmsteads could become potentially sensitive receptor locations in the future (Barbour, T and van der Merwe, S., September 2017). These receptors are thus still regarded as potentially sensitive visual receptor locations.
- All sensitive visual receptor locations which were identified were visited and investigated from a visual perspective during the time of the site visit. However, due to access limitations and time constraints during the site visit, not all of the identified potentially sensitive visual receptor locations (such as farmsteads and/or residential dwellings) could be visited and investigated further and therefore the impact rating assessment of the proposed development on these receptor locations was undertaken primarily via desktop means. Although the use of all of these farmsteads / residential dwellings could not be established during the field investigation, they were still regarded as being potentially sensitive to the visual impacts associated with the proposed wind farm and were assessed as part of the VIA.
- A matrix has been developed to assist in the assessment of the potential visual impact at each receptor location. The limitations of quantitatively assessing a largely subjective or qualitative type of impact should be noted. The matrix is relatively simplistic in considering five (5) main parameters relating to visual impact, but provides a reasonably accurate indicative assessment of the degree of visual impact likely to be exerted on each receptor location by the proposed wind energy facility. The matrix should therefore be seen as a representation of the likely visual impact at a receptor location. The results of the matrix should be viewed in conjunction with the visualisation modelling to gain a full understanding of the likely visual impacts associated with the proposed development.
- Due to the varying scales and sources of information as well as the fact that only 20m contours were available to establish the Digital Terrain Model (DTM); maps and visual models may have minor inaccuracies. As such, only large scale topographical variations have been taken into account and minor topographical features or small undulations in the landscape may not be depicted on the DTM.

- A viewshed analysis was undertaken for the proposed WEF based on the layout available at the time of undertaking the EIA phase visual study. The viewshed analysis was undertaken from each turbine location. The worst-case scenario, in which the wind turbines would have a maximum height of 225m was assumed when undertaking the analysis. The other infrastructure associated with the proposed wind farm was not factored into the viewshed analysis. In addition, screening provided by any existing infrastructure and tall wooded vegetation were not factored into the analysis. It should be noted that detailed topographic data was not available for the entire study area and as such, the viewshed analysis does not take into account any localised topographic variations which may constrain views. The viewshed analysis should therefore be seen as a conceptual representation or a worst-case scenario which rates the geographical area from where the proposed wind farm could be visible from.
- A visual sensitivity analysis was undertaken for the proposed WEF based purely on topographic data available for the broader study area. Localised topographic variations, existing infrastructure and / or vegetation which may constrain views were not factored into the analysis. In addition, the analysis does not take into account differing perceptions of the viewer which largely determine the degree of visual impact being experienced. This sensitivity analysis should therefore be seen as a conceptual representation or a worstcase scenario which rates the visibility of the site in relation to potentially sensitive receptors.
- Some feedback regarding the visual environment has been received following the site visit and this feedback has been incorporated into this report. All correspondence / feedback regarding the visual environment received to date is included in **Appendix D**.
- As previously mentioned, ground-truthing was undertaken between the 11th of September 2017 and the 14th of September 2017, during which time the visual character of the area was investigated.
- Operational and security lighting will be required for the proposed WEF and the associated infrastructure proposed within the development footprint. At the time of undertaking the visual study no information was available regarding the type and intensity of lighting required and therefore the potential impact of lighting at night has not been assessed at a detailed level. As such, the night-time environment in the study area was not characterised. General measures to mitigate the impact of additional light sources on the ambiance of the nightscape have however been provided.
- This EIA phase visual assessment has focused on the proposed development site and the development layout as provided by the client at the time of writing this report.

- The assessment of receptor-based impacts has been based on the turbine layout provided by the proponent. It is however recognised that this layout is subject to changes based on a number of potential factors, including the findings of the EIA studies. The turbine locations may thus move, which may result in greater or lesser visual impacts on receptor locations. It should be noted that the proposed layout was amended in December 2017 and the turbine numbers were subsequently reduced taking the EIA phase specialist findings into consideration. As such, the current turbine layout is expected to result in lesser visual impacts on the identified receptor locations.
- A cumulative impact assessment has been undertaken to provide a representation of the number of proposed renewable energy facilities likely to be visible from each sensitive and potentially sensitive receptor location, if they were all constructed. Factors affecting visibility, such as localised screening from trees or topographical undulations have not been factored into the cumulative impact assessment.
- The only layout information that could be sourced for the proposed renewable energy facilities which are planned in close proximity to the proposed San Kraal WEF includes that for the proposed Phezukomoya WEF. The distance of the potentially sensitive receptor locations from the actual layout could therefore not be utilised to determine whether the receptor is likely to be visually exposed to the development. As such, the distance from the farm on which each development is proposed was used to calculate the cumulative visual impact.
- Despite the fact that the proposed Dual Turn-In lines which will link the proposed Umsobomvu Substation to the existing Hydra/Poseidon 400kV power lines form part of a split EA amendment that will separate the Eskom infrastructure, they have been assessed as part of this VIA.
- A literature review of visual impact assessments / studies which were undertaken for the other renewable energy developments (both solar and wind) proposed within a 35km radius of the proposed San Kraal WEF was undertaken to ascertain any additional cumulative impacts that should be taken into consideration. Some of the project sites are at a very advanced stage, and the initial studies were undertaken in 2012 and are therefore no longer publically available. In addition, visual impact assessments / studies could not be sourced for all of the other nearby renewable energy developments proposed nearby and thus some visual studies were omitted from the literature review. The literature review was also based on the information which was available at the time and as such, all renewable energy facilities may not be included. Additionally, there could be minor inaccuracies in terms of property information / status etc.
- Visualisation modelling was undertaken for the proposed WEF, although not from all potential receptor locations. An indicative range of locations was selected for modelling

purposes to provide an indication of the possible impacts from different locations within the study area. It should be noted that this modelling is specific to the location, and that even sites in close proximity to one another may be affected in different ways by the proposed WEF. The visual models represent a visual environment that assumes all vegetation cleared during construction will be restored to its current state after the construction phase. This is however, an improbable scenario as some trees and shrubs may be removed which may reduce the accuracy of the models generated. At the time of this study the proposed project was still in its early planning stages. Therefore, the turbine layouts, as provided by Innowind, may change and the infrastructure associated with the facility has not be included in the models.

- Most rainfall within the area occurs from February to March, during the late summer months. It should be noted that the fieldwork was undertaken in September 2017, during early spring time when the surrounding vegetation is expected to provide less potential screening than in the late summer months.
- The weather conditions in the study area also have certain visual implications and are expected to affect the visual impact of the proposed development to some degree. As mentioned above, the fieldwork was undertaken during the early spring which is characterised by clear weather conditions. It should be noted that clear conditions would make the wind turbines appear to contrast more from the surrounding environment than they would on a cloudy overcast day. The weather conditions during the time of the study were therefore taken into consideration when undertaking the impact rating for each identified potentially sensitive receptor location (Section 7.1).

1.4 Specialist Credentials

This VIA has been undertaken by Andrea Gibb, Stephan Jacobs and Kerry Schwartz from SiVEST. Andrea Gibb has 9 years' work experience and specialises in undertaking visual impact and landscape assessments, by making use of ArcGIS technology and field surveys. Andrea Gibb's project experiences with regards to VIAs is included in the table below.

Environmental	SiVEST (Pty) Ltd – Andrea Gibb
Practitioner	
Contact Details	andreag@sivest.co.za
Qualifications	BSc Landscape Architecture and BSc (Hons) Environmental Management
Expertise to carry	Visual Impact Assessments:
out the Visual	

 VIA (Scoping Phase) for the proposed construction of a 3000 Farm and associated infrastructure near Richmond, North Province. VIA for the proposed construction of a power line and a infrastructure for the proposed Kalkaar Solar Thermal Pow near Kimberley, Free State and Northern Cape Provinces. VIA for the proposed construction of a power line and a infrastructure for the proposed Rooipunt Solar Thermal Pow 	ern Cape
 VIA for the proposed construction of a power line and a infrastructure for the proposed Kalkaar Solar Thermal Pownear Kimberley, Free State and Northern Cape Provinces. VIA for the proposed construction of a power line and a infrastructure for the proposed Rooipunt Solar Thermal Power Power	beteiooza
 infrastructure for the proposed Kalkaar Solar Thermal Pornear Kimberley, Free State and Northern Cape Provinces. VIA for the proposed construction of a power line and a infrastructure for the proposed Rooipunt Solar Thermal Power Powe	bateioozz
 near Kimberley, Free State and Northern Cape Provinces. VIA for the proposed construction of a power line and a infrastructure for the proposed Rooipunt Solar Thermal Power Provinces. 	SSUCIALEU
 VIA for the proposed construction of a power line and a infrastructure for the proposed Rooipunt Solar Thermal Power 	wer Plant
infrastructure for the proposed Rooipunt Solar Thermal Po	
	ssociated
	wer Plant
near Upington, Northern Cape Province.	
 VIAs (Impact Phase) for the proposed construction of the Set 	
2 and 3 solar PV energy facilities near Vryburg, North West	
 VIA (Impact Phase) for the proposed construction of the 	
substation and associated power line near Vryburg, No	orth West
Province.	iaitaana 1
 VIAs (Impact Phase) for the proposed construction of the TI and 2 solar PV energy facilities near Lichtenburg, No 	-
Province.	
 VIA for the proposed construction of the Tlisitseng substance 	ation and
associated 132kV power line near Lichtenburg, North West	
 VIA (Scoping Phase) for the proposed construction of the 	
substation and associated power line near Vryburg, No	
Province.	
 VIA (Scoping Phase) for the proposed construction of the Second Se	endawo 1,
2 and 3 solar PV energy facilities near Vryburg, North West	Province.
 VIA (Scoping Phase) for the proposed construction of the TI 	isitseng 1
and 2 solar PV energy facilities near Lichtenburg, No	orth West
Province.	
 VIA for the proposed Tinley Manor South Banks Deve 	elopment,
KwaZulu-Natal Province.	
 VIAs (Impact Phase) for the proposed construction of the He and 3 75000 Solar DV (Energy Energy Comparison) 	
and 3 75MW Solar PV Energy Facilities near Copperton,	Northern
 Cape Province. VIA (Scoping Phase) for the proposed construction of the He 	alona 1 2
and 3 75MW Solar PV Energy Facilities near Copperton,	
Cape Province.	Northern
 VIA for the proposed agricultural components of the Integral 	ted Sugar
Project in Nsoko, Swaziland.	
 VIA for the proposed Tweespruit to Welroux power I 	ines and
substation, Free State Province.	
 VIA for the proposed construction of the Nokukhanya 75MW 	Solar PV
Power Plant near Dennilton, Limpopo Province.	

•	 VIA (Impact Phase) for the proposed development of the Dwarsrug Wind Farm near Loeriesfontein, Northern Cape Province.
	from Hera Substation to Westgate Substation, Gauteng Province.
.	
	near Delmas, Mpumalanga Province.
•	• VIA for the proposed construction of two 132kV power lines and
	associated infrastructure from the Redstone Solar Thermal Power
	Project site to the Olien MTS near Lime Acres, Northern Cape
	Province.
•	• VIA for the proposed construction of two 132kV power lines and
	associated infrastructure from Silverstreams DS to the Olien MTS
	near Lime Acres, Northern Cape Province.
•	• VIA (Scoping Phase) for the proposed development of the Dwarsrug
	Wind Farm near Loeriesfontein, Northern Cape Province.
•	• VIA for the proposed Rorqual Estate Development near Park Rynie on
	the South Coast of KwaZulu Natal.
	• VIA (Scoping Phase) for the proposed construction of a Coal-fired
	Power Station, Coal Mine and Associated Infrastructure near Colenso,
	KwaZulu-Natal Province.
•	VIA for the proposed Mookodi Integration Phase 2: Proposed
	Construction of the Mookodi - Ganyesa 132kV power line, proposed
	Ganyesa Substation and Havelock LILO, North West Province.
	substation and associated Eskom power lines, KwaZulu-Natal
	Province.
.	
	substation and associated Eskom power lines, Mpumalanga Province.
	 VIA for the proposed rebuild of the 88kV power line from Normandie
	substation to Hlungwane substation, Mpumalanga and KwaZulu-Natal
	Provinces.
	and associated Eskom power lines, KwaZulu-Natal Province.
	140MW Wind Energy Facility near Copperton, Northern Cape
	Province.
•	
	140MW Wind Energy Facility and associated Infrastructure near
	Copperton, Northern Cape Province.
•	• VIA for the proposed construction of the Graskoppies Wind Farm near
	Loeriesfontein, Northern Cape Province.

•	VIA for the proposed construction of the Hartebeest Leegte Wind Farm
	near Loeriesfontein, Northern Cape Province.
•	VIA for the proposed construction of the Ithemba Wind Farm near
	Loeriesfontein, Northern Cape Province.
•	VIA for the proposed construction of the Xha! Boom Wind Farm near
	Loeriesfontein, Northern Cape Province.

Stephan Jacobs joined SiVEST in May 2015 and holds the position of Graduate Environmental Consultant in the Johannesburg office. Stephan specialises in the field of Environmental Management and has been involved in the undertaking of field work and the compilation of reports for specialist studies such as visual impact assessments. Stephan Jacobs' project experiences with regards to VIAs is included in the table below.

Environmental	SiVEST (Pty) Ltd – Stephan Jacobs		
Practitioner			
Contact Details	stephanj@sivest.co.za		
Qualifications	BSc (Hons) Environmental Management and Analysis		
Expertise to carry	Visual Impact Assessments:		
out the Visual	• Visual Impact Assessment for the Helena Solar PV Plant, Northern		
Impact	Cape Province.		
Assessment.	 Visual Impact Assessment for the Nsoko Msele Integrated Sugar Project, Swaziland. 		
	 Visual Impact Assessments for the proposed construction of the Sendawo Solar 1, Sendawo Solar 2 and Sendawo Solar 3 Photovoltaic (PV) Energy Facilities near Vryburg, North West Province. Visual Impact Assessments for the proposed construction of the Sendawo Substation and Associated 400kV Power Line near Vryburg, North West Province. Visual Impact Assessments for the proposed construction of the Tlisitseng Solar 1 and Tlisitseng Solar 2 Photovoltaic (PV) Energy Facilities near Lichtenburg, North West Province. Visual Impact Assessment for the proposed construction of the Tlisitseng Solar 1 and Tlisitseng Solar 2 Photovoltaic (PV) Energy Facilities near Lichtenburg, North West Province. Visual Impact Assessment for the proposed construction of the 3000MW PhilCo Green Energy Wind Farm and Associated Infrastructure near Richmond, Northern Cape Province. Visual Impact Assessment for the proposed construction of the Aletta 140MW Wind Energy Facility near Copperton, Northern Cape Province. Visual Impact Assessment for the proposed construction of the Eureka 140MW Wind Energy Facility and associated Infrastructure near Copperton, Northern Cape Province. 		

 Visual Impact Assessment for the proposed construction of the Eureka
400kV Substation and 400kV Power Line near Copperton, Northern
Cape Province.
Basic Visual Impact Assessments for the proposed construction of the
Tlisitseng 1 and Tlisitseng 2 Substations and Associated 132kV Power
Lines near Lichtenburg, North West Province.
 Basic Visual Impact Assessment for the proposed construction of up
to a 132kV Power Line and Associated Infrastructure for the Rooipunt
Solar Thermal Power Plant near Upington, Northern Cape Province.
 Basic Visual Impact Assessment for the proposed construction of up
to a 132kV Power Line and Associated Infrastructure for the proposed
Kalkaar Solar Thermal Power Plant near Kimberly, Free State and
Northern Cape Provinces.
 VIA for the proposed construction of the Graskoppies Wind Farm near
Loeriesfontein, Northern Cape Province.
 VIA for the proposed construction of the Hartebeest Leegte Wind Farm
near Loeriesfontein, Northern Cape Province.
•
VIA for the proposed construction of the Ithemba Wind Farm near
Loeriesfontein, Northern Cape Province.
VIA for the proposed construction of the Xha! Boom Wind Farm near
Loeriesfontein, Northern Cape Province.

Kerry Schwartz is a GIS specialist with more than 20 years' experience in the application of GIS technology in various environmental, regional planning and infrastructural projects undertaken by SiVEST. Kerry's GIS skills have been extensively utilised in projects throughout South Africa in other Southern African Countries. Kerry has also been involved in the compilation of reports for specialist studies such as visual impact assessments. Kerry Schwartz's' project experiences with regards to VIAs is included in the table below.

Environmental	SiVEST (Pty) Ltd – Kerry Schwartz		
Practitioner			
Contact Details	kerrys@sivest.co.za		
Qualifications	BA (Geography), University of Leeds 1982		
Expertise to carry	Visual Impact Assessments:		
out the Visual	 Visual Impact Assessment for the proposed relocation of the Skukuza 		
Impact	Conference Centre, SANParks.		
Assessment.	 Visual Impact Assessment for the proposed re-commercialisation the Skukuza Airport. 		
	 Visual Impact Assessment for the proposed development of residential apartments in Ramsgate, KZN. 		
	 Visual Impact Assessment for the redevelopment of the Newmarket Racecourse, Alberton, Gauteng 		

 Integration Project Visual Impact Assessments for 5 Solar Power Plants in the Northern Cape Visual Impact Assessments for 4 Wind Farms in the Northern Cape Visual Impact Assessment for Mookodi Integration Project (132kV distribution lines) Visual Impact Assessment for 2 Mixed Use Developments near Hillcrest, KZN Landscape Character Assessment for Mogale City Environmental Management Framework VIA for the proposed construction of the Graskoppies Wind Farm near Loeriesfontein, Northern Cape Province. VIA for the proposed construction of the Hartebeest Leegte Wind Farm near Loeriesfontein, Northern Cape Province. VIA for the proposed construction of the Ithemba Wind Farm near Loeriesfontein, Northern Cape Province. VIA for the proposed construction of the Xha! Boom Wind Farm near Loeriesfontein, Northern Cape Province.
--

Full CVs are attached as **Appendix B**.

1.5 Assessment Methodology

As mentioned above, this EIA level VIA has been based on a combination of desktop-level assessment as well as field-based observation. This EIA level VIA has therefore initially been undertaken at a desktop-level and thereafter included a site visit.

1.5.1 Fieldwork and photographic review

A four (4) day site visit was undertaken between the 11th and the 14th of September 2017 in order to:

- verify the landscape characteristics identified via desktop means;
- investigate the visual character of the area;
- identify any additional visually sensitive receptor locations within the study area; and
- capture photos to be used for visual models of the proposed WEF.

It should be noted that the fieldwork was undertaken during early spring time, before the summer rainfall, therefore the surrounding vegetation is expected to provide less potential screening than in the late summer months. As such, the proposed development is expected to be more visible during spring and winter times due to a lack of significant vegetative screening factors. Due to the timing of the fieldwork, the results of this visual impact assessment are considered to be indicative of the worst case scenario with regards to vegetative screening factors.

1.5.2 Physical landscape characteristics

A site visit and digital information from spatial databases such as the National Geo-spatial Information (NGI), the South African National Land Cover dataset (2014) and the South African National Biodiversity Institute (SANBI) were sourced to provide baseline information on the topography, vegetation and land use in the study area. These physical landscape characteristics are important factors which influence the visual character and visual sensitivity of the study area.

1.5.3 Identification of sensitive receptors

During the field investigation, sensitive visual receptor locations, such as guesthouses / guest farms and routes within the study area were identified and assessed in order to determine the impact of the proposed WEF development on each of the identified sensitive receptor locations.

1.5.4 Impact Assessment

A rating matrix was used to objectively evaluate the significance of the visual impacts associated with the proposed development, both before and after implementing mitigation measures. Mitigation measures were identified (where possible) in an attempt to minimise the visual impact of the proposed development. The rating matrix made use of a number of different factors including geographical extent, probability, reversibility, irreplaceable loss of resources, duration, cumulative effect and intensity, in order to assign a level of significance to the visual impact of the project. A separate rating matrix was used to assess the visual impact of the proposed wind farm on each potentially sensitive receptor locations, as identified. This matrix is based on the distance of a receptor from the proposed development, the primary focus / orientation of the receptor, the presence of screening factors, the visual character and sensitivity of the area / surrounding views and the degree to which the proposed development would contrast with the surrounding environment.

1.5.5 Visualisation Modelling

Visual simulations were produced from specific viewpoints in order to support the findings of the visual assessment. The proposed WEF was modelled at the correct scale and superimposed onto the landscape photographs which were taken during the site visit. These were used to demonstrate the visibility of the proposed turbines from various locations within the visual assessment zone and to assist with rating the visual impact.

1.5.6 Consultation with I&APs

Although no feedback has been received from Interested and Affected Parties (I&APs) during the public participation process to date, some feedback regarding the visual environment has been received following the site visit. The feedback received from the socio-economic specialist has therefore been incorporated into this report. All correspondence / feedback regarding the visual environment received to date is included in Appendix D.

2 FACTORS INFLUENCING VISUAL IMPACT

2.1 Subjective experience of the viewer

The perception of the viewer/receptor toward an impact is highly subjective and involves 'value judgements' on behalf of the receptor. It is largely based on the viewer's perception and is usually dependent on age, gender, activity preferences, time spent within the landscape and traditions of the viewer (Barthwal, 2002). This is important, as certain receptors may not consider a WEF to be a negative visual impact as it is often associated with employment creation, social upliftment and the general growth and progression of an area, and could even have positive connotations.

2.2 Visual environment

WEF developments are likely to be perceived as visually intrusive in areas that have a natural scenic quality and where tourism activities, based upon the enjoyment of or exposure to the scenic or aesthetic character of the area, are practiced. Residents and visitors to these areas may regard the WEF as an unwelcome intrusion which degrades the natural character and scenic beauty of the area, and which would potentially even compromise the practising of tourism activities in the area. Wind turbines and power lines are not features of the natural environment, but are rather a representation of human (anthropogenic) alteration. Thus when placed in a largely natural landscape, they could be perceived to be highly incongruous in this context.

The presence / existence of other anthropogenic objects associated with the built environment may not only obstruct views but also influence the perception of whether a development is a visual impact. In industrial areas where structures, buildings and other infrastructure exist, the visual environment could be considered to be 'degraded' and thus the introduction of a WEF into this setting may be considered to be less of a visual impact than if there was no existing built infrastructure visible. In this case value might not be placed on the aesthetic quality of the landscape, and the WEF may not necessarily be considered to be visually intrusive.

2.3 Type of visual receptor

Visual impacts can be experienced by different types of receptors, such as people driving along roads, or people living / working in the area in which the WEF would be visible. The receptor type in turn affects the nature of the typical 'view', with views being permanent in the case of a residence or other place of human habitation, or transient in the case of vehicles moving along a road. The nature of the view experienced affects the intensity of the visual impact experienced.

It is important to note that visual impacts are only experienced when there are receptors present to experience this impact; thus in the context where there are no human receptors or viewers present there are not likely to be any visual impacts experienced.

2.4 Viewing distance

Viewing distance is a critical factor in the experiencing of visual impacts, as beyond a certain distance, even large developments tend to be much less visible, and difficult to differentiate from the surrounding landscape. The visibility of an object is likely to decrease exponentially as one moves away from the source of impact, with the impact at 1000m likely being a quarter of the impact from 500m away (**Figure 5**). At 8000m away or more, the impact would be negligible (Hull, R.B., et al: 1998).




Figure 5: Diagram illustrating diminishing visual exposure over distance

3 VISUAL CHARACTER AND SENSITIVITY OF THE STUDY AREA

The physical and land use related characteristics of the study area are outlined below as they are important factors contributing to the visibility of a development and visual character of the study area. Defining the visual character is an important part of assessing visual impacts as it establishes the visual baseline or existing visual environment in which the development would be constructed. The visual impact of a development is measured against this visual baseline by establishing the degree to which the development would contrast with or conform to the visual character of the surrounding area. The inherent sensitivity of the area to visual impacts or visual sensitivity is thereafter determined, based on the visual character, the economic importance of the scenic quality of the area, inherent cultural value of the area and the presence of visual receptors.

3.1 Physical and Land Use Characteristics

3.1.1 Topography

The topography in the wider study area around the site is characterised by a mix of very flat plains (typical of much of the Karoo), as well as areas of much greater relief, including isolated doleritecapped "koppies" and hilly terrain (**Figure 6**). The town of Noupoort (to the north-west of the proposed San Kraal WEF application site) is flanked by hills / "koppies" to the east (**Figure 7**) and the west (**Figure 8**). Generally the areas to the north and west of the town are characterised by flat Karoo plains and isolated "koppies" (**Figure 9** and **Figure 10**) while the terrain to the south and east of the town is more hilly in character as a result of the more incised nature of the topography (**Figure 11** and **Figure 12**). The terrain here is characterised by a mix of incised valleys and flatter, higher lying plateaux. Much of the development site is characterised by these higher-lying plateaux, which are flanked on most sides by hills and "koppies" which enclose the visual envelope of the area.

Maps showing the topography and slope within and in the immediate vicinity of the proposed application site are provided in **Figure 13** and **Figure 14** respectively.



Figure 6: View of the topography within the wider study area around the site proposed for the San Kraal WEF showing the mix of very flat plains (typical of much of the Karoo), as well as areas of much greater relief, including isolated dolerite-capped "koppies" and hilly terrain.



Figure 7: View of the town of Noupoort from the N9 national route showing the hills / "koppies" which flank the town to the east.



Figure 8: View of the town of Noupoort from the N9 national route showing the hills / "koppies" which flank the town to the west.



Figure 9: View of the area to the north the town of Noupoort showing the flat Karoo plains and isolated "koppies" which this area is characterised by.



Figure 10: View of the area to the west of the town of Noupoort showing the flat Karoo plains and isolated "koppies" which this area is characterised by.



Figure 11: View of the terrain to the south of the town of Noupoort which is more hilly in character as a result of the more incised nature of the topography.



Figure 12: View of the terrain to the east of the town of Noupoort which is more hilly in character as a result of the more incised nature of the topography.




Figure 13: Topography Map

 Arcus Consultancy Services SA (Pty) Ltd
 prepared by: SiVEST Environmental Division

 Proposed 390MW San Kraal Wind Energy Facility – EIA Phase VIA Report
 Version No. 3




Figure 14: Slope Map

 Arcus Consultancy Services SA (Pty) Ltd
 prepared by: SiVEST Environmental Division

 Proposed 390MW San Kraal Wind Energy Facility – EIA Phase VIA Report
 Version No. 3

Visual Implications

The mixed nature of the terrain across the study area has differing visual implications. Areas of flat relief, such as the typical Karoo plains and the higher-lying grassy plateaux, are characterised by wide ranging vistas (**Figure 15**), typically to the point at which surrounding hills / "koppies" enclose the visual envelope or local landscape (i.e. these hills form part of the horizon and areas beyond these hills cannot be seen). An example of this is from the town of Noupoort, where the hills that rise up from the plains to the east of the town frame the view, giving a relatively limited viewshed, whereas a much wider viewshed exists to the north of the town as the flat relief extends for quite a distance. Vistas in the hillier and higher-lying terrain can be more open or more enclosed, depending on the position of the viewer. Within some of the more incised valleys, the viewshed can be extremely limited (**Figure 16**), whereas from the higher-lying ridge tops or slopes, a much wider view or vista is available over a wide area (**Figure 17**). Importantly in the context of this study the same is true of objects placed in different elevations and landscape settings, with objects placed on high-elevation slopes or ridge tops being highly visible, and those placed within valleys or enclosed plateaux being visible from a much more restricted area.



Figure 15: View of an area of flat relief found within the wider study area around the site proposed for the San Kraal WEF which is characterised by wide ranging vistas.



Figure 16: View from within an incised valley in the south-western section of the visual assessment zone which shows the limited viewshed from within this area.



Figure 17: View from within a higher-lying part of the study area / visual assessment zone where a much wider view or vista is available over a wide area.

GIS technology was used to undertake a viewshed analysis for the proposed turbine layout. The viewshed analysis was undertaken from each turbine location. The worst-case scenario, in which the wind turbines would have a maximum height of 225m was assumed when undertaking the analysis. Other infrastructure associated with the proposed wind farm was not factored into the viewshed analysis as the visual impact of the associated infrastructure is generally not regarded as a significant factor when compared to the visual impact associated with wind turbines. The resulting viewshed indicates the geographical area from where the proposed wind farm would be visible, i.e. the zone of visual influence. This analysis is based entirely on topography (relative elevation and aspect) which is an important factor that should be considered when determining the area of visual influence for a development. The viewshed analysis does not take into account any existing vegetation cover or built infrastructure which may screen views of the proposed development. In addition, detailed topographic data was not available for the broader study area and as such the viewshed analysis does not take into account any localised topographic variations which may constrain views. This analysis should therefore be seen as a conceptual representation or a worst case scenario.

A map showing the potential visual influence of the proposed WEF has been provided in **Figure 18** below, and from this it is evident that the area in which the proposed San Kraal turbines are proposed mostly comprises areas of high visibility.




Figure 18: Map showing the potential visual influence of the proposed WEF based on the worst case turbine layout

Arcus Consultancy Services SA (Pty) Ltd prepared by: SiVEST Environmental Division Proposed 390MW San Kraal Wind Energy Facility – EIA Phase VIA Report Version No. 3

3.1.2 Vegetation

According Mucina and Rutherford (2006), the areas of the visual assessment zone which are characterised by flatter Karoo plains are largely covered by the Eastern Upper Karoo vegetation type, while the hillier areas in the south and north-east of the study area are characterised by Besem Karee Koppies shrubland, Karoo Escarpment Grassland and Tarkastad Montane Shrubland (**Figure 22**). The aridity of the area has restricted the vegetation to low shrubs distributed uniformly across the landscape, except in areas of disturbance where patches of bare earth occur (**Figure 19**) (Mucina & Rutherford, 2006). Some tree species (some relatively large and some low) can however also be found within certain parts of the study area (**Figure 20**). In certain areas, man has had an impact on the natural vegetation, especially around some farmsteads, where over many years tall exotic trees and other typical garden vegetation have been established (**Figure 21**).



Figure 19: Typical vegetation cover found within the wider study area as well as within the proposed San Kraal WEF application site.



Figure 20: Example of some of the tree species (some relatively large and some low) which can be found in parts of the study area / visual assessment zone.



Figure 21: Example of tall trees that have been established around a farmhouse in the area

Visual Implications

The natural short vegetation cover will offer no visual screening. Parts of the study area / visual assessment zone are however characterised by the presence of some tree species (some relatively large and some low). These trees occur naturally in certain areas of the study area / visual assessment zone and are expected to contribute to the overall natural character of the study area / visual assessment zone as well as provide limited screening from the proposed development. In addition, tall exotic trees may effectively screen the proposed development from farmhouses, where these trees occur in close proximity to the farmhouse and are located directly in the way of views to the site.




Figure 22: Vegetation Classification Map

Arcus Consultancy Services SA (Pty) Ltd prepared by: SiVEST Environmental Division Proposed 390MW San Kraal Wind Energy Facility – EIA Phase VIA Report

Version No. 3

3.1.3 Land Use

According to the South African National Land Cover dataset (2013-2014) from Geoterraimage (2014), much of the visual assessment area is characterised by natural unimproved vegetation which is dominated by low shrubland (**Figure 35**). The highly arid nature of the area's climate has resulted in livestock rearing being the dominant activity within the area (**Figure 23**). The nature of the climate and corresponding land use has also resulted in low stocking densities and relatively large farm properties across the area. Only very small areas along valley bottoms have been cultivated (**Figure 24**) and as such, the natural vegetation has been retained across the vast majority of the study area.



Figure 23: Typical view of the sheep farming activities which are dominant within the study area.



Figure 24: Typical view of an area within the wider study area which is characterised by cultivation.

Thus the area has a very low density of rural settlement, with relatively few scattered farmsteads occurring across the area. Built form in the rural parts of the study area is limited to isolated farmsteads, gravel access roads, ancillary farm buildings, telephone lines, fences and the remnants of abandoned workers' dwellings.

It should be noted that the study area / visual assessment zone is also characterised by the presence of certain pastoral elements such as livestock enclosures / camps and windmills etc. (**Figure 25**). These elements can be found throughout the study area / visual assessment zone and are typically present in areas where livestock rearing and other agricultural activities are taking place.



Figure 25: Example of typical pastoral elements (such as livestock enclosures / camps and windmills) which can be found within parts of the study area / visual assessment zone, especially in areas where livestock rearing and other agricultural practices are taking place.

The closest built-up area is the town of Noupoort which is situated approximately 6km north-west of the proposed development (**Figure 26**). The wind turbines of the Noupoort Wind Farm are also visible on the hills / "koppies" to the east of this town. The study area / visual assessment zone is also traversed by the N9 national route (**Figure 27**) and a railway line (**Figure 28**) both running in a north-south direction, as well as the N10 national route (**Figure 29**) which runs in an east-west direction. It should be noted that a small section of the R389 gravel road can be found within the northern part of the study area / visual assessment zone (near the town of Nouport) and runs in an east-west direction (**Figure 30**).



Figure 26: View of the town of Noupoort. The wind turbines of the Noupoort Wind Farm are visible on the hills / "koppies" to the east of this town.



Figure 27: View of the N9 national route which traverses the study area / visual assessment zone in a north-south direction.



Figure 28: View of the railway line which traverses the study area / visual assessment zone in a north-south direction.



Figure 29: View of the N10 national route which runs through the south-western section of the study area / visual assessment zone in an east-west direction.



Figure 30: View of the R389 gravel road. Only a small section of this road is found within the northern part of the study area / visual assessment zone (near the town of Nouport) and runs in an east-west direction.

It should also be noted that the newly constructed Noupoort Wind Farm can be found within the north-eastern sector of the study area / visual assessment zone and is directly adjacent to the proposed San Kraal WEF (**Figure 31**). Comprising some 35 wind turbines with associated infrastructure, this development has significantly transformed the natural environment in this area and can be seen from within the town of Noupoort as well as from other parts of the study area / visual assessment zone (**Figure 32**).



Figure 31: View of the Noupoort Wind Farm which can be found in the north-eastern sector of the study area / visual assessment zone and is directly adjacent to the proposed San Kraal WEF.



Figure 32: View of the wind turbines of the Noupoort Wind Farm which can be found in the northeastern sector of the study area / visual assessment zone and can be seen from within the town of Noupoort as well as from other parts of the study area / visual assessment zone.

Visual Implications

The nature of land use in the rural parts of the area has been largely responsible for the area retaining a largely natural or 'pastoral' character (**Figure 33**), as the natural vegetation has been retained for grazing and the areas have remained largely untransformed. The short, scrubby or grassy vegetation that occurs over the entire study area offers no visual screening in itself, and thus terrain / topography is the most important factor in limiting vistas. The only exception to this situation exists at local farmsteads where trees and shrubs that have been planted over many decades around the farmstead have become established, and provide effective screening from the surrounding areas.



Figure 33: Typical natural or 'pastoral' visual character found within the rural or untransformed parts of the study area / visual assessment zone.

High levels of human transformation are however evident in the vicinity of the town of Noupoort (**Figure 34**) and in the north-eastern sector of the study area / visual assessment zone where the Noupoort Wind Farm has been established (**Figure 31**).



Figure 34: Example of high levels of human transformation which is evident in the vicinity of the town of Noupoort.

The influence of the level of human transformation on the visual character of the area is described in more detail below.




Figure 35: Land Use Classification Map

Arcus Consultancy Services SA (Pty) Ltd prepared by: SiVEST Environmental Division Proposed 390MW San Kraal Wind Energy Facility – EIA Phase VIA Report

Version No. 3

3.2 Visual Character

The above physical and land use-related characteristics of the study area contribute to its overall visual character. Visual character can be defined based on the level of change or transformation from a completely natural setting, which would represent a natural baseline in which there is little evidence of human transformation of the landscape. Varying degrees of human transformation of a landscape would engender differing visual characteristics to that landscape, with a highly modified urban or industrial landscape being at the opposite end of the scale to a largely natural undisturbed landscape. Visual character is also influenced by the presence of built infrastructure such as buildings, roads and other objects such as telephone or electrical infrastructure.

The majority of the study area / visual assessment zone is considered to have a natural (almost vacant) visual character as natural shrub land prevails throughout the site and there is minimal human habitation and associated infrastructure. In addition, the predominant land use (livestock rearing) has not significantly transformed the natural landscape and the area has thus largely retained its natural rural character. It should be noted that the study area / visual assessment zone is also characterised by the presence of certain pastoral elements, which are expected to give the surrounding area a more pastoral feel. Built infrastructure across much of the study area / visual assessment zone is limited to a low density of gravel access roads, boundary fences, farm buildings, other farming infrastructure, such as windmills and an already operational WEF which can be found in the north-eastern section of the study area / visual assessment zone (**Figure 31**). As explained above, the low density of human settlement and associated low level of change to the natural environment has resulted in a largely rural or pastoral visual character with some existing WEF development present. In this context, the introduction of a WEF with associated power lines in the area could however be considered to be a further degrading factor, although an operational WEF is already present.

Divergence from the above-mentioned rural character however occurs in the area around the town of Noupoort (**Figure 34**). Although it is a small town, Noupoort has a concentration of housing and other buildings such as schools, hospitals and churches, as well as relatively large railway shunting yards to distinguish it from the surrounding rural landscape. The town thus has an urban visual character, which means that it is characterised more by anthropogenic objects (such as buildings and roads) than natural features (**Figure 36**). However it should be noted that the small population of the town, and its limited spatial extent in the town being firmly set in a rural setting, and the rapid change from the edge of the town to rangeland or commonage contributes to the limited spatial extent of its particular urban visual character.



Figure 36: View from within the town of Noupoort showing the urban visual character.

Significant alteration to the rural or pastoral visual character is also evident in the north-eastern sector of the study area / visual assessment zone where the newly established Noupoort Wind Farm has introduced a more industrial-type visual character (**Figure 31**). The turbines of the Noupoort Wind Farm can be seen from various parts of the study area / visual assessment zone and are highly visible in the northern and north-eastern parts of the visual assessment zone, such as from within the town of Noupoort (**Figure 32**) and the northern parts of the N9 national route (**Figure 37**). The presence of these turbines has thus transformed the natural visual character of the northern and north-eastern parts of the study area / visual assessment zone to some degree. In addition, several other renewable energy facilities (solar and wind) are proposed within relatively close proximity to the proposed San Kraal WEF, which will further alter the visual character and baseline in the study area once constructed.



Figure 37: View toward the Noupoort Wind Farm from the northern section of the N9 national route showing that the turbines of this wind farm are visible from here.

The scenic quality of the landscape is also an important factor that contributes to the visual character or inherent sense of place. Visual appeal is often associated with unique natural features or distinct variations in form. As such, the various hilly / mountainous terrain which occurs within the application site and within the wider study area / visual assessment zone are considered to be important features that would increase the scenic appeal and visual interest in the area (**Figure 38**).



Figure 38: View of some of the various hilly / mountainous terrain which occurs within the application site and within the wider study area.

The greater area surrounding the proposed development site is an important component when assessing visual character. The area can be considered to be typical of a Karoo or "platteland" landscape that would characteristically be encountered across the high-lying dry western and central interior of South Africa. Much of South Africa's dry Karoo interior consists of wide open, uninhabited spaces sparsely punctuated by widely scattered farmsteads and small towns. Traditionally the Karoo has been seen by many as a dull, lifeless part of the country that was to be crossed as quickly as possible on route between the major inland centres and the Cape coast, or between the Cape and Namibia. However, in the last couple of decades this perception has been changing, with the launching of tourism routes within the Karoo. In a context of increasing urbanisation in South Africa's major centres, the Karoo is being marketed as an undisturbed getaway, especially as a stop on a longer journey from the northern parts of South Africa to the Western and Eastern Cape coasts. Examples of this may be found in the relatively recently published "Getaway Guide to Karoo, Namaqualand and Kalahari" (Moseley and Naude-Moseley, 2008).

The typical Karoo landscape can also be considered a valuable 'cultural landscape' in the South African context. Although the cultural landscape concept is relatively new, it is becoming an

increasingly important concept in terms of the preservation and management of rural and urban settings across the world (Breedlove, 2002).

Cultural Landscapes can fall into three categories (according to the Committee's Operational Guidelines):

- i) "a landscape designed and created intentionally by man";
- an "organically evolved landscape" which may be a "relict (or fossil) landscape" or a "continuing landscape";
- iii) an "associative cultural landscape" which may be valued because of the "religious, artistic or cultural associations of the natural element"

The typical Karoo landscape consisting of wide open plains, and isolated relief, interspersed with isolated farmsteads, windmills and stock holding pens, is an important part of the cultural matrix of the South African environment. The Karoo farmstead is also a representation of how the harsh arid nature of the environment in this part of the country has shaped the predominant land use and economic activity practiced in the area, as well as the patterns of human habitation and interaction. The presence of small Karoo towns, such as Noupoort, engulfed by an otherwise rural environment, form an integral part of the wider Karoo landscape. As such, the Karoo landscape as it exists today has value as a cultural landscape in the South African context. In the context of the types of cultural landscape listed above, the Karoo cultural landscape would fall into the second category, that of an organically evolved, "continuing" landscape.

Much of the study area, as visible to the viewer, represents a typical Karoo cultural landscape. This is important in the context of potential visual impacts associated with the development of a WEF as introducing this type of development could be considered to be a degrading factor in the context of the natural Karoo character of the study area, as discussed further below.

3.3 Visual Sensitivity

Visual Sensitivity can be defined as the inherent sensitivity of an area to potential visual impacts associated with a proposed development. It is based on the physical characteristics of the area (i.e. topography, landform and land cover), the spatial distribution of potential receptors, and the likely value judgements of these receptors towards a new development (Oberholzer: 2005). A viewer's perception is usually based on the perceived aesthetic appeal of an area and on the presence of economic activities (such as recreational tourism) which may be based on this aesthetic appeal.

In order to assess the visual sensitivity of the area SiVEST has developed a matrix based on the characteristics of the receiving environment which, according to the Guidelines for Involving Visual and Aesthetic Specialists in the EIA Processes, indicate that visibility and aesthetics are likely to be 'key issues' (Oberholzer: 2005).

Based on the criteria in the matrix (Table 1), the visual sensitivity of the area is broken up into a number of categories, as described below:

- i) High - The introduction of a new development such as a wind farm would be likely to be perceived negatively by receptors in this area; it would be considered to be a visual intrusion and may elicit opposition from these receptors
- ii) Moderate - Presence of receptors, but due to the nature of the existing visual character of the area and likely value judgements of receptors, there would be limited negative perception towards the new development as a source of visual impact.
- iii) Low - The introduction of a new development would not be perceived to be negative, there would be little opposition or negative perception towards it.

The table below outlines the factors used to rate the visual sensitivity of the study area. The ratings are specific to the visual context of the receiving environment within the study area.

FACTORS	RATING									
	1	2	3	4	5	6	7	8	9	10
Pristine / natural character of the environment										
Presence of sensitive visual receptors										
Aesthetic sense of place / scenic visual character										
Value to individuals / society										
Irreplaceability / uniqueness / scarcity value										
Cultural or symbolic meaning										
Scenic resources present in the study area										
Protected / conservation areas in the study area										
Sites of special interest present in the study area										
Economic dependency on scenic quality										
Local jobs created by scenic quality of the area										
International status of the environment										
Provincial / regional status of the environment										
Local status of the environment										
**Scenic quality under threat / at risk of change										

Table 1: Environmental factors used to define visual sensitivity of the study area

**Any rating above '5' will trigger the need to undertake an assessment of cumulative visual impacts.

Low		Moderate								High					
10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	

Based on the above factors, the study area is rated as having a moderately-low visual sensitivity. This is mainly owing to the rural or pastoral character of the area. An important factor contributing to the visual sensitivity of an area is the presence, or absence of visual receptors that may value the aesthetic quality of the landscape and depend on it to produce revenue and create jobs. As described below, relatively few sensitive receptors are present in the study area. In addition, relatively few potentially sensitive receptors are present in the study area. Although no formal protected areas or leisure / nature-based tourism activities exist within the study area, the area would still be valued as a typical Karoo cultural landscape and for its scenic mountainous terrain.

As previously mentioned, the Noupoort Wind Farm is located directly adjacent to the proposed San Kraal WEF application site and is currently operational. In addition, several other renewable energy facilities (solar and wind) are proposed within relatively close proximity to the proposed project. As such, an assessment of the cumulative impact that will be experienced from each potentially sensitive receptor has been undertaken (**Section 8**).

4 GENERIC VISUAL IMPACTS ASSOCIATED WITH THE WEF AND ASSOCIATED INFRASTRUCTURE


In this section, the typical visual issues / impacts related to the establishment of a WEF and associated infrastructure (such as on-site substations and power lines) are discussed. It is important to note that over the next few years several WEFs (including substations and power lines) are likely to be constructed in South Africa. The development and associated environmental assessment of WEFs in South Africa is relatively new, and thus it is valuable to draw on international experience. This section of the report therefore draws on international literature and web material (of which there is significant material available) to describe the generic impacts associated with WEFs and associated infrastructure such as on-site substations and power lines.

4.1 Wind Energy Facilities

As previously mentioned, at this stage it is anticipated that the proposed project will consist of up to 78 wind turbines and associated infrastructure with a total generation capacity of approximately 390MW. The wind turbines will have a hub height of up to 150m and a rotor diameter of up to 150m (approximate in height to a building of 40 storeys). The height of the turbines and the fact that a WEF comprises a number of these turbines distributed across the site would result in the development typically being visible over a large area.

Internationally, studies have demonstrated that there is a direct correlation between the number of turbines and the degree of objection to a WEF, with less opposition being encountered when fewer turbines are proposed (Devine-Wright, 2005). Certain objectors to wind energy developments also mention the "sky space" occupied by the rotors of a turbine. As well as height, "sky space" is an important issue. "Sky space" refers to the area in which the rotors would rotate. The diagram below

indicates that the "sky space" occupied by rotors would be similar to that occupied by a jumbo jet (<u>http://www.stopbickertonwindturbines.co.uk/</u> - page on visual impact).



The visual prominence of the development would be exacerbated within natural settings, in areas of flat terrain or if located on a ridge top. Even dense stands of wooded vegetation are likely to offer only partial visual screening, as the wind turbines are of such a height that they will rise above even mature large trees.

4.1.1 Shadow flicker

Shadow flicker is an effect which is caused when shadows repeatedly pass over the same point. It can be caused by wind turbines when the sun passes behind the hub of a wind turbine and casts a shadow that continually passes over the same point as the rotor blades of the wind turbine rotate (<u>http://www.ecotricity.co.uk</u>).

The effect of shadow flicker is only likely to be experienced by people situated directly within the shadow cast by the rotor blades of the wind turbine. As such, shadow flicker is only expected to have an impact on people residing in houses located within close proximity of a wind turbine (less than 500m) and at a specific orientation, particularly in areas where there is little screening present. Shadow flicker may also be experienced by and impact on motorists if a wind turbine is located in close proximity to an existing road. The impact of shadow flicker can be effectively mitigated by choosing the correct site and layout for the wind turbines, taking the orientation of the turbines relative to the nearby houses and the latitude of the site into consideration. Tall structures and trees will also obstruct shadows and prevent the effect of shadow flicker from impacting on surrounding residents (<u>http://www.ecotricity.co.uk</u>).

4.1.2 Motion-based visual intrusion

An important component of the visual impacts associated with wind turbines is the *movement* of the rotor blades. Labelled as motion-based visual intrusion, this refers to the inclination of the viewer to focus on discordant, moving features when scanning the landscape. Evidence from surveys of public attitudes towards WEFs suggest that the viewing of moving rotor blades is not necessarily perceived negatively (Bishop and Miller, 2006). The authors of the study suggest two possible reasons for this; firstly when the turbines are moving they are seen as being 'at work', 'doing good' and producing energy. Conversely, when they are stationary they are regarded as a visual intrusion that has no evident purpose. More interestingly, the second theory that explains this perception is related to the intrinsic value of wind in certain areas and how turbines may be an expression or extension of an otherwise 'invisible' presence.

Famous winds across the world include the Mistral of the Camargue in France, the Föhn in the Alps, or the Bise in the Lavaux region of Switzerland. The wind, in these cases, is an intrinsic component of the landscape, being expressed in the shape of trees or drifts of sands, but being otherwise invisible. The authors of the study argue that wind turbines in these environments give expression, when moving, to this quintessential landscape element. In a South African context, this phenomenon may well be experienced if wind farms are developed in areas where typical winds, like berg winds, or the south-easter in the Cape are an intrinsic part of the environment. In this way, it may even be possible that wind farms will, through time form part of the cultural landscape of an area, and become a representation of the opportunities presented by the natural environment.

4.1.3 Associated Infrastructure

The infrastructure associated with the proposed San Kraal WEF will include the following:

- Internal access roads of between 8m (during operation) and 14m (during construction) wide to each turbine;
- An on-site switching station (10 000m²);
- Medium voltage underground electrical cables will be laid to transmit electricity generated by the wind turbines to the on-site switching station or substation;
- Overhead medium voltage cables between turbine rows where necessary;
- An on-site substation and OMS complex (180 000m²) to facilitate stepping up the voltage from medium to high voltage (132kV) to enable the connection of the WEF to the proposed Umsobomvu WEF 132/400kV Substation, from which the generated power will be fed into the national grid;
- A 4km medium voltage overhead line connecting the on-site switching station with the onsite medium voltage/132kV substation;

- An approximately 23km 132kV high voltage overhead power line from the on-site substation to the proposed 400kV Umsobomvu substation to the national grid;
- Three (3) Dual Turn-In line alternatives which will link the proposed Umsobomvu Substation to the existing Hydra/Poseidon 400kV power lines. This includes a short 400kV line corridor that will run from the Umsobomvu Substation to the existing 400kV Eskom Grid, via a loop-in-loop-out connection. As mentioned, an EA for the proposed Dual Turn-In lines already exists and formed part of the Umsobomvu ROD
- Two (2) 90 000m² alternative areas for batching plants, temporary laydown area and construction compound;
- Temporary infrastructure including a site camp; and
- A laydown area approximately 7500m² in extent, per turbine.

The new switching station, substation and overhead power line by their nature are large objects and will typically be visible for great distances. Power lines consist of a series of tall towers thus making them highly visible and, like wind turbines, power lines and substations are not features of the natural environment, but are representative of human (anthropogenic) alteration. Thus when placed in largely natural landscapes, they will be perceived to be highly incongruous in this setting. Conversely, the presence of other anthropogenic objects associated with the built environment, especially other power lines or substations, may result in the visual environment being considered to be 'degraded' and thus the introduction of new power lines or substations into this setting may be less of a visual impact than if there was no existing built infrastructure visible

Other proposed infrastructure may also be associated with visual impacts. As previously mentioned, the wind turbines are inter-connected by a series of cables, which are likely to be buried, but which also may take the form of above-ground power lines if deemed necessary. These cables may become a visual intrusion if placed in areas of the site that are visible to the surrounding areas, especially those areas that are located on low ridges and associated sloping ground. Trenches accommodating the cable (both during construction and post-construction once the trench has been back-filled) may become prominent if they create a linear feature that contrasts with the surrounding vegetation.

A similar principle exists with respect to any access roads constructed in visible areas of the site. Roads are likely to be wider than cable trenches and thus could be even more visible than the cable servitude. Cutting a 'terrace' into a steep side slope would increase the visibility and contrast the road against the surrounding vegetation.

Lastly, buildings placed in prominent positions such as on ridge tops may also break the natural skyline, drawing the attention of the viewer.

The visual impact of the associated infrastructure is generally not regarded as a significant factor when compared to the visual impact associated with wind turbines. They would however, magnify

the visual prominence of the development if located on ridge tops or on flat sites in natural settings where there is limited tall wooded vegetation present to conceal the impact.

5 SENSITIVE VISUAL RECEPTORS

A sensitive receptor location is defined as a location from where receptors would potentially be adversely impacted by a proposed development. This takes into account a subjective factor on behalf of the viewer – i.e. whether the viewer would consider the impact as a negative impact. As described above, the adverse impact is often associated with the alteration of the visual character of the area in terms of the intrusion of the wind farm into a 'view', which may affect the 'sense of place'. The identification of sensitive receptors is typically undertaken based on a number of factors which include:

- the visual character of the area, especially taking into account visually scenic areas and areas of visual sensitivity;
- the presence of leisure-based (especially nature-based) tourism in an area;
- the presence of sites / routes that are valued for their scenic quality and sense of place;
- the presence of homesteads / farmsteads in a largely natural settings where the development may influence the typical character of their views; and
- feedback from interested and affected parties, as raised during the public participation process conducted as part of the EIA study.

A distinction must be made between a receptor location and a sensitive receptor location. A receptor location is a site from where the proposed wind farm may be visible, but the receptor may not necessarily be adversely affected by any visual intrusion associated with the development. Receptor locations include locations of commercial activities and certain movement corridors, such as roads that are not tourism routes. Sensitive receptor locations typically include sites that are likely to be adversely affected by the visual intrusion of the proposed development. They include; tourism facilities, scenic sites and residential dwellings in natural settings.

Distance bands were used to assign zones of visual impact from the proposed turbine locations and from the proposed power line alternatives as the visibility of the development would diminish exponentially over distance (refer to **Section 2.4** above). As such, the proposed development would be more visible to receptors located within a short distance and these would experience a higher adverse visual impact than those located at a moderate or long distance from the proposed development. The degree of visual impact experienced will vary from one inhabitant to another, as it is largely based on the viewer's perception. Factors influencing the degree of visual impact experienced by the viewer include the following:

• Value placed by the viewer on the natural scenic characteristics of the area.

- The viewer's sentiments toward the proposed structures. These may be positive (a symbol
 of progression toward a less polluted future) or negative (foreign objects degrading the
 natural landscape).
- Degree to which the viewer will accept a change in the typical Karoo character of the surrounding area.

5.1 WIND ENERGY FACILITY RECEPTORS

Based on the height and scale of the project, the radii chosen to assign these zones of visual impact for the proposed San Kraal WEF are as follows:

- <u><</u> 2km (high impact zone);
- 2 < 5km (moderate impact zone); and
- 5km < 8km (low impact zone).

During the EIA phase VIA, only two (2) receptor locations were identified as being visually <u>sensitive</u> to the proposed development. These are The Dairy BnB (VR 28) and the Carlton Heights Lodge (VR 36). These guesthouses / guest farms are regarded as <u>sensitive</u> visual receptors as they are used as tourism facilities and visitors to these facilities are likely to perceive the proposed development in a negative light.

The Dairy Bed and Breakfast (VR 28) is situated approximately 2km outside of the town of Noupoort and is accessed via the N9 national route. It should be noted that this facility is situated approximately 4.8km from the nearest proposed turbine location and is located within the moderate zone of potential visual impact. This guesthouse / guest farm is set on a quiet farm and offers three (3) bedrooms (https://airportstay.co.za/noupoort/the-dairy-bnb-adventures/). This facility is frequently used as a stop-over for a nights rest when travelling to Cape Town or Port Elizabeth via the N9 national route. In addition, this guesthouse / guest farm offers a range of activities and outdoor facilities, such as horse riding, cycling and hiking (<u>https://www.booking.com/hotel/za/thedairy-bnb.ro.html</u>). It should however be noted, according to the socio-economic specialist, potential visual intrusion by the proposed WEF turbines was not identified as a concern as the owner of this facility (Annatjie van Huyssteen) has indicated that many of her visitors consider it a draw card (Barbour, T and van der Merwe, S., September 2017).



Figure 39: View of the main guestroom / guesthouse facility at The Dairy BnB (VR 28).



Figure 40: View of the backpacker's accommodation facility at The Dairy BnB (VR 28)

This guesthouse / guest farm is situated within a largely natural or rural setting and is characterised by the presence of certain pastoral elements as well as some other anthropogenic elements such as existing low voltage power lines (**Figure 41**). Views from this receptor are thus considered to be mostly natural / scenic with some pastoral elements present. There are also a significant number of screening factors (such as the surrounding mountains and vegetation) surrounding this receptor which are expected to block most views towards the proposed development (**Figure 42**). It should however be noted that the town of Noupoort is slightly visible from this receptor and reduces the visual character of the area to some degree (**Figure 43**).



Figure 41: View of the typical pastoral elements and other anthropogenic elements (such as existing low voltage power lines) which are present at this receptor.



Figure 42: View towards the proposed San Kraal WEF Application Site from VR 28 (The Dairy BnB) showing the largely natural /scenic views with pastoral elements present. The screening factors surrounding this receptor are expected to block most views towards the proposed development.



Figure 43: View towards the town of Noupoort from VR 28 (The Dairy BnB). The town is slightly visible from this receptor and is expected to reduce the visual character of the area to some degree.

Carlton Heights Lodge (VR 36) is situated approximately 25km north of the town of Middelburg, 1.5km from the national highway on the N9/N10 towards Port Elizabeth. As such, this facility is accessible via either the N9 or N10 national routes (**Figure 44**). It should be noted that this facility is situated approximately 6.2km from the nearest proposed turbine location and is located within the low zone of potential visual impact. This facility is situated in scenic surroundings and offers a fully equipped Karoo Style farmhouse with 5 rooms (**Figure 45**), DSTV and braai facilities. The area offers scenic views, walking opportunities, bird watching and viewing of game such as Springbuck, Reebuck, Kudu, Steenbuck and Duiker among others. This facility also offers scenic 4x4 routes on the farm and a campsite with power points for caravans, motor homes and tents (<u>http://www.carltonheights.co.za/</u>).



Figure 44: View of the entrance of the Carlton Heights Lodge (VR 36) which is accessible via the N9 and N10 national routes.



Figure 45: View of the accommodation facilities (farmhouse) which can be found at the Carlton Heights Lodge (VR 36).

This guesthouse / guest farm is situated within a largely natural or rural setting and as such views from this receptor are considered to be mostly natural / scenic. It should be noted that the series of tall trees located to the north-east of the main guesthouse (towards the proposed San Kraal WEF) are expected to provide a significant amount of screening and thus obscure most views towards the proposed development (**Figure 46**). This receptor is also characterised by the presence of anthropogenic elements such as existing power lines which are visible from this receptor (**Figure 47**).



Figure 46: View towards the proposed San Kraal WEF Application Site from VR 36 showing the largely natural / scenic views from this receptor, as well as the series of tall trees located to the north-east of the main guesthouse (towards the proposed San Kraal WEF) which are expected to obscure most views towards the proposed development.



Figure 47: View of the existing power lines which are visible from VR 36.

A total number of twenty-one (21) potentially sensitive receptors have been identified within the visual assessment zone of the proposed San Kraal WEF (4 of which are situated within the moderate zone of potential visual impact and 17 which are within the low zone of potential visual impact). These include residential areas in the town of Noupoort, the Noupoort Golf Course, and several scattered farmsteads / homesteads which house the local farmers as well as farm workers. These receptors are regarded as potentially sensitive visual receptors as they are located within a mostly rural setting and the proposed development will likely alter natural vistas experienced from these dwellings. It should be noted that the local farmers that own farmsteads within the application site form part of the project. In addition, some of the farmers that own farmsteads on some of the surrounding farms also form part of this project or the proposed Phezukomova WEF project (also being proposed by InnoWind as part of a separate on-going EIA process). As such, these farm owners will benefit financially from either this proposed development or the proposed Phezukomoya WEF development. This is likely to offset the visual impact experienced by the landowners and reduce the negative sentiments they may have towards the developments. Accordingly, two (2) of these farmsteads (namely VR 30 and VR 40) have been eliminated from the list of potentially sensitive receptor locations for the purpose of this EIA phase study as the owners will benefit financially from this proposed development. Certain farmsteads (namely VR 9, VR 10, VR 11, VR 31 and VR 32) were however not eliminated from the list of potentially sensitive receptor locations, despite having a vested interest in this development or the proposed Phezukomova WEF development, as they are still currently occupied (either by the owners or tenants) and according to the socio-economic specialist, could still perceive the proposed WEF in a negative light. In addition, some of these farmsteads (such as VR 11) could become potentially sensitive receptor locations in the future (Barbour, T and van der Merwe, S., September 2017). These receptors were thus not eliminated and were still regarded as potentially sensitive visual receptor locations for the purpose of this study.

As previously mentioned, due to access limitations and time constraints during the site visit, not all of the identified potentially sensitive visual receptor locations could be visited and investigated further and therefore the impact rating assessment of the proposed development on the potentially sensitive visual receptor locations was undertaken primarily via desktop means. Although the use of all of these farmsteads / residential dwellings could not be established during the field investigation, they were still regarded as being potentially sensitive to the visual impacts associated with the proposed wind farm and were assessed as part of the VIA. As mentioned above, twentyone (21) potentially sensitive visual receptors were identified within the study area, as well as two (2) sensitive visual receptors. This is mainly due to low levels of leisure-based or nature based tourism activities in the assessment area.

Table 2 below provides details of the sensitive and potentially sensitive places that have cultural and symbolic importance that were identified within the study area.

Name	Details	Distance from the nearest wind turbine location	Visual Impact Zone	
VR9*	Farmstead/Homestead	Approximately 6.5km	Low	
VR10**	Farmstead/Homestead	Approximately 6.6km	Low	
VR11***	Farmstead/Homestead	Approximately 7.3km	Low	
VR17	Smallholdings	Approximately 7.5km	Low	
VR19	Noupoort Residential (west)	Approximately 6.4km	Low	
VR20	Kwazamuxolo Residential	Approximately 5.2km	Low	
VR21	Noupoort Golf Course	Approximately 6.9km	Low	
VR22	Noupoort Residential (central)	Approximately 6.3km	Low	
VR23	Farmstead/Homestead	Approximately 5.6km	Low	
VR24	Farmstead/Homestead	Approximately 5.6km	Low	
VR25	Farmstead/Homestead	Approximately 5.7km	Low	
VR27	Farmstead/Homestead	Approximately 5.4km	Low	
VR28	The Dairy B&B	Approximately 4.8km	Moderate	
VR31****	Farmstead/Homestead	Approximately 2.6km	Moderate	
VR32****	Farmstead/Homestead	Approximately 2.2km	Moderate	
VR33	Farmstead/Homestead	Approximately 3.5km	Moderate	
VR34	Farmstead/homestead	Approximately 7.7km	Low	
VR36	Carlton Heights Lodge	Approximately 6.2km	Low	

Table 2: Visual receptor locations sensitive and/or potentially sensitive to the proposed San Kraal	l
WEF	

Name	Details	Distance from the nearest wind turbine location	Visual Impact Zone
VR37	Farmstead/homestead	Approximately 4.4km	Moderate
VR38	Farmstead/homestead	Approximately 6.3km	Low
VR41	Farmstead/homestead	Approximately 7.4km	Low
VR43	Farmstead/homestead	Approximately 5.9km	Low
VR44	Farmstead/homestead	Approximately 7.4km	Low

* VR 9 is located on an adjacent property which will be used for the proposed Phezukomoya WEF application site (also being proposed as part of a separate on-going EIA process by InnoWind). It was thus advised that the owner of this dwelling has a vested interest in the development and would therefore not perceive the proposed development in a negative light. Despite this however, it was advised by the landowner that this dwelling is currently occupied by tenants. The current occupants could therefore possibly still perceive the development in a negative light and thus this receptor was still regarded as a potentially sensitive visual receptor location.

** VR 10 is located on an adjacent property which will be used for the proposed Phezukomoya WEF application site (also being proposed as part of a separate on-going EIA process by InnoWind). It was thus advised that the owner of this dwelling has a vested interest in the development and would therefore not perceive the proposed development in a negative light. Despite this however, it was advised by the landowner that this dwelling is currently occupied by tenants. The current occupants could therefore possibly still perceive the development in a negative light and thus this receptor was still regarded as a potentially sensitive visual receptor location.

***During the time of the site visit it was noted that this farmstead / homestead was unoccupied / uninhabited. Despite this however, it was advised that this receptor could be revived as a guest farm (as it was until 7 years ago), possibly also to include a paid hunting component. This is however still uncertain, as transfer of the property to the new owner (Mr. Jean Gillmer) has not been finalised (Barbour, T and van der Merwe, S., September 2017). This receptors was thus still regarded as a potentially sensitive visual receptor location.

****VR 31 is located within the proposed San Kraal WEF application site. It is assumed that the occupants of this dwelling would have a vested interest in the development and would therefore not perceive the proposed development in a negative light. Despite this however, it was advised by the socio-economic specialist that the occupants could possibly still perceive the proposed development in a negative. S., September 2017) and thus this receptor was still regarded as a potentially sensitive visual receptor location.

*****VR 33 is located within the proposed San Kraal WEF application site. It is assumed that the occupants of this dwelling would have a vested interest in the development and would therefore not perceive the proposed development in a negative light. Despite this however, it was advised by the socio-economic specialist that the occupants could possibly still perceive the proposed

development in a negative light (Barbour, T and van der Merwe, S., September 2017) and thus this receptor was still regarded as a potentially sensitive visual receptor location.

In many cases, roads along which people travel, are regarded as sensitive receptors. The N9 national route traverses the study area / visual assessment zone in a north-south direction, passing through a very scenic area as it approaches the town of Noupoort, and can be considered to be the primary sensitive receptor road through the area (**Figure 27**). Proposed turbine locations for the San Kraal WEF development are all situated on higher-lying plateaux on the eastern side of the N9 and these are likely to be highly visible to motorists travelling along this road. Other potentially sensitive receptor roads include the following:

- The N10 national route which passes through the south-western section of the study area
 / visual assessment zone in an east-west direction (Figure 29). This is a national route
 linking Port Elizabeth on the Eastern Cape coast with Upington and the Namibian border
 to the west. Turbines situated on higher-lying plateaux are likely to be highly visible to
 motorists travelling along this road.
- The R389 provincial (un-surfaced) road that runs from the town of Noupoort in a westerly direction providing a link to the N1 and the town of Hanover (Figure 30). It should however be noted that only a small section of this road can be found within the northern part of the study area / visual assessment zone (near the town of Noupoort). In the setting of flat Karoo plains, turbines placed on top of the higher plateaux on the development site would be highly visible to motorists travelling along this road.

The sensitive and potentially sensitive visual receptor locations in relation to the zones of visual impact for the proposed WEF are indicated in **Figure 48** below.

It is important to note that none of the identified sensitive and potentially sensitive receptor locations can be found within the high zone of potential visual impact.




Figure 48: Sensitive and Potentially Sensitive Visual Receptors within the WEF Study Area

 Arcus Consultancy Services SA (Pty) Ltd
 prepared by: SiVEST Environmental Division

 Proposed 390MW San Kraal Wind Energy Facility – EIA Phase VIA Report

Version No. 3

5.2 POWER LINE RECEPTORS

Given the length of the proposed power line and the likely height of the associated towers, the radii chosen for the zones of visual impact are as follows:

- < 500m (high impact zone);
- 500m < 2km (moderate impact zone); and
- 2km < 5km (low impact zone).

A total number of twenty-two (22) receptors (4 of which are situated within the high zone of potential visual impact, 5 within the moderate zone of potential visual impact and 13 in the low zone of potential visual impact) have been identified within the combined visual assessment zone for the proposed 132kV power line and the Dual Turn-In lines, most of which are scattered farmsteads / homesteads which house the local farmers as well as farm workers. One (1) of these receptor locations was identified as being the Middelburg Hang Gliding Club, namely VR 52. These receptors are regarded as potentially sensitive visual receptors as they are located within a mostly rural setting and the proposed development will likely alter natural vistas experienced from these locations. It should be noted that two (2) of these receptor locations (namely VR 28 - The Dairy BnB and VR 36 – Carlton Heights Lodge) were however identified as sensitive visual receptors.

Table 3 and Table 4 below provide details of the sensitive and potentially sensitive places that have cultural and symbolic importance that were identified within the study area.

Name	Details	Corridor	r Option 1	Corrido	^r Option 2	Corridor Option 3		
Name	Details	Distance	Zone	Distance	Zone	Distance	Zone	
VR9*	Farmstead/Homestead	686m	Moderate	1.6km	Moderate	916m	Moderate	
VR10**	Farmstead/Homestead	633m	Moderate	1.6km	Moderate	853m	Moderate	
VR11***	Farmstead/Homestead	94m	High	2.9km	Low	Inside	High	
VR13	Farmstead/Homestead	8.7km	N/A	4.5km	Low	8.9km	N/A	
VR19	Noupoort Residential (west)	7.8km	N/A	3.4km	Low	8.3km	N/A	
VR20	Kwazamuxolo Residential	7.3km	N/A	2.6km	Low	7.6km	N/A	
VR22	Noupoort Residential (central)	8.6km	N/A	4.1km	Low	8.9km	N/A	
VR23	Farmstead/Homestead	7.9km	N/A	3.8km	Low	8.3km	N/A	
VR24	Farmstead/Homestead	7.9km	N/A	3.7km	Low	8.2km	N/A	
VR25	Farmstead/Homestead	8.0km	N/A	3.7km	Low	8.3km	N/A	

Table 3: Visual receptor locations sensitive and/or potentially sensitive to the proposed 132kV
power line linking the proposed San Kraal WEF to the proposed Umsobomvu MTS Substation

Arcus Consultancy Services SA (Pty) Ltd prepared by: SiVEST Environmental Division Proposed 390MW San Kraal Wind Energy Facility - EIA Phase VIA Report Version No. 3

Name	Details	Corridor	Option 1	Corridor	Option 2	Corridor Option 3		
Nume	Detans	Distance	Zone	Distance	Zone	Distance	Zone	
VR28	The Dairy BnB	6.8km	N/A	3.2km	Low	7.2km	N/A	
VR31*** *	Farmstead/homestead	2.4km	Low	4.2km	Low	345m	High	
VR32*** **	Farmstead/homestead	2.0km	Moderate	3.9km	Low	5.5m	High	
VR33	Farmstead/homestead	4.3km	Low	5.7km	N/A	2.6km	Low	
VR36	Carlton Heights Lodge	5.6km	N/A	7.9km	N/A	3.7km	Low	
VR45	Farmstead/Homestead	2.4km	Low	2.8km	Low	2.8km	Low	
VR46	Farmstead/Homestead	2.4km	Low	2.8km	Low	2.8km	Low	
VR47	Farmstead/Homestead	2.3km	Low	2.2km	Low	2.2km	Low	
VR48	Farmstead/Homestead	4.1km	Low	4.4km	Low	4.4km	Low	
VR49	Farmstead/Homestead	Inside	High	Inside	High	Inside	High	
VR51	Farmstead/Homestead	3.3km	Low	4.8km	Low	1.8km	Moderate	
VR52	Middelburg Hang- gliding	2.5km	Low	3.8km	Low	1.1km	Moderate	

* VR 9 is located on an adjacent property which will be used for the proposed Phezukomoya WEF application site (also being proposed as part of a separate on-going EIA process by InnoWind). It was thus advised that the owner of this dwelling has a vested interest in the development and would therefore not perceive the proposed development in a negative light. Despite this however, it was advised by the landowner that this dwelling is currently occupied by tenants. The current occupants could therefore possibly still perceive the development in a negative light and thus this receptor was still regarded as a potentially sensitive visual receptor location.

** VR 10 is located on an adjacent property which will be used for the proposed Phezukomoya WEF application site (also being proposed as part of a separate on-going EIA process by InnoWind). It was thus advised that the owner of this dwelling has a vested interest in the development and would therefore not perceive the proposed development in a negative light. Despite this however, it was advised by the landowner that this dwelling is currently occupied by tenants. The current occupants could therefore possibly still perceive the development in a negative light and thus this receptor was still regarded as a potentially sensitive visual receptor location.

***During the time of the site visit it was noted that this farmstead / homestead was unoccupied / uninhabited. Despite this however, it was advised that this receptor could be revived as a guest farm (as it was until 7 years ago), possibly also to include a paid hunting component. This is however still uncertain, as transfer of the property to the new owner (Mr. Jean Gillmer) has not been finalised (Barbour, T and van der Merwe, S., September 2017). This receptors was thus still regarded as a potentially sensitive visual receptor location.

****VR 31 is located within the proposed San Kraal WEF application site. It is assumed that the occupants of this dwelling would have a vested interest in the development and would therefore

not perceive the proposed development in a negative light. Despite this however, it was advised by the socio-economic specialist that the occupants could possibly still perceive the proposed development in a negative light (Barbour, T and van der Merwe, S., September 2017) and thus this receptor was still regarded as a potentially sensitive visual receptor location.

*****VR 33 is located within the proposed San Kraal WEF application site. It is assumed that the occupants of this dwelling would have a vested interest in the development and would therefore not perceive the proposed development in a negative light. Despite this however, it was advised by the socio-economic specialist that the occupants could possibly still perceive the proposed development in a negative. S., September 2017) and thus this receptor was still regarded as a potentially sensitive visual receptor location.

Name	Details		ˈurn-In on A		Turn-In ion B	Dual Turn-In Option C		
Name	Details	Distance	Zone	Option B Distance Zone		Distance	Zone	
VR45	Farmstead/Homestead	2.9km	Low	3.0km	Low	2.1km	Low	
VR46	Farmstead/Homestead	2.9km	Low	2.6km	Low	641m	Moderate	
VR47	Farmstead/Homestead	2.9km	Low	2.2km	Low	2.9km	Low	
VR48	Farmstead/Homestead	4.8km	Low	4.5km	Low	3.0km	Low	
VR49	Farmstead/Homestead	2.1km	Low	2.2km	Low	2.9km	Low	

Table 4: Visual receptor locations potentially sensitive to the proposed Dual Turn-In lines

 connection the proposed Umsobomvu Substation with the existing 400kV power lines

As stated above, both the N9 and the N10 national routes could be considered as potentially sensitive receptor roads in the study area. Motorists travelling along these roads could be visually exposed to the proposed 132kV power line and turn-in lines. The south-western part of the visual assessment zone for the proposed power line corridor is largely untransformed by service infrastructure and is characterised by a largely natural visual character. This is evident when travelling along the N10 national route where limited service infrastructure and other anthropogenic elements are present (**Figure 49**). It should however be noted that existing high voltage power lines traverse the north-eastern and south-western sections of the study area / visual assessment zone. These existing power lines can be seen when travelling along parts of the N9 and N10 national routes (**Figure 50**). Other anthropogenic elements which are visible from parts of the abovementioned national routes include the railway line which traverses both the N9 and N10 national routes (**Figure 28**) as well as other tall linear elements (**Figure 51**).



Figure 49: View from the N10 national route showing the largely untransformed nature of the southwestern section of the visual assessment zone for the power line corridor.



Figure 50: View of some of the existing power lines which are visible from parts of the N9 national route.



Figure 51: View of some of the typical tall linear anthropogenic elements which can be seen from the N9 and N10 national routes.

The sensitive and potentially sensitive visual receptor locations in relation to the zones of visual impact for the proposed 132kV power line are indicated in **Figure 52** below.

It should be noted that corridors were assessed with regards to the proposed 132kV power line and the final power line placement can be positioned well away from any of the identified sensitive and/or potentially sensitive receptor locations and any other dwellings, according to building restrictions and Eskom setbacks for such lines.




Figure 52: Sensitive and Potentially Sensitive Visual Receptors within the Power Line Study Area

 Arcus Consultancy Services SA (Pty) Ltd
 prepared by: SiVEST Environmental Division

 Proposed 390MW San Kraal Wind Energy Facility – EIA Phase VIA Report

Version No. 3

VISUAL SENSITIVITY ANALYSIS 6

During the scoping phase, all project specialists were requested to indicate environmentallysensitive areas within the development site. This exercise was undertaken to inform the design of the development layout within the application site.

The aim of the assessment was to identify those parts of the application site where locating turbines and other associated infrastructure would result in the greatest probability of visual impacts on potentially sensitive visual receptors, and should be precluded from the proposed development i.e. areas within the application site that should be avoided.

As previously mentioned the visual prominence of a tall structure such as a wind turbine would be exacerbated if located on a ridge top or high lying plateau. Preliminary layout plans for the proposed development have largely utilised the higher lying plateaus within the application site for turbine placement and as such the development is likely to be highly visible from much of the surrounding area. This does not necessarily mean that these plateaus should be precluded from any development and as such a desktop analysis was conducted to determine likely visual sensitivity in relation to the potentially sensitive receptors in the study area. The analysis conducted during the scoping phase of the study was revisited during the EIA phase of the study to factor in changes in the list of potentially sensitive visual receptors resulting from the field investigation.

Using GIS-based visibility analysis, it was possible to determine which sectors of the site would be visible to the highest numbers of receptors in the study area. This analysis took into account all the potentially sensitive receptor locations listed in **Table 2** above as well as points along the receptor roads at 500m intervals. The areas visible to the highest number of receptors were rated as areas of 'medium-high sensitivity' and turbines should preferably be precluded from these areas in order to reduce the potential visual impact on the identified sensitive and potentially sensitive receptor locations. However, as the study area as a whole is rated as having a moderately-low visual sensitivity (refer to Section 3.3), these zones are not considered areas of high visual sensitivity or no go areas. As no turbines are located within the zones of 'medium-high sensitivity' the layout is considered to be acceptable from a visual perspective. The results of this analysis are shown in Figure 53 below.

It should be noted that the visibility analysis is based purely on topographic data available for the broader study area and does not take into account any localised topographic variations or any existing infrastructure and / or vegetation which may constrain views. In addition, the analysis does not take into account differing perceptions of the viewer which largely determine the degree of visual impact being experienced.

The visual sensitivity analysis should therefore be seen as a conceptual representation or a worstcase scenario which rates the visibility of the site in relation to potentially sensitive receptors.




Figure 53: Visual sensitivity of the San Kraal WEF application site

Arcus Consultancy Services SA (Pty) Ltd prepared by: SiVEST Environmental Division Proposed 390MW San Kraal Wind Energy Facility – EIA Phase VIA Report

Version No. 3

7 IMPACT ASSESSMENT

7.1 Visual Compatibility / Contrast

The visual compatibility of the proposed development refers to the degree to which the development would be congruent with the surrounding environment. It is based on whether or not the development would conform with the land use, settlement density, structural scale, form and pattern of elements that define the structure of the surrounding landscape. Visual compatibility is an important factor to be considered when assessing the impact of the development within a specific context. A development that is incongruent with the surrounding area may change the character of the landscape, which could have a significant visual impact from key scenic views within the study area. Where a development corresponds with the surrounding environment the development would be easily absorbed by the surrounding environment and would result in little to no change in the visual character of the area.

In general, the development would not be consistent with the prevailing land uses within the wider study area / visual assessment zone. However, the anthropogenic elements and built-up areas present within parts of the study area are expected to partially alter the visual character and baseline and make certain areas appear to have a more industrial-type visual character. This is true for the northern and north-western sections of the visual assessment zone which are characterised by the presence of the town of Noupoort as well as the operational Noupoort Wind Farm. As such, the proposed development would increase the current level of visual transformation within the study area, but the existing unnatural forms will lessen the degree to which the proposed development would be considered incongruent with the surrounding landscape. In addition, the level of visual contrast would depend on the height, density and colour of the proposed development. If some or all of the other renewable energy facilities that are proposed within relatively close proximity to the proposed project are also constructed, the visual contrast would be significantly less as the proposed development would conform with the scale and form of these facilities.

7.2 Receptor Impact Rating

In order to assess the impact of the proposed development on the sensitive and potentially sensitive receptor locations listed above, a matrix that takes into account a number of factors has been developed (**Table 5**), and is applied to each receptor location.

The matrix has been based on a number of factors as listed below:

- Distance of a receptor location away from the proposed development (zones of visual impact);
- Presence of screening factors (topography, vegetation etc.); and
- Visual contrast of the development with the landscape pattern and form.

These factors are considered to be the most important factors when assessing the visual impact of a proposed development on a potentially sensitive receptor location in this context. It should be noted that this rating matrix is a relatively simplified way to assign a likely representative visual impact, which allows a number of factors to be considered. Experiencing of visual impacts is however a complex and qualitative phenomenon, and is thus difficult to accurately quantify. The matrix should therefore be seen as a representation of the likely visual impact at a receptor location. Part of its limitation lies in the quantitative assessment of what is largely a qualitative or subjective impact.

	VISUAL IMPACT RATING									
VISUAL FACTOR	HIGH	MEDIUM	LOW	OVERRIDING FACTOR: NEGLIGIBLE						
Distance of receptor away from proposed	0 ≤ 2km	2km ≤ 5km	5km ≤ 8km	8km <						
development	Score 3	Score 2	Score 1							
Presence of screening	No / almost no screening factors –	Screening factors partially obscure	Screening factors obscure	Screening factors						
factors	development highly visible	the development	most of the development	completely block any views towards the development, i.e. the development is not						
	Score 3	Score 2	Score 1	within the viewshed						
Visual Contrast.	High: The development would	Moderate: The development	Low: The development							
	contrast highly with the typical	would contrast moderately with the	would correspond with the							
	land use and/or pattern and form	typical land use and/or pattern and	typical land use and/or							
	of human elements (infrastructural	form of human elements	pattern and form of human							
	form). Typically a natural /	(infrastructural form) and existing	elements (infrastructural							
	pastoral environment with low-	level of visual transformation.	form) and existing level of							
	density rural infrastructure present	Typically areas within close	visual transformation.							
	(low voltage power lines and farm	proximity to other prominent	Presence of urban form and							
	boundary fences).	infrastructure (high voltage power	industrial-type							
		lines and railway lines) and within	infrastructure. The area is							
		intensive agricultural lands /	not highly valued or							
		cultivated fields.	sensitive to change (e.g.							
			outskirts of urban and built-							
			up areas).							
	Score: 3	Score: 2	Score: 1							

Table 5: Visual assessment matrix used to rate the impact of the proposed development on sensitive and potentially sensitive visual receptors

7.2.1 Distance

As described above, distance of the viewer / receptor location from the development is an important factor in the context of experiencing of visual impacts which will have a strong bearing on mitigating the potential visual impact. A high impact rating has been assigned to receptor locations that are located within 2km of the proposed development. Beyond 8km, the visual impact would be virtually nil, as the development would appear to merge with the elements on the horizon. As previously mentioned, distance bands were used to assign zones of visual impact from the proposed development site. Based on the height and scale of the project, the radii chosen to assign these zones of visual impact for the proposed San Kraal WEF are as follows:

- 2 < 5km (moderate impact zone); and
- 5km < 8km (low impact zone).

Given the length of the proposed power line and the likely height of the associated towers, the radii chosen for the zones of visual impact are as follows:

- < 500m (high impact zone); .
- 500m < 2km (moderate impact zone); and
- 2km < 5km (low impact zone).

7.2.2 Screening Factors

The presence of screening factors is equally important in this context as the distance away from the development. Screening factors can be vegetation, buildings, as well as topography. For example, a grove of trees located between a receptor location and an object could completely shield the object from the receptor. Topography (relative elevation and aspect) plays a similar role as a receptor location in a deep or incised valley will have a very limited viewshed and may not be able to view an object that is in close proximity, but not in its viewshed. As such, the complete screening of the development has been assigned an overriding negligible impact rating, as the development would not impose any impact on the receptor.

Visual Contrast 7.2.3

The degree to which the proposed development would appear to contrast with the surrounding land use, settlement density, forms and patterns of elements that define the structure of the surrounding landscape is also considered in the matrix. The visual contrast is an important factor to be

considered when assessing the impact of the proposed development from a specific location, as a development that appears to contrast with the visual backdrop may change the visual character of that landscape. This could have a significant visual impact on potentially sensitive visual receptors within the study area.

Based on the land use and visual character in the surrounding landscape, the area was assessed to determine the level of transformation and degree to which the proposed development would appear to be visually compatible with the surrounding environment when viewed from a particular location. In the context of this proposed development, the presence or absence of existing electrical infrastructure, dense settlement or other urban built-up form is an important factor influencing the level of visual contrast. For example, if the development was located adjacent to an existing renewable energy development it would result in significantly less visual contrast. The following zones / categories were therefore used in order to rate the visual contrast from each receptor location:

- High undeveloped / natural / rural areas; •
- **Moderate** Intensive agricultural lands / cultivated fields or areas within close proximity (i.e. within approximately 500m) of existing power line, road or rail infrastructure in undeveloped / natural / rural areas; and
- Low within 1 km from visually transformed urban / built-up areas (such as the town of Noupoort) as well as any operational Renewable Energy Facilities (such as the operational Noupoort Wind Farm).

Through the matrix a score for each receptor location is calculated. The range in which the score falls, as listed in **Table 6** below, determines the visual impact rating for each receptor location.

Rating	Overall Score						
High Visual Impact	8-9						
Moderate Visual Impact	5-7						
Low Visual Impact	3-4						
Negligible Visual Impact	(overriding factor)						

Table 6: Ratings scores

An explanation of the matrix is provided in **Table 5**.

7.2.4 WIND ENERGY FACILITY RECEPTOR IMPACT RATING

As previously mentioned, a few of the farmsteads / homesteads identified during the scoping phase were excluded as potentially sensitive receptor locations for the purposes of the EIA phase study as it was discovered during the time of the site visit that these were uninhabited and/or abandoned. No further assessment was undertaken from these abandoned farmsteads / homesteads as no

individuals currently live in these farmsteads / homesteads and therefore no visual impact will be experienced from these locations. In addition, a few of the farmsteads identified during the scoping phase have been eliminated for the purpose of this EIA phase study as they are located within the proposed San Kraal WEF application site and on the surrounding farms which form part of either this project or the proposed Phezukomoya WEF project (which is also being proposed as part of a separate on-going EIA process). As such, these farm owners will benefit financially from the proposed development and will not perceive the development in a negative light. Despite this however, some of the farmsteads located within the application site were not eliminated from the list of potentially sensitive receptor locations as they are currently occupied by tenants who will not benefit financially from the development and according to the socio-economic specialist, could possibly still perceive the proposed WEF in a negative light. In addition, some of these farmsteads could become potentially sensitive receptor locations in the future (Barbour, T and van der Merwe, S., September 2017). These receptors were thus not eliminated and were still regarded as potentially sensitive visual receptor locations for the purpose of this study.

Receptor	Distance	e Screening Visual Contras		OVERALL
Location				IMPACT RATING
VR9	N/A	Negligible	N/A	NEGLIGIBLE
VR10	N/A	Negligible	N/A	NEGLIGIBLE
VR11	Low (1)	Low (1)	Moderate (2)	LOW
VR17 -	Low (1)	Low (1)	Low (1)	LOW
Smallholdings				
VR19 –	Low (1)	Low (1)	Low (1)	LOW
Noupoort				
Residential				
(west)				
VR20 –	Low (1)	Low (1)	Low (1)	LOW
Kwazamuxolo				
Residential				
VR21 –	Low (1)	Moderate (2)	Low (1)	LOW
Noupoort Golf				
Course				
VR22 –	Low (1)	Low (1)	Low (1)	LOW
Noupoort				
Residential				
(central)				
VR23	Low (1)	Moderate (2)	Low (1)	LOW
VR24	Low (1)	Moderate (2)	Low (1)	LOW
VR25	Low (1)	Moderate (2)	Low (1)	LOW
VR27	Low (1)	Moderate (2)	Low (1)	LOW

Table 7: Visual impact of the proposed WEF development on sensitive and potentially sensitive

 visual receptors within the study area / visual assessment zone

 Arcus Consultancy Services SA (Pty) Ltd
 prepared by: SiVEST Environmental Division

 Proposed 390MW San Kraal Wind Energy Facility – EIA Phase VIA Report
 Version No. 3

Receptor	Distance	Screening	Visual Contrast	OVERALL
Location				IMPACT RATING
VR28 – The	Moderate (2)	Moderate (2)	Moderate (2)	MODERATE
Dairy BnB				
VR31	Moderate (2)	Low (1)	Moderate (2)	MODERATE
VR32	Moderate (2)	Moderate (2)	Moderate (2)	MODERATE
VR33	Moderate (2)	Low (1)	High (3)	MODERATE
VR34	N/A	Negligible	N/A	NEGLIGIBLE
VR36 –	Low (1)	Moderate (2)	Moderate (2)	MODERATE
Carlton				
Heights Lodge				
VR37	Moderate (2)	Low (1)	Moderate (2)	MODERATE
VR38	Low (1)	Moderate (2)	Moderate (2)	MODERATE
VR41	Low (1)	Low (1)	Moderate (2)	LOW
VR43	Low (1)	Low (1)	Low (1)	LOW
VR44	N/A	Negligible	N/A	NEGLIGIBLE

As indicated above, the proposed development would result in a low visual impact on majority of the potentially sensitive visual receptor locations with the study area / visual assessment zone (12 in total). It must be noted that the proposed development would not result in a high visual impact on any of the sensitive or potentially sensitive visual receptors. In addition, the proposed development is expected to have a moderate visual impact on five (5) of the potentially sensitive visual receptors. It is important to note that the proposed development would result in a moderate visual impact on both of the sensitive visual receptors identified within the study area / visual assessment zone, namely VR 28 - The Dairy BnB and VR 36 - Carlton Heights Lodge. The proposed development would however result in a negligible visual impact on four (4) of the potentially sensitive receptors. This is due to the fact that the viewshed analysis has shown that these receptors are located within an area in which the proposed wind turbines will not be visible. As such, the proposed WEF is expected to have an overall low visual impact.

7.2.5 **POWER LINE RECEPTOR IMPACT RATING**

As previously mentioned, a few of the farmsteads / homesteads identified during the scoping phase were excluded as potentially sensitive receptor locations for the purposes of the EIA phase study as it was discovered during the time of the site visit that these were uninhabited and/or abandoned. No further assessment was undertaken from these abandoned farmsteads / homesteads as no individuals currently live in these farmsteads / homesteads and therefore no visual impact will be experienced from these locations.

The impacts of each of the proposed 132kV Power Line Corridor Alternatives (i.e. Preferred Alternative, Alternative 1 and Alternative 2) on the sensitive and potentially sensitive visual receptors within the study area / visual assessment zone have been rated in **Table 8**, **Table 9** and **Table 10** below respectively.

Preferred Power Line Corridor Alternative:

Table 8: Visual impact of Preferred Power Line Corridor Alternative on sensitive and potentially sensitive visual receptors within the study area / visual assessment zone

Receptor	Co	orridor Option	1	OVERALL	IMPACT
Location	Distance	Screening	Visual Contrast	RATING	
VR9	Moderate (2)	Low (1)	Moderate (2)	MODERATE	
VR10	Moderate (2)	Low (1)	Moderate (2)	MODERATE	
VR11	High (3)	Low (1)	Moderate (2)	MODERATE	
VR13	Negligible	N	I/A	NEGLIGIBLE	
VR19 –	Negligible	N	I/A	NEGLIGIBLE	
Noupoort					
Residential					
(west)					
VR20 –	Negligible	N	I/A	NEGLIGIBLE	
Kwazamuxolo					
Residential					
VR22 –	Negligible	N	I/A	NEGLIGIBLE	
Noupoort					
Residential					
(central)					
VR23	Negligible	N	I/A	NEGLIGIBLE	
VR24	Negligible	N	I/A	NEGLIGIBLE	
VR25	Negligible	N	I/A	NEGLIGIBLE	
VR28 – The	Negligible	N	I/A	NEGLIGIBLE	
Dairy BnB					
VR31	Low (1)	Low (1)	Moderate (2)	LOW	
VR32	Moderate (2)	Moderate (2)	Moderate (2)	MODERATE	
VR33	Low (1)	Moderate (2)	Moderate (2)	MODERATE	
VR36 – Carlton	Negligible	N	I/A	NEGLIGIBLE	
Heights Lodge					
VR45	Low (1)	Low (1)	Moderate (2)	LOW	
VR46	Low (1)	Low (1)	Moderate (2)	LOW	
VR47	Low (1)	Low (1)	High (3)	MODERATE	
VR48	Low (1)	Low (1)	High (3)	MODERATE	
VR49	High (3)	Moderate (2)	High (3)	HIGH	
VR51	Low (1)	Moderate (2)	Moderate (2)	MODERATE	
VR52	Low (1)	High (3)	Moderate (2)	MODERATE	

Arcus Consultancy Services SA (Pty) Ltd

prepared by: SiVEST Environmental Division

With regards to Preferred Power Line Corridor Alternative, as indicated above, the proposed development would result in a moderate visual impact on majority of the potentially sensitive visual receptor locations with the study area / visual assessment zone (9 in total). Additionally, the proposed development would result in a negligible visual impact on seven (7) of the potentially sensitive receptors. The proposed development would also result in a negligible visual impact on both of the sensitive receptor locations (namely VR 28 – The Dairy BnB and VR 36 – Carlton Heights Lodge). This is due to the fact that the above-mentioned sensitive and potentially sensitive receptors are located further than 5km from this power line corridor alternative and therefore the proposed power line is not expected to be visible from these locations. It must be noted that the proposed development would result in a high visual impact on only one (1) of the potentially sensitive visual receptors, namely VR 49. In addition, the proposed development is also expected to have a low visual impact on three (3) of the potentially sensitive visual receptors, namely VR 31, VR 45 and VR 46. As previously mentioned, corridors were assessed with regards to the proposed 132kV power line and the final power line placement can be positioned well away from any of the identified sensitive and/or potentially sensitive receptor locations and any other dwellings. In light of the above, the Preferred Power Line Corridor Alternative is expected to have an overall moderate visual impact.

Power Line Corridor Alternative 2:

Receptor	Co	orridor Option 2	OVERALL	IMPACT	
Location	Distance	Screening	Visual	RATING	
Location			Contrast		
VR9	Moderate (2)	Low (1)	Moderate (2)	MODERATE	
VR10	Moderate (2)	Low (1)	Moderate (2)	MODERATE	
VR11	Low (1)	Low (1)	Moderate (2)	LOW	
VR13	Low (1)	Low (1)	Moderate (2)	LOW	
VR19 –	Low (1)	Low (1)	Moderate (2)	LOW	
Noupoort					
Residential					
(west)					
VR20 –	Low (1)	Low (1)	Low (1)	LOW	
Kwazamuxolo					
Residential					
VR22 –	Low (1)	Low (1)	Low (1)	LOW	
Noupoort					
Residential					
(central)					
VR23	Low (1)	Moderate (2)	Low (1)	LOW	

Table 9: Visual impact of Power Line Corridor Alternative 2 on sensitive and potentially sensitive visual receptors within the study area / visual assessment zone

Arcus Consultancy Services SA (Pty) Ltd prepared by: SiVEST Environmental Division Proposed 390MW San Kraal Wind Energy Facility - EIA Phase VIA Report Version No. 3

Receptor	Co	orridor Option 2	2	OVERALL	IMPACT
Location	Distance	Screening	Visual	RATING	
			Contrast		
VR24	Low (1)	Moderate (2)	Low (1)	LOW	
VR25	Low (1)	Moderate (2)	Low (1)	LOW	
VR28 – The	Low (1)	Moderate (2)	Moderate (2)	MODERATE	
Dairy BnB					
VR31	Low (1)	Low (1)	Moderate (2)	LOW	
VR32	Low (1)	Moderate (2)	Moderate (2)	MODERATE	
VR33	Negligible	N	/A	NEGLIGIBLE	
VR36 – Carlton	Negligible	N	/A	NEGLIGIBLE	
Heights Lodge					
VR45	Low (1)	Low (1)	Moderate (2)	LOW	
VR46	Low (1)	Low (1)	Moderate (2)	LOW	
VR47	Low (1)	Low (1)	High (3)	MODERATE	
VR48	Low (1)	Low (1)	High (3)	MODERATE	
VR49	High (3)	Moderate (2)	High (3)	HIGH	
VR51	Low (1)	Moderate (2)	Moderate (2)	MODERATE	
VR52	Low (1)	High (3)	Moderate (2)	MODERATE	

With regards to Power Line Corridor Alternative 2, as indicated above, the proposed development would result in a low visual impact on majority of the potentially sensitive visual receptor locations with the study area / visual assessment zone (11 in total). Additionally, the proposed development would result in a negligible visual impact on one (1) of the potentially sensitive receptors, namely VR 33. The proposed development would also result in a negligible visual impact on one (1) of the sensitive visual receptors, namely VR 36 - Carlton Heights Lodge. This is due to the fact that the above-mentioned sensitive and potentially sensitive receptors are located further than 5km from this power line corridor alternative and therefore the proposed power line is not expected to be visible from these locations. It must be noted that the proposed development would result in a high visual impact on only one (1) of the potentially sensitive visual receptors, namely VR 49. In addition, the proposed development is also expected to have a moderate visual impact on seven (7) of the potentially sensitive visual receptors, as well as one (1) of the sensitive visual receptors, namely VR 28 – The Dairy BnB. As previously mentioned, corridors were assessed with regards to the proposed 132kV power line and the final power line placement can be positioned well away from any of the identified sensitive and/or potentially sensitive receptor locations and any other dwellings. In light of the above, the Power Line Corridor Alternative 2 is expected to have an overall low visual impact.

Power Line Corridor Alternative 1:

Table 10: Visual impact of Power Line Corridor Alternative 1 on sensitive and potentially sensitive visual receptors within the study area / visual assessment zone

Receptor	С	orridor Option	3	OVERALL	IMPACT
Location	Distance	Screening	Visual	RATING	
) (D.)			Contrast		
VR9	Moderate (2)	Low (1)	Moderate (2)	MODERATE	
VR10	Moderate (2)	Low (1)	Moderate (2)	MODERATE	
VR11	High (3)	Low (1)	Moderate (2)	MODERATE	
VR13	Negligible	N	I/A	NEGLIGIBLE	
VR19 –	Negligible	N	I/A	NEGLIGIBLE	
Noupoort					
Residential					
(west)					
VR20 –	Negligible	N	I/A	NEGLIGIBLE	
Kwazamuxolo					
Residential					
VR22 –	Negligible	N	I/A	NEGLIGIBLE	
Noupoort					
Residential					
(central)					
VR23	Negligible	N	I/A	NEGLIGIBLE	
VR24	Negligible	N	I/A	NEGLIGIBLE	
VR25	Negligible	N	I/A	NEGLIGIBLE	
VR28 – The	Negligible	N	I/A	NEGLIGIBLE	
Dairy BnB					
VR31	High (3)	Low (1)	Moderate (2)	MODERATE	
VR32	High (3)	Moderate (2)	Moderate (2)	MODERATE	
VR33	Low (1)	Low (1)	High (3)	MODERATE	
VR36 – Carlton	Low (1)	Moderate (2)	Moderate (2)	MODERATE	
Heights Lodge					
VR45	Low (1)	Low (1)	Moderate (2)	LOW	
VR46	Low (1)	Low (1)	Moderate (2)	LOW	
VR47	Low (1)	Low (1)	High (3)	MODERATE	
VR48	Low (1)	Low (1)	High (3)	MODERATE	
VR49	High (3)	Moderate (2)	High (3)	HIGH	
VR51	Moderate (2)	Moderate (2)	Moderate (2)	MODERATE	
VR52	Moderate (2)	High (3)	Moderate (2)	MODERATE	

With regards to Power Line Corridor Alternative 1, as indicated above, the proposed development would result in a moderate visual impact on majority of the potentially sensitive visual receptor locations with the study area / visual assessment zone (10 in total). The proposed development would also result in a moderate visual impact on one (1) of the sensitive visual receptors, namely VR 36 - Carlton Heights Lodge. Additionally, the proposed development would result in a negligible visual impact on seven (7) of the potentially sensitive receptors. The proposed development would also result in a negligible visual impact on one (1) of the sensitive visual receptors, namely VR 28 – The Dairy BnB. This is due to the fact that the above-mentioned sensitive and potentially sensitive receptors are located further than 5km from this power line corridor alternative and therefore the proposed power line is not expected to be visible from these locations. It must be noted that the proposed development would result in a high visual impact on only one (1) of the potentially sensitive visual receptors, namely VR 49. In addition, the proposed development is also expected to have a low visual impact on two (2) of the potentially sensitive visual receptors, namely VR 45 and VR 46. As previously mentioned, corridors were assessed with regards to the proposed 132kV power line and the final power line placement can be positioned well away from any of the identified sensitive and/or potentially sensitive receptor locations and any other dwellings. In light of the above, the Power Line Corridor Alternative 1 is expected to have an overall moderate visual impact.

7.3 Visual Modelling

In order to provide an indication of what the proposed WEF would look like from some of the sensitive and potentially sensitive receptor locations identified, visual models were created to strengthen the findings of the receptor impact ratings. An indicative range of locations were selected for modelling purposes to provide an indication of the possible impacts from different locations within the study area. The models illustrate how views from the each vantage point will be transformed by the proposed development if the wind turbines are erected on the site as proposed.

As mentioned above, the following assumptions and limitations are of relevance for the visual models:

- The visual models represent a visual environment that assumes all vegetative clearing will be restored to its current state after the construction phase. This is however, is an improbable scenario as some trees and shrubs may be removed which may reduce the accuracy of the models generated.
- At the time of this study the proposed project was still in its early planning stages. Therefore, the layout plans of the turbines, as provided by InnoWind may change. In addition, all infrastructure associated with the wind farm has been excluded from the models.
- 7.3.1 Vantage Point 1 View towards the proposed San Kraal WEF turbine locations from VR 28 The Dairy BnB, within the Moderate Visual Impact Zone




Figure 54: Existing view to the south-east (SE) from VR 28 – The Dairy BnB, towards the proposed San Kraal WEF turbine locations (approximately 4.4km from the nearest proposed turbine location)



Figure 55: Visually modelled post-construction view to the south-east (SE) from VR 28 – The Dairy BnB, towards the proposed San Kraal WEF turbine locations (approximately 4.4km from the nearest proposed turbine location)

As indicated in **Figure 55** above, the relatively close proximity of the turbines is expected to result in the proposed development being highly visible from this sensitive receptor. This sensitive receptor is however surrounded by a significant number of screening factors (such as tall trees, other vegetation and hills / "koppies") which are also expected to obscure view towards the proposed turbines. It should be noted that the hills found to the south-east of this sensitive receptor are not expected to provide screening from the proposed development as the turbines will be placed on the top of these hills and will thus be visible. The visible wind turbines would contrast moderately with the dominant natural landscape elements as this sensitive receptor is located within close proximity to the town of Noupoort and the Noupoort Wind Farm and thus there are existing power lines and other tall linear elements in view from this point.

7.3.2 Vantage Point 2 – View towards the proposed San Kraal WEF turbine locations from the eastern section of the visual assessment zone (within the San Kraal WEF application site), within the High Visual Impact Zone

It should be noted that Vantage Point 2 is not considered to be a potentially sensitive receptor as the landowner has a vested interest in the WEF project. The visual model undertaken at this point

has however been included in this report to provide an indication of the likely visibility of the proposed development from within 2km of the nearest turbine location.



Figure 56: Existing view (to the west) towards the proposed San Kraal WEF turbine locations from the eastern section of the visual assessment zone (within the San Kraal WEF application site), approximately 1.2km from the nearest proposed turbine location



Figure 57: Visually modelled post-construction view (to the west) towards the proposed San Kraal WEF turbine locations from the eastern section of the visual assessment zone (within the San Kraal WEF application sire), approximately 1.2km from the nearest proposed turbine location

As indicated in **Figure 57** above, the very close proximity of the turbines to this point are expected to result in the proposed development being highly visible from this location or most locations within 2km of the turbines. As such, the screening factors in the area surrounding this point are not expected to significantly obscure view towards the turbines. In addition, the "koppie" / hill found to the west of this location is not expected to provide screening from the proposed development as the turbines will be placed on the top of this "koppie" / hill and will thus be highly visible. The visible wind turbines would conform with the dominant natural landscape elements as the wind turbines of the operational Noupoort Wind Farm are visible from this location.

7.3.3 Vantage Point 3 - View towards the proposed San Kraal WEF turbine locations from the north-eastern section of the visual assessment zone, within the Moderate Visual Impact Zone

It should be noted that the visual model undertaken at this point was not done from a potentially sensitive receptor location, but rather from a certain point within the study area which was located approximately 3km from the nearest turbine location. This point was selected due to its location in

relation to the proposed development, accessibility and various other factors which will affect the visibility of the proposed development such as topography and vegetation.



Figure 58: Existing view (to the south-west) towards the proposed San Kraal WEF turbine locations from the north-eastern section of the visual assessment zone, showing the existing Noupoort Wind Farm



Figure 59: Visually modelled post-construction view (to the south-west) towards the proposed San Kraal WEF turbine locations from the north-eastern section of the visual assessment zone, approximately 3km from the nearest proposed turbine location

As indicated in **Figure 59** above, the lack of significant screening factors in the area surrounding this point, as well as the very close proximity of the turbines to this point, are expected to result in the proposed development being highly visible from this vantage point. In addition, the "koppie" / hill found to the south-west of this location is not expected to provide screening from the proposed development as the turbines will be placed on the top of this "koppie" / hill and will thus be highly visible. As indicated in **Figure 58**, however, the wind turbines of the operational Noupoort Wind Farm are already highly visible from this location and as such, the additional wind turbines would be in conformity with the dominant natural landscape elements present.

7.3.4 Vantage Point 4 - View towards the proposed San Kraal WEF turbine locations from VR 36 – Carlton Heights Lodge, within the Low Visual Impact Zone



Figure 60: Existing view to the north north-east (NNE) from VR 36 – Carlton Heights Lodge, towards the proposed San Kraal WEF turbine locations (approximately 6km from the nearest proposed turbine location)



Figure 61: Visually modelled post-construction view to the north north-east (NNE) from VR 36 – Carlton Heights Lodge, towards the proposed San Kraal WEF turbine locations (approximately 6km from the nearest proposed turbine location).

As indicated in **Figure 61** above, the general lack of significant screening factors in the area surrounding this point are expected to result in the proposed development being visible to a degree. In addition, despite the relatively distant location of the turbines, the proposed development is still expected to be visible to a degree from this sensitive receptor. However, a series of tall trees can be found to the north-east (NE) of the main guesthouse and are expected to provide a moderate amount of screening for views in that direction. These trees would thus partially obscure views towards the proposed development (**Figure 62**). In addition, the hills found to the north north-east (NNE) of this sensitive receptor are not expected to provide screening from the proposed development as the turbines will be placed on the top of these hills and will thus be visible to a degree elements as there are existing power lines in view from this point.



Figure 62: View of the series of tall trees found to the north-east (NE) of the main guesthouse at VR 36 which are expected to provide a moderate amount of screening

7.4 Night Time Impacts

The visual impact of lighting on the nightscape is largely dependent on the existing lighting present in the surrounding area at night. The night scene in areas where there are numerous light sources will be visually degraded by the existing light pollution and therefore additional light sources are unlikely to have a significant impact on the nightscape. In contrast, introducing light sources into a relatively dark night sky will impact on the visual quality of the area at night. It is thus important to identify a night-time visual baseline before exploring the potential visual impact of the proposed WEF at night.

The area surrounding the proposed development site is largely uninhabited and as a result, few light sources are present. At night, much of the study area is characterised by a picturesque dark starry sky and the visual character of the night environment is considered to be mostly 'unpolluted' and pristine. The town of Noupoort is the main source of light within the surrounding area and is situated approximately 4.3km from the proposed development. This town is thus expected to have a limited impact on the night scene and will only impact the parts of the study area which are situated within close proximity to the town. In addition, other prominent light sources within the study area at night include the operational and security lighting at the Noupoort Wind Farm.

Permanent aviation lights or hazard lights have been placed on the top of each wind turbine and have created a network of red lights in the dark night-time sky. As such, parts of the study area situated within close proximity to the town of Noupoort and the operational Noupoort Wind Farm have already seen some form of transformation / disturbance of the night environment. The night scene in these areas is thus not expected to be significantly impacted by the presence of the proposed WEF. It must be noted that The Dairy BnB (VR 28) is located within relatively close proximity to the town of Noupoort. The night scene in the vicinity of this receptor has thus already been impacted significantly. In addition, this receptor makes use of lighting at night for security reasons. Alternatively, the area surrounding Carlton Heights Lodge (VR 36) has maintained a largely natural / undisturbed character and is not characterised by a large amount of lighting. As such, the presence of the lighting at the San Kraal WEF is expected to significantly impact the night scene at this receptor location. Other sources of light are limited to, isolated lighting from the few surrounding farmsteads / homesteads, transient light from trains travelling on the railway line and passing cars travelling along the N9 and N10 national routes and R389 gravel access road.

Operational and security lighting at night will be required for the proposed San Kraal WEF. In addition, a permanent aviation light or hazard light will be placed on the top of each wind turbine, which will create a network of red lights in the dark night-time sky. The type and intensity of lighting required was unknown at the time of writing this report and therefore the potential impact of the development at night has been discussed based on the general effect that additional light sources will have on the ambiance of the nightscape.

Although the area is not generally renowned as a tourist destination, the natural dark character of the nightscape will be sensitive to the impact of additional lighting at night. The operational and security lighting required for the proposed WEF is likely to intrude on the nightscape and create glare, which will contrast with the extremely dark backdrop of the surrounding area. In addition, the red hazard lights may be particularly noticeable as their colour will differ from the few lights typically found within the environment and the flashing will draw attention to them. These lights will however have a low intensity and will create less contrast than white lights typically would (Vissering, 2011).

7.5 Visual Impacts of Associated Infrastructure

7.5.1 Access Roads

Internal access roads with a maximum width of 14m are initially being proposed for the construction phase. This is however only temporary as the width of proposed internal access roads will be reduced to approximately 8m for maintenance purposes during the operational phase.

Roads are typically only associated with a visual impact if they traverse sloping ground on an aspect that is visible to the surrounding area. Considering that the proposed access roads are located on relatively flat terrain it is likely that the visual impact associated with upgrading these roads would

be minimal. However, if these roads are not maintained correctly during the construction phase, construction vehicles travelling along the gravel access roads could expose surrounding farmsteads / homesteads to dust plumes.

7.5.2 Underground Cabling

As with the internal gravel access roads, the underground cabling (if required) will most likely be positioned to follow the internal access roads. The visual impact of this cabling would be very similar to roads in that the 'scar' associated with the cable could create a visual contrast with the largely natural vegetation on the site. This is due to the fact that vegetation will need to be removed in order to install the underground cabling. In addition, the vegetation which has been removed from these areas is expected to take a significant amount of time to re-establish, thus leaving a 'scar' in the landscape for a period of time. As with the access roads, it is recommended that where possible, all cables should avoid steeper slopes in order to preserve the natural visual integrity of the landscape. It is strongly recommended that all reinstated cable trenches should be re-vegetated with the same vegetation that existed prior to the cable being laid, in order to reduce the potential for creating unnatural linear features in the environment. Local nurseries may need to be commissioned to cultivate the vegetation removed. In addition, erosion control measures should be employed to prevent the scarring from worsening with time.

7.5.3 Power Lines

As previously mentioned, the wind turbines will be connected to the proposed on-site substation using buried medium voltage cables. However, overhead power lines may also be used where a technical assessment of the proposed design suggests that they will be more appropriate, such as over rivers and gullies. It should be noted that a medium voltage overhead line (approximately 4km in length) will connect the on-site switching station with the above-mentioned on-site medium voltage/132kV substation. In addition the electricity generated from the proposed San Kraal WEF will be fed into the national grid at the proposed Umsobomvu Main Transmission Substation (MTS) via a proposed 132kV power line. Power lines consist of a series of tall towers which make them highly visible. Power lines are not features of the natural environment, but are representative of anthropogenic transformation. Thus when placed in largely natural landscapes, they will be perceived to be highly incongruous in this setting. Conversely, the presence of other anthropogenic elements associated with the built environment, especially other power lines, may result in the visual environment being considered to be 'degraded' and thus the introduction of a new power line into this setting may be less of a visual impact than if there was no existing built infrastructure visible. As previously mentioned, there are several high voltage power lines located within study area which would lessen the visual contrast associated with the introduction of a new power line.

Power lines are anthropogenic elements that are typically found in the landscape, both in urban or industrial and in more natural rural settings. The visual impact of a power line would largely be related to the physical characteristics of the area, land use and the spatial distribution of potential receptors. When combining this with the distribution and likely value judgements of visual receptors, the visual impact of the proposed power line can be determined. In areas, where the power line would contrast with the surrounding area it may change the visual character of the landscape and be perceived negatively by visual receptors.

As mentioned above, the presence of other linear structures such as roads, railways and especially other power lines would influence the perception of whether a power line is a visual impact. Where existing power lines are present the visual environment would already be visually 'degraded' and thus the introduction of a new power line in this setting may be considered to be less of a visual impact than if no existing built infrastructure were visible.

7.5.4 On-site Substation

A new medium voltage/132kV on-site substation (approximately 180 000m²) is being proposed (namely the San Kraal Substation) which will supply the generated electricity to the Eskom grid. In addition, an on-site switching station (approximately 10 000m²) is also being proposed, along with the Umsobomvu MTS. In isolation, the substations may be considered to be visually intrusive; however, it must be assumed that the substations would be built to serve the needs of the power generated from the proposed WEF. Thus the substations would only be constructed if the proposed WEF was developed as well. The substations would likely form part of the proposed WEF complex, as viewed from the surrounding farmsteads / homesteads. Views of the substations would therefore be dwarfed by the large number of turbines that would be visible. As such, the substations are not expected to be associated with a significant visual impact, or even a measurable cumulative impact.

7.6 Overall Visual Impact Rating

The EIA Regulations (2014) requires that an overall rating for visual impact be provided to allow the visual impact to be assessed alongside other environmental parameters. The tables below present the impact rating for visual impacts associated with the proposed construction and operation of the proposed San Kraal WEF and the associated infrastructure (such as the on-site substation and power line). It should be noted that the literature review of the visual impact assessments which have been conducted for other renewable projects in the area was used in order to inform the mitigation measures which were provided in this EIA phase study.

7.6.1 Construction

Table 11: Rating of visual impacts of the proposed San Kraal WEF during construction

Impact Phase:

Potential impact description:

During the construction phase, large construction vehicles and equipment will alter the natural character of the study area and expose visual receptors to visual impacts associated with construction. The construction activities may be perceived as an unwelcome visual intrusion, particularly in more natural undisturbed settings. Vehicles and trucks travelling to and from the proposed site on gravel access roads are also expected to increase dust emissions. The increased traffic on these roads and the resultant dust plumes could create a visual impact and may evoke negative sentiments from surrounding viewers. Surface disturbance during construction would also expose bare soil which could visually contrast with the surrounding environment. Additionally, temporary stockpiling of soil during construction may alter the landscape. Wind blowing over these disturbed areas could therefore result in dust which would have a visual impact.

	Extent	Duration	Intensity	Status	Significance	Probability	Confidence	
Without	М	L	М	Negative	М	М	М	
Mitigation								
With	М	L	М	Negative	М	М	М	
Mitigation								
Can the im	Can the impact be reversed?			YES - the negative effects of construction will cease once				
			construction	on is comple	ete			
Will	impact	cause	YES – the	re will be m	arginal loss of	resources		
irreplaceab	ole la	oss or						
resources?)							
Can impa	Can impact be avoided, YES – mitigation measures can reduce impacts							
managed o	or mitigate	ed?						
irreplaceab resources? Can imp	act be	oss or avoided,	YES – the YES – mit	re will be m	arginal loss of			

Mitigation measures to reduce residual risk or enhance opportunities:

- Carefully plan to reduce the construction period.
- Minimise vegetation clearing and rehabilitate cleared areas as soon as possible.
- Maintain a neat construction site by removing rubble and waste materials regularly.
- Make use of existing gravel access roads where possible.
- Ensure that dust suppression techniques are implemented on all access roads, especially those leading up steep slopes.

Table 12: Rating of visual impacts of the infrastructure associated with the San Kraal WEF during construction

Impact Phase:

Potential impact description:

During the construction of the 132kV overhead power line, underground cables, on-site switching station, access roads and building infrastructure, large construction vehicles and equipment

could exert a visual impact by altering the visual character of the surrounding area and exposing sensitive visual receptor locations to visual impacts associated with the construction phase. The construction activities may be perceived as an unwelcome visual intrusion, particularly in more natural undisturbed settings. Vehicles and trucks travelling to and from the proposed site on gravel access roads are also expected to increase dust emissions. The increased traffic on the gravel roads and the resultant dust plumes could create a visual impact and may evoke negative sentiments from surrounding viewers. Surface disturbance during construction would also expose bare soil which could visually contrast with the surrounding environment. In addition, temporarily stockpiling soil during construction may alter the landscape and wind blowing over these disturbed areas could result in dust which would have a visual impact.

Extent	Duration	Intensity	Status	Significance	Probability	Confidence
М	L	М	Negative	М	М	М
М	L	М	Negative	М	М	М
pact be r	eversed?	YES - the negative effects of construction will cease once				
		constructio	on is comple	ete		
mpact	cause	YES – the	re will be m	arginal loss of	resources	
le lo	oss or					
act be	sures can redu	ice impacts				
or mitigate	ed?					
	M pact be r mpact le lo	M L M L pact be reversed? mpact cause le loss or	M L M M L M M L M pact be reversed? YES – the construction mpact cause YES – the construction mpact cause YES – the construction act be avoided, YES – mit	M L M Negative M L M Negative M L M Negative pact be reversed? YES – the negative construction is completed construction is completed construction is completed construction is completed construction. mpact cause YES – there will be main completed construction. act be avoided, YES – mitigation means	M L M Negative M M L M Negative M M L M Negative M pact be reversed? YES – the negative effects of con construction is complete mpact cause YES – there will be marginal loss of le le loss or act be avoided, YES – mitigation measures can reduing	M L M Negative M M M L M Negative M M M L M Negative M M pact be reversed? YES – the negative effects of construction will construction is complete mpact cause YES – there will be marginal loss of resources le loss or act be avoided, YES – mitigation measures can reduce impacts

Mitigation measures to reduce residual risk or enhance opportunities:

- All reinstated cable trenches should be re-vegetated with the same vegetation that existed prior to the cable being laid.
- Carefully plan to reduce the construction period.
- Minimise vegetation clearing and rehabilitate cleared areas as soon as possible.
- Maintain a neat construction site by removing rubble and waste materials regularly.
- Make use of existing gravel access roads where possible.
- Ensure that dust suppression techniques are implemented on all access roads

Table 13: Rating of cumulative visual impacts as a result of the San Kraal WEF in addition to the other renewable energy developments (including associated infrastructure) proposed nearby during construction

Impact Phase:

Potential impact description:

Cumulative visual impacts as a result of the construction of the San Kraal WEF in addition to the other renewable energy developments within a 35km radius of the San Kraal WEF. Large construction vehicles and equipment during the construction phase of the San Kraal WEF will contribute further to the alteration of the natural character of the study area and will also expose a greater number of visual receptors to visual impacts associated with the construction phase. The construction activities may be perceived as an unwelcome visual intrusion, particularly in

more natural undisturbed settings. Vehicles and trucks travelling to and from the proposed San Kraal development site on gravel access roads are also expected to result in an increase in dust emissions in the greater area. The increased traffic on these roads and the dust plumes could create a greater visual impact within the greater area and may evoke more negative sentiments from surrounding viewers. Surface disturbance during construction of the San Kraal WEF would also result in a greater amount of bare soil being exposed which could result in a greater visual contrast with the surrounding environment. In addition, temporary stockpiling of soil during construction may alter the landscape further. Wind blowing over these disturbed areas could result in a greater amount of dust which would have a visual impact.

	Extent	Duration	Intensity	Status	Significance	Probability	Confidence
Without	М	М	Н	Negative	М	Н	М
Mitigation							
With	М	М	М	Negative	М	М	М
Mitigation							
Can the im	pact be r	eversed?	YES – The impact is partly reversible. The negative effects of				
				on will ceas	e once constru	ction is comp	ete
Will	impact	cause	YES – the	re will be si	gnificant loss o	f resources	
irreplaceab	le la	oss or					
resources?	•						
Can impact be avoided, YES – mitigation measures can reduce impacts							
managed o	or mitigate	ed?					

Mitigation measures to reduce residual risk or enhance opportunities:

- Carefully plan to reduce the construction period.
- Minimise vegetation clearing and rehabilitate cleared areas as soon as possible.
- Vegetation clearing should take place in a phased manner.
- Maintain a neat construction site by removing rubble and waste materials regularly.
- Make use of existing gravel access roads, where possible.
- Limit the number of vehicles and trucks travelling to and from the proposed San Kraal development site, where possible.
- Ensure that dust suppression techniques are implemented on all access roads.
- Ensure that dust suppression is implemented in all areas where vegetation clearing has taken place.
- Ensure that dust suppression techniques are implemented on all soil stockpiles.
- Temporarily fence-off the construction sites (for the duration of the construction period).
- All reinstated cable trenches should be re-vegetated with the same vegetation that existed prior to the cable being laid, where possible.
- It is not realistic to attempt to screen wind farms visually. Providing a means whereby they can be absorbed into the landscape is more feasible. This can be approached by making use of certain materials and finishes and by presenting the scheme to I&APs.
- Institute a rigorous planting regime around certain boundaries of the project site, the proposed substation, ancillary buildings, N10 and N9 transportation routes.

 Buildings and similar structures must be in keeping with regional planning policy documents, especially the principles of critical regionalism (namely sense of place, sense of history, sense of nature, sense of craft and sense of limits).

7.6.2 Operation

 Table 14: Rating of visual impacts of the proposed San Kraal WEF during operation

Impact Phase:

Potential impact description:

During the operation phase, the proposed San Kraal WEF could exert a visual impact by altering the visual character of the surrounding area and exposing sensitive visual receptor roads and locations, such as farmsteads / homesteads to visual impacts. The development may be perceived as an unwelcome visual intrusion, particularly in more natural undisturbed settings. Maintenance vehicles may need to access the WEF via gravel access roads and are expected to increase dust emissions in doing so. The increased traffic on these roads and the dust plumes could create a visual impact and may evoke negative sentiments from surrounding viewers. Security and operational lighting at the proposed WEF could result in light pollution and glare, which could be an annoyance to surrounding viewers

-				-					
	Extent	Duration	Intensity	Status	Significance	Probability	Confidence		
Without	М	М	Н	Negative	М	Н	М		
Mitigation									
With	М	М	М	Negative	М	Н	М		
Mitigation									
Can the im	pact be r	eversed?	YES – if the WEF is decommissioned						
Will	impact	cause	YES - the	re will be m	arginal loss of	resources			
irreplaceab	ole la	oss or							
resources?	resources?								
Can impact be avoided, YES – mitigation measures can reduce impacts									
managed o	or mitigat	ed?							

Mitigation measures to reduce residual risk or enhance opportunities:

- Medium-high visual impact zones should be viewed as zones where the number of turbines should be limited, where possible.
- No turbines should be placed within 500m of the N9, N10 and R389 provincial road.
- Where possible, fewer but larger turbines with a greater output should be utilised rather than a larger number of smaller turbines with a lower capacity.
- Turbines should be painted plain white, as this is a less industrial colour (Vissering, 2011). Bright colours or obvious logos should not be permitted.
- Turbines should be repaired promptly, as they are considered more visually appealing when the blades are rotating (or at work) (Vissering, 2011).
- If required, turbines should be replaced with the same model, or one of equal height and scale. Repeating elements of the same height, scale and form can result in unity and

lessen the visual impact that would typically be experienced in a chaotic landscapes made up of diverse colours, textures and patterns (Vissering, 2011).

- Light fittings for security at night should reflect the light toward the ground and prevent light spill.
- Ensure that dust suppression techniques are implemented on all access roads.

Table 15: Rating of visual impacts of the infrastructure associated with the San Kraal WEF during operation

Impact Phase:

Potential impact description:

The 132kV overhead power line, underground cables, on-site switching station, access roads and building infrastructure could exert a visual impact by altering the visual character of the surrounding area and exposing sensitive visual receptors and roads to visual impacts. The development may be perceived as an unwelcome visual intrusion, particularly in more natural undisturbed settings. Maintenance vehicles may need to access the infrastructure associated with the WEF via gravel access roads and are expected to increase dust emissions in doing so. The increased traffic on these roads and the resultant dust plumes could create a visual impact and may evoke negative sentiments from surrounding viewers. Security and operational lighting at the associated infrastructure could result in light pollution and glare, which could be an annoyance to surrounding viewers.

	Extent	Duration	Intensity	Status	Significance	Probability	Confidence	
Without	М	М	М	Negative	М	Н	М	
Mitigation								
With	М	М	М	Negative	М	Н	М	
Mitigation								
Can the im	pact be r	eversed?	YES – if the WEF and power lines and other infrastructure are					
				decommissioned				
Will	impact	cause	YES – the	re will be m	arginal loss of	resources		
irreplaceab	le lo	oss or						
resources?	•							
Can impact be avoided, YES – mitigation measures can reduce impacts								
managed o	or mitigate	ed?						

Mitigation measures to reduce residual risk or enhance opportunities:

- Light fittings for security at the on-site switching station at night should reflect the light toward the ground and prevent light spill.
- Where practically possible, the operations and maintenance buildings should not be illuminated at night.
- Power lines should be aligned to run parallel to existing power lines and other linear infrastructure, if possible.
- Power lines should be aligned to avoid ridgelines and steep slopes, if possible.
- Cables should be buried underground where possible.

- The operation and maintenance buildings should be painted with natural tones that fit with the surrounding environment. Non-reflective surfaces should be utilised where possible.
 - Ensure that dust suppression techniques are implemented on all access roads.
 - Select the alternatives that will have the least impact on visual receptors.

Table 16: Rating of cumulative visual impacts of the San Kraal WEF in addition to the other renewable energy developments (including associated infrastructure) proposed nearby during operation

Impact Phase:

Potential impact description:

Cumulative visual impacts as a result of the operation of the San Kraal WEF in addition to the other renewable energy developments within a 35km radius of the San Kraal WEF. The San Kraal WEF development and its associated infrastructure could exert a visual impact by further altering the visual character of the surrounding area and exposing a greater number of sensitive visual receptor locations to visual impacts. The operation of the San Kraal WEF in addition to the other nearby renewable energy developments may be perceived as an unwelcome visual intrusion, particularly in more natural undisturbed settings. Maintenance vehicles may need to access the San Kraal WEF development and its associated infrastructure via gravel access roads and are expected to increase dust emissions in the surrounding area in doing so. The increased traffic on the gravel roads and the dust plumes could create a greater visual impact within the surrounding area and may evoke more negative sentiments from surrounding viewers. It should however be noted that the existing roads which can be found around the project site also appear to be gravel. As such, the gravel access roads are not expected to contribute significantly to the overall cumulative visual impact. Security and operational lighting at Sa Kraal WEF development and its associated infrastructure could result in a greater amount of light pollution and glare within the surrounding area, which could be a significant annoyance to surrounding viewers.

	Extent	Duration	Intensity	Status	Significance	Probability	Confidence		
	LAIGHI	Duration	,			-	Connuence		
Without	М	М	М	Negative	M	Н	Μ		
Mitigation									
With	Μ	М	М	Negative	М	Н	М		
Mitigation									
Can the impact be reversed?			YES – if the WEF and power lines and other infrastructure are						
			decommissioned						
Will	impact	cause	YES – there will be marginal loss of resources						
irreplaceab	le lo	oss or							
resources?									
Can imp	Can impact be avoided, YES – mitigation measures can reduce impacts								
managed or mitigated?									
Mitigation measures to reduce residual risk or enhance opportunities:									

- Where possible, fewer but larger turbines with a greater output should be utilised rather than a larger number of smaller turbines with a lower capacity.
- Medium-high visual impact zones should be viewed as zones where the number of turbines should be limited, where possible.
- Light fittings for security at night should reflect the light toward the ground (except for aviation lighting) and prevent light spill.
- The operations and maintenance buildings should not be illuminated at night, if possible.
- Turbines should be painted plain white, as this is a less industrial colour (Vissering, 2011). Bright colours or obvious logos should not be permitted.
- Turbines should be repaired promptly, as they are considered more visually appealing when the blades are rotating (or at work) (Vissering, 2011).
- The operation and maintenance buildings should be painted with natural tones that fit with the surrounding environment. Non-reflective surfaces should be utilised where possible.
- If required, turbines should be replaced with the same model, or one of equal height and scale. Repeating elements of the same height, scale and form can result in unity and lessen the visual impact that would typically be experienced in a chaotic landscapes made up of diverse colours, textures and patterns (Vissering, 2011).
- As far as possible, limit the number of maintenance vehicles, which are allowed to access the sites.
- Bury cables under the ground where possible.
- Ensure that dust suppression techniques are implemented on all access roads.
- Select the alternatives that will have the least impact on visual receptors.
- It is not realistic to attempt to screen wind farms visually. Providing a means whereby they can be absorbed into the landscape is more feasible. This can be approached by making use of certain materials and finishes and by presenting the scheme to I&APs.
- Institute a rigorous planting regime around certain boundaries of the project site, the proposed substation, ancillary buildings, N10 and N9 transportation routes.
- Buildings and similar structures must be in keeping with regional planning policy documents, especially the principles of critical regionalism (namely sense of place, sense of history, sense of nature, sense of craft and sense of limits).

7.6.3 Decommissioning

Visual impacts during the decommissioning phase are potentially similar to those during the construction phase.

8 CUMULATIVE IMPACTS

Although it is important to assess the visual impacts of the proposed WEF itself, it is equally important to assess the cumulative visual impact that would materialise in the area as a result of the construction of the San Kraal WEF development in addition to the other renewable energy developments in the surrounding area. Cumulative impacts are the combined impacts from different developments / facilities which, in combination, result in significant impacts that may be larger than the sum of all the impacts combined. The addition of the San Kraal WEF is not expected to contribute to a greater visual impact than all of the other renewable energy developments combined and thus the construction of this WEF is not expected to result in an unacceptable overall visual impact. It should be noted that for the purpose of this cumulative impact assessment, it has been assumed that all of the other proposed renewable energy developments have already been constructed. This forms the cumulative baseline, against which the cumulative impact of the construction of the San Kraal WEF was assessed.

The relatively large number of renewable energy facilities within the surrounding area and their potential for large scale visual impacts could significantly alter the sense of place and visual character in the study area, as well as exacerbate the visual impacts on surrounding receptors. As previously mentioned, the height of the proposed development in combination with distance are critical factors when assessing visual impacts. It must be noted that for the purpose of this study, renewable energy developments within a 35km radius of the San Kraal WEF were identified and mapped (**Figure 63**).

The other proposed renewable energy developments identified are indicated in **Table 17** and **Figure 63** below. It should be noted that the South African Renewable Energy EIA Application Database (2017), as provided by Arcus, was used in order to source the information provided in the table below.

Development	Current status of EIA/development	Proponent	Capacity	Farm details	
Phezukomoya Wind Energy Facility	EIA underway	Innowind (Pty) Ltd	315MW	 Remainder of the Farm Winterhoek No. 118; Remainder of the Farm Winterhoek No. 136; Remainder of the Farm Elands Kloof No. 135; 	

Table 17: Renewable energy developments proposed within a 35km radius of the San Kraal WEF

				 Remainder of Portion 1 of the Farm Naauw Poort No. 1; Portion 21 of the Farm Naauw Poort No. 1; and Portion 13 of the Farm Naauw Poort No. 1.
Umsobomvu Wind Energy Facility	EIA Approved	Innowind (Pty) Ltd	140MW	 Portion 1 of the Farm Klip Krands No. 60; Remainder of the Farm Holle Fountain No. 133; Portion 1 of the Farm Holle Fountain No. 133; Portion 3 of the Farm Holle Fountain No. 133; Portion 3 of the Farm Leeuw Hoek No. 61; Portion 2 of the Farm Leeuw Hoek No. 61; Portion 4 of the Farm Leeuw Hoek No. 61; Portion 6 of the Farm Leeuw Hoek No. 61; Portion 6 of the Farm Leeuw Hoek No. 61; Portion 1 of the Farm Elands Kloof No. 135; Remainder of the Farm Elands Kloof No. 135;

				 Remainder of the Farm Uitzicht No. 3; Portion 2 of the Farm Uitzicht No. 3; Portion 3 of the Farm Uitzicht No. 3; Portion 4 of the Farm Utzicht No. 3; Portion 7 of the Farm Uitzicht No. 3; Portion 8 of the Farm Uitzicht No. 3; Portion 8 of the Farm Uitzicht No. 3; Remainder of the Farm Leuwe Kop No. 120; and Remainder of the Farm Winterhoek No. 136.
Noupoort Wind Farm	EIA Approved	Mainstream Renewable Power Noupoort (Pty) Ltd	214MW	 Remainder of the Farm No.168; Portion 1 of the Farm No. 181; and Portion 21 of the Farm No. 182.
De Aar Wind Energy Facility	EIA Approved	Mulilo Renewable Energy (Pty) Ltd	139MW	 Remainder of Portion 2 of the Farm Slingers Hoek No. 2; Remainder of the Farm Slingers Hoek No. 2; Portion 4 of the Farm Slingers Hoek No. 2;

				•	Portion 1 of the Farm Knapdaar No. 8; Portion 5 of the Farm Maatjes Fontain No. 1; Remainder of Portion 2 of the Farm Vendussie Kui No. 165; Portion 11 of the Farm Vedussie Kuil No. 165; and Remainder of the
					Farm Vendussie Kuil No. 165.
Naauw Poort Solar Energy Facility	EIA Approved	Naauw Poort Solar Energy (Pty) Ltd	75MW	•	Remainder of Portion 1 of the Farm Naauw Poort No. 1.
Collet Solar PV Power Plant	EIA Approved	UNKNOWN	75MW	•	TheFarmHarmsfontein No.335;TheFarmBuffelspoortNo.33; andRemainder of theFarmBrakkeKuilen No. 180.
ACED Middelburg PV Solar Energy Facility (Middelburg Solar Park 1 and Middelburg Solar Park 2)	EIA Approved	African Clean Energy Developments (Pty) Ltd (ACED)	150MW (2 developments generating up to 75MW each)	•	Remainder of the Farm Tweefontein No. 11; and Portion 4 of the Farm Tweefontein No. 11.
Klip Gat Solar Energy Facility	EIA Approved	Klip Gat Solar Energy (Pty) Ltd	75MW	•	Portion 2 of the Farm Klip Gat No. 80.

Allemans Fontein Solar Energy Facility	EIA Approved	Allemans Fontein Solar Energy (Pty) Ltd	20MW	 The Farm Allemans Fontein No. 83.
PV Farms in Northern Cape	EIA Approved	Scatec Solar SA (Pty) Ltd	Between 10MW and 100MW	 The Farm Van der Linderskraal No. 79; The Farm New Kalkbult No. 181; Remainder of the Farm Taaiboschfontein No. 41; Remainder of Portion 1 of the Farm Van der Linderskraal; and Portion 3 of the Remainder of the Farm Van der Linderskraal No. 79.
Toitdale Solar Energy Facility	EIA Approved	UNKNOWN	10MW	 Portion 1 Of The Farm Caroluspoort No. 167
Kleinfontein Solar Energy Facility	EIA Approved	UNKNOWN	10MW	 Portion 4 Of The Farm Caroluspoort No. 167
Baduflash Solar Project	EIA in Process	UNKNOWN	20MW	UNKNOWN
Aggeneys PV Solar Power Plant	EIA Approved	Orlight SA (Pty) Ltd	70MW	 Portion 1 of the Farm Aroams No. 57 RD
Inkululeko Solar Energy Facility	EIA Approved	UNKNOWN	20MW	 Portion 2 of The Farm Carolus Poort No. 167
19MW Solar Energy Facility on Remainder of the	EIA Approved	UNKNOWN	20MW	 Remainder of the Farm Carolus Poort No. 207

Farm Carolus Poort No. 207				
Dida Solar Energy Facility	EIA Approved	Dida Solar Energy (Pty) Ltd	20MW	 Portion 3 of the Farm Rietfontein No. 140.
Noupoort CSP Project	UNKNOWN	CRESCO Energy (Pty) Ltd	150MW	 Remainder of the Farm No. 207; Portion 1 of the Farm Carolus Poort No. 167; and Portion 4 of the Farm Carolus Poort No. 167.




Figure 63: Renewable energy facilities proposed within a 35km radius of the San Kraal WEF

Arcus Consultancy Services SA (Pty) Ltdprepared by: SiVEST Environmental DivisionProposed 390MW San Kraal Wind Energy Facility – EIA Phase VIA Report

Version No. 3

As indicated in Figure 63, the already operational Noupoort Wind Farm, two (2) proposed WEFs and two (2) proposed solar photovoltaic (PV) energy facilities are located with the visual assessment zone. The identified receptors will therefore experience visual impacts from the already operational Noupoort Wind Farm and proposed WEFs, as well as further medium to low impacts should the San Kraal WEF also be constructed. Although the degree of visual impact would be considered to be insignificant from approximately 5km away from the proposed solar PV facilities, these facilities would still impact cumulatively on some receptors as one (1) of these solar PV facilities is located on the south-western boundary of the San Kraal WEF application site.

In addition to the cumulative impact that would be experienced by receptors in the area, the renewable energy facilities in the surrounding area will also impact on the pastoral visual character of the study area. The proposed San Kraal WEF, in combination with the already operational Noupoort Wind Farm and additional two (2) WEFs proposed within the study area, could therefore potentially be viewed as one (1) very large development which significantly alters the character of the area and impacts on receptors. However, as mentioned above, the newly established Noupoort Wind Farm has already introduced industrial-type elements into the landscape making the area less sensitive to change as a result of introducing a further renewable energy facility into the area.

The cumulative impacts anticipated as a result of the construction and operation of the proposed San Kraal WEF include visual impacts on users of arterial and secondary roads, the visual impacts on residents of farmsteads / homesteads and settlements, the visual impacts of shadow flicker on sensitive and potentially sensitive visual receptors, the visual impacts of lighting at night on sensitive and potentially sensitive visual receptors, the visual impacts of construction and operation on sensitive and potentially sensitive visual receptors and the visual impacts on the visual quality of the landscape and sense of place. In addition to the other renewable energy developments in the surrounding area, the San Kraal WEF development and its associated infrastructure could exert a greater visual impact within the surrounding area by further altering the visual character, thereby exposing a greater number of sensitive visual receptor locations to visual impacts. The operation of the San Kraal WEF in addition to the other nearby renewable energy developments may be perceived as an unwelcome visual intrusion, particularly in more natural undisturbed settings. Large construction vehicles and equipment during the construction phase of the San Kraal WEF will contribute further to the alteration of the natural character of the study area and will also expose a greater number of visual receptors to visual impacts associated with the construction phase. The construction activities may thus also be perceived as a further unwelcome visual intrusion, particularly in more natural undisturbed settings. Vehicles and trucks travelling to and from the proposed San Kraal development site on gravel access roads are also expected to result in an increase in dust emissions in the greater area. The increased traffic on these roads and the dust plumes could create a greater visual impact within the greater area and may evoke more negative sentiments from surrounding viewers. It should however be noted that the existing roads which can be found around the project site also appear to be gravel. As such, the gravel access roads are not expected to contribute significantly to the overall cumulative visual impact. Surface disturbance during construction of the San Kraal WEF would also result in a greater amount of bare soil being

exposed which could result in a greater visual contrast with the surrounding environment. In addition, temporary stockpiling of soil during construction may alter the landscape further. Wind blowing over these disturbed areas could result in a greater amount of dust which would have a visual impact. It should however be noted that mitigation measures will be put in place during the construction and operation phases respectively in order to control dust and thus this is not expected to have a significant visual impact. Security and operational lighting at the San Kraal WEF development and its associated infrastructure could also result in a greater amount of light pollution and glare within the surrounding area, which could be a significant annoyance to surrounding viewers. The significance of the above-mentioned visual impacts were however only found to range from medium to low and thus the impact of the San Kraal WEF, in addition to the other renewable energy developments in the surrounding area, is not significant enough to result in the cumulative visual impact being considered unacceptable. Additionally, mitigation measures will be put in place during the construction and operations phases respectively in order to ensure that the proposed development will not result in significant visual impacts.

Table 13 and **Table 16** in **Section 7.6** detail the significance of the anticipated cumulative impacts during the construction and operation of the proposed San Kraal WEF. Mitigation measures have also been proposed in order to reduce the anticipated cumulative visual impacts to acceptable levels.

It should be noted that a literature review of visual impact assessments / studies for the other renewable energy developments (both solar and wind) proposed within a 35km radius of the proposed San Kraal WEF was undertaken to assist in determining the impact of adding the proposed development to the cumulative baseline. Some of the application sites are at a very advanced stage, and the initial studies were undertaken in 2012 and are therefore no longer publically available. In addition, visual impact assessments / studies could not be sourced for all of the other nearby renewable energy developments proposed and thus some visual studies were omitted from the literature review. The information (including visual impact specialist studies, EIA / Scoping and EMPr Reports) that could be obtained for the surrounding proposed renewable energy sites that were taken into account are shown in **Table 18** below.

Table 18 is however only a summary table which details the final significance ratings of the visual impact assessments / studies which were undertaken for the other nearby renewable energy developments. A more detailed table (i.e. **Table 20**), which includes the relevant impacts which were taken into consideration, proposed mitigation measures and significance rating of the impacts after mitigation, has been provided in **Appendix C** of this VIA and can be used should more information be required about the other renewable energy developments being proposed nearby.

Table 18: Literature Review - Summary of Final Significance Ratings of Other Visual ImpactAssessments / Studies Undertaken for the Other nearby Proposed Renewable EnergyDevelopments

Project	EAP / VIA Specialist / Company that completed Impact Assessment	Impacts Significance Rating after Mitigation
Phezukomoya Wind Energy Facility	Andrea Gibb, Stephan Jacobs and Kerry Schwartz of SiVEST Environmental Division	 Medium negative; Medium negative; Medium negative; Medium negative; Medium negative; and Medium negative.
Umsobomvu Wind Energy Facility	Rosalie Evans of EOH Coastal & Environmental Services	 Visual Assessment Point 1 Low; Visual Assessment Point 2 Moderate; Visual Assessment Point 3 Low; Visual Assessment Point 4 Low; Visual Assessment Point 5 Low; Visual Assessment Point 6 Low; and Visual Assessment Point 7 Low; Visual Assessment Point 7 Low; Overall, it is concluded that for all view points, the impact is: LOW, where the impact should have an influence on the decision unless it is mitigated.
Noupoort Wind Farm	Paul da Cruz of SiVEST Environmental Division	1) Low negative.
De Aar Wind Energy Facility	Karen Hansen (Landscape Architect)	 1) <u>Construction Phase:</u> Low; Low; Low; Low; Low; Low; Low; Low;

 Low; Low; Low; and Moderate. 2) <u>Operational Phase:</u> Low; High; and Moderate. 75MW Naauw Poott Jacques Louis Volschenk of Zone Solutions Solution Franzy Fratility Lond Solutions Low; 1) Low; Low;
75MW Naauw Poort Jacques Louis Volschenk of Zon Low; High; High; and Moderate. Iow; Jocuptational Phase: Low; Low; Low; Low; Low; Low; High; and Moderate. 75MW Naauw Poort Jacques Louis Volschenk of Zone
75MW Naauw Poort Jacques Louis Volschenk of Zone Low; and Moderate. Low; High; High; and Moderate. The cumulative visual impact is assessed as MEDIUM. 1) Low; 2) Low; 3) Low;
75MW Naauw Poort Jacques Louis Volschenk of Zon Moderate. Moderate. Low; Low; Low; Low; Low; High; High; and Moderate. 75MW Naauw Poort Jacques Louis Volschenk of Zone
75MW Naauw Poort Jacques Louis Volschenk of Zon 1) Low; 1 Low; 2 Operational Phase: 4 Low; 5 Low; 6 Low; 7 High; and 7 The cumulative visual impact is assessed as MEDIUM.
75MW Naauw Poort Jacques Louis Volschenk of Zone Low; Low; Low; Low; High; High; and Moderate. 3) Low; Low; Low; Low; Low; Low; Low; High; and Moderate. 3) Low; Low; Low; Low; Low; Low; Low; Low; Low; Low; <
75MW Naauw Poort Jacques Louis Volschenk of Zone Low; Low; Low; Low; High; High; and Moderate. 3) Low; Low; Low; Low; Low; Low; Low; High; and Moderate. 3) Low; Low; Low; Low; Low; Low; Low; Low; Low; Low;
75MW Naauw Poort Jacques Louis Volschenk of Zone 1) Low; 1 Low; 1 Low; 1 Low; 1 Low; 2 Low; 3 Low; 3 Low; 3 Low;
75MW Naauw Poort Jacques Louis Volschenk of Zone 1) Low; 1) Low; 1) Low; 1) Low; 1) Low; 2) Low; 3) Low; 3) Low; 4) Low;
 For the second se
 High; High; and Moderate. 3) The cumulative visual impact is assessed as <u>MEDIUM</u>. 1) Low; 2) Low; 3) Low:
 High; and Moderate. 3) The cumulative visual impact is assessed as <u>MEDIUM</u>. 1) Low; 2) Low; 3) Low;
 Moderate. 3) The cumulative visual impact is assessed as <u>MEDIUM</u>. 75MW Naauw Poort Jacques Louis Volschenk of Zone 3) Low; 3) Low:
75MW Naauw Poort Jacques Louis Volschenk of Zone 3) The cumulative visual impact is assessed as MEDIUM. 1) Low; 2) Low; 3) Low;
75MW Naauw Poort Jacques Louis Volschenk of Zone 3) Low; 3) Low;
75MW Naauw Poort Jacques Louis Volschenk of Zone 1) Low; 3) Low;
75MW Naauw Poort Jacques Louis Volschenk of Zone 3) Low; 3) Low;
75MW Naauw Poort Jacques Louis Volschenk of Zone 2) Low; 3) Low:
75MW Naauw Poort Jacques Louis Volschenk of Zone 3 Low:
75MW Naauw Poort Jacques Louis Volschenk of Zone 3 Low:
Solar Energy English Lland Solutions
Solar Energy Facility Land Solutions 0, 200, 100, 100, 100, 100, 100, 100, 10
5) Low.
1) Low;
2) Medium:
Klip Gat Solar Energy Nkosinathi Tomose of Zone Land 3 Low:
Facility Solutions 4) Low; and
5) Low.
1) Low;
Allemans Fontein Johan Claassen of Zone Land 2) Low; and
Solar Energy Facility Solutions 3) Medium.
Aggeneys PV Solar
Power Plant
1) Low;
Dida Solar Energy GCS 2) Low;
Facility 3) Low; and
4) Low.
1) Low (neutral or negative);
Jon Marshall of Afzelia 2) Low (neutral);
Noupoort CSP Environmental Consultants and 3) Low (neutral);
Project Environmental Planning and 4) Medium (negative to neutral);
Dosign E) Madium (noutral):
Design5) Medium (neutral);6) Low (negative to neutral);

7) Low (negative to neutral);
8) Low (neutral. If the lights are
generally not visible then the
occasional light is unlikely to
be seen as negative);
9) Low (negative);
10) Low (negative);
11) Low (neutral);
12) Low (neutral);
13) Medium (negative to neutral);
14) Medium (neutral);
15) Medium (negative to neutral);
16) Medium (negative to neutral);
17) Low (neutral); and
18) Low (negative).

In terms of the literature review undertaken on the above visual specialist reports, it can be noted that almost all of the specialist studies found the renewable energy facilities to result in low to medium visual impacts. The only exception is for the De Aar Wind Energy Facility, which identified high visual impacts for the operational phase. This is however the only high visual impact which was identified in the review specialist studies. As such, the findings of the other specialist studies identified similar visual impacts for each of the other nearby renewable energy developments mentioned above. In addition, the visual impact assessment undertaken for the proposed San Kraal WEF has provided recommendations and/or mitigation measures which are similar or in-line with those recommended in the other visual specialist studies and which will aid in reducing the significance of the anticipated visual impacts (including cumulative visual impacts). The other visual impact assessments which were reviewed have also provided similar recommendations and/or mitigation measures to this report (refer to Table 20 in Appendix C). As such, the addition of the San Kraal WEF is not expected to contribute to a greater visual impact than all of the other renewable energy developments combined and the recommendations and/or mitigation measures provided in this VIA report are considered to be sufficient to reduce the visual impacts experienced within the study area. It should be noted that specific recommendations and/or mitigation measures which have not been considered in this VIA will be considered and implemented in this report accordingly, should they be deemed necessary. Should all of the suggested recommendations and/or mitigation measures be implemented, it is anticipated that the visual impacts associated with the renewable energy developments within the surrounding area could be mitigated to acceptable levels. This will also reduce the significance of the identified visual impacts and will aid in reducing the cumulative impacts experienced. With the correct mitigation and integrating planning, the significance rating of the cumulative impacts will be moderate to low due to the nature of the study area. It is important to note that it was not possible to quantify and indicate the size of the identified cumulative impacts from a visual perspective as visual impacts extend beyond the boundaries of the site and are also largely subjective, based on the viewer's perceptions. Despite this, this VIA is deemed to have adequately defined, identified and assessed the cumulative visual impacts which could arise as a result of the development of the other renewable energy developments (both wind and solar) being proposed and/or constructed within a 35km radius of the San Kraal WEF.

Based on the literature review of the other visual specialist studies, some additional recommendations and/or mitigation measures should be considered for the proposed San Kraal WEF. With regards to the VIA undertaken for the Noupoort Wind Farm, it was recommended that the areas on the site associated with the greatest potential visual exposure be maintained as exclusion zones in which no turbines or as few turbines as possible are placed. Turbines placed in these buffer zones will be responsible for the most significant visual impacts associated with the proposed development. It was thus recommended that consideration be given to removing turbines from these buffer zones. Based on the findings of the field-based investigation for this VIA, it was advised that none of the proposed turbines preferably be placed within the "medium-high" visual impact zones and that these areas be avoided as far as practically possible. However, as the study area as a whole is rated as having a moderately-low visual sensitivity, these zones are not considered areas of high visual sensitivity or no go areas, but rather should be viewed as zones where the number of turbines should be limited, where possible as the turbines will still be highly visible. As such, this recommendation / mitigation measure is considered to have been adequately addressed. According to the VIA undertaken for the De Aar WEF, it is not realistic to attempt to screen wind farms visually and providing a means whereby they can be absorbed into the landscape is more feasible. This can be approached by making use of certain materials and finishes and by presenting the scheme to Interested and Affected Parties (I&APs). Additionally, the VIA undertaken for the 75MW Naauw Poort Solar Energy Facility recommended the institution of a rigorous planting regime around certain boundaries of the project site, the proposed substation, ancillary buildings, N10 and N9 transportation routes. It was also recommended that buildings and similar structures must be in keeping with regional planning policy documents, especially the principles of critical regionalism (namely sense of place, sense of history, sense of nature, sense of craft and sense of limits). In light of the above, the above-mentioned mitigation measure/recommendation should also be considered for the proposed San Kraal WEF as this will aid in reducing the visual impact (including cumulative visual impact) of the proposed development.

Based on the literature review, this VIA is deemed to have clearly defined the identified cumulative impacts, and has indicated how the recommendations, mitigation measures and conclusions of the other visual impact specialist reports have been taken into consideration when drafting this VIA report. Additionally, the cumulative impact assessment found that the cumulative impact of the proposed San Kraal WEF would not significantly affect the surrounding area from a visual perspective. The anticipated cumulative impact could also be reduced to a medium significance after the implementation of appropriate mitigation measures. As such, the addition of the San Kraal WEF is not expected to contribute to a greater visual impact than all of the other renewable energy developments combined and therefore the construction of this WEF is not expected to result in an unacceptable overall visual impact.

COMPARATIVE ASSESSMENT OF ALTERNATIVES 9

As previously mentioned, three (3) power line route alternatives and two (2) site alternatives for the batching plant, temporary laydown area and construction compound are being assessed during the EIA phase of the proposed development.

The preference rating for each alternative is provided in **Table 19** below. The alternatives are rated as being either preferred (the alternative will result in a low visual impact / reduce the visual impact), not-preferred (the alternative will result in a relatively high visual impact / increase the visual impact), favourable (the visual impact will be relatively insignificant) and no-preference (each alternative would result in an equal visual impact).

The degree of visual impact of each alternative has been determined based on the following factors:

- The location of the power line in relation to areas of high elevation, especially ridges, "koppies" or hills;
- The location of the power line in relation to sensitive receptor locations; and .
- The location of the power line in relation to areas of natural vegetation (clearing a strip of vegetation under the power line servitude worsens the visibility).

Key

PREFERRED	The alternative will result in a low impact / reduce the impact
FAVOURABLE	The impact will be relatively insignificant
NOT PREFERRED	The alternative will result in a high impact / increase the impact
NO PREFERENCE	The alternative will result in equal impacts

Table 19:	Comparative	Assessment	of Alternatives
-----------	-------------	------------	-----------------

Alternative	Preference	Reasons (incl. potential issues)
132KV ON-SITE IPP SUBSTATION ALTERNATIVES		
Preferred Alternative	Preferred	No sensitive visual receptor locations can
		be found within 5km of this power line
		corridor alternative. Both sensitive receptor
		locations are located further than 5km and
		are thus negligible from a visual
		perspective. Thirteen (13) potentially
		sensitive receptor locations can however be
		found within 5km of this power line
		alternative. Two (2) of these potentially
		sensitive visual receptor locations (namely
		VR 11 and VR 49) can be found within 500m
		of this power line corridor alternative, within

Alternative	Preference	Reasons (incl. potential issues)
		the high impact zone. In addition, three (3) potentially sensitive receptor locations (namely VR 9, VR 10 and VR 32) can be found within 2km of this alternative, within the moderate impact zone. The remaining eight (8) potentially sensitive receptor locations can be found within 5km of this alternative, within the low impact zone.
		According to the receptor impact rating which was undertaken for this power line corridor alternative (section 7.2.5), majority of the potentially sensitive receptor locations (9 in total) will have a moderate overall impact rating. Only VR 49 is expected to have a high overall impact rating, while both sensitive receptor locations (VR 28 and VR 36) will be negligible from a visual perspective.
		Despite the fact that two (2) potentially sensitive receptor locations are located within 500m of this alternative, Preferred Alternative is preferred from a visual perspective due to the fact that this alternative will result in negligible visual impact for both of the sensitive visual receptor locations (namely VR 28 and VR 36).
		It should be noted that corridors were assessed with regards to the proposed 132kV power line and the final power line placement can be positioned well away from any of the identified sensitive and/or potentially sensitive receptor locations and any other dwellings, according to building restrictions and Eskom setbacks for such lines.
Alternative 1	Not preferred	One (1) sensitive visual receptor location (namely VR 36 – Carlton Heights Lodge)

Alternative	Preference	Reasons (incl. potential issues)
		can be found within 5km of this power line
		corridor alternative, within the low impact
		zone. The other sensitive receptor location
		(namely VR 28 – The Dairy BnB) is located
		further than 5km and is thus negligible from
		a visual perspective. Thirteen (13)
		potentially sensitive receptor locations can
		also be found within 5km of this power line
		alternative. Four (4) of these potentially
		sensitive visual receptor locations can be
		found within 500m of this power line corridor
		alternative, within the high impact zone. In
		addition, four (4) potentially sensitive
		receptor locations can be found within 2km
		of this alternative, within the moderate
		impact zone. It should be noted that seven
		(7) of the potentially sensitive visual
		receptor locations are negligible from a
		visual perspective as they are situated
		further than 5km form this alternative.
		According to the receptor impact rating
		which was undertaken for this power line
		corridor alternative (section 7.2.5), majority
		of the potentially sensitive receptor
		locations (10 in total) will have a moderate
		overall impact rating. Only VR 49 is
		expected to have a high overall impact
		rating, while two (2) of the potentially
		sensitive receptor locations (namely VR 45
		and VR 46) will have a low overall impact
		rating. Seven (7) of the potentially sensitive
		receptor locations will however result in a
		negligible visual impact. It is important to
		note that VR 28 – The Dairy BnB will have a
		negligible visual impact, while VR 36 –
		Carlton Heights Lodge will have a moderate
		visual impact.
		Despite the fact this alternative will have a
		negligible visual impact for VR 36 – Carlton

Alternative	Preference	Reasons (incl. potential issues)
		Heights Lodge, Alternative 1 is not preferred from a visual perspective as it is located within 500m of four (4) of the potentially sensitive receptor locations and will result in a moderate visual impact for VR 28 – The Dairy BnB.
		It should be noted that corridors were assessed with regards to the proposed 132kV power line and the final power line placement can be positioned well away from any of the identified sensitive and/or potentially sensitive receptor locations and any other dwellings, according to building restrictions and Eskom setbacks for such lines.
Alternative 2	Favourable	One (1) sensitive visual receptor location (namely VR 28 – The Dairy BnB) can be found within 5km of this power line corridor alternative, within the low impact zone. The other sensitive receptor location (namely VR 36 – Carlton Height Lodge) is located further than 5km and is thus negligible from a visual perspective. Nineteen (19) potentially sensitive receptor locations can also be fund within 5km of this power line alternative. Only one (1) of these potentially sensitive visual receptor locations (namely VR 49) can be found within 500m of this power line corridor alternative, within the high impact zone. In addition, two (2) potentially sensitive receptor locations (namely VR 9 and VR 10) can be found within 2km of this alternative, within the moderate impact zone. It should also be noted that one (1) of the potentially sensitive visual receptor locations (namely VR 33) is negligible from a visual perspective as it is situated further than 5km form this alternative. The remaining sixteen (16) potentially sensitive visual receptor

Alternative	Preference	Reasons (incl. potential issues)
		locations can be found within 5km of this
		alternative, within the low impact zone.
		According to the receptor impact rating
		which was undertaken for this power line
		corridor alternative (section 7.2.5), majority
		of the potentially sensitive receptor
		locations (11 in total) will have a low overall
		impact rating. Only VR 49 is expected to
		have a high overall impact rating, while five
		(5) of the potentially sensitive receptor
		locations will have a moderate overall
		impact rating. One (1) of the potentially
		sensitive receptor locations (namely VR 33)
		will be negligible from a visual perspective.
		It should be noted that VR 28 – the Dairy
		BnB will have a moderate visual impact
		while VR 36 – Carlton Heights Lodge will
		have a negligible visual impact.
		Despite the fact that Alternative 2 will result in a moderate visual impact for VR 28 – The Dairy BnB, this power line corridor alternative is still favourable from a visual
		perspective as this alternative will only have one (1) potentially sensitive receptor located within 500m and will result in a negligible visual impact for VR 36 – Carlton Heights
		Lodge.
		It should be noted that corridors were assessed with regards to the proposed
		132kV power line and the final power line
		placement can be positioned well away from
		any of the identified sensitive and/or
		potentially sensitive receptor locations and
		any other dwellings, according to building
		restrictions and Eskom setbacks for such
		lines.
BATCHING PLANT, TEMPOR	ARY LAYDOWN AF	REA & CONSTRUCTION COMPOUND
ALTERNATIVES		

Alternative	Preference	Reasons (incl. potential issues)
Option 1	No preference	No sensitive or potentially sensitive visual
		receptors can be found within 5km of the
		proposed alternative. In addition, the close
		proximity of the batching plant, temporary
		laydown area and construction compound
		alternatives and the nature of the site are
		expected to result in equal visual impacts. As
		such, there is no notable preference between
		Option 1 and Option 2. It should also be noted
		that the proposed batching plant, temporary
		laydown area and construction compound
		would form part of the WEF and would be
		dwarfed by the large number of wind turbines
		that would be visible.
Option 2	No preference	No sensitive or potentially sensitive visual
		receptors can be found within 5km of the
		proposed alternative. In addition, the close
		proximity of the batching plant, temporary
		laydown area and construction compound
		alternatives and the nature of the site are
		expected to result in equal visual impacts. As
		such, there is no notable preference between
		Option 1 and Option 2. It should also be noted
		that the proposed batching plant, temporary
		laydown area and construction compound
		would form part of the WEF and would be
		dwarfed by the large number of wind turbines
		that would be visible.

10 CONCLUSION

An EIA-level study has been conducted in order to identify the potential visual impact and issues related to the development of the proposed San Kraal WEF near Noupoort in the Northern Cape Province, as well as to assess the magnitude and significance of the visual impacts associated with the development of the WEF. Although the majority of the study area has a largely rural or pastoral, untransformed visual character, it is characterised by the presence of typical rural / pastoral infrastructure and is not typically valued or utilised for its tourism significance. In addition, the study area is characterised by the presence of human transformation / disturbance in the vicinity of the town of Noupoort. The areas surrounding this town are considered to have an urban / built up /

industrial visual character and have seen a significant amount of transformation / disturbance over the years. These areas will thus not be significantly impacted by the visual impacts associated with the proposed San Kraal WEF. In addition, the presence of the Noupoort Wind Farm (which is currently operational) has also already brought an element of transformation / disturbance to the surrounding area and has altered the visual character and baseline in the study area to some degree. The rest of the study area / visual assessment zone has seen limited transformation / disturbance and is considered to be largely natural / scenic. These undisturbed / natural areas will therefore be impacted to a degree from a visual perspective as a result of the development of the proposed WEF. It should also be noted that there are several renewable energy developments (solar and wind) being proposed and/or constructed within relatively close proximity of the proposed WEF. These facilities and their associated infrastructure, will significantly alter the visual character and baseline in the study area once constructed and make it appear to have a more industrial-type visual character. Due to the dominant livestock rearing practices and relatively limited human habitation in the surrounding area, only two (2) sensitive visual receptors were identified within the study area, namely VR 28 – The Dairy BnB and VR 36 – Carlton Heights Lodge. It was however ascertained that the proposed WEF development is likely to visually impact twenty-one (21) farmsteads / homesteads identified within the visual assessment zone. These farmsteads / homesteads are used to house the local farmers as well as their farm workers and are thus regarded as potentially sensitive visual receptor locations, as the impact on them would be subjective and is relative to the perceptions of the viewer. In many cases, roads along which people travel, are regarded as sensitive receptors. Potentially sensitive receptor roads which were identified within the study area include the N9 national route, the N10 national route and the R389 provincial (un-surfaced) road that runs from Noupoort in a westerly direction providing a link to the N1 and the town of Hanover.

Upon further investigation, it was established that the proposed San Kraal WEF would have a low visual impact on twelve (12) of the <u>potentially</u> sensitive visual receptor locations. It must be noted that the proposed development would not result in a high visual impact on any of the sensitive or potentially sensitive visual receptors. In addition, the proposed development is expected to have a moderate visual impact on five (5) of the <u>potentially</u> sensitive visual receptors, while it would also result in a moderate visual impact on both of the sensitive visual receptors identified within the study area / visual assessment zone, namely VR 28 – The Dairy BnB and VR 36 – Carlton Heights Lodge. The proposed development would however result in a negligible visual impact on four (4) of the potentially sensitive receptors.

An overall impact rating was also conducted in order to allow the visual impact to be assessed alongside other environmental parameters. The impact rating revealed that overall the proposed San Kraal WEF is expected to have a **medium negative** visual impact rating during both construction and operation, with relatively few mitigation measures available. In addition, the infrastructure associated with the proposed San Kraal WEF would also have a medium negative visual impact rating during both construction and operation. The significance of the cumulative impacts associated with the proposed San Kraal WEF in addition to the other renewable energy developments proposed nearby were also rated according to the significance rating methodology. The impact assessment revealed that the cumulative visual impacts of the San Kraal WEF in addition to the other renewable energy developments (including associated infrastructure) proposed nearby would have a medium negative visual impact rating during both construction and operation.

As part of the VIA, the three (3) proposed power line corridor alternatives and two (2) site alternatives for the batching plant, temporary laydown area and construction compound were comparatively assessed. The comparative assessment of alternatives subsequently revealed that the close proximity of the batching plant, temporary laydown area and construction compound alternatives and the nature of the site are expected to result in equal visual impacts. As such, there is no notable preference between Option 1 and Option 2 with regards to the site alternatives for the batching plant, temporary laydown area and construction compound. As such, both Option 1 and Option 2 are deemed to be acceptable from a visual perspective and both can be considered. With regards to the power line corridor alternative, it was found that Preferred Power Line Corridor Alternative is the preferred option from a visual perspective. This is due to the fact that this alternative will result in negligible visual impact for both sensitive visual receptor locations (namely VR 28 and VR 36).

Overall it can be concluded that the visual impact of the proposed San Kraal WEF would not be significant enough to prevent the project from proceeding due to the lack of sensitive visual receptors present. However, it is expected that the proposed development would alter the largely natural / scenic character of the study area and contrast moderately with the typical land use and/or pattern and form of human elements present. As previously mentioned, several renewable energy developments (both wind and solar) are being proposed within a 35km radius of the proposed San Kraal WEF. These renewable energy developments already reduce the overall natural / scenic character of the study area. A cumulative impact assessment, including a literature review of other other visual impact assessments / studies conducted for the other renewable energy developments being proposed and/or constructed in the area, was undertaken. The cumulative impact assessment found that the proposed San Kraal WEF would not significantly affect the surrounding area from a visual perspective. The anticipated cumulative impact could also be reduced to a medium significance after the implementation of appropriate mitigation measures. As such, the addition of the San Kraal WEF is not expected to contribute to a greater visual impact than all of the other renewable energy developments combined and therefore the construction of this WEF is not expected to result in an unacceptable overall visual impact. The literature review revealed that the findings of the other specialist studies identified similar visual impacts for each of the other nearby renewable energy developments mentioned above. In addition, the mitigation measures and recommendations provided in this report are similar to those identified in the other visual impact assessments / studies and are therefore deemed to be acceptable. A few additional recommendations and/or mitigation measures included in the other visual specialist assessments have been considered and implemented in this report in order to ensure that all visual impacts are adequately investigated and addressed.

10.1 Visual Impact Statement

It is SiVEST's opinion that the visual impacts identified in this VIA are not significant enough to prevent the project from proceeding and that an EA should be granted. From a visual impact perspective, only two (2) visually sensitive receptors with tourism significance have been identified within the study area, namely VR 28 – The Dairy BnB and VR 36 – Carlton Heights Lodge. A total number of twenty-one (21) potentially sensitive visual receptors were however identified. These included scattered farmsteads / homesteads which house the local farmers as well as their farm workers. These dwellings are regarded as potentially sensitive visual receptors as they are located within a mostly rural setting and the proposed development will likely alter natural vistas experienced from these dwellings. In addition, the proposed development is expected to alter the largely natural / scenic character of the study area and contrast moderately with the typical land use and/or pattern and form of human elements present as the study area is largely natural / scenic and untransformed. This is however not true for the areas within close proximity of the town of Noupoort and the operational Noupoort Wind Farm. These areas have seen a significant amount of transformation / disturbance over the years and are considered to have an urban / built up / industrial visual character. The visual impact of the proposed development on the sensitive visual receptor locations identified (namely VR 28 and VR 36) was rated as being moderate. In addition, the proposed San Kraal WEF would have a moderate visual impact on five (5) of the potentially sensitive visual receptor locations and a low visual impact on twelve (12) of the potentially sensitive visual receptors. The proposed development would however result in a negligible visual impact on four (4) of the potentially sensitive receptors. Additionally, the proposed development is not expected to result in a high visual impact for any of the sensitive or potentially sensitive visual receptor locations. In light of the above, SiVEST is of the opinion that the impacts associated with the construction and operation phases can be mitigated to acceptable levels provided the recommended mitigation measures are implemented. It is therefore recommended that all mitigation measures provided in Section 7.6 should be included in the EMPr.

11 REFERENCES

- Ackermann, M., and de Klerk, M., 2012. Orlight SA (Pty) Ltd, May 2012: Draft EIA Report for the proposed development of the Aggeneys Solar PV Power Plant in the Northern Cape Province.
- Ajodhapersadh, R., Boon, M., and Jodas, M., 2012. Savannah Environmental (Pty) Ltd, 2012. Draft Basic Assessment (BA) Report: Proposed establishment of the Dida Solar Energy Facility near Noupoort, Northern Cape. Prepared for Dida Solar Energy (Pty) Ltd.
- Barbour, T and van der Merwe, S. (September 2017). Social Impact Assessment San Kraal Wind Energy Facility, Northern Cape and Eastern Cape Provinces. Prepared for Arcus Consulting (Pty) Ltd.
- Barthwal, R. 2002. Environmental Impact Assessment. New Age International Publishes, New Delhi.
- Breedlove, G., 2002. A systematic for the South African Cultural Landscapes with a view to implementation. Thesis University of Pretoria.
- Da Cruz, P., 2011. Proposed Development of a Wind Farm near Noupoort, Northern Cape: Visual Impact Assessment Report, EIR Phase. SiVEST Environmental Division, Rivonia. Prepared for Mainstream Renewable Power.
- Evans, R., 2015. EOH Coastal & Environmental Services, January 2015: Umsobomvu Wind Energy Facility, Visual Impact Assessment, East London.
- Gibb, A., and Jacobs, S., 2017. Proposed Construction of the Phezukomoya Wind Energy Facility near Noupoort, Northern Cape Province: Visual Impact Assessment Report – Impact Phase. SiVEST Environmental Division, Rivonia.
- Hansen, K., 2011. Proposed wind energy facilities (north and south) situated on the eastern plateau near De Aar, Northern Cape. Prepared for Arcus Environmental Services.
- Marshall, J., 2016. Afzelia Environmental Consultants and Environmental Planning and Design, April 2016. Visual Impact Scoping Report: Proposed Construction of the 150MW Noupoort Concentrated Solar Power Project, Northern Cape Province. Prepared for Savannah Environmental (Pty) Ltd.
- Moseley, S., and Naude-Moseley, B., 2008. Getaway Guide to the Karoo, Namaqualand and Kalahari, Sunbird.
- Mucina L., and Rutherford M.C., (eds) 2006. The Vegetation of South Africa, Lesotho and Swaziland. Strelitzia 19. South African National Biodiversity Institute, Pretoria.
- Oberholzer, B. 2005. Guideline for involving visual & aesthetic specialists in EIA processes: *Edition 1.* CSIR Report No ENV-S-C 2005 053 F. Republic of South Africa, Provincial Government of the Western Cape, Department of Environmental Affairs & Development Planning, Cape Town.
- Savannah Environmental (Pty) Ltd, 2013. Final Basic Assessment (BA) Report: Proposed Allemans Fontein Solar Energy Facility near Noupoort, Northern Cape Province. Prepared for Allemans Fontein Solar Energy (Pty) Ltd.
- Treasure Karoo Action Group website: http://treasurethekaroo.co.za/

- UNESCO. 2005. Operational Guidelines for the Implementation of the World Heritage Convention. UNESCO World Heritage Centre. Paris.
- Vissering, J., Sinclair, M., Margolis, A. 2011. State Clean Energy Program Guide: A Visual Impact Assessment Process for Wind Energy Projects. Clean Energy State Alliance.
- Zone Land Solutions, 2012. Visual Impact Assessment for the proposed Naauw Poort Solar Energy Facility, Northern Cape Province. Prepared for Naauw Poort Solar Energy (Pty) Ltd.
- Zone Land Solutions, 2012. Visual Impact Assessment: Proposed Klip Gat Solar Energy Facility, Northern Cape Province.



Appendix A IMPACT RATING METHODOLOGY

AN INNOVATIVE APPROACH TO STRUCTURING ENVIRONMENTAL IMPACT ASSESSMENT REPORTS Part 2: Ranking the Significance of Environmental Aspects and Impacts

By: T. Hacking

Anglo American plc (Currently Environmental Manager at Konkola Copper Mines plc, Zambia) **Abstract** This paper (Part 2) describes a qualitative/ semi-quantitative approach to assessing the significance of environmental aspects and environmental impacts. The approach is intended as a tool for use together with the general framework presented in Part 1.

INTRODUCTION

Owing to the complexity of many of the systems that need to be considered when undertaking an Environmental Impact Assessment (EIA), it is not always possible to obtain quantitative data on which to base the impact assessment. Therefore, it is often necessary to use qualitative or semi-quantitative methods to determine the significance of environmental impacts.

The significance ranking approach presented in this paper is intended as a tool for use together with the general framework presented in Part 1 and is the final step in completing the structured and systematic approach. In Part 1 it was shown how environmental impacts can be linked to the project activities via the responsible "mechanisms", which are defined as *environmental aspects* in the ISO 14 000 series of standards. It was explained that significant impacts would only be present if significant aspects are present. Hence, a method for ranking the significance of aspects is required. Once the significance aspects have been identified, it is necessary to rank the significance of the impacts that could result form them.

SIGNIFICANCE OF ENVIRONMENTAL ASPECTS

The significance of environmental aspects can be determined and ranked by considering the criteria presented in Table 1. In some cases it may be necessary to undertake the impact assessment to determine whether a particular aspect is significant. Therefore, a fair degree of iteration is unavoidable during the assessment process.

Significance Ranking	Negative Aspects	Positive Aspects
H	Will always/often exceed legislation or standards.	Compliance with all legislation and standards.
(High)	Has characteristics that could cause significant	Has characteristics that could cause significant
	negative impacts.	positive impacts.
Μ	Has characteristics that could cause negative	Has characteristics that could cause positive
(Moderate)	impacts.	impacts.
L	Will never exceed legislation or standards.	Will always comply with all legislation and
(Low)		standards.
	Unlikely to cause significant negative impacts.	Unlikely to cause significant positive impacts.

 Table 1 – Criteria used to determine the significance of environmental aspects

The aspect identification and ranking process is largely a screening exercise whereby the aspects that do not have the potential to cause significant impacts are eliminated. Aspects ranked "high" and "moderate" are significant and the possible impacts associated with their presence will need to be determined. Aspects ranked "low" do not warrant further attention.

The significance of the aspects should be ranked on the assumption that the management recommended in the EIA will be in place i.e. *with management*. This represents the scenario that the proponent wishes to have considered for approval. The environmental aspects associated with the proposed project activities during the construction, operational, closure phases (where appropriate) need to be identified. The influence of various project alternatives on the significance of the aspects must also be considered.

It may be desirable to also undertake a *without management* aspect ranking, since this highlights the sensitivity of the key risk areas to management and, hence, the management priorities. However, the dilemma in such an exercise is deciding on how much management to include. In the case of a mining project, for example, does one assume that the tailings dam will be completely absent or merely operated poorly? A useful rule of thumb is to assume that all the management required for operational reasons will be in place, but that any management specifically for environmental control will be absent. The danger in presenting *without management* ranking scenario in an EIA report is that it does not represent the scenario that the proponent wishes to have approved.

SIGNIFICANCE OF ENVIRONMENTAL IMPACTS

Where significant environmental aspects are present ("high" or "moderate"), significant environmental impacts *may* result. The significance of the impacts associated with the significant aspects can be determined by considering the risk:

Significance of Environmental Impact (Risk) = Probability x Consequence

The consequence of impacts can be described by considering the severity, spatial extent and duration of the impact.

Severity of Impacts

Table 2 presents the ranking criteria that can used to determine the severity of impacts on the biophysical and socio-economic environment. Table 3 provides additional ranking criteria for determining the severity of negative impacts on the bio-physical environment.

Type of	Negative				Positive	
Criteria	H-	М-	L-	L+	M+	H+
Qualitative	Substantial	Moderate	Minor	Minor	Moderate	Substantial
	deterioration.	deterioration.	deterioration.	improvement.	improvement.	improvement
	Death, illness	Discomfort.	Nuisance or			
	or injury.		minor			
			irritation.			
Quantitative	Measurable dete	Measurable deterioration. Change not mea		surable i.e. will	Measurable improvement.	
			remain within cu			
	Recommended	Recommended	Recommended le	evel will never be	Will be within or better than	
	level will	level will	violated.		recommended le	evel.
	often be	occasionally				
	violated.	be violated.				
Community	Vigorous	Widespread	Sporadic compla	ints.	No observed	Favourable
Response	community	complaints.			reaction.	publicity
	action.					

 Table 2 – Criteria for ranking the Severity of environmental impacts

Table 3 – Criteria for ranking the Severity of negative impacts on the bio-physical environment

Environment	Ranking Criteria				
Environment	Low (L-)	Medium (M-)	High (H-)		
Soils and land capability	Minor deterioration in land capability. Soil alteration resulting in a low negative impact on one of the other environments (e.g. ecology).	Partial loss of land capability. Soil alteration resulting in a moderate negative impact on one of the other environments (e.g. ecology).	Complete loss of land capability. Soil alteration resulting in a high negative impact on one of the other environments (e.g. ecology).		
Ecology (Plant and animal life)	Disturbance of areas that are degraded, have little conservation value or are unimportant to humans as a resource. Minor change in species variety or prevalence.	Disturbance of areas that have some conservation value or are of some potential use to humans. Complete change in species variety or prevalence.	Disturbance of areas that are pristine, have conservation value or are an important resource to humans. Destruction of rare or endangered species.		
Surface and Groundwater	Quality deterioration resulting in a low negative impact on one of the other environments (ecology, community health etc.)	Quality deterioration resulting in a moderate negative impact on one of the other environments (ecology, community health etc.).	Quality deterioration resulting in a high negative impact on one of the other environments (ecology, community health etc.).		

Spatial Extent and Duration of Impacts

The duration and spatial scale of impacts can be ranked using the following criteria:

	Ranking Criteria		
	L	Μ	Н
Duration	Quickly reversible	Reversible over time	Permanent
	Less than the project life	Life of the project	Beyond closure
	Short-term	Medium-term	Long-term
Spatial Scale	Localised	Fairly widespread	Widespread
	Within site boundary	Beyond site boundary	Far beyond site boundary
	Site	Local	Regional/national

 Table 4 – Ranking the Duration and Spatial Scale of impacts

Where the severity of an impact varies with distance, the severity should be determined at the point of compliance or the point at which sensitive receptors will be encountered. This position corresponds to the spatial extent of the impact.

Consequence of Impacts

Having ranked the severity, duration and spatial extent, the overall consequence of impacts can be determined using the following qualitative guidelines:

 Table 5 – Ranking the Consequence of an impact

			SEVERI	$\Gamma \mathbf{Y} = \mathbf{L}$	
NO	Long-term	Н			
DURATION	Medium-term	Μ			MEDIUM
DQ	Short-term	L	LOW		
	•	•	SEVERIT	$\mathbf{T}\mathbf{Y} = \mathbf{M}$	
NO	Long-term	Н			HIGH
DURATION	Medium-term	Μ		MEDIUM	
DU	Short-term	L	LOW		
	•		SEVERI	ΓY = H	
NO	Long-term	Н			
DURATION	Medium-term	Μ			HIGH
DU	Short-term	L	MEDIUM		l -
·			L	М	Н
			Localised	Fairly widespread	Widespread
			Within site boundary	Beyond site boundary	Far beyond site boundary
			Site	Local	Regional/national
	SPATIAL SCALE				

To use Table 5, firstly go to one of the three "layers" based on the severity ranking obtained from Table 2 and/ or Table 3. Thereafter determine the consequence ranking by locating the intersection of the appropriate duration and spatial scale rankings.

Overall Significance of Impacts

Combining the consequence of the impact and the probability of occurrence, as shown by Table 6, provides the overall significance (risk) of impacts.

			an significance of mp		
LITY	Definite Continuous	H	MEDIUM		HIGH
BABII	Possible Frequent	М		MEDIUM	
PROBA	Unlikely Seldom	L	LOW		MEDIUM
			L	М	Н
			CONSEQUENCE (from Table 5)		

 Table 6 – Ranking the Overall Significance of impacts

The overall significance ranking of the negative environmental impacts provides the following guidelines for decision making:

Decision Guideline Overall **Nature of Impact** Significance Ranking Unacceptable impacts. Likely to be a fatal flaw. High Moderate These are unavoidable consequence, which will need Noticeable impact. to be accepted if the project is allowed to proceed. These impacts are not likely to affect the project Low Minor impacts. decision.

Table 7 – Guidelines for decision-making

Priority of Primary Impacts

In some cases environmental aspects could result in impacts on a number of environments. For example, the release of contaminated runoff could pollute surface water, which in turn could adversely impact on the ecology. In such cases the impact on the environment in which the first or primary impact occurs should be considered first. In the example "surface water" is the environment on which the primary impact occurs. If it can be shown that the impact on the primary environment will be insignificant, then secondary impacts need not be considered.

CONCLUSIONS

While the significance ranking methodology presented in above is not a substitute for more sophisticated qualitative methods, it is a step forward from the arbitrary methods that are often used to determine the significance of environmental impacts. In many instances it is impractical or prohibitively costly to source the data required to undertake a fully quantitative assessment and, hence, a qualitative or semi-quantities approach is the best option available. If used in conjunction with the general framework outlined in Part 1, it provides a systematic and structured approach to undertaking an EIA.



Appendix B

SPECIALIST CV's

M07/16

CURRICULUM VITAE



Andrea Gibb

Name	Andrea Gibb
Profession	Environmental Practitioner
Name of Firm	SiVEST SA (Pty) Ltd
Present Appointment	Environmental Practitioner and Visual Specialist: Environmental Division
Years with Firm	6 Years
Date of Birth	29 January 1985
ID Number	8501290020089
Nationality	South African



Education

Matriculated 2003, Full Academic Colours, Northcliff High School, Johannesburg, South Africa

Professional Qualifications

BSc (Hons) Environmental Management (University of South Africa 2008-2010)

<u>Coursework</u>: Project Management, Environmental Risk Assessment and Management, Ecological and Social Impact Assessment, Fundamentals of Environmental Science, Impact Mitigation and Management, Integrated Environmental Management Systems & Auditing, Integrated Environmental Management, Research Methodology.

Research Proposal: Golf Courses and the Environment

BSc Landscape Architecture (with distinction) (University of Pretoria 2004-2007)

<u>Coursework:</u> Core modules focused on; design, construction, environmental science, applied sustainability, shifts in world paradigms and ideologies, soil and plant science, environmental history, business law and project management.

<u>Awards:</u> Cave Klapwijk prize for highest average in all modules in the Landscape Architecture programme, ILASA book prize for the best Landscape Architecture student in third year design, Johan Barnard planting design prize for the highest distinction average in any module of plant science.

ArcGIS Desktop 1 (ESRI South Africa December 2010) Environmental Impact Assessment (EIA) 2014 Legal Regime Workshop (Imbewu 2015)

Employment Record

Aug 2010 – to date	SiVEST SA (Pty) Ltd: Environmental Practitioner
Jan 2008 – July 2010	Cave Klapwijk and Associates: Environmental Assistant and
-	Landscape Architectural Technologist
Feb 2006 – Dec 2006	Cave Klapwijk and Associates: Part time student

Language Proficiency

LANGUAGE	SPEAK	READ	WRITE
English	Fluent	Fluent	Fluent



Key Experience

Specialising in the field of Environmental Management and Visual Assessment.

Andrea joined SiVEST in August 2010 and holds the position of Environmental Practitioner in the Johannesburg Office. She has 8.5 years' work experience and specialises in managing large scale multifaceted EIAs and Basic Assessment (BAs), primarily related to renewable energy generation and electrical distribution. She also specialises in undertaking visual impact and landscape assessments. She has extensive experience in overseeing public participation and stakeholder engagement processes and has been involved in environmental baseline assessments, fatal flaw / feasibility assessments and environmental negative mapping / sensitivity analyses. From a business and administrative side, Andrea is actively involved in maintaining good client relationships, mentoring junior staff and maintaining the financial performance of the projects she leads.

Skills include:

- Project Management (MS Project)
- Environmental Impact Assessment (EIA)
- Basic Assessment (BA)
- Public Participation Management
- Visual Impact Assessment (VIA)
- Landscape Assessment
- Strategic Environmental Planning
- Documentation / Quality Control
- Project Level Financial Management

Projects Experience

<u>Aug 2010 – to date</u>

ENVIRONMENTAL IMPACT ASSESSMENT (EIA) / BASIC ASSESSMENT (BA)

- EIA for the proposed development of the Tlisitseng 1 and 2 75MW Solar Photovoltaic (PV) Energy Facilities near Lichtenburg, North West Province.
- EIAs for the proposed development of the Sendawo 1, 2, and 3 75MW Solar PV Energy Facilities near Vryburg, North West Province.
- EIA for the proposed construction of the Sendawo Common Collector Substation and power line near Vryburg, North West Province.
- EIA for the proposed construction of the Aletta 140MW Wind Energy Facility near Copperton, Northern Cape Province.
- Application for an Amendment of the Environmental Authorisation (EA) for the proposed construction of the 100MW Limestone Solar Thermal Power Project near Danielskuil, Northern Cape Province.
- Applications for the Amendment of the EAs for the proposed construction of three 75MW solar PV facilities near Prieska, Northern Cape Province.
- Applications for the Amendment of the EAs for the proposed construction of the 75MW Arriesfontein and Wilger Solar Power Plants near Danielskuil, Northern Cape Province.
- Completion and submission of the final EIA report for the proposed Rooipunt PV Solar Power Park Phase 1 and proposed Rooipunt PV Solar Power Park Phase 2 near Upington, Northern Cape Province.
- ElAs for the proposed construction of the Helena 1, 2 and 3 75MW Solar PV Energy Facilities near Copperton, Northern Cape Province.
- EIA for the proposed construction of the Nokukhanya 75MW Solar PV Power Plant near Dennilton, Limpopo Province.
- EIA for the proposed development of the Dwarsrug Wind Farm near Loeriesfontein, Northern Cape Province.



- BA for the proposed construction of two 132kV power lines and associated infrastructure from the Redstone Solar Thermal Power Project site to the Olien MTS near Line Acres, Northern Cape Province.
- BA for the proposed construction of two 132kV power lines and associated infrastructure from Silverstreams DS to the Olien MTS near Lime Acres, Northern Cape Province.
- BA for the proposed Construction of the SSS1 5MW Solar PV Plant on the Western Part of Portion 6 (Portion of Portion 5) of Farm Spes Bona 2355 near Bloemfontein, Free State Province.
- BA for the proposed Construction of the SSS2 5MW Solar PV Plant on the Eastern Part of Portion 6 (Portion of Portion 5) of Farm Spes Bona 2355 near Bloemfontein, Free State Province.
- BA for the proposed Mookodi Integration Phase 2: Proposed Construction of a 132kV power line from the proposed Bophirima Substation to the existing Schweizer-Reneke Substation, North West Province.
- BA for the proposed Mookodi Integration Phase 2: Proposed Construction of a 132kV power line from the Mookodi Substation to the existing Magopela Substation, North West Province.
- BA for the proposed Mookodi Integration Phase 2: Proposed Construction of the Mookodi -Ganyesa 132kV power line, proposed Ganyesa Substation and Havelock LILO, North West Province.
- Amendment of the Final Environmental Impact Report for the Proposed Mookodi 1 Integration Project near Vryburg, North West Province.
- BA for the proposed 132kV power line and associated infrastructure for the proposed Redstone Solar Thermal Energy Plant near Lime Acres, Northern Cape Province.
- BA for the proposed construction of a 132kV power line and substation associated with the 75MW PV Plant on the Farm Droogfontein (PV 3) in Kimberley, Northern Cape Province.
- BA for the proposed establishment of a Learning and Development Retreat and an Executive Staff and Client Lodge at Mogale's Gate, Gauteng Province.
- Application for an Amendment of the EA to increase the output of the proposed 40MW PV Facility on the farm Mierdam to 75MW, Northern Cape Province.
- BA for the proposed construction of a power line and substation near Postmasburg, Northern Cape Province.
- BA for the proposed West Rand Strengthening Project 400kV double circuit power line and substation extension in the West Rand, Gauteng.
- EIA for the proposed construction of a wind farm and PV plant near Prieska, Northern Cape Province.
- Public Participation assistance as part of the EIA for the proposed Thyspunt Transmission Lines Integration Project – EIA for the proposed construction of 5 x 400kV transmission power lines between Thyspunt to Port Elizabeth, Eastern Cape Province.
- EIA assistance for the proposed construction of three Solar Power Plants in the Northern Cape Province.
- Public Participation as part of the EIA for the proposed Delareyille Kopela Power Line and Substation, North West Province.
- Public Participation as part of the EIA for the Middelburg Water Reclamation Project, Mpumalanga Province.

VISUAL IMPACT ASSESSMENT (VIA)

- VIA (Scoping Phase) for the proposed construction of a 3000MW Wind Farm and associated infrastructure near Richmond, Northern Cape Province.
- VIA for the proposed construction of a power line and associated infrastructure for the proposed Kalkaar Solar Thermal Power Plant near Kimberley, Free State and Northern Cape Provinces.
- VIA for the proposed construction of a power line and associated infrastructure for the proposed Rooipunt Solar Thermal Power Plant near Upington, Northern Cape Province.
- VIAs (Impact Phase) for the proposed construction of the Sendawo 1, 2 and 3 solar PV energy facilities near Vryburg, North West Province.



- VIA (Impact Phase) for the proposed construction of the Sendawo substation and associated power line near Vryburg, North West Province.
- VIAs (Impact Phase) for the proposed construction of the Tlisitseng 1 and 2 solar PV energy facilities near Lichtenburg, North West Province.
- VIA for the proposed construction of the Tlisitseng substation and associated 132kV power line near Lichtenburg, North West Province.
- VIA (Scoping Phase) for the proposed construction of the Sendawo substation and associated power line near Vryburg, North West Province.
- VIA (Scoping Phase) for the proposed construction of the Sendawo 1, 2 and 3 solar PV energy facilities near Vryburg, North West Province.
- VIA (Scoping Phase) for the proposed construction of the Tlisitseng 1 and 2 solar PV energy facilities near Lichtenburg, North West Province.
- Visual recommendations for Phase 1 of the proposed Renishaw Estate Mixed Use Development, KwaZulu-Natal Province.
- VIA for the proposed Tinley Manor South Banks Development, KwaZulu-Natal Province.
- VIAs (Impact Phase) for the proposed construction of the Helena 1, 2 and 3 75MW Solar PV Energy Facilities near Copperton, Northern Cape Province.
- VIA (Scoping Phase) for the proposed construction of the Helena 1, 2 and 3 75MW Solar PV Energy Facilities near Copperton, Northern Cape Province.
- Visual Due Diligence Report for the possible rapid rail extensions to the Gauteng network, Gauteng Province.
- Visual Status Quo and Constraints Report for the possible rapid rail extensions to the Gauteng network, Gauteng Province.
- VIA for the proposed agricultural components of the Integrated Sugar Project in Nsoko, Swaziland.
- VIA for the proposed Tweespruit to Welroux power lines and substation, Free State Province.
- VIA for the proposed construction of the Nokukhanya 75MW Solar PV Power Plant near Dennilton, Limpopo Province.
- VIA (Impact Phase) for the proposed development of the Dwarsrug Wind Farm near Loeriesfontein, Northern Cape Province.
- VIA for the proposed amendment to the authorised power line route from Hera Substation to Westgate Substation, Gauteng Province.
- VIA (Impact Phase) for the Eastside Junction Mixed Use Development near Delmas, Mpumalanga Province.
- VIA for the proposed construction of two 132kV power lines and associated infrastructure from the Redstone Solar Thermal Power Project site to the Olien MTS near Line Acres, Northern Cape Province.
- VIA for the proposed construction of two 132kV power lines and associated infrastructure from Silverstreams DS to the Olien MTS near Lime Acres, Northern Cape Province.
- VIA (Scoping Phase) for the proposed development of the Dwarsrug Wind Farm near Loeriesfontein, Northern Cape Province.
- VIA for the proposed Rorqual Estate Development near Park Rynie on the South Coast of KwaZulu Natal.
- VIA (Scoping Phase) for the proposed construction of a Coal-fired Power Station, Coal Mine and Associated Infrastructure near Colenso, KwaZulu-Natal Province.
- VIA for the proposed Mookodi Integration Phase 2: Proposed Construction of the Mookodi -Ganyesa 132kV power line, proposed Ganyesa Substation and Havelock LILO, North West Province.
- VIA for the proposed construction of the Duma transmission substation and associated Eskom power lines, KwaZulu-Natal Province.
- VIA for the proposed construction of the Madlanzini transmission substation and associated Eskom power lines, Mpumalanga Province.
- VIA for the proposed rebuild of the 88kV power line from Normandie substation to Hlungwane substation, Mpumalanga and KwaZulu-Natal Provinces.
- VIA for the proposed construction of the Nzalo transmission substation and associated Eskom power lines, KwaZulu-Natal Province.





- VIA for the proposed construction of the Sheepmoor traction substation with two 20MVA transformer bays and a new associated 88kV turn-in power line, Mpumalanga Province.
- VIA for the proposed rebuild of the 88kV power line from Uitkoms substation to Antra T-off, Mpumalanga Province.
- VIA for the proposed rebuild of the 88kV power line from Umfolozi substation to Eqwasha traction substation including an 88kV turn-in power line to Dabula traction substation, Kwazulu-Natal Province.
- VIA for the proposed construction of the new 88/25kV Vryheid traction substation with two 20MVA transforma bays and a new associated 88kV turn-in power line, KwaZulu-Natal Province.
- VIA for the proposed construction of a 132kV power line and substation associated with the 75MW PV Plant on the Farm Droogfontein (PV 3) in Kimberley, Northern Cape Province.
- VIA (Impact Phase) for the proposed Construction of a Solar PV Power Plant near De Aar, Northern Cape Province.
- VIA for the (Impact Phase) proposed Construction of the Renosterberg Wind Farm near De Aar, Northern Cape Province.
- VIA for the (Impact Phase) proposed Construction of the Renosterberg Solar PV Power Plant near De Aar, Northern Cape Province.
- VIA for the proposed construction of a 132kV power line for the Redstone Thermal Energy Plant near Lime Acres, Northern Cape Province.
- VIA for the proposed Mookodi Integration phase 2 132kV power lines and Ganyesa substation near Vryburg, North West Province.
- VIA for the proposed 132kV power lines associated with the PV Plants on Droogfontein Farm near Kimberley, Northern Cape Province.
- VIA (Scoping phase) for the Eastside Junction Mixed Use Development near Delmas, Mpumalanga Province.
- VIA for the proposed development of a learning and development retreat and an executive and staff lodge at Mogale's Gate, Gauteng Province.
- VIA for the proposed construction of a substation and 88kV power line between Heilbron (via Frankfort) and Villiers, Free State Province.
- Visual Status Quo Assessment for the Moloto Development Corridor Feasibility Study in the Gauteng Province, Limpopo Province and Mpumalanga Province.
- VIA the West Rand Strengthening Project 400kV double circuit power line and substation extension in the West Rand, Gauteng.
- VIA for the proposed construction of a wind farm and solar photovoltaic plant near Loeriesfontein, Northern Cape Province.
- Visual sensitivity mapping exercise for the proposed Mogale's Gate Expansion, Gauteng.
- VIA (Scoping Phase) for the proposed Renosterberg Solar PV Power Plant and Wind Farm near De Aar, Northern Cape Province.
- Scoping level VIAs for the proposed construction of three Solar Power Plants in the Northern Cape Province.
- VIAs for the Spoornet Coallink Powerline Projects in KZN and Mpumalanga.
- Visual Constraints Analysis for the proposed establishment of four Wind Farms in the Eastern and Northern Cape Province.
- VIA (Scoping Phase) for the proposed development of a solar energy facility in De Aar, Northern Cape.
- VIA (Scoping Phase) for the proposed development of a solar energy facility in Kimberley, Northern Cape.

STRATEGIC ENVIRONMENTAL PLANNING

- Assistance with the Draft Environmental Management Framework for the Mogale City Local Municipality, Gauteng Province.
- Sensitivity Negative Mapping Analysis for the proposed Mogale's Gate Development, Gauteng Province.



<u>OTHER</u>

Jan 2008 - July 2010

Environmental management, research, report writing, and landscape design for several development projects:

- Report writing, coordination and public participation for several BAs.
- Planting design (including rehabilitation) in accordance with natural ecological processes, endemic species and appropriate techniques.
- Graphic presentations and mapping for several VIAs and landscape architectural designs, including three-dimensional imagery.

Feb 2006 - Dec 2006

Landscape Architectural drafting, rendering and planting design for a variety of projects including the Oprah Winfrey Academy for girls and the New UNISA Student Entrance Building.



Stephan Hendrik Jacobs

Name	Stephan Hendrik Jacobs
Profession	Environmentalist
Name of Firm	SiVEST SA (Pty) Ltd
Present Appointment	Graduate Environmental Consultant
Years with Firm	Joined May 2015
Date of Birth	28 May 1991
ID Number	9105285065080
Nationality	South African



Education

Pretoria Boys High, Pretoria, South Africa, Matriculated 2009.

Professional Qualification

- BSc Hons Environmental Management and Analysis, (Post Graduate) University Of Pretoria Honours (2014).
- BSc Environmental Sciences (Undergraduate) University Of Pretoria (2012-2013)

Employment Record

May 2015 – current	SiVEST SA (Pty) Ltd – Graduate Environmental Consultant
Nov 2014 – Feb 2015	Sodwana Bay Fishing Charters – Assistant Manager
Oct 2014 – Mar 2015	Ufudu Turtle Tours – Tour Guide

Language Proficiency

LANGUAGE	SPEAK	READ	WRITE
English	Excellent	Excellent	Excellent
Afrikaans	Good	Good	Good

Key Experience

Stephan joined SiVEST in May 2015 and holds the position of Graduate Environmental Consultant in the Johannesburg office.

Stephan specialises in the field of Environmental Management and has been involved in the compilation of Environmental Impact Assessments (EIAs) and Basic Assessments (BAs). Stephan has also assisted extensively in the undertaking of field work and the compilation of reports for specialist studies such as surface water and visual impact assessments. Stephan also has experience in Environmental Compliance and Auditing and has acted as an Environmental Control Officer (ECO) for several infrastructure projects.

Stephan has been educated and achieved his degrees (BSc and BSc Hons) at the University of Pretoria in Environmental Sciences (Environmental Management & Analysis).

Throughout his time at SiVEST, Stephan has acquired the following skills:

- Strong computer skills (Work, excel, powerpoint etc);
- Strong Proposal and report writing skills;
- Report compilation skills for Environmental Impact Assessments (EIAs) and Basic Assessments (BAs);



- Report compilation skills for Environmental Management Plans/Programmes (EMPr);
- Compilation and conducting Visual Impact Assessments;
- Assisting in Surface Water / Wetland Delineations and Assessments.

Key experience includes:

- Environmental Impact Assessment (EIA) of small, medium and large-scale infrastructure projects,
- Basic Assessment (BA), of small, medium and large-scale infrastructure projects,
- Environmental Management Plans (EMPr), of small, medium and large-scale infrastructure projects,
- Proposal and tender compilation,
- Environmental Compliance and Auditing (ECO);
- Various site inspections, and
- Visual Impact Assessments (Field work and report compilation).

Projects Experience

Stephan is responsible for the following activities: report writing, proposal writing, assisting in specialist surface water delineation and functional assessments, assisting in visual impact assessments and environmental compliance and auditing procedures. Current and completed projects / activities are outlined in detail below:

- Environmental Control Officer (ECO) for the Polokwane Integrated Rapid Public Transport System (IRPTS), Limpopo Province.
- Basic Assessment (BA) for the construction of a Non-Motorised Transport (NMT) Training and Recreational Park adjacent to the Peter Mokaba Stadium in Polokwane, Limpopo Province.
- Basic Assessment (BA) for the Proposed Expansion of the Tissue Manufacturing Capacity at the Twinsaver Kliprivier Operations Base, Gauteng Province.
- Environmental Control Officer (ECO) for Phase 1 and Phase 2 of the Newmarket Retail Development, Gauteng Province.
- Environmental Review of the Xakwa Coal Operations, adjacent to the proposed Eastside Junction Development.
- Environmental Due Diligence for the Woodlands and Harrowdene Office Parks in Woodmead, Gauteng Province.
- Visual Impact Assessment for the Helena Solar PV Plant, Northern Cape Province.
- Visual Impact Assessment for the Nsoko Msele Integrated Sugar Project, Swaziland.
- Visual Impact Assessments for the proposed construction of the Sendawo Solar 1, Sendawo Solar 2 and Sendawo Solar 3 Photovoltaic (PV) Energy Facilities near Vryburg, North West Province.
- Visual Impact Assessments for the proposed construction of the Sendawo Substation and Associated 400kV Power Line near Vryburg, North West Province.
- Visual Impact Assessments for the proposed construction of the Tlisitseng Solar 1 and Tlisitseng Solar 2 Photovoltaic (PV) Energy Facilities near Lichtenburg, North West Province.
- Visual Impact Assessment for the proposed construction of the 3000MW PhilCo Green Energy Wind Farm and Associated Infrastructure near Richmond, Northern Cape Province.



- Visual Impact Assessment for the proposed construction of the Aletta 140MW Wind Energy Facility neat Copperton, Northern Cape Province.
- Visual Impact Assessment for the proposed construction of the Eureka 140MW Wind Energy Facility and associated Infrastructure near Copperton, Northern Cape Province.
- Visual Impact Assessment for the proposed construction of the Eureka 400kV Substation and 400kV Power Line neat Copperton, Northern Cape Province.
- Basic Visual Impact Assessments for the proposed construction of the Tlisitseng 1 and Tlisitseng 2 Substations and Associated 132kV Power Lines near Lichtenburg, North West Province.
- Basic Visual Impact Assessment for the proposed construction of up to a 132kV Power Line and Associated Infrastructure for the Rooipunt Solar Thermal Power Plant near Upington, Northern Cape Province.
- Basic Visual Impact Assessment for the proposed construction of up to a 132kV Power Line and Associated Infrastructure for the proposed Kalkaar Solar Thermal Power Plant near Kimberly, Free State and Northern Cape Provinces.
- Surface Water Assessment for the Steve Thswete Local Municipality, Mpumalanga Province.
- Surface Water Delineation and Assessment for the proposed coal Railway Siding at the Welgedacht Marshalling Yard and associated Milner Road Upgrade near Springs, Ekurhuleni Metropolitan Municipality.

M/09/16

CURRICULUM VITAE



Kerry Lianne Schwartz

Name	Kerry Lianne Schwartz
Profession	GIS Specialist
Name of Firm	SiVEST SA (Pty) Ltd
Present Appointment	Senior GIS Consultant: Environmental Division
Years with Firm	24 Years
Date of Birth	21 October 1960
ID No.	6010210231083
Nationality	South African



Professional Qualifications

BA (Geography), University of Leeds 1982

Employment Record

1994 – Present	SiVEST SA (Pty) Ltd - Environmental Division: GIS/Database Specialist.		
1988 - 1994	SiVEST (formerly Scott Wilson Kirkpatrick): Town Planning Technician.		
1984 – 1988	Development and Services Board, Pietermaritzburg: Town Planning		
	Technician.		

Language Proficiency

LANGUAGE	SPEAK	READ	WRITE
English	Fluent	Fluent	Fluent

Key Experience

Kerry is a GIS specialist with more than 20 years' experience in the application of GIS technology in various environmental, regional planning and infrastructural projects undertaken by SiVEST.

Kerry's GIS skills have been extensively utilised in projects throughout South Africa in other Southern African Countries. These projects have involved a range of GIS work, including:

- Design, compilation and management of a demographic, socio-economic, land use, environmental and infrastructural databases.
- Collection, collation and integration of data from a variety of sources for use on specific projects.
- Manipulation and interpretation of both spatial and alphanumeric data to provide meaningful inputs for a variety of projects.
- Production of thematic maps and graphics.
- Spatial analysis and 3D modelling, including visual and landscape assessments.



Projects Experience

STRATEGIC PLANNING PROJECTS

Provision of database, analysis and GIS mapping support for the following:

• Water Plan 2025: Socio-economic, Land Use and Demographic Update – Umgeni Water (KwaZulu-Natal).

CURRICULUM VITAE

- Eskom Strategic Plan Eskom (KwaZulu-Natal).
- Umgeni Water Quality Management Plan Department of Water Affairs and Umgeni Water (KwaZulu-Natal).
- KwaZulu-Natal Development Perspective Department of Economic Affairs (KwaZulu-Natal).
- Indlovu Regional Integrated Plan Department of Local Government and Housing (KwaZulu-Natal).
- Umgeni Water and Sanitation Needs Analysis Umgeni Water (KwaZulu-Natal).
- Metro Waste Water Management Plan Durban Waste Water management, City of Durban (KwaZulu-Natal).
- KwaZulu-Natal Electrification Prioritisation Model Eskom (KwaZulu-Natal).
- Umzinyathi Regional Development Plan Umzinyathi Regional Council (KwaZulu-Natal).
- GIS driven model to assess future population growth in quaternary catchments under different growth scenarios Umgeni Water (KwaZulu-Natal).
- Ubombo Master Water Plan Study Mhlathuze Water Board (KwaZulu-Natal).
- Development strategy for local economic development and social reconstruction of the Germiston-Daveyton Activity Corridor Eastern Gauteng Services Council (Gauteng).
- Structure Plan for the Cities of Beira and Dondo in Mozambique World Bank.
- Land identification study for low cost housing in the Indlovu Region Indlovu Regional Council (KwaZulu-Natal).
- Local Development Plan for Manzini Manzini Town Council (Swaziland).
- Indlovu Project Prioritisation Model Indlovu Regional Council (KwaZulu-Natal).
- Structure Plans for the Cities of Ndola and Luanshya Ministry of Local Government and Housing (Zambia).
- Database development for socio-economic and health indicators arising from Social Impact Assessments conducted for the Lesotho Highlands Development Association Lesotho.
- Development Plan for the adjacent towns of Kasane and Kazungula Ministry of Local Government, Land and Housing (Botswana).
- Development Plan for the rural village of Hukuntsi Ministry of Local Government, Land and Housing (Botswana).
- Provision of data platform for the spatial analysis of water supply, demand and affordability in Bulawayo City of Bulawayo and NORAID (Zimbabwe).
- Integrated Development Plans for various District and Local Municipalities including:
 - Nquthu Local Municipality (KwaZulu-Natal)
 - Newcastle Local Municipality (KwaZulu-Natal)
 - Amajuba District Municipality (KwaZulu-Natal)
 - Jozini Local Municipality (KwaZulu-Natal)
 - Umhlabuyalingana Local Municipality (KwaZulu-Natal)
- uMhlathuze Rural Development Initiative uMhlathuze Local Municipality (KwaZulu-Natal).
- Rural roads identification uMhlathuze Local Municipality (KwaZulu-Natal).
- Mapungubwe Tourism Initiative Development Bank (Limpopo Province).
- Northern Cape Tourism Master Plan Department of Economic Affairs and Tourism (Northern Cape Province).





- Spatial Development Framework for Gert Sibande District Municipality (Mpumalanga) in conjunction with more detailed spatial development frameworks for the 7 Local Municipalities in the District, namely:
 - Albert Luthuli Local Municipality
 - Msukaligwa Local Municipality
 - Mkhondo Local Municpality
 - Pixley Ka Seme Local Municipality
 - Dipaleseng Local Municipality
 - Govan Mbeki Local Municipality
 - Lekwa Local Municipality
- Land Use Management Plans/Systems (LUMS) for various Local Municipalities including:
 - Nkandla Local Municipality (KwaZulu-Natal)
 - Hlabisa Local Municipality (KwaZulu-Natal)
 - uPhongolo Local Municipality (KwaZulu-Natal)
 - uMshwathi Local Municipality
 - Spatial Development Framework for uMhlathuze Local Municipality (KwaZulu-Natal).
- Spatial Development Framework for Greater Clarens Maloti-Drakensberg Transfrontier Park (Free State).
- Land use study for the Johannesburg Inner City Summit and Charter City of Johannesburg (Gauteng).
- Port of Richards Bay Due Diligence Investigation Transnet
- Jozini Sustainable Development Plan Jozini Local Municipality (KwaZulu-Natal)
- Spatial Development Framework for Umhlabuyalingana Local Municipality (KwaZulu-Natal)

BUILT INFRASTRUCTURE

- EIA and EMP for a 9km railway line and water pipeline for manganese mine Kalagadi Manganese (Northern Cape Province).
- EIA and EMP for 5x 440kV Transmission Lines between Thyspunt (proposed nuclear power station site) and several substations in the Port Elizabeth area Eskom (Eastern Cape Province).
- Initial Scoping for the proposed 750km multi petroleum products pipeline from Durban to Gauteng/Mpumalanga Transnet Pipelines.
- Detailed EIA for multi petroleum products pipeline from Kendall Waltloo, and from Jameson Park to Langtaagte Tanks farms –Transnet Pipelines.
- Environmental Management Plan (operational management plan) including visual impact assessment, noise impact assessment and flight path determination for the commercialization of Skukuza Airport SANParks (Mpumalaga Province).
- Environmental Management Plan for copper and cobalt mine (Democratic Republic of Congo).
- EIA and Agricultural Feasibility study for Miwani Sugar Mill (Kenya).
- EIAs for Concentrated Solar and Photovoltaic power plants and associated infrastructure (Northern Cape, Free State, Limpopo and North West Province).
- EIAs for Wind Farms and associated infrastructure (Northern Cape and Western Cape).
- Basic Assessments for 132kV Distribution Lines (Free State, KwaZulu-Natal, Mpumalanga and North West Province).
- Environmental Assessment for the proposed Moloto Development Corridor (Limpopo).
- Environmental Advisory Services for the Gauteng Rapid Rail Extensions Feasibility Project.
- Environmental Screening for the Strategic Logistics and Industrial Corridor Plan for Strategic Infrastructure Project 2, Durban-Free State-Gauteng Development Region.



STATE OF THE ENVIRONMENT REPORTING

- 2008 State of the Environment Report for City of Johannesburg.
- Biodiversity Assessment City of Johannesburg.

STRATEGIC ENVIRONMENTAL ASSESSMENTS AND ENVIRONMENTAL MANAGEMENT FRAMEWORKS

- SEA for Greater Clarens Maloti-Drakensberg Transfrontier Park (Free State).
- SEA for the Marula Region of the Kruger National Park, SANParks.
- SEA for Thanda Private Game Reserve (KwaZulu-Natal).
- SEA for KwaDukuza Local Municipality (KwaZulu-Natal).
- EMF for proposed Renishaw Estate (KwaZulu-Natal).
- EMF for Mogale City Local Municipality, Mogale City Local Municipality (Gauteng).
- SEA for Molemole Local Municipality, Capricorn District Municipality (Limpopo).
- SEA for Blouberg Local Municipality, Capricorn District Municipality (Limpopo).

WETLAND STUDIES

- Rehabilitation Planning for the Upper Klip River and Klipspruit Catchments, City of Johannesburg (Gauteng).
- Wetland assessments for various Concentrated Solar and Photovoltaic power plants and associated infrastructure (Limpopo, Northern Cape, North West Province and Western Cape).
- Wetland assessments for Wind Farms and associated infrastructure (Northern Cape and Western Cape).
- Wetland assessments for various 132kV Distribution Lines (Free State, KwaZulu-Natal, Mpumalanga and North West Province).

VISUAL IMPACT ASSESSMENTS

- Visual Impact Assessment for the proposed relocation of the Skukuza Conference Centre, SANParks.
- Visual Impact Assessment for the proposed re-commercialisation of the Skukuza Airport.
- Visual Impact Assessment for the redevelopment of the Newmarket Racecourse, Alberton, Gauteng
- Visual Impact Assessment for the Thyspunt Transmission Lines Integration Project
- Visual Impact Assessments for various Solar Power Plants in the Northern Cape
- Visual Impact Assessments for various Wind Farms in the Northern Cape
- Visual Impact Assessments for various 132kV Distribution Lines (Free State, KwaZulu-Natal, Mpumalanga and North West Province).
- Landscape Character Assessment for Mogale City Environmental Management Framework



Appendix C

TABLE20:LITERATUREREVIEW–DETAILEDTABLEWITHIMPACTSWHICHWERETAKENINTOCONSIDERATION,PROPOSEDMITIGATIONMEASURESANDSIGNIFICANCERATINGOFIMPACTSMITIGATIONMITIGATION

Table 20: Literature Review - Detailed Table with Visual Impacts taken into Consideration, Proposed Mitigation Measures and Significance Rating of Visual Impacts after Mitigation for Nearby Proposed Renewable Energy Developments

Project Relevant Impacts to be Taken into		Pro	oposed Mitigation Measures	Im	pacts Significance	
	Co	nsideration from a Visual Perspective			Ra	ting after Mitigation
	1)	Visual Impacts of proposed Phezukomoya	1)	Proposed Mitigation Measures for	1)	Medium negative;
		WEF infrastructure during construction:		Phezukomoya WEF infrastructure during	2)	Medium negative;
	•	During the construction phase, large		construction:	3)	Medium negative;
		construction vehicles and equipment will alter	•	Carefully plan to reduce the construction period.	4)	Medium negative;
		the natural character of the study area and	•	Minimise vegetation clearing and rehabilitate	5)	Medium negative;
		expose visual receptors to visual impacts		cleared areas as soon as possible.	6)	Medium negative.
		associated with construction. The construction	-	Maintain a neat construction site by removing		
		activities may be perceived as an unwelcome		rubble and waste materials regularly.		
		visual intrusion, particularly in more natural		Make use of existing gravel access roads where		
		undisturbed settings. Vehicles and trucks		possible.		
		travelling to and from the proposed site on gravel	•	Ensure that dust suppression techniques are		
Phezukomoya		access roads are also expected to increase dust		implemented on all access roads, especially		
Wind Energy		emissions. The increased traffic on these roads		those leading up steep slopes.		
Facility		and the resultant dust plumes could create a				
		visual impact and may evoke negative	2)	Proposed Mitigation Measures for		
		sentiments from surrounding viewers. Surface		infrastructure associated with		
		disturbance during construction would also		Phezukomoya WEF during construction:		
		expose bare soil which could visually contrast	•	All reinstated cable trenches should be re-		
		with the surrounding environment. Additionally,		vegetated with the same vegetation that existed		
		temporary stockpiling of soil during construction		prior to the cable being laid.		
		may alter the landscape. Wind blowing over	-	Carefully plan to reduce the construction period.		
		these disturbed areas could therefore result in	•	Minimise vegetation clearing and rehabilitate		
		dust which would have a visual impact.		cleared areas as soon as possible.		

2) Visual impacts of the infrastructure	•	Maintain a neat construction site by removing	
associated with the Phezukomoya WEF		rubble and waste materials regularly.	
during construction:	•	Make use of existing gravel access roads where	
 During the construction of the 132kV overhead 		possible.	
power line, underground cables, on-site	•	Ensure that dust suppression techniques are	
switching station, access roads and building		implemented on all access roads.	
infrastructure, large construction vehicles and			
equipment could exert a visual impact by altering	3)	Proposed Mitigation Measures for	
the visual character of the surrounding area and		cumulative visual impacts as a result of the	
exposing sensitive visual receptor locations to		other renewable energy developments	
visual impacts associated with the construction		(including associated infrastructure)	
phase. The construction activities may be		proposed nearby during construction:	
perceived as an unwelcome visual intrusion,	•	Carefully plan to reduce the construction period.	
particularly in more natural undisturbed settings.	•	Minimise vegetation clearing and rehabilitate	
Vehicles and trucks travelling to and from the		cleared areas as soon as possible.	
proposed site on gravel access roads are also	•	Vegetation clearing should take place in a	
expected to increase dust emissions. The		phased manner.	
increased traffic on the gravel roads and the	•	Maintain a neat construction site by removing	
resultant dust plumes could create a visual		rubble and waste materials regularly.	
impact and may evoke negative sentiments from	•	Make use of existing gravel access roads,	
surrounding viewers. Surface disturbance		where possible.	
during construction would also expose bare soil	•	Limit the number of vehicles and trucks	
which could visually contrast with the		travelling to and from the proposed sites, where	
surrounding environment. In addition,		possible.	
temporarily stockpiling soil during construction	•	Ensure that dust suppression techniques are	
may alter the landscape and wind blowing over		implemented on all access roads.	
these disturbed areas could result in dust which			
would have a visual impact.			

3)	Cumulative Visual Impacts as a result of the	•	Ensure that dust suppression is implemented in	
	other renewable energy developments		all areas where vegetation clearing has taken	
	(including associated infrastructure)		place.	
	proposed nearby during construction:	•	Ensure that dust suppression techniques are	
•	Large construction vehicles and equipment		implemented on all soil stockpiles.	
	during the construction phase of the other	•	Temporarily fence-off the construction sites (for	
	renewable energy developments and their		the duration of the construction period).	
	associated infrastructure proposed nearby will	•	All reinstated cable trenches should be re-	
	alter the natural character of the study area		vegetated with the same vegetation that existed	
	further and expose a greater number of visual		prior to the cable being laid, where possible.	
	receptors to visual impacts associated with the			
	construction phase. The construction activities	4)	Proposed mitigation measures for	
	may be perceived as an unwelcome visual		Phezukomoya WEF infrastructure during	
	intrusion, particularly in more natural		operation:	
	undisturbed settings. Vehicles and trucks	•	Areas of 'High Sensitivity' should preferably be	
	travelling to and from all of the proposed sites on		precluded from the turbine development.	
	gravel access roads are also expected to	•	No turbines should be placed within 500m of the	
	increase dust emissions. The increased traffic		N9, N10 and R389 provincial road.	
	on these roads and the dust plumes could create	•	Where possible, fewer but larger turbines with a	
	a greater visual impact and may evoke more		greater output should be utilised rather than a	
	negative sentiments from surrounding viewers.		larger number of smaller turbines with a lower	
	Surface disturbance during construction of the		capacity.	
	other renewable energy facilities proposed	•	Turbines should be painted plain white, as this	
	nearby would also expose a greater amount of		is a less industrial colour (Vissering, 2011).	
	bare soil which could result in a greater visual		Bright colours or obvious logos should not be	
	contrast with the surrounding environment. In		permitted.	
	addition, temporary stockpiling of soil during	•	Turbines should be repaired promptly, as they	
	construction may alter the landscape further.		are considered more visually appealing when	

		T	
	Wind blowing over these disturbed areas could		the blades are rotating (or at work) (Vissering,
	result in a greater amount of dust which would		2011).
	have a visual impact.	•	If required, turbines should be replaced with the
			same model, or one of equal height and scale.
4) Visual impacts of proposed Phezukomoya		Repeating elements of the same height, scale
	WEF infrastructure during operation:		and form can result in unity and lessen the
-	During the operation phase, the proposed San		visual impact that would typically be
	Kraal WEF could exert a visual impact by		experienced in a chaotic landscapes made up
	altering the visual character of the surrounding		of diverse colours, textures and patterns
	area and exposing sensitive visual receptor		(Vissering, 2011).
	roads and locations, such as farmsteads /	•	Light fittings for security at night should reflect
	homesteads to visual impacts. The development		the light toward the ground and prevent light
	may be perceived as an unwelcome visual		spill.
	intrusion, particularly in more natural		Ensure that dust suppression techniques are
	undisturbed settings. Maintenance vehicles may		implemented on all access roads.
	need to access the WEF via gravel access roads		
	and are expected to increase dust emissions in	5)	Proposed Mitigation Measures for
	doing so. The increased traffic on these roads		infrastructure associated with
	and the dust plumes could create a visual impact		Phezukomoya WEF during operation:
	and may evoke negative sentiments from		Light fittings for security at the on-site switching
	surrounding viewers. Security and operational		station at night should reflect the light toward
	lighting at the proposed WEF could result in light		the ground and prevent light spill.
	pollution and glare, which could be an	•	Where practically possible, the operations and
	annoyance to surrounding viewers		maintenance buildings should not be
			illuminated at night.
5) Visual impacts of infrastructure associated	•	Power lines should be aligned to run parallel to
	with Phezukomoya WEF during operation:		existing power lines and other linear
			infrastructure, if possible.

		1		
•	The 132kV overhead power line, underground	•	Power lines should be aligned to avoid	
	cables, on-site switching station, access roads		ridgelines and steep slopes, if possible.	
	and building infrastructure could exert a visual	•	Cables should be buried underground where	
	impact by altering the visual character of the		possible.	
	surrounding area and exposing sensitive visual	•	The operation and maintenance buildings	
	receptors and roads to visual impacts. The		should be painted with natural tones that fit with	
	development may be perceived as an		the surrounding environment. Non-reflective	
	unwelcome visual intrusion, particularly in more		surfaces should be utilised where possible.	
	natural undisturbed settings. Maintenance	•	Ensure that dust suppression techniques are	
	vehicles may need to access the infrastructure		implemented on all access roads.	
	associated with the WEF via gravel access	•	Select the alternatives that will have the least	
	roads and are expected to increase dust		impact on visual receptors.	
	emissions in doing so. The increased traffic on			
	these roads and the resultant dust plumes could	6)	Proposed Mitigation Measures for	
	create a visual impact and may evoke negative		cumulative visual impacts as a result of the	
	sentiments from surrounding viewers. Security		other renewable energy developments	
	and operational lighting at the associated		(including associated infrastructure)	
	infrastructure could result in light pollution and		proposed nearby during operation:	
	glare, which could be an annoyance to	•	Where possible, fewer but larger turbines with a	
	surrounding viewers.		greater output should be utilised rather than a	
			larger number of smaller turbines with a lower	
6)	Cumulative visual impacts as a result of the		capacity.	
	other renewable energy developments	•	Light fittings for security at the proposed	
	(including associated infrastructure)		renewable energy developments and their	
	proposed nearby during operation:		associated infrastructure at night should reflect	
-	The renewable energy development and their		the light toward the ground (except for aviation	
	associated infrastructure proposed nearby could		lighting) and prevent light spill.	
	exert a visual impact by altering the visual			

 character of the surrounding area further and exposing a greater number of sensitive visual receptor locations to visual impacts. The nearby renewable energy developments may be perceived as an unwelcome visual intrusion, particularly in more natural undisturbed settings. Maintenance vehicles may need to access the renewable energy developments and their associated infrastructure proposed nearby via gravel access roads and are expected to increase dust emissions in doing so. The increase dust emissions in doing so. The increases that fit with plumes could create a greater visual impact and may evoke more negative sentiments from surrounding viewers. It should however be noted that the existing roads which can be found around these project sites also appear to gravel. As such, the gravel access roads are not expected to contribute significantly to the overall cumulative visual impact. Security and operational lighting at the renewable energy developments and their associated infrastructure proposed nearby could result in greater amount of light pollution and glare, which could be a significant annoyance to surrounding viewers. 				
 Turbines should be painted plain white, as this is a less industrial colour (Vissering, 2011). Bright colours or obvious logos should not be permitted. Turbines should be repaired promptly, as they are considered more visually appealing when the blades are rotating (or at work) (Vissering, 2011). Turbines should be repaired promptly, as they are considered more visually appealing when the blades are rotating (or at work) (Vissering, 2011). The operation and maintenance buildings should be painted with natural tones that fit with the surrounding viewers. It should however be noted that the existing roads which can be found around these project sites also appear to be gravel. As such, the gravel access roads are not expected to contribute significantly to the overall cumulative visual impact. Security and operational lighting at the renewable energy developments and their associated infrastructure proposed nearby could result in a greater amount of light pollution and glare, which could be a significant annoyance to surrounding viewers. As far as possible, limit the number of maintenance vehicles, which are allowed to access the sites. Bury cables under the ground where possible. 	character of the surrounding area further and	•	The operations and maintenance buildings	
 renewable energy developments may be perceived as an unwelcome visual intrusion, particularly in more natural undisturbed settings. Maintenance vehicles may need to access the renewable energy developments and their associated infrastructure proposed nearby via gravel access roads and are expected to increase dust emissions in doing so. The increase traffic on the gravel caceds and the dust plumes could create a greater visual impact and may evoke more negative sentiments from surrounding viewers. It should however be noted that the existing roads which can be found around these project sites also appear to be gravel. As such, the gravel access roads are not expected to contribute significantly to the overall cumulative visual impact. Security and operational lighting at the renewable energy developments and their associated infrastructure proposed nearby could result in greater amount of light pollution and glare, which could be a significant annoyance to surrounding viewers. Bury cables under the ground where possible. Ensure that dust suppression techniques are 	exposing a greater number of sensitive visual		should not be illuminated at night, if possible.	
 Bright colours or obvious logos should not be permitted. Turbines should be repaired promptly, as they are considered more visually appealing when the blades are rotating (or at work) (Vissering, 2011). The operation and maintenance buildings should be painted with natural tones that fit with the surrounding viewers. It should however be noted that the existing roads which can be found around these project sites also appear to be gravel. As such, the gravel access roads are not expected to contribute significantly to the overall cumulative visual impact. Security and operational lighting at the renewable energy developments and their associated infrastructure proposed nearby could result in a greater amount of light pollution and glare, whick could be a significant annoyance to surrounding viewers. Bury cables under the ground where possible. Bury cables under the ground where possible. 	receptor locations to visual impacts. The nearby	•	Turbines should be painted plain white, as this	
 particularly in more natural undisturbed settings. Maintenance vehicles may need to access the renewable energy developments and their associated infrastructure proposed nearby via gravel access roads and are expected to increase dust emissions in doing so. The increase dust emissions in doing so. The increase dust efficient the gravel roads and the dust plumes could create a greater visual impact and may evoke more negative sentiments from surrounding viewers. It should however be noted that the existing roads which can be found around these project sites also appear to be gravel. As such, the gravel access roads are not expected to contribute significantly to the overall cumulative visual impact. Security and operational lighting at the renewable energy developments and their associated infrastructure proposed nearby could result in a greater amount of light pollution and glare, which could be a significant annoyance to surrounding viewers. permitted. Turbines should be repaired promptly, as they are considered more visually appealing when the blades are rotating (or at work) (Vissering, 2011). The operation and maintenance buildings structure proposed nearby could result in a greater amount of light pollution and glare, which could be a significant annoyance to surrounding viewers. Bury cables under the ground where possible. Ensure that dust suppression techniques are 	renewable energy developments may be		is a less industrial colour (Vissering, 2011).	
 Maintenance vehicles may need to access the renewable energy developments and their associated infrastructure proposed nearby via gravel access roads and are expected to increase traffic on the gravel roads and the dust plumes could create a greater visual impact and may evoke more negative sentiments from surrounding viewers. It should however be noted that the existing roads which can be found around these project sites also appear to be gravel. As such, the gravel access roads are not expected to contribute significantly to the overall cumulative visual impact. Security and operational lighting at the renewable energy developments and their associated infrastructure proposed nearby could result in a greater amount of light pollution and glare, which could be a significant annoyance to surrounding viewers. Turbines should be repaired promptly, as they are considered more visually appealing when the blades are rotating (or at work) (Vissering, 2011). The operation and maintenance buildings should be painted with natural tones that fit with the surrounding environment. Non-reflective surfaces should be utilised where possible. If required, turbines should be replaced with the same model, or one of equal height and scale. Repeating elements of the same height, scale and form can result in unity and lessen the visual impact that would typically be experienced in a chaotic landscapes made up of diverse colours, textures and patterns (Vissering, 2011). As far as possible, limit the number of maintenance vehicles, which are allowed to access the sites. Bury cables under the ground where possible. Ensure that dust suppression techniques are 	perceived as an unwelcome visual intrusion,		Bright colours or obvious logos should not be	
 renewable energy developments and their associated infrastructure proposed nearby via gravel access roads and are expected to increase dust emissions in doing so. The surrounding viewers. It should however be noted that the existing roads which can be found around these project sites also appear to be gravel. As such, the gravel access roads are not expected to contribute significantly to the overall cumulative visual impact. Security and operational lighting at the renewable energy developments and their associated infrastructure proposed nearby could result in a greater amount of light pollution and glare, which could be a significant annoyance to surrounding viewers. are considered more visually appealing when the blades are rotating (or at work) (Vissering, 2011). The operation and maintenance buildings should be painted with natural tones that fit with the surrounding environment. Non-reflective surfaces should be utilised where possible. If required, turbines should be utilised where possible. If required, turbines should be utilised where possible. If required, turbines should be replaced with the same model, or one of equal height and scale. Repeating elements of the same height, scale and form can result in unity and lessen the visual impact that would typically be experienced in a chaotic landscapes made up of diverse colours, textures and patterns (Vissering, 2011). As far as possible, limit the number of maintenance vehicles, which are allowed to access the sites. Bury cables under the ground where possible. Ensure that dust suppression techniques are 	particularly in more natural undisturbed settings.		permitted.	
 associated infrastructure proposed nearby via gravel access roads and are expected to increase dust emissions in doing so. The increased traffic on the gravel roads and the dust plumes could create a greater visual impact and may evoke more negative sentiments from surrounding viewers. It should however be noted that the existing roads which can be found around these project sites also appear to be gravel. As such, the gravel access roads are not expected to contribute significantly to the overall cumulative visual impact. Security and operational lighting at the renewable energy developments and their associated infrastructure proposed nearby could result in a greater amount of light pollution and glare, which could be a significant annoyance to surrounding viewers. the blades are rotating (or at work) (Vissering, 2011). The operation and maintenance buildings should be painted with natural tones that fit with the surrounding environment. Non-reflective surfaces should be utilised where possible. If required, turbines should be replaced with the same model, or one of equal height and scale. Repeating elements of the same height, scale and form can result in unity and lessen the visual impact. Security and operational lighting at the renewable energy developments and their associated infrastructure proposed nearby could result in a greater amount of light pollution and glare, which could be a significant annoyance to surrounding viewers. Bury cables under the ground where possible. Ensure that dust suppression techniques are 	Maintenance vehicles may need to access the	•	Turbines should be repaired promptly, as they	
 gravel access roads and are expected to increase dust emissions in doing so. The increased traffic on the gravel roads and the dust plumes could create a greater visual impact and may evoke more negative sentiments from surrounding viewers. It should however be noted that the existing roads which can be found around these project sites also appear to be gravel. As such, the gravel access roads are not expected to contribute significantly to the overall cumulative visual impact. Security and operational lighting at the renewable energy developments and their associated infrastructure proposed nearby could result in a greater amount of light pollution and glare, which could be a significant annoyance to surrounding viewers. 2011). The operation and maintenance buildings should be painted with natural tones that fit with the surrounding environment. Non-reflective surfaces should be utilised where possible. If required, turbines should be replaced with the same model, or one of equal height and scale. Repeating elements of the same height, scale and form can result in unity and lessen the visual impact that would typically be experienced in a chaotic landscapes made up of diverse colours, textures and patterns (Vissering, 2011). As far as possible, limit the number of maintenance vehicles, which are allowed to access the sites. Bury cables under the ground where possible. Ensure that dust suppression techniques are 	renewable energy developments and their		are considered more visually appealing when	
 increase dust emissions in doing so. The increased traffic on the gravel roads and the dust plumes could create a greater visual impact and may evoke more negative sentiments from surrounding viewers. It should however be noted that the existing roads which can be found around these project sites also appear to be gravel. As such, the gravel access roads are not expected to contribute significantly to the overall cumulative visual impact. Security and operational lighting at the renewable energy developments and their associated infrastructure proposed nearby could result in a greater amount of light pollution and glare, which could be a significant annoyance to surrounding viewers. The operation and maintenance buildings should be painted with natural tones that fit with the surrounding environment. Non-reflective surfaces should be utilised where possible. If required, turbines should be replaced with the same model, or one of equal height and scale. Repeating elements of the same height, scale and form can result in unity and lessen the visual impact that would typically be experienced in a chaotic landscapes made up of diverse colours, textures and patterns (Vissering, 2011). As far as possible, limit the number of maintenance vehicles, which are allowed to access the sites. Bury cables under the ground where possible. 	associated infrastructure proposed nearby via		the blades are rotating (or at work) (Vissering,	
 increased traffic on the gravel roads and the dust plumes could create a greater visual impact and may evoke more negative sentiments from surrounding viewers. It should however be noted that the existing roads which can be found around these project sites also appear to be gravel. As such, the gravel access roads are not expected to contribute significantly to the overall cumulative visual impact. Security and operational lighting at the renewable energy developments and their associated infrastructure proposed nearby could result in a greater amount of light pollution and glare, which could be a significant annoyance to surrounding viewers. increased traffic on the gravel access roads are not expected to contribute significant annoyance to surrounding viewers. increased traffic on the gravel access roads are not expected to contribute significant annoyance to surrounding viewers. infrastructure proposed nearby could result in a greater amount of light pollution and glare, which could be a significant annoyance to surrounding viewers. bury cables under the ground where possible. Ensure that dust suppression techniques are 	gravel access roads and are expected to		2011).	
 plumes could create a greater visual impact and may evoke more negative sentiments from surrounding viewers. It should however be noted that the existing roads which can be found around these project sites also appear to be gravel. As such, the gravel access roads are not expected to contribute significantly to the overall cumulative visual impact. Security and operational lighting at the renewable energy developments and their associated infrastructure proposed nearby could result in a greater amount of light pollution and glare, which could be a significant annoyance to surrounding viewers. the surrounding environment. Non-reflective surfaces should be utilised where possible. If required, turbines should be replaced with the same model, or one of equal height and scale. Repeating elements of the same height, scale and form can result in unity and lessen the visual impact that would typically be experienced in a chaotic landscapes made up of diverse colours, textures and patterns (Vissering, 2011). As far as possible, limit the number of maintenance vehicles, which are allowed to access the sites. Bury cables under the ground where possible. Ensure that dust suppression techniques are 	increase dust emissions in doing so. The	•	The operation and maintenance buildings	
 may evoke more negative sentiments from surrounding viewers. It should however be noted that the existing roads which can be found around these project sites also appear to be gravel. As such, the gravel access roads are not expected to contribute significantly to the overall cumulative visual impact. Security and operational lighting at the renewable energy developments and their associated infrastructure proposed nearby could result in a greater amount of light pollution and glare, which could be a significant annoyance to surrounding viewers. surfaces should be utilised where possible. If required, turbines should be replaced with the same model, or one of equal height and scale. Repeating elements of the same height, scale and form can result in unity and lessen the visual impact that would typically be experienced in a chaotic landscapes made up of diverse colours, textures and patterns (Vissering, 2011). As far as possible, limit the number of maintenance vehicles, which are allowed to access the sites. Bury cables under the ground where possible. Ensure that dust suppression techniques are 	increased traffic on the gravel roads and the dust		should be painted with natural tones that fit with	
 surrounding viewers. It should however be noted that the existing roads which can be found around these project sites also appear to be gravel. As such, the gravel access roads are not expected to contribute significantly to the overall cumulative visual impact. Security and operational lighting at the renewable energy developments and their associated infrastructure proposed nearby could result in a greater amount of light pollution and glare, which could be a significant annoyance to surrounding viewers. If required, turbines should be replaced with the same model, or one of equal height and scale. Repeating elements of the same height, scale and form can result in unity and lessen the visual impact that would typically be experienced in a chaotic landscapes made up of diverse colours, textures and patterns (Vissering, 2011). As far as possible, limit the number of maintenance vehicles, which are allowed to access the sites. Bury cables under the ground where possible. Ensure that dust suppression techniques are 	plumes could create a greater visual impact and		the surrounding environment. Non-reflective	
that the existing roads which can be found around these project sites also appear to be gravel. As such, the gravel access roads are not expected to contribute significantly to the overall cumulative visual impact. Security and operational lighting at the renewable energy developments and their associated infrastructure proposed nearby could result in a greater amount of light pollution and glare, which could be a significant annoyance to surrounding viewers.same model, or one of equal height and scale. Repeating elements of the same height, scale and form can result in unity and lessen the visual impact that would typically be experienced in a chaotic landscapes made up of diverse colours, textures and patterns (Vissering, 2011).• As far as possible, limit the number of maintenance vehicles, which are allowed to access the sites.• Bury cables under the ground where possible. • Ensure that dust suppression techniques are	may evoke more negative sentiments from		surfaces should be utilised where possible.	
around these project sites also appear to be gravel. As such, the gravel access roads are not expected to contribute significantly to the overall cumulative visual impact. Security and operational lighting at the renewable energy developments and their associated infrastructure proposed nearby could result in a greater amount of light pollution and glare, which could be a significant annoyance to surrounding viewers.	surrounding viewers. It should however be noted	•	If required, turbines should be replaced with the	
 gravel. As such, the gravel access roads are not expected to contribute significantly to the overall cumulative visual impact. Security and operational lighting at the renewable energy developments and their associated infrastructure proposed nearby could result in a greater amount of light pollution and glare, which could be a significant annoyance to surrounding viewers. and form can result in unity and lessen the visual impact that would typically be experienced in a chaotic landscapes made up of diverse colours, textures and patterns (Vissering, 2011). As far as possible, limit the number of maintenance vehicles, which are allowed to access the sites. Bury cables under the ground where possible. Ensure that dust suppression techniques are 	that the existing roads which can be found		same model, or one of equal height and scale.	
 expected to contribute significantly to the overall cumulative visual impact. Security and operational lighting at the renewable energy developments and their associated infrastructure proposed nearby could result in a greater amount of light pollution and glare, which could be a significant annoyance to surrounding viewers. visual impact that would typically be experienced in a chaotic landscapes made up of diverse colours, textures and patterns (Vissering, 2011). As far as possible, limit the number of maintenance vehicles, which are allowed to access the sites. Bury cables under the ground where possible. Ensure that dust suppression techniques are 	around these project sites also appear to be		Repeating elements of the same height, scale	
 cumulative visual impact. Security and operational lighting at the renewable energy developments and their associated infrastructure proposed nearby could result in a greater amount of light pollution and glare, which could be a significant annoyance to surrounding viewers. experienced in a chaotic landscapes made up of diverse colours, textures and patterns (Vissering, 2011). As far as possible, limit the number of maintenance vehicles, which are allowed to access the sites. Bury cables under the ground where possible. Ensure that dust suppression techniques are 	gravel. As such, the gravel access roads are not		and form can result in unity and lessen the	
 operational lighting at the renewable energy developments and their associated infrastructure proposed nearby could result in a greater amount of light pollution and glare, which could be a significant annoyance to surrounding viewers. of diverse colours, textures and patterns (Vissering, 2011). As far as possible, limit the number of maintenance vehicles, which are allowed to access the sites. Bury cables under the ground where possible. Ensure that dust suppression techniques are 	expected to contribute significantly to the overall		visual impact that would typically be	
 developments and their associated infrastructure proposed nearby could result in a greater amount of light pollution and glare, which could be a significant annoyance to surrounding viewers. (Vissering, 2011). As far as possible, limit the number of maintenance vehicles, which are allowed to access the sites. Bury cables under the ground where possible. Ensure that dust suppression techniques are 	cumulative visual impact. Security and		experienced in a chaotic landscapes made up	
 infrastructure proposed nearby could result in a greater amount of light pollution and glare, which could be a significant annoyance to surrounding viewers. As far as possible, limit the number of maintenance vehicles, which are allowed to access the sites. Bury cables under the ground where possible. Ensure that dust suppression techniques are 	operational lighting at the renewable energy		of diverse colours, textures and patterns	
greater amount of light pollution and glare, which could be a significant annoyance to surrounding viewers.maintenance vehicles, which are allowed to access the sites.• Bury cables under the ground where possible.• Ensure that dust suppression techniques are	developments and their associated		(Vissering, 2011).	
could be a significant annoyance to surrounding viewers.access the sites.Bury cables under the ground where possible.Ensure that dust suppression techniques are	infrastructure proposed nearby could result in a	•	As far as possible, limit the number of	
viewers. • Bury cables under the ground where possible. • Ensure that dust suppression techniques are	greater amount of light pollution and glare, which		maintenance vehicles, which are allowed to	
Ensure that dust suppression techniques are	could be a significant annoyance to surrounding		access the sites.	
	viewers.	•	Bury cables under the ground where possible.	
implemented on all access roads.		•	Ensure that dust suppression techniques are	
			implemented on all access roads.	

			1_		r	
			•	Select the alternatives that will have the least		
				impact on visual receptors.		
	Th	e main issues relating to visual and aesthetic	1)	Mitigation against lighting:	•	Visual Assessment
	im	pacts can be summarised as follows:	-	Security and Operational Lighting:		Point 1 = Low;
				o Sub-stations and other facilities, where	•	Visual Assessment
	1)	Impacts of design and built-form (e.g. use of		practical, should be situated off the		Point 2 = Moderate;
		building materials, height of structures,		ridgelines so as to minimise the view	•	Visual Assessment
		incongruence with surrounding buildings)		catchment of associated lighting; and		Point 3 = Low;
		on aesthetic character of the area:		• All lighting should be fitted with deflectors to	•	Visual Assessment
	•	The establishment of wind turbines introduces		avoid light spillage and minimise visual		Point 4 = Low;
		very large structures of unprecedented height		impact of lights at night. The developer	•	Visual Assessment
		and form.		should specifically plan the type, placement		Point 5 = Low;
				and direction of lighting to ensure that light		Visual Assessment
Umsobomvu	2)	Impacts of the overall development on sense		pollution is minimised.		Point 6 = Low; and
Wind Energy	,	of place and sense of privacy of the area		'		Visual Assessment
Facility			2)	Mitigation against visual intrusion in the		Point 7 = Low.
	3)	Impacts on road users due to distraction:	_,	landscape:		
	•,	The cumulative impact due to an existing WEF		The proposed facility is large and could	0	verall, it is concluded that
		in the area reduces this impact significantly		dominate the landscape for those in close		all view points, the
				proximity to the development. Considering the		pact is:
	4)	Impacts of lighting:		size and extent of the facility, the options for		LOW, where the
	-,	The proposed facility may be a (cumulative)		"concealing" the development are limited.	_	impact should have an
	-	source of light pollution. Sources include		Recommended mitigation measures may		influence on the
		security lighting at substations and other		include:		decision unless it is
		important infrastructural elements, after hour		- Increase the visual absorption capacity of		mitigated.
		operational lighting, and aircraft warning lights		the landscape around farm houses and		
		mounted on the hub of the turbines.		roads in close proximity (<2.5kms) to the		

		development by supporting tree-planting
		programmes.
	1) Overall Visual Impact (construction and	1) Proposed Mitigation Measures and 1) Low negative.
	<u>operation):</u>	infrastructure location / placement
	 The proposed wind farm could create a visu 	al <u>recommendation for overall visual impact:</u>
	impact on sensitive receptors in the study ar	• The areas on the site associated with the
	by creating visual change and visual intrusion	greatest potential visual exposure to the areas
		surrounding the site include:
		\circ the area to the west of the 'escarpment
		edge' – i.e. the part of the site on the rising
		ground to the east of Noupoort and the N9
		highway;
		 a buffer of 1km east of this 'escarpment
		edge'; and
Noupoort		\circ A buffer 1km into the site from the
Wind Farm		Oorlogspoort Road on the southern
		boundary of the site.
		 It is very important that the areas on the site
		associated with the greatest potential visual
		exposure be maintained as exclusion zones in
		which no turbines or as few turbines as possible
		are placed. Turbines placed in these buffer
		zones (as per the final draft layout), will be
		responsible for the most significant visual
		impacts associated with the proposed
		development. It is thus recommended that
		consideration be given to removing the turbines

				from these buffer zones that would further		
				reduce the visual impacts on certain areas		
				surrounding the site.		
	1)	The following potential visual impacts are	1)	Construction Phase Mitigation Measures:	1)	Construction Phase:
		expected during the construction phase:	•	An environmental management plan should be	•	Low;
	•	Location of the construction roads, off existing		drawn up to set out principles for the	•	Low;
		roads, (access widening etc.);		implementation of the visual mitigation	•	Low;
	•	Upgrading existing local roads to turbines;		measures. Construction impacts can be limited	•	Low;
	•	Establishment of construction camps;		generally by keeping the contract time to the	•	Low;
	•	Provision of new roads through the site to link		minimum.	•	Low;
		infrastructure for construction and maintenance;	•	Access roads to be kept clean and storage of	•	Low;
	•	Movements of construction vehicles around the		materials to be screened from public view.	•	Low;
		site, with lights;		Storage of builders' rubble to be controlled.	•	Low;
	•	Dust generation, due to movement of	•	Site offices should be limited to single storey	•	Low; and
De Aar Wind		construction vehicles;		and they should be sited carefully using	•	Moderate.
Energy	•	Construction of 11.25km 22kV line from south		temporary screen fencing to screen from the		
Facility		project to existing t/l line;		wider landscape.	2)	Operational Phase:
	•	Substations;	•	All site operatives to receive training in	•	Low;
	•	Construction of the concrete footings, for each		awareness of issues pertaining to fires, litter	•	Low;
		turbine;		and contaminants.	•	Low;
	•	Buildings; and	•	No fires to be allowed.	•	Low;
	•	The installation of the turbines on site.	•	Litter to be regarded as a serious offence and	•	High;
				no contaminants to be allowed to enter the	•	High; and
	2)	The following potential visual impacts are		environment by any means. These substances	•	Moderate.
		expected during the operational phase:		may include amongst other things, diesel,		
	•	Maintenance visits by the maintenance crew,		curing compounds, shutter oil and cement.	3)	The cumulative visua
		using the existing and upgraded gravel roads;		Utilisation of such substances should be		impact is assessed as
	•	Concrete footings for each turbine;		controlled on site, especially in close proximity		MEDIUM.

•	Impact of the new transmission line;		to the aquatic environment and should be	
•	Substations and buildings;		included in the Environmental Management	
•	Grouping of the turbines on site seen from		Plan.	
	population centres;			
-	Turbine grouping and their operation seen by	2)	Mitigation Measures proposed for	
	receptors;		infrastructure:	
-	Colour finish of the turbines;	•	The existing roads will be upgraded; and should	
			be gravel roads if appropriate to the needs of	
3)	Potential Cumulative Visual Impacts:		construction traffic. The new road(s) that will	
	The construction period would have an		connect the turbines and permit free access for	
	increased impact due to longer timeframes; road		maintenance and inspection vehicles in the site	
	access junctions would be more impacted upon		should also be gravel.	
	and lay-down areas would be more visible.		Roadways should be low key in appearance;	
	There would be additional new transmission		gravel is the most appropriate surface material	
	lines crossing the landscape but these are		locally. Careful consideration of horizontal and	
	typical in this locality.		vertical curves is required in order to minimise	
-	In a very populated area, with complex		cut and fill and, therefore, disturbance of the	
	landscape patterns, the number of proposed		ground with resultant visible scarring. Likewise,	
	developments could result in a high visual		careful siting is required to have road	
	impact. In this context, the long views, exposed		alignments lie with the contour.	
	sites, roads with little traffic, small to medium		The developer will be asked to consider hard-	
	sized towns, all combine to rate this cumulative		standings for the crane(s), which could be re-	
	impact as medium. The local landscape		vegetated after installation completion.	
	character would be changed and made more	-	Retention of the first 50-100mm of naturally	
	industrial, but the scale of the landscape can		occurring substrate, conserving it, and then	
	absorb both of these currently assessed		using it for rehabilitation purpose should occur.	
	developments, and this cumulative impact is		The developer would be required to ensure that	
			all excess material is not left around in piles, and	

assessed as medium for both magnitude and		the ground is returned as far as possible to	
significance.		original levels/gradients.	
	3)	Mitigation Measures proposed for visibility	
		<u>of buildings and ancillary infrastructure:</u> These should be sited in places where they	
		would be least visible and where topography	
		can offer shielding to potential receptors. Their	
		cladding should be in materials sympathetic to	
		those of surrounding lands. The aircraft warning lights required by CAA	
	_	should be fitted with shields so that they are only	
		visible to aircraft, not to receptors on the ground	
		at lower elevations.	
	4)	Mitigation Measures proposed for Visibility	
	ĺ	of Transmission pylons:	
	•	The power lines should be buried on the site,	
		where reasonable and feasible.	
	5)	Mitigation Measures proposed for	
		Psychological Effect of Turbines in	
		Landscape:	
	•	It is not practicable to attempt to screen wind	
		farms visually. Providing a means whereby they can be absorbed into the landscape is more	
		feasible. There are several ways in which this	
		can be approached:	

		 The use of certain materials and finishes; Presenting the scheme to Interested and Affected Parties
		 6) The following mitigation measures related to the design for the proposed development have been recommended to reduce the visual impacts: The alignment of access roads should be carefully considered to minimize visible scarring from cut and fill, and gravel should be used as surface material. Roads alignments should lie with the contour as far as possible; Consider temporary hard-standings for cranes in place of permanent hard-standings; and As much as possible, place any new structures where they are least visible to the greatest
75MW Naauw Poort Solar Energy Facility	 The following issues relating to Visual Impact are anticipated: 1) Potential visual impact of the proposed facilities on sensitive receptors beyond 1km from the project site; 2) Change in character of the prevailing use of the area (intrinsic value and sense of place); 3) Introduction of artificial light sources in a rural landscape; 	number of people. 1) Image: Low; 1) The following mitigation measures have been provided for the potential visual impact of the proposed facilities on sensitive receptors beyond 1km from the project site: 1) Low; 2) Low; 3) Low; receptors beyond 1km from the project site: 4) Low; and • Keep disturbed areas to a minimum; 5) Low. • No clearing of land to take place outside the demarcated footprint; Image: Low is and ancillary buildings.

Г	4			Only in the second seco	1
	4)	Reflection of the PV panels on the sensitive		Only indigenous plant species to be introduced	
		receptors in the region; and		and planted in an organic manner and location;	
	5)	Desertification of the area as a result of flash	•	Buildings and similar structures must be in	
		floods and the impact thereof on a newly		keeping with regional planning policy	
		introduced PV plant.		documents, especially the principles of critical	
				regionalism, namely sense of place, sense of	
				history, sense of nature, sense of craft and	
				sense of limits; and	
			•	Utilize existing roads and tracks to the extent	
				possible. Where new roads are required, they	
				should be two-track gravel roads, maintained to	
				prevent dust plumes and erosion.	
			2)	The following mitigation measures have	
			, í	been provided for the change in character of	
				the prevailing use of the area (intrinsic value	
				and sense of place):	
				Keep disturbed areas to a minimum;	
				No clearing of land to take place outside the	
				demarcated footprint;	
				Institute a rigorous planting regime along the	
				N10 and N9 transportation routes. Also institute	
				a planting regime around the proposed	
				substation and ancillary buildings. Only	
				indigenous plant species to be introduced and	
				planted in an organic manner and location;	
			•	Buildings and similar structures must be in	
				keeping with the regional policy documents,	

•	especially the principles of critical regionalism, namely sense of place, sense of history, sense of nature, sense of craft and sense of limits; and Utilise existing roads and tracks to the extent possible. Where new roads are required, they should be two-tracked gravel roads, maintained to prevent dust plumes and erosion.
3)	<u>The following mitigation measures have</u> been provided for the introduction of
•	artificial light sources in a rural landscape: Outdoor lighting must be strictly controlled so as to prevent light pollution;
•	All lighting must be installed at downward angles;
•	Sources of light must as far as possible be shielded by physical barriers such as planted trees and shrubs;
•	Consider the application of motion detectors to allow the application of lighting only where and when it is required; and
•	Only minimum wattage light fixtures must be used.
4)	The following mitigation measures have been provided for the reflection of the PV
	panels on the sensitive receptors in the <u>region:</u>

 Consider installing anti-reflective coating or
glass to reduce the sunlight that is reflected and
increase the amount of sunlight that is
absorbed;
 Install all electrical cables underground en-route
to the substation; and
 Strictly orientate PV panels in a northerly
direction to prevent possible reflection on
sensitive receptors north-east of the project site.
5) The following mitigation measures have
been provided for the desertification of the
landscape:
 Keep disturbed areas to a minimum;
 Limit the construction of the PV 'strings' to the
1660m contour line to prevent inter alia the
possibilities of increasing streamflow
associated with steep areas;
 No clearing of land to take place outside the
demarcated footprint;
 Reintroduce suitable grass and shrub species
beneath the PV 'strings' to stabilize and cover
soils;
 Create stormwater channels alongside access
roads and divert stormwater in the natural veld
at regular intervals along the road;
 Consider installing rainwater tanks to save all
water from building roofs;

Klip Gat Solar Energy Facility	 The following issues relating to visual impact are anticipated: 1) Potential visual impact on sensitive receptors in the background; 2) Potential visual impact on the intrinsic value and sense of place of the Noupoort region; 3) Potential visual impact of artificial lighting; 4) Potential visual impact of reflection of the PV panels on the sensitive receptors; and 5) Potential visual impact of desertification of the landscape. 	- - - -	Install spreaders at the bottom of all downpipes/outlets to prevent scouring of the land; and All contractors to adhere to the Environmental Specification report. <u>The following mitigation measures have been provided for the potential visual impact</u> <u>on sensitive receptors in the background:</u> Keep disturbed areas to a minimum; No clearing of land to take place outside the demarcated footprint; Institute a rigorous planting regime around the northern boundary of the project site. Only indigenous plant species to be introduced and planted in an organic manner and location that would not cast shadows on the PV 'strings': Buildings and similar structures must be in keeping with regional planning policy documents, especially the principles of critical regionalism, namely sense of place, sense of history, sense of nature, sense of craft and sense of limits; and Utilise existing roads and tracks to the extent	1) 2) 3) 4) 5)	Low; Medium; Low; Low; and Low.
		-	regionalism, namely sense of place, sense of history, sense of nature, sense of craft and sense of limits; and		

following mitigation measures	have
n provided for the potential visual i	
he intrinsic value and sense of pl	-
Noupoort region:	
o disturbed areas to a minimum;	
clearing of land to take place outsi	de the
arcated footprint;	
tute a rigorous planting regime arou	nd the
nern boundary of the project site	
jenous plant species to be introduc	
ted in an organic manner and locati	
ld not cast shadows on the PV 'string	
dings and similar structures must	
bing with regional planning	policy
iments, especially the principles of	
onalism, namely sense of place, se	
bry, sense of nature, sense of cra	
se of limits; and	
se existing roads and tracks to the	ovtont
sible. Where new roads are require	
•	
Ild be two-track gravel roads, mainta	lifed to
ent dust plumes and erosion.	
following mitigation measures	havo
n provided for the potential visual i	
r <u>tificial lighting:</u> lear lighting must be strictly controlle	
loor lighting must be strictly controlle	1 SU AS
event light pollution;	

1		
•	All lighting must be installed at downward	
	angles;	
•	Sources of light must as far as possible be	
	shielded by physical barriers;	
•	Consider the application of motion detectors to	
	allow the application of lighting only where and	
	when it is required; and	
•	Only minimum wattage light fixtures must be	
	used.	
4)	The following mitigation measures have	
	been provided for the potential visual impact	
	of reflection of the PV panels on the	
	sensitive receptors:	
•	Consider installing anti-reflective coating or	
	glass to reduce the sunlight that is reflected and	
	increase the amount of sunlight that is	
	absorbed;	
•	Install all electrical cables underground en-route	
	to the substation; and	
•	Strictly orientate PV panels in a northerly	
	direction to prevent possible reflection on	
	sensitive receptors north-east of the project site.	
5)	The following mitigation measures have	
-/	been provided for the potential visual impact	
	of desertification of the landscape:	
	Keep disturbed areas to a minimum;	
	הכבף עוטנעושבע מובמס נט מ ווווווווועווו,	

			•	No clearing of land to take place outside the		
			•	demarcated footprint; Institute a rigorous planting regime once construction has ceased;		
			•	Reintroduce suitable grass and shrub species beneath the PV 'strings' to stabilize and cover		
				soils;		
			•	Create stormwater channels alongside access roads and divert stormwater in the natural veld		
				at regular intervals along the roads;		
			•	Consider installing rainwater tanks to save all water from building roofs;		
			-	Install spreaders at the bottom of all		
				downpipes/outlets to prevent scouring of the		
				land; and		
			•	All contractors to adhere to the Environmental		
				Specifications report.		
	1)	The following direct visual impacts are	1)	The following mitigation measures have	1)	Low;
		anticipated during the construction and		been provided for the direct visual impacts	2)	Low; and
		operation of the PV array, access roads and		anticipated during the construction and	3)	Medium.
Allemans		associated infrastructure:		operation of the PV array, access roads and		
Fontein Solar	-	Potential visual impact on the sensitive		associated infrastructure:		
Energy		receptors in the background (i.e. within 3kn of	•	Keep disturbed areas to a minimum;		
Facility		the facility);	•	No clearing of land to take place outside the		
	-	Potential visual impact on the intrinsic value and		demarcated footprint;		
		sense of place of the Noupoort region; and	•	Institute a planting regime around the		
	-	Potential visual impact of artificial lighting as a		boundaries of the project site to shiled the PV		
		result of the activity.		plant from any potential views onto it from the		

1				view corridors. Only indigenous plant species to	T
	2)	The following indirect visual impacts are			
	2)	The following indirect visual impacts are		be introduced and planted in an organic manner	
		anticipated during the construction and		and location that would not cast shadows on the	
		operation of the PV array, access roads and		PV arrays:	
		associated infrastructure:	•	Buildings and similar structures must be in	
	•	The proposed infrastructure is of such a nature		keeping with regional planning policy	
		that the status quo could be regained after		documents, especially the principles of critical	
		decommissioning of the plant.		regionalism, namely sense of place, sense of	
				history, sense of nature, sense of craft and	
	3)	The following cumulative visual impacts are		sense of limits; and	
		anticipated during the construction and	•	Utilise existing roads and tracks to the extent	
		operation of the PV array, access roads and		possible. Where new roads are required, they	
		associated infrastructure:		should be two-track gravel roads, maintained to	
	•	The introduction of the PV plant, coupled with		prevent dust plumes and erosion.	
		the transmission lines and proposed substation			
		will contribute to an increased cumulative visual	2)	The following mitigation measures have	
		impact.		been provided for the indirect visual impacts	
				anticipated during the construction and	
				operation of the PV array, access roads and	
				associated infrastructure:	
			•	Providing that the site is rehabilitated to its	
				current state, the visual impact will also be	
				removed.	
			3)	The following mitigation measures have	
				been provided for the cumulative visual	
				impacts anticipated during the construction	

		and operation of the PV array, access roads	
		and associated infrastructure:	
		Provided that the footprint of the individual sites	
		is not enlarged and their positions remain as	
		planned, the cumulative impact of the proposed	
		activity is regarded to be insignificant.	
	The main impacts on the visual environment will 1		1) Medium-low.
	occur during the <u>construction phase</u> of the	provided for the change to the existing	r) wedam-low.
	proposed project. These impacts were assessed to	visual character of the project site:	
	have <u>medium-low significance</u> . Activities that will	No vegetation removal should be allowed	
		-	
	result in impacts include:	outside the designated project development	
	 Increase in vehicular and other activity levels 	footprint;	
	during the construction phase;	A representative sample of indigenous plant	
	The clearance of vegetation at the footprint of	species should be selected and relocated to an	
	the construction lay-down yard, substation and	on-site nursery. During site remediation and	
Aggeneys PV	each solar PV mounting structure;	rehabilitation, these species should be	
Solar Power	 Fencing of the project site; 	replanted on disturbed areas as per the	
Plant	 Installation of the solar PV panels and 	rehabilitation plan;	
1 Idin	construction of all related project infrastructure;	Where possible, the removal and destruction of	
	and	indigenous vegetation should be avoided (i.e.	
	 Generation of electricity from the PV panels 	adhering to the designated internal road	
	during the operational phase of the project.	network);	
	•	An alien invasive and weed control programme	
	1) Change to the existing visual character of the	should be implemented throughout the project	
	project site during all project phases:	lifetime;	
	The largest visual impact will be experience due	The possible tourism aspect of the solar PV	
	to the removal of natural vegetation and	power plant should be explored and promoted;	
	installation of the solar PV panels and	and	

	associated infrastructure, since a possible	•	Exotic tree species have been introduced in the	
	change in the intangible heritage and sense of		town of Aggeneys along avenues. Planting of	
	place landscape will occur.		fast-growing species between receptors and the	
•	The construction activities themselves will lead		proposed Solar PV Power Plant is an option for	
	to noise, dust and visual pollution due to the		visual screening; however it is not advised	
	activities and transport requirements associated		considering water scarcity and the threat of	
	with labour, machinery and other materials. The		spreading of alien invasive species.	
	pre-existing mining activities that are being			
	carried out in the area will lead to some level of			
	absorption capacity of the visual and sense of			
	place landscape as a whole.			
•	The visual impact from vegetation removal will			
	not be severe since the pre-existing vegetation			
	is low-lying and is not a dominant aspect of the			
	dramatic and stark landscape. However, after			
	installation of the solar PV panels, the impact			
	significance will increase.			
•				
<u>2)</u>	Cumulative visual impacts:			
•	The other renewable energy projects being			
	proposed and/or constructed nearby will			
	introduce potentially significant cumulative			
	impacts on receptors traveling on the N14			
	national road. The solar PV developments will			
	alter the sense of place and sense of			
	remoteness of the visual landscape, since the			
	solar panels of the proposed parks will be new, industrial and dominant structures within the			
	industrial and dominant structures within the			

		scenery. They may however be a good symbol				
		for progress as South Africa taps into its natural				
		legacy of solar power and renewable energy				
		production.				
	•	There is already an existing mining operation				
		within the vicinity of the proposed solar				
		plants/parks and there is a possibility that mining				
		activities will expand, introducing additional				
		negative visual impacts.				
	1)	Potential visual impact of construction on	1)	The following mitigation measures were	1)	Low;
		observers in close proximity to the proposed		provided for the potential visual impact of	2)	Low;
		<u>solar energy facility:</u>		construction on observers in close	3)	Low; and
	•	There will be a noticeable increase in heavy		proximity to the proposed solar energy	4)	Low.
		vehicles utilising the roads to the development		facility:		
		site that may cause, at the very least, a visual	•	Retain and maintain natural vegetation in all		
		nuisance to other road users and land owners in		areas outside of the development footprint;		
Dida Solar		the area. Dust from construction work could also	•	Proper planning and management of the		
		result in potential visual impact.		construction site;		
Energy			•	Ensure that vegetation is not cleared		
Facility	2)	Potential visual impact on sensitive visual		unnecessarily during the construction period;		
		receptors that reside within 5km of the site		and		
		during operation:	•	Rehabilitation of construction areas as soon as		
	•	The PV facility will consist of PV panels and		possible once construction in an area is		
		power lines that will be visible on the site and to		complete.		
		the surrounds. The visibility of PV panels may be				
		a negative impact, depending on the people who	2)	The following mitigation measures were		
		live near the site or travel past the site on a		provided for the potential visual impact on		

 regular basis. What is perceived as a negative impact is subject to individual preferences. J Lighting Impacts: J Lighting Impacts: The PV facility will require general lighting for the facility. Therefore the potential for light pollution exists. Impact of the Power line: A new 66kV power line which will be 3.2km in length and 3.2km in height, extends from the planned facility to the existing Fontein Substation (located on the same property). The power line will have a visual impact of low significance after the use of mitigation measures. Cumulative visual impacts: Cumulative visual impact of industrial type infrastructure within a fairly rural region. The same developer is proposing another PV facility on the adjacent farm, therefore this will be an 			1		
 3) <u>Lighting Impacts:</u> The PV facility will require general lighting for the facility. Therefore the potential for light pollution exists. A new 66kV power line which will be 3.2km in length and 3.2km in height, extends from the planned facility to the existing Fontein Substation (located on the same property). The power line will have a visual impact of low significance after the use of mitigation measures. Deconstruction of the solar energy facility and ancillary infrastructure will increase the cumulative visual impact of industrial type infrastructure within a fairly rural region. The same developer is proposing another PV facility Decommissioning: Remove infrastructure and roads not 		regular basis. What is perceived as a negative			
 3) Lighting Impacts: The PV facility will require general lighting for the facility. Therefore the potential for light pollution exists. 4) Impact of the Power line: A new 66kV power line which will be 3.2km in length and 3.2km in height, extends from the planned facility to the existing Fontein Substation (located on the same property). The power line will have a visual impact of low significance after the use of mitigation measures. 5) Cumulative visual impacts: The construction of the solar energy facility and ancillary infrastructure within a fairly rural region. The same developer is proposing another PV facility Construction areas; and the general appearance of the facility as a whole; and the general a		impact is subject to individual preferences.			
 The PV facility will require general lighting for the facility. Therefore the potential for light pollution exists. areas outside of the development footprint; and Plan internal roads and ancillary infrastructure in such a way and in such a location that clearing of vegetation is minimized. Consolidate infrastructure as much as possible. A new 66kV power line which will be 3.2km in length and 3.2km in height, extends from the planned facility to the existing Fontein Substation (located on the same property). The power line will have a visual impact of low significance after the use of mitigation measures. Cumulative visual impacts: The construction of the solar energy facility and ancillary infrastructure will increase the cumulative visual impact of industrial type infrastructure within a fairly rural region. The same developer is proposing another PV facility 			•	Plan	nning:
 facility. Therefore the potential for light pollution exists. and Plan internal roads and ancillary infrastructure in such a way and in such a location that clearing of vegetation is minimized. Consolidate infrastructure as much as possible. A new 66kV power line which will be 3.2km in length and 3.2km in height, extends from the planned facility to the existing Fontein Substation (located on the same property). The power line will have a visual impact of low significance after the use of mitigation measures. Cumulative visual impacts: The construction of the solar energy facility and ancillary infrastructure will increase the cumulative visual impact of industrial type infrastructure within a fairly rural region. The same developer is proposing another PV facility Remove infrastructure and roads not 	3)	Lighting Impacts:		0	Retain and maintain natural vegetation in all
 exists. A new 66kV power line which will be 3.2km in length and 3.2km in height, extends from the planned facility to the existing Fontein Substation (located on the same property). The power line will have a visual impact of low significance after the use of mitigation measures. 5 <u>Cumulative visual impacts:</u> The construction of the solar energy facility and ancillary infrastructure will increase the cumulative visual impact of industrial type infrastructure within a fairly rural region. The same developer is proposing another PV facility 	-	The PV facility will require general lighting for the			areas outside of the development footprint;
 4) <u>Impact of the Power line:</u> A new 66kV power line which will be 3.2km in length and 3.2km in height, extends from the planned facility to the existing Fontein Substation (located on the same property). The power line will have a visual impact of low significance after the use of mitigation measures. 5) <u>Cumulative visual impacts:</u> The construction of the solar energy facility and ancillary infrastructure will increase the cumulative visual impact of industrial type infrastructure within a fairly rural region. The same developer is proposing another PV facility 		facility. Therefore the potential for light pollution			and
 4) <u>Impact of the Power line:</u> A new 66kV power line which will be 3.2km in length and 3.2km in height, extends from the planned facility to the existing Fontein Substation (located on the same property). The power line will have a visual impact of low significance after the use of mitigation measures. 5) <u>Cumulative visual impacts:</u> The construction of the solar energy facility and ancillary infrastructure will increase the cumulative visual impact of industrial type infrastructure within a fairly rural region. The same developer is proposing another PV facility 		exists.		0	Plan internal roads and ancillary
 A new 66kV power line which will be 3.2km in length and 3.2km in height, extends from the planned facility to the existing Fontein Substation (located on the same property). The power line will have a visual impact of low significance after the use of mitigation measures. 5) <u>Cumulative visual impacts:</u> The construction of the solar energy facility and ancillary infrastructure will increase the cumulative visual impact of industrial type infrastructure within a fairly rural region. The same developer is proposing another PV facility 					infrastructure in such a way and in such a
 length and 3.2km in height, extends from the planned facility to the existing Fontein Substation (located on the same property). The power line will have a visual impact of low significance after the use of mitigation measures. Cumulative visual impacts: Cumulative visual impacts: The construction of the solar energy facility and ancillary infrastructure will increase the cumulative visual impact of industrial type infrastructure within a fairly rural region. The same developer is proposing another PV facility 	4)	Impact of the Power line:			location that clearing of vegetation is
 planned facility to the existing Fontein Substation (located on the same property). The power line will have a visual impact of low significance after the use of mitigation measures. <u>Construction:</u> Rehabilitation of all construction areas; and Ensure that vegetation is not cleared unnecessarily to make way for the access road and ancillary building. <u>Operations:</u> Maintain the general appearance of the facility as a whole; and Maintenance of roads to avoid erosion and suppress dust. <u>Decommissioning:</u> Remove infrastructure and roads not 	-	A new 66kV power line which will be 3.2km in			minimized. Consolidate infrastructure as
 Substation (located on the same property). The power line will have a visual impact of low significance after the use of mitigation measures. Cumulative visual impacts: The construction of the solar energy facility and ancillary infrastructure will increase the cumulative visual impact of industrial type infrastructure within a fairly rural region. The same developer is proposing another PV facility Rehabilitation of all construction areas; and construction areas; and construction of all construction areas; and construction of all construction areas; and construction area		length and 3.2km in height, extends from the			much as possible.
 power line will have a visual impact of low significance after the use of mitigation measures. Cumulative visual impacts: The construction of the solar energy facility and ancillary infrastructure will increase the cumulative visual impact of industrial type infrastructure within a fairly rural region. The same developer is proposing another PV facility Ensure that vegetation is not cleared unnecessarily to make way for the access road and ancillary building. <u>Operations:</u> Maintain the general appearance of the facility as a whole; and Maintenance of roads to avoid erosion and suppress dust. 		planned facility to the existing Fontein	•	<u>Con</u>	struction:
 significance after the use of mitigation measures. 5) <u>Cumulative visual impacts:</u> The construction of the solar energy facility and ancillary infrastructure will increase the cumulative visual impact of industrial type infrastructure within a fairly rural region. The same developer is proposing another PV facility 		Substation (located on the same property). The		0	Rehabilitation of all construction areas; and
 measures. Toad and ancillary building. Operations: Operations: Maintain the general appearance of the facility as a whole; and Maintenance of roads to avoid erosion and suppress dust. Decommissioning: Remove infrastructure and roads not 		power line will have a visual impact of low		0	Ensure that vegetation is not cleared
 5) <u>Cumulative visual impacts:</u> The construction of the solar energy facility and ancillary infrastructure will increase the cumulative visual impact of industrial type infrastructure within a fairly rural region. The same developer is proposing another PV facility <i>Operations:</i> Maintain the general appearance of the facility as a whole; and Maintenance of roads to avoid erosion and suppress dust. <i>Decommissioning:</i> Remove infrastructure and roads not 		significance after the use of mitigation			unnecessarily to make way for the access
 5) <u>Cumulative visual impacts:</u> The construction of the solar energy facility and ancillary infrastructure will increase the cumulative visual impact of industrial type infrastructure within a fairly rural region. The same developer is proposing another PV facility Maintain the general appearance of the facility as a whole; and Maintain the general appearance of the facility as a whole; and Maintenance of roads to avoid erosion and suppress dust. 		measures.			road and ancillary building.
 The construction of the solar energy facility and ancillary infrastructure will increase the cumulative visual impact of industrial type infrastructure within a fairly rural region. The same developer is proposing another PV facility The construction of the solar energy facility and facility as a whole; and o Maintenance of roads to avoid erosion and suppress dust. <u>Decommissioning:</u> o Remove infrastructure and roads not 			•	<u>Ope</u>	rations:
 ancillary infrastructure will increase the cumulative visual impact of industrial type infrastructure within a fairly rural region. The same developer is proposing another PV facility Maintenance of roads to avoid erosion and suppress dust. <u>Decommissioning:</u> Remove infrastructure and roads not 	5)	Cumulative visual impacts:		0	Maintain the general appearance of the
cumulative visual impact of industrial typesuppress dust.infrastructure within a fairly rural region. The• Decommissioning: same developer is proposing another PV facility• Remove infrastructure and roads not	-	The construction of the solar energy facility and			facility as a whole; and
infrastructure within a fairly rural region. The same developer is proposing another PV facility o Remove infrastructure and roads not		ancillary infrastructure will increase the		0	Maintenance of roads to avoid erosion and
same developer is proposing another PV facility o Remove infrastructure and roads not		cumulative visual impact of industrial type		:	suppress dust.
		infrastructure within a fairly rural region. The	•	Dec	ommissioning:
on the adjacent farm, therefore this will be an required for the post-decommissioning use		same developer is proposing another PV facility		0	Remove infrastructure and roads not
		on the adjacent farm, therefore this will be an			required for the post-decommissioning use
additive visual impact. However, it also of the site;		additive visual impact. However, it also			of the site;
represent clustering of PV facilities in an area. o Rehabilitate all areas. Consult an ecologist		represent clustering of PV facilities in an area.		0	Rehabilitate all areas. Consult an ecologist
This facility, plus the other proposed facility will regarding rehabilitation specifications; and	-	This facility, plus the other proposed facility will			regarding rehabilitation specifications; and
result in minor cumulative lighting of the site and		result in minor cumulative lighting of the site and			

immediate surrounds. The development of the proposed solar energy facility will contribute to a cumulative lighting impact in a rural region.	 Monitor rehabilitated areas post- decommissioning and implement remedial actions.
	 3) <u>The following mitigation measures were</u> <u>provided for lighting impacts:</u> <u>Planning & Operation:</u> Limiting mounting heights of lighting fixtures, or alternatively using foot-lights or bollard level lights; Utilizing minimum lumen or wattage in fixtures; Utilizing down-lighters, or shielded fixtures; and Utilizing motion detectors on security lighting. This will allow the site to remain in relative darkness, until lighting is required for security or maintenance purposes.
	 4) Mitigation measures were not provided for the impact of the power line. 5) <u>The following general mitigation measures</u> were recommended: Retain / re-establish and maintain natural vegetation in all areas outside of the development footprint. This measure will help to

		 soften the appearance of the facility within its context; Consolidate infrastructure as much as possible and making use of already disturbed areas rather than pristine sites where possible; Mitigation of lighting impacts include pro-active design, planning and specification lighting for the facility by a lighting engineer. The correct specification and placement of lighting and light fixtures for the Solar facility and the ancillary infrastructure will go far to contain rather than spread the light. Additional mitigation measures include the following: Making use of Low Pressure Sodium lighting or other types of low impact lighting. 	
	The following potential visual impacts are anticipated:	The following mitigation measures have been provided for the potential visual impacts	1) Low (neutral or
	1) Potential impacts on general landscape	anticipated:	negative); 2) Low (neutral);
	character of the area during construction and	 Planning: 	3) Low (neutral);
	operation;	\circ Plan levels to minimise earthworks to	4) Medium (negative to
	2) Potential visual impact on users of the N9:	ensure that levels are not elevated;	neutral);
Noupoort CSP	3) Potential visual impact on users of the R389;	o Plan to maintain the height of structures as	5) Medium (neutral);
Project	4) Potential visual impact on users of three (3)	low as possible;	6) Low (negative to
	minor roads;	o Minimise disturbance of the surrounding	neutral);
	5) Potential visual impact on users of the railway	landscape and maintain existing vegetation	7) Low (negative to
	line/s;	around the development;	neutral);
	6) Potential visual impact on residents of		8) Low (neutral. If the
	homesteads in close proximity;		lights are generally not

7) Potential visual impact on residents of Noupoort		0	Treat the back face of trough plant and	visible then the	е
particularly on the western edge of the town;			structures to merge the development into its	occasional light i	s
8) Potential lighting impacts; and			background;	unlikely to be seen a	s
9) Ocular impacts associated with glint and glare.		0	Plan to utilize infra-red security systems or	negative);	
			motion sensor triggered lighting;	9) Low (negative);	
The following potential cumulative visual		0	Ensure that lighting is focused on the	10) Low (negative);	
impacts are anticipated:			development with no light spillage outside	11) Low (neutral);	
10) Cumulative visual impact of landscape change;			the site; and	12) Low (neutral);	
11) Cumulative visual impact on users of the N9:		0	Keep lighting low, no tall mast lighting	13) Medium (negative t	0
12) Cumulative visual impact on users of the R389;			should be used.	neutral);	
13) Cumulative visual impact on users of the other	•	<u> </u>	erations:	14) Medium (neutral);	
minor roads;		0	Reinstate any areas of vegetation that have	15) Medium (negative to	0
14) Cumulative visual impact on users of the railway			been disturbed during construction;	neutral);	
line/s;		0	Remove all temporary works;	16) Medium (negative to	0
15) Cumulative visual impact on residents of		0	Monitor rehabilitated areas post-	neutral);	
homesteads;			decommissioning and implement remedial	17) Low (neutral); and	
16) Cumulative visual impact on residents of			actions;	18) Low (negative).	
Noupoort particularly on the western edge of the		0	Minimize disturbance and maintain existing		
town;			vegetation as far as possible both within		
17) Cumulative lighting impacts associated with			and surrounding the development area;		
night time operation and security light; and		0	Treatment of trough plant backs;		
18) Cumulative impact of glint and glare.		0	Monitoring the occurrence or otherwise of		
			glare impacts particularly during early		
			morning and late afternoon;		
		0	Screening with opaque fencing / earth		
			berms; and		
		0	Careful operation of solar collectors turning		
			mirrors away from the sun during time		

 period when glare impacts are significantly adverse man substantially reduce or avoid visual impacts from offsite glare. <u>Decommissioning:</u> Remove infrastructure not required for the post-decommissioning use of the site; Return all affected areas to productive agricultural use; and
 Monitor rehabilitated areas post- decommissioning and implement remedial
actions.



Appendix D CORRESPONDENCE / FEEDBACK REGARDING THE VISUAL ENVIRONMENT RECEIVED TO DATE

It should be noted that feedback regarding the visual environment has been received from a local landowner (i.e. Mr. Neil Miller from the Farm Landia near the town of Middelburg). A meeting was held with Mr. Miller on the 14th of September 2017 (during the time of the site visit) during which time his concerns regarding the visual impacts associated with the proposed development were noted. Mr. Miller's main concern is that the value of his property will decrease due to the presence of wind turbines and associated infrastructure (such as power lines) near to and in sight of his property. Mr. Miller's property (The Farm Landia) is however situated well outside of the visual assessment zone for the proposed development, and as such it is anticipated that the visual impact experienced form his property will be negligible.

Following further consultation / correspondence with the above-mentioned landowner, it was confirmed that there was a misunderstanding regarding the extent of the proposed San Kraal WEF. It was confirmed that the Umsobomvu WEF is in actual fact the project which is being proposed adjacent to his property and will be in direct view from some parts the property. As such, it has been confirmed that the proposed San Kraal WEF is indeed situated well outside of the visual assessment zone and that the visual impact experienced from his property will be negligible.

Copies of Mr. Miller's emails regarding his concerns about the visual environment, as well as the confirmation that the Umsobomvu WEF is in actual fact the project which is being proposed adjacent to his property, is provided below.

Stephan Jacobs

From:	lilah@mweb.co.za
Sent:	Tuesday, September 26, 2017 11:33 AM
To:	Stephan Jacobs
Subject:	Fwd: Wind farms
Follow Up Flag:	Follow up
Flag Status:	Completed

Hi Stephan,

Please find attached below e-mail from Neil Miller.

I'm afraid not much more info besides stating the concern again.

In the meantime I have e-mailed Mr Miller, stating that as the concern is essentially visual in nature, our assessment would be based on the findings of the VIA.

Regards, Schalk

From: "neilm0664" <neilm0664@gmail.com> To: lilah@mweb.co.za Sent: Thursday, September 21, 2017 4:15:43 PM Subject: RE: Wind farms

Hi Schalk

We met and I showed him more or less where the proposed sites are going to be placed if Eskom and who ever must sign signs.

Our main concern is that if we do not get Turbines allocated to be placed on our farms, our land prices will fall due to the turbines on our boundaries and in sight. I have suggested to Arcus that some sort of compensation system be implemented to adjoining farms.

I look forward to meeting with you when next you are in our area.

Thanks & Kind Regards

Landia Farming Middelburg Eastern Cape. Neil & Laurraine Miller Residential address Landia Farm Groothoek Road PO Box 548 Middelburg 5900 072 3211884 082 842008 neilmo664@gmail.com From: lilah@mweb.co.za [mailto:lilah@mweb.co.za] Sent: 13 September 2017 02:53 PM To: neilm0664@gmail.com Subject: Windfarms

Dear Mr Miller,

Stephen Jacobs has informed me that you will meet on site tomorrow to look at potential visual impacts.

It seems like a good idea to postpone our conversation until the two of you had met, so I will give you a call tomorrow afternoon or on Friday.

Kind regards, Schalk

K Real Production of the Second Secon

Virus-free. <u>www.avast.com</u>

Stephan Jacobs

From: Sent: To: Subject: lilah@mweb.co.za Wednesday, October 4, 2017 12:19 PM Stephan Jacobs Fwd: Wind farms

Hi Stephan,

Hope you are well.

Your assumption was correct: Mr Miller had confused San Kraal and Phezukomoya with Umsobomvu - see below.

Regards, Schalk

From: "neilm0664" <neilm0664@gmail.com> To: lilah@mweb.co.za Sent: Wednesday, October 4, 2017 9:01:35 AM Subject: RE: Wind farms

Good morning Schalk.

Thanks for your reply. San Kraal and Phezukamoya are both far from our farm. None of them will affect us at all. I think there is a misunderstanding about the extent of Phezukamoya. Umsobomvu is the project which is adjacent to us and will be in direct view from some parts of our farm. Inowind is in the process of negotiating possible sites for Turbines on Merinodale, Greyskop and Landia. We hope to know shortly if they would like to use these farms. They would have to use all three to achieve the power generation required to make it a viable project. Do you have a copy of the proposed placing of the towers? I had a copy but my computer crashed and I lost most of my Data.

Do you know who the project manager/managers is for the Umsobomvu project and how far the process is?

Thank you and your team for the very professional way you handled my query.

Landia Farming

Neil & Laurraine Miller PO Box 548 Middelburg Karoo 072 3211884-0828420008 neilm0664@gmail.com

From: lilah@mweb.co.za [mailto:lilah@mweb.co.za]Sent: Friday, 29 September 2017 13:12To: neilm0664Subject: Re: Wind farms

Hi Neil,

I have spoken to Stephan Jacobs, the Visual specialist you met with.

We are somewhat puzzled by your comments regarding proposed turbines in proximity to your property.

Both wind projects - San Kraal and Phezukamoya) we are working on in Noupoort/ Middelburg are located to the north of your property, closer to Noupoort. The nearest proposed turbines for these projects are 11-13 km from Landia farmstead. - See attached map: pink outline = San Kraal WEF; blue outline = Phezukamoya WEF; small circles are proposed turbines, and red circle indicates 10 km radius from Landia farmstead.

Is it possible that you may be confusing San Kraal and Phezukamoya with another proposed wind farm, namely the Umsobomvu wind farm directly adjacent to your west? - Find attached map indicating Umsobomvu wind farm (dark blue shaded area) in relation to Landia.

If so, note that the Umsobomvu wind farm does not form part of this application. The proponent (Innowind) is the same as for San Kraal and Phezukomya, but it is an entirely different project and application process (and not managed by Arcus).

Please let me know if this addresses your concerns with regard to the proposed San Kraal and Phezukamoya windfarms.

Kind regards, Schalk van der Merwe

From: "neilm0664" <neilm0664@gmail.com> To: lilah@mweb.co.za Sent: Thursday, September 21, 2017 4:15:43 PM Subject: RE: Wind farms

Hi Schalk

We met and I showed him more or less where the proposed sites are going to be placed if Eskom and who ever must sign signs.

Our main concern is that if we do not get Turbines allocated to be placed on our farms, our land prices will fall due to the turbines on our boundaries and in sight. I have suggested to Arcus that some sort of compensation system be implemented to adjoining farms.

I look forward to meeting with you when next you are in our area.

Thanks & Kind Regards

Landia Farming Middelburg Eastern Cape. Neil & Laurraine Miller Residential address Landia Farm Groothoek Road PO Box 548 Middelburg 5900 From: lilah@mweb.co.za [mailto:lilah@mweb.co.za] Sent: 13 September 2017 02:53 PM To: neilm0664@gmail.com Subject: Windfarms

Dear Mr Miller,

Stephen Jacobs has informed me that you will meet on site tomorrow to look at potential visual impacts.

It seems like a good idea to postpone our conversation until the two of you had met, so I will give you a call tomorrow afternoon or on Friday.

Kind regards, Schalk

Virus-free. www.avast.com

Stephan Jacobs

From:	lilah@mweb.co.za
Sent:	Tuesday, September 12, 2017 1:35 PM
То:	neilm0664@gmail.com
Cc:	Tony Barbour; anjaa@arcusconsulting.co.za; Stephan Jacobs
Subject:	Phezukamoya and San Kraal wind farms - Social Study
Attachments:	Landia in context of Phezukamoya WEF.jpg; Landia in context of San Kraal WEF.jpg

Dear Mr Miller,

I was referred to you by Anja Albertyn of Arcus, who has also forwarded your previous e-mail comments to Arcus regarding the proposed Phezukamoya and San Kraal wind farms.

Unfortunately I was only in Noupoort for two days last week, and could not meet with all potentially affected adjacent land owners.

I attach the latest layouts of the 2 proposed winf farms. The pink (San Kraal) and blue (Phezukamoya) indicate proposed turbine locations; the green (Alt 1), blue (Alt 2) and purple (Alt 3) indicates the proposed 132 kV powerline route alternatives from the resepctive wind farms to the envisaged Umsobomvu substation on Rietpoort. The orange lines indicate exising 132 kV Eskom lines.

If I have identified the right Landia, the nearest turbine on Phezukomoya would be around 11 km, and that on San Kraal around 14 km from the Landia farmstead (but I am uncertain to where Landia's boundary stretch). The three Transmission line Alternatives would be around 7 km NE of th Landia farmhouse; again I am unclear about Landia's boundaries.

I will give you a call tomorrow to discuss any comments and concerns in the light of the latest layouts.

If your concerns are mainly of a visual (sense of place) nature, I suggest you also give Mr Stephan Jacobs, the Visual Impact Assessment specialist, a call. He is currently on site in Noupoort. His number is: 072 737 2114. I have cc-ed him in on this e-mail.

Kind regards, Schalk van der Merwe 082 0800 521 Tony Barbour Environmental Consulting



SiVEST Environmental Division 51 Wessels Road, Rivonia. 2128. South Africa PO Box 2921, Rivonia. 2128. South Africa

Tel + 27 11 798 0600 Fax +27 11 803 7272 Email_info@sivest.co.za www.sivest.co.za

Contact Person:

Stephan Jacobs Tel No.: +27 11 798 0677 Email: <u>stephanj@sivest.co.za</u>