

8. REFERENCES

- Andrews, W.R.H. and Hutchings, L. 1980. Upwelling in the Southern Benguela Current. *Prog. Oceanog.* 9: 1-81.
- Atkinson, L.J. 2009. Effects of demersal trawling on marine infaunal, epifaunal and fish assemblages: studies in the southern Benguela and Oslofjord. PhD Thesis. University of Cape Town, pp 141
- Atkinson, L., 2010. Proposed deep sea well drilling in petroleum license block 11B/12B, South Coast, South Africa by CNR International Ltd. University of Cape Town.
- ASA. 2005. South Africa Oil Spill Study, Narragansett: Applied Science Associates.
- Augustyn C.J., Lipinski, M.R. and ROELEVELD, M.A.C.. 1995. Distribution and abundance of sepioidea off South Africa. *S. Afr. J. Mar. Sci.* 16: 69-83.
- Bailey, G.W., Beyers, C.J. DE B. & Lipschitz, S.R. 1985. Seasonal variation of oxygen deficiency in waters off southern South West Africa in 1975 and 1976 and its relation to catchability and distribution of the Cape rock-lobster *Jasus lalandii*. *S. Afr. J. Mar. Sci.*, 3: 197-214.
- Bang, N.D. 1970. Dynamic interpretations of a detailed surface temperature chart of the Agulhas current retroflexion and fragmentation area. *S. Afr. Geogr. J.* 52: 67
- Bannister, J.L. and Cambell, R. 1965. The succession and abundance of Fin, Sei and other whales off Durban. *Norsk. Hvalfangsttid.* 3: 45
- Barendse, J., Best, P.B., Thornton, M., Pomilla, C. Carvalho, I. & Rosenbaum, H.C. 2010. Migration redefined ? Seasonality, movements and group composition of humpback whales *Megaptera novaeangliae* off the west coast of South Africa. *Afr. J. Mar. Sci.*, 32(1): 1-22.
- Berg, J.A. & Newell, R.I.E. 1986. Temporal and spatial variations in the composition of seston available to the suspension-feeder *Crassostrea virginica*. *Estuar. Coast. Shelf. Sci.*, 23: 375–386.
- Bergen, M., Weisberg, S.B., Smith, R.W., Cadine, D.B., Dalkey, A., Montagne, D.E., Stull, J.K., Velarde, R.G. & Ananda Ranasinghe, J. 2001. Relationship between depth, sediment, latitude and the structure of benthic infaunal assemblages on the mainland shelf of southern California. *Marine Biology* 138: 637-647.
- Best, P.B. 1967. Distribution and feeding habits of baleen whales off the Cape Province. *Investl. Rep. Div. Sea Fish. S. Afr.* 57: 1-44.
- Best, P.B. 1977. Two allopatric forms of Bryde's whale off South Africa. *Rep. Int.Whal. Commn. (Spec. Issue 1)*: 10-38.
- Best, P.B. 1990. Trends in the inshore right whale population off South Africa, 1969-1987. *Marine Mammal Science*, 6: 93-108.
- Best, P.B. 1994. A review of the catch statistics for modern whaling in Southern Africa, 1908–1930. *Reports to the International Whaling Commission* 44: 467–485.
- Best, P.B. 2000. Coastal distribution, movements and site fidelity of right whales (*Eubalaena australis*) off South Africa, 1969-1998. *S. Afr. J. Mar. Sci.* 22: 43 – 56.
- Best, P.B. 2000. Coastal distribution, movements and site fidelity of right whales (*Eubalaena australis*) off South Africa, 1969-1998. *S. Afr. J. Mar. Sci.*, 22: 43 – 56.
- Best, P.B. 2001. Distribution and population separation of Bryde's whale *Balaenoptera edeni* off southern Africa. *Mar. Ecol. Prog. Ser.*, 220: 277 – 289.

- Best, P.B. & Allison, C. 2010. Catch History, seasonal and temporal trends in the migration of humpback whales along the west coast of southern Africa. IWC sc/62/SH5.
- Best, P.B., Butterworth, D.S. & Rickett, L.H. 1984. An assessment cruise for the South African inshore stock of Bryde's whale (*Balaenoptera edeni*). Report of the International Whaling Commission, 34: 403-423.
- Best, P.B. & Lockyer, C.H. 2002. Reproduction, growth and migrations of sei whales *Balaenoptera borealis* off the west coast of South Africa in the 1960s. South African Journal of Marine Science, 24: 111-133.
- Beyers, C.J. DE B., C.G. Wilke & Goosen, P.C. 1994. The effects of oxygen deficiency on growth, intermoult period, mortality and ingestion rates of aquarium-held juvenile rock lobster *Jasus lalandii*. S. Afr. J. Mar. Sci., 14: 79-88.
- Bianchi, G., Hamukuaya, H. & Alvheim, O. 2001. On the dynamics of demersal fish assemblages off Namibia in the 1990s. S. Afr. J. Mar. Sci. 23: 419-428.
- Bickerton, I.B. 1981a. Estuaries of the Cape, Part II: Synopses of available information on individual systems. Report No. 5: Holgat (CW 2). Heydorn, A.E.F. and Grindley, J.R. (eds). Stellenbosch, CSIR Research Report 404, 27 pp.
- Bickerton, I.B. 1981b. Estuaries of the Cape, Part II: Synopses of available information on individual systems. Report No. 6: Bitter (CW 6). Heydorn, A.E.F. and Grindley, J.R. (eds). Stellenbosch, CSIR Research Report 405, 28 pp.
- Bickerton, I.B. 1982. Estuaries of the Cape, Part II: Synopses of available information on individual systems. Report No. 11: Hartenbos (CMS 1). Heydorn, A.E.F. and Grindley, J.R. (eds). Stellenbosch, CSIR Research Report 410, 54pp.
- Birch, G.F. 1979a. The nature and origin of mixed apatite/glaucocrite pellets from the continental shelf off South Africa. Mar. Geol. 29: 313-334.
- Birch, G.F. 1979b. Phosphorite pellets and rock from the western continental margin and adjacent coastal terrace of South Africa. Mar. Geol. 33: 91-116.
- Birch, G.F., Rogers, J., Bremner, J.M. and Moir, G.J. 1976. Sedimentation controls on the continental margin of Southern Africa. First interdisciplinary Conf. mar. freshwater Res. S. Afr., Fiche 20A: C1-D12.
- Birdlife International. 2013. Important Bird Areas factsheets. Download from <http://www.birdlife.org>.
- Bolton, J.J. 1986. Seaweed biogeography of the South African west coast – a temperature dependent perspective. Bot. Mar. 29: 251-256.
- Bolton, J.J. and Anderson, R.J. 1997. Marine vegetation. In Vegetation of southern Africa. Cowling, R.M., Richardson, D.M. and Pierce, S.M. (Eds.) Oxford: Cambridge University Press. pp. 348-370.
- Boyd, A.J. & Oberholster, G.P.J. 1994. Currents off the west and south coasts of South Africa. S. Afr. Shipping News and Fish. Ind. Rev., 49: 26-28.
- Boyd, A.J., Taunton-Clark, J. & Oberholster, G.P.J. 1992. Spatial features of the near-surface and midwater circulation patterns off western and southern South Africa and their role in the life histories of various commercially fished species. S. Afr. J. Mar. Sci., 12: 189-206.
- Branch, G.M. and Griffiths, C.L. 1988. The Benguela Ecosystem, Part V. The coastal zone. Oceanogr. Mar. Biol. Ann. Rev. 26: 395-486.
- Branch, T.A., Stafford, K.M., Palacios, D.M., Allison, C., Bannister, J.L., Burton, C.L.K., Cabrera, E., Carlson, C.A., Galletti Vernazzani, B., Gill, P.C., Hucke-Gaete, R., Jenner, K.C.S., Jenner, M.-N.M., Matsuoka, K., Mikhalev, Y.A., Miyashita, T., Morrice, M.G., Nishiwaki, S., Sturrock, V.J., Tormosov,

- D., Anderson, R.C., Baker, A.N., Best, P.B., Borsa, P., Brownell JR, R.L., Childerhouse, S., Findlay, K.P., Gerrodette, T., Ilangakoon, A.D., Joergensen, M., Kahn, B., Ljungblad, D.K., Maughan, B., McCauley, R.D., McKay, S., Norris, T.F., Oman Whale and Dolphin Research Group, Rankin, S., Samaran, F., Thiele, D., van Waerebeek, K. & Warneke, R.M. 2007. Past and present distribution, densities and movements of blue whales in the Southern Hemisphere and northern Indian Ocean. *Mammal Review*, 37 (2): 116-175.
- Brandão, A., Best, P.B. & Butterworth, D.S. 2011. Monitoring the recovery of the southern right whale in South African waters. Paper SC/S11/RW18 submitted to IWC Southern Right Whale Assessment Workshop, Buenos Aires 13-16 Sept. 2011.
- Bremner, J.M., Rogers, J. and Willis, J.P. 1990. Sedimentological aspects of the 1988 Orange River floods. *Trans. roy. Soc. S. Afr.* 47: 247-294.
- Breeze, H., Davis, D.S., Butler, M. and Kostylev, V. 1997. Distribution and status of deep sea corals off Nova Scotia. Marine Issues Special Committee Special Publication No. 1. Halifax, NS: Ecology Action Centre. 58 p.
- Bricelj, V.M. & Malouf, R.E. 1984. Influence of algal and suspended sediment concentrations on the feeding physiology of the hard clam *Mercenaria mercenaria*. *Mar. Biol.*, 84: 155–165.
- Brouwer, S.L., Mann, B.Q., Lamberth, S.J., Sauer, W.H.H. and Erasmus, C. 1997. A survey of the South African shore-angling fishery. *S. Afr. J. Mar. Sci.*, 18: 165-177.
- Brown A.C and McLachlan, A. 1990. *Ecology of Sandy Shores*. Elsevier, Amsterdam, 1-328.
- Buchanan, R.A., Cook, J.A. and Mathieu, A. 2003. Environmental Effects Monitoring for Exploration Drilling. Report for Environmental Studies Research Funds, Alberta. Solicitation No. ESRF – 018.
- Bustamante, R.H. and Branch, G.M. 1996. Large scale patterns and trophic structure of southern African rocky shores: the role of geographic variation and wave exposure. *Journal of Biogeography* 23: 339-351.
- Butterworth, D.S. and Wickens, P.A. 1990. Modelling the dynamics of the South African fur seal population. In Report of the Subcommittee of the Sea Fisheries Advisory Committee Appointed at the Request of the Minister of Environmental Affairs and of water Affairs, to Advise the Minister on the Scientific Aspects of Sealing [South African Nature Foundation, Stellenbosch]: 33-57 (mimeo).
- CCA & CMS (Crowther Campbell & Associates and Centre for Marine Studies). 2001. Generic Environmental Programme Reports for oil and gas exploration off the coast of South Africa. Petroleum Agency SA, Cape Town, South Africa. 5 Volumes.
- CCA & CSIR (Crowther Campbell & Associates and CSIR Environmentek). 1997. Environmental Management Programme Report for Prospect Well Drilling in Block 9 situated off the Southern Cape Coast. Prepared for SOEKOR E and P (Pty) Ltd, October 1997.
- Chapman, P. and Shannon, L.V. 1985. The Benguela ecosystem. Part II. Chemistry and related processes. *Oceanogr. Mar. Biol. Ann. Rev.* 23: 183-251.
- Christie, N.D. 1974. Distribution patterns of the benthic fauna along a transect across the continental shelf off Lamberts Bay, South Africa. Ph.D. Thesis, University of Cape Town, 110 pp & Appendices.
- Christie, N.D. 1976. A numerical analysis of the distribution of a shallow sublittoral sand macrofauna along a transect at Lambert's Bay, South Africa. *Transactions of the Royal Society of South Africa*, 42: 149-172.
- Clark, M.R., O'shea, S., Tracey, D. & Glasby, B. 1999. New Zealand region seamounts. Aspects of their biology, ecology and fisheries. Report prepared for the Department of Conservation, Wellington, New Zealand, August 1999. 107 pp.

- Cockcroft, A.C., Schoeman, D.S., Pitcher, G.C., Bailey, G.W.& van Zyl, D.L. 2000. A mass stranding, or 'walk out' of west coast rock lobster, *Jasus lalandii*, in Elands Bay, South Africa: Causes, results and implications. In: von Vaupel Klein, J.C.& F.R. Schram (Eds), *The Biodiversity Crisis and Crustacea: Proceedings of the Fourth International Crustacean Congress*, Published by CRC press.
- Coetze, J.C., van Der Lingen, C.D., Hutchings, L. & Fairweather, T.P. 2008. Has the fishery contributed to a major shift in the distribution of South African sardine? *ICES Journal of Marine Science* 65: 1676–1688.
- Colman, J.G., Gordon, D.M., Lane, A.P., Forde, M.J. & Fitzpatrick, J.J. 2005. Carbonate mounds off Mauritania, Northwest Africa: status of deep-water corals and implications for management of fishing and oil exploration activities. In: *Cold-water Corals and Ecosystems*, Freiwald, A and Roberts, J. M. (eds). Springer-Verlag Berlin Heidelberg pp 417-441.
- Crawford, R.J.M. 1980. Seasonal patterns in South Africa's western Cape purse-seine fishery. *J. Fish. Biol.* 16 (6): 649-664.
- Crawford, R.J.M. 1989. Snoek and chub mackerel. In *Oceans of Life off Southern Africa* (Payne, A.I.L. and R.J.M.Crawford –eds) Cape Town; Vlaeberg: 177 –187.
- Crawford, R.J.M., Shannon, L.V. and Pollock, D.E. 1987. The Benguela Ecosystem. Part IV. The major fish and invertebrate resources. *Oceanogr. Mar. Biol. Ann. Rev.* 25: 353-505.
- Crawford, R.J.M., Ryan, P.G. and Williams, A.J. 1991. Seabird consumption and production in the Benguela and western Agulhas ecosystems. *S. Afr. J. Mar. Sci.* 11: 357-375.
- Cruikshank, R.A. 1990. Anchovy distribution off Namibia deduced from acoustic surveys with an interpretation of migration by adults and recruits. *S. Afr. J. Mar. Sci.*, 9: 53-68.
- CSIR 1995a. Environmental Impact Assessment for Gas Exploration Drill in Licence Area 2814A
- CSIR 1995b. Environmental Impact Assessment for the proposed E-BT Oil Production Facility on the Agulhas Bank. CSIR Report EMAS-C 95069b.
- CSIR 1996. Elizabeth Bay monitoring project: 1995 review. CSIR Report ENV/S-96066.
- CSIR 1999. Environmental Impact Assessment for the proposed petroleum exploration drilling in Block 17/18 on the continental shelf of Kwazulu-Natal, South Africa. CSIR Contract Report ENV/S-C98009, pp 22, 80.
- CSIR. 2006. Environmental Management Programme Report for Exploration/Appraisal Drilling in the Kudu Gas Production Licence No 001 on the Continental Shelf of Namibia. Prepared for: Energy Africa Kudu Limited, CSIR Report: CSIR/NRE/ECO/2006/0085/C.
- Currie, H., GROBLER, K. & Kemper, J. (eds). 2009. Namibian Islands' Marine Protected Area. Ministry of Fisheries and Marine Resources, Namibia. http://www.nacoma.org.na/_key_Activities/Marine_Protected_Areas.htm.
- Currie, D.R., Sorokin, S.J. & Ward, T.M. 2008. Infaunal macroinvertebrate assemblages of the eastern Great Australian Bight: effectiveness of a marine protected area in representing the region's benthic biodiversity. *Marine and Freshwater Research* 60: 459-474.
- DAFF (Department of Agriculture, Forestry and Fisheries). South Africa's Aquaculture. Annual Report 2011. DAFF, Aquaculture and Economic Development Fisheries Branch.
- David, J.H.M. 1989., Seals. In: *Oceans of Life off Southern Africa*, Eds. Payne, A.I.L. and Crawford, R.J.M. Vlaeberg Publishers. Halfway House, South Africa.

- Day, J.H., Field, J.G. and Montgomerey, M. 1971. The use of numerical methods to determine the distribution of the benthic fauna across the continental shelf of North Carolina. *Journal of Animal Ecology* 40:93-126.
- DHI. 2012. DHI Oil Spill Model, Oil Spill Template, Scientific Documentation, Copenhagen: Danish Hydraulics Institute.
- Dingle, R.V. 1973. The Geology of the Continental Shelf between Lüderitz (South West Africa) and Cape Town with special reference to Tertiary Strata. *J. Geol. Soc. Lond.*, 129: 337-263.
- Dingle, R.V., Birch, G.F., Bremner, J.M., De Decker, R.H., du Plessis, A., Engelbrecht, J.C., Fincham, M.J., Fitton, T., Flemming, B.W., Gentle, R.I., Goodlad, S.H., Martin, A.K., Mills, E.G., Moir, G.J., Parker, R.J., Robson, S.H., Rogers, J., Salmon, D.A., Siesser, W.G., Simpson, E.S.W., Summerhaye, C.P., Westall, F., Winter, A. & Woodborne, M.W. 1987. Deep sea sedimentary environments around southern Africa (South-East Atlantic and South-West Indian Oceans). *Ann. S. Afr. Mus.* 98 (1): 1-27.
- Dingle, R.V. and Nelson, G. 1993. Sea-bottom temperature, salinity and dissolved oxygen on the continental margin off south-western Africa. *S. Afr. J. Mar. Sci.* 13: 33-49.
- Drake, D.E., Cacchione, D.A. a Karl, H.A. 1985. Bottom currents and sediment transport on San Pedro Shelf, California. *J. Sed. Petr.*, 55: 15-28.
- Duffy, D.C., Siegfried, W.R. and Jackson, S. 1987. Seabirds as consumers in the southern Benguela region. *S. Afr. J. Mar. Sci.* 5: 771-790.
- Dundee, B.L. 2006. The diet and foraging ecology of chick-rearing gannets on the Namibian islands in relation to environmental features: a study using telemetry. MSc thesis, University of Cape Town, South Africa.
- Ellingsen, K.E. 2002. Soft-sediment benthic biodiversity on the continental shelf in relation to environmental variability. *Marine Ecology Progress Series*, 232: 15-27.
- Elwen, S. & Best, P.B. 2004. Environmental factors influencing the distribution of southern right whales (*Eubalaena australis*) on the South Coast of South Africa I: Broad scale patterns. *Mar. Mammal Sci.*, 20 (3): 567-582.
- Elwen, S.H., Best, P.B., Reeb, D. & Thornton, M. 2009. Near-shore diurnal movements and behaviour of Heaviside's dolphins (*Cephalorhynchus heavisidii*), with some comparative data for dusky dolphins (*Lagenorhynchus obscurus*). *South African Journal of Wildlife Research*, 39(2): 143-154.
- Elwen S.H., Reeb D., THoRNTON M. & Best, P.B. 2009. A population estimate of Heaviside's dolphins *Cephalorhynchus heavisidii* in the southern end of their range. *Marine Mammal Science* 25: 107-124.
- Elwen, S.H. & Leeney, R.H. 2011. Interactions between leatherback turtles and killer whales in Namibian waters, including predation. *South African Journal of Wildlife Research*, 41(2): 205-209.
- Elwen, S.H. Meijer, M.A.M, Best, P.B., Kotze, P.G.H, Thornton, M. & Swanson, S. 2006. Range and movements of a nearshore delphinid, Heaviside's dolphin *Cephalorhynchus heavisidii* a determined from satellite telemetry. *Journal of Mammalogy*, 87(5): 866-877.
- Elwen S.H., Snyman L. & Leeney, R.H. 2010a. Report of the Nambian Dolphin Project 2010: Ecology and conservation of coastal dolphins in Namibia. Submitted to the Ministry of Fisheries and Marine Resources, Namibia. Pp. 1-36.
- Elwen S.H., Thornton M., Reeb D. & Best, P.B. 2010b. Near-shore distribution of Heaviside's (*Cephalorhynchus heavisidii*) and dusky dolphins (*Lagenorhynchus obscurus*) at the southern limit of their range in South Africa. *African Journal of Zoology* 45: 78-91.

- Emanuel, B.P., Bustamante, R.H., Branch, G.M., Eekhout, S. and Odendaal, F.J. 1992. A zoogeographic and functional approach to the selection of marine reserves on the west coast of South Africa. *S. Afr. J. Mar. Sci.* 12: 341-354.
- Engledow, H.R., Bolton, J. and Stegenga, H. 1992. The biogeography of the seaweed flora of Namibia. In Proceedings of the First International Workshop on Sustainable Seaweed Resource Development in Sub-Saharan Africa. Mshingeni, K.E., Bolton, J.J., Critchley, A.T. and Kiangi G. (Eds.) Windhoek. pp. 85-97.
- Escaravage, V., Herman, P.M.J., Merckx, B., Włodarska-Kowalcuk, M., Amouroux, J.M., Degraer, S., Grémare, A., Heip, C.H.R., Hummel, H., Karakassis, I., Labrune, C. & Willems, W. 2009. Distribution patterns of macrofaunal species diversity in subtidal soft sediments: biodiversity-productivity relationships from the MacroBen database. *Marine Ecology Progress Series* 382: 253-264.
- Flach, E. and Thomsen, L. 1998. Do physical and chemical factors structure the macrobenthic community at a continental slope in the NE Atlantic? *Hydrobiologia*, 375/376: 265-285.
- Fegley, S.R., Macdonald, B.A. & T.R. Jacobsen, 1992. Short-term variation in the quantity and quality of seston available to benthic suspension feeders. *Estuar. Coast. Shelf Sci.*, 34: 393-412.
- Field, J.G. and Griffiths, C.L. 1988. Littoral and sublittoral ecosystems of southern Africa. In: Mathieson, A. C. and Niehaus, P. H. (eds) *Ecosystems of the world 24: Intertidal and littoral ecosystems*. Amsterdam, Elsevier. pp 323-346.
- Findlay, K.P., Best, P.B., Ross, G.J.B. and Cockcroft, V.G. 1992. The distribution of small odontocete cetaceans off the coasts of South Africa and Namibia. *S. Afr. J. Mar. Sci.* 12:237-270.
- Gibbons, M.J., Stuart, V., and Verheyen, H.M. 1992. Trophic ecology of carnivorous zooplankton in the Benguela. In: Benguela Trophic Functioning (eds A.I.L. Payne, K.H. Brink, K.H. Mann and R. Hilborn). *S. Afr. J. Mar. Sci* 12, 421-437.
- Gray, J.S. 1974. Animal-sediment relationships. *Oceanography and Marine Biology Annual Reviews* 12: 223-261.
- Gray, J.S. 1981. The ecology of marine sediments: an introduction to the structure and function of benthic communities. Cambridge University Press, Cambridge.
- Haney, J.C., Haury, L.R., Mullineaux, L.S. & Fey, C.L. 1995. Sea-bird aggregation at a deep North Pacific seamount. *Marine Biology*, 123: 1-9.
- Harmer, S.F. 1931. Southern Whaling. *Proc. Linn. Soc. Lond. Session* 142, 129-30. Pres. Add. : 85-163.
- Hays, G.C. Houghton, J.D.R., ISaACS, C. King, R.S. Lloyd, C. & Lovell, P. 2004. First records of oceanic dive profiles for leatherback turtles, *Dermochelys coriacea*, indicate behavioural plasticity associated with long-distance migration. *Animal Behaviour*, 67: 733-743.
- Hewitt, C. L., Gollasch S. and Minchin D. 2009. Biological Invasions in Marine Ecosystems: Ecological, Management and Geographic Perspectives - The Vessel as a Vector – Biofouling, Ballast Water and Sediments In: *Ecological Studies 204* (eds) G. Rilov and J. A. Crooks.
- Heydorn, A.E.F. and Tinley, K.L. 1980. Estuaries of the Cape, Part I. Synopsis of the Cape coast. Natural features, dynamics and utilization. Stellenbosch, CSIR Research Report 380, 97 pp.
- Hovland, M., Vasshus, S., Indreeide, A., Austdal, L. and Nilsen, Ø. 2002. Mapping and imaging deep-sea coral reefs off Norway, 1982-2000. *Hydrobiol.* 471: 13-17.

- Howard, J.A.E., Jarre, A., Clark, A.E. & Moloney, C.L. 2007. Application of the sequential t-test algorithm or analyzing regime shifts to the southern Benguela ecosystem. African Journal of Marine Science 29(3): 437-451.
- Hui, C.A., 1985. Undersea topography and the comparative distributions of two pelagic cetaceans. Fishery Bulletin, 83(3): 472-475.
- Husky Oil Operations Limited. 2000. White Rose Oilfield Comprehensive Study. Submitted by Husky Oil Operations Limited as Operator, St. John's, NL.
- Husky Oil Operations Limited. 2001. White Rose Oilfield Comprehensive Study Supplemental Report Responses to Comments from Canada-Newfoundland Offshore Petroleum Board, Department of Fisheries and Oceans, Environment Canada, Natural Resources Canada and Canadian Environmental Assessment Agency. Submitted by Husky Oil Operations Limited (Operator).
- Hutchings, L., Pillar, S.C. and Verheyen, H.M.S. 1991. Estimates of standing stock, production and consumption of meso- and macro-zooplankton in the Benguela ecosystem. S. Afr. J. mar. Sci.. 11: 499-512.
- IPIECA (International Petroleum Industry Environmental Conservation Association). 2005. Action against pollution. A guide to the intergovernmental and industry organizations involved in the prevention and mitigation of oil pollution in the marine environment (<http://www.ipieca.org/publication/action-against-oil-pollution>).
- IPIECA (International Petroleum Industry Environmental Conservation Association). 2007. IPIECA Report Series Volume Fourteen. Guide to Tiered Preparedness and Response (<http://www.ipieca.org/publication/guide-tiered-preparedness-and-response>).
- ITOPF. 2002. Fate of Marine Oil Spills, London: The International Tanker Owners Pollution Federation Limited.
- IWC, 2012. Report of the Scientific Committee. Annex H: Other Southern Hemisphere Whale Stocks Committee 11–23.
- Jackson, L.F. and Lipschitz, S. 1984. Coastal sensitivity atlas of Southern Africa. Pretoria, Department of Transport: 34 pp.
- Jury, M., Macarthur, C. and Reason, C. 1990. Observations of trapped waves in the atmosphere and the ocean along the coast of Southern Africa. S. Afr. Geogr. J. 72: 33-46.
- Kendall, M.A. & Widdicombe, S. 1999. Small scale patterns in the structure of macrofaunal assemblages of shallow soft sediments. Journal of Experimental Marine Biology and Ecology, 237:127-140.
- Kenny, A.J., Rees, H.L., Greening, J. & Campbell, S. 1998. The effects of marine gravel extraction on the macrobenthos at an experimental dredge site off north Norfolk, U.K. (Results 3 years post-dredging). ICES CM 1998/V:14, pp. 1-8.
- Kenyon, N.H., Akhmetzhanov, A.M, Wheeler, A.J., van Weering, T.C.E., de Haas, H. & Ivanov, M.K. 2003. Giant carbonate mud mounds in the southern Rockall Trough. Marine Geology 195: 5-30.
- Kopaska-Merkel D.C. & Haywick, D.W. 2001. Carbonate mounds: sedimentation, organismal response, and diagenesis. Sedimentary Geology, 145: 157-159.
- Kooyman, G.L. and Gentry, R.L. 1986. Diving behaviour of South African fur seals. In Fur Seals' Maternal Strategies on land and at Sea. Gentry R.L. and Kooyman, G.L. (eds). Princeton, New Jersey: University Press : 126-141.
- Koslows, J.A. 1996. Energetic and life history patterns of deep-sea benthic, benthopelagic and seamount associated fish. Journal of Fish Biology, 49A: 54-74.

- Lambardi, P., Lutjeharms, J.R.E., Menacci, R., Hays, G.C. & Luschi, P. 2008. Influence of ocean currents on long-distance movement of leatherback sea turtles in the Southwest Indian Ocean. *Marine Ecology Progress Series*, 353: 289–301.
- Lane, S.B. and Carter, R.A. 1999. Generic Environmental Management Programme for Marine Diamond Mining off the West Coast of South Africa. *Marine Diamond Mines Association*, Cape Town, South Africa. 6 Volumes.
- Lange, L. 2012. Use of demersal bycatch data to determine the distribution of soft-bottom assemblages off the West and South Coasts of South Africa. PhD thesis, University of Cape Town.
- Leeney, R.H., Post, K., Hazevoet, C.J. & Elwen, S.H. 2013. Pygmy right whale records from Namibia. *African Journal of Marine Science* 35(1): 133-139.
- Leung-Ng, S. & Leung, S. 2003. Behavioural response of Indo-Pacific humpback dolphin (*Sousa chinensis*) to vessel traffic. *Mar. Env. Res.*, 56: 555-567.
- Lipinski, M.R. 1992. Cephalopods and the Benguela ecosystem: trophic relationships and impact. In: *Benguela Trophic Functioning* (eds A.I.L. Payne, K.H. Brink, K.H. Mann and R. Hilborn). *S. Afr. J. Mar. Sci* 12, 791-802.
- Lombard A.T. and Strauss T. 2004. National Spatial Biodiversity Assessment, Marine Component. Prepared for the National Botanical Institute by Dr A.T. Lombard and Ms T. Strauss, Conservation Systems.
- Lombard, A.T., Strauss, T., Harris, J., Sink, K., Attwood, C. & Hutchings, L. 2004. National Spatial Biodiversity Assessment 2004: South African Technical Report Volume 4: Marine Component.
- Ludynia, K. 2007. Identification and characterisation of foraging areas of seabirds in upwelling systems: biological and hydrographic implications for foraging at sea. PhD thesis, University of Kiel, Germany.
- MacIsaac, K., Bourbonnais, C., Kenchington, E.D., Gordon JR. and Gass, S. 2001. Observations on the occurrence and habitat preference of corals in Atlantic Canada. In: (eds.) Willison, J.H.M., Hall, J., Gass, S.E., Kenchington, E.L.R., Butler, M. and Doherty, P. *Proceedings of the First International Symposium on Deep-Sea Corals*. Ecology Action Centre and Nova Scotia Museum, Halifax, Nova Scotia.
- MacLeod, C.D. & D'Amico, A. 2006. A review of beaked whale behaviour and ecology in relation to assessing and mitigating impacts of anthropogenic noise. *Journal of Cetacean Research and Management* 7(3): 211–221.
- MacPherson, E. & Gordoa, A. 1992. Trends in the demersal fish community off Namibia from 1983 to 1990. *South African Journal of Marine Science* 12: 635-649.
- Majiedt, P., Holness, S., Sink, K., Oosthuizen, A. & Chadwick, P. 2013. Systematic Marine Biodiversity Plan for the West Coast of South Africa. *South African National Biodiversity Institute*, Cape Town. Pp 46.
- Malme, C.I., Miles, P.R., Tyack, P., Clark, C.W. & Bird, J.E. 1985. Investigation of the potential effects of underwater noise from petroleum industry activities on feeding humpback whale behavior. BBN Report 5851, OCS Study MMS 85-0019. Report from BBN Laboratories Inc., Cambridge, MA, for U.S. Minerals Management Service, NTIS PB86-218385. Bolt, Beranek, and Newman, Anchorage, AK.
- Mann, B.Q., Scott, G.M., Mann-Lang, J.B., Brouwer, S.L., Lamberth, S.J., Sauer, W.H.H. and Erasmus, C. 1997. An evaluation of participation in the management of the South African spearfishery. *S. Afr. J. Mar. Sci.* 18: 179-193.
- Mate, B.R., Best, P.B., Lagerquist, B.A. & Winsor, M.H. 2011. Coastal, offshore and migratory movements of South African right whales revealed by satellite telemetry. *Marine Mammal Science*, 27(3): 455-476.

- Mate, B.R., Lagerquist, B.A., Windsor, M., Geraci, J. & Prescott, J.H. 2005. Movements and dive habits of a satellite-monitoring longfinned pilot whales (*Globicephala melas*) in the northwest Atlantic. *Marine Mammal Science* 21(10): 136-144.
- Matthews, L.H. 1938. The Sei whale, *Balaenoptera borealis*. *Disc. Rep.* 17: 183-290.
- Matthews, S.G. & Pitcher, G.C. 1996. Worst recorded marine mortality on the South African coast. In: Yasumoto, T., Oshima, Y. & Y. Fukuyo (Eds), *Harmful and Toxic Algal Blooms*. Intergovernmental Oceanographic Commission of UNESCO, pp 89-92.
- Miller, D.C. & Sternberg, R.W. 1988. Field measurements of the fluid and sediment dynamic environment of a benthic deposit feeder. *J. Mar. Res.*, 46: 771-796.
- Mitchell-Innes, B.A. & Walker, D.R. 1991. Short-term variability during an Anchor Station study in the southern Benguela upwelling system. Phytoplankton production and biomass in relation to species changes. *Prog. Oceanogr.*, 28: 65-89.
- Monteiro, P.M.S. & van der Plas, A.K. 2006. Low Oxygen Water (LOW) variability in the Benguela System: Key processes and forcing scales relevant to forecasting. In: Shannon, V., Hempel, G., Malanotte-Rizzoli, P., MOLoNEY, C. & Woods, J. (Eds). *Large Marine Ecosystems*, Vol. 15, pp 91-109.
- Morant, P.D. 1984. Estuaries of the Cape, Part II: Synopses of available information on individual systems. Report No. 26: Olifants (CW 10). Heydorn, A.E.F. and Grindley, J.R. (eds). Stellenbosch, CSIR Research Report 425, 54 pp.
- Morant, P. D. 1999. Synthesis and assessment of information on the BCLME. BCLME Thematic Report 4: Integrated overview of the offshore oil and gas industry in the Benguela Current Region. CSIR Report ENV-S-C 99057.
- National Research Council. 1985. Oil in the Sea. National Academy Press, Washington, DC.
- Nelson, G. 1989. Poleward motion in the Benguela area. In: *Poleward Flows along Eastern Ocean Boundaries*. NESHYBA et al. (eds) New York; Springer: 110-130 (Coastal and Estuarine Studies 34).
- Nelson, G. and Hutchings, L. 1983. The Benguela upwelling area. *Prog. Oceanog.* 12: 333-356.
- Newman, G.G. & Pollock, D.E. 1971. Biology and migration of rock lobster Jasus lalandii and their effect on availability at Elands Bay, South Africa. *Investl. Rep. Div. Sea Fish. S. Afr.*, 94: 1-24.
- NOAA. 2009. ADIOS Version 2.0.1, s.l.: Emergency Response Division, OR&R, NOS.
- North, E. 2011. Simulating Oil Droplet Dispersal from the Deepwater Horizon spill with a Lagrangian approach. Geophysical Monograph Series 195, pp. 217-226.
- O'Sullivan, D. 1998. Big expansion in South African abalone industry. *Austasia Aquaculture*. 12 (3): 28-31.
- OGP (International Association of Oil and Gas Producers). 2003. Environmental aspects of the use and disposal of non-aqueous drilling fluids associated with offshore oil and gas operations. Report No. 342.
- Olivieri, E.T. 1983. Colonization, adaptations and temporal changes in diversity and biomass of phytoplankton community in upwelled water off the Cape Peninsula, South Africa, in December 1979. *S. Afr. J. Mar. Sci.* 1: 77-109.
- Olsen, Ø. 1914. Hvaler og hvalfangst i Sydafrika. *Bergens Mus Årbok*. 1914-15 (5): 1-15.
- Oosthuizen W.H. 1991. General movements of South African (Cape) fur seals *Arctocephalus pusillus pusillus* from analysis of recoveries of tagged animals. *S. Afr. J. Mar. Sci.*, 11: 21-30.
- Parry, D.M., Kendall, M.A., Pilgrim, D.A. & Jones, M.B. 2003. Identification of patch structure within marine benthic landscapes using a remotely operated vehicle. *J. Exp. Mar. Biol. Ecol.*, 285– 286: 497–511.

- Payne, A.I.L. 1977. Stock differentiation and growth of the southern African kingklip *Genypterus capensis*. Investl Rep. Div. Sea Fish. S. Afr., 113, 1-32.
- Payne, A.I.L. & Crawford, R.J.M. 1989. Oceans of Life off Southern Africa. Vlaeberg, Cape Town, 380 pp.
- Peddemors, V.M. 1999. Delphinids of southern africa. A review of their distribution, status and life history. J. Cetacean Res. Manage. 1(2) :157-166.
- Penney, A.J., Krohn, R.G. & Wilke, C.G. 1992. A description of the South African tuna fishery in the southern Atlantic Ocean. ICCAT Col. Vol. Sci. Pap. XXIX(1) : 247-253.
- Peters, I., Best, P.B. & Thornton, M. 2011. Abundance estimates of right whales on a feeding ground off the west coast of South Africa. Paper SC/S11/RW11 submitted to the IWC Southern Right Whale Assessment Workshop, Buenos Aires 13-16 Sept. 2011.
- Peterson, W.T., Hutchings, L., Huggett, J.A. and Largier, J.L. 1992. Anchovy spawning in relation to the biomass and the replenishment rate of their copepod prey on the western Agulhas Bank. In: Benguela Trophic Functioning. Payne, A.I.L., Brink, K.H., Mann, K.H. and Hilborn, R. (eds). S. Afr. J. Mar. Sci.. 12: 487-500.
- Pillar, S.C., 1986. Temporal and spatial variations in copepod and euphausiid biomass off the southern and south-eastern coasts of South Africa in 1977/78. S. Afr. J. Mar. Sci.. 4: 219-229.
- Pillar, S.C., Stuart, V., Barange, M. and Gibbons, M.J. 1992. Community structure and trophic ecology of euphausiids in the Benguela ecosystem. In: Benguela Trophic Functioning (eds A.I.L. Payne, K.H. Brink, K.H. Mann and R. Hilborn). S. Afr. J. Mar. Sci. 12: 393-409.
- Pitcher, G.C. 1998. Harmful algal blooms of the Benguela Current. IOC, World Bank and Sea Fisheries Research Institute Publication. 20 pp.
- Pitcher, G.C., Brown, P.C. and Mitchell-Innes, B.A. 1992. Spatio-temporal variability of phytoplankton in the southern Benguela upwelling system. In: Benguela Trophic Functioning (eds A.I.L. Payne, K.H. Brink, K.H. Mann and R. Hilborn). S. Afr. J. Mar. Sci 12, 439-465.
- Post, A.L., Wassenberg, T.J. & Passlow, V. 2006. Physical surrogates for macrofaunal distributions and abundance in a tropical gulf. Marine and Freshwater Research, 57: 469-483.
- PRDW. 2014. Proposed exploration drilling in the Orange Basin Deep Water Licence Area off the West Coast of South Africa. Drill Cuttings and Oil Spill Modelling Specialist Study. Report 1133/01 Rev. 03. 6 December 2013.
- Pulfrich, A. 2011. Environmental Management Programme for proposed seismic and controlled source electromagnetic surveys in Licence Block 5/6, South-West Coast, South Africa: Marine Faunal Assessment. Pisces Environmental Services (Pty) Ltd.
- Pulfrich, A., Penney, A.J., Brandão, A., Butterworth, D.S. & Noffke, M. 2006. Marine Dredging Project: FIMS Final Report. Monitoring of Rock Lobster Abundance, Recruitment and Migration on the Southern Namibian Coast. Prepared for De Beers Marine Namibia, July 2006. 149pp.
- Reason, C.J.C. and Jury, M.R. 1990. On the generation and propagation of the southern African coastal low. Q. J. R. Meteorol. Soc. 116: 1133-1151.
- Reddy, C. 2012. Composition and fate of gas and oil released to the water column during the Deepwater Horizon oil spill. PNAS, 109(50), pp. 20229-20234.
- Roel, B.A. 1987. Demersal communities off the west coast of South Africa. South African Journal of Marine Science 5: 575-584.
- Rogers, A.D. 1994. The biology of seamounts. Advances in Marine Biology, 30: 305–350.

- Rogers, A.D. 2004. The biology, ecology and vulnerability of seamount communities. IUCN, Gland, Switzerland. Available at: www.iucn.org/themes/marine/pubs/pubs.htm 12 pp.
- Rogers, J. 1977. Sedimentation on the continental margin off the Orange River and the Namib Desert. Unpubl. Ph.D. Thesis, Geol. Dept., Univ. Cape Town. 212 pp.
- Rogers, J. 1995. A comparative study of manganese nodules off southern Africa. *S. Afr. J. Geol.* 98: 208-216.
- Rogers, J. and Bremner, J.M. 1991. Benguela Ecosystem Pt. VII: Marine geoscience aspects. *Oceanogr. Mar. Biol. Ann. Rev* 29: 1-85.
- Rosenbaum, H.C., Pomilla, C., Mendez, M., Leslie, M.S., Best, P.B., Findlay, K.P., Minton, G., Ersts, P.J., Collins, T., Engel, M.H., Bonatto, S., Kotze, P.G.H., Meÿer, M., Barendse, J., Thornton, M., Razafindrakoto, Y., Nguessono, S., Vely, M. & Kiszka, J. 2009. Population structure of humpback whales from their breeding grounds in the South Atlantic and Indian Oceans. *PLoS One*, 4 (10): 1-11.
- Roux, J-P., Best, P.B. & Stander, P.E. 2001. Sightings of southern right whales (*Eubalaena australis*) in Namibian waters, 1971-1999. *J. Cetacean Res. Manage. (Special Issue)*. 2: 181–185.
- Salas, F., Marcos, C., Neto, J.M., Patricio, J., Pérez-Ruzafa, A. and Marques, J.C. 2006. User-friendly guide for using benthic ecological indicators in coastal and marine quality assessment. *Ocean and Coastal management* 49: 308-331.
- Shannon, L.V. 1985. The Benguela ecosystem Part I. Evolution of the Benguela, physical features and processes. *Oceanogr. Mar. Biol. Ann. Rev.* 23: 105
- Shannon, L.V. & Anderson, F.P. 1982. Application of satellite ocean colour imagery in the study of the Benguela Current system. *S. Afr. J. Photogrammetry, Remote Sensing and Cartography*, 13(3): 153-169.
- Shannon, L.V. & Field, J.G. 1985. Are fish stocks food-limited in the southern Benguela pelagic ecosystem ? *Mar. Ecol. Prog. Ser.*, 22(1) : 7-19.
- Shannon, L.V. & O'Toole, M.J. 1998. BCLME Thematic Report 2: Integrated overview of the oceanography and environmental variability of the Benguela Current region. Unpublished BCLME Report, 58pp.
- Simmonds, M.P., and Lopez – Jurado, L.F. 1991. *Nature*. 337: 448.
- Shannon, L.V. and Nelson, G. 1996. The Benguela: large scale features and processes and system variability. In: The South Atlantic. Present and Past Circulation. Wefer, G., Berger, W.H., Siedler, G. and Webb, D.J. (eds), pp 163-210.
- Shannon, L.V. and Pillar, S.C. 1986. The Benguela ecosystem, Part III. Plankton. *Oceanogr. Mar. Biol. Ann. Rev.* 24: 65-170.
- Shaughnessy, P.D. 1979. Cape (South African) fur seal. In: *Mammals in the Seas*. F.A.O. Fish. Ser., 5, 2: 37-40.
- Shillington, F.A. 1998. The Benguela upwelling system off Southwestern Africa, coastal segment (16,E). In *The Sea*, vol.11. Robinson, A.R. and Brink, K.H. (eds). John Wiley & Sons, Inc.
- Shillington, F.A., Hutchings, L., Probyn, T.A., Waldron, H.N., and Peterson, W.T. 1992. Filaments and the Benguela frontal zone: offshore advection or recirculation loops. In: *Benguela Trophic Functioning* (eds A.I.L. Payne, K.H. Brink, K.H. Mann and R. Hilborn). *S. Afr. J. Mar. Sci* 12, 207-218.
- Shillington, F. A., Peterson, W. T., Hutchings, L., Probyn, T. A., Waldron, H. N. & Agenbag, J.J. 1990. A cool upwelling filament off Namibia, South West Africa: Preliminary measurements of physical and biological properties. *Deep-Sea Res.*, 37 (11A): 1753-1772.

- Sink, K. & Samaai, T. 2009. Identifying Offshore Vulnerable Marine Ecosystems in South Africa. Unpublished Report for South African National Biodiversity Institute, 29 pp.
- Sink, K.J., Attwood, C.G., Lombard, A.T., Grantham, H., Leslie, R., Samaai, T., Kerwath, S., Majiedt, P., Fairweather, T., Hutchings, L., Van der Lingen, C., Atkinson, L.J., Wilkinson, S., Holness, S. & Wolf, T. 2012. Spatial planning to identify focus areas for offshore biodiversity protection in South Africa. Unpublished Report. Cape Town: South African National Biodiversity Institute.
- Smale, M.J., Roel, B.A., Badenhorst, A. & Field, J.G. 1993. Analysis of demersal community of fish and cephalopods on the Agulhas Bank, South Africa. *Journal of Fisheries Biology* 43:169-191.
- Smith, G.G & G.P. Mocke, 2002. Interaction between breaking/broken waves and infragravity-scale phenomena to control sediment suspension and transport in the surf zone. *Marine Geology*, 187: 320-345.
- Snelgrove, P.V.R. and Butman, C.A. 1994. Animal-sediment relationships revisited: cause versus effect. *Oceanogr.Mar.Biol.Ann.Rev.* 32: 111–177.
- Snelgrove P. V. R. 1998. The biodiversity of macrofaunal organisms in marine sediments. *Biodiversity Conservation* 7:1123–1132.
- Spaulding, M., Bishnoi, P., Anderson, E. and Isaji, T. 2000. An Integrated Model for Prediction of Oil Transport from a Deep Water Blowout. Vancouver, AMOP.
- SPRFM. 2007: Information describing seamount habitat relevant to the South Pacific Regional Fisheries Management Organisation.
- Steffani, N. 2007a. Biological Baseline Survey of the Benthic Macrofaunal Communities in the Atlantic 1 Mining Licence Area and the Inshore Area off Pomona for the Marine Dredging Project. Prepared for De Beers Marine Namibia (Pty) Ltd. pp. 42 + Appendices.
- Steffani, N. 2007b. Biological Monitoring Survey of the Macrofaunal Communities in the Atlantic 1 Mining Licence Area and the Inshore Area between Kerbehuk and Bogenfels. 2005 Survey. Prepared for De Beers Marine Namibia (Pty) Ltd. pp. 51 + Appendices.
- Steffani, C.N. & Pulfrich, A. 2004a. Environmental Baseline Survey of the Macrofaunal Benthic Communities in the De Beers ML3/2003 Mining Licence Area. Prepared for De Beers Marine South Africa, April 2004., 34pp.
- Steffani, N. & Pulfrich, A. 2004b. The potential impacts of marine dredging operations on benthic communities in unconsolidated sediments. Specialist Study 2. Specialist Study for the Environmental Impact Report for the Pre-feasibility Phase of the Marine Dredging Project in Namdeb's Atlantic 1 Mining Licence Area and in the nearshore areas off Chameis. Prepared for PISCES Environmental Services (Pty) Ltd, September 2004.
- Steffani, C.N. & Pulfrich, A. 2007. Biological Survey of the Macrofaunal Communities in the Atlantic 1 Mining Licence Area and the Inshore Area between Kerbehuk and Lüderitz 2001 – 2004 Surveys. Prepared for De Beers Marine Namibia, March 2007, 288pp.
- Swan, J.M., Neff, J.M., and Young, P.C. (eds). 1994. Environmental implications of offshore oil and gas development in Australia- The findings of an independent scientific review. Australian Exploration Association, Sydney, pp 695.
- Van Dalfsen, J.A., Essink, K., Toxvig Madsen, H., Birklund, J., Romero, J. & Manzanera, M. 2000. Differential response of macrozoobenthos to marine sand extraction in the North Sea and the Western Mediterranean. *ICES J. Mar. Sci.*, 57: 1439–1445.

- Verheyen, H.M., Hutchings, L., Huggett, J.A., Carter, R.A., Peterson, W.T. and Painting, S.J. 1994. Community structure, distribution and trophic ecology of zooplankton on the Agulhas Bank with special reference to copepods. *S. Afr. J. Sci.*. 90: 154-165.
- Visser, G.A. 1969. Analysis of Atlantic waters off the coast of southern Africa. Investigational Report Division of Sea Fisheries, South Africa, 75: 26 pp.
- Walker, D.R & Peterson, W.T. 1991. Relationships between hydrography, phytoplankton production, biomass, cell size and species composition, and copepod production in the southern Benguela upwelling system in April 1988. *S. Afr. J. mar. Sci.*, 11: 289-306.
- Watkins, W.A. 1986. Whale reactions to human activities in Cape Cod waters. *Mar. Mamm. Sci.*, 2(4): 251-262.
- Ward, L.G. 1985. The influence of wind waves and tidal currents on sediment resuspension in Middle Chesapeake Bay. *Geo-Mar. Letters*, 5: 1-75.
- Warwick, R.M., Goss-Custard, J.D., Kirby, R., George, C.L., Pope, N.D. and Rowden, A.A. 1991. Static and dynamic environmental factors determining the community structure of estuarine macrobenthos in SW Britain: why is the Severn estuary different? *J.Appl.Ecol.* 28: 329–345.
- Warwick, R. M. 1993. Environmental impact studies on marine communities: Pragmatical considerations. *Australian Journal of Ecology* 18: 63-80.
- Webber Wentzel. 2014. Environmental Snapshot: Environmental Regulation of the Mining Industry. 2 September 2014.
- Weir, C.R. 2011. Distribution and seasonality of cetaceans in tropical waters between Angola and the Gulf of Guinea. *African Journal of Marine Science* 33(1): 1-15.
- Weir, C.R., Collins, T., Carvalho, I. & ROSEnBAUM, H.C. 2010. Killer whales (*Orcinus orca*) in Angolan and Gulf of Guinea waters, tropical West Africa. *Journal of the Marine Biological Association of the U.K.* 90: 1601– 1611.
- Wheeler, A.J., Kozachenko, M., Beyer, A., Foubert, A., Huvenne, V.A.I., Klages, M., Masson, D.G., Olu-Le Roy, K. & Thiede, J. 2005. Sedimentary processes and carbonate mounds in the Belgica Mound province, Porcupine Seabight, NE Atlantic. In: *Cold-water Corals and Ecosystems*, Freiwald, A & Roberts, J.M. (eds). Springer-Verlag Berlin Heidelberg pp. 571-603.
- Wickens, P. 1994. Operational interactions between seals and fisheries in South Africa. *Marine Biology Research Institute, Zoology Department, University of Cape Town*.
- Wickens, P. 1994. Interactions between South African Fur Seals and the Purse-Seine Fishery. *Marine Mammal Science*, 10: 442–457.
- Wickens, P.A., Japp, D.W., Shelton, P.A., Kriel, F., Goosen, P.C., Rose, B., Augustyn, C.J., Bross, C.A.R., Penny, A.J. and Krohn, R.G. 1992. Seals and fisheries in South Africa – competition and conflict. *S. Afr. J. Mar. Sci.*. 12: 773-789.
- WMO, 1992. Atmospheric methane in the Global Atmosphere Watch (GAW). World Meteorological Organization Fact Sheet No. 10 (October 1992).
- Zajac, R.N., Lewis, R.S., Poppe, L.J., Twichell, D.C., Vozarik, J., & Digiacomo-Cohen, M.L. 2000. Relationships among seafloor structure and benthic communities in Long Island Sound at regional and benthoscape scales. *J. Coast. Res.*, 16: 627– 640.
- Zettler, M.L., Bochert, R. & Pollehne. F. 2009. Macrozoobenthos diversity in an oxygen minimum zone off northern Namibia. *Marine Biology* 156:1949-1961.

Zoutendyk, P. 1992. Turbid water in the Elizabeth Bay region: A review of the relevant literature. CSIR Report EMAS-I 92004.

Zoutendyk, P. 1995. Turbid water literature review: a supplement to the 1992 Elizabeth Bay Study. CSIR Report EMAS-I 95008.