

## 11 REFERENCES

- ATKINSON, L.J. 2009. Effects of demersal trawling on marine infaunal, epifaunal and fish assemblages: studies in the southern Benguela and Oslofjord. PhD Thesis. University of Cape Town, pp 141.
- ATKINSON, L.J. & K.J. SINK (eds), 2018. Field Guide to the Offshore Marine Invertebrates of South Africa. Malachite Marketing and Media, Pretoria, pp498.
- AUGUSTYN C.J., LIPINSKI, M.R. and M.A.C. ROELEVeld, 1995. Distribution and abundance of sepioidea off South Africa. *S. Afr. J. Mar. Sci.* 16: 69-83.
- BAILEY, G.W., BEYERS, C.J. DE B. and S.R. LIPSCHITZ, 1985. Seasonal variation of oxygen deficiency in waters off southern South West Africa in 1975 and 1976 and its relation to catchability and distribution of the Cape rock-lobster Jasus lalandii. *S. Afr. J. Mar. Sci.*, 3: 197-214.
- BAILEY, G.W., 1991. Organic carbon flux and development of oxygen deficiency on the modern Benguela continental shelf south of 22°S: spatial and temporal variability. In: TYSON, R.V., PEARSON, T.H. (Eds.), Modern and Ancient Continental Shelf Anoxia. Geol. Soc. Spec. Publ., 58: 171–183.
- BAILEY, G.W., 1999. Severe hypoxia and its effect on marine resources in the southern Benguela upwelling system. Abstract, International Workshop on Monitoring of Anaerobic processes in the Benguela Current Ecosystem off Namibia.
- BANKS, A. BEST, P.B., GULLAN, A., GUISSAMULO, A., COCKCROFT, V. & K. FINDLAY, 2011. Recent sightings of southern right whales in Mozambique. Document SC/S11/RW17 submitted to IWC Southern Right Whale Assessment Workshop, Buenos Aires 13-16 Sept. 2011.
- BARNARD, P., 1998. Biological diversity in Namibia - a country study. Namibian National Biodiversity Task Force, Windhoek.
- BARENDE, J., BEST, P.B., THOMTON, M., POMILLA, C. CARVALHO, I. and H.C. ROSENBAUM, 2010. Migration redefined ? Seasonality, movements and group composition of humpback whales Megaptera novaeangliae off the west coast of South Africa. *Afr. J. mar. Sci.*, 32(1): 1-22.
- BARENDE, J., BEST, P.B., THORNTON, M., ELWEN, S.H., ROSENBAUM, H.C., CARVALHO, I., POMILLA, C., COLLINS, T.J.Q. and M.A. MEYER, 2011. Transit station or destination? Attendance patterns, regional movement, and population estimate of humpback whales Megaptera novaeangliae off West South Africa based on photographic and genotypic matching. *African Journal of Marine Science*, 33(3): 353-373.
- BENTHIC SOLUTIONS. 2019. Venus 1X Environmental Baseline Survey. Vol 2: Environmental Baseline Survey and Habitat Assessment Report. Prepared for Total E & P Namibia B.V. May 2019.
- BERG, J.A. and NEWELL, R.I.E. 1986. Temporal and spatial variations in the composition of seston available to the suspension-feeder *Crassostrea virginica*. *Estuar. Coast. Shelf. Sci.*, 23: 375–386.
- BERGEN, M., WEISBERG, S.B., SMITH, R.W., CADIEN, D.B., DALKEY, A., MONTAGNE, D.E., STULL, J.K., VELARDE, R.G. and J. ANANDA RANASINGHE, 2001. Relationship between depth, sediment, latitude and the structure of benthic infaunal assemblages on the mainland shelf of southern California. *Marine Biology* 138: 637-647.
- BEST, P.B. and C.H. LOCKYER, 2002. Reproduction, growth and migrations of sei whales *Balaenoptera borealis* off the west coast of South Africa in the 1960s. *South African Journal of Marine Science*, 24: 111-133.

BEST, P.B., 2007. Whales and Dolphins of the Southern African Subregion. Cambridge University Press, Cape Town, South Africa.

BEST, P.B. and C. ALLISON, 2010. Catch History, seasonal and temporal trends in the migration of humpback whales along the west coast of southern Africa. IWC sc/62/SH5.

BEST P.B., MEYER, M.A. & C. LOCKYER, 2010. Killer whales in South African waters – a review of their biology. African Journal of Marine Science. 32: 171–186.

BEST, P.B., MEYER, M.A., THORNTON, M., KOTZE, P.G.H., SEAKAMELA, S.M., HOFMEYR, G.J.G., WINTNER, S., WELAND, C.D. and D. STEINKE, 2014. Confirmation of the occurrence of a second killer whale morphotype in South African waters. African Journal of Marine Science 36: 215-224.

BIANCHI, G., HAMUKUAYA, H. and O. ALVHEIM, 2001. On the dynamics of demersal fish assemblages off Namibia in the 1990s. South African Journal of Marine Science 23: 419-428.

BIRCH, G.F., ROGERS, J., BREMNER, J.M. and G.J. MOIR, 1976. Sedimentation controls on the continental margin of Southern Africa. First Interdisciplinary Conf. Mar. Freshwater Res. S. Afr., Fiche 20A: C1-D12.

BIRCH, G.F., 1979. Phosphorite pellets and rock from the western continental margin and adjacent coastal terrace of South Africa. Marine Geology 33:91-116.

BOYD, A.J. and CRUICKSHANK, R. A., 1983. An environmental basin model for West Coast pelagic fish distribution. South African Journal of Science 79(4): 150-151.

BOYD, A.J. and OBERHOLSTER, G.P.J. 1994. Currents off the west and south coasts of South Africa. S. Afr. Shipping News and Fish. Ind. Rev., 49: 26-28.

BOYER, D. and BOYER, H. 2015. Albatrosses, White-chinned Petrel and Northern Giant-Petrel. In: SIMMONS, R.E., BROWN, C.J. and J. KEMPER (eds). *Birds to watch in Namibia: red, rare and endemic species*. National Biodiversity Programme, Windhoek, Namibia

BRANDÃO, A., VERMEULEN, E., ROSS-GILLESPIE, A., FINDLAY, K. and D.S. BUTTERWORTH, 2017. Updated application of a photo-identification based assessment model to southern right whales in South African waters, focussing on inferences to be drawn from a series of appreciably lower counts of calving females over 2015 to 2017. Paper SC/67b/SH22 to the 67th Meeting of the Scientific Committee of the International Whaling Commission, Bled, Slovenia.

BREEZE, H., DAVIS, D.S. BUTLER, M. and V. KOSTYLEV, 1997. Distribution and status of deep sea corals off Nova Scotia. Marine Issues Special Committee Special Publication No. 1. Halifax, NS: Ecology Action Centre. 58 pp.

BREMNER, J.M., ROGERS, J. & J.P. WILLIS, 1990. Sedimentological aspects of the 1988 Orange River floods. Trans. Roy. Soc. S. Afr. 47 : 247-294.

BROUWER, S.L., MANN, B.Q., LAMBERTH, S.J., SAUER, W.H.H. and C. ERASMUS, 1997. A survey of the South African shore angling fishery. S. Afr. J. Mar. Sci., 18: 165-178.

BROWN, P.C., 1984. Primary production at two contrasting nearshore sites in the southern Benguela upwelling region, 1977-1979. S. Afr. J. mar. Sci., 2 : 205-215.

BROWN, P.C. and J.L. HENRY, 1985. Phytoplankton production, chlorophyll a and light penetration in the southern Benguela region during the period between 1977 and 1980. In: SHANNON, L.V. (Ed.) South African Ocean Colour and Upwelling Experiment. Cape Town, SFRI : 211-218.

CALDWELL, J and W. DRAGOSET, 2000. Brief overview of seismic air-gun arrays. *The Leading Edge* 19(8): 898-902.

CHAPMAN, P. and L.V. SHANNON, 1985. The Benguela Ecosystem. Part II. Chemistry and related processes. *Oceanogr. Mar. Biol. Ann. Rev.*, 23: 183-251.

CHILD, M.F., ROXBURGH, L., DO LINH SAN, E., RAIMONDO, D. and H.T. DAVIES-MOSTERT, (editors). 2016. The Red List of Mammals of South Africa, Swaziland and Lesotho. South African National Biodiversity Institute and Endangered Wildlife Trust, South Africa (<https://www.ewt.org.za/Reddata/Order%20Cetacea.html>).

CHRISTIE, N.D., 1974. Distribution patterns of the benthic fauna along a transect across the continental shelf off Lamberts Bay, South Africa. Ph.D. Thesis, University of Cape Town, 110 pp & Appendices.

CHRISTIE, N.D., 1976. A numerical analysis of the distribution of a shallow sublittoral sand macrofauna along a transect at Lambert's Bay, South Africa. *Transactions of the Royal Society of South Africa*, 42: 149-172.

COCKCROFT, A.C, SCHOEMAN, D.S., PITCHER, G.C., BAILEY, G.W. and D.L. VAN ZYL, 2000. A mass stranding, or 'walk out' of west coast rock lobster, *Jasus lalandii*, in Elands Bay, South Africa: Causes, results and implications. In: VON VAUPEL KLEIN, J.C. and F.R. SCHRAM (Eds), *The Biodiversity Crisis and Crustacea: Proceedings of the Fourth International Crustacean Congress*, Published by CRC press.

COETZEE, J.C., VAN DER LINGEN, C.D., HUTCHINGS, L. and T.P. FAIRWEATHER, 2008. Has the fishery contributed to a major shift in the distribution of South African sardine? *ICES Journal of Marine Science* 65: 1676–1688.

COX, T.M. and 35 others. 2006. Understanding the impacts of anthropogenic sound on beaked whales. *J. Cetacean Res. Manage.*, 7(3): 177-187.

CRAWFORD, R.J.M., SHANNON, L.V. and D.E. POLLOCK, 1987. The Benguela ecosystem. 4. The major fish and invertebrate resources. *Oceanogr. Mar. Biol. Ann. Rev.*, 25: 353 - 505.

CRAWFORD, R.J.M. 1989. Snoek and chub mackerel. In *Oceans of Life off Southern Africa* (Payne, A.I.L. and R.J.M. Crawford –eds) Cape Town; Vlaeberg: 177 –187.

CRAWFORD, R.J.M. 1991. Factors influencing population trends of some abundant vertebrates in sardine-rich coastal ecosystems. *South African Journal of Marine Science* 10: 365 – 381.

CROWTHER CAMPBELL & ASSOCIATES AND CENTRE FOR MARINE STUDIES (1999) Generic Environmental Programme Report for oil and gas exploration off the coast of South Africa. Volume 4: Generic Manual for the preparation of a Lease Specific Environmental Management Programme Report for seismic surveys. Petroleum Agency of South Africa, Cape Town, South Africa.

CLIMATE SYSTEMS ANALYSIS GROUP (CSAG), 2020. Climate Information Platform. University of Cape Town. [Online]. Accessed: 28/05/2020. Available from [http://cip.csag.uct.ac.za/webclient2/datasets/africa-merged-cmip5/#nodes/cmip5-anomalies?folder\\_id=33&extent=100054](http://cip.csag.uct.ac.za/webclient2/datasets/africa-merged-cmip5/#nodes/cmip5-anomalies?folder_id=33&extent=100054).

CLARK, M.R., O'SHEA, S., TRACEY, D. and B. GLASBY, 1999. New Zealand region seamounts. Aspects of their biology, ecology and fisheries. Report prepared for the Department of Conservation, Wellington, New Zealand, August 1999. 107 pp.

CLARK, B.M., HAUCK, M., HARRIS, J.M., SALO, K. AND E. RUSSELL, 2002. Identification of subsistence fishers, fishing areas, resource use and activities along the South African coast. *South African Journal of Marine Science*, 24:1, 425-437.

COLMAN, J.G., GORDON, D.M., LANE, A.P., FORDE, M.J. and J.J. FITZPATRICK, 2005. Carbonate mounds off Mauritania, Northwest Africa: status of deep-water corals and implications for management of fishing and oil exploration activities. In: Cold-water Corals and Ecosystems, Freiwald, A and Roberts, J. M. (eds). Springer-Verlag Berlin Heidelberg pp 417-441.

CSIR, 1996. Elizabeth Bay monitoring project: 1995 review. CSIR Report ENV/S-96066.

CURRIE, H., GROBLER, K. and J. KEMPER (eds), 2009. Namibian Islands' Marine Protected Area. Ministry of Fisheries and Marine Resources, Namibia. [http://www.nacoma.org.na/\\_key\\_Activities/Marine\\_Protected\\_Areas.htm](http://www.nacoma.org.na/_key_Activities/Marine_Protected_Areas.htm).

DA SILVA, C., BOOTH, A.J., DUDLEY, S.F.J., KERWATH, S.E., LAMBERTH, S.J., LESLIE, R.W., MCCORD, M.E., SAUER, W.H.H. AND T. ZWEIG, 2015. The current status and management of South African's chondrichthyan fisheris. African Journal of Marine Science 37:2, 233-248.

DAVID, J.H.M, 1989., Seals. In: Oceans of Life off Southern Africa, Eds. Payne, A.I.L. and Crawford, R.J.M. Vlaeberg Publishers. Halfway House, South Africa.

DAY, J.H., FIELD, J.G. and M. MONTGOMEREY, 1971. The use of numerical methods to determine the distribution of the benthic fauna across the continental shelf of North Carolina. Journal of Animal Ecology 40:93-126.

DE DECKER, A.H., 1970. Notes on an oxygen-depleted subsurface current off the west coast of South Africa. Invest. Rep. Div. Sea Fish. South Africa, 84, 24 pp.

DELOITTE, 2016. Oil and gas taxation in Namibia. Deloitte, New York.

DEPARTMENT OF CO-OPERATIVE GOVERNANCE, HUMAN SETTLEMENTS AND TRADITIONAL AFFAIRS, 2012. Northern Cape Provisional Spatial Development Framework. Kimberly, South Africa.

DE ROCK, P., ELWEN, S.H., ROUX, J-P., LEENEY, R.H., JAMES, B.S., VISSER, V., MARTIN, M.J. and T. GRIDLEY, 2019. Predicting large-scale habitat suitability for cetaceans off Namibia using MinxEnt. Marine Ecology Progress Series, 619: 149-167.

DINGLE, R.V., 1973. The Geology of the Continental Shelf between Lüderitz (South West Africa) and Cape Town with special reference to Tertiary Strata. J. Geol. Soc. Lond., 129: 337-263.

DRAKE, D.E., CACCHIONE, D.A. and H.A. KARL, 1985. Bottom currents and sediment transport on San Pedro Shelf, California. J. Sed. Petr., 55: 15-28.

DUNA, O., CLARK, B.M., BICCARD, A., HUTCHINGS, K., HARMER, R., MOSTERT, B., BROWN, E., MASSIE, V., MAKUNGA, M., DLAKU, Z. & A, MAKHOSONKE, 2016. Assessment of mining-related impacts on macrofaunal benthic communities in the Northern Inshore Area of Mining Licence Area MPT 25-2011 and subsequent recovery. Technical Report. Report prepared for De Beers Marine by Anchor Environmental Consultants (PTY) Ltd. Report no. 1646/1.

DUNDEE, B.L., 2006. The diet and foraging ecology of chick-rearing gannets on the Namibian islands in relation to environmental features: a study using telemetry. MSc thesis, University of Cape Town, South Africa.

ELLINGSEN, K.E., 2002. Soft-sediment benthic biodiversity on the continental shelf in relation to environmental variability. Marine Ecology Progress Series, 232: 15-27.

ELSNER, P., 2019. Continental-scale assessment of the African offshore wind energy potential: Spatial analysis of an under-appreciated renewable energy resource. Renewable and Sustainable Energy Reviews 104: 394-407.

ELWEN, S.H. MEYER, M.A.M., BEST, P.B., KOTZE, P.G.H., THORNTON, M. and S. SWANSON, 2006. Range and movements of a nearshore delphinid, Heaviside's dolphin *Cephalorhynchus heavisidii* determined from satellite telemetry. *Journal of Mammalogy*, 87(5): 866–877.

ELWEN S.H., REEB D., THORNTON M. & P.B. BEST, 2009a. A population estimate of Heaviside's dolphins *Cephalorhynchus heavisidii* in the southern end of their range. *Marine Mammal Science* 25: 107-124.

ELWEN S.H., SNYMAN L. & R.H. LEENEY, 2010a. Report of the Namibian Dolphin Project 2010: Ecology and conservation of coastal dolphins in Namibia. Submitted to the Ministry of Fisheries and Marine Resources, Namibia. Pp. 1-36.

ELWEN, S.H., BEST, P.B., THORNTON, M., and REEB, D. 2010b. Near-shore distribution of Heaviside's (*Cephalorhynchus heavisidii*) and dusky dolphins (*Lagenorhynchus obscurus*) at the southern limit of their range in South Africa. *African Zoology*.

ELWEN, S.H. and R.H. LEENEY, 2011. Interactions between leatherback turtles and killer whales in Namibian waters, including predation. *South African Journal of Wildlife Research*, 41(2): 205-209.

ELWEN, S.H., GRIDLEY, T., ROUX, J.-P., BEST, P.B. & M.J. SMALE, 2013. Records of Kogiid whales in Namibia, including the first record of the dwarf sperm whale (*K. sima*). *Marine Biodiversity Records*. 6, e45 doi:10.1017/S1755267213000213.

ELWEN, S.H., TONACHELLA, N., BARENDE, J., COLLINS, T.J.Q., BEST, P.B., ROSENBAUM, H.C., LEENEY, R.H. and T. GRIDLEY. 2014. Humpback Whales off Namibia: Occurrence, Seasonality, and a Regional Comparison of Photographic Catalogs and Scarring. *Journal of Mammalogy*, 95 (5): 1064–76. doi:10.1644/14-MAMM-A-108.

EMANUEL, B.P., BUSTAMANTE, R.H., BRANCH, G.M., EEKHOUT, S. and F.J. ODENDAAL, 1992. A zoogeographic and functional approach to the selection of marine reserves on the west coast of South Africa. *S. Afr. J. Mar. Sci.*, 12: 341-354.

ESCARAVAGE, V., HERMAN, P.M.J., MERCKX, B., WŁODARSKA-KOWALCZUK, M., AMOUROUX, J.M., DEGRAER, S., GRÉMARE, A., HEIP, C.H.R., HUMMEL, H., KARAKASSIS, I., LABRUNE, C. and W. WILLEMS, 2009. Distribution patterns of macrofaunal species diversity in subtidal soft sediments: biodiversity-productivity relationships from the MacroBen database. *Marine Ecology Progress Series* 382: 253-264.

FAO. 2008. International Guidelines for the Management of Deep-Sea Fisheries in the High Seas. SPRFMO-VI-SWG-INF01

FEGLEY, S.R., MACDONALD, B.A. and T.R. JACOBSEN, 1992. Short-term variation in the quantity and quality of seston available to benthic suspension feeders. *Estuar. Coast. Shelf Sci.*, 34: 393–412.

FERNANDEZ, A., EDWARDS, J.F., RODRIGUEZ, F., ESPINOSA DE LOS MONEROS, A., HERRAEZ, P., CASTRO, P., JABER, J., et al., 2005. “Gas and Fat Embolic Syndrome” Involving a Mass Stranding of Beaked Whales (Family Ziphidae) Exposed to Anthropogenic Sonar Signals. *Veterinary Pathology*, 457: 446–457.

FILANDER, Z., 2018. First impressions of the benthic biodiversity patterns of the Cape Canyon and its surrounding areas. Oral presentation at 2018 Biodiversity Planning Forum (Abstract).

FINDLAY K.P., BEST P.B., ROSS G.J.B. and V.C. COCKROFT. 1992. The distribution of small odontocete cetaceans off the coasts of South Africa and Namibia. *S. Afr. J. Mar. Sci.* 12: 237-270.

FOOD AND AGRICULTURE ORGANISATION. 2020. fao.org. Retrieved from www.fao.org: <http://www.fao.org/fi/oldsite/FCP/en/NAM/profile.htm>

FOSSING, H., FERDELMAN, T.G. and BERG, P. 2000. Sulfate reduction and methane oxidation in continental margin sediments influenced by irrigation (South-East Atlantic off Namibia). *Geochim. Cosmochim. Acta.* 64(5): 897–910.

GIHWALA, K., BICCARD, A., CLARK, B.M., BROWN, E.A., MAKHOSONKE, A., SWART, C. & B. TSHINGANA, 2018. De Beers Marine Namibia Environmental Monitoring Programme: Mining-related impacts in mining license area MPT 25-2011 and subsequent recovery. Report prepared for De Beers Marine Namibia by Anchor Environmental Consultants (Pty) Ltd. Report no. 1800/1.

GIHWALA, K., BICCARD, A., CLARK, B.M., BROWN, E.A., MAKHOSONKE, A., SWART, C. & B. TSHINGANA, 2019. Mining-related impacts to soft bottom benthic habitats and associated macrofauna assemblages in mining license area SASA 2C and subsequent recovery. Report prepared for De Beers Group of Companies by Anchor Environmental Consultants (Pty) Ltd. Report no. 1800/1.

GISINER, R.C. 2016. Sound and Marine Seismic Surveys. *Acoustics Today.* Winter 2016. Volume 12, Issue 4. Acoustical Society of America.

GRAY, J. S. 1981. The ecology of marine sediments: an introduction to the structure and function of benthic communities. Cambridge University Press, Cambridge.

GRÉMILLET, D., LEWIS, S., DRAPEAU, L., VAN DER LINGEN, C.D., et al. 2008. Spatial match-mismatch in the Benguela upwelling zone:should we expect chlorophyll and seasurface temperature to predict marine predator distributions? *J Appl. Ecol.*, 45: 610–621

HALL-SPENCER, J., ALLAIN, V. and J.H. FOSSA, 2002. Trawling damage to Northeast Atlantic ancient coral reefs. *Proceedings of the Royal Society of London Series B – Biological Sciences* 269: 507–511.

HAMPTON, I., 2003. Harvesting the Sea. In: MOLLOY, F. and T. REINIKAINEN (Eds), 2003. Namibia's Marine Environment. Directorate of Environmental Affairs, Ministry of Environment and Tourism, Namibia, 31-69.

HANEY, J.C., HAURY, L.R., MULLINEAUX, L.S. and C.L. FEY, 1995. Sea-bird aggregation at a deep North Pacific seamount. *Marine Biology*, 123: 1-9.

HANSEN. F.C., CLOETE. R.R. & H.M. VERHEYE, 2005. Seasonal and spatial variability of dominant copepods along a transect off Walvis Bay (23°S), Namibia. *African Journal of Marine Science*, 27: 55-63.

HARRIS, L.R., NEL, R., OOSTHUIZEN, H., MEÝER, M., KOTZE, D., ANDERS, D., MCCUE, S. & S. BACHOO, 2018. Managing conflict between economic activities and threatened migratory species toward creating a multi-objective blue economy. *Conservation Biology*, 32(2): 411-423.

HARRIS, L.R., SINK, K.J., HOLNESS, S.D., KIRKMAN, S.P. AND A. DRIVER, 2020. National Coastal and Marine Spatial Biodiversity Plan, Version 1.0 (Beta 2): Technical Report. South African National Biodiversity Institute, South Africa. 105 pp.

HOVLAND, M., MORTENSEN, P.B., BRATTEGARD, T., STRASS, P. & K. ROKOENGGEN, 1998. Ahermatypic coral banks off mid-Norway: Evidence for a link with seepage of light hydrocarbons. *Palaios* 13: 189-200.

HOVLAND, M., VASSHUS, S., INDREEIDE, A., AUSTDAL, L. and Ø. NILSEN, 2002. Mapping and imaging deep-sea coral reefs off Norway, 1982-2000. *Hydrobiol.* 471: 13-17.

HOVLAND, M. & E. THOMSEN, 1997. Cold-water corals – are they hydrocarbon seep related? *Marine Geology* 137: 159-164.

HOWARD, J.A.E., JARRE, A., CLARK, A.E. & C.L. MOLONEY, 2007. Application of the sequential t-test algorithm or analyzing regime shifts to the southern Benguela ecosystem. *African Journal of Marine Science* 29(3): 437-451.

HUGHES, G. & R. NEL, 2014a. Family Cheloniidae. In: BATES, M.F., BRANCH, W.R., BAUER, A.M., BURGER, M., MARAIS, J., ALEXANDER, G.J., DE VILLIERS, M.S. (eds) *Atlas and Red List of the Reptiles of South Africa, Lesotho and Swaziland*. Suricata 1, SANBI, Pretoria.

HUI, C.A. 1985. Undersea topography and the comparative distributions of two pelagic cetaceans. *Fishery Bulletin*, 83(3): 472-475.

ICCAT (International Commission for the Conservation of Atlantic Tunas). 2018. Report for biennial period, 2016-17: Part 1 (2017) – Vol.2. Madrid, Spain.

International Finance Corporation (IFC). 2007. Stakeholder Engagement: A Good Practice Handbook for Companies Doing Business in Emerging Markets.

IWC, 2012. Report of the Scientific Committee. Annex H: Other Southern Hemisphere Whale Stocks Committee 11–23.

JANUARY, D.K., 2018. Mapping Break-Back Thrust Sequence Developments of the Orange Basin (offshore) South Africa. Unpublished MSc Thesis, University of the Western Cape, pp121.

JEPSON, P.D., DEAVILLE, R., ACEVEDO-WHITEHOUSE, K., BARNETT, J., BROWNLOW, A., JR BROWNELL, R.L., CLARE F.C., DAVISON, N., LAW, R.J., LOVERIDGE, J., PENROSE, R., PERKINS, M.W., MACGREGOR, S.K., MORRIS, S., TREGENZA, N.J.C., CUNNINGHAM, A.A., & A. FERNA, 2013. What Caused the UK's Largest Common Dolphin (*Delphinus delphis*) Mass Stranding Event? *PLoS ONE* 8(4): e60953. <https://doi.org/10.1371/journal.pone.0060953>.

KARENÝI, N., 2014. Patterns and drivers of benthic macrofauna to support systematic conservation planning for marine unconsolidated sediment ecosystems. PhD Thesis, Nelson Mandela Metropolitan University, South Africa.

KARENÝI, N., SINK, K. & R. NEL, 2016. Defining seascapes for marine unconsolidated shelf sediments in an eastern boundary upwelling region: The southern Benguela as a case study. *Estuarine, Coastal and Shelf Science* 169: 195–206.

KENDALL, M.A. and S. WIDDICOMBE, 1999. Small scale patterns in the structure of macrofaunal assemblages of shallow soft sediments. *Journal of Experimental Marine Biology and Ecology*, 237:127-140.

KENNY, A.J., REES, H.L., GREENING, J. and S. CAMPBELL, 1998. The effects of marine gravel extraction on the macrobenthos at an experimental dredge site off north Norfolk, U.K. (Results 3 years post-dredging). ICES CM 1998/V:14, pp. 1-8.

KENSLEY, B. 1980. Decapod and Isopod Crustaceans from the West Coast of Southern Africa, Including Seamounts Vema and Tripp. *Annals of the South African Museum*, 83(2): 13-32.

KENSLEY, B. 1981. On the Zoogeography of Southern African Decapod Crustacea, With a Distributional Checklist. *Smithsonian Contributions to Zoology*, 338: 1-64.

- KENYON, N.H., AKHMETZHANOV, A.M., WHEELER, A.J., VAN WEERING, T.C.E., DE HAAS, H. and M.K. IVANOV, 2003. Giant carbonate mud mounds in the southern Rockall Trough. *Marine Geology* 195: 5-30.
- KIRKMAN, S.P., YEMANE, D., OOSTHUIZEN, W.H., MEYER, M.A., KOTZE, P.G.H., SKRYPZECK, H., VAZ VELHO, F., UNDERHILL, L.G., 2013. Spatio-temporal shifts of the dynamic Cape fur seal population in southern Africa, based on aerial censuses (1972-2009). *Mar. Mamm. Sci.* 29: 497-524.
- KOPASKA-MERKEL D.C. and D.W. HAYWICK, 2001. Carbonate mounds: sedimentation, organismal response, and diagenesis. *Sedimentary Geology*, 145: 157-159.
- KOSLOW, J.A., 1996. Energetic and life history patterns of deep-sea benthic, benthopelagic and seamount associated fish. *Journal of Fish Biology*, 49A: 54-74.
- LAMBARDI, P., LUTJEHARMS, J.R.E., MENACCI, R., HAYS, G.C. and P. LUSCHI, 2008. Influence of ocean currents on long-distance movement of leatherback sea turtles in the Southwest Indian Ocean. *Marine Ecology Progress Series*, 353: 289–301.
- LAMBERTH, S.J., 2006. White shark and other chondrichthyan interactions with the beach-seine (treknet) fishery in False Bay, South Africa. *African Journal of Marine Science*
- LANE, S.B. and R.A. CARTER, 1999. Generic Environmental Management Programme for Marine Diamond Mining off the West Coast of South Africa. Marine Diamond Mines Association, Cape Town, South Africa. 6 Volumes.
- LANGE, L., 2012. Use of demersal bycatch data to determine the distribution of soft-bottom assemblages off the West and South Coasts of South Africa. PhD thesis, University of Cape Town
- LEENEY, R.H., POST, K., HAZEVOET, C.J. AND S.H. ELWEN, 2013. Pygmy right whale records from Namibia. *African Journal of Marine Science* 35(1): 133-139.
- LESLIE, R.W. and GRANT, W.S. 1990. Lack of congruence between genetic and morphometric stock structure of the southern African anglerfish *Lophius vomerinus*. *South African Journal of Marine Science* 9: 379 – 398.
- LIPINSKI, M.R., 1992. Cephalopods and the Benguela ecosystem: trophic relationships and impacts. *S. Afr. J. Mar. Sci.*, 12 : 791-802.
- LOMBARD, A.T., STRAUSS, T., HARRIS, J., SINK, K., ATTWOOD, C. and L. HUTCHINGS, 2004. National Spatial Biodiversity Assessment 2004: South African Technical Report Volume 4: Marine Component
- LUDYNIA, K., 2007. Identification and characterisation of foraging areas of seabirds in upwelling systems: biological and hydrographic implications for foraging at sea. PhD thesis, University of Kiel, Germany.
- MacISSAC, K., BOURBONNAIS, C., KENCHINGTON, E.D., GORDON JR. and GASS, S. 2001. Observations on the occurrence and habitat preference of corals in Atlantic Canada. In: (eds.) J.H.M. WILLISON, J. HALL, S.E. GASS, KENCHINGTON, E.L.R., M. BUTLER, and P. DOHERTY. *Proceedings of the First International Symposium on Deep-Sea Corals*. Ecology Action Centre and Nova Scotia Museum, Halifax, Nova Scotia.
- MacLEOD, C.D. & A. D'AMICO, 2006. A review of beaked whale behaviour and ecology in relation to assessing and mitigating impacts of anthropogenic noise. *Journal of Cetacean Research and Management* 7(3): 211–221.
- MacPHERSON, E. and A. GORDOA, 1992. Trends in the demersal fish community off Namibia from 1983 to 1990. *South African Journal of Marine Science* 12: 635-649.

MARTIN, M.J., GRIDLEY, T., ROUX, J.P. & S.H. ELWEN, 2020. First Abundance Estimates of Heaviside's (*Cephalorhynchus heavisidii*) and Dusky (*Lagenorhynchus obscurus*) Dolphins Off Namibia Using a Novel Visual and Acoustic Line Transect Survey. *Front Mar Sci.*, 7: 1–20.

MATE, B.R., LAGERQUIST, B.A., WINDSOR, M., GERACI, J. and J.H. PRESCOTT, 2005. Movements and dive habits of a satellite-monitoring longfinned pilot whales (*Globicephala melas*) in the northwest Atlantic. *Marine Mammal Science* 21(10): 136-144.

MATE, B.R., BEST, P.B., LAGERQUIST, B.A. and M.H. WINSOR, 2011. Coastal, offshore and migratory movements of South African right whales revealed by satellite telemetry. *Marine Mammal Science*, 27(3): 455-476.

MATTHEWS, S.G. and G.C. PITCHER, 1996. Worst recorded marine mortality on the South African coast. In: YASUMOTO, T, OSHIMA, Y. and Y. FUKUYO (Eds), Harmful and Toxic Algal Blooms. Intergovernmental Oceanographic Commission of UNESCO, pp 89-92.

MCCAULEY, R.D. 1994. Seismic surveys. In: Swan, J.M., Neff, J.M., Young, P.C. (Eds.). Environmental implications of offshore oil and gas development in Australia - The findings of an Independent Scientific Review. APEA, Sydney, Australia, 695 pp.

McLACHLAN, A., 1980. The definition of sandy beaches in relation to exposure: a simple rating system. *S. Afr. J. Sci.*, 76: 137-138.

MEADOWS, M.E., DINGLE, R.V., ROGERS, J. and E.G. MILLS, 1997. Radiocarbon chronology of Namaqualand mudbelt sediments: problems and prospects. *South African Journal of Science*, 93: 321-327.

MEADOWS, M.E., ROGERS, J., LEE-THORP, J.A., BATEMAN, M.D. and R.V. DINGLE, 2002. Holocene geochronology of a continental-shelf mud belt off southwestern Africa. *The Holocene*, 12: 59-67.

MINING REVIEW AFRICA. 2008. New marine phosphate sampling project in Namibia. 18 June 2008. <https://www.miningreview.com/top-stories/new-marine-phosphate-sampling-project-in-namibia/>.

MINISTRY OF FISHERIES AND MARINE RESOURCES. N.D. Annual Report, 2012 - 2013. Windhoek: Ministry of Fisheries and Marine Resources.

MITCHELL-INNES, B.A. & D.R. WALKER. 1991. Short-term variability during an Anchor Station study in the southern Benguela upwelling system. Phytoplankton production and biomass in relation to species changes. *Prog. Oceanogr.*, 28: 65-89.

MOLLOY, F. & T. REINIKAINEN (Eds), 2003. Namibia's Marine Environment. Directorate of Environmental Affairs, Ministry of Environment & Tourism, Namibia, 160 pp.

MONTEIRO, P.M.S. & A.K. VAN DER PLAS, 2006. Low Oxygen Water (LOW) variability in the Benguela System: Key processes and forcing scales relevant to forecasting. In: SHANNON, V., HEMPEL, G., MALANOTTE-RIZZOLI, P., MOLONEY, C. and J. WOODS (Eds). Large Marine Ecosystems, Vol. 15, pp 91-109.

MOSTERT, B.P., BICCARD, A., DUNA, O. & B.M. CLARK, 2016. Baseline survey of the benthic marine environment in the South African diamond mining Concession areas 1B and 1C. Report prepared for Alexkor and Placer Resource Management by Anchor Environmental Consultants, Report No. 1696/1

NELSON G. and L. HUTCHINGS, 1983. The Benguela upwelling area. *Prog. Oceanogr.*, 12: 333-356.

NELSON, G., 1989. Poleward motion in the Benguela area. In: Poleward Flows along Eastern Ocean Boundaries. NESHYBA et al. (eds) New York; Springer: 110-130 (Coastal and Estuarine Studies 34).

- NEPGEN, C.S. De V. 1970. Exploratory fishing for tuna off the South West African West Coast, 1964-1967. Investl. Rep. Div. Sea Fish. S. Afr. 90: 1-13.
- NEWMAN, G.G. and D.E. POLLOCK, 1971. Biology and migration of rock lobster Jasus lalandii and their effect on availability at Elands Bay, South Africa. Investl. Rep. Div. Sea Fish. S. Afr., 94: 1-24.
- NRC. 2003. Ocean noise and marine mammals. National Academy Press, Washington, DC.
- NPC (National Planning Commission). 2017. The Fifth National Development Plan 2017/18 – 2021/22 (NDP5).
- OGP (International Associate of Oil and Gas Producers). 2011. An overview of marine seismic operations. Report No. 448. April 2011.
- OLIVIER, J., 1992. Aspects of the climatology of fog in the Namib. SA geographer 19(2): 107-125.
- OLIVIER, J., 1995. Spatial fog distribution pattern in the Namib using Meteosat images. J. Arid Environments 29: 129-138.
- OOSTHUIZEN W.H., 1991. General movements of South African (Cape) fur seals *Arctocephalus pusillus pusillus* from analysis of recoveries of tagged animals. S. Afr. J. Mar. Sci., 11: 21-30.
- PALAN, K.J., 2017. Submarine canyon evolution of the Southwest Cape continental margin. MSc Thesis, University of KwaZulu-Natal, South Africa.
- PARRY, D.M., KENDALL, M.A., PILGRIM, D.A. and M.B. JONES, 2003. Identification of patch structure within marine benthic landscapes using a remotely operated vehicle. J. Exp. Mar. Biol. Ecol., 285– 286: 497–511.
- PAYNE, A.I.L. and R.J.M. CRAWFORD, 1989. Oceans of Life off Southern Africa. Vlaeberg, Cape Town, 380 pp.
- PENNEY, A.J., KROHN, R.G. and C.G. WILKE. 1992. A description of the South African tuna fishery in the southern Atlantic Ocean. ICCAT Col. Vol. Sci. Pap. XXIX(1) : 247-253.
- PENRY, G.S., 2010. Biology of South African Bryde's whales. PhD Thesis. University of St Andrews, Scotland, UK.
- PERKS, C. 2016. Namibia backtracks on offshore phosphate. <https://www.indmin.com/Article/ 3602998/Namibia-backtracks-on-offshore-phosphate.html>
- PETERS, I., BEST, P.B. and M. THORNTON, 2011. Abundance estimates of right whales on a feeding ground off the west coast of South Africa. Paper SC/S11/RW11 submitted to the IWC Southern Right Whale Assessment Workshop, Buenos Aires 13-16 Sept. 2011.
- PITCHER, G.C., 1998. Harmful algal blooms of the Benguela Current. IOC, World Bank and Sea Fisheries Research Institute Publication. 20 pp.
- PLÖN, S., 2004. The status and natural history of pygmy (*Kogia breviceps*) and dwarf (*K. sima*) sperm whales off Southern Africa. PhD Thesis. Department of Zoology & Entomology (Rhodes University), p. 551.
- POST, A.L., WASSENBERG, T.J. and V. PASSLOW, 2006. Physical surrogates for macrofaunal distributions and abundance in a tropical gulf. Marine and Freshwater Research, 57: 469-483.
- PRDW, 2013. Impact Assessment for Proposed Exploration Drilling in the Orange Basin Deep Water Licence Area off the West Coast of South Africa. Drill Cuttings and Oil Spill Modelling Specialist Study, November 2013. 126pp.

PULFRICH, A., PENNEY, A.J., BRANDÃO, A., BUTTERWORTH, D.S. and M. NOFFKE, 2006. Marine Dredging Project: FIMS Final Report. Monitoring of Rock Lobster Abundance, Recruitment and Migration on the Southern Namibian Coast. Prepared for De Beers Marine Namibia, July 2006. 149pp.

PUNSLY, R.G. AND H. NAKANO, 1992. Analysis of variance and standardization of longline hook rates of bigeye (*Thunnus obesus*) and yellowfin (*Thunnus albacares*) tunas in the Eastern Pacific Ocean during 1975-1987. Inter-American Tropical Tuna Commission Bulletin, 20(4): 165-184.

PURDON, J., SHABANGU, F., PIENAAR, M., SOMERS, M.J. & K.P. FINDLAY, 2020. South Africa's newly approved marine protected areas have increased the protected modelled habitat of nine odontocete species SUPPLEMENT 2. Mar Ecol Prog Ser 633:1–21.

ROBERTS, J.M. and J.D. GAGE, 2003. Scottish Association for Marine Science Work Package 3 of ACES project: To describe the deep-water coral ecosystem, its dynamics and functioning; investigate coral biology and behaviour and assess coral sensitivity to natural and anthropogenic stressors. Final Report to the Atlantic Coral Ecosystem Study," Internal SAMS Report, 2003.

ROEL, B.A., 1987. Demersal communities off the west coast of South Africa. South African Journal of Marine Science 5: 575-584.

ROEL, B.A. and ARMSTRONG, M.J. 1991. The Round Herring *Etrumeus whiteheadi*, anabundnt, underexploited clupeoid species off the coast of southern Africa. South African Journal of Marine Science 11:267-287.

ROGERS, A.D., 1994. The biology of seamounts. Advances in Marine Biology, 30: 305–350.

ROGERS, A.D., 2004. The biology, ecology and vulnerability of seamount communities. IUCN, Gland, Switzerland. Available at: [www.iucn.org/themes/marine/pubs/pubs.htm](http://www.iucn.org/themes/marine/pubs/pubs.htm) 12 pp.

ROGERS, A.D., CLARK, M.R., HALL-SPENCER, J.M. and K.M. GJERDE, 2008. The Science behind the Guidelines: A Scientific Guide to the FAO Draft International Guidelines (December 2007) For the Management of Deep-Sea Fisheries in the High Seas and Examples of How the Guidelines May Be Practically Implemented. IUCN, Switzerland, 2008.

ROGERS, J. and J.M. BREMNER, 1991. The Benguela Ecosystem. Part VII. Marine-geological aspects. Oceanogr. Mar. Biol. Ann. Rev., 29: 1-85.

ROGERS, J., 1977. Sedimentation on the continental margin off the Orange River and the Namib Desert. Unpubl. Ph.D. Thesis, Geol. Dept., Univ. Cape Town. 212 pp.

ROGERS, J., 1995. A comparative study of manganese nodules off southern Africa. South African Journal of Geology Vol 98:2.

ROSE, B. and A. PAYNE, 1991. Occurrence and behavior of the Southern right whale dolphin *Lissodelphis peronii* off Namibia. Marine Mammal Science 7: 25-34.

ROSENBAUM, H.C., POMILLA, C., MENDEZ, M., LESLIE, M.S., BEST, P.B., FINDLAY, K.P., MINTON, G., ERSTS, P.J., COLLINS, T., ENGEL, M.H., BONATTO, S., KOTZE, P.G.H., MEÝER, M., BARENDE, J., THORNTON, M., RAZAFINDRAKOTO, Y., NGOUESSONO, S., VELY, M. and J. KISZKA, 2009. Population structure of humpback whales from their breeding grounds in the South Atlantic and Indian Oceans. PLoS One, 4 (10): 1-11.

ROSS, G.J.B., 1979. Records of pygmy and dwarf sperm whales, genus *Kogia*, from southern Africa, with biological notes and some comparisons. Annals of the Cape Province Museum (Natural History) 11: 259-327.

ROUX, J-P., BEST, P.B. and P.E. STANDER. 2001. Sightings of southern right whales (*Eubalaena australis*) in Namibian waters, 1971-1999. *J. Cetacean Res. Manage.* (Special Issue). 2: 181–185.

ROUX, J-P., BRADY, R. and P.B. BEST, 2011. Southern right whales off Namibia and their relationship with those off South Africa. Paper SC/S11/RW16 submitted to IWC Southern Right Whale Assessment Workshop, Buenos Aires 13-16 Sept. 2011.

ROUX, J-P., BRADY, R. and P.B. BEST, 2015. Does Disappearance Mean Extirpation? The Case of Right Whales off Namibia. *Marine Mammal Science*, 31 (3): 1132–52. doi:10.1111/mms.12213.

SEIDERER, L.J. & R.C. NEWELL, 1999. Analysis of the relationship between sediment composition and benthic community structure in coastal deposits: Implications for marine aggregate dredging. *ICES Journal of Marine Science*, 56: 757–765.

SHABANGU, F.W., FINDLAY, K.P., YEMANE, D., STAFFORD, K.M., VAN DEN BERG, M., BLOWS, B. & R.K. ANDREW, 2019. Seasonal occurrence and diel calling behaviour of Antarctic blue whales and fin whales in relation to environmental conditions off the west coast of South Africa. *J. Mar. Syst.*, 190: 25–39.

SHANNON, L. V. 1985. The Benguela Ecosystem, Part I. Evolution of the Benguela, physical features and processes. *Oceanography and Marine Biology: An Annual Review*, 23, 105–182.

SHANNON, L.V. and F.P. ANDERSON, 1982. Application of satellite ocean colour imagery in the study of the Benguela Current system. *S. Afr. J. Photogrammetry, Remote Sensing and Cartography*, 13(3): 153-169.

SHANNON, L.V. and J.G. FIELD, 1985. Are fish stocks food-limited in the southern Benguela pelagic ecosystem? *Mar. Ecol. Prog. Ser.*, 22(1) : 7-19.

SHANNON L.V. and S. PILLAR, 1985. The Benguela Ecosystem III. Plankton. *Oceanography and Marine Biology: An Annual Review*, 24: 65-170.

SHANNON, L.V. and M.J. O'TOOLE, 1998. BCLME Thematic Report 2: Integrated overview of the oceanography and environmental variability of the Benguela Current region. Unpublished BCLME Report, 58pp

SHANNON, L.J., C.L. MOLONEY, A. JARRE and J.G. FIELD, 2003. Trophic flows in the southern Benguela during the 1980s and 1990s. *Journal of Marine Systems*, 39: 83 - 116.

SHAUGHNESSY P.D., 1979. Cape (South African) fur seal. In: *Mammals in the Seas*. F.A.O. Fish. Ser., 5, 2: 37-40.

SHILLINGTON, F. A., PETERSON, W. T., HUTCHINGS, L., PROBYN, T. A., WALDRON, H. N. and J. J. AGENBAG, 1990. A cool upwelling filament off Namibia, South West Africa: Preliminary measurements of physical and biological properties. *Deep-Sea Res.*, 37 (11A): 1753-1772.

SHINE, K., 2006. Biogeographic patterns and diversity in demersal fish off the south and west coasts of south Africa: Implications for conservation. MSc thesis, University of Cape Town.

SHINE, K.H., 2008. Biogeographic Patterns and Assemblages of Demersal Fishes on the south and west coasts of South Africa. BCLME Project BEHP/BAC/03/03 Report. Cape Town, South Africa: Benguela Current Large Marine Ecosystem Programme.

SIMPSON, E.S.W. and E. FORDER, 1968. The Cape Submarine Canyon. *Fisheries Bulletin South Africa*. 5: 35–38.

SINK, K., HOLNESS, S., HARRIS, L., MAJIEDT, P., ATKINSON, L., ROBINSON, T., KIRKMAN, S., HUTCHINGS, L., LESLIE, R., LAMBERTH, S., KERWATH, S., VON DER HEYDEN, S., LOMBARD, A., ATTWOOD, C., BRANCH, G., FAIRWEATHER,

T., TALJAARD, S., WEERTS, S., COWLEY, P., AWAD, A., HALPERN, B., GRANTHAM, H. and T. WOLF, 2012a. National Biodiversity Assessment 2011: Technical Report. Volume 4: Marine and Coastal Component. South African National Biodiversity Institute, Pretoria.

SINK, K.J., VAN DER BANK, M.G., MAJIEDT, P.A., HARRIS, L.R., ATKINSON, L.J., KIRKMAN, S.P. and N. KARENÝI (eds), 2019. South African National Biodiversity Assessment 2018 Technical Report Volume 4: Marine Realm. South African National Biodiversity Institute, Pretoria. South Africa.

SMALE, M.J., ROEL, B.A., BADENHORST, A. and J.G. FIELD, 1993. Analysis of demersal community of fish and cephalopods on the Agulhas Bank, South Africa. *Journal of Fisheries Biology* 43:169-191.

SMITH, G.G and G.P. MOCKE, 2002. Interaction between breaking/broken waves and infragravity-scale phenomena to control sediment suspension and transport in the surf zone. *Marine Geology*, 187: 320-345.

SNELGROVE, P.V.R. & C.A. BUTMAN (1994). Animal-sediment relationships revisited: cause versus effect. *Oceanography & Marine Biology: An Annual Review*, 32: 111-177.

SOUTHALL, B.L., ROWLES, T., GULLAND, F., BAIRD, R.W. & P.D. JEPSON, 2008. Final report of the Independent Scientific Review Panel investigating potential contributing factors to a 2008 mass stranding of melon-headed whales (*Peponocephala electra*) in Antsohihy, Madagascar.

SPRFMA, 2007. Information describing seamount habitat relevant to the South Pacific Regional Fisheries Management Organisation.

STEFFANI, C.N. & PULFRICH, A. 2004a. Environmental Baseline Survey of the Macrofaunal Benthic Communities in the De Beers ML3/2003 Mining Licence Area. Prepared for De Beers Marine South Africa, April 2004., 34pp.

STEFFANI, C.N. and A. PULFRICH, 2007. Biological Survey of the Macrofaunal Communities in the Atlantic 1 Mining Licence Area and the Inshore Area between Kerbehuk and Lüderitz 2001 – 2004 Surveys. Prepared for De Beers Marine Namibia, March 2007, 288pp.

STEFFANI, N., 2007a. Biological Baseline Survey of the Benthic Macrofaunal Communities in the Atlantic 1 Mining Licence Area and the Inshore Area off Pomona for the Marine Dredging Project. Prepared for De Beers Marine Namibia (Pty) Ltd. pp. 42 + Appendices.

STEFFANI, N., 2007b. Biological Monitoring Survey of the Macrofaunal Communities in the Atlantic 1 Mining Licence Area and the Inshore Area between Kerbehuk and Bogenfels. 2005 Survey. Prepared for De Beers Marine Namibia (Pty) Ltd. pp. 51 + Appendices.

STEFFANI, N. 2011. Environmental Impact Assessment for the dredging of Marine Phosphate Enriched Sediments from Mining Licence Area No. 170. Specialist Study No. 1c: Marine Benthic Specialist Study for a Proposed Development of Phosphate Deposits in the Sandpiper Phosphate Licence Area off the Coast of Central Namibia. Prepared for Namibian Marine Phosphate (Pty) Ltd. November 2011. 72 pp.

TAUNTON-CLARK, J., 1985. The formation, growth and decay of upwelling tongues in response to the mesoscale windfield during summer. In: South African Ocean Colour and Upwelling Experiment. Shannon L.V. (ed.). Sea Fisheries Research Institute, Cape Town. pp 47-62.

THOMISCH, K., BOEBEL, O', CLARK, C.W., HAGEN, W., SPIESECKE, S., ZITTERBART, D.P. and VAN OPZEELAND, I. 2016. Spatio-temporal patterns in acoustic presence and distribution of Antarctic blue whales *Balaenoptera musculus intermedia* in the Weddell Sea. doi: 10.3354/esr00739.

THOMISCH, K., 2017. Distribution patterns and migratory behavior of Antarctic blue whales. Reports on Polar and Marine Research 707: pp194. doi:10.2312/BzPM\_0707\_2017

TURNER, M. 1988. Shipwrecks and Salvage in South Africa ~1505 to the present. Struik. Cape Town.

TYACK, P.L., ZIMMER, W.M.X., MORETTI, D., SOUTHALL, B.L., CLARIDGE, D.E., DURBAN, J.W., CLARK, C.W., et al., 2011. Beaked Whales Respond to Simulated and Actual Navy Sonar, 6(3). doi:10.1371/journal. pone.0017009.

UKDTI (UNITED KINGDOM DEPARTMENT OF TRADE AND INDUSTRY). 2001. An overview of offshore oil and gas exploration and production activities. Hartley Anderson, Aberdeen.

UNDP. 2019. Human Development Report 2019. UNDP.

VAN DALFSEN, J.A., ESSINK, K., TOXVIG MADSEN, H., BIRKLUND, J., ROMERO, J. and M. MANZANERA, 2000. Differential response of macrozoobenthos to marine sand extraction in the North Sea and the Western Mediterranean. ICES J. Mar. Sci., 57: 1439–1445.

VAN DER WESTHUIZEN, A. 2001. A decade of exploitation and management of the Namibian hake stocks. South African Journal of Marine Science 23: 307-315.

VERMEULEN, E., WILKINSON, C., & G. VAN DEN BERG, 2020. Report of the 2019 South African southern right whale aerial survey. Report to IWC. 10.13140/RG.2.2.29556.37766.

VISSEER, G.A., 1969. Analysis of Atlantic waters off the coast of southern Africa. Investigational Report Division of Sea Fisheries, South Africa, 75: 26 pp.

WALKER, D.R and W.T. PETERSON, 1991. Relationships between hydrography, phytoplankton production, biomass, cell size and species composition, and copepod production in the southern Benguela upwelling system in April 1988. S. Afr. J. mar. Sci., 11: 289-306

WARD, L.G., 1985. The influence of wind waves and tidal currents on sediment resuspension in Middle Chesapeake Bay. Geo-Mar. Letters, 5: 1-75.

WARWICK, R.M., GOSS-CUSTARD, J.D., KIRBY, R., GEORGE, C.L., POPE, N.D. & A.A. ROWDEN, 1991. Static and dynamic environmental factors determining the community structure of estuarine macrobenthos in SW Britain: why is the Severn estuary different? J. Appl. Ecol., 28: 329–345.

EIR, C.R., COLLINS, T., CARVALHO, I. & H.C. ROSENBAUM, 2010. Killer whales (*Orcinus orca*) in Angolan and Gulf of Guinea waters, tropical West Africa. Journal of the Marine Biological Association of the U.K. 90: 1601– 1611.

WEIR, C.R., 2011. Distribution and seasonality of cetaceans in tropical waters between Angola and the Gulf of Guinea. African Journal of Marine Science 33(1): 1-15.

WEIR, C.R., COLLINS, T., CARVALHO, I. & H.C. ROSENBAUM, 2010. Killer whales (*Orcinus orca*) in Angolan and Gulf of Guinea waters, tropical West Africa. Journal of the Marine Biological Association of the U.K. 90: 1601– 1611.

WHEELER, A.J., KOZACHENKO, M., BEYER, A., FOUBERT, A., HUVENNE, V.A.I., KLAGES, M., MASSON, D.G., OLU-LE ROY, K. and J. THIEDE, 2005. Sedimentary processes and carbonate mounds in the Belgica Mound province,

Porcupine Seabight, NE Atlantic. In: Cold-water Corals and Ecosystems, FREIWALD, A and J.M. ROBERTS, (eds). Springer-Verlag Berlin Heidelberg pp. 571-603.

WHITEHEAD, H., 2002. Estimates of the current global population size and historical trajectory for sperm whales. *Marine Ecology Progress Series*, 242: 295-304.

WICKENS, P.A., DAVID, J.H.M., SHELTON, P.A. and J.G. FIELD, 1991. Trends in harvest and pup numbers of the South African fur seal: Implications for management. *S. Afr. J. Mar. Sci.* 11:307–326.

YEMANE, D., MAFWILA, S.K., KATHENA, J., NSIANGANGO, S.E. & S.P. KIRKMAN, 2015. Spatio-temporal trends in diversity of demersal fish species in the Benguela current large marine ecosystem region. *Fisheries Oceanography*, 24(S1): 102-121.

ZAJAC, R.N., LEWIS, R.S., POPPE, L.J., TWICHELL, D.C., VOZARIK, J., and M.L. DIGIACOMO-COHEN, 2000. Relationships among sea-floor structure and benthic communities in Long Island Sound at regional and benthoscape scales. *J. Coast. Res.*, 16: 627– 640.

ZETTLER, M.L., BOCHERT, R. and F. POLLEHNE. 2009. Macrozoobenthos diversity in an oxygen minimum zone off northern Namibia. *Marine Biology* 156:1949-1961.

ZETTLER, M.L., BOCHERT, R. and F. POLLEHNE. 2013. Macrozoobenthic biodiversity patterns in the northern province of the Benguela upwelling system. *African Journal of Marine Science*, 35(2): 283-290.

ZOUTENDYK, P., 1992. Turbid water in the Elizabeth Bay region: A review of the relevant literature. CSIR Report EMAS-I 92004.

ZOUTENDYK, P., 1995. Turbid water literature review: a supplement to the 1992 Elizabeth Bay Study. CSIR Report EMAS-I 95008.